# DRAGON SER

July 1986

The independent Dragon magazine

### **Contents**



14

### Letters

Air your opinions about the whole Dragon world, before the eyes of thousands.

### **People's Chart**

Find out which program everyone else is buying — and send in your top five — you could win £25!

#### News

The future of your Dragon — we ask the experts — tidy your computer — 6809 convention revealed.

### Communication

We don't have all the answers — but you might find someone who does in our problem-solving column.



### **Dragonsoft**

Three new games for Microdeal — you read it first in this issue!

#### Canoe

Machine code arcade action — paddle your way to victory in this game.

### **Disc Drives**

Are you thinking of upgrading to a Disc Drive? Read this first — it contains some invaluable advice.

### **Dragon Answers**

Brian Cadge collects his usual assortment of waifs and strays and puts them back on the straight and narrow.

### Journey Planner 15

Here's a useful program for the summer holidays — plan your car journeys on your Dragon. Try it and see!

### Graphics 18

Peter Whittaker wasn't satisfied with his Touchmaster Graphics software — so he wrote his own. This is it!

### Arcade Arena 24

Who is this man? What is his name? How much are we paying him!? This month, finally a Jet Set Willy map.

### Adventure Trail 26

Mike Gerrard time again — with his usual batch of news and help for stranded adventurers.

### Competition 30

Stretch your brain — with this month's poser set by Gordon Lee. How does he do it?

### **Editorial**

WELCOME to the new Dragon User, By Subscription Only. DU's regulars are the heart of the Dragon community in Britain, with many nerves and arteries reaching overseas to Europe and beyond.

Gamesplayers, serious programmers, and users experimenting with system design and communications have found the Dragon (which is the only popular 6809 machine in the UK) a powerful and versatile tool and a good companion. Good enough to stick with despite the competition.

Now the Dragon world needs to stick together, keep the news circulating and ideas developing. Write to us about your User Group; show your copy of Dragon User to other Dragon owners, who may have missed their chance to subscribe through lack of foresight (or funds), so that they know that Dragon's own forum is still going strong.

Remember — if you want to subscribe, nothing could be easier. Send off £14 (in the UK) or £20 (overseas) to Dragon User, 12-13 Little Newport Street, London WC2 for 12 issues.

### Telephone number

(All departments) 01-437 4343

### Editor

HELEN ARMSTRONG

Production Editor BARBORA HÁJEK

Associate Editor JOHN COOK

Editorial Secretary ANNE MARIE O'DWYER

Advertisement Manager SIMON LANGSTON

Administration GERALDINE SMYTH

### Managing Editor PETER WORLOCK

Publishing Director JENNY IRELAND

#### Subscriptions

UK £14 for 12 issues
Overseas (surface) £20 for 12 issues
ISSN 0265-0177. Telex: 296275
Dragon User, 12/13 Little Newport Street,
London WC2H 7PP
US address: c/o Business Press
International, 205 East 42nd St, New York,
NY 10017
Published by Sunshine Books, Scot Press

Ltd. ©Sunshine Books 1986
Typesetting by Chesham Press, Chesham,
Bucks.

Registered at the Post Office as a newspaper Dragon and its logo are trademarks of Eurohard Ltd

### How to submit articles

The quality of the material we can publish in Dragon User each month will, to a very great extent depend on the quality of the discoveries that you can make with your Dragon. The Dragon computer was launched on to the market with a powerful version of Basic, but with very poor documentation.

Articles which are submitted to *Dragon User* for publication should not be more than 3000 words long. All submissions should be typed. Please leave wide margins and a double space between each line. Programs should, whenever possible, be computer printed on plain white paper and be accompanied by a tape of the program.

We cannot guarantee to return every submitted article or program, so please keep a copy. If you want to have your program returned you must include a stamped, addressed envelope.

### Letters

This is the chance to air your views — send your tips, compliments and complaints to Letters Page, *Dragon User*, 12-13 Little Newport Street, London WC2H 7PP.

### Puzzle Query

I AM an avid fan of your competition page. Most of us realise we have only a small chance of winning, but because we have taken time and trouble to complete the programs we would like to know the correct result and method to be used. Not just those who send in entries - after all, they have some idea. Others may be baffled but interested - why not give them the pleasure of learning from the correct method?

> Denis O'Mulloy 23 Swaynes Lane Comberton Cambs CB3 7EF

If we get enough demand for this, we will ... but what should we drop to make the space?

Please don't feel neglected if you send an SAE but don't get a reply. DU doesn't support enough editors to write personally to all our readers — so we concentrate on urgent queries — where we are able to find an answer, that is. A good form of support is for readers to send us any information about problem-solving, or software news.

### Screen Change

IN ANSWER to Alan Green's letter (*Dragon User* Dec. 85) the program listed at the bottom of the page will convert the text screen to green on black. The CLS command is also updated but the CLEAR key and the RESET button will result in a green screen.

Has anybody had any luck with Splitz? I've carefully entered the program using several methods but each time I just get an irritating flicker.

- 10 CLEAR200, 32539
- 20 FORI=32540 TO 32635: READA\$
- 30 POKEI, VAL ("&H" + A\$): NEXT
- 40 FORI=0 TO 127: PRINT

@ 0.CHR\$(I);

- 50 POKEI + 32637, PEEK (1024): NEXT
- 60 POKE 359, 126: POKE 360, 127
- 70 POKE 361, 28: POKE 416, 126
- 80 POKE 417, 127: POKE 418, 109
- 90 CLS
- 100 DATA 32, 62, 34, 36, 9E, 88, 81, 8, 26, D, 8C, 4, 0, 27, 35, 86, 20
- 110 DATA A7, 84, A7, 82, 26, 15, 81, D, 26, 4, 8D, 29, 20, D, 4D, 2B
- 120 DATA 8, 10, 8E, 7F, 7D, A6, A6, 88, 40, A7, 80, 9F, 88, 8C, 5
- 130 DATA FF, 23, 11, 8E, 4, 0, EC, 88, 20, ED, 81, 8C, 5, EO, 25
- 140 DATA F6, 9F, 88, 8D, 2, 35, B6, 86, 20, A7, 80, 1F, 10, C4
- 150 DATA 1F, 26, F6, 39, 2F, 1, 39, 35, 10, 8C, BA, 62, 26
- 160 DATA F8, C6, 20, 7E, BA, 79

Paul Burgin 18 Moorcroft Road Sheffield S10 4GS

# Tandy club

FIRSTLY, THANKS for an excellent mag. It is nice to know someone still cares. I own a Tandy CoCo 64K. I have had it for 2½ years, and have been buying your mag all that time.

Now the complaint. How come the CoCo rarely gets a mention? At least half (if not more) of your readers are Tandy owners. So please don't forget us.

Secondly — come on you programmers, don't forget us either. How about writing your programs for the CoCo as well as the Dragon. I know Blaby and Microdeal have, but that is about all.

Thirdly, I would like to start a CoCo/Dragon Users' Club in the Basildon area, to swop programs, ideas, etc. Anyone interested please contact me at the address as shown.

Once again *Dragon User* keep up the good work.

Mr S. R. Kilcoin 187 Spurriers Laindon Essex SS15 5NG

# Monitor Bug

THANK YOU for publishing my MONITOR program. Unfortunately there is a bug in the program so that the Kopy routine will only work on the graphics pages. To fix the routine, use the <A>Iter routine to poke a &H12 into memory locations &HOE74 to &HOE7E. Sorry for any inconvenience this may have caused people.

Peter Whittaker 73 Norwich Street Cambridge CB2 1ND give the score command an extra facility. Instead of printing your strength it will reset your strength to its maximum. This has advantages if you get very weak from, say, being molested by creatures, or if you need to make a vital jump.

POKE 9613,134 POKE 9614,255 POKE 9615,151 POKE 9616,5

POKE 8728, (0 to 240 in steps of 5 — maximum number of points required)

or machine code LDA 255 STA \$05

Simon Hargrave Crawley Hill Farm Uley Dursley Glos GL11 5BH

# Nice one Rov!

I AM WRITING to compliment Roy Coates on his Jet Set Willy. All the Spectrum owners (one of them anyway) is as sick as a dog because of the seven screens (at the last count) more than the Spectrum's. I keep rubbing it into the cuts in his fingers (from the keyboard).

All in all the game is great and his new game, Bean Stalker, looks just as good and this just goes to show the Dragon is far from dead and if you ask me it's more alive than ever. Like what N. T. Butlers said in his letter to the software companies, "You support us, and we will support you."

P.S. I think the *Dragon User* does a lot for the Dragon. Keep up the good work.

J. Elvidge 22 Carlton Avenue Cheadle Hulme Cheadle Cheshire SK8 5EH

# Holy Days

I HAVE BEEN doing a fair amount of research into the Yorkshire Parish Records. All of them give 1750, March 24th/ 25th, as the change date. (See T. Bottomley's letter, May 1986.)

The writers were there at the time and so must be in a good position to know. (I wouldn't put it any more strongly than that. — Ed.)

Apropos of nothing, can anybody tell me when Xmas day was first celebrated as a holiday, as several of my ancestors have been baptised, married and even buried on 25th December.

Denis Greswolde 12 Fairfax Crescent Southowram Halifax HX3 9SQ

# Hacking Mad

ONE PROGRAM I have been trying to hack for the past few months I am glad to say I have finished. The following few pokes, if typed before executing Madness and the Minotaur,

### **Apology**

The 'Blockbuster' ad. should not have appeared in the May issue. Our sincere apologies to anyone who was inconvenienced by this mixup, not least to Microdeal themselves.

# Dragon User People's Chart

SHOCK success at the Dragon User People's Chart, as Microdeal's Shocktrooper again establishes itself at number one, narrowly beating Juxtaposition.

Much ingenuity appeared in this month's anagrams, although no one has actually scored with that elusive x-factor yet. Honourable mentions go to Keith Turner for his show slogan 'Race to Osset, spend coppers' and to D. I. Green for his sentiment 'What do dragons like to eat? Lots of chips!' Dishonourable mention goes to Stephen Smith, whom delicacy and our legal department forbids us from quoting, but thanks for the chuckle, Stephen. This month's prize goes to Jonathan Fisher of Huddersfield for stating the obvious 'Top three games lost in here', and getting it right, too!

Each month we will be asking you to vote for your top five favourite programs on your Dragon at the moment — games, applications or utilities. Either list them on the form opposite or, if you don't want to damage your Dragon User, just copy them out. To add that frisson of excitement (as if you weren't excited enough already) we will award £25 worth of Microdeal software to the voter who comes up with the slogan which tickles us most. Make up the slogan from letters from your own top three titles (you don't have to use all the letters). You can vote, of course, without sending a slogan - but you won't be in line for the prize. So write, right?

### Results May 1986

1	Shocktrooper	(Microdeal)
	Juxtaposition	
	Shaolin Master	
	Speed Racer	
	Eddie Steady Go	

# **Chart Six**

Voting for Chart No. 6 closes at 1pm on Friday, 18th July, 1986. Entries received after that time will not be eligible for inclusion in that month's voting. The editor's decision is final. Only one entry per individual per month will be allowed.

My top 5: Voting Month 6	Name
1	Address
2	
3	
4	
5	
My phrase is:	

### **COMPUTERWARE**

0

New For The Dragon 32/64

Subjects from Astronomy to Weather,

Composers.

C O M P U T E R Colours to

The package contains 30 individual puzzles covering as many different topics, each occupying a 12 × 12 grid of letters and each containing 14 hidden words. Full cursor control allows you to strike out each hidden word, which the computer then traces in (if correct) and ticks off the list on the screen. The computer also displays your time taken during each game. Lots of fun for £4.50!

Word Search ....... £4.50

Blockbuster Quiz £5.50

Linkword ......... £5.50

Show Jump ........ £6.50

SAME DAY

DESPATCH

TRADE ENQUIRIES

WELCOME

Incentive

Ket Trilogy RRP £9.95 ..... OUR PRICE £7.00!!

Software Projects

Jet Set Willy RRP£7.95.....OUR PRICE £6.00 Manic Miner RRP £7.95.....OUR PRICE £6.00

All prices include post and packing. Please make Cheques/POs payable to:

### COMPUTERWARE

PO Box 318, Stoke-on-Trent, ST6 6UX

### KKKKKK

# H.C. ANDERSEN COMPUTER R/S HIGHLY RELIABLE SOFTWARE and HARDWARE

CAD DISKFIX DS80 (double sided 80 track driver and booter) upgrades your SS40 OS-9 Operating System floppy disk to a DS80 OS-9 Operating System floppy disk. Invert the drive select and you can BOOT from the new OS-9 Operating System: You have now one million byte effective disk capacity on your DRAGON and you can read and write on standard OS-9 floppy Disk.

Requirement: one 40 track (step rate 6ms) drive and one 80 track (step rate 3ms) drive. £53.30

CAD Patch80 will enable you to use 80 characters on stylo, rms and dynacalc, if you have installed the PLUS EXPANSION £38.90

Original DRAGON DATA first generation games: QUEST, EL DIABLO, BLACK SANCTUM, CALIXTO ISLAND, FLAG, DRAGON MOUNTAIN, MADNESS AND MINOTAUR.

Each £2.40

Original DRAGON DATA second generation games: GALAXIS ATTACK, STORM ARROWS, MANSION OF DOOM, FINAL COUNT DOWN, ENO STALG, FLAG, SHARK TREASHURE, POSEIDON, SELEC-

Each £3.00 All 11 £17.80

Original DRAGON DATA third generation games: CRANKEY, SHAFT, VIKING

VIKÎNG. Each £4.80 Ali 3 £8.70

Original DRAGON DATA cartridge games: GHOST ATTACK, METEORIDS, ASTROBLAST, RAIL RUNNER, STARSHIP CAMELON, BERSERK, COSMIC INVADERS, CAVE HUNTER.
Each £7.95

We stock software and hardware for OS-9, FLEX and UniFLEX. Prices exclusive VAT equal 20%. 12 months guarantee on software and hardware. Postage and packing add 10% for hardware (max £20) and 5% for software. Credit by Eurocard and Mastercard or send cheque made payable to: DRAGON DISTRIBUTOR in DENMARK.

H. C. ANDERSON COMPUTER A/S Englandsvej 380 DK-2770 Kastrup Telephone: 01-52 44 04 Telex: 31484

OS-9 is registered TM of MICROWAVE and MOTOROLA, USA FLEX, UniFLEX is registered TM of TECHNICAL SYSTEM CONSULTANTS, USA CAD is registered TM of H. C. ANDERSEN COMPUTER, Denmark.

# Your Dragon — The Future

NOW THAT *Dragon User* is appearing in its exclusive newsletter form, we asked some of the Dragon's staunchest supporters how they saw their future with the beast. Will the 50,000 Dragon-keepers in *Dragon User*'s regular and occasional audience, provide enough enthusiasts to prevent this respected but beleaguered machine from falling below critical population levels as a commercial proposition?

Compusense's Ted Opyrchal hit the nail on the head. "We're still making money out of the Dragon. We're keen on seeing it survive. It's the only popular 6809 machine in the UK, and its strengthened our position in schools and colleges, so we shall continue to support it for as 'nng as we can.

"But we're for serious users at the upper end of the market now. I think games players will be less well served. We've sold hundreds of Dragon Plus cards at £100 a card, but I can't see where else we can go after the Dragon Plus. I can't see the Hard Disk Drives becoming


truly popular until hard disk prices come down, which is some way in the future.

"There's going to be a spares shortage. We've run out of replacement transformers — there are no more, so tell everyone to make sure all their leads are properly earthed, and the connectors in the right way round. We lose money on repairs, and now we are running out of parts."

Has he heard from Eurohard in Spain?

"They've closed their Madrid premises and withdrawn to their factory. I've had a 1986 price list, but importing prices just are not economic. I can't get through to anyone there. But it's not all that gloomy—the Dragon has been around for two years longer than anyone predicted, and we're going on with it."

John Bailiss of Blaby Software, and Jenny Pope of Microdeal were both emphatic that, despite Ted Opyrchal's predictions, they had plenty of new games coming along, and Dragon User subscribers



would be hearing about them pre-release as usual. "I've been telling people that Dragon User won't be on the news-stands," said John. "Some of them are a bit perplexed about what's happening." All is explained on this month's front page. Jenny reminds everyone again that Microdeal are organising the 6809 Show at the Royal Horticultural Halls in Victoria, London, on 22nd November. More information from Microdeal on 0726 68020.

Less happy news came from Melbourne House — especially for *Dragon User* prizewinners in the April contest. Melbourne have used up their stocks of *Enter the Dragon*, and won't be reissuing the

game. But they hope to retrieve some copies for the remaining winners.

Problem-stricken company Eclipse/Fenmar Ltd are still struggling to sort out their backlog of customers with *Total Eclipse* problems, according to the Birmingham Consumer Service. Some users have received replacement games, but are still having trouble with the program. "The company simply ran into difficulties which it didn't foresee," says the man from the BCC. What a tragic end to a good idea.

## Practical Programs

PRACTICAL programs for small businesses are the new speciality of Warrington software publishers Buzz Software. They are offering an information pack on their software, plus a discount of £1.50 on the S.B. packages, until 31st July, 1986. Most of the S.B. range can use one another's data files, and are priced at £5.

For information send a 17p stamp or SAE to: Simon Goodwin, Buzz Software, 15 St Stephen Road, Penketh, Nr Warrington, Cheshire WA5 2AN.

### Convention Report

THE FIRST 6809 convention was held on Saturday and Sunday the 5th and 6th of April in the entrance hall of the Umist buildings in Manchester. Most of the regular exhibitors were present, and several guest speakers were invited.

The speeches on Saturday included a very highbrow talk by Stan Oprychal of Compusense on the values of Flex against OS-9, a very well-received talk on programming techniques from Gordon Twist (who, incidentally, runs a cheap and efficient repair and upgrade service (on 050-982 3722), and an absolutely excellent speech by Keith Rose of Modem House.

Sunday arrived under an atmosphere of disappointment from the companies who, on the whole (ie, apart really from Microdeal) were not selling as much as they had hoped. Most of them said that they

would attend the next convention, but that they could sell more in one day in London than in two north of Watford, in a nutshell.

The show's atmosphere was in its element when the floor was opened to general discussion and a very obvious spirit of co-operation in a difficult situation (as undeniably is that of the Dragon) could be seen.

Two awards were presented, the Broken Dongle to an embarrassed Roy Coates, and the Program of the Year award, which was given to Microdeal, rather unsurprisingly, for *Shocktrooper*.

And that was it. Disillusionment for the companies, but for the crowd a communal enjoyment.


I thought this convention was an improvement on the previous shows and would like to see it in London, soon . . . but if you disagree, you know the address.

J.O.

### Suck it and see

'HOUSEKEEPING' is all part of a programmer's routine. Now there is a Mini-vacuum cleaner to help out with housekeeping of the traditional kind, in and around the hardware. The battery-operated Mini-Vac will either suck up dust and fluff into its bag, or blow loose dirt away. There is a choice of straight or curved vacuum pipe, and all-purpose or lensquality brush. Useful for anyone who does repairs or other inside work.

Mini-Vac costs £11.95, including VAT and postage, from Authenticity, PO Box 34E, Worcester Park, Surrey KT4 7YH, or from specialist and hardware stores.



### Communication

Send in you questions, requests, and pleas to Communication, Dragon User, 12-13 Little Newport Street, London WC2

Problem Can anyone give me a routine dumping the Hi-res screen on to a Smith Corona Fastext 80, or the suppliers of memory maps?

Name Mark Treglown Address 10 East Bank, Selsey, Chichester, West Sussex PO20 0SP.

Problem Can anybody tell me where I can obtain the memory map or firmware for the Delta DOS system? (Premier did produce a manual.)

Name Andy Jackson Address 24 Burnwood Drive, Wollaton, Nottingham NG8 2DJ.

Problems I have just bought a Dragon 32. There isn't much information about it in Sweden. Can anybody tell me please: Is there any deepgoing memory map, with a useful ROMroutine address, to buy?

Is there a layout of the computer with information about signals on the user port?

If interrupts are vectored through the RAM, so you can work multitasking?

Is it possible to change character colour or use more than one colour at a time in character

mode and highest resolution (with assembler programming)?

Name Jorgen Larsson Address Humlevagen 12, 46165 Trollhättan, Sweden.

Problem Could you please tell me if there is a book for graphic adventures for the Dragon 32. If there is, how much it costs and where I can purchase it. I am trying to write my own programs and feel they would be more interesting if I could include graphics.

Name David Penman Address 63 Gean Road. Alloa, Scotland FK10 2JP.

Problem I have a Cumana disk drive with Premier Delta DOS. Can anybody out there give me the jump addresses for the various commands, eg, Loan, Save, Chain, etc? Also. can anyone help with locating the Dragon error trapping routine, as I want to redirect the system when an error occurs. Name Trevor Haddrell Address 12 Meadow Close, Shaftesbury, Dorset SP7 8EF. Problem I recently bought a Dragon DOS Delta interface and a Cumana CS100 drive for my Dragon. If possible I would

with the conditions to enter the routines and the way they leave them, for the most useful machine code in the Dragon DOS.

Name Dany Pinoy Address Benediktijnenstraat 53, 8320 Brugge 4, Belgium.

Problem Could someone please send me some more information other than that in the manual about the Dragon/ Tandy speech/sound cartridge by Radio Shack.

Name Tommy Lorimer Address 443 Delgatie Court, Pitteuchar, Glenrothes, Fife, Scotland KY7 4RW.

### Communication

Stuck for a routine? Need some obscure equipment? Feeling cut off? Fear not someone, somewhere can help you! Write down your problem on the coupon below (make it as brief and legible as possible) together with your name and address and send it to Communication, Dragon User, 12/13 Little Newport Street, London WC2H 7PP. We'll publish it as soon as we can - meanwhile, maybe there's someone you can help this month!

like to have the entrypoints

Problem	
Name	
Address	

### —★— NOW ON DISK —★— PRINTER CONTROL

Versions available for 6, 7, 8 and 9 dot printers. Also daisywheels and electronic typewriters.

-\*--\*--\*--**\***--What the customers say:

'A joy to use!'

'At the price, it's a gift!"

'Why can't all utilities be this easy to operate?"

### \*-\*-\*-"DUMPER"

High speed — relocatable machine code program to print and magnify any or all of your hi-res screen. Accessible from your BASIC program - full instructions and examples supplied. Operates with or without DOS in any mode.

-\*--\*--\*--\*--\*--\*--\*--Currently 64 different types of printer. If you think you've No. 65 give me a ring.

-\*-\*-\*-\*-\*-\*-\*-\*-\* PRINTER CONTROL (DRAGON DOS/CUMANA) £19 + £1 p&p PRINTER CONTROL (CASSETTE): £15 + £1 p&p

DUMPER £5.00 + 50p p&p

Please state printer type when ordering. For more than one program just take the higher p&p total.

\*-\*-\*-\*-\*-\*-Write or phone for free quote and advice - no obligation. all software covered by unconditional money-back guarantee!

### \*-\*-\*-\*-\*-\*-\*-MacGowan Consultants

6 Arnhem Drive, Caythorpe, Nr Grantham (040072085)Lincs NG32 3DQ REAL VALUE FOR MONEY SOFTWARE

\*\* NEW \*\* CROSS REFERENCE LISTER for BASIC programs A most useful aid to writing or changing Basic programs. Lists all line numbers referenced GOTO and GOSUB, and lists all variables alphabetically showing every reference to each. The utility can be transferred to disk

ALLDREAM tape £12.95 cartridge £24.95 disk £19.95 A powerful text editor, assembler, dis-assembler and monitor. Great for learning machine code and developing your own programs. Disk version supports direct disk to memory assembly and disk load/save (Dragondos/Cumana 2.0). DREAMPRT 64 character print line adaptor for above £3.50.

DRS — DATA RETRIEVAL SYSTEM tape £9.95 cartridge £18.00 A comprehensive database package for all types of information storage and retrieval. 100% machine code for maximum speed and storage capacity. Powerful search, edit, sort and print facilities. The tape version is transferable to disk and supports data on tape or disk. The cartridge version gives greater convenience and data storage capacity for tape based systems.

A PROGRAMMER'S GUIDE TO DRAGON DOS — This book includes details of all DOS routines useable from machine code, and much more for only £2.50.

#### **AMATEUR RADIO SOFTWARE**

For enthusiasts and licensed amateurs. (State callsign if any.) Reception of SSTV, RTTY, MORSE and AMTOR require a communications receiver and good aerial.

SLOW SCAN TV RECEIVE tape £10.00

Feed direct audio from radio receiver to your Dragon and receive SSTV pictures from amateurs around the world. A low cost introduction to this growing mode.

GRAPHIC GREY-LINE and MUF/LUF PREDICTOR tape £8.00

Draws a map of the world with the 'shadow area' shown for any chosen date and time. Also plots propagation prediction date in graph or map form.

RTTY (Radio Teleprinter) tape £12.00

Direct audio decoding option or use a demodulator for top performance. Receive news agencies (eg Reuter's) and amateurs. Add a tone generator for full transmit with 'type ahead' etc. User memories, QSO review and printer support.

AMTOR is a form of RTTY used by amateurs, Interpol, etc. Send an SAE for details of the world's cheapest system for full ARQ and FEC receive/send.

RTTY + ASCII + MORSE + AMTOR cartridge £59.00

Full transceive software for all these modes, in convenient cartridge form.

TONE DEMODULATOR for RTTY and MORSE \$20.00 Supplied built and tested complete with a Dragon connector and lead.

MAIDENHEAD LOCATOR £5.00 MORSE TUTOR £6.50 MORSE TRANSCEIVE £10.75

All supplied with full manuals. Please add 40p p&p (£1 export)

2 Beacon Close, Seaford East Sussex, BN25 2JZ (0323) 893378

### **Underwater**


Program: Aquanaut 471 Supplier: Microdeal Price: £5.95

THE first of the three new Microdeal releases under the axe this issue is this adventure which is set underwater. The game starts on the ocean surface; you dive and start hunting around when your craft is rocked by an underwater explosion. You go off to investigate and find yourself in an underwater complex trying to save the place from a watery demise.

Bearing in mind that you're doing them a favour, the security forces are particularly unhelpful, indeed there are two sets of them and if you're not very quick on the joystick you'll

get sent back to the entrance

I say quick on the joystick because this is a most unusual adventure in many ways. The graphics (the game is split screen - top half for graphics, bottom half for text) are very unusual in their style although they do have a certain clarity after the player is accustomed to them. The game runs like an adventure, with the very useful facility of being able to move with the arrow keys (a la Sysygy) but suddenly on arrival at certain locations the player is required to play a very simple arcade game to progress. No doubt this will annoy some people but I found it refreshing and the games have the advantage of being solvable; once a game has been completed there is very little problem in doing it again and



again first time.

The adventure is not particularly difficult to solve but is very good fun to play. Especially pleasing is the section involving finding a robot called Huey! It's a couple of afternoons relaxed thought to solve this one and I can recommend it as an introduction to adventuring (and Map-making, as it's fairly straightforward).

This is the sort of adventure I could quite easily play while sunbathing! It has that really nice relaxed edge which comes from it being set in an original environment. As you may have guessed, I like it.

Jason Orbaum




### **Timely**

Program: The Vortex Factor Supplier: Microdeal Price: £5.95

THIS is the other new adventure from Microdeal and is by the Trekboer team which stands as an indication of its quality. Where Trekboer was about space travel, this one concerns itself with time travel and is, again, a very good game.

I haven't finished it, would you believe I need a light! Yep, that old chestnut of a problem is in there, and I can't find a solution to it, yet. It's harder than Aquanaut, about the same standard of difficulty as Trekboer in fact, so if that was your level you'll enjoy this one.



The game starts with you in a mansion full of interesting exhibits, a quick scout round, examining everything (more than once as has now become a tradition) and you'll have most of the stuff you need to get started. To give a lift to those stuck right at the start try closing doors behind you and also studying a bit of Physics!

The format is standard graphics at the top (with some objects pictured) and text beneath, the vocabulary fine and the keyboard response very good.

There is no HELP option but the SAVE and LOAD work very reliably. However, there is a problem with the adventure, due to what I can only assume are its American origins. By stating the problem I could be accused of giving a big clue to the adventure but it is unfair that one of the key objects cannot be reached until it is realised that in numerals the Americans write their dates month, then day, then year, ie 17/05/86 would be 05/17/86 in American format. I hope I haven't spoiled a part of the adventure for those struggling but I was, to be quite honest, well annoyed when I finally cracked it as I feel that an adventure should have everything within it necessary to solve it and should not rely on pieces of trivia. For the solution to the problem in question I'd like to publicly thank a friend of mine although I have no idea how he knew about it.

To sum up then, another good adventure, marred only by the above mentioned problem, and one to which I shall be returning until I finish it. I hope this team produce more adventures, and soon!

Jason Orbaum



### **Mountains**

Program: Rommel 3-D Supplier: Microdeal Price: £5.95

IF THERE'S a sort of game I love reviewing above any other it's arcade copies. The thing is, everyone knows what sort of game they are, all I have to say is "Battlezone" or "Rommel's Revenge" and I've saved myself two paragraphs of copy describing the game, and all that remains is to comment on its quality as a copy, and give it a rating.

At the 6809 convention John Symes said to me that this game was simply better than "Rommel's Revenge" and he said if it wasn't he wouldn't have put it out.

The trouble is, I don't think it

actually is better than "Rommel's Revenge". Yes, it's faster, and yes there are mountains (one of my gripes at the former was for its lack of mountains) but the game simply doesn't have the right feel of the original and "Rommel's Revenge" has it.

Rommel 3-D is more refined and is by any standard a good game; it offers a choice of colours — yes, you can play this one green on black! — and the sound is slightly better. The problem is it's too fast. It has turned what was originally a tactical battle game on a field, a tense session of guerrilla seek and destroy, into a whambam-slam all moving game.

The game also tails to provide all of the enemies of the arcade. It offers tanks, planes and super tanks. I don't know if the planes are the missiles or

saucers of the original as I've never lasted long enough to see one - the game is damn fast and the tanks are deadly! No doubt The Expert has blasted his way into the millions on it by now and will inform us all through his next column what they are. (Incidentally, word has reached me that someone thinks I am The Expert, can I state here and now that the day my english degenerates to his level I shall pack up writing altogether!)

So, the game is good, and if you find "Rommel's Revenge" boring this could be the version you want but if you want a precise copy of the arcade game this isn't the one!

Jason Orbaum



# Down The River

M Croucher creates a canoe challenge.

Canoe is ... an ideal trip on a wet afternoon. You don't have to unpack your kayak, just type in the BASIC loader and hex listings, load and launch.

First, enter the BASIC hex loader, and when complete, type RUN to begin.

The data is split up into eight blocks, and displayed on screen is the block number and address. Type in the relevant line of data and the commas will be displayed after every two digits have been entered, so there is no need to enter them separately. The last number is a check sum and this should be entered after the ? prompt. If an error has occurred then the address will be displayed again and the line of data will need to be re-entered.

When all the data has been entered the program will be saved to tape, ready for you to use. A copy on tape is available from M. Croucher, 14 Hillingbury Road, Prospect Farm, Havant, Hants PO9 5SE, price £2, if eight blocks of data seems like a lot of

Use CLOADM to load the program. Once loaded, type EXEC to start the game. You have a choice of red or green canoes. For users with black and white TVs, a green canoe only is recommended.

The objective is to paddle your canoe as

NOTHING like paddling about in boats. And fast as possible, trying to get through the gates without touching the marker flags. If you reach the finish line in the time allowed you can proceed to tackle the second river. on this river, beware of the banks and rocks as these will sink your canoe. You have three canoes to travel as far as possible.

A bonus point is awarded for each gate successfully negotiated, but all bonus points are lost if a flag is hit.

The right joystick is used to control the canoe. Moving it from right to left will move the canoe forward. Trying to paddle too fast will result in the canoeist getting tired, and the canoe will go out of control.

The time allowed, and the distance between the gates can be changed with the following pokes:


POKE &H3111,No POKE &H43A7,No

Where No is the distance required between the flags. 0<No<128. Default setting is 64.

POKE &H4725,No POKE &H472A,No1

Where No and No1 are the first two digits of the time required. Default setting No=1, No1 = 2

Once finished, press any key to start a new game.



- 10 PCLEAR 1
- 20 CLEAR 200,&H23FF
- 30 FOR BL=1 TO 8
- 40 READ ST, EN
- HEX LOADER": PRINT "-CANOE- BLOCK"; BL 50 CLS:PRINT "
- 60 FOR ADD= ST TO EN STEP 10
- 70 PRINT HEX#(ADD):CO=0
- 80 FOR XX= 0 TO 9
- 90 GOSUB 200:POKE ADD+XX,VAL("&H"+B\$)
- 100 CO=CO+VAL("&H"+B\$)
- 110 PRINT ",";:NEXT:PRINT:INPUT A\$
- 120 IF VAL("%H"+A\$)<>CO THEN SOUND 200,3:PRINT "-ERROR- REDO!":GOTO 70
- 130 NEXT: NEXT
- 140 CLS:PRINT "SET UP CASSETTE AND PRESS ANY KEY"
- 150 IF INKEY\$="" THEN 150
- 160 CLS:PRINT "NOW SAVING CANDE!"
- 170 CSAVEM"CANDE", &H2400, &H5018, &H4A00
- 180 PRINT :PRINT "CANDE SAVED BYE"
- 200 A\$=INKEY\$: IF A\$="" THEN 200
- 210 IF (A\$>"9" AND A\$<"A") OR (A\$<"0" OR A\$>"F") THEN 200
- 220 PRINT A\$;:B\$=A\$
- 230 A\$=INKEY\$:IF A\$="" THEN 230
- 240 IF (A\$>"9" AND A\$<"A") OR (A\$<"0" OR A\$>"F") THEN 230
- 250 B\$=B\$+A\$
- 260 PRINT A\$;
- 270 RETURN
- 280 DATA &H2400,&H2F2E,&H3000,&H3805,&H3A00,&H3D2B,&H4000,&H41AF,&H4300, &H4723,& H4A00,&H4C98,&H4D00,&H4EB8,&H4F00,&H5017

#### Data Block 1

```
FF,FF,FF,FF,FF,FF,FF,FF,FF,9F6
A0,00,00,00,00,00,00,00,00,00
                 BE,OC,OO,86,AA,A7,80,8C,24,00,3A1
2D,F9,4F,8E,OC,1F,A7,84,30,88,411
20,8C,24,00,2D,F6,8E,OC,00,A7,334
                                                                                                                  AD,66,5E,AA,00,BE,2F,FE,10,BE,4A4
                                                                                                  27C0
                                                                                                                                                                                                   2880
                                                                                                                  27,D3,EC,A1,4D,26,01,39,ED,81,4A2
A6,A0,A7,84,30,88,1E,20,EF,AA,500
 240A
                                                                                                                                                                                                                   00,00,00,00,00,00,00,00,00,00,0
                                                                                                  2704
                                                                                                                                                                                                   2B8A
 2414
                                                                                                  27D4
                                                                                                                  AE, AA, AA, AE, AA, AA, AE, AA, AA, BF, 6C5
 241E
                                                                                                                                                                                                                   AA,AA,BF,AA,AA,BF,AA,AA,BF,AA,6E3
AA,BF,AA,AA,FF,EA,AA,FF,EA,AA,7E3
                                                                                                  27DE
                                                                                                                                                                                                   2B9E
 2428
                                                                                                  27E8
                                                                                                                 2BAB
 2432
 2430
                                                                                                  27F2
                                                                                                                                                                                                   2BB2
                                                                                                  27FC
                                                                                                                                                                                                    2BBC
 2446
                                                                                                  2806
 2450
                                                                                                                                                                                                   2BC6
                                                                                                                                                                                                    2BD0
                                                                                                  2810
 245A
 2464
                                                                                                                                                                                                   2BDA
                                                                                                  2814
                                                                                                  2824
 246E
                                                                                                                                                                                                                  2478
                                                                                                                                                                                                   2BEE
                                                                                                  282E
                                                                                                                                                                                                    2BF8
                                                                                                  2838
 2482
 2480
                                                                                                                                                                                                   2C02
 2496
                                                                                                  284C
 2440
                                                                                                                                                                                                   2016
                                                                                                  2856
 24AA
                                                                                                  2860
 24R4
                                                                                                                                                                                                   2C2A
                                                                                                  286A
 24BE
                                                                                                  2874
 24CB
                                                                                                  287E
                                                                                                                                                                                                   2C3E
                                                                                                                                                                                                    2C48
 24D2
                                                                                                                  FF,EA,AA,BF,AA,AA,BF,AA,AA,BF,778
AA,AA,BF,AA,AA,BF,AA,AA,AE,AA,6D2
                                                                                                  2888
 24DC
                                                                                                                                                                                                    2C52
                                                                                                  2892
                                                                                                                  AA,AE,AA,AA,AE,AA,AA,AA,AA,OO,602
BE,2F,FE,30,89,03,C3,86,56,A7,4ED
 24E6
                                                                                                  289C
 24F0
                                                                                                                                                                                                   2066
                                                                                                  28A6
                                                                                                                  84,A7,B8,20,A7,88,40,39,BE,2F,468
FE,30,89,03,BF,86,56,A7,84,A7,527
88,40,86,55,A7,01,A7,88,20,39,3D3
BE,2F,FE,30,01,86,AA,C6,48,A7,501
 24FA
                                                                                                                                                                                                    2070
                                                                                                  28B0
 2504
                                                                                                                                                                                                    2C7A
                                                                                                  28BA
                                                                                                                                                                                                    2084
 250E
                                                                                                  2BC4
 2518
                                                                                                                                                                                                   2CBE
                                                                                                                                                                                                    2098
                                                                                                                  80,A7,80,A7,84,30,88,1E,5A,26,428
F4,39,BE,2F,FE,30,1F,86,AA,C6,55D
 2522
                                                                                                  28D8
 2520
                                                                                                                                                                                                   2CA2
                                                                                                                  74,37,8E,27,FE,30,1F,86,8A,C6,53D

48,A7,80,A7,80,A7,84,30,88,1E,497

5A,26,F4,39,FF,FF,7C,29,86,86,58C

29,86,81,32,10,26,00,82,7F,29,322

86,7D,29,89,27,05,7A,29,89,20,38D

1A,7D,29,88,27,0A,7A,29,88,86,38A

09,87,29,89,20,08,7A,29,87,86,3AD
                                                                                                                                                                                                    2CAC
 2536
                                                                                                  28EC
 2540
                                                                                                                                                                                                   2CB6
 254A
                                                                                                                                                                                                   2000
                                                                                                  2900
 2554
                                                                                                                                                                                                    2CCA
                                                                                                                                                                                                    2CD4
 255E
                                                                                                  2914
 2568
                                                                                                                                                                                                    2CDE
                                                                                                                  09,87,29,88,87,29,89,86,29,87,400

09,87,29,88,88,29,89,26,09,32,6C,406

8E,40,00,34,10,32,76,86,29,87,350

8E,13,80,17,00,15,86,29,88,8E,372
                                                                                                                                                                                                    2CE8
 2572
                                                                                                  2928
 257C
                                                                                                                                                                                                    2CF2
 2586
                                                                                                  293C
 2590
                                                                                                                                                                                                    2D06
 259A
                                                                                                                  13,81,17,00,0C,86,29,89,8E,13,2F0
82,17,00,03,16,00,59,10,8E,29,1D2
84,C6,05,3D,31,A5,A6,A0,A7,84,4D3
A6,A0,A7,88,20,A6,A0,A7,88,40,54A
                                                                                                                                                                                                    2D10
                                                                                                  2950
 25A4
                                                                                                                                                                                                    2D1A
 25AE
                                                                                                  2964
 25BB
                                                                                                  296E
                                                                                                                                                                                                   2D2E
                                                                                                                                                                                                                    FF,FF,FF,FF,FF,FF,FF,FF,FF,9F6
                                                                                                                  80,39,FC,CC,CC,CC,FC,FC,CC,FC,6C

0C,FC,C0,CC,FC,CC,FC,FC,CC,FC,6C

0C,FC,C0,FC,FC,CC,FC,FC,CC,FC,6C

0C,FC,C0,FC,FC,CC,FC,FC,CC,FC,6C

0C,FC,C0,C0,FC,CC,FC,FC,CC,FC,CC
 25C2
                                                                                                                                                                                                                   FF,FF,FF,FF,FF,FF,FF,00,00,7FB
00,00,00,00,00,00,00,00,00,0
                                                                                                  2978
                                                                                                                                                                                                   2D38
 25CC
                                                                                                                                                                                                                   00,00,00,00,00,00,00,00,00,00,00

00,00,00,00,00,00,00,00,00,00,00

FF,FF,FF,FF,FF,FF,FF,FF,FF,FF,9F6

FF,FF,FF,FF,FF,FF,FF,FF,FF,FF,9F6

FF,FF,FF,FF,FF,FF,FF,FF,FF,FF,9F6

FF,FF,00,00,00,00,00,00,00,00,00,00
 25D6
                                                                                                  298C
                                                                                                                                                                                                   2D4C
 25E0
                                                                                                                                                                                                    2D56
 25EA
                                                                                                  29A0
                                                                                                                                                                                                   2DA0
 25F4
                                                                                                                                                                                                   2D6A
 25FE
                                                                                                                  OC,OC,OO,O1,O2,OO,B6,FF,O2,3B,20D
39,36,FB,16,O6,3C,B6,2A,14,4C,302
B7,2A,14,B1,OA,2E,O1,39,7F,2A,291
14,B6,2A,12,BB,O1,19,B7,2A,12,29E
                                                                                                  29B4
                                                                                                                                                                                                   2074
 2608
                                                                                                                                                                                                   2D7E
                                                                                                                                                                                                                   2612
                                                                                                  2908
                                                                                                                                                                                                   2D88
 261C
                                                                                                                                                                                                    2D92
                                                                                                                  14,86,2A,12,8B,01,19,B7,2A,12,29E

86,2A,13,89,00,19,B7,2A,13,44,2CD

44,44,44,8E,22,80,17,FF,72,86,43A

2A,13,84,0F,8E,22,81,17,FF,67,37E

86,2A,12,44,44,44,44,8E,22,82,334

17,FF,5A,86,2A,12,84,0F,8E,22,3A5

83,16,FF,4F,00,00,00,86,FF,23,38F

8A,08,B7,FF,23,86,02,1F,89,CA,465

FO,F7,FF,20,C6,28,5A,26,FD,7F,5F0

FF,20,4A,26,EE,86,FF,23,84,F7,5F0
 2626
                                                                                                  29DC
                                                                                                                                                                                                   2D9C
2630
                                                                                                                                                                                                   2DA6
263A
                                                                                                  29F0
                                                                                                                                                                                                   2DB0
2644
                                                                                                  29FA
                                                                                                                                                                                                   2DBA
264E
                                                                                                  2A04
                                                                                                                                                                                                   2DC4
2658
                                                                                                  2A0E
                                                                                                                                                                                                    2DCE
2662
                                                                                                  2A18
                                                                                                                                                                                                   2DD8
266C
                                                                                                                                                                                                   2DE2
                                                                                                                  FO,F7,FF,20,C6,28,5A,26,FD,7F,5F0
FF,20,4A,26,EE,B6,FF,23,84,F7,5D0
B7,FF,23,7E,29,C1,B6,FF,23,8A,5A3
08,B7,FF,23,86,3F,C6,AF,F7,FF,611
20,8E,02,FF,30,1F,26,FC,7F,FF,49E
20,8E,02,FF,30,1F,26,FC,4A,26,390
E7,B6,FF,23,84,F7,B7,FF,23,7E,691
27,BB,7C,2A,AA,B6,2A,AA,B1,0A,447
10,26,FB,FB,7F,2A,AA,B6,FF,23,554
BA,08,B7,FF,23,BE,2A,AB,30,01,42C
BC,8B,00,26,03,8E,80,00,BF,2A,334
AB,C6,10,A6,B4,B4,0F,B7,FF,20,511
2676
                                                                                                                                                                                                                  2A20
                                                                                                                                                                                                   2DEC
               86,28,FA,B7,28,FA,B6,01,5A,B1,543
06,2D,6F,B1,3A,24,23,B6,27,32,2B3
81,02,2D,01,39,4D,26,0C,17,00,180
94,17,02,16,86,03,B7,27,32,39,295
2680
                                                                                                  2A36
                                                                                                                                                                                                    2DF6
268A
                                                                                                  2840
                                                                                                                                                                                                    2F00
2694
                                                                                                  2A4A
                                                                                                                                                                                                    2E0A
269E
                                                                                                                                                                                                   2E14
                                                                                                  2A54
               94,17,02,16,86,03,87,27,32,39,295
17,00,CC,17,01,F8,86,02,B7,27,359
32,39,86,27,32,81,02,24,01,39,258
10,8E,2F,FE,31,A9,FF,FF,A6,A9,622
FF,FE,E6,A9,00,FE,84,C0,10,27,605
00,0D,C4,C0,10,27,00,07,17,01,1E7
F3,10,8F,2F,FE,17,00,D9,17,00,3F6
92,7F,27,32,86,07,1F,89,4A,27,310
0C,5A,26,FD,34,02,17,03,1E,35,22C
26A8
                                                                                                                                                                                                    2E1E
                                                                                                  2A5E
26B2
                                                                                                  2A68
                                                                                                                                                                                                    2E28
26BC
                                                                                                                                                                                                    2E32
26C6
                                                                                                  2A7C
                                                                                                                                                                                                    2E3C
                                                                                                                 26D0
                                                                                                   2AB6
                                                                                                                                                                                                    2E46
26DA
                                                                                                  2A90
                                                                                                                                                                                                    2E50
26E4
                                                                                                  2A9A
                                                                                                                                                                                                    2E5A
26EE
                                                                                                  2AA4
                                                                                                                                                                                                   2F64
                02,20,EF,39,B6,27,32,B1,02,24,300
01,39,10,BE,2F,FE,31,21,A6,24,351
26F8
                                                                                                  2AAE
                                                                                                                                                                                                   2E6E
2702
                                                                                                  2AB8
                                                                                                                                                                                                    2F78
               01,37,10,8E,2F,FE,31,21,A6,24,351

E6,A9,00,E4,84,03,10,27,00,0D,33E

C4,03,10,27,00,07,17,01,C5,10,1F2

BF,2F,FE,17,00,95,17,00,0A,86,33F

01,87,27,32,17,FF,87,39,01,8E,3D6

2F,FE,30,89,03,3F,10,8E,27,53,340

EC,A1,4D,26,01,39,ED,81,EC,A1,535

ED,81,A6,A0,A7,84,30,88,1C,20,4D3

EB,AA,AF,FB,FE,56,AA,AF,AA,DD,773
2700
                                                                                                                                                                                                    2E82
2716
                                                                                                  2ACC
                                                                                                                                                                                                    2EBC
2720
272A
                                                                                                                                                                                                    2E96
                                                                                                  2AE0
                                                                                                                                                                                                    2FA0
 2734
                                                                                                  2AEA
                                                                                                                                                                                                    2EAA
 273E
                                                                                                  2AF4
                                                                                                                                                                                                    2FB4
 2748
                                                                                                                                                                                                    2EBE
 2752
                                                                                                   2808
                 EB, AA, AF, FB, FE, 56, AA, AF, AA, DD, 773
56, AA, AF, A9, 56, 56, AA, AD, 56, DE, 58F
AA, A9, 55, AA, DE, AA, 96, AD, 66, 5E, 5E1
AA, AA, AD, 56, 5E, AA, 00, BE, 2F, FE, 55A
30, 89, 03, 3F, 10, 8E, 27, 97, EC, A1, 3E4
4D, 26, 01, 39, ED, 81, EC, A1, ED, 81, 516
A6, A0, A7, 84, 30, 88, 1C, 20, EB, 95, 4E5
AF, FB, FE, AA, 95, 5D, AA, FE, AA, 95, 73
95, AA, FE, AA, AA, AD, 55, DE, AA, AA, 6C5
AD, AA, 56, AA, AA, AD, 55, DE, AA, AA, 6C5
AD, AA, 56, AA, AA, AB, 55, AA, AB, 585
                                                                                                                                                                                                    2EC8
 2750
2766
                                                                                                                                                                                                    2ED2
                                                                                                  2B1C
                                                                                                                                                                                                    2EDC
 2770
                                                                                                                                                                                                    2EE6
 277A
                                                                                                  2B30
                                                                                                                                                                                                    2EF0
 2784
                                                                                                  2B3A
                                                                                                                                                                                                    2EFA
 278E
                                                                                                                   00,00,00,00,00,00,00,00,00,00,0
                                                                                                  2B44
                                                                                                                                                                                                    2F04
 2798
                                                                                                  2B4E
                                                                                                                                                                                                    2F0E
  27A2
                                                                                                                   00,00,00,00,00,00,00,FF,FF,1FE
FF,FF,FF,FF,FF,FF,FF,FF,FF,9F6
FF,FF,FF,FF,FF,FF,FF,FF,9F6
                                                                                                                                                                                                                    02,26,0A,17,F8,9D,17,F8,56,17,35A
F9,82,39,17,F8,93,17,F8,08,17,484
                                                                                                   2B58
                                                                                                                                                                                                    2F18
 27AC
                  AD, AA, 56, AA, AA, AD, 66, 5D, 6A, AA, 585
                                                                                                   2B6C
                                                                                                                                                                                                                    F9,8A,39,39,FF,FF,FF,FF,FF,FF,7EF
```

27B6

2B76

#### Data Block 2

BE,33,8D,16,00,50,86,33,91,4C,3AA B7,33,91,4D,26,46,17,07,4D,84,323 01,4D,27,1F,86,33,92,4D,27,12,295 BE,33,8D,8C,23,CF,2E,05,30,01,360 7F,33,92,8F,33,8D,20,26,86,01,390 B7,33,92,20,1F,86,33,92,4D,27,3AA 05,7F,33,92,20,14,86,01,8E,33,2F5 BD,8C,23,C5,27,07,30,89,FF,FF,4E6 B7,33,92,8F,33,8D,EC,84,ED,88,5E0 20,30,89,FF,E0,8C,0C,00,2E,F2,470 B6,35,86,10,8E,35,87,44,26,02,39D OC,OC,OC,OC,FC,CC,FC,CC,FC,FC,FBB CC,FC,OC,OC,A6,A4,E6,O2,F7,33,53C BC,BO,33,BC,10,27,O0,98,A6,A4,414 B4,O3,B1,O2,27,OB,E6,O2,C4,O3,2EB 32B2 3564 01,00,01,00,00,01,00,01,01,01,6 300A 32BC 354F 3014 3206 3578 01,01,01,00,00,01,00,01,01,01,7 301E 32D0 3028 3582 32DA C1,02,27,03,16,03,1F,A6,A4,B4,2F3 OC,81,0B,27,0B,E6,02,C4,OC,C1,340 3580 3032 32F4 3030 3596 32EE 08,27,03,16,03,0C,A6,A4,84,30,255 81,20,27,08,E6,02,C4,30,C1,20,390 35A0 3046 32F8 3050 35AA 3302 27,03,16,02,F9,A6,A4,84,C0,B1,44A 80,27,08,E6,02,C4,C0,C1,80,27,486 35B4 305A 01,01,23,AA,0A,AA,0A,AA,0A,AA,2EB 0A,AB,02,AB,02,AB,02,AB,02,A0,352 20,30,89,FF,E0,8C,0C,00,2E,F2,470 B6,35,B6,10,8E,35,B7,4A,26,02,39D B6,23,B7,35,B6,31,A6,4C,A6,A6,4BA F6,33,92,5D,27,05,1F,89,4F,20,35B 02,C6,AA,ED,8B,20,BE,33,8F,16,49D 00,50,B6,33,93,4C,B7,33,93,4D,3E2 26,46,17,06,C5,84,01,4D,27,1F,266 B6,33,94,4D,27,12,BE,33,8F,BC,40F 330C 3064 35BE 3316 00,A0,00,A0,00,A0,00,B0,02,B0,2E2 02,B0,02,B0,02,00,0A,00,0A,00,11A 0A,00,0A,B0,2A,B0,2A,B0,2A,B0,292 2A,A0,AA,A0,AA,A0,AA,A0,AA,AB,5FA 35C8 306E 3320 3078 35D2 332A 35DC 3082 3334 3080 35EA 2A, AO, AA, AO, AA, AO, AA, AO, AA, AB, 5FA
AA, AB, AA, AB, AA, AB, AA, AA, 2A, AA, 61E
2A, AA, 2A, AA, 2A, FF, EC, 84, A3, 06, 4EA
10, 83, 00, 20, 27, 05, C6, 03, 16, 00, 18E
D7, EC, 06, A3, 0C, 10, 83, 00, 20, 27, 352
05, C6, 09, 16, 00, CB, EC, 0C, A3, 8B, 3D5
12, 10, 83, 00, 20, 27, 05, C6, 0F, 16, 1DC
00, 8B, EC, 8B, 12, A3, 8B, 18, 10, 83, 414
00, 20, 27, 05, C6, 15, 16, 00, A7, EC, 2D0
88, 18, A3, 8B, 1E, 10, 83, 00, 20, 27, 2C3
05, C6, 1B, 16, 00, 96, EC, 8B, 1E, A3, 3C7
88, 24, 10, 83, 00, 20, 27, 05, C6, 21, 272
16, 00, 85, EC, 8B, 24, A3, 8B, 2A, 10, 398
83, 00, 20, 27, 05, C6, 27, 16, 00, 74, 246
EC, 8B, 2A, A3, 8B, 30, 10, 83, 00, 20, 3AC
27, 05, C6, 2D, 16, 00, 63, EC, 8B, 30, 33C 333E 35F0 3096 3348 3040 35FA 3352 23, DE, 27, 05, 30, 01, 7F, 33, 94, BF, 363
33, BF, 20, 26, 86, 01, BF, 33, 94, 20, 32D
1F, B6, 33, 94, 4D, 27, 05, 7F, 33, 94, 25, 32D
20, 14, 86, 01, BE, 33, 8F, BC, 23, D0, 3BA
2D, 07, 30, 89, FF, FF, B7, 33, 94, BF, 52B
33, BF, EC, 84, ED, BB, 20, 30, 89, FF, 57F 30AA 3604 335C 30B4 360E 3366 3618 30BE 3370 30C8 3622 337A 3620 30D2 3384 30DC 3636 338E E0,8C,0C,00,2E,F2,B6,35,B6,10,449 8E,35,B7,31,A6,A6,A6,F6,33,94,55A 3640 30E6 3398 30F0 364A 33A2 30FA 5D,27,06,1F,89,86,AA,20,01,5F,2E2 ED,88,20,7D,33,7B,26,4B,86,33,41A 79,4C,81,40,2D,7F,17,06,49,84,31C 0E,8B,07,10,8E,0C,00,31,A6,A6,2C7 3654 33AC 3104 365E 00,00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 33B6 3668 310E 79, 4C, 81, 40, 2D, 7F, 17, 06, 49, 84, 31C OE, 8B, 07, 10, 8E, OC, 00, 31, A6, A6, 2C7 3E, 81, AA, 26, ED, A6, 23, 81, AA, 26, 496 E7, 10, 8F, 33, 7C, 86, 33, 96, 8B, 01, 470 19, 87, 33, 96, 81, 36, 26, 19, 8B, 97, 381 19, 86, 35, 87, 33, 96, 86, 7E, 87, 31, 440 07, 86, 3A, 87, 31, 08, 4F, 87, 31, 09, 2F7 16, 00, 3F, 4F, 8E, 33, 7E, F6, 33, 7A, 386 3A, 5C, F7, 33, 7B, C1, 0E, 26, 04, 5F, 393 7F, 33, 7B, F7, 33, 7A, E6, 84, 10, 8E, 509 33, 7C, E7, A4, E7, 28, 8D, 06, 31, 28, 435 8D, 02, 20, 13, 8E, 33, 97, EC, 84, 27, 381 04, 30, 03, 20, F8, 10, AF, 81, E6, A4, 419 E7, 84, 39, 87, 33, 79, 8E, 33, 97, 10, 46F AE, 84, 10, 27, 01, 11, 10, 8C, FF, FF, 4D5 10, 26, 01, 18, 8E, 2F, FE, 30, 89, 08, 2FB 7A, 86, A9, C6, A5, A1, 84, 26, 05, E1, 585 88, 20, 27, 36, A1, 01, 26, 05, E1, 88, 22, 2CE 27, 24, A1, 03, 26, 05, E1, 88, 23, 27, 2CD 18, A1, 04, 26, 05, E1, 88, 24, 27, 12, 2B1 A1, 05, 26, 05, E1, 88, 24, 27, 12, 2B1 A1, 05, 26, 05, E1, 88, 26, 26, 48, A1, 08, 31F 24, 05, E1, 88, 28, 27, 36, 41, 10, 92, 26, 26, 48, A1, 08, 31F 24, 05, E1, 88, 28, 27, 36, 41, 10, 92, 26, 26, 48, A1, 08, 31F 24, 05, E1, 88, 28, 27, 36, 44, A1, 08, 31F 24, 05, E1, 88, 28, 27, 36, 44, A1, 08, 31F 3300 EC,88,2A,A3,88,30,10,83,00,20,3AC
27,05,C6,2D,16,00,63,EC,88,30,33C
A3,88,36,10,83,00,20,27,05,C6,306
33,16,00,52,EC,88,36,A3,88,3C,3AC
10,83,00,20,27,05,C6,39,16,00,1F4
41,EC,88,3C,A3,88,42,10,83,00,3F1
20,27,05,C6,3F,16,00,30,EC,88,30B
42,A3,88,48,10,83,00,20,27,05,294
C6,45,16,00,1F,EC,88,48,A3,88,427
4E,10,83,00,20,27,05,C6,48,16,254
00,0E,EC,88,4E,A3,88,54,10,83,3E2
00,20,27,02,C6,51,CB,03,34,10,272
3A,C6,AA,4F,4C,30,89,FF,FA,10,507
AE,84,E7,A4,E7,02,81,0E,2D,F0,552
17,F7,FF,35,10,7F,33,95,16,00,3AF
7C,17,00,A1,30,1F,86,AA,5F,A7,389
84,A7,01,A7,02,A7,03,A7,04,30,35A 3118 3672 33CA 3670 3122 33D4 3120 3686 33DE 3690 3136 33E8 3140 369A 33F2 36A4 314A 33FC 3154 36AE 00,00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 3406 36B8 315E 3410 3168 3AC2 341A 36CC 3172 3424 317C 3ADA 342E 36E0 3186 3438 3190 319A 36EA 3AF4 344C 36FE 31A4 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 00,00,00,00,00,00,00,00,00,00,00 3456 3708 31AE 84,47,01,47,02,47,03,47,04,30,354 88,20,34,06,17,00,85,35,06,5C,245 C1,48,2D,E7,86,0A,87,38,05,8E,42F 33,97,10,4E,84,10,8C,FF,FF,27,4CD 0C,86,4A,47,44,6F,80,6F,80,6F,4D4 80,20,EB,86,37,5F,8B,01,19,81,3FD 3460 3712 3188 346A 371C 3102 3474 3726 3100 347E 3730 31D6 3488 31F0 373A 3492 00,00,00,00,00,00,00,00,00,00,0 06,26,4D,E1,88,26,26,48,A1,08,31F 26,05,E1,88,28,27,36,A1,09,26,2E9 05,E1,88,29,27,2D,A1,0A,26,05,2C1 E1,88,2A,27,24,A1,0B,26,05,E1,396 8B,2B,27,1B,A1,0C,26,05,E1,88,336 2C,27,12,A1,0D,26,05,E1,88,2D,2D4 31EA 3744 80,20,EB,86,37,5F,8B,01,19,81,3FD
04,10,27,0B,AD,87,37,5F,8E,1E,2EC
C2,17,FB,0F,7E,26,1C,01,34,10,2EB
BE,37,83,E6,80,54,49,E6,80,54,535
49,E6,80,54,49,E6,80,54,49,8C,4DB
36,00,26,03,8E,30,00,8F,37,83,296
35,10,39,30,00,86,FF,23,8A,08,318
B7,FF,23,86,30,C6,C0,F7,FF,20,62B
5A,26,FD,7F,FF,20,C6,C0,5A,26,521
FD,4A,26,ED,86,FF,23,84,F7,87,664
FF,23,16,F9,EC,86,FF,23,8A,08,587
B7,FF,23,8E,80,00,A6,80,8B,15,4AE 349C 374E 31F4 34A6 3758 31FE 34B0 3762 3208 34BA 376C 3776 3212 34C4 3210 34CE 27,09,A1,0E,26,0E,E1,88,2E,26,2D0 09,B6,33,95,8B,01,19,B7,33,95,3AB B6,33,95,44,44,44,44,8E,17,40,373 17,00,24,B6,33,95,84,0F,8E,17,2F1 41,17,00,19,B6,33,96,44,44,42BC 3226 3780 34DB 378A 3230 34E2 3794 379E 323A 34EC 3244 34F6 37A8 324E 87,FF,23,8E,80,00,A6,80,8D,15,4AF A6,80,8D,11,8C,88,00,2D,F3,86,4AE FF,23,84,F7,87,FF,23,8E,2F,FE,661 39,87,FF,20,4A,26,FD,39,86,FF,56A 23,8A,08,87,FF,23,86,30,C6,50,45A F7,FF,20,F6,38,95,5A,26,FD,7F,545 3500 3258 37B2 44,8E,0F,C1,17,00,0C,B6,33,96,344 B4,0F,BE,0F,C2,17,00,01,39,10,253 350A 37BC 3262 3514 BE,32,8E,C6,05,3D,31,A5,A6,A0,472 A7,84,A6,A0,A7,88,20,A6,A0,A7,5AD 37C6 326C 351E 37D0 3276 3528 37DA 3280 88,40,A6,A0,A7,88,60,A6,A0,A7,58A 89,00,80,39,FC,CC,CC,FC,30,5CE 01,00,01,00,01,00,01,00,01,00,5 3532 37E4 328A 353C FF,20,F6,38,05,5A,26,FD,4A,26,43F E9,7C,38,05,B6,FF,23,84,F7,B7,5AC 37EE 30,30,30,FC,FC,OC,FC,CO,FC,FC,648 OC,FC,OC,FC,CO,FC,FC,30,30,FC,618 CO,FC,OC,FC,CO,CO,FC,CC,FC,FC,804 01,00,01,00,01,00,01,00,01,00,5 3546 37FB 329E 3550 3802 FF,23,39,0A,00,00,00,00,00,00,165 01,00,01,00,01,00,01,00,01,00,5

#### Data Block 3

7C, 3B, 09, 10, 26, F7, 8F, 1A, 10, 10, 2B6
8E, 3B, 0A, 8E, 0C, 07, 4F, E6, A0, E7, 430
80, 4C, 81, 16, 2D, F7, 30, 0A, 86, 3B, 3B2
09, 4C, 87, 3B, 09, 81, 14, 2D, E9, 17, 312
02, 98, 7F, 33, 79, 7F, 33, 7A, 7F, 33, 3A3
7B, 7F, 33, 8C, 86, 12, 87, 30, 03, 87, 3F2
30, 04, 87, 30, 05, 87, 30, 8B, 87, 30, 37, 8C, 87, 31, 11, 86, 425
0F, 87, 31, 18, 86, 7E, 87, 31, 31, 86, 382
31, 87, 31, 32, 86, 57, 87, 31, 33, 86, 3C9
08, 87, 31, 64, 86, 21, 87, 31, 77, 87, 411
31, 7B, 86, 55, 87, 33, 78, 87, 33, 7F, 458
86, 95, 87, 33, 80, 87, 33, 81, 86, A5, 518
87, 33, 82, 87, 33, 83, 86, A9, 87, 33, 4F, 284, 87, 33, 85, 86, 7E, 87, 36, 00, 86, 46A
37, 87, 36, 01, 86, 09, 87, 36, 00, 86, 46A
37, 87, 36, 01, 86, 09, 87, 36, 00, 86, 46A
37, 87, 36, 01, 86, 09, 87, 36, 00, 86, 46A
0C, 07, 7F, 3B, 09, 4F, C6, AA, E7, 80, 3FC
4C, 81, 16, 2D, F7, 30, 0A, 86, 3B, 99, 33B
4C, 87, 38, 99, 81, 16, 2D, E9, 7F, 3B, 3AE
09, 86, 7B, 87, 31, 07, 86, 33, 87, 21, 39C
08, 86, 7B, 87, 31, 07, 86, 33, 87, 26, 3E7
D0, 87, 26, D6, 86, D9, 87, 26, D1, 86, 616
D3, 87, 26, D7, 86, 03, 87, 27, 14, 87, 489
27, 1A, 86, A5, B7, 27, 15, 86, 9F, 87, 43B
27, 1B, 7E, 26, 57, 00, AA, AA, FF, FF, 48F 3A00 3A0A 3A14 3A1E 3A2B 3A32 3830 3A46 3A50 3A5A 3064 3A6E 3A78 3A82 3ABC 3A96 3AA0 **3AB4** 3ABE 3ACB 3AD2 3ADC 3AE6 3AF0 3B04 27,18,7E,26,57,00,AA,AA,FF,FF,48F 3010

FF.AA,FF,AA,FF,EA,FF,AA,FF,AA,88D 3B0E 3B18 3B22 3B2C 3B36 3B40 **3B4A** 3B54 3B5E 3B68 3B72 3B70 3B86 3B90 3B9A **3BA4** FF,AA,AA,AA,FF,AA,AA,FF,AA,7FS FF,AA,AA,AA,FF,FF,AA,FF,AA,84D FF,BE,FF,AA,FF,AA,FF,FF,AA,88D FF,FF,FF,AA,AA,AA,FF,FF,FF,AA,8A2 **3BAE** 3BB8 3BC2 3BCC FF,FF,FF,AA,AA,FF,FF,FF,AA,BA2 FF,AA,FF,BE,FF,AA,FF,AA,FF,FF,BB6 FF,AA,FF,FF,FF,AA,AA,AA,FF,FF,BA2 FF,AA,FF,AA,FF,BE,FF,AA,AFF,AA,BA2 FF,FF,FF,AA,FF,FF,FF,AA,AA,AA,BA2 FF,FF,FF,AA,FF,AA,FF,BE,FF,AA,BB6 FF,AA,FF,FF,FF,AA,FF,FF,FF,AA,BF7 AA,AA,FF,AA,AA,AA,FF,AA,FF,AF,AA,F 3BD6 3BE0 3BEA 3BF4 3BFE 3008 3012

FF, AA, AA, AA, FF, AA, AA, AA, FF, AA, 7A3 FF, AF, FF, AA, FF, AA, AA, AA, FF, AA, 7FD B7,3F,FF,B6,29,B7,89,00,B7,29,4F4 B7,B6,33,95,44,44,44,44,BB,29,429 B7,19,B7,3F,FE,44,44,44,8E,462 1B,00,17,EC,64,B6,3F,FE,84,0F,40B 8E,1B,01,17,EC,59,B6,3F,FF,44,43E 44,44,44,8E,1B,02,17,EC,4C,B6,37C 3F,FF,84,0F,8E,1B,03,17,EC,41,3C1 39,00,00,00,00,00,00,00,00,00,39 00,C2,D3,7F,00,00,7F,00,00,7F,312

3C3A

3C44

3C4E

3C62

3040

3C76

3CBA

3C94

3C9E

**3CB2** 

3CBC

3006

3CDA

3CE4

3CEE

3D02

3DOC

3D16

3D2A

### Data Block 4

```
408C
                                                                                                                                AA,AA,AA,FF,AA,AA,FF,AA,FF,BA,7B3
                  1A,10,10,8E,40,3A,8E,0C,2B,4F,256
                                                                                                                                                                                                                                                AA,FF,AA,FF,FF,FF,AA,FF,AA,AA,84D
FF,AA,FF,AA,AA,FF,AA,FF,FF,FF,8A2
AA,FF,AA,AA,FF,AA,FF,AA,AA,FF,7F8
AA,FF,FF,FF,AA,FF,AA,AA,FF,AA,84D
FF,AA,AA,FF,AA,FF,FF,B6,29,7D8
BB,4B,4B,4B,4B,BA,29,B9,B7,41,46C
AD,B6,33,95,4B,4B,4B,4B,BB,41,447
AD,19,34,01,B7,3F,FF,B6,33,95,46E
44,44,44,44,35,01,B9,29,B7,19,2F8
B7,3F,FE,44,44,44,8E,1B,00,3AD
17,E7,DB,B6,3F,FE,84,0F,8E,1B,505
01,17,E7,CD,B6,3F,FF,44,44,44,48C
44,8E,1B,02,17,E7,C0,B6,3F,FF,44,1
B4,0F,8E,1B,03,17,E7,B5,39,00,32B
39,00,20,24,41,41,2C,24,41,41,1D1
4000
                                                                                                                                                                                                                                                 AA,FF,AA,FF,FF,FF,AA,FF,AA,AA,84D
                 1A,10,10,8E,40,3A,8E,0C,2B,4F,256
E6,A0,E7,80,4C,B1,0E,2D,F7,30,51C
88,12,86,40,39,4C,87,40,39,81,3C6
14,2D,E8,17,01,2E,86,7D,87,31,35A
07,86,33,87,31,08,86,78,87,31,399
09,7F,3B,09,16,03,0B,00,FF,FF,2EE
FF,AA,FF,AA,FF,EA,AB,FF,AA,FF,88E
FF,FF,FF,FF,FF,FF,AA,FF,AA,FF,8BE
FF,FF,FF,FF,FF,FF,FF,FF,FF,AA,8F8
                                                                                                                                                                                                                              4122
                                                                                                                                AE,FF,AA,FF,AA,AA,AA,FF,AA,AA,7A7
FF,AA,FF,BA,AE,FF,AA,FF,AA,AA,80C
400A
                                                                                                              4096
                                                                                                                                                                                                                               4120
4014
                                                                                                              40A0
                                                                                                                                                                                                                               4136
                                                                                                                                AA,FF,AA,AA,FF,AA,BA,FF,BOC
AA,FF,FF,FF,AA,FF,AA,AA,FF,AA,BAD
FF,AE,BA,FF,AA,FF,FF,FF,AA,FF,BBC
AA,AA,FF,AA,FF,AE,BA,FF,AA,FF,BOC
401F
                                                                                                              4000
4028
                                                                                                              40B4
                                                                                                                                                                                                                               414A
4032
                                                                                                              40BE
                                                                                                                                                                                                                                4154
403C
                                                                                                              40C8
                                                                                                                                                                                                                               415E
                                                                                                                                FF,FF,AA,FF,AA,AA,FF,AA,FF,AE,851
BA,FF,AA,FF,FF,FF,AA,FF,AA,AA,85D
4046
                                                                                                              40D2
                                                                                                                                                                                                                                4168
4050
                                                                                                              40DC
                                                                                                                                                                                                                               4172
                  FF,AA,FF,EA,AB,FF,AA,FF,FF,FF,8E3
FF,FF,FF,AA,FF,AA,FF,EA,AB,FF,8E3
                                                                                                                                FF,AA,FF,AB,EA,FF,AA,FF,AA,AA,839
AA,FF,AA,AA,FF,AA,FF,AB,EA,FF,839
405A
                                                                                                              40E6
                                                                                                                                                                                                                                417C
4064
                                                                                                              40F0
                                                                                                                                                                                                                                4186
                  AA,FF,FF,FF,AA,FF,AA,AA,FF,AA,84D
FF,BA,AE,FF,AA,FF,AA,AA,AA,FF,BOC
                                                                                                                                AA,FF,AA,AA,AA,FF,AA,AA,FF,AA,7A3
FF,AB,EA,FF,AA,FF,AA,AA,AA,FF,839
406E
                                                                                                              40FA
4078
                                                                                                              4104
                                                                                                                                                                                                                                419A
                                                                                                                                AA,AA,FF,AA,FF,AB,EA,FF,AA,FF,B39
AA,AA,AA,FF,AA,AA,FF,AA,FF,AA,7A3
4082
                  AA,AA,FF,AA,FF,BA,AE,FF,AA,FF,BOC
                                                                                                              410E
                                                                                                                                                                                                                                                  39,00,20,24,41,41,2C,24,41,41,1D1
                                                                                                                                                                                                                                41AE
```

#### Data Block 5

```
B6,3F,FF,BB,2A,12,19,B7,3F,FF,4F9
B6,3F,FE,B9,2A,13,19,B7,3F,FE,4F6
                                                                                                                                                                                            81,EC,A1,ED,81,EC,A1,ED,81,EC,763
A1,ED,81,EC,A1,ED,81,EC,A1,ED,784
                                                                                                                                                                                                                                                                                                                                                               0A,0A,00,0A,00,0A,0A,0A,A0,AA,186
0A,0A,0A,0A,AA,AA,0A,0A,AA,0A,244
                                                                                                                                                                 4468
                                                                                                                                                                                                                                                                                                                                     45C6
4300
                                                                                                                                                                                                                                                                                                                                                              0A,0A,0A,0A,AA,AA,0A,AA,0A,AA,0A,244
0A,00,AA,0A,AA,0A,0A,AA,0A,2D0
0A,0A,0A,AA,AA,0A,0A,AA,0A,0A,2D0
0A,0A,0A,AA,0A,0A,0A,AA,0A,0A,2C6
0A,0A,AA,00,0A,00,0A,0A,0A,0A,2C6
0A,0A,AA,00,0A,0A,0A,0A,0A,0A,0A,26
0A,0A,0A,0A,0A,0A,0A,0A,0A,0A,0A,26
00,0A,FF,10,8E,46,5C,C6,0A,3D,356
31,A5,31,A5,EC,A1,ED,84,EC,A1,637
ED,88,20,EC,A1,ED,89,00,80,EC,644
A1,ED,89,00,A0,EC,A1,ED,89,00,5BA
C0,EC,A1,ED,89,00,EC,A1,ED,71D
89,01,00,EC,A1,ED,89,01,20,39,3E7
00,0A,0A,0A,0A,0A,0A,0A,0A,0A,0A,50
0A,0A,0A,0A,0A,0A,0A,0A,0A,0A,384
AA,0A,AA,0A,AA,0A,AA,0A,384
                                                                                                                                                                 4472
                                                                                                                                                                                           A1,ED,81,EC,A1,ED,81,EC,A1,ED,784
81,EC,A1,ED,81,A6,A0,A7,84,30,61D
0E,A6,A4,81,FF,26,D0,FC,3F,FE,607
10,B3,45,58,2D,03,FD,45,58,B6,3E0
45,58,44,44,44,44,8E,14,4E,17,2B4
01,73,B6,45,58,B4,0F,8E,14,50,34C
17,01,68,B6,45,59,44,44,44,44,2E4
8E,14,52,17,01,5B,B6,45,59,84,33F
0F,8E,14,54,17,01,50,8E,1B,50,266
BF,2F,FE,4F,17,EA,30,8E,A0,00,49A
BD,80,06,26,4D,30,01,26,FC,BE,3C7
2F,FE,30,88,E0,BF,2F,FE,86,01,53B
17,EA,16,8E,A0,00,BD,80,06,26,3AE
31,EA,16,8E,A0,00,BD,80,06,26,3AE
26,BF,2F,FE,BC,17,4C,2E,C8,BE,53F
A0,00,30,01,26,FC,4F,17,E9,F1,433
                                                                                                                                                                                                                                                                                                                                     45D0
430A
                         B6,3F,FE,B9,2A,13,19,B7,3F,FE,4F6
44,44,44,44,9E,1B,00,17,E6,43,2F9
B6,3F,FE,84,0F,8E,1B,01,17,E6,42D,
38,B6,3F,FF,44,44,44,44,BE,1B,3E5
02,17,E6,2B,B6,3F,FF,84,0F,8E,43F
1B,03,17,E6,20,16,00,00,4F,B7,257
2A,12,B7,2A,13,B7,40,39,B7,29,340
B6,B7,29,B9,B7,33,79,B7,33,7A,516
B7,33,7B,B7,33,7C,B7,33,7D,B7,4E9
33,BC,B7,33,91,B7,33,93,B7,33,4A1
94,B7,33,95,B7,33,96,4C,B7,37,4CD
5F,B7,29,B7,B7,33,92,4C,B7,29,49
B8,BE,23,C5,BF,33,BD,BE,23,DE,53C
BF,33,BF,86,16,B7,30,03,B7,30,3EE
                                                                                                                                                                 447C
4314
                                                                                                                                                                                                                                                                                                                                     45DA
                                                                                                                                                                 4486
                                                                                                                                                                                                                                                                                                                                     45E4
431E
4328
                                                                                                                                                                 4490
                                                                                                                                                                                                                                                                                                                                     45EE
                                                                                                                                                                  449A
                                                                                                                                                                                                                                                                                                                                     45FB
4332
4330
                                                                                                                                                                 44A4
                                                                                                                                                                                                                                                                                                                                     4602
                                                                                                                                                                  44AE
 4346
                                                                                                                                                                                                                                                                                                                                     460C
4350
                                                                                                                                                                 44BB
                                                                                                                                                                                                                                                                                                                                     4616
                                                                                                                                                                 44C2
 435A
                                                                                                                                                                                                                                                                                                                                     4620
                                                                                                                                                                 44CC
4344
                                                                                                                                                                                                                                                                                                                                     4620
                                                                                                                                                                 44D6
                                                                                                                                                                                                                                                                                                                                     4634
 436E
4378
                                                                                                                                                                 44E0
                                                                                                                                                                                                                                                                                                                                     463E
 4382
                                                                                                                                                                 44EA
                                                                                                                                                                                                                                                                                                                                     4648
                           BF,33,8F,86,16,B7,30,03,B7,30,3EE
8B,4F,B7,30,04,B7,30,8C,86,50,40E
                                                                                                                                                                 44F4
 438C
                                                                                                                                                                                                                                                                                                                                     4652
                                                                                                                                                                 44FE
 4396
                                                                                                                                                                                                                                                                                                                                     465C
                                                                                                                                                                                           EO, BF, 2F, FE, BC, 17, 4C, 2E, C8, 8E, 53F

AO, 00, 30, 01, 26, FC, 4F, 17, E9, F1, 433

BD, 80, 06, 26, 11, 8E, AO, 00, 30, 01, 2D9

26, FC, 86, 01, 17, E9, E0, BD, 80, 06, 4CC

27, DF, 8E, 04, 00, CC, AF, AF, ED, 81, 530

8C, 05, FF, 23, F9, B7, FF, C6, B7, FF, 6DE

C9, B7, FF, CA, B7, FF, CC, B7, FF, CE, 84F

B7, FF, D0, B7, FF, C0, B7, FF, C2, B7, 82B

FF, C4, 86, 00, B7, FF, 22, 7E, 47, 24, 50A

00, 00, 0A, 00, AO, AO, 0A, 0A, 0A, 0A, 17C

AA, 00, 0A, 00, 0A, 00, 0A, 00, 0A, 00, D2

0A, 0A, 0A, 0A, 0A, 0A, 0A, 0A, 0A, AA, 230

00, 0A, 00, 0A, 00, 0A, 00, 0A, 00, 0A, 32
                           B7,30,05,B7,30,8D,86,40,B7,31,40E
11,86,0C,B7,31,18,86,0E,B7,31,31F
                                                                                                                                                                 4508
 43A0
                                                                                                                                                                                                                                                                                                                                     4666
                                                                                                                                                                 4512
 43AA
                                                                                                                                                                                                                                                                                                                                     4670
                          11,86,0C,87,31,18,86,0E,87,31,31F
64,86,86,87,31,31,86,33,87,31,45A
32,86,96,87,31,33,86,28,87,31,3FF
77,87,31,78,86,49,87,33,7E,87,528
33,7F,87,33,80,87,33,81,87,33,471
82,87,33,83,87,33,84,87,33,85,4CC
87,33,86,86,EC,87,36,00,86,84,4D9
87,36,01,86,A3,87,36,02,86,37,365
87,29,8E,86,16,87,29,C1,86,EF,550
                                                                                                                                                                                                                                                                                                                                                               AA,0A,AA,0A,AA,0A,AA,0A,AA,0A,384

OO,OA,OO,OA,AA,OA,AA,OA,OO,OA,186

OO,OA,OO,OA,AA,OA,OO,OA,OO,OA,186

OO,OA,OO,OA,AA,OA,OO,OA,OO,OA,186

OO,OA,OA,AA,OA,AA,OO,OA,OO,OA,186

OO,OA,AA,OA,AA,OA,OO,OA,OO,OA,186
 43B4
                                                                                                                                                                 451C
                                                                                                                                                                                                                                                                                                                                     467A
                                                                                                                                                                 4526
                                                                                                                                                                                                                                                                                                                                     4684
 43BE
 43CB
                                                                                                                                                                  4530
                                                                                                                                                                                                                                                                                                                                     468E
                                                                                                                                                                  4530
 43D2
                                                                                                                                                                                                                                                                                                                                      4698
                                                                                                                                                                  4544
 43DC
                                                                                                                                                                                                                                                                                                                                     4602
 43E6
                                                                                                                                                                  454E
                                                                                                                                                                                                                                                                                                                                      46AC
                                                                                                                                                                   4558
                                                                                                                                                                                                                                                                                                                                                               00,0A,A0,AA,A0,AA,A0,AA,A0,AA,532
00,0A,00,0A,0A,AA,0A,AA,00,0A,186
 43F0
                                                                                                                                                                                                                                                                                                                                     46B6
                                                                                                                                                                  4562
 43FA
                                                                                                                                                                                                                                                                                                                                      46C0
                           B7,24,BE,86,16,B7,24,C1,86,E7,350
B7,26,56,4F,B7,26,D0,B7,26,D6,4E2
B7,27,14,B7,27,14,B6,0D,B7,26,35A
D1,B7,27,15,86,07,B7,26,D7,B7,4BC
27,1B,BE,2F,FE,30,1F,86,AA,5F,40B
A7,84,A7,01,A7,02,A7,03,A7,04,3D1
30,B8,20,5C,C1,48,2D,EE,8E,33,419
                                                                                                                                                                   456C
                                                                                                                                                                                                                                                                                                                                                               00,0A,AA,0A,AA,0A,00,0A,00,0A,186
0A,AA,0A,AA,0A,AA,0A,AA,00,0A,2DA
00,0A,0A,0A,0A,0A,0O,0A,00,0A,46
 4404
                                                                                                                                                                                                                                                                                                                                     44CA
                                                                                                                                                                                            00,0A,00,0A,00,0A,00,0A,00,0A,32
0A,0A,A0,AA,0A,AA,0A,AA,0A,2DA
 440E
                                                                                                                                                                  4576
                                                                                                                                                                                                                                                                                                                                      46D4
                                                                                                                                                                   4580
 4418
                                                                                                                                                                                                                                                                                                                                     46DE
                                                                                                                                                                                            AA,OA,AA,OA,OA,OA,OA,AA,OA,Z44
OA,AO,AA,OA,AA,OA,AA,OA,AA,Z7A
                                                                                                                                                                  45BA
  4422
                                                                                                                                                                                                                                                                                                                                                                00,0A,00,0A,AA,0A,AA,0A,AA,0A,230
AA,0A,AA,0A,AA,0A,AA,0A,AA,0A,384
00,0A,00,0A,0A,0A,0A,0A,00,0A,46
                                                                                                                                                                                                                                                                                                                                     46E8
                                                                                                                                                                   4594
 442C
                                                                                                                                                                                                                                                                                                                                     46F2
                                                                                                                                                                                            0A,AA,OA,OA,OA,OA,AA,OO,OA,19A
AO,AA,OA,AA,OA,OA,AA,OO,OA,OA,2DO
                                                                                                                                                                  459E
                                                                                                                                                                                                                                                                                                                                     46FC
                           97,10,AE,84,10,8C,FF,FF,27,0C,4A6
86,AA,A7,A4,6F,80,6F,80,6F,80,548
20,EB,8E,11,C9,10,8E,45,5A,EC,49C
A1,ED,81,EC,A1,ED,81,EC,A1,ED,784
                                                                                                                                                                   45A8
 4440
                                                                                                                                                                                                                                                                                                                                     4706
                                                                                                                                                                                                                                                                                                                                                                00,04,04,04,04,00,04,00,04,46
                                                                                                                                                                                            AA,0A,0A,00,0A,00,0A,00,0A,A0,17C
AA,0A,AA,00,0A,AA,00,0A,0A,AA,2D0
  444A
                                                                                                                                                                  45B2
                                                                                                                                                                                                                                                                                                                                     4710
                                                                                                                                                                                                                                                                                                                                                               00,0A,00,0A,0A,0A,0A,0A,00,0A,46
00,0A,AA,0A,AA,0A,AA,0A,AA,0A,2DA
                                                                                                                                                                   45BC
 4454
                                                                                                                                                                                                                                                                                                                                     471A
  445E
```

#### Data Block 6

```
4BB8
                                                                                                                                                                                                                        AA,56,AA,AA,A1,66,51,6A,AA,A1,561
               BE,04,00,86,8F,A7,80,8C,06,00,360
2D,F9,10,8E,4A,E3,8E,04,62,A6,48B
                                                                                                                   8F,53,54,41,52,54,FF,01,01,01,31F
                                                                                                   4ADC
4400
                                                                                                                   01,01,00,01,01,01,01,01,00,01,8
01,01,00,01,00,01,01,01,01,01,01,8
00,01,01,01,01,01,00,FF,01,00,105
                                                                                                                                                                                                                       66,52,AA,00,AA,A2,AA,AA,A2,AA,54E
AA,A2,AA,AA,B0,AA,AA,B0,AA,AA,64B
                                                                                                                                                                                                       4BC2
                                                                                                   4AE6
4A0A
                                                                                                                                                                                                       4BCC
               A0,4D,27,12,81,99,27,12,81,FF,3F9
26,04,30,02,20,EF,86,AF,A7,80,3C7
4A14
                                                                                                   4AFO
                                                                                                                                                                                                                       80,AA,AA,80,AA,AA,80,AA,AA,00,57C
2A,AA,00,2A,AA,00,2A,AA,00,2A,2A6
                                                                                                                                                                                                       4BD6
                                                                                                    4AFA
4A1E
                                                                                                                                                                                                       4BEO
                                                                                                                    00,00,00,00,01,00,00,00,01,00,2
               20,E9,30,01,20,E5,8E,05,62,10,344
BE,4A,9D,A6,A0,81,FF,27,04,A7,50D
4A28
                                                                                                   4BO4
                                                                                                                                                                                                                       AA,00,2A,AB,00,0A,AB,00,0A,AB,2E0
00,0A,AB,00,0A,A0,00,02,A0,00,1FE
                                                                                                                                                                                                       4BEA
                                                                                                    4B0E
4A32
               80,20,F6,8E,05,82,A6,A0,81,FF,571
27,04,A7,80,20,F6,8E,05,A2,A6,443
A0,81,FF,27,04,A7,80,20,F6,BD,545
80,06,27,FB,81,31,27,04,81,32,338
                                                                                                                    01,00,01,00,00,00,00,00,FF,01,102
00,00,00,00,00,01,01,01,01,01,5
                                                                                                                                                                                                       4BF4
4A30
                                                                                                   4B1B
                                                                                                                                                                                                                       02,A0,00,02,A0,00,02,A0,00,02,1EB
A0,00,02,A0,00,02,A0,00,02,A0,286
                                                                                                                                                                                                       4BFE
4A46
                                                                                                    4B22
                                                                                                                                                                                                       4008
                                                                                                                    00,01,00,01,00,01,00,01,00,00,4

00,01,00,01,01,01,01,01,00,01,00,5F,105

01,00,00,00,00,00,01,00,00,00,2

01,00,01,00,01,00,01,00,01,00,5
4450
                                                                                                   4B2C
                                                                                                                                                                                                                       08,02,40,44,02,40,44,02,40,44,3EC
02,40,44,02,40,46,02,40,46,02,3DE
40,95,02,40,95,02,40,55,42,40,445
95,02,40,95,02,40,46,02,40,44,460
                                                                                                                                                                                                       4C12
4A5A
                                                                                                    4B36
               80,06,27,F8,81,31,27,04,81,32,338

26,F3,BE,05,C2,E6,A0,C1,FF,27,5DB

04,E7,B0,20,F6,B1,32,27,1E,BE,407

4B,C6,BF,27,C0,BE,4B,7E,BF,27,4F4

3C,BE,4B,A2,BF,27,80,BE,4D,00,3F8

BF,3A,0B,BE,4F,00,BF,40,04,BD,3A1

80,06,27,FB,7E,47,24,44,4F,8F,3B3

59,4F,55,BF,57,41,4E,54,8F,41,396

7A,FF,6B,71,69,BF,47,52,45,45,46D

4E,BF,43,41,4E,4F,45,FF,6B,72,41C

69,8F,52,45,44,8F,8F,8F,43,41,404

4E,4F,45,FF,50,52,45,53,53,9F,3FD

41,4E,59,8F,4B,4B,59,8F,54,4F,392
                                                                                                                                                                                                       4C1C
4A64
                                                                                                    4B40
                                                                                                                                                                                                       4C26
                                                                                                    4B4A
4A6E
                                                                                                                    4C30
4A78
                                                                                                    4B54
                                                                                                                                                                                                                       02,A0,AA,02,A0,AA,02,A0,AA,02,3E6
A0,08,02,A0,00,02,A0,00,02,A0,28E
                                                                                                                                                                                                       4036
4A82
                                                                                                    4B5E
                                                                                                                                                                                                       4C44
4ABC
                                                                                                    4RAR
                                                                                                                                                                                                                       00,02,A0,00,02,A0,00,02,A0,00,1E6
02,A0,00,02,A0,00,02,AB,00,0A,1FB
                                                                                                                                                                                                       4C4E
                                                                                                    4B72
4A96
                                                                                                                    00,99,AA,A0,08,02,56,AA,A0,AA,437
11,56,AA,A0,A9,56,56,AA,A1,56,4A7
                                                                                                                                                                                                       4C58
4000
                                                                                                    4B70
                                                                                                                                                                                                                       AB,00,0A,AB,00,0A,AB,00,0A,AB,2BE
00,0A,AA,00,2A,AA,00,2A,AA,00,25C
2A,AA,00,2A,AA,00,2A,AA,B0,AA,3A6
AA,80,AA,AA,B0,AA,AA,B0,AA,AA,626
                                                                                                                                                                                                       4C62
4AAA
                                                                                                    4B86
                                                                                                                    12,AA,A9,55,AA,12,AA,96,A1,66,48D
52,AA,AA,A1,66,52,AA,00,95,A0,4DE
08,02,AA,95,61,AA,02,AA,95,95,42A
AA,02,AA,AA,A1,55,12,AA,AA,A1,4FD
                                                                                                                                                                                                       4C6C
4AB4
                                                                                                    4890
                                                                                                                                                                                                       4076
4ABE
                                                                                                    4B9A
                                                                                                                                                                                                       4080
4AC8
                                                                                                    4BA4
                                                                                                                                                                                                                       80,AA,AA,A2,AA,AA,A2,AA,AA,A2,662
AA,AA,AA,AA,OO,20,20,20,50,4F,3A7
                                                                                                                                                                                                       4C8A
 4AD2
                                                                                                    4BAE
                                                                                                                                                                                                        4C94
```

#### Data Block 7 4E2C AA,AA,00,AA,00,AA,AA,AA,AA,4A6 AA,AA,00,00,00,AA,00,AA,00,2A,2D2 4D96 00,AA,00,AA,AA,AA,00,AA,AA,AA,4A6 4D00 4E36 00,AA,AA,AA,00,AA,00,A0,00,AA,3F2 00,AA,00,AA,00,00,00,AA,00,AA,2AB 00,AA,AA,AA,00,00,00,AA,00,AA,352 00,AA,00,0A,00,AA,00,AA,00,AA,2B2 AA,AA,00,AA,00,AA,AA,AA,00,00,3FC 4DOA 4DAO 4E40 00,AA,AA,AA,00,AA,00,AA,00,AA,3FC 4DAA 4D14 AA,AA,00,AA,AA,AA,00,AA,00,A0,49C 00,2A,00,AA,00,AA,00,00,00,AA,228 00,AA,00,AA,AA,AA,00,00,00,AA,352 00,AA,00,AA,00,B2,00,AA,00,AA,32A 00,00,00,AA,00,00,00,AA,AA,AA,2A8 4DB4 4D1E 00,AA,OO,AA,AA,AA,OO,AA,OO,AA,4A6 4E54 4D28 4DBE 4E5E 00,AA,00,2A,00,AA,00,AA,00,00,228 00,AA,00,AA,00,AA,AA,AA,00,00,352 00,00,00,AA,00,AA,00,B2,00,AA,280 00,AA,00,00,00,AA,00,00,00,AA,1FE AA,AA,00,00,00,AA,00,AA,00,B2,32A 00,A8,00,AA,00,AA,00,00,00,AA,2A6 4E68 4D3C 4DD2 00,AA,00,AA,00,2A,00,AA,00,AA,2D2 00,00,00,AA,00,AA,00,AA,AA,AA,352 4D46 4DDC 00,AA,00,AB,00,AA,00,AA,00,00,2A6 4E7C 00,AA,00,AA,00,00,00,AA,00,00,1FE 4DE6 4D50 4E86 00,AA,AA,AA,OO,AA,OO,OA,OO,AA,35C 00,AA,AA,AA,00,00,00,AA,00,AA,352 00,82,00,AA,00,AA,00,00,00,AA,280 4D5A 4DF0 AA,AA,OO,AA,OO,AB,OO,AA,OO,AA,3FA OO,OO,OO,AA,OO,AA,AA,AA,352 4E90 4DFA 4D64 4E9A AA,AA,OO,AA,AA,AA,OO,AA,OO,OA,406 00,00,00,AA,AA,AA,00,AA,AA,AA,3FC 4D6E 4E04 00,AA,AA,AA,OO,AA,OO,AB,OO,AA,3FA 4EA4 4EOE 4D78 00,AA,AA,AA,00,AA,AA,AA,00,AA,4A6 00,OA,00,AA,00,AA,AA,AA,AA,35C 4EAE 4D82 00,AA,00,AA,00,AA,AA,AA,00,AA,3FC 4EBB 2A,2A,2A,2A,2A,2A,2A,2A,2A,1A4 AA,AA,00,AA,00,A0,00,AA,00,AA,3F2 4E22 4D8C Data Block 8 00,00,00,AA,00,AA,00,2A,AB,00,226 AA,00,00,00,00,00,00,AA,00,AA,1FE 00,2A,AB,00,AA,00,00,00,00,00,17C AA,AA,OO,AA,OO,BA,A2,OO,AA,OO,3D4 2A,00,AA,00,AA,AA,AA,00,AA,AA,426 00,AA,00,AB,2A,00,AA,00,AA,AA,37A AA,00,AA,AA,00,AA,00,AB,2A,00,37A 4FBE AA,AA,AA,OO,AA,AA,OO,AA,OO,A2,49E BA,OO,AA,OO,OO,OO,AA,OO,AA,AA,332 4FOA 4F6E 4FC8 4F14 4FD2 00,AA,00,AA,00,2A,AB,00,AA,00,2D0 00,00,00,00,00,AA,00,AA,00,2A,17E AB,00,AA,00,00,00,AA,00,AA,AA,350 00,AA,00,BA,A2,00,AA,00,AA,AA,3D4 00,AA,00,A2,BA,00,AA,00,00,00,280 AA,00,AA,AA,00,AA,00,A2,BA,00,3D4 AA,00,AA,AA,AA,00,AA,AA,00,AA,4A6 4F1E 4F82 4FDC 4E28 4F8C 4FE6 AA,AA,OO,AA,OO,AA,AA,OO,AA,OO,3FC OO,OO,AA,OO,AA,AA,FE,OO,FF,OO,3FB FF,OO,FF,OO,FF,OO,FF,OO,FF,OO,4FB FF,OO,FF,OO,FF,OO,FF,OO,4FB 4F32 4F96 AA,00,00,00,AA,00,AA,AA,00,AA,352 4FF0 4F3C 00,A2,BA,00,AA,00,00,00,AA,00,2B0 4FFA 4F46 AA,00,AA,AA,00,AA,00,BA,A2,00,3D4 AA,00,AA,AA,AA,00,AA,AA,00,AA,4A6 4FAA AA,AA,00,AA,00,AB,2A,00,AA,00,37A 5004 4F50 AA,AA,AA,OO,AA,AA,OO,AA,OO,AB,4A4 4F5A 00,8A,A2,00,AA,00,AA,AA,AA,00,3D4



### SUBSCRIPTION OFFER

From the very next issue (July) Dragon User will be available by SUBSCRIPTION ONLY. No more tramping to the shops come rain, wind or snow — we'll deliver it straight to your door.

Normally, this would cost you £14 (UK) for the privilege of receiving 12 issues (£20 outside the UK) — but for new subscribers applying on this form (or a facsimile thereof), we're offering a year's sub for £12 only, (£18 outside the UK).

Fill in the form below, and send it off together with your remittance to —

Dragon User Subscription Offer — 12-13 Little Newport Street, London WC2H 7PP.

Please reserve me the following:  1 year's subscription to Dragon User (12 issues)  Normally £14 — this month £12 (UK only)	NameAddress
1 year's subscription to Dragon User (12 issues) Normally £20 — this month £18 (Outside UK)	
Payment method	-
I enclose a cheque payable to Scot Press Ltd	
I enclose a postal order payable to Scot Press Ltd	Send this form, with your payment, to: Dragon User Subscription Offer 12-13 Little Newport Street
Please charge my Access/Barclaycard No:	12-13 Little Newport Street London WC2H 7PP
Expiry Date	Signature

# Choosing a Disk Drive

A disk drive is a major investment — plan before you buy, advises Geoff Ettridge.

DUE TO the demise of the Dragon as a games machine, many loyal users may be tempted to buy disk drive bargains appearing in various computer magazines. However, there is more to a bargain than the price; factors such as the suitability of the equipment to perform the tasks required of it, availability of software and its compatibility with other systems must also be considered. This is where the enthusiastic amateur can become unstuck through lack of knowledge. There is little written information and what is available tends to be in the form of snippets in articles or advertisements. There is then a need to collate and present the pieces of information gleaned from these various sources to help the less well informed among us to make a more objective choice. Judging by the standard of articles in Dragon User many readers may find this contribution simplistic, but then we all need some light reading from time to time!

### The System

There are three parts to a disk drive system to be considered:

- (a) The disk drive.
- (b) The disk operating sytem (DOS).
- (c) Software.

Although I will consider each separately, the system as a whole needs to be designed and evaluated against the particular tasks that it will be expected to undertake.

Before looking at disk systems it is wise to ensure we appreciate the benefits of disks over cassette tapes for storing data and programs.

- (a) Files are read and written to disks far faster. A disk rotates at 300 rpm.
- (b) As files are stored in concentric rings on disks it is possible to directly access files, whereas a tape needs to be subsequently searched.
- (c) A disk system writes and keeps a catalogue or directly of the files on each disk.

The disk system therefore comes into its own when considering the handling of data files. Everyone who has attempted to use cassette data files has probably experienced errors arising from the slow acceleration of the tape record or the tedium of extending the duration of the leader tone. No such problems with disk drives. Different files of data can be accessed speedily and if the data was written to disk as a random file it is possible to jump around the file for specific items. This type of random

access file allows for parts to be updated, whereas a cassette data file would need to be totally re-written.

The simplest analogy for comparing disk and tape storage is to compare an LP with a music cassette. Once a track on an LP has been chosen the arm can be moved directly to that track. When another track is required the arm can be moved to the new location. It is difficult to perform the same regime with a tape as it is difficult to identify where one track ends and another starts. Although the higher speeds of fast forward and rewind can be used to move to a new track, the tape still needs to be sequentially searched.

Now for some definitions. A disk can be single or double sided and can be either single or double density. (Quad density is also available but I have yet to see any suggestion that it can be used on a Dragon system.) The number of sides needs no explanation except than to confirm that a double sided disk can store files on both sids so long as the disk drive being used is capable of such a task. The density of a disk affects the amount of data that can be stored on the disk. The greater the density the closer the information can be written on the disk and consequently the more data it can store.



Before a disk can store data it needs to be "formatted". This uses some of the storage capacity of the disk, so it is advisable when comparing two different systems to ensure that the formatted capacities are compared. The formatting of the disk results in it being divided into tracks and sectors. The disk operating system (the DOS) also writes essential information on the disk which will be used by the drive to find the desired programme or data file when the system is used. With the tracks and sectors numbered and a CATalogue or

DIRectory on the disk the drive can move speedily to the locations where the data is stored.

Each DOS system will format a disk differently, affecting the capabilities of various systems. The formatting of a disk also erases all data stored on it. It is therefore not possible to re-format a disk for another DOS without losing your data or files. Now to consider the three principle parts of a disk system: The drive, the operating system (DOS) and the software.

### The Disk Drive

The task of the drive is largely self-evident from the above. It needs to rotate a delicate piece of material, the disk, at high speed and to be able to read and write data on it at very precise points. The drive is therefore a precision instrument. This needs to be remembered when considering the purchase of a second-hand machine. A drop, or hamfisted exploration by an inquisitive user, could have caused damage which could be expensive to rectify. Before purchasing a second-hand disk drive, see the system format a disk, write data to it and read it.

Some drives such as Dragon drives are only able to use one side of a disk. Double sided disks can be used in the drive but only one side will be used. This effectively halves the amount of information that can be stored on the disk. Double sided drives such as some of the Cumana models are able to use both sides of the disk but some problems can arise as a consequence of the DOS which means the double sided capacity cannot be used. This will be considered below under disk operating systems but generally this is not a great hindrance if the 'double sided' drive is able to format a single sided disk when required. Again the watch word is to check and if the system is able to format both type of disk then the versatility of the drive is enhanced.

When formatted, a disk is divided into tracks. The standard choice is either 40 or 80 tracks per disk, the 80 track offering twice the storage capacity of a 40 track disk. The number of tracks that can be formatted on a disk is dependent on the characteristic of the drive, the DOS and the disk. Even if the disk and the DOS is double density a 40 track drive will not be able to format or read an 80 track disk. As most software is sold on 40 track disks it is important to check that an 80 track drive is able to read a 40 track disk before it is purchased.

To have the best of both worlds, high storage capacity plus being able to use a range of software it is possible to find drives which are 40/80 switchable. The only problem posed by such drives is that the operator must remember to switch between modes for the differently formatted disks. Another solution could be to check that the software houses you use have the capacity to transcribe their 40 track software on to 80 track disks if requested.

Whether to purchase a single or dual drive is decision based on expense rather than the primary task that the disk system is required for. There are various systems on the market and to make a choice purely on cost could result in undermining the usefulness of your disk system. By having a dual system it is possible to designate one drive as a 'system' drive which will read the software being used while the other could be the 'work' drive which would store the data being used. A simple example is to consider a word processing package. The first drive could contain the program being used plus ancillary files such as a spell check while the other could hold files of documents that have been, or are being, prepared.

If a vast amount of storage space is not required it is maybe more convenient to operate with two single sided than one double sided drive.

### Disk Size

The final aspect of the drive I propose to consider is the size of the disk. Mike Jones (Computer Age, January 1986) examined yet another scourge of home and business users alike, INCOMPATIBILITY. There are currently three main sizes of disk at present, 51/4 inch, 31/2 inch, and 3 inch. Because of improved disk technology all three sizes hold approximately the same amount of data. The 51/4 inch disk is "floppy"; the casing is not rigid and the disk is vulnerable to damage through its exposure at the read/write slot. The 3 inch and 31/2 inch disks are encased in a more rigid cover and the read/write slot is protected by a shutter which is opened as the disk is inserted into the drive. Some 31/2 inch drives are compatible with 51/4 inch disk operating systems but again the watch word is to check the compatibility before purchase as the design of the drive maybe different, ie it may rotate the disk at an incompatible speed.

Making the choice of disk size is difficult, with much conflicting advice. The smaller disks are more solid but this could result in insufficient tender loving care being given, enhancing the risk of damage. Mike Jones after discussing the relative merits of the different size disk felt that the 3½ inch format held the most promise for longevity of fashion.

As far as Dragon users are concerned, Dragon User (September 1985) reported that Eurohards were planning to exend the range of Dragon disk drives available from the present single sided 40 track format. Whatever changes that are proposed to the range Eurohards were reported as intending to remain with the 51/4 inch disk. If you propose to purchase a drive other than a 5½ inch check on the availability of software. Check also, if you are not purchasing a total package, that the drive is compatible with the disk operating system you proposed to use.

### **Operating Systems**

Disk Operating Systems (DOS) appear to (1) ROM systems which interface with resident BASIC by adding disk handling commands, ie Dragon, Delta and Cumana systems.

(2) ROM systems which replace the ROM BASIC of the Dragon with a totally new system, ie the Plus System of Andtek Data Design.

(3) Software-based systems such as FLEX and OS9.

The ROM-based systems offer, to a varying extent, facilities beyond those necessary for a disk interface by adding some utilities to BASIC. For instance Cumana and Dragon DOSs add such commands as AUTO for automatic line numbering, a BEEP command and WAIT to introduce a pause in a programme, a useful alternative to FOR/NEXT loops. These additions are hardly sufficient reason to purchase the system, but represent 'a little candy'.

The Andtek system, however, makes significant changes to the way the Dragon performs by adding new commands and enhancing the screen display with green on black and 80 columns. (See *Dragon User*, November 1985 for a review.)

The software systems require a ROM system to be loaded. The ROM DOS must have a 'BOOT' command or equivalent which will load sectors of the disk which then takes over the operation of the system.

The software systems are expensive but FLEX and OS9 are extremely professional and sophisticated making the operation of the total system much more friendly. They also offer a 'way in' to serious software packages.

It is not necessary to have FLEX or OS9 to use your disk system seriously but powerful software has been written for both these systems so identify the prime tasks you wish to use your disk system for, find the software which will meet them and this may then indicate one of these systems are necessary.

If FLEX is chosen a Dragon 64 is necessary unless the PLUS cartridge mentioned above is used which is able to run FLEX on Dragon 32. An aspect of FLEX which may be attractive is that software that runs with FLEX will run on any machine which uses it, for instance the BBC. For reviews of FLEX see *Dragon User*, February 1985 and September 1985.

### Software

A problem which may crop up if using Cumana or Dragon DOS is that it is unable to 'BOOT' a double sided disk. This should not pose any problems, so long as you remember to format a single sided disk when constructing a new system disk. Unless you are a skilled and addicted

programmer without interest in software produced by others you will need to be sure that the desired software is available for the system you propose to use. Most games and serious software appears to be available for Dragon and Delta DOSs. More recently Cumana DOS has increased its profile since they switched from Delta DOS to providing their own with their drives. Jason Orbaum, Dragon User, February 1986, reported from the 6809 show that Cumana DOS is not true Dragon DOS although it is compatible with it. This would suggest that software that will run on Dragon DOS will also run under the Cumana system. However, check your version of Cumana DOS, the V2.0 appears to be more compatible than earlier versions. Again, as there is no effective antidote to incompatibility it is advisable to ask and perhaps check for yourself the compatibility of the software and the DOS that you are using or propose to purchase.

Pre-purchase research is never a waste of time when considering the cash (or credit!) investment you may be making. There is no point in buying a 3½ inch drive, even if it is compatible with a 5¼ inch DOS if software houses only supply their programs on 5¼ inch disks.

The cost and availability of software needs also to be taken into account. For instance, there is more software available to run with FLEX. However a recent advertisement carried in DRAGON USER Mar 86 offered OS9 software at very competitive prices compared to the 'recommended retail price'.

### Conclusions

It is a sad reality that Dragon support could become extinct in this country. The precarious economic environment in which the small computer firms operate is such that their demise could one day sound the death knell for others. There is therefore some wisdom in investing in equipment and software that can be used with other computer systems should this become necessary. Without checking all the combinations, which is not realistic because of the large number it is possible that inaccurate, inappropriate and biased advice could be obtained. But questions such as "will the disk drive operate with the DOS of another computer?" or "will software that runs under Dragon FLEX operate with FLEX on other systems?" may offer some enlightment which could help you ensure your investment could be partly salvaged should the Dragon breathe its last fiery breath.

Throughout this "Thomas Cook" tour through disk drives and ancillary subjects the advice that should be evident is to take a wholistic approach. Identify the tasks you predominantly wish to undertake, look at the software and what it requires, and so far as possible look into the future to ensure you are not investing in obsolete equipment. Lastly, question, check and observe before parting with hard earned cash so that when you are 'all tooled up' all systems are ready to go.

Good luck for successful bargain hunting!

If you've got a technical question write to Brian Cadge. Please do not send a SAE as Brian cannot guarantee to answer individual inquiries.

### **Dragon Answers**

### **Error**

I HAVE a Dragon 32 and a Star printer. I was playing with them when a message came up: ?DN ERROR. I looked it up on my list, but I couldn't find an explanation. Could you help please?

Daniel Lawrence 26 Lea Street Lindley Huddersfield West Yorks HD3 3LS

THE 'DN Error' stands for 'Device Number Error' and occurs if the channel number given in an OPEN, CLOSE, PRINT or INPUT command is invalid (ie if it is not -2, -1 and 0). Unfortunately, this error is not noted in the Dragon manual.

If you have a disc drive, then the error can also be caused by entering an invalid drive number.

### Extra Poke

I AM currently writing an adventure game for my Dragon 32. However, I have now run out of memory and the game is uncompleted. I remember a POKE in a magazine which gave the user an extra 6K. Could you tell me this POKE, and whether or not it needs to be entered before loading?

David Eggleden 9 Tithe Road Chatters Cambs PE16 6SL

THIS is one of those questions that come up more regularly than others on this page. The PCLEAR command can be used to reserve and release RAM used for the graphics modes. Typing PMODE 0,1:PCLEAR 1 will release all but one graphics page and allow the RAM to be used for your Basic programs. Unfortunately, it is not possible to enter PCLEAR 0 as this returns an error.

However, it is possible to achieve the same effect as PCLEAR 0 by typing the following:

POKE 25, PEEK (188): POKE PEEK (188) \* 256, 0: NEW

This will take into account if a disc drive is attached and should be entered before loading any program that is to use the extra RAM.



### On/Off

I HAVE two programs which run lengthy routines during which I want to switch off the TV I use with my Dragon 32. I intend to construct a small audio amplifier so that I can still use audio signals to indicate completion of the process.

I know that the audio signal is available from the monitor socket, but is there any DC available at a socket or must I build a separate power supply for the amplifier? If DC is available, at what voltage? Can you also please tell me the audio signal level at the monitor socket?

G. T. Denton 12 Falconwood Road Addington Croydon CRO 9BB

THERE is no power source available at the monitor socket; however, you can get +5V on pin 5 of the joystick ports, and pins 2 and 4 of the Centronics port. The audio signal at the monitor socket conforms to the normal DIN standards.

### Scroll

I HAVE been trying to write a machine code routine to scroll the PMODE 3/4 screen horizontally. I have tried two obvious methods:

1) ROR/ROL . . . (too slow)

 Moving the screen byte by byte (too jerky)

Please could you tell me how the fast, smooth scrolling effect in games is achieved?

> P. A. Chirico Freshfields 158 Empingham Road Stamford Lincs PE9 2SZ

THERE are a number of different ways of fast scrolling the hires screen. The one I favour is word scrolling syncronised to the frame flyback.

You should write a routine to scroll the screen horizontally a byte at a time (move 16 bits at once using the 'D' register for speed), but wait for the frame flyback pulse before each whole scroll. This is achieved by waiting for bit 7 of \$FF03 to change. The result is fast and reasonably smooth horizontal scrolling.

### **Printer**

I HAVE a Silver Reed Colour PenGraph Model EB50 with a built-in Centronics interface. Unfortunately when the PenGraph is connected to my Dragon 32 and is in PRINTER mode (on-line), it responds to the depressing of certain keys on the Dragon keyboard without any command such as PRINT#-2 being input to make it do so. This only happens with four keys, namely 5, 6, full-stop and hyphen, plus the SHIFTed versions of these same keys. When 5 or hyphen is pressed, a space is printed out by the PenGraph. When 6 or full-stop is pressed, the symbol @ is printed out either once or twice randomly. Any other key pressed immediately after one of these four keys may cause a repeat of the space or @ symbol being printed out. Can you tell me why this should happen?

Mike Whetstone 16 Thorngate Wynd Barnard Castle Co. Durham

THE same PIA port is used for both the Centronics printer interface and for reading the keyboard. Whenever the keyboard is read the values on

the data lines of the printer port will change. However, the printer should not respond to this as the 'strobe' line will be high. The printer will only print the character at the port when it is 'strobed' (the strobe line goes low then high).

Your problem seems to be with this strobe line. The most likely cause is the printer lead. I suggest you test the lead with another printer before suspecting the computer or printer.

### **Video**

I AM attempting to write an article, ultimately for submission to *Dragon User*, about the use of the video recorder for saving programs from computer. At present the video and audio are fed into the video from the 'monitor' socket. A game, for example, can then be recorded on the video as it is played.

Using the cassette socket, the audio output CSAVE records to the 'audio dub' input on the video, and is fed back on CLOAD from the audio output DIN socket on the rear of the video. The recorded picture can then be wound back to the beginning and the program CSAVED onto the sound channel.

All the child wishing to load a game then needs to do is to 'SEARCH' through the video tape until he sees his game and then CLOAD it into the computer.

The problem is that many video machines do not posses an 'audio dub' facility, so what is needed is for the audio output present on the cassette socket on CSAVE to be also present on the 'monitor' audio output at the same time, which is not at present. Could you kindly advise me as to whether there is a software POKE or something to redirect CSAVE audio to the 'monitor' socket? I can find no mention of the 'monitor' socket in any of the literature I have at present.

Nick Brierley 5/6 Waterfall Cottages Marsden Huddersfield HD7 6NQ

YOU can cause the CSAVE tones to be sent to the monitor socket by typing the following: POKE 65315, (PEEK(65315) OR

8):CSAVE "filename"
Presumably, this would be done within a program which is displaying one of its screens at the time.

# Journey Planner

Get your Dragon to help you with your holidays with this useful program by **Dr A Daniel** 

THIS IS a totally original idea to help you plan long car journeys. It times and costs them according to information you add from maps and guide books. As it stands it has been designed for continental motoring holidays with overnight hotel stops but I have listed below certain key lines which must be altered to suit your own requirements.

I have used it for several years and found it very helpful and it is also fun to use on imaginary journeys.

Having planned your trip, you can save it on tape, alter it, add in extra sections from tape or print it out.

As it is rather a long program I will send it for £1.10 or if you send an empty cassette and suitable stamped and addresed envelope to 8 Barnfield Road, Riverhead,

Kent, TN13 2AY — you can have it free. Whether you type it or send for it do read the Rems in lines 20, 30, 220, 230, 280 and

430 which contain essential information. Here now is a note of the important lines and a schedule to explain the general

#### Line No

arrangement.

**390** — contains calculations for the average speed on different types of road as stated in the schedule.

430 — calculates the cost of travel to the nearest pound at 4p per km or £2 per 31 miles. This can be adjusted for you may wish to work in miles or reset the costing to suit your car.

**460** — one hour for lunch may be too little or too much. You can alter this remembering

TH is the hour variable and TM the minute one. LU is just a flag set to make sure you don't keep having lunch throughout the afternoon.

**820-850** — When the program is running and you wish to correct an entry, you must reset the time to the time of departure from the previous town which you will find displayed on the screen. Make sure you know which day you are in too.

**980** — This is how my family travel but you must suit yourselves. The 10 is added in line 1000.

910 and 960 — You may wish to put camping site instead of hotel.

The printer instructions are for a TANDY CGP115. Lines 1500, 1540 and 1550 may not suit other makes. In any case, enjoy planning your holiday!

10 ' HOLIDAY BY ANTHONY DANIEL - 17/3

20 'BEFORE STARTING ADJUST FORMULA F OR OBTAINING THE CORRECT DATE OF YOUR HO LIDAY IN LINES 1690 AND 1700 - 'Q' REPRE SENTS THE TRUE DATE, 'DY(A)' IS THE NUMB ER OF DAYS YOU HAVE BEEN AWAY"

30 'YOU MAY ALSO WISH TO ENTER SOME OF THE LINES BETWEEN 140-230 AS FIXED UA RIABLES INSTEAD OF INPUTS WHICH HAVE TO BE FILLED IN EVERY TIME THE PROGRAMME IS RUN, AS YOU WILL PROBABLY ONLY PLAN ONE HOLIDAY AT A TIME

40 PCLEAR1: CLEAR 12000

50 DIMT\$(100),DD(100),DY(100),B\$(100),H\$(100),CC(100),AD\$(100),LL\$(100)

60 CI=0

70 CLS:PRINT

80 PRINT"DO YOU WISH TO TETRIEVE INFO RMATION FROM CASSETTE OR PLAN A NEW TRIP ? PRESS 'R' OR 'N'

90 X\$=INKEY\$:IFX\$=""THEN 90

100 IF X\$="N" GOTO140

110 IF X\$="R" GOSUB2180ELSE90

120 GOSUB1280

130 GOTO1120

140 PRINT"ENTER STARTING TIME"

150 INPUT"HOURS"; TH: TH=INT(TH)

160 IF TH=0 THEN 150

170 INPUT"MINUTES"; TM: TM=INT(TM)

180 A=1: X=A

190 INPUT"STARTING DAY";DY(A)

200 IF DY(A)=0 THEN DY(A)=1

210 IF DY(A)=1 THEN 220 ELSE 260

220 INPUT"METHOD OF TRAVEL"; 22\$: ' E.G IF CROSSING CHANNEL PUT 'BY CAR FERRY' OR 'FLY DRIVE' - SEE LINE 1810 FOR USE O

F ZZ\$

230 IF ZZ\$
"" THEN INPUT BASIC COST OF TRAVEL"; BC: 'THIS REFERS TO THE COST

OF FERRIES, MOTORAIL OR OTHER TRANSPORT REFERRED TO IN 22\$

260 CLS4: PRINTTAB(4)"IN THIS SECTION TOU ENTER EACH TOWN YOU WISH TO VISIT,

ITSDISTANCE (IN KM) FROM THE LAST PLACE, THE TYPES OF ROAD YOU WILLBE TRAVELLING ON, AND ANYTHING OF INTEREST THERE OR ON THE WAY":PRINT

270 GOSUB1690

280 PRINTA:INPUT"NAME TOWN"; T\$(A): IF T\$(A)=""THENT\$(A)="NONE": 'IF YOU ENTER AN 'X' YOU CAN RESET THE TIME AND DAY OF TRAVEL

290 IF T\$(A)="X" THEN GOSUB820:GOTO280

300 RH=TH: RM=TM

310 INPUT"DISTANCE";DD(A)

320 INPUT "MOTORWAY DISTANCE"; DM

330 INPUT"EXTRA SLOW ROAD DISTANCE";DS

340 IF DD(A)=0 AND (DM>0 OR DS>0) THEN DD(A)=DM+DS

350 DR=DD(A)-(DM+DS)

360 LINEINPUT "FEATURES OF INTEREST "; B\$(A):IFB\$(A)=""THENB\$(A)="NONE"

370 B\$(A)=B\$(A)+" - ROADS M="+STR\$(DM)

+" O="+STR\$(DR)+" S="+STR\$(DS)

380 INPUT"HOW LONG DO YOU WANT THERE IN HOURS";SS

390 TM=TM+((DM\*2)/3)+((DR\*6)/5)+(DS\*3)

400 XX=INT(TM/60)

410 TH=TH+XX:TM=INT(TM-XX\*60)

415 IF TH>23 THEN TH=TH-24: AY=1-

420 T\$(A)=T\$(A)+" ARRIVING AT"+STR\$(TH)+STR\$(TM)

430 C1=INT(DD(A)/25+DM/50): THE FRACTION DM/50 REPRESENTS FRENCH AND ITALIAN MOTORWAY CHARGES. IF YOUR HOLIDAY IS ELSEWHERE YOU CAN CUT IT OUT ALTHOUGH MOTORWAY DRIVING IS A BIT MORE EXPENSIVE ANY

440 CLS: PRINT@100, T\$(A)

450 TH=TH+INT(SS): TM=TM+(SS-INT(SS))\*
60: TM=INT(TM):PRINT.

452 IF TM>60 THEN TM=TM-60: TH=TH+1: G 0T0452

454 IF TH>23 THEN TH=TH-24: AY=1: GOTO 480

460 IF TH<23 AND TH>12 AND LU=0 THEN T

AY ##"; TH, TM, HD H=TH+1: PRINTTAB(5)"ONE HOUR HAS BEEN AD 910 PRINTTAB(5)"DO YOU WISH TO MAKE A DED FORLUNCH":PRINT: LU=1 NOTE OF A HOTEL?" 470 IF TH>18 THEN 890 920 PRINT"IF NOT YET CHOSEN TYPE 'NYC' 480 PRINT"TO STOP FOR NIGHT PRESS 'N' ELSE PRESS 'C'" 930 PRINT" IF TOO EARLY TYPE 'NO'" 490 IF LU=1 THEN PRINT"TO CUT OUT LUNC 940 LINEINPUT "NAME ";H\$(A) H HOUR PRESS 'H'" 950 IF H\$(A)="NO" OR H\$(A)=" NO" THEN 500 PRINT"TO RE-DO THE LOT PRESS 'X'" . H\$(A)="": GOTO480 505 PRINT:PRINT"TIME IS NOW";STR\$(TH); 960 H\$(A)="ARRIVAL AT HOTEL "+H\$(A)+" STR\$(TM) AT"+STR\$(TH)+STR\$(TM) 510 NN\$=INKEY\$: IF NN\$="" THEN 510 970 INPUT"TOTAL DINNER, B.+B. COST";BB 520 IF NN\$="X" THEN TH=RH: TM=RM: T\$(A 980 PRINTTAB(2)"TEN POUNDS HAVE BEEN A )="":B\$(A)="": TH=RH: TM=RM: GOSUB2580: LLOCATEDFOR YOUR PICNIC TOMORROW. IF YOU WISH TO ADD ON ANY OTHER EXPENSEYOU MAY GOT0280 530 IF NN\$="H" AND LU=1 THEN TH=TH-1: HAVE HAD DURING THE DAY SUCH AS FARES OR PRINT"TIME IS"TH;TM: LU=2: GOTO510 ENTRANCE FEES DO SO NOW" 540 IF NN\$="N" THEN 890 990 INPUT XC 550 T\$(A)=T\$(A)+" DEPARTING AT"+STR\$(T 1000 C2=C1+XC+BB+10 H)+STR\$(TM):PRINT 1010 H\$(A)=H\$(A)+" COST"+STR\$(BB)+" EXT 560 IF NN\$="C" THEN CC(A)=C1:G0T0570 E RAS"+STR\$(XC+10) LSE 510 1020 PRINTTAB(4) "YOUR TOTAL COSTS TO DA 570 IF CI=1 THEN B=A: GOT0670 Y ARE"C2: LU=0 580 M=DY(A) 1030 IF CI=1 THEN B=A: GOT0670 585 IF AY=1 THEN AY=0: M=M+1 1040 PRINTTAB(4) "NOW INDICATE THE TIME 590 A=A+1 FIRST IN HOURS THEN IN MINUTES WHEN YO 600 DY(A)=M: X=A U WISH TO START NEXT MORNING." 610 GOTO280 1050 PRINT"BUT ENTER 'X' TO REDO THIS P 620 CI=1: CO=A: CLS2:PRINTTAB(3)"PRESS
THE NO. OF THE TOWN FROM WHICH YOU W ART OR 'H' TO FINISH OFF HOLIDAY.": CC( A)=C2 ISH TO BEGIN ALTERATIONS" 1055 INPUT"HOURS"; SH\$: IF SH\$="X" THEN 630 PRINT:PRINTTAB(3)"IF YOU WISH TO C UT OUT A TOWNENTIRELY ENTER NO. AS A NEG ATIVE": PRINTTAB(3)"TO INSERT AN EXTRA T OWN OR TOWNS ADD ONE OR MORE HUNDRED T H\$(A)="": GOTO 890 1060 IF SH\$="H" THEN 1760 ELSE SH=UAL(S H\$) 1070 JF SH<1 OR SH>24 THEN 1055 OTHE NUMBER OF THE TOWN" 640 PRINT:PRINTTAB(3)"PRESS ENTER TO L SI TOWNS":PRINT: 650 PRINTTAB(3)"PRESS CLEAR TO FINISH" 1090 TH=SH 1100 INPUT"MINUTES";TM IST TOWNS":PRINT: 1110 X=A: N=DY(A) 1120 CLS5:PRINT@96,"" :PRINT 1130 PRINT 660 PRINTTAB(3) "PRESS SPACEBAR TO ENTE 1140 PRINTTAB(5)"IF YOU WISH TO EXAMINE R NO.";: B=0: GOT0690 THE SUMMARY OF YOUR TOUR PRESS 'S'." 670 PRINTB;" ";T\$(B) 1150 PRINTTAB(5)"IF YOU WISH TO PUT DET 680 IF B>X THEN B=0 AILS ON TAPE PRESS 'R'" 690 L\$=INKEY\$: IF L\$="" THEN 690 1160 PRINTTAB(5)" IF YOU WISH TO TAKE DE 700 IF B=0 THEN PRINT TAILSFROM TAPE PRESS 'T'" 710 IF L\$=CHR\$(12) THEN A=X: CI=0: GOT 1170 PRINTTAB(5)"IF YOU ARE DISSATISFIE 01120 D ANDWISH TO ALTER TOUR PRESS 'A'" 720 IF L\$=CHR\$(32) THEN 750 1180 PRINTTAB(5)"TO CONTINUE TOUR PRESS 730 IF L\$=CHR\$(13) THEN B=B+1: GOT0670 , C, " 1190 Y\$=INKEY\$:IFY\$=""THEN1190 740 GOT0690 750 INPUT"TOWN NO";C 1200 IF Y\$="A"GOT0620 760 IF C<0 THEN C=C\*-1: GOSUB2420: GOT 1210 IF Y\$="C"GOT01260 1220 IF Y\$="R"GOT01990 0670 770 IF C>100 THEN GOSUB2490: GOT0670 1230 IF Y\$="T" THEN GOSUB2180 780 IF C<1 OR C>X THEN 750 1240 IF Y\$="S" GOSUB1280ELSE1190 790 CLS2:IF C>1 THEN A=C-1: PRINTT\$(A) 1250 GOT01120 :PRINT 1260 GOSUB1580 800 A=C: GOSUB1370 1270 GOT0280 810 H\$(A)="": CC(A)=0:GOSUB820: GOTO28 1280 CLS8 1290 PRINTTAB(4)"INPUT THE NUMBER OF TH 820 INPUT"TIME CORRECTION"; JH, JM E TOWNYOU WISH TO CHECK. IF IN DOUBT ST 830 IF JH>0 THEN TH=JH: TM=JM ART AT 1 AND WORK THROUGH, TO LEAVE DISP 840 INPUT"DAY CORRECTION";HY LAY ENTER 0. 850 IF HY>0 THEN DY(A)=HY 1300 PRINT"BUT FIRST...":GOSUB1850 1310 IF PA=1 THEN A=A+1: GOTO1320 ELSE 860 GOSUB1690 870 RETURN 1340 1320 IF A>X THEN PA=0: GOTO1340 880 B=1: GOT0670 1330 GOTO1360 890 CLS2: IF TH>18 THEN PRINT"IT'S ABO UT TIME YOU STOPPED FOR THE NIGHT" 1340 INPUT"TOWN NO."; A 895 IF AY=1 THEN AY=0: HD=DY(A)+1 ELSE 1350 IF A=0 GOTO1570 HD=DY(A) 1360 CLS8 900 PRINTUSING" THE TIME IS ## ## ON D 1370 PRINTLL\$(A): IF PO=1 THEN PRINT#-2

```
,LL$(A):PRINT#-2," (TO) ";T$(A);" (";A;
                                                1900 IF PT$="/" THEN PO=0
 " 7 "
                                                  1910 IF PT$="A" THEN PO=1: PA=1: A=0
 1380 PRINT"JOURNEY TO ";T$(A);" (";A;"
                                                  1920 IF PT$="P" THEN PO=1
                                                  1930 RETURN
 1390 PRINT"FEATURES OF INTEREST ";B$(A)
                                                  1990 CLSO: PRINTTAB(5)"TO STORE TOUR ON
 1400 IF PO=1 THEN GOTO1410ELSE1420
                                                  TAPE, SET RECORDER AND PRESS'G'": PRINT
 1410 PRINT#-2, "NOTE:- ";B$(A)
                                                "RECORDING";X;" TOWNS"
 1420 PRINT"DISTANCE TRAVELLED";DD(A)
                                                2000 POKE144,3
 1430 IF PO=1 THEN GOTO1440ELSE1450
                                                  2010 Y$=INKEY$: IF Y$="" THEN 2010
 1440 PRINT#-2, "DISTANCE ";DD(A)
                                                  2020 IF Y$="Q" THEN 2040
 1450 PRINT"COST";CC(A)
                                                 2030 IF Y$="/" THEN 1120 ELSE 2010
 1460 IF PO=1 THEN GOTO1470ELSE1480
                                                 2040 OPEN"O",#-1,"HOLIDAY"
 1470 PRINT#-2, "COST";CC(A)
                                                2050 PRINT#-1,BC,ZZ$
2060 PRINT#-1,X,N
 1480 IF H$(A)="NYC" THEN H$(A)="NOT YET
                                                2070 FOR A=1 TO X
 1490 IF H$(A)<>""GOTO1520
                                                2080 PRINTA;" ";T$(A)
 1500 IF PO=1 THEN PRINT#-2, CHR$(18):PRI
                                                  2090 PRINT#-1,T$(A),B$(A),H$(A),AD$(A),
NT#-2,"M0,-10)":PRINT#-2,CHR$(17)
                                               LL$(A)
 1510 IF CI=1 THEN RETURN ELSE GOTO1310
                                             2100 PRINT#-1,DY(A)
                                                 2100 PRINT#-1,DD(A),CC(A)
 1520 PRINTH$(A): IF PO=1 THEN PRINT#-2,
 1530 PRINTAD$(A): IF PO=1 THEN PRINT#-2
                                               · 2130 CLOSE#-1
,AD$(A): GOTO1540 ELSE 1560
                                                  2140 CLS5:PRINT"ALL FINISHED - TURN OFF
 1540 PRINT#-2, CHR$(29)
                                                  CASSETTE"
 1550 PRINT#-2, CHP$(11)
                                                  2160 FOR J=1 TO 1000:NEXT
 1560 IF CI=1 THEN RETURN ELSE GOTO1310
                                                  2170 GOTO1120
 1570 RETURN
                                                  2180 PRINT"YOU ARE AT TOWN";X
1580 CLS8
                                                  2190 INPUT"START NO:- ";E1
 1590 DD=0:CC=BC
                                              · 2200 IF E1<2 THEN E1=1
 1600 FOR P=1 TO X
                                                 2210 IF E1>99 THEN 2180
 1610 DD=DD+DD(P)
                                               2220 CLSO:PRINT"SET RECORDER AND PRESS
 1620 CC=CC+CC(P)
                                                , P, "
 1630 NEXT
                                                2230 PT$=INKEY$: IF PT$="" THEN 2230
2240 IF PT$="P" THEN 2270
 1640 AD$(A)=AD$(A)+"TOTAL COST"+STR$(IN
T(CC))+" - TOTAL DISTANCE"+STR$(DD)+" TO
                                                 2250 IF PT$="/" THEN RETURN
                                                 2260 GOTO 2230
 1650 PRINTAD$(A): IF PO=1 THEN PRINT#-2
                                                 2270 OPEN"I",#-1,"HOLIDAY"
,AD$(A)
                                                 2280 INPUT#-1,BC, 22$
 1660 IF UU=1 THEN RETURN
                                                 2290 INPUT#-1,X,N
 1670 A=X+1: X=A
                                                 2300 PRINTX
 1680 DY(A)=N+1
                                                2310 FOR A= E1 TO (E1+X-1)
2320 INPUT#-1,T$(A),B$(A),H$(A),AD$(A),
1690 Q=DY(A)+25: IF Q>31 THEN Q=Q-31
1700 IF Q>25 THEN L$=" MAY" ELSE L$=" J
                                               LL$(A)
UNE"
                                                2330 PRINTA;" ";T$(A)
1710 LL$(A)="TIME IS"+STR$(TH)+STR$(TM)
                                                2340 INPUT#-1,DD(A),CC(A)
                                                                            2360 NEXT
+" ON DAY"+STR$(DY(A))+L$+STR$(Q)
                                                2350 INPUT#-1,DY(A)
                                                                            2370 CLOSE#-1
 1720 PRINTLLS(A)
                                                 2380 CLS5:PRINT"ALL FINISHED - TURN OFF
 1730 IF PO=1 THEN PRINT#-2, LL$(A)
                                                 CASSETTE"
 1740 PO=0
                                                 2390 PRINT"TO CONTINUE YOU MUST ENTER S
 1750 RETURN
                                            TARTING TIME": INPUTTH, TM
 1760 X=A: N=DY(A):CLS3:PRINTTAB(5)"YOU
                                                  2400 IF TH=0 THEN 2390 2420 'DELETION
HAVE NOW COMPLETED YOURJOURNEY IN";N;"DA
                                                 2410 RETURN
                                                                         2430 FOR R=C TO X
 1770 IF PO=1 THEN PRINT#-2, "YOU HAVE NO
                                                2440 T$(R)="":DD(R)=0:DY(R)=0:B$(R)="":
W COMPLETED YOUR JOURNEY IN";N;"DAYS"
                                               H$(R)="":CC(R)=0:AD$(R)="": LL$(R)=""
 1780 CLS3:PRINTTAB(5)"YOU CHOSE TO TRAU
                                                2450 T$(R)=T$(R+1): DD(R)=DD(R+1):DY(R)
EL ";22$: UU=1: GOSUB1590: UU=0: PRINT:P
                                               =DY(R+1): B$(R)=B$(R+1): H$(R)=H$(R+1):C
RINT"TO PUT THIS INFORMATION IN PRINTPRE
                                               C(R)=CC(R+1):AD$(R)=AD$(R+1): LL$(R)=LL$
SS 'P' ELSE PRESS ANY OTHER KEY"
                                               (R+1)
1790 PT$=INKEY$: IF PT$="" THEN 1790
1800 IF PT$="P" THEN 1810 ELSE 1820
                                                 2460 NEXT
                                                                  2480 RETURN
                                                 2470 X=X-1
                                                                  2490 D=0
1810 PRINT#-2, "YOU CHOSE TO TRAVEL ";22
                                                2500 C=C-100: D=D+1: IF C>100 THEN 2500
$ : PRINT#-2, AD$(A)
                                                 2520 FOR R=X TO (C+1) STEP-1
1820 CLS: GOTO1120
                                                 2530 T$(R+D)=T$(R): DD(R+D)=DD(R):DY(R+
 1830 IF INKEY$=CHR$(32)GOT01840 ELSE183
                                              D)=DY(R): B$(R+D)=B$(R): H$(R+D)=H$(R):C
                                                C(R+D)=CC(R):AD$(R+D)=AD$(R): LL$(R+D)=L
1840 CLS:GOTO1120
                                               L$(R)
 1850 PRINT"FOR PRINT OUT PRESS 'P'"
                                                 2540 T$(R)="":DD(R)=0:DY(R)=0:B$(R)="":
 1860 PRINT"FOR AUTOMATIC PRINT OUT - 'A
                                              H$(R)="":CC(R)=0:AD$(R)="": LL$(R)=""
                                                2550 NEXT
                                                               2580 IF RH<13 THEN LU=0
 1870 PRINT"TO CANCEL PRINT OUT - 1/1"
                                                 2560 X=X+D
 1880 PRINT"ELSE PRESS ANY OTHER KEY"
                                                                2590 RETURN
 1890 PT$=INKEY$:IFPT$=""THEN1890
                                                 2570 RETURN
```

# **Extra Graphics**

He liked the software so much — he wrote his own. **Peter Whittaker** on the Touchmaster Graphics Tablet.

HAVING bought a TouchMaster Graphics Tablet, I can agree with Mike Gerrard that it is well worth the price of £52.50 (*Dragon User*, February 1986). When I first bought the tablet, I was quite impressed with the graphics available through the *Multipaint* program, but after a short while I felt that it needed improving.

The program I have written is based around the Dragon 64 with disk drive to obtain a printer resolution of 512 pixels by 384, which is better than the Apple Macintosh at 512 by 342 pixels. The program can easily be converted to work with cassette tape instead of with disks, although the machine code routines will need to be altered to take account of the different graphics screen addresses. The program will also work on the Dragon 32 with the loss of the extra big graphics screen facility.

### The Graphics Tablet

The graphics tablet is connected to the Dragon via the cartridge port, but is not patched into Dragon Basic. There is no equivalent of the *JOYSK* command to read the position of a pen on the pad. Instead a short program is needed to read whether the pen is pressing the pad, and if so, where. (Assembler #1. PADCODE.)

Unfortunately, the pad does not use the same resolution as the Dragon's graphics screen (256\*192), but has a resolution of 256 \* 256. This means that the pixels are not square in shape. A circle drawn on the pad will look like a squashed egg on the screen unless the Y co-ordinates are suitably adjusted. The program will store the unco-ordinates X = PEEKaltered at (&H7FC2): Y=PEEK (&H7FC4) and the co-ordinates at X=PEEK modified (&H7FC3): Y=PEEK (&H7FC5).

As listed, the program will read the pad and then set the equivalent pixel on the graphics screen to enable free hand drawing. However, by altering the code, POKE&H7F74,57 the program will stop before setting the pixel, and the machine code routine can be used to read the position of the pen on the pad for use with other functions.

### The Main Program

Type in Listing #1, and save it to tape. If you do not have a disk drive remember to change all the save/load routines from SAVE A\$,3072,9216,41194 to CSAVEM A\$,1536,7680,41194. Now type in Listing #2, the machine code loader, CLEAR200,32000, and then RUN it. Enter the start and end addresses of 32501 and 32715, and then enter the data for PAD-CODE. Type in each line of 16 digits, and then press enter. Then enter the total given



at the end of the line. When you have typed in all the data, save it to tape/disc, with CSAVEM "PADCODE", 32501, 32715, 32501. Now do the same with the BIGS-CREEN data, using 32241 and 32495 as the start and end addresses. You can now rewind the tape, CLOAD, and RUN the program.

When RUN, the program loads in the code, and then displays the graphics screen whilst the various variables are initialised. When the program is ready, the top left corner of the screen will be inverted, and then restored. (Black to white and back again.) This inverted area of the screen refers to the area of graphics memory currently being addressed by the pad.

Unlike Multipaint, the program is controlled from the keyboard, since the whole surface of the graphics tablet is used for drawing. Each time a key is pressed, the current screen is backed up to graphics pages 5 to 8. This allows for the inclusion of an Oops routine, called by pressing the <0>, which will delete everything entered since the last key press, and help to correct any mistakes. Pressing the <0> will save the current screen to an array, so that it can be restored <8> after several separate drawing operations.

Press the pen on the pad, and any free hand drawing will be displayed on the screen, to the scale of the original inverted box. To facilitate detailed drawing, there are four different drawing sizes available, and these are called by pressing the number keys from 1 to 4.

<1> will set the pad to draw over the whole screen, <2> will draw on a quarter screen, <3> on a sixteenth, and <4> on a sixty-fourth. Each time the scale is changed, the program will invert and restore the relevant area of the screen. Whilst the full scale <1> will allow drawing over the whole screen, the other scales require the drawing area to be positioned over the appropriate area of the screen. This is done by pressing any of the four narrow keys. Each time the

drawing area is moved, the program will invert the relevant area of the screen to show where the drawing area is now positioned.

The program is error trapped to prevent the drawing area from running over the edge of the screen. To help position the pen in the right place when using the various drawing scales, the F key will place a frame over the drawing area. This eight by eight grid will be scaled to show the area covered by the whole pad, and will be displayed until another key is pressed.

There are several different brush types available as an alternative to the freehand pixel mode selected by default. These routines are called by the **D** key, and then give a choice of circles, lines or boxes. Circle radius, and box/line x/y offsets are selected, and then the program returns to the graphics screen. Freehand drawing will now use the selected brush type. To return to the main program press the **Q**, which will also return you to the pixel drawing mode.

The next available function is the Dragon's *GET* and *PUT* command. This will get an area of screen memory into an array, and then allow it to be copied to any other area of the screen. Press the **G** to call the *GET* routine. Two lines will be drawn from the pen position, one off to the right hand border, and one to the bottom of the screen. This is to show the top and left hand edges of the area which will be got. When the pen has selected the correct point, press Enter to lock it in.

Now, as the pen is moved around the screen, the program will draw a box from the first point to the current point, indicating the total area which is going to be copied to the array. This area must not exceed 10000 pixels (10×1000, 100×100 etc) or it will be too big for the array. When the box is correctly positioned, press Enter again to copy the picture. If the area is too big for the array, it will not copy across and the program will continue to wait for the second

point to be selected. The routine can be aborted by pressing the <Q> key.

Having copied a picture into the array, it can be recopied back to the screen by pressing either the 'P' or 'B' keys. The 'P' key will put the array back on the screen, wiping out whatever background it covers, whilst using the 'B' key will place both the array and the background on the screen. Whichever key is used, the picture will flash on and off wherever the pen is placed. Press Enter to select the desired position, or the 'Q' to quit the routine. The array will keep the same picture in it, so there is no need to reGET it each time.

The next function, called by pressing the A key, prints on screen any letters entered via the keyboard. When called, the routine will first ask for a scale at which to draw any letters (1-16), and then ask for an angle at which to draw the letters, up, down, left, or right (0-3). The program will then display two crossed lines to mark the pen position from which the letters will be drawn. When the pen is in the correct position just start to type, and the program will draw the letters on screen. Press Enter to finish the text input. If you make a mistake in your typing, finish the text routine, and then press the Opos key to delete it.

The last drawing routine provided is called by the (W) key, and accesses the Dragon's LINE, box and CIRCLE commands. The program will ask for which of the three options you want, and then return to the graphics screen. Position the pen to select the first point (end of a line or centre of a circle), and press Enter. When the pen is placed on the screen, the program will draw in the appropriate shape between the two points. Press Enter to select any given shape, and the program will fix it in the display, and start on another. In this way, for example, several concentric circles can easily be drawn. To quit the routine, you need to press the (Q).

All of the above functions are fully available on the Dragon 32, but the following routine is not. When in 64K mode, the Dragon uses all 64K or RAM chips, but whilst it is in 32K mode, only half of these are used. (The other 32K is hidden 'under' the Basic ROM and cartridge memory.) To obtain the high resolution printer graphics memory, I have set aside 24K of this extra memory for graphics. The 256×192 graphics screen acts as a window on this

greater area of graphics (512×384). By pressing any of the Arrow keys with the Shift key, this window can be scrolled over the larger graphics display. Each time the window is scrolled, its contents are copied up to the 'Bigscreen', and the display for the new location are copied down. Pressing the (Z) key will compress this Bigscreen down to fit on the display screen so that an idea of the total picture can be gained. The program then waits for a keypress before returning to the window display.

The extra memory for the Bigscreen is accessed by a short machine code routine, BIGSCREEN (Assembler #2). It first POKE 65283, PEEK (65283) and 254 to stop the interrupts. Then it pokes to &HFFDF to switch the computer to 64K RAM mode. In this mode, the Basic ROM and cartridge port no longer exist as far as the computer is concerned. However, the extra memory can be used, and we can copy to and from the display screen. When we are finished, the program pokes to &HFFDE to return to 32K mode, and POKE &H65283, PEEK (65283) OR1 to restore the interrupts.

The program includes a save/load routine for both the display screen and the bigscreen. SS or LS will save/load the display screen, whilst SB or LB will save/ load the Bigscreen. The display screen load/save routines ask for a screen title, and then load/save it to disc. The Bigscreen routines also ask for a title, but only use the first seven letters. The save routine will copy down the Bigscreen to the display screen in four quarters, saving each one separately, and numbering them from 1 to 4. The load routine will load each screen back to the display, and then copy it up to high memory. (If using cassette tape, remember to delete the '.BIN' from the load routines. Lines 350-380 and 860.) The last key to remember is the (M) which calls the menu display, to remind you of which key does what. The only routines not mentioned are the <Z> to display the compressed screen, and the <CLEAR> to PCLS the display screen.

### Modifying the Program

With disk drives attached, the program only leaves about 500 bytes of memory, so there is little room for improving the program. If using cassette, the extra memory will be

boosted to 2K, and there is space enough for a few extra routines, such as a fill routine.

If using discs on the 64, there is little use for the backup screen (**C** and **R**) so this routine could be deleted, including the array **AR**. This would clear enough memory for several program modifications.

If using a Dragon 32, then it is advisable to delete the Bigscreen routine, and gain extra memory that way (delete 90-210). For use without a disc drive attached, the machine code routines will also have to be altered to take account of the different memory used by the graphics screens. Before saving 'BIGSCREEN', POKE&H7E115,6: POKE&H7E225,&H1E: POKE&H7E3A,6: POKE&H7E4A,&H1E: POKE&H7E74,6: POKE&H7EDB,&H1E.

If you do not yet have a TouchMaster Graphics Tablet, but do have a Dragon 64, it is possible to convert the program for joystick control instead of the pad. Instead of calling the PADCODE machine code routine (*EXEC32501*) one can read the joysticks, and instead of checking for a pen pressing on the pad, could check the fire-button. The program should still be able to make use of the four different drawing resolutions, and various extra routines.

### Printing the Bigscreen

Because the Bigscreen is hidden under the Basic ROM, it can not be accessed by a Basic program alone. The BIGSCREEN machine code routine is required again to copy data to the display screen for printing. The printer routine (LISTING #3) is set up for the Seikosha GP100A. Lines 10-20 set up the machine code, whilst 60-100 load the graphics picture into high memory. Line 120-end prints out the picture.

The program works by copying the bigscreen down to the display screen in two lines, and then copying these to the printer. Insert a SCREEN1,0 command as Line 115, and you will be able to watch this happen. By varying the amount of data copied down (Q in line 180), and the printout format, the program can easily be modified to work with any other printer.

If you don't want to type in the whole program, I can supply copies on cassette tape for £3. Send a cheque or postal order to Peter Whittaker, 73 Norwich Street, Cambridge CB2 1ND.

#### Padcode 32605 :7FC5B67FC3B77FC2= 1332 32501 :4FB7FF5DB7FF5FB7= 1326 32613 :444444B77FC3B67F= 1018 :FF508601B7FF5E86= 1148 32509 :C5444444B77FC512= 926 32621 :0487FF5D87FF5F8D= 1257 32517 32629 : 867FC3F67FC58E0C= 1228 32525 :7FACC1C010250096≈ 887 32637 :00C1002706308820= 454 32533 :8D7FAC86403DFD7F= 1127 32645 :5820F6F67FC35446= 1090 32541 :C28D7FAC86013DF3= 1121 32653 :**544**6544638444444= 570 32549 :7FC244564456FD7F= 1009 32661 :4444068081002704= 634 32557 : C2BD7FAC86403DFD= 1194 32669 :485420F8F77FC686= 1176 32565 :7FC4BD7FAC86013D= 1007 32677 :84BA7FC6A7843986= 1133 32573 :F37FC444564456FD= 1127 32685 :01B7FF5EB6FF5D84= 1195 32581 :7FC4B67FC5B77FC4= 1335 32693 :80810012124FB7FF= 810 32**5**89 :C6033D44564456F7= 817 :5EF6FF5C39000000= 744 32701 32597 :7FC586BFB07FC5B7= 1332 32709 :000000000008000FB= **379**

#### 32361 : 04F67EEE59F77EEE= 1314 Bigscreen 32369 :39108E0C008E80E8= :B6FF0384FEB7FF03= 1267 32241 32377 :86FF0384FEB7FF03= 1267 :87FFDF8E80E8B67E= 1471 32385 :B7FFDF8620B77EEB= 1371 32257 :ED27063088404R20= 636 32393 : A6807F7EEEBD7E5A= 1190 32265 :F8B67EEC308639BD= 1220 :8D7E5ABD7E5ABD7E= 1125 32401 32273 :7DF1108E0C008620= 702 :588680BD7E58BD7E= 1104 32409 :E680E7804826F930= 1158 32281 :5ABD7E5ABD7E5AF7= 1147 32417 32289 :8820108C240025EE= 635 :7EEF7F7EEEA6883E= 1220 32425 :B7FFDEB6FF038A01= 1239 32297 :BD7E5ABD7E5ABD7E= 1125 32433 32305 :B7FF0339BD7DF110= 1069 32441 :5ABD7E5AA6883FBD= 1049 32313 :8E0C008620E680E7= 909 32449 :7E5ABD7E5ABD7E5A= 1026 : R04R26F930882010= 753 32321 : BD7E5AFA7EEFE7A0= 1411 32457 :8C240025EEB7FFDE= 1111 32329 32465 :787EEB26B3308840= 32337 :B6FF038A01B7FF03= 1020 32473 :108C240025A5B7FF= 832 32345 :395F48564856C100= 661 :DEB6FF038A01B7FF= 1239 32481 32353 :2707F67EEE595C20= 869 32489 :03**3900000000000FB=** 311

#### Assembler 1 — Padcode PRT QSTART STA STA STA LDA STA LDA STA LDA STA REA STA 7642 44 7743 56 7744 FD7FC4 7747 867FC5 7748 877FC4 7759 44 7753 56 7753 56 7754 F77FC5 7759 869F 7759 867FC3 7766 44 7767 44 7767 44 7778 877FC5 7776 44 7771 877FC5 7778 826668 7768 826763 7768 877FC5 7778 826668 7768 827FC3 7778 826668 7768 777C5 7EF5 7EF5 7EF6 87FF5D 7EF9 87FF5E 7EF6 87FF5E 7EF6 887FF5E 7F64 8864 7F66 87FF5E 7F68 807FF3C 7F69 807FF3C 7F61 10250096 7F11 10250096 7F15 807FRC 7F18 806 7F18 90 7F18 90 7F18 90 7F24 8601 7F28 8601 7F28 8601 7F39 7F39 8601 7F8C 46 7F8D 54 7F8E 46 7F9F 34 7F91 46 7F93 44 7F93 44 7F95 44 7F95 44 7F95 64 7F97 C680 7F98 8100 7F98 8100 7F98 8764 7F96 8176 7F96 8 RORA LSRB RORA LSRB CLRA CLRA #FF5D #FF5F #FF5E #4 #FF5E #4 #FF5D #FF5F #GETXY #64 RONLSRB RORH ABX \*DIVEIDE LSRR LSRR LSRR LSRR LSRR LSRR LSRB B128 RS3 CMPR #0 BEQ R54 DECR JESRB B RR RS3 B RR RS5 B RSF B R \*DIVEIDE BY 8 TO GET BIT\* MUL LBRA RORB LSRA RORB STB LDA SUBA LDA STA LSRA LSRA LSRA LSRA JSR GGETXY LDA #64 MUL STD 8X LSRA RORB RORB STS 8X LSRA RORB LSRA RORB STS 8X LSRA RORB ST @LØ @Y+1 #191 @Y+1 @Y+1 @X+1 @X 259 @X+1 @Y+1 LSRA STA NOP LDA LDB LDS @X+1 @Y+1 #1536 8 #0 @S2 1010 1020 1020 1030 1030 2000 EX 2000 EY 2000 EP 3000 CLRA STA LDB RTS FDB FDB (EL END 120 GS1 CMF BEQ 7F82 388828 7F85 5A 7F86 28F6 7F88 F67FC3 7F88 54 128 128 128 138 138 LERK DECB BRA LDB LSRB 32, X 882

```
Assembler 2 — Bigscreen
                                                                                                                                                                #9216
@CU1
#FFDE
65283
#1
65283
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 7E48 198C2488
7E4C 25EE
7E4E 87FFDE
7E51 86FF83
7E54 8881
7E56 87FF83
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   @SUB1
@SUB1
@SUB1
@SUB1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            JSR
JSR
JSR
STB
CLR
CLR
LDA
JSR
JSR
JSR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        BD7E5A
BD7E5A
BD7E5A
F77EEF
7F7EEE
7F7EEE
A6B83E
BD7E5A
                                               B6FF83
84FE
87FF83
87FF0F
8E98E8
B67EED
                                                                                                                                                                                                                                                                                                                                                                                     DISMBLE INTERRUPTS
INTO 64K
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        @BYTE1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      QBYTE
                                                   967EED
2786
308940
48
20F8
867EEC
3096
39
9070F1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 62.X

85UB1

85UB1
    7E82
7E84
7E86
7E86
7E86
7E80
7E87
7E10
7E11
7E19
7E10
7E10
7E10
7E10
7E23
7E23
7E23
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           7E91
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            807E5A
807E5A
807E5A
807E5A
A6883F
807E5A
807E5A
807E5A
807E5A
808E5A
2683
30884
2583
30884
2583
30884
30884
30884
30884
30884
87FF63
39
808
808
808
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    420 JSR 85UB1
420 JSR 85UB1
420 JSR 85UB1
420 LDA 63.X
420 JSR 85UB1
430 JSR 85UB1
420 JSR 85UB1
420
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   7E61 2707
7E63 F67EEE
7E66 59
7E67 5C
7E68 2004
7E68 F67EEE
7E60 59
                                                   9070#1
109E8C08
9628
E6A8
E788
4A
26F9
308928
109C2468
25EE
B7FFDE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   7E67 3C
7E68 2004
7E68 F67EE
7E60 59
7E66 F77EE
7E72 108E8C08
7E73 98F803
7E70 86F803
7E70 86F803
7E70 86F803
7E70 86F803
7E80 87F70F
7E94 8620
7E99 9688
7E98 977EE
7E98 7F76E
                                                                                                                                                                   118 BL
128 ST
128 CR
128 CR
128 ST
128 ST
128 ST
128 ECU2
218 ECU2
                                                     25EE
87FFDE
86FF03
9A01
87FF03
39
8D7DF1
      7E2C
7E2F
7E31
7E34
7E35
7E38
7E3C
7E3E
7E48
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          FCC 0
                                                                                                                                                                                                                                                                                                                                 JSR @FINDMAP
      7E35 9D7DF1
7E38 109E0C90
7E3C 9620
7E3E E680
7E48 E780
7E42 4A
7E43 26F9
7E45 309920
                                                                                                                                                                                                                                                        LDY #3072
L LDA #32
L LDB ,X+
STB ,Y+
DECA
BNE @CU2
LEAX 32,>
```

#### Listing 1

- 10 CLEAR200,32240 PCLEAR8 PMODE4,1: SCREEN1,0:LOAD"PADCODE.BIN":LOAD"BIGSCREE.BIN"
- 20 CD=&H7E35:CU=&H7E10:SQ=&H7E72:X6 4=&H7EEC:Y64=&H7EED
- 30 DIM AR(1536), AB(250), L\$(36): GOSU 81350
- 40 GOSUB820
- 50 P1=&H7F65:P2=P1+1:P3=P2+1:P4=&H7 F6E:P5=P4+1:P6=P5+1:P7=&H7F7C:P 8=&H7F74:PX=&H7FC2:PY=&H7FC4
- 60 GOTO570
- 70 As=INKEYs:IFAs=""THEN EXEC32501: GOTO70
- **80 \IIF A#="O"THENGOSUB830** GOTO70 ELS E GOSUB820
- 90 IF A\$<>CHR\$(95) THEN 120
- 100 EXEC CU:R=PEEK(Y64):R=R-8:IF A( 0 THEN R=0
- 110 POKE Y64, A: EXEC CD: GOSUBB20: GOT 0 70
- 120 IF R#<> CHR\$(91) THEN 150
- 130 EXEC CU: R=PEEK(Y64): R=R+8: IF A> 192 THEN R=192
- 140 POKE Y64, R: EXEC CD: GOSUB820: GOT
- 150 IF 8\$<>CHR\$(21) THEN 180
- 160 EXEC CU: A=PEEK(X64): A=R-1: IF AC
- 170 POKE X64, R: EXEC CD: GOSUBB20: GOT
- 188 IF 8\$<>CHR\$(93) THEN 210
- 190 EXEC CU:A=PEEK(X64):A≈A+1:IF A)
  32 THEN A=32
- 200 POKE X64, A EXEC CD GOSUBS20 GOT
- 210 IF AS="Z" THEN EXEC %H7E72:EXEC 41194:EXEC CD:GOTO70
- 220 IFA\$<>"S"THEN310 ELSE SOUND100
- 230 A\$=INKEY\$: IFA\$="8"THEN 240 ELSE IF A\$="S"THEN 840 ELSE 230
- 240 CLS:PRINT@12,"SAVE BIGSCREEN.":
  PRINT:PRINT:INPUT"SCREEN TITLE
  (\*\*\*\* TO QUIT)";A\$:IF A\$="\*\*\*\*"
  THEN .SCREEN1,0:GOTO70
- 250 A\$=LEFT\$(A\$,7)
- 260 POKEX64,0:POKEY64,0:EXECCD:SAVE R#+"1",3072,9216,41194
- 270 POKEX64.32:EXEC CD::SAVE A\$+"2"
- 280 POKEY64,192:EXEC CD:SRVE A\$+"3" ,3072,9216,41194
- 290 POKE X64,0:EXEC CD:SRVE R\$+"4", 3072,9216,41194
- 300 SCREEN1, 0:GOTO70
- 310 IF A\$<>"L"THEN 400 ELSE SOUND10 0,1
- 320 AS=INKEYS: IFAS="B"THEN330 ELSE IF AS="S"THEN 860 ELSE 320
- 330 CLS:PRINT@12,"LOAD BIGSCREEN.":
  PRINT:PRINT:INPUT"ENTER TITLE (
  \*\*\*\* TO QUIT)";A\$:IF A\$="\*\*\*\*"
  THEN SCREEN1,0:GOTO70
- 340 R\$=LEFT\$(R\$,7)
- 350 LOAD R#+"1.BIN":POKEX64,0:POKEY 64,0:EXEC CU
- 360 LORD A#+"2.BIN": POKEX64,32: EXEC

- 370 LOAD A\$+"3.BIN": POKE Y64,192 EX EC CU
- 380 LOAD A\$+"4.BIN" : POKEX 64,0 : EXEC
- 390 SCREEN1, 0: 8="Z" (GOTO 210
- 400 IF AS="C"THEN SOUND100,1:GET(0, 0)-(255,191), AR, G:SOUND100,1:GO TO70
- 410 IF AM="R"THEN SOUND100,1:PUT(0, 0)-(255,191), AR, PSET:SOUND100,1:GOT070
- 420 IFR#="G"THEN640
- 430 IFA\$="P"THEN PQ=0:GOTO740 ELSE IF A\$="8"THENPQ=1:GOTO740
- 440 IF AS=CHRS(12) THEN PCLS0:GOTO7
- 450 IF AS="M" THEN 870
- 460 IF AS=CHR\$(3) THEN STOP
- 470 BF=9:IF A\$=CHR\$(8) THEN BX=BX-8 :BF=1 ELSE IF A\$=CHR\$(9) THEN B X=BX+8:BF=1
- 480 IF As=CHR\$(10)THEN BY=BY+8:BF=1
  ELSE IF As=CHR\$(94) THEN BY=BY
  -8:BF=1
- 490 IF 85=1 THEN GOSU8590
- 500 IF AS="D" THEN 920
- 510 IF AS="W" THEN 1020
- 520 IF AS="A" THEN 1230
- 521 IF A\$<>"F" THEN 530
- 522 GOSUB820:LINE(BX,BY)-(BX+255-MX,8Y+191-MY),PSET,B
- 523 FOR A=BX TO BX+255-MX STEP (256 -MX)/8:LINE(A,BY)-(A,BY+191-MY) , PSET:NEXT A
- 524 FOR A=BY TO BY+191-MY STEP (192 -MY)/8:LINE(BX,A)-(BX+255-MX,A) ,PSET:NEXT A
- 525 EXEC 41194 GOSUB830 GOTO70
- 530 IF VAL(A\$)=0THEN 70
- 540 ON VALL(A\$)GOTO 550,560,570,580
- 550 POKEP1,18:POKEP2,18:POKEP3,18:P OKEP4.18:POKEP5,18:POKEP6,18:MX =0:MY=0:GOSUB590:GOTO70
- 560 POKEP1,68:POKEP2,18:POKEP3,18:P OKEP4,68:POKEP5,18:POKEP6,18:MX =128:MY=95:GOSUB590:GOTO70
- 570 POKEP1,68:POKEP2,68:POKEP3,18:P OKEP4,68:POKEP5,68:POKEP6,18:MX =192:MY=143:GOSUB590:GOTO70
- 580 POKEP1.68:POKEP2.68:POKEP3.68:P OKEP4.68:POKEP5.68:POKEP6.68:MX =224:MY=167:GOSUB590:GOTO70
- 590 IF BX>MX THEN BX=MX ELSE IF BX<
- 600 IF BY>MY THEN BY=MY ELSE IF BY<
- 610 A⇒PEEK(186)\*256+PEEK(187)±BY\*32 +INT(8X/8):POKEP7,INT(9/256):PO KEP7+1,9-256\*INT(9/256):'\*\*\*\*\*RE SET SCREEN POINTER IN M9CHINECO DE\*\*\*\*
- 520 PUT(BX,BY)-(BX+255-MX,BY+191-MY),AR,NOT:PUT(BX,BY)-(BX+255-MX,BY+191-MY),AR,NOT:RETURN
- 530 RETURN
- 640 POKEP8: 57: GOSUBS20
- 650 GOSUB1220: RX=X: RY=Y: GOSUB830: LI NE(RX, RY)-(RX, 191): PSET: LINE(RX , RY)-(255, RY): PSET

660 AS=INKEYS: IF 95=""THEN 650

670 IF AS="Q"THEN POKEPS, 18:GOSUB83 0:GOTO70

680 IF A\$<>CHR\$(13)THEN 650 ELSE SO UND100,1

690 GOSUB1220:GOSUB830:LINE(AX,AY)~ (X,Y),PSET,B

700 AS=INKEYS: IFAS="Q"THEN POKEPS, 1 8: GOSUBB30: GOTO70

710 IF A\$<>CHR\$(13)THEN 690

720 SOUND100.1:IFABS((X-AX)\*(Y-AY))
>10000THEN SOUND10,1:SOUND10,1:
GOT0690

730 GOSUB830:GET(AX,AY)-(X,Y),AB.G: POKEPS,18:9X=8BS(X-AX):9Y=ABS(Y -BY):GOTO70

740 POKEP8, 57: GOSUB820

750 GOSUB830

760 GOSUB1220

770 IF PQ=0THEN PUT(X,Y)-(X+9X,Y+9Y), A8, PSET ELSE PUT(X,Y)-(X+8X,Y+9Y), A8, OR

780 AS=INKEYS: IFAS<>CHR\$(13)THEN GO SUB830

790 IFAS="Q"THEN POKEPS/18:GOTO70

800 IF9\$(>CHR\$(13)THEN 769

810 POKEP8, 18: GOTO70

820 FORA=1TO4:PCOPYR TO R+4:NEXT:RE

830 FORA=1JO4:PCOPYA+4 TO 9:MEXT:RE

840 CLS::PRINT05,"\*\*\*\* SAVE SCREEN
\*\*\*\*":PRINT:PRINT"READY DISC FO
R SCREEN DATA"

850 INPUT"ENTER NAME FOR SCREEN SAV E FILE ":P#:SAVE A#,3072,9216,0 :SCREEN1,0:GOTO70

###":PRINT:PRINT"READY DISC TO LORD DATA":INPUT"SCREEN TITLE"; AS:LORD AS+".BIN":SCREEN1,0:GOT 070

870 CLS:PRINT@6, "GRAPHIC PAD ARTIST
.":PRINT:PRINT"1-4...SIZE OF SC
REEN. ":PRINT"0....OOPS! DELETE
LAST ACTION. C....COPY SCREEN
TO HIGH MEMORY")

880 PRINT"R....RESTORE RESERVE SCR EEN.":PRINT"G....GET SCREEN AR RAY.":PRINT"P....PUT ARRAY ON SCREEN (PSET)B....PUT ARRAY ON SCREEN (BOTH)Q....QUIT CURREN T ROUTINE."

890 PRINT"SS/LS.SAVE/LOAD DISPLAY S
CREEN. SB/LB.SAVE/LOAD BIG 24K
SCREEN. M....DISPLAY MENU LIST
.":PRINT"W....DRAW LINE/BOX/CI
RCLE":PRINT"A....DRAW ALPHABET
ON SCREEN. F....FRAME A GRID
ON SCREEN.":

990 A#=INKEY#: IF A#=""THEN 990

910 SCREEN1,0:GOT080

920 POKEPS:57:GOSUB820:CLS:PRINT@12 8,"":INPUT"DO YOU WANT CIRCLES (Y/N)":A\$:IF LEFT\$(9\$,1)<>"Y" THEN 960

930 INPUT"WHAT SIZE OF CIRCLE"; RAD: SCREEN1,0

940 IF INKEYS="Q" THEN POKEP8,18:SO UND100,1:GOTO70

950 GOSUB1220:IF PEEK(%H7FC5)<255 T HEN CIRCLE(X,Y), RADIUS, 1:GQTO 9 40 ELSE GOTO940

960 PRINT"\*\*\* LINES/BOXES \*\*\*": INPU T"X OFFSET"; A: INPUT"Y OFFSET"; B

970 INPUT"LINES OR BOXES (L/B)";A#:
IF LEFT#(A#,1)="L" THEN PQ=0:SC
REEN1,0 ELSE PQ=1:SCREEN1,0

980 IF INKEY#="0" THEN POKEP8,18:80 UND100,1:GOTO70

990 GOSUB1220 IF PEEK(&H7FC5)=255 T HEN 980

1000 IF PQ=0 THEN LINE(X-A,Y-B)-(X+A,Y+B),PSET ELSE LINE(X-A,Y-B)-(X+A,Y+B),PSET,B

1010 GOT0980

1020 CLS:PRINT012, "DRAW SHAPES. ":PR INT:PRINT:INPUT"LINE/BOX/CIRCLE ";A#:A#=LEFT#(A#,1)

1030 IF AS="L" THEN SHAPE=1

1040 IF AS="B"THEN SHAPE=2 ELSE SHA PE=3

1050 SCREEN1,0

1060 POKEP8,57:GOSUB820

1070 GOSUB1220

1080 AS=INKEYS: IF AS="Q"THEN GOSUB8 30:POKEP8, 18:GOTO70

1090 LINE(X.0)-(X,191), PSET: LINE(0, Y)-(255,Y), PSET

1100 IF A==CHR\$(13) THEN GOSUB830:S COND100,1:AX=X:AY=Y:GOTO1120

1110 GOSUB830:GOTO1070

1120 GOSUB1220

1130 A\$=INKEY\$: IFA\$="Q"THEN POKEPS, 18:GOSUB830:GOTO70

1140 GOSUBS30

1150 ON SHAPE GOTO 1169.1170,1180

1150 LINE(AK, BY)-(X, Y), PSET: GOTO119

1170 LINE(AX,AY)-(X,Y), PSST, 8:COTO1

1180 CIRCLE(AX, AY), SQR((AX-X)^2+(AY -Y)^2)

1190 IF A\$=CHR\$(13) THEN GOSUB820:S OUND100,1:GOTO1120

1200 IF A#="Q" THEN POKEPS, 18:SOUND 100,1:GOSUB 830:GOTO70

1210 GOTO1120

1220 POKE&H7FC5,255: EXEC32501: IF PE EK(&H7FC5)=255 THEN RETURN ELSE X=PEEK(&H7FC3)+BX: Y=PEEK(&H7FC 5)+BY: RETURN

1230 CLS:PRINT@6; "DRAW ALPHABET":PR
INT:INPUT"WHAT SCALE TO DRAW (1
-16)";A:IFA>16 OR A(1 THEN 1230
ELSE A=A\*4

1240 DRAW"S"+STR\$(A)

1245 INPUT"ENTER ANGLE OF LETTERING (0-3) ":AN:IF AN(0 OR AN)3 TH EN 1245

1250 SCREEN1 : 0 : G03UB820

1260 GOSUB1220:LINE(0,Y)-(255,Y),PS ET:LINE(X,0)-(X,)91),PSET

1270 PS=INKEYS: IF AS=""THEN GOSUBS3 0:GOTO 1260 1280 GOSUBS30:DRAW"BM"+STR\$(X)+","+

STR#(Y):GOT01300 1290 A#=INKEY#:IF A#=""THEN 1290

1300 IF AS=CHR\$(13) THEN POKEP8, 18:

SOUND100,1:GOT070 1310 A≃ASC(A\$): IFA>47 ANDA<58 THENA #R-48 ELSEIFA>64ANDA<91THENA=A-54 1320 IFA>36THEN1290 1330 IF AS=" "THEN DRAW"A"+STRS(AN) +"BR10" : GOTO1290 1340 A\$≠L\$(A): DRAW"A"+STR\$(AN)+"XA\$ :":GOTO1290 1350 L\$(11)="U4E2F2D2L4R4D2BR4" 1360 L#(12)="R3L2U6LR3FDGL2R2FDGBR5 1370 L#(13)="BRR2EGU2HU45R2F8D5BR4" 1380 L#(14)="R3L2U6LR3FD4GER5" 1390 L\$(15)="R4L4U3R3L3U3R4BD6BR4" 1400 L\$(16)="U3R3L3U3R4BD6BR4" 1410 L#(17)="BRR2L2HU4ERFB03LR2LD2B 1420 Ls(18)="U6D3R4U3D6BR4" 1430 Ls(19)="BRRU6LR2LD6RBR5" 1440 L#(20)="BUFREU5LR28D6BR4" 1450 L#(21)="U6D4E4G3F3BR4" 1458 L\$(22)="U6D6R4BR4" 1470 L#(23)="U6F2DUE2D6BR4" 1480 Ls(24)="U6DF4U5D6BR4" 1490 Ls(25)="BRR2L2HU4ER2F04CBR5" 1500 Ls(26)="U3R3L3U3R3FDG8D3BR5" 1510 L#(27)="BRRLHU4ER2FD3G2EHF2BR4 1520 L\$(28)="U6R3FDGL3RF38R4" 1530 L#(29)="BUFR2EUHL2HUERR2FBD5BR4 1549 L#(30)="BR2U6L2R48D6884" 1550 L\$C31 \= "BRR2L2HU5BR4D5GBR5" 1560 L\$(32)="BR2UHUHU2BR4D2GDGDBR6" 1570. L#(33)="E2UDG2U6BR2BD4F2U6D6BR 1580 Ls(34)="UE2H2UBR4DG2F2DBR4" 1590 L#(35)="BR2U3H2UBR4DG2D3BR6" 1600 L\$(36)="R4L4UE4UL4R4BD6BR4" 1618 L#(0)="8UU4ER2FG4FR2EU4805BR4" 1629 L#(1)="BRRU5LRUD6RBR5" 1630 L±(2)="R4L4UE2REUHL2GBR8BD5" 1640 Ls(3)="BUFFREUHLERUL48R8BD6 1650 L±(4)="BU3R4L4E3D6BR5" 1660 Ls(5)="R3EU2HL3U2R4BR48D6" 1670 L#(6)="BUU2R3FHL3UE2R2BD4DGL2H FBR7" 1680 L\$(7)="UE4UL48R8BD6" 1690 L#(8)="BUUER2L2HUER2FDGFDGL2HF BR7" 1700 L#(9)="BU4UER2FD2L3HFR3DG2L2BR 8" 1710 RETURN 1720 '(C) 1985 BY PETER WHITTAKER

#### Listing 2 Hex-Loader

- 10 'HEX LOADER FOR 'WORDPROC' MEMOR Y DUMP. BY PETER WHITTAKER
- 20 INPUT"START ADDRESS"; START
- 30 INPUT"FINISH ADDRESS"; FINISH
- 40 FOR N=START TO FINISH STEP 8
- 50 PRINT N;": ";
- 60 TT=0: INPUT As: Z=0
- 70 FOR M=1 TO LEN(A\$) STEP2
- 80 L=VAL("&H"+MID\$(A\$,M,2))
- 90 TT=TT+L:POKEN+Z,L
- 100 Z=Z+1: NEXT M
- 110 PRINT" = ":
- 120 INPUT T
- 130 IF T<>TT THEN PRINT"error ENT ER LINE AGAIN": GOTO50
- 140 NEXT N

#### Listing 3 Bigscreen — dump

- 10 CLEAR200,32240:PCLEAR8:PMODE4,1: LOAD"BIGSCREE.BIN"
- 20 CD=&H7E35:CU=&H7E10:SQ=&H7E72:X6 4=&H7EEC:Y64=&H7EED
- 30 SCREEN1,0
- 40 PRINT#-2, CHR\$(8); CHR\$(13);
- 50 '\*\*\*\* GET PICTURE \*\*\*\*
- 60 CLS:PRINT@128,"LOAD BIGSCREEN TO HIGH MEMORY.":PRINT:INPUT"ENTE R SCREEN TITLE";A\$:A\$=LEFT\$(A\$, 7)
- 70 LOADA\$+"1.BIN":POKEX64,0:POKEY64
- 80 LOADA\$+"2.BIN":POKEX64,32:EXECCU
- 90 LORD AS+"3.BIN":POKEY64,192:EXEC
- 100 LOAD AS+"4. BIN": POKEX64, 0: EXEC CU
- 110 '\*\*\*\*PRINT OUT LOOP \*\*\*\*
- 120 POKE65283, PEEK(65283) AND 254 : 'D ISABLE INTERRUPTS
- 130 Q=255:GOSUB180
- 140 POKE&H7DFD,&HC1:POKE&H7DFE,&HA8:Q=119:GOSUB180
- 150 PRINT#-2, CHR\$(13); CHR\$(15)
- 160 POKE65283, PEEK( 65283 ) OR1
- 170 STOP
- 180 FOR Y=0 TO Q STEP 7
- 190 POKEX64,32:POKE Y64,Y:EXECCD:PC
  OPY 1 TO 5:POKEX64,0:EXECCD:PCO
  PY5 TO 2:''PULL DOWN TOP LINE O
  F GRRAPHICS.
- 200 FORX=0 TO 255:Z=PPOINT(X,0)+PPO INT(X,1)\*2+PPOINT(X,2)\*4+PPOINT(X (X,3)\*8+PPOINT(X,4)\*16+PPOINT(X ,5)\*32+PPOINT(X,6)\*64+128:PRINT #-2,CHR#(Z);:NEXT X
- 210 FOR X=0 TO 223:Z=PP0INT(X,48)+P P0INT(X,49)\*2+PP0INT(X,50)\*4+PP 0INT(X,51)\*8+PP0INT(X,52)\*16+PP 0INT(X,53)\*32+PP0INT(X,54)\*64+1 28:PRINT\*-2,CHR\$(Z);:NEXT X
- 220 NEXT Y
- 230 RETURN
- 240 '(C) 1986 BY PETER WHITTAKER.

Write to 'The Expert' at Dragon User 12-13 Little Newport St, London WC2H 7PP. with all your arcade tips and hints.

GOOD DAY to all you good people and welcome to this, the third column. Yes, already this is a part of history. There have been so many letters that my entire house is packed with them. My postman has a hernia. My lover has left because she can't get into the bedroom for letters. On a scale of large to small this postbag would not be anywhere near small.

But, loyal to you as I am, I have read every one of them and tested some of the pokes, and tried out the maps, and basically worked my rocks off so that you, my loving, adoring, readership have this column here for you.

So, to business, first of all some news: some of you may be aware that Blaby have released a game similar to Atic-Atak. Well, you will soon have a choice between that, and a version of the same by Microdeal. Having seen both I can simply say that the Microdeal one is closer to the original but the Blaby one is more of an adventure (ie certain objects are needed to pass certain locations). I won't recommend one above the other, no doubt the reviewers will do that for me, but I can say that I have no preference between them at the moment from the limited time I've played them.

Moving rapidly to your letters, first a big thank you for all the Jet-Set Willy maps. I have decided that the one published was the best of them as it contained a lot of relevant information in a clear table as well as a simple map.

Thank you to C. A. Smith, M. R. Vine, D. R. Gardener, Mark Bowen, Gavin Long, and Michael Ellison for their maps and also to anyone else who has sent one which I may have not received by copy deadline.

Now then, to some specific points. Mark Bowen of Kent writes with the following pokes:

Ninja Warrior — Load up the game, type POKE 9489, N (where N is the number of lives) then type EXEC.

Mark says he has still got no further than level 4 and that we have not reviewed it. Well, Mr Mark Know-all Bowen if you take a look through your back issues to the issue dated October 1983 you will find John Scriven's review which, for those not born then, I shall re-present (in glorious non-

technicolour) here:

"My award for the most original game of the month has to go to Ninja Warrior from Programmer's Guild. In this excellent game, you, and up to five other players, control some figure wearing a judo suit. The ground scrolls beneath his feet, and you can use a joystick to slow him down, speed him up, or make him jump in the air. The "fire" button controls a sharp karate kick that he performs.

"To gain a white belt, the landscape is littered with boulders that he can jump over, but a higher score is achieved by kicking them to dust. If he survives with toenails intact the test for higher grade belts present him with fires to jump over, pits to traverse, and even arrows to catch. Eventually (so they tell me!), your warrior becomes a black belt. For me this was a highly entertaining game using a novel idea, smooth graphics, and good sound. I hope future programs from Programmer's Guild will be as good."

I believe Computape are now the sole suppliers of Ninja Warrior but I'm sure that you will correct me if I'm wrong. Personally, I'm quite a fan of the game although my friends all find it rather boring! I have nudged the *Dragon User* office into giving it a re-review so expect one soon. My ratings stand at the end of this month's column.

Mark goes on thus:

"Do you know if Design Design are planning any new games?" — No, I don't, but I'll find out for you — "Is anyone any good at Dark Star?" — Yes, I am — "and if so how?"

— I suppose I'm just brilliant.

"... It is about time you started this arcade arena. It is always claimed that your magazine must mediate between games and serious applications but there are always twice as many advertisements for games than serious applications so why not twice as much Editorial? The point I am making is that your column should cover two or three pages ..."

I agree with Mark but I'd like to know how you feel about it. Write to the usual address clearly marking your letters "The Expert".

Mark concludes by suggest-

ing that my style is very similar to that of Jason Orbaum (one of the reviewers). An interesting concept Mark, complete rubbish, but interesting none-theless, and it has led me to spark off a "Who is The Expert?" competition. Yes, send your guesses as to who I might be to the top address and the most interesting and amusing suggestion each month will win a prize worth absolutely NO-THING! I'll give you a clue to push you in the right direction:

I AM NOT NECESSARILY

Right, that's the competition set up, now here's a cry for help from Matthew Fasham of Hindhead, he would like to know how to do the last screen in Fantasy Fight . . . Write if you have a foolproof method.

I'd like some more maps from you all please, games I'm interested in this time are "Fantasy Fight", "The Dark Pit" and "The Wizard's Lair". Send them to the same address as usual please.

D Flintham of Burnsley suggests I publish his hi scores saying he hopes I use a full or half page to publish them because it gives people something to beat. Well, I'm quite adamant to refuse for the following reasons:

(1) I have no way to verify the scores or prove that they were not obtained on hacked versions of games.

(2) I don't really believe that people are interested in reading other people's hi scores, publishing them just serves to massage some probably already overlarge egos.


(3) There is, in my mind, no such thing as healthy competition. The idea of the column is not to find superiors but to co-ordinate with each other to create a healthy environment in which we all share. My function is that of a co-ordinator, albeit a highly talented one! Think of this as a computer kibbutz!


That's about it for this month. Please keep writing, I have bought myself a warehouse to store your letters in so I'm all set now! See you next month with lot of pokes and some interesting ideas on Stereotyping you might like to mull over . . . and I promise we'll be back to the stupid humour again as well. I don't know how you can wait!

	G	Р	Α	٧
Ninja Warrior (Programmer's Guild).	6	8	10	9
Ruby Robba (Blaby)	7	8	8	8
Pub Crawl (B & H)	5	7	6	6
Grabber (Microdeal)	6	9	7	8
Superbowl (Cable)	4	4	0	. 3

#### The Mansion of Jet Set Willy

- 1. THE BATHROOM
- 2. THE OBSERVATORY
- 3. NOMEN LUNI
- 4. UPON THE ROOF
- 5. UPON THE BATTLEMENTS
- 6. THE WATCH TOWER
- 7. WE MUST PERFORM A QUIRKAFLEEG
- 8. I'M SURE I'VE SEEN THIS BEFORE
- 9. RESCUE ESMERELDA
- 10. TOP OF THE HOUSE
- 11. CONSERVATORY ROOF
- 12. UNDER THE ROOF
- 13. THE ATTIC
- 14.DR.JONES WILL NEVER BELIEVE THIS
- 15. THE GAMES ROOM
- 16. EMERGENCY GENERATOR
- 17. PRIEST'S HOLE
- 18. ABOVE WEST BEDROOM
- 19. ABOVE WEST WING





LET'S BEGIN with details of another freebie — there, that should get everyone's attention. With the help of a solution from Simon Hargrave of Crawley Hill Farm, Uley, Dursley, Glos. GL11 5BH, I've prepared a handout on *Trekboer*, so if you want a copy of that send in the usual s.a.e. and your wish will be my command.

One reader wrote in asking what were the various handouts available, so time for an up-date on those, methinks. Firstly I've got a clue sheet for Madness and the Minotaur, as originally supplied by Dragon Data to anyone who wrote in with queries on that game. I've also got a copy of the notes that were on the cassette inlay card for El Diablero, as copies of this adventure now tend to be sold without the inlay, and the notes on it really do help you get started on what is a difficult game. Finally I've got solutions to The Cricklewood Incident, Fishy Business and Franklin's Tomb. If you want copies of those then you only need send in a small s.a.e. - some readers send me envelopes you could fit an elephant in. For your information, I have the handouts on file on disc and simply print one out on A4 paper whenever I get a request for one.

A reader from Swansea, whose name I won't give in case he gets inundated with similar requests, decided to provide his own freebies. This reader used to be a tester for Salamander, and had spare copies of White Cliffs of Dover and Franklin in Wonderland, which he sent to S. Goodman who'd been asking about the games in an earlier column. Thank you for that, and for the information that before loading either game you must POKE 25,6: NEW to create the extra memory both programs require. (And thanks to Mrs Fitzgerald of Abergele who phoned the office with the same information.)

### **Madness**

S. J. Edwards from 6 Barnfield, New Malden, Surrey KT3 5RH says, "Congratulations on producing the best adventure column in *any* magazine." Well, shucks, one does one's best, and I'd like to take this opportunity to thank my editor (whoever it is), my co-stars, my producer, my . . . (rest of speech deleted.) Anyway, what S. J. Edwards says is that he's having difficulty tracking down copies of the following and would be interested to hear from anyone keen to sell or swap *Madness and the* 

Minotaur, Dragon Mountain, Calixto Island, Black Sanctum, Adventures Trilogy, Viking, Monsters and Magic and several titles that Touchmaster are now apparently sold out of: Final Countdown, Mansion of Doom, Stalag/Eno, Poseidon Adventure and Cimmeon Moon. He also wants, though they're not adventure, Dragon Forth, Logo, and Dragon DOS.

Help on a few titles is offered by Douglas Field, 14 Lawnswood, Hessle, N. Humberside HU13 0PT, the titles being *Keys of the Wizard, Fun House* and *Pirate Adventure*. In return he asks if anyone knows where he can buy some cut-price adventures for his 32k Tandy Coco. Any offers?

### Help

Peter Williamson of 37 Battenhall Road, Worcester WR5 2BQ is also trying to do me out of a job and offering help to anyone stuck on Juxtaposition, while Mark Gadsby has completed Black Sanctum, Calixto Island, Eno. Death Mines of Sirus and Shenanigans, and offers help on any of those. Don't forget the s.a.e. when writing to any reader for help, of course. Mark wants to know if anyone has come across any adventures in French or German, so he can combine his favourite hobby with his O' level revision. A nice trick, Mark, and if anyone can help him get away with it write to Mark Gadsby, 157 Pinewood Park, Cove, Farnborough, Hants GU14 9LE.

If you were studying Italian, Mark, you could have tried contacting Marco Foedda of Via San Rocco 9, cap 37125 Verona, Italy. Marco wrote to say that after three months of difficulties he eventually finished "the fantastic *El Diablero*." I think the post had difficulties, too, as Marco wrote in January and the letter arrived in April. Still, he offers help to anyone stuck in the adventure, or if you just fancy contacting an Italian Dragon owner, why not write?

Christopher Bayne from St Albans wrote about various things, including the suggestion that to make more space for the actual column we should remove the large heading and also refrain from printing cassette covers and other illustrations on the page. Personally I think a solid page of text would look pretty boring, but has anyone else any strong views on that? Christopher also suggests that a few notes for beginners should be made available, so leaving even more room in the actual column for product

reviews and clues. If there's sufficient demand from beginners for that, then I'll try to do something about it.

To keep Christopher happy, then, I'd better get on with some clues, like these from Stuart Estell of Birmingham. In *Ice Kingdom*, to kill Harkon: YRUOMRA MORF DLEIHS AND DROWS ESU. To escape the dungeon: NAMWONS RAEN ECI MORF NIOC ESU. In *Towers of Death*, to kill Medusa: RORRIM TNIOP. The order in which to move the armour: EERTH OWT OWT ENO.

A few clues on *Trekboer* from Matthew Norman of Edmonton. To cross the force field: HPATONEC MORF TELUMA YRRAC. To remove grate: TI REVO DICA RUOP. More help from a reader in Denby Dale who forgot to sign his or her name. On *Franklin's Tomb*, to stop the water in the aquarium: 'ELOH-GULP' EPYT DNA GULP DNIF. To find the key: 'HSSMURG' YAS DNA HSSMURG EUTATS OT OG. To open sarcophagus: SRALLEC EHT MORF DIUQUL A RO HTUOM STI OTNI RETAW RUOP.

Can anyone tell Pat Perry where to dip the twig in *El Diablero*? Come to that, can anyone tell me?? Pat lives at 30 Leas Road, Mansfield Woodhouse, Notts, and I live in an old shoebox in the corner of the *Dragon User* office.

### Code

Andrew Hill has got a code, not in the node but in Operation Safras, and he's willing to pass the information on to others, particularly Justin Field who was asking about it in the April issue. The code for part 1 is 13 (ENTER), and for part 2 is TANGO. There didn't seem much point in printing those brief things backwards, so I hope nobody minds. Andrew also asked for a good adventure for a beginner, preferably with graphics — the adventure, that is, not the player. I'd have thought something like Black Sanctum or Sea Quest would fit the bill, both with graphics, both enjoyable, not too difficult for the experienced player but good for the beginner in that all the problems are fairly logically solved and the scale of the games isn't so big that you get lost wandering down endless corridors and through mazes.

Gavin Griffin has already had a mention in the column, but somehow his address came out wrongly so I'll try again: 58 Old

### PEAKSOFT DRAGON SUPPLY CENTRE

\*\*\* NEW \*\*\* Single-sided double density DISK DRIVE UNITS as supplied to Dragon Data, without cases or power supplies. Just "discovered" in store by us! Supplied untested at £39.95!!!!!!! Special order form needed — please send self-addressed envelope.

#### PRISM MODEM

Enables you to join the fun on Micronet, Prestel, the Radio Dragon electronic magazine and 1200/75 Viewdata bulletin boards!

There are now **FOUR HUNDRED THOUSAND** pages to explore on Micronet and Prestel alone, offering inter-active games, nationwide "chat" lines, advice on computer problems, teleshopping, a micro market, electronic bank accounts, your own free mailbox . . . the list just goes on and on.

The Prism Modem uses your phone line to link your Dragon 32 or 64 to mainframe computers throughout the country — the special cheap call rate costs just 40p an hour.

**OUR BREAKTHROUGH PRICE IS JUST £64.95** complete with all leads and "plug-in-and-go" cartridge software, and including a FREE 3-month subscription to Micronet and a FREE copy of the Dragon User's Communications Directory.

ONE DAY EVERY HOME WILL HAVE ONE
— WE'RE OFFERING YOU THE FUTURE!

∞ ∞ ∞ ∞ ∞ ∞ <sup>≬</sup>

PEAKSOFT BRAND NEW HEAVY DUTY POWER SUPPLIES £14.95 complete. Compare this with the price of "reconditioned" units!

DRAGON DATA DISK DRIVE COPPER-BOUND TRANSFOR-MERS £14.95. We tracked down the last in the country and bought the lot! Safeguard the future use of your disk drive while stocks last!

\*\* NEW \*\* DRAGON SWEAT SHIRTS (RRP £7.50). Our price £4.99!!! T-SHIRTS (RRP £3.50). Our price £2.49!!! Please state S, M, L or XL size. HALF-PRICE SPECIAL OFFER — For EACH £10 spent on other goods, order ONE sweat shirt for £2.49 or ONE T-shirt for £1.24!!! HOW DO WE DO IT?

\*\*\* NEW \*\*\* Briefcase-style padded case for Dragon and power supply £9.95!

\*\*\* NEW \*\*\* Dragon keyboards £24.95 \*\*\* NEW \*\*\*

\*\*\* NEW \*\*\* I LOVE MY DRAGON car sticker

99p \*\*\* NEW \*\*\*

LEADS: cassette £2.50, aerial £2.50, printer £11.95 DUST COVERS £2.95

Dragon-compatible Omega DATA RECORDER £24.95

Tape head ALIGNMENT KIT £3.95. AERIAL SPLITTER £3.95

CHEETAH 125 AUTOFIRE JOYSTICK with DRAGONISER £14.95. FOUR (!!) fire buttons plus autofire! Suitable for arcade-type games. DRAGONISER only (supply your own joystick) £11.95. Unlike many conversions, our unique Peaksoft Dragoniser does NOT invalidate the joystick manufacturer's guarantee.

PRO-STICKS £9.95 pair, £5.50 each. Genuine twin potentiometer floating joysticks, suitable for ALL Dragon games. (This type is necessary for Tim Love's Cricket and Worlds of Flight.)

Plus . . . Dragon User back numbers at £1 each and thousands of the best Dragon books at crazy prices! (Please phone or send sae for details.) For fact sheet on Prism Modem please send sae.

To order: Just note your name, address, computer and goods required on the back of your cheque or postal order. Access/Visa card-holders may phone their order to 0636 705230 at any time, day or night. All goods are POST FREE. We supply by return of post, subject to availability. Personal callers welcome — please phone first so that we can have your order ready. CASH ON DELIVERY on all orders over £40 — please send at least £5 deposit and pay the balance to the postman (sums over £50 must be paid at your local Post Office).



PEAKSOFT 48 Queen Street, Balderton Newark, Notts NG24 3NS Tel: 0636 705230



MAKING YOU GLAD YOU BOUGHT A DRAGON!

## DRAGON USERS IN THE SOUTH

We've organised another great Dragon Computer Show at which you can pick up some amazing bargains from the major dealers of software, hardware and peripherals and see what's new for the Dragon.

Come along to

The Annexe Coopers Hill Centre Bagshot Road (A322) Bracknell, Berks

Saturday, 28 June, 1986

Adults £1.00 Children and OAPs 50p
Free parking Refreshments

Coopers Hill Centre is very close to Bracknell town centre, next to Bracknell railway station, and approximately five minutes from Junction 10 of the M4 and ten minutes from Junction 3 of the M3.

Software for the C16, Plus 4 and Vic 20 computers will also be available.

Further details from:

### JOHN PENN DISCOUNT SOFTWARE

Dean Farm Cottage Kingsley, Bordon, Hants GU35 9NG

Bordon (04203) 5970

Bawn, Park Tallaght, Co. Dublin, Ireland. That's what it looks like, anyway, but as Gavin's handwriting is a mix of upper and lower case it's a bit tricky to read. Letters will reach him anyway, I'm sure, and the reason for writing is that Gavin does like hearing from other readers, and can help with Shenanigans (not surprisingly), Juxtaposition, Calixto Island, Black Sanctum, Keys of the Wizard, Madness and the Minotaur and most of Trekboer. Gavin kindly sent me a map of the lands of Juxtaposition, which he asked us to print, but the quality of the photocopy isn't good enough to reproduce, I'm afraid. Gavin says we should have a pen-pals section in the Magazine - well, if enough readers want it then we'll introduce it, but as I'm always printing readers' addresses anyway, I hope you always feel free to write to each other without needing a formal introduction. So if you want an Irish pen-pal with an interest in swapping tips, pokes and adventure hints, then Gavin's your man.

Stephen Hootan (I think) of 4 Bankscroft, Langton, Preston, Lancs PR4 5AL also sent in a Juxtaposition map, and we will see about reproducing that as several readers have asked about one, and Stephen thinks the adventure section should be a lot longer — by at least five pages! Steady on, Stephen. Too much late-night adventuring has affected your brain, I think. What Stephen needs help on is Mansion of Doom and Poseidon Adventure. In the former, how to get across the acid to reach the coffin, and in the latter how to get across the

oil lake in level three. He also asks if anyone has hints sheets and maps of these titles. Not me, so over to you.

Nick Hodge has completed Juxtaposition, which he thinks every dragon owner should buy, so if you have and get stuck write to Nick at Caramic, Huntworth, Bridgewater, Somerset TA7 0AJ. Nick sent me no less than 20 clues for the game — maybe I do need an extra five pages after all.

Some people have been having coordination trouble in *Syzygy*, so James Bonfield of 7 Water End, Wrestlingworth, Sandy, Beds SG19 2HA to the rescue: "To enter the co-ordinates you must take the row you wish and then press the numbers and pull the lever. For example, if you wanted to go to the planet you must type PRESS ZERO, PRESS FOUR, PRESS ONE, PRESS FIVE, PULL LEVER. The first place to go to is the planet." James also gives the other co-ordinates you need, which are 2.7-3.0 to the emerald and 1.6-0.3 to Darth Vader. James is having trouble with Keys of the Wizard, and adventure not many have managed to solve, and wonders: how to open the wizard's gold box; how to open the chest in the hidden temple; how to open the store box in the hidden tomb; and how to defeat the jester. If anyone has managed to put together a solution on Keys of the Wizard. do send it in then I can start another column by saying "Let's begin with details of another freebie."

### **Adventure Contact**

To help puzzled adventurers further, we are instituting an Adventure Helpline — simply fill in the coupon below, stating the name of the adventure, your problem and your name and address, and send it to Dragon User Adventure Help-

line, 12/13 Little Newport Street, London WC2H 7PP. As soon as enough entries have arrived, we will start printing them in the magazine.

Don't worry — you'll still have Adventure Trail to write to as well!

Adven	ture
	m
Name	
	38

### **Adventure Contact**

Adventure Castle Adventure Problem Is it possible to smash glass in north exit, if so how? How do I unstiffen the windlass? Name Andrew Hall Address 59 Wordsworth Avenue, Castle Ridge, Stafford ST17 9UE.

Adventure Seaquest Problem What do you do with the mermaid? Where do you tie the balloon to? What use is the metal detector? Where is the key? Name Robert Gooding Address 52 Tollerton Drive, Irvine, Ayrshire KA12 OQE.

Adventure Aquanaut 471

Problem I can't seem to do anything — keep going about first few locations, but can't find anything or go anywhere different. Name Robert Gooding Address 52 Tollerton Drive Irvine, Ayrshire KA12 0QE.

Adventure Juxtaposition Problem How do I get over the first balcony? Is there a hint sheet? Name Andrew McCallum Address 23 Top Cliff Court, Morley, Nr. Leeds CS27 8UG.

Adventure Trekboer Problem How do I get past the forcefield? Name Neil Davies Address 15 Packe Close, Feering, Colchester, Essex CO5 9LP.

Adventure Juxtaposition Problem How do you get the emerald? Where are the Deeds of Brown? Name Wayland Mitchell Address Ashleigh Farm, Gayton-le-March, Nr. Alford, Lincs LN13 0NW.

Adventure Demonkite Problem Have found dead king, long tough rope and burning torch and the full stop. (That's what it says). Name Conrad Evans Address 92 Maesglas, Cardigan, Dyfed, Wales SA43 1BE.

Adventure Treckboer Problem Can't get past the force field or get to the Great. Name Seth Robinson Address 8 Broomhouse Close, Denby Dale, West Yorks.

Adventure Black Sanctum Problem How do you get out of the forest? And everything after that? Name Neil Pyatt Address 51 Marlborough Close, Grays, Essex RM16 2SU.

**Adventure** Juxtaposition **Problem** Where's the red cetite ore? Where's the spade?

Please help. Name Simon Jones Address 37 Collins Meadow, Harlow, Essex CM19 4EN.

Adventure 1) Operation Safras 2) Adventure Trio Problem
1) Can't get past the first chapter. I can answer the questions, but not get the code. 2) Completely stuck.
Name Anndrew Marriott Address 17 Goodwood Place, Trentham, Stoke-on-Trent ST4 8BO.

Adventure Wings of War Problem How do you get past guard with Luger in chateau? Name Mark Lane Address 11 Hampden Close, Bicester, Oxon OX6 7UG.

Adventure Juxtaposition Problem I can't get out of the emerald tower with the Eridani Emerald. Name Simon Pate Address 4 Alder Close, Bradley, Wrexham, Clwyd LL14 4BJ.

Adventure Operation Safras Problem Can only find agent number one, need help to find the others. Name Margaret Wardlow Address 21 Acacia Avenue, Chapeltown, Sheffield S30 4PQ.

Adventure Barons of Ceti V/Juxtaposition Problem Where are the deeds of Brown? Name Steven Edington Address 60 Thorburn Road, Newferry, Wirral, Merseyside L62 1EW.

Adventure Juxtaposition Problem I am on street level, but I can't find the mono car. Name S. Monoghan Address 41 St Brendan's Cresent, Greenhills, Walkinstown, Dublin 12, Ireland.

Adventure Juxtaposition Problem I can't get past the JKL Droid. How do you get on to the planet surface? Is there a hint sheet? Name Howard Johnston Address 10 Greenhill, Alveston, Bristol BS12 2QY.

Adventure Total Eclipse Problem How much do you need to go to a higher tech level? Name D. Clubb Address 254 Baldwin's Lane, Croxley Green, Rickmansworth, Herts WD3 3LQ.

Adventure Return of the Ring Problem What do you do on the forest moon? Name Matthew Lovell Address 15 Darren Close, Cowbridge, South Glamorgan, Wales.





27 COOMBE ROAD, SOUTHMINSTER, ESSEX, CM0 7AH. TELEPHONE 0621 772589 FOR 24-HOUR CREDIT CARD SALES



INCENTIVE	A/INTERNATIONAL	HEWSON CONSULTANTS
Eddy Steady Go £6.95	TWIN PACKS	3D Lunattack £2.99
The Ket Trilogy £7.95	Adventureland	3D Seidad Attack £2.99
**Moon Cresta** £7.50	Secret Mission	3D Space Wars £2.99
	Pirate Adventure	ob open war and the same
PROGRAM FACTORY	Voodoo Castle	OCEAN
Ninja Warrior £2.99	Mystery Fun House	Hunchback £1.99
rinja tranioi EE.55	Pyramid of Doom	
B & H SOFTWARE	Ghost Town	MELBOURNE HOUSE
Pub Crawl£3.99	Golden Voyage	Horace Goes Skiing £1.99
And All Because £3.99	Savage Island - Part 1	Hungry Horace £1.99
Alld All Decause £3.99	Savage Island - Part 2	
	The Hulk	CABLE SOFTWARE
COMPUTERWARE	Sorcerer of Clay. Castle	Superbowl £2.99
Blockbusters £5.50	Time Machine	Zak's-Son £2.99
Linkword £5.50	Escape From Pulsar 7	Fantasy Fight £2.99
	Arrow of Death — Part 1	Quazimodo £2.99
ADDICTIVE	Arrow of Death — Part 2	
Football Manager £6.50	Circus	***A & F SOFTWARE***
	Ten Little Indians	Chuckie Egg £2.99
BLABY GAMES	Perseus and Andromeda	Screaming Abdabs £2.99
Kung Fu £5.00	Wizard of Akyrz	
Karma Crazy £2.99	CHOOSE YOUR TWIN PACK	IMPSOFT
Olympia £3.99	FROM THE ABOVE TITLES FOR	Chicken Run £1.99
Cosmic Crusader £3.99	ONLY £5.50 per Twin Pack	Fruity £1.99
Barmy Burgers £1.99	CHET 20.00 per TWIII Fack	
Darts £1.99		J. MORRISON MICROS
2110	SULIUS SOFTWARE	Chess £2.99
COMPUTAPE	Word-Power (Spelling) £2.99	
Madness and Minotaur £2.99	Beseiged (Spelling) £2.99	
Hint Sheet SAE & £0.50	beseiged (Spelling) £2.99	
Whirlybird Run £2.99		NEW RELEASE
Willingbird Hull £2.99	MICRODEAL	FROM COMPUTAPE
DDAGON CACCETTE	Cuthbert Goes Digging £2.99	WHIRLYBIRD RUN
DRAGON CASSETTE	Intergalactic Force £2.99	(Licensed from
LEAD £2.50	Morroco Grand Prix £2.99	Spectral Assoc. USA)
AERIAL LEAD£2.50	Frogger £1.99	Openial Assoc. (SA)

### HOW ABOUT THIS THEN!

£11.95

roject Volcano ...... £1.99 Romic Cube .....

Frogger

Worlds of Flight .....

ROMIK SOFTWARE

CENTRONICS PRINTER

CABLE...

MISSION ONE

A REAL SCOOP TO DELIGHT YOUR DRAGONS

SOFTWARE PROJECTS	DESIGN DESIGN
Jet Set Willy	Dark Star
and	and
Manic Miner	Rommels Revenge
TWIN PACK	TWIN PACK
ONLY £7.95	ONLY £7.95

DESIGN DESIGN Tibeway Army ONLY £2.99

£5.00

ONLY £2.99

across mountain ranges

and through a series of

destroying enemy along

the "Mushroom Cloud".

the way. Watch out for

Pilot your helicopter

underground caves,

Fast moving, arcade

game.

COMPUTAWARE REFRESHES THE DRAGONS OTHER COMPANIES CANNOT REACH!! Cheers!

To order from the above, plese send Cheque/Postal Order made payable to COMPUTAPE, to the above address. For Catalgoue only, please send SAE. PRICES INCLUDE FIRST-CLASS POSTAGE and packing. Overseas Orders Welcomed. COMPUTAPE: THE ONLY SOFTWARE COMPANY TO MAKE YOUR DRAGON CHIPS FRY NOT CRY!

### S.P. ELECTRONICS

Strike Control Joystick	£9.95
:CPA 80 Dot Matrix Printer, inc. Printer Cable	
Parallel Printer Cable	
Cannon 160 CPS NLQ Printer, inc. Printer Cable	
Green Screen Monitors	
Disk Drives from	£120.00

Large range of software available. SAE for free list. Large range of spares available

Also complete Dragon repair service



S.P. ELECTRONICS 48 Limby Road, Hucknall, Notts (Nottingham 640377)



### Classified

HYPERUN gives ultimate protection to your Basic or machine code programs. Scrambles programs then combines with high or low resolution graphic screens, and creates a one part autorun program. 3 versions plus free screen designers £3.50 cash or cheques to Paul Burgin, 18 Moorcroft Road, Sheffield S10 4GS.

WALKMAN, the nonstoppin', hiphoppin', mindpoppin' new machine code, Pmode 4 adventure to bring your Dragon out of the dark ages. Just £3.99 including P+P. C. McConnell, 29B Clarence Road, London N22 4PG.

DRAGON 32K, recorder, joysticks, 25 games, books, Basic tutor pack, £55 ono. 01-807 0021, will sell separately.

WARGAMERS. Map based wargames. Blockade - Nelson's Navy. Combateam - Antitank WW3. Transparent Basic easily adapted for slower speed, better wargaming. Cassette £3 each. (09323) 42331.

DRAGON 64, Cumana disk, interface, boxed, many books, software. Offers. Ring 0527 43625 anytime.

LISTINGS £1.20. Send cassette to 13 Hill Clough Grove, Laycock, Keighley, W. Yorks. BD22 0PT

BUNYAN SOFTWARE TAPE ONE. For more details send SAE to Martin Bunyan, 88 Canterbury Way, Stevenage, Herts. SG1 4DH.

DRAGON 32. 30 games, cartridge, joystick, cassette recorder, books, £150, 0344 882287.

BBC OS1.2. As new, £170; Dragon 32K PSU, £40: Dacom modem, DSL 2123, £130. Carriage extra. Details: Phil Watson, Oakley 2867.

PRINTER, colour CGP-115. 0332 840166.

DRAGON 64. In perfect working order, £90 ono. Tel: (0604) 862627 after 5 pm.

DRAGON 32, Tandy printer, cassette recorder, games, joysticks, etc, £150. 02596 1524.

CONTINUOUS COMPUTER TIONERY in small quantities, prices from £4 for 400 sheets of plain listing paper + £2 p&p, £2 for 200 3.5" × 1.4" self adhesive labels + 60p p&p. Send SAE for order form and price list to: Brigantic Computer Services, Dept DU, PO Box 517, Bamber Bridge, Preston, Lancs. PR5 6DB.

DRAGON 64 with disc drive, joysticks, green monitor, telewriter and OS9 disk, £250 ono. Epson FX 80 printer, £220 ono. Tel. (0708) 65615 evenings.

MAGBASE. Don't waste any more time searching through past issues of Dragon User, Magbase gives instant access to records of all letters, articles and listings since issue 1 (600 records). Further details sae from Pulser Software, 36 Foxhill, High Crompton, Shaw, Oldham OL2 7NQ.

DRAGON 64 + disk drive and cassette utilities, as new, £295, 0522 42843.

DRAGON COMPUTERS. For spares 32K, £38; 64K, £63. Other parts including transformers, phone for list. 74LS783 £10.25; 6809E £3.25; 4164-15 £1.25; Amstrad 8256, new, £400 inc p&p. Phone Nick, 08924 4070.

DRAGON 64. Edit + cassette player, games, as new, offers. 0529 306368.

ANY 10 PROGRAMS from Dragon User 1985, cassette £4. (0785) 48494 evenings.

DRAGON 32K computer, joystick, games, leads, £50. Dragon 64K, £75. Ring 01-986 2658.

GAMES, GAMES. Over 400 titles, low prices. Also buy and sell games. Phone Cravely (0293) 884417.

DRAGON 32, £150 worth software. tape recorder, joysticks, books, £75 ovno. (0580) 712809 (evenings).

WANTED. Disk drive controller, Dragon or Delta. Tom, 0482 701999.

### Here's my classified ad.

(Please write your copy in capital letters on the lines below.)

on the lines below.		
£0.20	£0.40	
08.03	08.03	
£1.00	£1.20	
£1.40	£1.60	
£1.80	£2.00	
£2.20	22.40	
£2.60	£2.80	
£3.00	£3.20	
£3.40	£3.60	
£3.80	£4.00	
Please continue on i	a separate sheet of paper	

-	
I make this	words, at 20p per word so I enclose £
Name	
Address	
Telephone	

Please cut out and send this form to: Classified Department, Dragon User, 12-13 Little Newport Street, London WC2H 7PP

# Mind The Cracks

Gordon Lee hops from slab to slab in pursuit of this month's prizes - some great incentives.

LAST MONTH we took a cursory look at random numbers, including reference to the 'Dragon's' random number generating function. This, as is the case with the same command on other microcomputers, has the disadvantage of producing the same sequence of numbers when starting from cold. Clearly, if we are using this command in a program this problem needs to be overcome. An adventure type game would be of limited interest if, for example, objects were always set at the same locations and the response to specific commands were always the same. Similarly, with arcade games, moving objects that are too predicatable would not provide much of a challenge!

One way of overcoming this problem is to include the following lines in your program:


100 PRINT "PRESS A KEY TO CONTINUE"

110 A\$=INKEY\$:X=RND(10): IF A\$= "" THEN 110

The lines are numbered here 100 and 110, but they can be altered to fit anywhere in your program, preferably near the beginning, say following the title or instruction page. Using this routine, the computer will spin through its sequence of random numbers for an unpredictable period of time (until a key is pressed), and will so ensure that subsequent use of the random command will produce a truly unpredictable number.

Last month, I gave a listing for a program which used the RND function to plot a random walk on the Dragon's 32 by 16 low resolution text screen. This concept of 'random walking' has received a certain amount of attention in the mathematical press. At its simplest, such a walk can be one-dimensional. Imagine that you are standing on a straight line, stretching in both directions to infinity. You toss a coin. If it falls heads, you move one step to the left; if it falls tails, you move one step to the right. By expanding this concept to two dimensions we arrive at a walk on a plane surface, like the one illustrated in last month's program. The competition this month involves taking a random walk on a much larger plane surface. Imagine a square quadrangle paved with a regular arrangement of square paving slabs, 101 slabs along each edge. The quadrangle consists of a central area of 99 by 99 white slabs, and around this is a single row of grey

Starting at the very centre square we are going to take a random walk, using a pseudo-random sequence of digits to decide on the direction of travel. This is determined by taking successive digits in the decimal part of the expression 1/17389 which begins 0.000057507619 . . .



Each digit determines the direction in which we move, as shown in the diagram. So, for '1' move one square north, for '2' move one square diagonally north-east. and so on. The digits zero and nine are ignored whenever they occur. So we would start our journey by moving south, west, south, west, etc. The question is, at which point would we be forced to first step onto one of the grey border slabs? Please give

your answer in the form: 'North edge, 17th slab from north-west corner' - or what-

For collectors of mathematical trivia, the decimal value of 1/17389 repeats in cycles of 17388 digits. Its full value was first calculated by the 19th century mathematician William Shanks, who also computed the value of pi to 707 decimal places. When this value of pi was examined it was found that the digit '7' occurred much less frequently than did the other digits. Scholars of the time put forward all sorts of theories as to why this should be. In fact, Shanks had made an error in his original calculation, and all digits after the 528th were incorrect. Once this had been remedied the frequency with which the ten digits occurred. balanced out, as indeed they do for even longer expansions of the value of pi. In this respect, pi itself would be a pseudo-random generator.

We began, last month, by linking pi and random numbers so it is perhaps appropriate that we should now conclude at this point.

This month we're back in arcade country, with 20 copies of last month's five-star reviewee shooty space ships game Moon Cresta, courtesy of Incentive Software, as prizes. So take steps to locate the answer, and win some well-earned brain relief.

To win a prize game, you must send us the answer to the problem in the form of the location of the slab in question, and a printout (or typeout) of the program you used to solve it. No cassettes please they won't fit in the competition box.

Make sure your name and address are printed clearly on your entry, and mark the outside of your envelope 'July Competition' (without which your entry will not even find the competition box).

As a tie-breaker, complete the following phrase: "The Dragon takes a giant step

Entries must reach us by the end of August, and winners will be announced in the September edition. Tie-breakers will be judged on their memorability and the editor's decision is, as usual, final.

### **April Winners**

The 15 lucky winners will be receiving copies of Beanstalker from Micro Vision. They are: E. A. Newman of Addlestone, M. J. Stentiford of Kingkerswell, M. Ingram of Leeds (phew! one short name), J. C. Gilcrest of Carshalton, M. Stone of Jerusalem, Mark Heaps of Washingborough, Phil Sapiro of Woolton, Liverpool, Olav Nielsen of Rulkedalen, Denmark, C. Jolly of our favourite read: "I want to visit Giantland Grove Park, London, D. Dickenson of ... because I think I left my car keys there.'



Rowley Park, Stafford, F. J. Taylor of Acklam, Middlesbrough, Justin Hewitt of Hixton, Staffs, Lionel Depeux of Asnières, France, A. A. Sissiqui of Chiswick, and Rachel Edmunds of Sedgefield,

All agreed that the number of volunteers in the room was 52 (not counting the Competition Master, who could make a 53rd - but we didn't need to know that). Tie-breakers were heavy on the beans but

# MAKE YOUR DRAGON USEFUL!

With our great value hardware and software deals!

 SUPER DEAL 1: Single Drive System
 RRP

 CUMANA Single 40-Track Drive 180K
 £223.45

 SHAREBOX (or similar)
 £ 16.99

 TOTAL PRICE
 £240.44

 SAVE £30
 OUR PRICE
 £209.95

SUPER DEAL 2: Dual Drive System
CUMANA Dual 40-Track Drive 360K
+ CASHBOX (or other business program)

TOTAL VALUE
£365.44

SAVE £45

OUR PRICE
£319.95

All Prices include VAT and delivery.

### SOFTWARE FOR DRAGON 32/64/128 AND DRAGONDOS/CUMANA DOS 2.0

Professionally written programs for home, clubs, and small business, with random access disk filing and our  $42 \times 24$  screen with true lowercase.

MONEYBOX Personal accounts

Controls income and expenses, for bank account, credit card, etc. Forecasting, budgeting. Optional VAT analysis for use as small business cashbook.

MAILBOX Mailing list £16.99
Stores names, addresses and up to 10 user-defined fields. Selects records by multiple tests. Prints labels, letter-starts, prints or displays reports.

SHAREBOX Stocks and shares
Prints or displays share valuations, capital gains, dividends and tax credits, income forecast, price changes, draws graphs of price trends.

SALESBOX Sales Ledger £19.99
Balance brought forward with 4 debt periods. Can print statements, aged debt analysis, daybooks, labels, nominal code report. Can link to CASHBOX.

BILLSBOX Purchase Ledger £19.99
Balance brought forward with 4 debt periods. Can print remittance notes, aged credit list, labels, daybooks, nominal code report. Can link to CASHBOX.

CASHBOX Nominal Ledger £19.99

Double entry system posting debits/credits to up to 999 accounts. Prints trial balance, balance sheet, profit and loss, budgets, forecasts, audit trail. Can read SALESBOX/BILLSBOX files.

STOCKBOX Stock control £19.99
Records sales, orders, deliveries. Prints low stock list, orders due, valuation, turnover, price list, stock movements. Can bulk change prices.

ORDERBOX Invoicing £16.99
Prints invoices, etc, on plain or pre-printed paper.
Can link to SALESBOX or STOCKBOX.

Cheques/POs/Further details/Dealer enquiries to:

### HARRIS MICRO SOFTWARE

49 Alexandra Road, Hounslow, Middlesex TW3 4HP. Tel: (01) 570 8335

### COMPUSENSE SUMMER SALE

DASM/DEMON Cartridge £14.95 EDIT + Cartridge £14.95

### BARGAIN PACK for DRAGON DOS/CUMANA DOS

DASM/DEMON DYNAFAST/DYNAMISER/ DYNAXREF HIRES/EDIT+ all for £24.95

### SPECIAL BARGAIN PACKS for DRAGON FLEX

FLEX/EDITOR/ASSEMBLER/DBASIC/ DYNACALC/RMS/SP-EDIT £129.00 DYNACALC/RMS/S-EDIT £75.00 FLEX UTILITIES/DEBUG/ DIAGNOSTICS £75.00

### PROFESSIONAL BUSINESS SOFTWARE for OS-9 THE MOST COMPREHENSIVE PACKAGE AVAILABLE FOR THE DRAGON

As originally commissioned by DRAGON DATA

Volume 1: Invoicing/Stock Control

Volume 2: Sales Ledger/Purchase Ledger/Labelling
now dramatically reduced to only £29.95 each
or £54.95 for both

### DRAGON HARDWARE

4-way expansion unit £125.00 EPROM programmer £75.00 RS232 — I/O module £49.50 Sideways ROM £39.00 es for your DRAGON — check with

Disk Drives for your DRAGON — check with us for the best prices — free diskettes with every disk drive

51/4in diskettes (bulk pack) 10 for £10.00 50 for £45.00 100 for £85.00

CHAT COMBO — the complete modem package for DRAGON FLEX/DRAGON 64, CHATPLUS2 + CHAT/Viewdata + XMODEM £45.00

Modems: DEMON (not BT approved) £69.95 WS2000 (BT approved) £125.00

DEMON Modem with cable and CHAT COMBO £99.95 WS2000 modem with cable and CHAT COMBO £159.95

DRAGONPLUS — the Ultimate Expansion for your DRAGON — 80 by 24 video — extra 64k memory £103.50 EDIT+ for DRAGON DOS now includes software for DRAGONPLUS FLEX update disk £5.57 OS-9 Drivers £5.75


Prices include VAT

PLEASE ADD £2.00 to all orders for Postage and Packing VISA/ACCESS/MASTERCHARGE credit cards accepted

Stocks of some items are limited — order now to avoid disappointment



### COMPUSENSE Ltd





Fast mail order service Telephone orders on 01-882 0681/6936

### JOHN PENN DISCOUNT SOFTWARE FOR THE DRAGON

#### **EDUCATIONAL CORNER**

Dragon Education Software series

£2.00 each or any three for £5.00 or any five for £8.00 LET'S COUNT (3-7) simple counting

LET'S COUNT (3-7) simple counting SHAPE UP (4-7) simple shapes NUMBER CHASER (4-11) estimation skills FACEMAKER (4-11) CRANKY (7-11) number patterns and relationships

Shards Software series

Shards/Cambrian software £1.50 each or any three for £3.00

FUN TO LEARN (6-12) LIVE AND LEARN (8+) FAMILY PROGRAMS QUIZ PACK MONSTER MATHS (6-14) INFANT PACK (pre-school) FUN AND GAMES

SNOW QUEEN (7+) Cambrian Software (pattern recognition and spelling)

**Dragon Data series** 

£2.00 each or both for £3.50

NUMBER PUZZLER (4-11) CIRCUS ADVENTURE (4-8)

Cheshire Cat (Ampalsoft) series

£3.50 each or two for £6.00

MATHS I (4-6)
MATHS II (5-7)
'O' LEVEL MATHS I and II
SUPERSPY (11+)
BASIC TUTOR — BEGINNER'S LEVEL
BASIC TUTOR — ADVANCED LEVEL

#### BARGAIN BASEMENT

£1.50 each: five for £6.00: ten for £10.00

Please give at least two alternatives when ordering five or more programs

DRAGON TREK (W/s)
SURPRISE
MINIGAMES
ALIEN ODYSSEY
AMAZING
INTERPLANETARY TRADER
GOLDEN APPLES OF THE SUN
BOPSWIZZLE
HOMEBASE
B.C.BILL
DETECTIVE
CELLS & SERPENTS
CITY DEFENSE
SUPERSPY
MYSTERY OF THE JAVASTAR
EMPIRE
GOLF

LIONHEART

Title

DEMON KNIGHT
DEATH CRUISE
U.X.B.
TRANSYLVANIAN TOWER
MOVIE PRODUCER
LEGGITT
PEDRO
OSSIE
PETTIGREW'S DIARY
OPERATION SAFRAS
CHAMPIONS
PICTURE PUZZLES
MISSION I — PROJECT VOLCANO
DRAG RUNNER
NIGHT FLIGHT
GRID RUNNER
MINED OUT
DON'T PANIC

Our Price

#### **GAMES**

Publisher

CHOCOLATE FACTORY	Minnits	£2.50
HARERAISER PRELUDE double pack	Haresoft	£5.00
HARERAISER FINALE (Adv)	,	\$2.00
COSMIC CRUISER (Arc)	Imagine	£2.00
ARCADIA	Imagine	
FRANKLIN'S TOMB (Adv)	Salamander	£2.00
LOST IN SPACE	Salamander	£2.00
FISHY BUSINESS	Salamander	£2.00
CAVE FIGHTER (Arc)	Cable	£2.00
PACDROIDS (Arc)	Program Factory	£2.00
STOCKMARKET	Bamby	£2.00
STARMAN JONES	Blaby	£2.00
SUNKEN CITY (Adv)	Slik	£4.00
BLOCKBUSTER QUIZ	Computerware	£4.50
LINKWORD	Computerware	£4.50
SHOW JUMP	Computerware	£5.50
ACE HIGH	Tudor Williams	£5.50
TIME ATTACK (Adv)	Tudor Williams	£5.50
CLIFF HOUSE (Adv)	Thrillsoft	23.00
BLACK TOWER (Adv)	Thrillsoft	£3.00
	programs for £5.00	
BEST OF P.C.W. (25 programs and 206		25.95
	of listings etc.)	
PREDICTOR (forecast racing & football resu		€4.00
MANSION OF DOOM (Adv)	Dragon Data	£2.00
STALAG/ENO (Adv)	Dragon Data	£2.00
BEAN STALKER	Microvision	£7.95
THE TALISMAN	Microvision	£7.95
EDDY STEADY GO (Arc)	Incentive	£6.75
DARK STAR	Design Design	00.93
TIM LOVES CRICKET (Tandy version	Peaksoft	£4.00
also available)	1200	
SAS	Peaksoft	£2.00
PHOTO-FINISH	Peaksoft	£2.00

BACK TRACK (Arc)		Incentive	23.50
JET SET WILLY (Arc)		Software Projects	26.35
MANIC MINER (Arc)		Software Projects	£3.50
FOOTBALL MANAGER		Addictive	£5.95
CHESS		Oasis	£2.50
BACKGAMMON'		Oasis	£2.50
OTHELLO		Oasis	£2.50
INVADER CUBE		Oasis	£2.50
DOMINOES	,	Oasis	£2.50

#### UTILITIES

Title	Medium	Publisher	Our Price
Moneybox	disk	Harris	£13.50
Sharebox	disk	Harris	£15.50
Mailbox	disk	Harris	£15.50
Salesbox	disk	Harris	£18.50
Billsbox	disk	Harris	£18.50
Cashbox	disk	Harris	£18.50
Ordersbox	disk	Harris	£15.50
Stockbox	disk	Harris	£18.50
	ase state whether		
	manaDos for all H		
Mailer/Address Book	cass.	MST	£3.00
Stock Control	cass.	MST	23.00
Mailer/Address Book	disk	MST	€4.00
Stock Control	disk	MST	£4.00
Invoices/Statements	disk	MST	£4.00
MST Exec.	disk	MST Prof. Range	£10.00
Stock Control	disk	MST Prof. Range	£10.00
Petite Pascal	cass.	Oasis	£5.50
Shaper (sound effects) -	cass.	Shards	£5.00
Disk-It	disk	Pamcomms	210.00
Res-Text (hi-res utility to	cass.	Starship	£4.00
give a 32×24 screen with			
255 redefinable characters)			
Personal Banking System	cass.	Hilton	£9.95
	(upgrade pos. to [	OragonDos)	
Utilities I	cass.	Hilton	£5.00
Disassembler	cass.	Hilton	£5.00
OS9 Software for use with	Dragon 64, OS9	Operating System and dis	k drive(s).
Dynacalc (electronic spread shi	eet)		£21.00
Record Management System			£20.00
Basic O9 (a structured interactive	ve compiled langua	ge)	£21.00
Editor/Assembler/Debugger (L	IMITED NUMBER)		£19.00
'C' Compiler (a system impleme	entation language)		£27.00
Pascal (a structured modular la	nguage)		£19.00
Stock Recording System			£19.00
The Cash Book & VAT Register	System		£19.00
, and a second s	500		

10% discount on OS9 prices if 3-4 programs purchased 20% discount if 5 or more programs purchased.

OS9 Manuals (for R.M.S., Pascal, Stock Recording, Basic O9 and Cash & VAT only)

£2.50 each

#### **PERIPHERALS**

CUMANA DISC DRIVES	RRP	Our Price		
1×40 track single sided	£149.95	£133.16		
1×80 track double sided	£179.95	£167.30		
2×40 track single sided	£269.95	£248.25		
2×80 track double sided	£339.95	£309.96		
Interface	£75.50	271.16		

Our price includes VAT and carriage (on Cumana products only)

\$AM CHIPS (74LS 783) \$15.00 each or \$25.00 per pair \$25.00 each or \$25.00 e

We also sell other computers such as the Amstrad PCW 8256 and 8512, and the Commodore C128D, as well as software for the C16, Plus 4, Vic 20 and Commodore 64 computers. Please send or phone for the appropriate price list.

#### **HOW TO ORDER**

Write to us quoting the title, publisher (and medium where relevant) of the programs or items you want. Please include 50 pence for postage/packaging on single items, and 75 pence for two or more titles/items ordered. Postage to rest of Europe is £1.50, and £3.00 to rest of world.

If possible please give your telephone number as well as your name and full address. Cheques/postal orders/Access made payable to John Penn Discount Software.

All the software is subject to availability. Please allow up to 21 days for delivery, though we do try to despatch orders within 24 hours.

Trade enquiries welcomed.

### J. PENN DISCOUNT SOFTWARE

Dean Farm Cottage, Kingsley, Bordon, Hants GU35 9NG Tel: Bordon (04203) 5970