

A Database Publication

electron

Vol. 5 No. 8 June 1988 £1.25

user

BOMB ALERT

**Defuse the
UXBs, but
watch out
for Jaws!**




UTILITIES

*Route Planner: Take
the right road with
our handy database*

*Use a Master Ram
Board to edit two
programs at once*

*How to write fast
scrolling games
in machine code*



Challenge your Electron!

**Complete guide to all
Electron software
& hardware**

SPYCAT

An Interactive Exposé of M.I.4½



The London Skyline
Viewed from Blackhall



Outside No. 10
Downing Street



Meeting the P.M.



Waiting to see "M"

All the Thrills and Intrigue of the World of Espionage

Spycat is a skilfully-written arcade adventure game which takes place amongst the corridors of power in Blackhall, Downing Street and the M.I.4½ underground surveillance complex.

You play the role of Spycat: a cat with a purpose. You are devoted to spending your life embroiled within the fascinating but dangerous arena of professional secrets. It's a good career — full of security; and when you retire you can always supplement your pension by emigrating to Greenland and publishing your memoirs.

The game features nearly 100 different screens, with 30 different objects — including computers and passports — to locate and employ in appropriate ways. An icon-driven control system is used to orchestrate your manoeuvres and actions. There are secret passages to discover, and hatches and lifts to assist your progress. Guest appearances are made by: the Prime Minister and the spy-chiefs "Q" and "M".

Spycat is a thoroughly captivating game. To complete the adventure, you will need to use clear logical thought as well as fast reactions and arcade skills. Your life as an undercover cat may not be easy but it will always be exciting!

BBC Micro Cassette.....\$9.95 Acorn Electron Cassette.....\$9.95
BBC Micro 5¼" Disc.....\$11.95 BBC Master Compact 3½" Disc.....\$14.95

(Compatible with the BBC B, B+ and Master Series computers)

PRIZE COMPETITION

The first prize in our competition is a specially-produced ESPIONAGE KIT (worth over £100) comprising: quality prism binoculars, a mini camera, a mini cassette-recorder, invisible ink pens, and a book on codes and ciphers. There are 20 congratulatory certificates for runners-up.

To enter the competition, you must complete the game and write to us describing the final messages that you receive.
Closing Date: 31st July, 1988.

SUPERIOR SOFTWARE
Limited

ACORNSOFT

Dept. C 7, Regent House, Skinner Lane, Leeds LS7 1AX. Telephone: 0532 459453

Please make all cheques payable to "Superior Software Ltd".



24 HOUR TELEPHONE ANSWERING SERVICE FOR ORDERS

OUR GUARANTEE

- All mail orders are despatched within 24 hours by first-class post.
- Postage and packing is free.
- Faulty cassettes and discs will be replaced immediately. (This does not affect your statutory rights)

News

The very latest software and hardware from the ever-expanding world of the Electron.

5

ViewSheet

This new book from Dabs Press may be just what you need to get your spreadsheets in order. Find out what we think inside.

7

10 Liners

More impressive mini masterpieces from our creative readers for you to sample.

9

Pendragon

Our resident wizard opens up his castle once more to help intrepid adventurers along their way.

10

Hardware Projects

Put the finishing touches to your Electron weather station in the last part of our do-it-yourself project.

16

Fibonacci Nim

Beat the computer in this unusual form of the classic strategy game.

20



Shadow Ram

Find out how to get your Master Ram Board to hold two Basic programs at once in Part 3 of our series.

22

Bomb Alert

You'll need to be fast on your flippers in this superb machine code underwater arcade game.

26



In Action

Make your journeys easier with our handy car route database.

29



Pullout Guide

All the current arcade games, hardware products, adventures and business packages for the Electron are in this four-page pullout.

31

Machine Code

Meet the 6502's index registers in Part 4 of our easy-to-follow tutorial.

35

Memory Map

The memory locations from &200 to &3FF are examined in detail this month.

38

Sprites

We show you how to write scrolling games in Part 5 of our advanced machine code series.

42

ViewSheet

Complete your profit and loss predictor in the final part of our beginner's guide to spreadsheets.

44



Software

The latest top-selling games releases come under the microscope of our expert reviewers.

48

Arcade Corner


The man with all the pokes is here again to present more hints, tips and devious cheats.

56

Micro Messages

Find out what Electron users think about us, their machines and the world in general in the column you write yourselves.

57



Bargains galore!

Don't miss our special offers on Pages 51 to 53

Managing Editor
Derek Meakin

Group Editor
Alan McLachlan

Features Editor
Roland Waddilove

Production Editor
Peter Glover

Reviews Coordinator
Pam Turnbull

Editorial Assistant
Chris Nixon

Promotions Editor
Chris Payne

Advertising Sales
John Snowden
Peter Babbage

Published by Database Publications Ltd
Europa House, Adlington Park, Adlington, Macclesfield SK10 4NP.

Telephone: 0625 878888 (Editorial, Admin, Advertising). 0625 879940 (Subscriptions).
T/Gold Mailbox: 72:MAG001. Prestel: 614568383. Telex: 265871 MONREF G. Quoting Ref. 72:MAG001.

ABC 37,575 January-June 1986

News trade distribution:
Diamond-Europress Sales and Distribution,
Unit 1, Burgess Road, Ivyhouse Lane,
Hastings, East Sussex TN35 4NR. Tel:
0424 430422.

Printed by Carlisle Web Offset.

Electron User is an independent publication.
Acorn Computers Ltd, are not responsible for
any of the articles in this issue or for any of the
opinions expressed.

Electron User welcomes program listings and articles for publication. Material should be typed or computer-printed, and preferably double-spaced. Program listings should be accompanied by cassette tape or disc. Please enclose a stamped, self-addressed envelope. otherwise the return of material cannot be guaranteed. Contributions accepted for publication will be on an all-rights basis.

Subscription rates for
12 issues, post free:

£15 UK
£23 Europe & Eire
£38 Overseas

ISSN 0952-3057

© 1988 Database Publications Ltd. No material may be reproduced in whole or in part without written permission. While every care is taken, the publishers cannot be held legally responsible for any errors in articles or listings.

ACORN IN ACTION

A totally new experience for show visitors

at the
Royal Horticultural Hall,
Westminster, London SW1



10am-6pm Friday May 13
10am-6pm Saturday May 14
10am-4pm Sunday May 15

You'll find the very latest software and peripherals for the complete Acorn range at the Electron & BBC Micro User Show.

But this time there'll be so much more to enjoy.

Acorn In Action will demonstrate some of the truly amazing projects currently involving the machines . . .

- SEE** ★ A spectacular laser light show controlled by a BBC Micro. (Saturday only)
- ★ The research work on the BBC Micro that has helped to bring new hope to sufferers of the eye disease glaucoma. (Friday and Sunday)
- ★ A program developed by an amateur astronomer to locate distant galaxies. (Saturday and Sunday)
- ★ The Beeb system being used by doctors at Guy's Hospital to provide a breakthrough in the treatment of arterial disease. (Saturday and Sunday)

PLUS watch your own heartbeats displayed, measure your manual dexterity and hear your own voice backwards – all courtesy of a BBC Micro.

Take your seat in the Archimedes Demonstration Theatre run by Acorn's own experts. Thirty minute special introductory courses to the new machine will be held on the hour, every hour throughout the three days. Price just £1.

It all adds up to a fantastic day out for the whole family!

HAND THIS COUPON IN AT THE DOOR – AND SAVE 50p A HEAD



Bring this coupon to the show to get 50p per person off the normal admission price of £3 (adults), £2 (children)



Friday, May 13, 10am-6pm
Saturday, May 14, 10am-6pm
Sunday, May 15, 10am-4pm

Royal Horticultural Hall
Westminster
London SW1

R100

electron user NEWS

Board cuts rom swapping

NEW from Jafa Systems (0222 887203) comes a product which could save Electron owners a lot of rom swapping.

ROMPlus-144 is an intelligent sideways rom board which makes it unnecessary to open the Electron.

When used as a straight rom board it holds up to eight roms and plugs into a Plus 1 slot.

It also has its own control rom, which allows users to select the currently active rom, save images to disc or cassette, or get a disassembly listing of any of the roms.

And help strings can be printed from any of the roms, or star commands passed.

Additionally, if the 32k selfmodify-protected ram is used in place of one rom, it's possible to use two-rom sets.

While the ram is present the ROMPlus-144 control rom can also be used as a ram filing system or printer buffer - even when the required rom is selected.

An extension of the Electron's built-in rom filing system, this allows saving of files in ram in RFS format.

This in turn allows either temporary storage of data between tape and disc operations or the production of RFS roms.

Price £39 - £54 with ram.

ADVENTURE PROGRAM 'BEATS BIG BROTHER'S'

AN Electron version of a critically acclaimed adventure programming system for the BBC Micro could be ready for release this summer.

Called ALPS - for Adventure Programming Language System - it is a rom-based tool for serious programmers from Alpine Software (0762 42510) and was highly praised in a recent issue of *The Micro User*. It is produced

by Northern Ireland school-teacher Philip Hawthorne who used to trade under the name Summit Software.

"Due to threatened legal action by another company claiming prior use of that name, we have been forced to change and from now on will be known as Alpine Software", he told *Electron User*.

"We have an Electron version of the ALPS rom under

final test at the moment. Lack of ram being the mother of invention, we have squeezed in more features than the BBC Micro version has.

"The project is being developed in association with PRES.

It is hoped the package will be compatible with its AP3 unit and the majority of DFSs and ADFSs, as well as cassette.

On line to Europe

KEEPING up to date on European Community affairs has been made easier by MicroLink, the UK's fastest growing electronic mail service.

A large number of databases covering EEC matters is now available on MicroLink through a gateway to Echo - the European Community host organisation in Luxembourg.

Although it is one of several European online information providers, Echo is the only one to offer free services.

These include the Great European Online Dictionary of 400,000 terms in eight languages.

Electrons helping jobless

ELECTRONS are filling a number of useful roles at a home for the disabled in Crawley, West Sussex.

Handicapped himself, although not one of the 33 residents, Steve Ludlow is computer room supervisor at the Heatherly Cheshire Home.

An Electron is one of the micros used in his Manpower Services community project to teach local long-term unemployed about computing.

Two disabled residents of Heatherly are also finding Electrons useful as well as enjoyable.

"One man came here suffering from an extreme lack of self-confidence after 50 years of having all his decisions

made for him", said Steve.

"Owning an Electron has helped bring him out of his shell and taught him to think for himself.

"He particularly enjoys graphics programs and the listings he finds in *Electron User*. If we didn't switch off at 10pm I'm sure he'd be at his keyboard all night.

"The other Electron user here is unable to speak and uses the machine to communicate with other people. She is also very keen on puzzles and word games".

Data defences lined up against static

WITH safety and convenience in mind, Praybourne Products has released several new items for Electron users.

If you've been having problems with static electricity corrupting data, then Touch It

may just be the answer.

The device sticks to the Electron keyboard and provides a means for discharging static. Price £8.95.

To protect discs during storage or in transit, the com-

pany has released a nylon floppy wallet that can hold up to nine 3.5in discs. Price £9.95.

Another new product from Praybourne (0527 61221) is the Copy Book Holder which

can hold anything from a booklet to a full sized computer manual at a convenient angle for reading.

Made of strong plastic, the unit comes in two clip together sections at £11.95.



A BARBARIAN IN YOUR ELECTRON

ELECTRON users have had a long wait, but Superior Software (0532 459453) promises it's been worth it – Barbarian is now available.

Claimed to be the most realistic and exciting of all sword fighting games, Barbarian is for one or two players.

And the scenario? You are the broadsword-wielding barbarian of the title, the ultimate warrior.

All you've got to do is rescue the beautiful Princess Mariana from the clutches of Drax, the evil sorcerer.

As an added bonus, Superior is running a competition with the game, with a £100 first prize.

Just complete the game and write off to Superior describing the final on-screen messages. Price £9.95 – cassette only.

New introduction to word processing

A NEW word processing package designed with both individual users and organisations in mind has been released for the Electron.

WASP – Word and Symbol Processor – from National Extension College (0223 316644) is claimed to be a very accessible introduction to word processing.

All commands are actioned by single keystrokes, with all the menus and editing

commands conveniently displayed on-screen.

Features include super and subscripting, full justification, boldening and underlining. WASP can also handle the symbols required for subjects like mathematics and foreign languages.

Accompanied by a handy 18-page A5 user manual, WASP is priced at £19.95 – £5 for second and subsequent copies.

THE GALLUP CHART

TOP 10

ELECTRON SOFTWARE

THIS MONTH	LAST MONTH	TITLE (Software House)	PRICE
1	3	SOCCER BOSS <i>Alternative</i>	1.99
2	1	COMBAT LYNX <i>Alternative</i>	1.99
3	2	STAR FIGHT <i>Alternative</i>	1.99
4	•	FIVE STAR GAMES <i>Beau Jolly</i>	9.95
5	4	PRO GOLF <i>Atlantis</i>	2.99
6	6	FOUR GREAT GAMES <i>Micro Value</i>	3.99
7	•	GRID IRON <i>Top Ten</i>	2.99
8	5	PAPERBOY <i>Elite</i>	9.95
9	•	WAY OF THE EXPLODING FIST <i>Mastertronic</i>	1.99
10	7	THAI BOXING <i>The Micro Selection</i>	1.99

Compiled by Gallup/Microscope

Combat Lynx loses its first place to another Alternative title – Soccer Boss. This month sees two new budget entries from Top Ten and Mastertronic, while Beau Jolly's compilation rejoins the chart at number four.

With no full-priced games in the chart at present it shows how much the budget and compilation houses now dominate the market.

A dab-hand's view

CHRIS NIXON takes a look at a new guide for ViewSheet and ViewStore from Dabs Press

IF you want to get right to the heart of a piece of popular applications software, you normally need look no further than a Dab-hand Guide from Dabs Press.

These friendly, yet authoritative guides to – among other topics – the BBC Master's operating system and the View suite of software, have already earned the company an enviable reputation as a producer of definitive bibles for any given subject.

Their latest release, ViewSheet and ViewStore – a Dab-hand guide, is hot off the press, and is intended to complement the three existing books in the Dabs Press series of explanatory texts for the View suite.

The reason for reviewing a book like this in *Electron User* is twofold. First, a large number of Electron owners by now have the ViewSheet cartridge and are looking around for a decent tutorial on the subject.

Secondly, ViewStore – available only for the BBC Micro – works perfectly on an Electron if you have a Rombox Plus, or Plus 1 with rom cartridge. In the Micro Messages section of the July 1986 *Electron User*, Stephen Domleo listed the different function key presses necessary to control the program on its new host.

Incidentally, for those who don't know, ViewStore is a powerful general-purpose database which is capable of being very precisely tailored to any particular application. But the accompanying manual – like ViewSheet's – makes for some heavy reading.

So with a copyright date

of just March this year, some readers may think it's about time a book of this nature finally made it into print, but in my opinion it's certainly been well worth the wait.

Dabs Press is a fairly new publishing company, whose stated philosophy is to bring the accumulated learning of many years to both the novice and experienced computer user alike, using the very latest in desktop publishing techniques.

Indeed, at exactly 340 pages the neatly laid-out, laser printed and spiral bound manual doesn't look as if anything could have possibly been left out of it.

On opening the guide you are immediately presented with a huge contents page, listing a total of 19 chapters – each made up from approximately 10 sections – and six appendices. Scanning through the chapters reveals the layout of the guide, which unless understood at the start may lead to some initial confusion.

The guide is divided into two main sections, the first being labelled for first-time users. The first five chapters of this section are a complete basic introduction to using ViewSheet – I say basic, but even here the practical examples given far exceed the official Acorn manual.

The next six chapters likewise introduce the different principles and practices involved with using ViewStore, and again go way beyond the official guide in their scope.

Next comes part two of the guide, the advanced section. Here again, the first few chapters introduce the

more advanced ViewSheet functions and techniques, followed immediately by the advanced section on ViewStore.

Most people – like me – will probably open the guide expecting it to be divided straight down the middle into two parts, one for each subject being covered. But it is this structure of first simple ViewSheet, simple ViewStore, then advanced ViewSheet and advanced ViewStore which makes for more enlightened reading – but also necessitates careful reading of the contents page first.

The last two chapters are devoted to ViewPlot and OverView, two different but

closely related packages. ViewPlot is a utility for displaying numerical data from both Viewsheet and ViewStore in a graphical form.

Pie charts, bar graphs and cartesian graphs may all be generated by this powerful package, which is available separately from Acornsoft. Overview is a cartridge for the Master 128, and so does not concern Electron owners.

If you are one of those people for whom the normal ViewSheet and ViewStore manuals may just as well have been the Rosetta Stone, then this book is definitely for you. Every con-

Turn to Page 8 ▶



Review

◀ From Page 7

ceivable application for both programs is covered using clear, informative explanations.

The text speaks throughout with the voice of experience, detailing all the possible mistakes and pitfalls which can rear their heads at the careless or unwary user.

Included in the book are a multitude of useful programs, providing you with anything from a sideways printer driver for use with ViewSheet, to a complete garbage collection utility for ViewStore databases. All the programs have been fully tried and tested, and are available on a separate disc for an extra charge of £7.95 for a 5.25 inch disc, or £9.95 for 3.5 inch.

To help drive the principles home, a recurring theme is used in the ViewSheet sections. An

imaginary project – for analysing the average and standard deviation of the sizes of different pebbles on a beach – is returned to each time a new concept and its possible application is mentioned.


This makes it all so much

easier for the first-time user to grasp the new ideas as they come, instead of having a set of stodgy numbers to contend with.

This guide is the sort of invaluable reference tool that all serious users of the View business suite need.

Being at once a beginner's primer and an expert's textbook, the ViewSheet and ViewStore Dabhand Guide is probably all you will ever need on your bookshelves – aside from our own modest introduction to ViewSheet which started in the March issue of *Electron user*.

Having read two of the previous Dabhand guides, and found them both to be irreplaceable reference works, and I for one am eagerly awaiting Dabs Press's next attempt to cut away more swathes of complexity from the software and hardware world.



Two pages from the manual showing the clear layout

Product: ViewSheet and ViewStore – a Dabhand Guide.

Publisher: Dabs Press, 76 Gardner Road, Prestwich, Manchester M25 7HU.

Price: £12.95, with separate 5.25 and 3.5in program discs available at £7.95 and £9.95 respectively.

WHOLESALE PRICES – DIRECT FROM THE WAREHOUSE!

Importers . . . Manufacturers . . . Distributors . . .
Telephone: 0664 410666

STORAGE BOXES



3.50" Lockable – Holds 40	£6.95
3.50" Lockable – Holds 80	£8.95
3.50" Lockable – Holds 120	£10.95
5.25" Lockable – Holds 50	£6.99
5.25" Lockable – Holds 100	£8.99
5.25" Lockable – Holds 140	£10.99

ALL WITH LOCK & TWO KEYS
DIVIDERS & ANTISTATIC!

ACCESSORIES

Mouse Mat	£5.95
BBC Printer Cable	£5.95
Atari etc Printer Cable	£6.95
3.5" Cleaning Kit (fluid)	£4.95
5.25" Cleaning Kit (fluid)	£3.95
Disk Notcher	£4.95
12" Monitor Stand	£11.95
14" Monitor Stand	£14.95
Desk Top Copy Holder	£14.95
A3 Copy Holder	£19.95
Space Saver Printer Stand	£29.95
Economy Printer Stand	£13.95

!!! FLOPPY DISKounts !!! THE MORE YOU BUY – THE MORE YOU SAVE !!!

3.5" Bulk Packed–		25+	50+	75+	100+	150+
Price each disk		94p	90p	86p	82p	80p
Single Sided 135 T.P.I.		94p	90p	86p	82p	80p
Double Sided 135 T.P.I.		105p	99p	94p	91p	89p

ALL DISCS ARE SUPPLIED WITH LABELS AND ARE
CERTIFIED 100% ERROR FREE

5.25" Bulk Packed–		25+	50+	75+	100+	150+
Price each disk		42p	37p	32p	30p	29p
Single Sided 48 T.P.I.		42p	37p	32p	30p	29p
Double Sided 48 T.P.I.		44p	39p	34p	32p	31p
Double Sided 96 T.P.I.		46p	41p	36p	34p	33p
Double Sided Col. 96 T.P.I.		55p	49p	45p	39p	38p
Double Sided Rev. 96 T.P.I.		55p	49p	45p	39p	38p

COLOURED DISKS COME IN FIVE COLOURS (RED,
BLUE, WHITE, YELLOW, GREEN)
REVERSIBLE DISKS HAVE TWO INDEX HOLES AND
TWO NOTCHES!

ALL DISKS COME WITH ENVELOPE AND LABEL SET
AND HAVE A HUB RING AND FULL GUARANTEE

BULK PACKED OFFERS – BEST VALUE IN TOWN

25 Double Sided 5.25" Disks with our 50 Capacity Box	£15.95
50 Double Sided 5.25" Disks with our 50 Capacity Box	£24.97
75 Double Sided 5.25" Disks with our 100 Capacity Box	£32.97
100 Double Sided 5.25" Disks with our 100 Capacity Box	£39.97
20 Double Sided 3.5" Disks with our 40 Capacity Box	£24.93
40 Double Sided 3.5" Disks with our 40 Capacity Box	£45.93
60 Double Sided 3.5" Disks with our 80 Capacity Box	£63.93
80 Double Sided 3.5" Disks with our 80 Capacity Box	£79.93

ALL BOXES COME WITH LOCK, 2 KEYS, DIVIDERS AND ARE
ANTISTATIC

ALL DISKS COME WITH LABELS AND ARE 100% GUARANTEED
ERROR FREE

UK MADE LIBRARY CASE

5.25" or 3.5"
(10 capacity)

ONLY 95p
(if bought with disks)

All Disks are sent
by Trackback or
Courier Service
at no extra cost!



MELTON COMPUTER SUPPLIES
PO Box 2, Melton Mowbray, Leicestershire.
Telephone: 0664 410666 (24 hrs)

Phone for our best price before placing your order
EDUCATIONAL & GOVERNMENT ORDERS WELCOME



SPECIAL CLEARANCE
JVC or Goldstar MF2-DD
Branded Disk Pack
Only £15.95
(price per 10 disks)

Remember the price you see is all you pay (U.K. only). Prices include VAT and carriage

LISTER

```

PROCfnproc
 90 DEFPROCsetup
100 DEFPROCmenu
150 DEFPROCscan(N%)
190 DEFPROCrecipe
240 DEFPROCheader(A$)
250 DEFPROCfind
310 DEFPROCget
320 DEFPROCread
330 DEFPROCadd
410 DEFPROCosword
430 DEFPROCcsr(C%)
440 DEFPROChelp
840 DEFPROCpause
850 DEFPROCguide
950 DEFPROCcreate
960 DEFPROCprint
1020 DEFPROCdisplay(N%)
30000 DEFPROCfnproc
30040 DEFPROCclp(A$,Y%)

```

A sample output from the procedure and function lister

```

1 REM Proc & Func Lister      +1:UNTIL?GX<>32:IF?GX=242 PR
2 REM By Ken Rayner          OClp("DEFPROC",GX) ELSEIF ?G
3 REM (c) Electron User     X=164 PROCclp("DEFFN",GX)
4 REM                        8 NEXT:ENDPROC
5 DEFPROCfnproc              9 DEFPROCclp(A$,Y%):PRINT
6 FORGX=PAGE TO TOP:IF?G    STRINGS(5-LENSTRLineX," ");
X=13 AND GX?1<>32 LineX=GX?1 LineX;" ";AS::REPEAT YX=YX+1
+256+GX?2:REPEAT GX=GX+1:UNT :IF ?YX=13 OR ?YX=58 UNTIL-1
IL?GX<>32:GX=GX-1           ELSE PRINTCHR$?YX::UNTIL0
7 IF?GX=221 REPEAT GX=GX    10 PRINT:ENDPROC

```

THIS month we start with a neat utility from Ken Rayner of Folkestone, Kent, which lists all functions and procedures, together with their line numbers. Simply tack it to the end of any Basic program, and call it with:


PROCfnproc

The only problem is when the procedure encounters a line number with a low byte value of &1A. This is the token Basic uses to represent the DEF FN command, and PROCfnproc will think it has found a function definition at that point.

Such line numbers are however rare, and the series starts with the numbers 420, 676, 932 and continues with mostly odd numbers not often used as line numbers.

ANYONE who typed in Mike Cook's Dragon Curve program from the June 1987 issue will be amazed at this 100 per cent machine code version crammed into just 10 lines from I. J. Farquarson of Putney, London.

It runs several hundred per cent faster than the original, generating the complete curve in just under 25 seconds. There is no facility for inputting the scale, but changing the start values of *length* and *recur* in line four corresponds to inputting values in the original.



The machine code version of Dragon's Curve

FAST
DRAGONS
CURVE

```

1 Osv=&FFEE:Osr=&FFE0:Os      Dir:LDA #Length:STA Len:LDA
b=&FFFA:Dir=&7D:Len=&71:Lev=  #Recur:STA Lev:PHA:JSR Curve
&72:Work=&73:Length=10:Recur :PLA:RTS
=12                          5 .Curve:LDA #0:CMPLev:
2 FOR Pass=0TO2 STEP2:P%    BEQ Draw:DEC Lev:LDA Lev:PHA
=&900:[OPT Pass:Dragon:LDA   :JSR Curve:INC Dir:LDA Dir:A
#22:JSR Osv:LDA #01:JSR Osv :ND #03:STA Dir:PLA:STA Lev:L
LDA #16:LDX #0:JSR Osv:]    DA Lev:PHA:JSR Curve:DEC Dir
3 RESTORE10:FOR loop=1 T   :LDA Dir:AND #03:STA Dir:PLA
O 70:READ Byte:[LDA #Byte:JS :STA Lev:RTS
R Osv:]:NEXT                6 .Draw:LDA#25:JSR Osv:L
4 [OPT Pass:LDA #00:STA     DA#01:JSR Osv:LDA Dir:STA Wo
rk:BNE One:LDA Len:JSR Osv:L :JSR Osv:LDA Len:EOR #&FF:SE
DA #00:JSR Osv:JSR Osv:JSR O C:ADC #00:JSR Osv:LDA #&FF:J
sw:RTS                       SR Osv:RTS:]:NEXT:CALL Drago
7 .One:DEC Work:BNE Two:   n
LDA #00:JSR Osv:JSR Osv:LDA 10 DATA 17,2,12,31,10,1,&
Len:JSR Osv:LDA #00:JSR Osv: 54,&68,&65,&20,&44,&72,&61,&
RTS                          67,&6F,&6E,&27,&73,&20,&43,&
8 .Two:DEC Work:BNE Thre   75,&72,&76,&65,18,0,1,25,5,0
e:LDA Len:EOR #&FF:SEC:ADC # ,0,255,3,25,5,254,4,255,3,25
00:JSR Osv:LDA #&FF:JSR Osv: ,5,254,4,0,0,25,5,0,0,0,18
LDA #00:JSR Osv:JSR Osv:RTS ,0,3,25,4,196,3,34,1,23,1,0,
9 .Three:LDA #00:JSR Osv   0,0,0,0,0,0,0

```

A adventures by Pendragon

Charting success

Readers' Top 20

1	Village of Lost Souls	Robico	94%
2	Dodgy Geezers	Meilbourne House	92%
3	The Hunt	Robico	90%
4	The Lost Crystal	Epic	89%
5	Myorem	Robico	87%
6	The Ket Trilogy	Incentive	86%
7	Hex	Larsoft	85%
8	Enthar Seven	Robico	81%
9	The Nine Dancers	Larsoft	80%
10	Suds	Riverdale	78%
11	Oxbridge	Tynesoft	75%
12	Puppet Man	Larsoft	74%
13	Magnetic Moon	Eik Adventure Club	72%
14	Sphinx Adventure	Acornsoft	71%
14	Kayleth	Adventure Soft	71%
16	Starship Quest	Eik Adventure Club	70%
17	Twin Kingdom Valley	Bug Byte	68%
18	Rick Hanson	Robico	67%
19	Woodbury End	Shards	64%
20	American Suds	Riverdale	63%

JUST as surely as summer follows spring it's Top Twenty time once again. The chart is compiled solely from readers' votes for their favourite adventures for the Electron.

This must be the most interesting Top Twenty I have compiled. I find it incredible that **Dodgy Geezers** should oust **The Hunt** or **The Lost Crystal** from the number two spot.

I am also amazed that the dreadful **Ket Trilogy** should prove so popular among you, the readers. It just goes to show that poor reviews do not necessarily sway the buying public - and quite right too.

However, it is an absolute delight to see **Enthar Seven** reach the chart. The adventure has been on the market

for over two years and is the first disc-only adventure to enter the chart in this column.

This reflects the large number of questions I have been asked about this game in recent months. It is also pleasing to see that Larsoft has come of age with three titles in the top 12.

While on the subject of charts, a large number of people have written to me during the past 18 months asking for my own opinion as to the best cassette-based adventures for the Electron.

I have been reticent about giving such an opinion as one person's delight may be another's torture. However, having been asked the same question dozens of times at the recent Electron & BBC

Problems Solved

At the Electron & BBC Micro User Show I was asked many questions about **Enthar Seven**, **Myorem** and the perennial **Sphinx Adventure**. Certain questions cropped up again and again. I will endeavour to answer these for the benefit of you all.

In **Enthar Seven** the goggles must be worn if you wish to survive the vitriol-spitting lizard. These goggles can be found in the storeroom beyond the cave of bats. However, you will need the decibox to get past those blood-hungry mammals.

The teleport chamber in sector one can be found Northwest of the large cavern, but you must search for the passage. The radiation field hides a coin and a geiger counter, without which you will surely perish.

Once you have conquered the mutated creature and the lizard, you can continue on an Easterly path which will lead to a wooden oar and a hammer which bathes in a pool of pure acid!

In the command centre the vacuum cleaner bag must be mended with the adhesive tape if you wish to successfully clean up the dust which covers the trap door. The correct wording is: REMOVE DUST BAG FROM

VACUUM CLEANER then STICK PLASTER ON DUST BAG.

In **Myorem** a lot of people seem to be having difficulties in the forest area. Once your inside the cabin, the keys to the chests can be found hanging behind the cupboard door. The small chest can then be used to carry a number of items across the rope bridge.


The swamp can be reached by placing the wooden plank across the quicksand. In the swamp you will discover a twig and a jar of dirty water.

The jar should be emptied then filled with crystal clear water at the pool, West then South of the cabin. You now have a primitive magnifying glass which can be used later in the game.

In **Sphinx Adventure**, crossing the lake appears to be the biggest obstacle to progress for many. I must admit this had me foxed for a long time when I first played the game.

You need the boat and the matches in order to venture across the water, but first you must recover some Stilton cheese from the goblins' dairy.

Once you have this, you must journey to the castle



Adventurer's Glossary (continued from last month)

- Hairpin:** Can be used to pick a lock!
- Hammer:** Its use must be obvious!
- Handle:** Turn it!
- Haystack:** You had better look for that needle.
- Heap of Compost:** Dig it over and search.
- Hedge:** Usually just scenery, but can be a useful place to hide.
- Helmet:** Must be worn for protection.
- Hole:** Usually worth exploring, but you may need a light.
- Holy Grail:** Search for it and treasure it!
- Horn:** Blow it for assistance.
- Horseshoe:** A lucky charm, but may have magnetic properties.
- Hut:** Always worth entering and exploring, but take care!

Micro User Show in Manchester, I now relent!

What follows is my personal Top Ten of favourite adventures released on tape for the standard 32k Electron. Many of them are generally acknowledged as being classics, but others may just reflect my own personal quirk.

Something which has just struck me upon re-reading the above list is that despite my declared dislike of graphic adventures, four of my selections contain graphics! I would challenge

anyone to produce a top ten of better cassette-based

Electron adventures.

Now, there's an idea for a competition! I will give away copies of my Top Ten to anyone who can send in a more convincing list.

To make matters perfectly fair, I'll ask *The Micro User's* Mad Hatter to adjudicate. So get your thinking caps on and send all entries to me by June 30.

I finish by apologising for calling George Barber "Geoff" when announcing the winners of the home-written adventure contest last year.

This faux-pas has only just been brought to my notice and I ask your humble pardon George.

Until opinions never differ, happy adventuring!

Pendragon's Top 10

1 Village of Lost Souls	Robico
2 Saga of a Spy Trilogy	Robico
3 The Lost Crystal	Epic
4 The Hunt	Robico
5 Woodbury End	Shards
6 Classic Adventure	Melbourne House
7 Wheel of Fortune	Epic
8 The Puppet Man	Larsoft
9 Twin Kingdom Valley	Bug Byte
10 Suds	Riverdale

following a new and quicker route than the ones I have previously published: From the spice room go W, E, W, S, D, D, U.

At the castle you must catch the mouse using the cheese as bait and retrieve the boat from the foot of the hill. The journey back to the bear's cave is a simple W, W, S, N. Now frighten the elephant with the mouse, collect the matches and the problem is solved.

The Mithril ring will be given to you if you wave the wand in the fairy grotto. The ring can then be used for rapid teleporting and escaping from difficult situations.

Has anyone discovered the cheat in **Sphinx Adventure** which I hinted at last month? A clue to help: Try filling and emptying the water bottle a few times!

While on the subject of cheats, I have still not heard from anyone who has discovered the amazing hacking trick in Epic's **Lost Crystal**. There is a copy of **American Suds** awaiting the first to send me the answer.

Finally, two young men, Robert Ruperd and Martin Deer both asked for help with the collected letters in **Kingdom of Hamil**. I suggest that you think in terms of anagrams.

Readers' Hall of Fame

Village of Lost Souls – Peter Jones
(continued from last month)

Take the oxen back to the plough, connect them up, then go ploughing. LEAD OXEN, SW, SW, GET PLOUGH, NE, ATTACH PLOUGH TO OXEN, LEAD OXEN, NW, SW, SW, S, SW, E, PLOW FIELD. Take the uncovered seal and use it to open the gatehouse. GET SEAL, W, NE, N, INSERT SEAL INTO DOORS.

Go to the guard's dormitory. W, W, N, N. Take the gloves from the fourth locker to begin dressing to open the beehive. UNLOCK FOURTH LOCKER, OPEN FOURTH LOCKER, GET GLOVES. Return to the ruined farmhouse living area to complete your dress. S, S, E, E, N, NW, N, N, N, IN, IN, WEAR VEIL AND GLOVES.

Now find something to put the bees to sleep. OUT, OUT, SW, S, E, NE, E, E, WEAR BAND, GET ROD, W, NW, SW, S, IN, GET FLEECE, OUT, W, GET TIN, E, N, W, RUB ROD WITH FLEECE, DROP ROD AND FLEECE, GET KEY, E, NE, E, SW, UP, E, UNLOCK CHEST, OPEN CHEST, DROP KEY, GET TOBACCO, W, DOWN, IN, GET PLIERS, OUT, NE, N, W, SW, W, W, DROP STAFF, GET PIPE, FILL PIPE WITH TOBACCO, GET STAFF.

Open the hive to get the wax. E, N, N, N, IN, IN, E, N, LIGHT PIPE, OPEN HIVE, DROP PIPE, GET WAX. Visit the church, clue hunting. S, W, OUT, OUT, SW, S, SE, IN. Open the way to the crypt, before going on to the lecturn. N, CUT CHAIN, DROP PLIERS, S, SW, UP, UP.


Find the rector's bible and act on the information

Turn to Page 13 ▶

TWIN KINGDOM VALLEY

The Castle

(Map 5)



Maps one to four can be found in the February to May issues.

electron
user

◀ From Page 11

inside. TAKE BIBLE, READ BIBLE, DROP BIBLE, GET PARCHMENT, READ PARCHMENT, DROP PARCHMENT, D, D, NW, KNEEL, PRAY, STAND, EXAMINE ALTAR.

Enthar Seven – The Boss (continued from last month)

This is it: The final part of this long-running solution! Return to the mountains of Yarryl beyond the Lorvox household in sector two, equipped with the biscuit, the sweet, the hammer, the torch, the goggles, the translator, the flask of water, the mirror and the bracelet.

Once you reach them, select a safe spot and drop all the objects except the torch, hammer and bracelet. Set your teleport bracelet by saying SET, and proceed towards the dark tunnel. When you reach the chasm, remember you cannot jump it if you are carrying more than one object.

Also bear in mind that you can jump out of light and into light, but not from dark to dark! With a bit of careful planning you should be able to cross the chasm with both the hammer and the torch.

Hammer the rustic wall to find the scroll, then teleport back to the mountains where you can gather up your possessions. Once again you should set the bracelet. Using the translator, the scroll will give you a safe route through the Yarryl mountains. However, you will need to eat both the sweet and the biscuit for sustenance on your journey.

The guard-beast can be circumnavigated if you simply shut her kennel door, but the monument may pose the biggest problem you have yet encountered. Try to solve the puzzle of the tomb before reading the rest of this



solution as I can guarantee they will pose some real head-scratchers.

The tomb of Meta Lorvox will provide you with a cure-all pill which you will soon need to swallow. Ben's tomb is guarded and well booby-trapped. Don't be tempted to switch on your torch, but venture through the darkness to the ante-room beyond.

The laser can be destroyed using the mirror, but you must wear the goggles while performing this operation. The securibot needs careful observation before you try to pass him. Eat the pill and drink the water before you remove the memomatic from the rotting corpse. Then teleport back to the mountains.

Return to the command centre and use the memomatic to open the safe, from where you can gather the key-card. Now drop the memomatic and return to the giant hallway. Carrying just the key-card, muffler, goggles and spacesuit, and you can now venture outside to your spacecraft.

I'll leave you to negotiate the final simplistic hurdles and victory is yours! One point of interest: Of the dozens of objects in this game, I could find no obvious use for the blue flower – was it just a forget-me-not?

Adventure Anthology

This superb collection contains four of the best adventures taken from the pages of *Electron User*. In addition there is an unpublished masterpiece written by Bill Trevelyan, one of the magazine's foremost contributors. They range

from mini adventures ideally suited to the novice adventurer, right through to large, complex programs containing many mind-boggling puzzles designed to test the most experienced player.

The Golden Crown: The King has been robbed of his crown by a devious adversary. A knighthood and countless wealth is promised to whosoever can recover the crown.

Dracula: Take a deep breath and step across the threshold into Dracula's castle. Find Drava's Scroll of Runes and retrieve the lost fortunes.

Johnny: In this adventure by Bill Trevelyan you are cast in the role of a young boy. Your objective is to get to school on time. This is no simple task though, and many pitfalls and puzzles await you along the way.

Craal: A classic adventure in which you have to find the magical crown and return it to its rightful owner.

Necromancer: A peaceful village has been terrorised by an evil wizard. Search him out and take back the stolen treasures.

These exciting adventures will keep you engrossed for weeks – and at less than £1 each this has to be one of the best bargains for intrepid adventurers ever devised.

Only
£4.95



To order please turn to the form on Page 53



SLOGGER

WHAT PRICE QUALITY? WHAT PRICE COMPATIBILITY?

To quote a well known phrase, "You only get what you pay for"
This we feel sums up SLOGGERS pricing policy. Our goods may not always be the cheapest,
but the products are most certainly the best.

THE PEGASUS 400 DISK DRIVE SYSTEM

Using only top quality components, the system comprises of:

The SLOGGER 40/80 Track double sided 5.25" Disk Drive which maintains

- * 400k storage per disk, built in power supply.
- * Manufacturers (NEC/TEAC) 1 year guarantee.
- * Internal Power Supply unit.
- * Compatibility with the inexpensive (yet most reliable) 5.25" disks.
- * Reliability at 3 m/s step rate (four times faster than some drives).

The SLOGGER PEGASUS Disk Interface which boasts

- * Excellent Computer Aided Design (CAD) production
- * Acorn approved design and standard WD1770 floppy disk controller
- * NEW Type-Ahead facility when used with Master RAM Board
- * READ/WRITE Shadow Screen when used with Master RAM Board
- * 90 page documentation usually provided as a separate purchase
- * Compatibility with the ACP ADFS Version 1.1, which offers a total 640k when used with SLOGGERS 5.25" Disk Drive

The SLOGGER SEDFS ROM, about which the Electron User magazine enthused

"I can recommend SEDFS unreservedly"
"Anyone considering upgrading to disk"
"SEDFS is the logical choice"

The quality of SEDFS speaks for itself, unlike other filing systems it offers

- * No loss of Electron memory, PAGE=&E00 (not &1D00)
- Full Acorn DFS (BBC Model B and MASTER SERIES) compatibility
- * All utilities built in, requires no additional menacing utility disk

PEGASUS 400 (Including Interface) £159.50 (inc VAT)
PEGASUS INTERFACE (Only) £74.95 (inc VAT)

MASTER RAM BOARD

Upgrade your Electron to a 64K Machine

- * Fits inside the Acorn Electron, uses no cartridge ports.
- * Compatible with ALL reliable Electron hardware (except TURBO DRIVER).
- * Compatible with ALL Electron software, switching between 64K mode, TURBO mode (yes... the TURBO DRIVER IS BUILT IN), and normal mode.
- * For correctly written software, HIMEM is ALWAYS AT 8000 in 64K mode so leaving 28000 bytes for BASIC or WORD PROCESSING in ALL screen modes.
- * Doubles the speed of Word Processing.
- * Upto 300% speed increase for games.
- * Additional 12K for use as Printer Buffer with Expansion ROM 2.0.
- * Installation Service (See Details below) for those not confident of desoldering the 6502 Microprocessor

NEW FEATURES

- * 64K Mode fully compatible with 98% of Level 9 BBC Adventure games.
- * NEW OS 2.1 - PLAY ACORNSOFT'S ELITE WITH SLOGGERS JOYSTICK INTERFACE.

Master RAM Board Kit - code MR2 - Now Only £49.95

INSTALLATION SERVICE

Send your computer to us and we will upgrade and return your computer on the same day that we receive it

Order MR1 £59.95

BICASSO

With the power of the illustrator software you can now use your Electron to create drawings & graphic pictures controlled by the famous Digimouse.

The mouse is connected to your computer through the user port which requires one slot of the Rom Box Plus or Plus One.

The illustrator software is loaded from disc and contains all the programs and examples of what can be done with this package. The software is also programmed to print your creativity onto a printer.

The Bicasso packages are:-

Digimouse, User port, Illustrator
(5.25" disc) £75.00
 Digimouse, Illustrator (5.25" disc) £49.50

ROMBOX PLUS

SLOGGER's answer to the PLUS 1

Q. Why not buy the Acorn Plus 1?

A. Because "Excellent though the Plus 1 is, I think there is still room for improvement" said the Electron User Magazine.

The ROMBOX PLUS has this improved specification:

1. Four ROM/RAM sockets to free the cartridge slots for more important add-ons. Each socket can take the usual 8K/16K ROMs but can also take 16K RAMS offering a staggering 64K SIDEWAYS RAM
2. The PLUS1 Cartridge slots.
3. The PLUS1 centronics printer port.
4. The Expansion ROM 2.0
5. Switched Joystick interface available.
6. Analogue Joystick interface under development.

Still Only £54.95

64k ACORN ELECTRONS

THESE ELECTRONS ARE FITTED WITH THE MASTER RAMBOARD AND ARE FULLY TESTED AND GUARANTEED WHEN PURCHASED DIRECT FROM SLOGGER

64k ELECTRON
(Switchable)
£99.00

EXPANSION ROM 2.0

for ROMBOX PLUS or PLUS 1

- Supports Printer Buffer with 8K/16K sideways RAM or 12K with MASTER RAM BOARD.
 - RSAVE command to save ROM images to tape or disc.
 - RLOAD command to load Sideways RAM with a ROM image.
 - ROMS command to display ROM/RAM in system.
 - JOYSTICK command for the SLOGGER Joystick Interface
 - Allows cassette loading in high resolution.
 - Supports all standard functions (Printer, ADC, RS423)
 - Simply fits into internal ROM socket.
- "There is room for improvement in the operating system. No doubt this was the idea behind Expansion 2" *Electron User, July 87*

Only £11.95

(£5 if purchased with 32K SIDEWAYS RAM or JOYSTICK INTERFACE)

32K SIDEWAYS RAM CARTRIDGE

for ROMBOX PLUS or PLUS 1

- Ever popular on the BBC
 - Best used with EXP ROM 2.0
 - (1) Save ROM backups for loading into Sideways Ram.
 - (2) Set up a 16k Print Buffer
 - Splits as 2x16k pages
 - VIEW and VIEWSHEET in one slot!!!
 - Write protect option . . . prevents corruption of software.
- "A very powerful piece of hardware" *Electron User July 87*

ONLY £34.50

(£39.50 with EXP ROM 2.0)

SLOGGER EPROM CARTRIDGE

- Carries TWO 8K/16K ROM/EPROM software
- Compatible with PLUS 1, ROMBOX PLUS and BBC Master.
- Simply plugs into cartridge slot

£10.00 for a limited period

ROM SOFTWARE

STARSTORE 2 £29.95
SEDFS upgrade ROM for CUMANA owners ... £24.95

* BARGAIN CORNER *

STARWORD Word Processor £19.95
STARSTORE Database £9.95
STARGRAPH Graphic Utilities £9.95
ELKMAN ROM/RAM Manager £9.95
STARMON Machine code Monitor £9.95
PRINTER ROM Simplified Printer Control £9.95
STAR TREK Machine code disassembler. £9.95
PDG Printer Driver £9.95

TAPE TO DISK ROMS VERSION 2

- Transfer the majority of Tape programs to disk
- Acornsoft, Superior and Micropower no problem
- Compatible with programs copied using Version 1
- More successful than ever before
T2P3 for the Acorn Plus 3
T2CU for the Cumana DFS
T2P4 for AP4 and EOO DFS
T2SD for the Solidisk DFS
T2SEDFS for the SEDFS
T2PEG400 for Pegasus 400

ONLY £24.95

- Upgrade 1-2 only £5 with original ROM

5.25" 40/80 Switchable
double sided 3MS
drive inc PSU
£129.00

Panasonic Printer NLQ, Epson
compatible
£179.00

Advanced User Guide
£3.95

NOTE

Slogger has moved to Bristol, so please note our new address and Telephone number. Please accept our apologies if any inconvenience has been caused by our move

JOYSTICK INTERFACE

for ROMBOX PLUS or ACORN PLUS 1

- Uses inexpensive ATARI-type joysticks
- Compatible with ALL Tape and Disk systems.
- Emulation of keys by Expansion ROM 2.0
- Can be used with well written games either WITH OR WITHOUT A JOYSTICK OPTION
"The ultimate Joystick Interface"

A&B July 87

"Well worth saving up for, I can recommend it to all Arcade Addicts"

Electron User May 87

Only £14.95

- Requires Electron Expansion 2.0
- Only £5 with this unit

JOYSTICKS

Switched Joysticks for the Slogger Joystick Interface
Quickshot I £4.00
Quickshot II £6.00

Please contact us for your
Local dealer

HELP!

Contrary to what the critics used to say the Electron market is now established and respected. There are a variety of very good products available already (some better than the BBC) but I'm sure there are plenty more possible. Please contribute by writing to Helpline at our new address, giving your idea, and why you think it's suitable for the Electron. You never know you may receive a reward in the post.

All prices include VAT P&P UK Mainland only

SEND
FOR
THEM
TODAY

Cheques payable to
SLOGGER LTD. Tel: 0272 237496

	Expiry Date	PLEASE SUPPLY	Cost
<input type="checkbox"/> Access No	_____	1	£ _____
<input type="checkbox"/> Visa	_____	2	£ _____
Name _____	_____	3	£ _____
Address _____	_____	4	£ _____
_____	_____	5	£ _____
			Total £ _____

Please send orders to SLOGGER LTD, 7, APSLEY ROAD, CLIFTON, BRISTOL BS5 2SH

We will finish off the weather monitoring project this month by detailing the software needed to read off wind direction. There's also a program which will monitor all the interfaces, provide printed copy, and file to disc or tape all the data gathered.

First of all, the weather vane software. This is fairly straightforward, and the basic code is:

```
1000 direction = INT(ADVAL(3
) / 256)
1010 FOR I%=1 TO 8
1020 IF direction > bottom(I
%) AND direction < top(I%) d
$ = direction$(I%)
1030 NEXT I%
1040 PRINT d$
```

The variables *bottom(8)*, *top(8)* and *direction\$(8)* are all arrays. The string array *direction\$(8)* holds North, North East, East, South East, South, South West, West, North West.

The *bottom()* and *top()* arrays hold the minimum and maximum values returned by the ADVAL(3)/256 function, when the wind vane is placed in the corresponding position in *direction\$(8)*.

For instance, on my vane, I positioned it as it would be in the face of a wind blowing from the south. I then moved the vane about this central position and obtained a lower south limit, which was put in *bottom(5)*, and an upper south limit that was placed in *top(5)*.

Now, any reading taken can be judged against the top and bottom limits of each of these directions and a string representing wind direction read off from the corresponding *direction\$(8)* array.

This is shown in Program I, where lines 1230 to 1300 are responsible for reading the wind direction. The data statements are found at lines 1580 to 1600, and the arrays are initialised in line 730.

I've left the *top* and *bottom* values (to be found in that order in the data statement for each direction) set to zero for each direction. You'll need to

enter these values yourself.

We now can add the final touches to our weather station itself. The wind vane and anemometer were both mounted in boxes available from electronics stockists, and were placed so they could catch the wind.

In the prototype, the anemometer box housed the wet and dry thermometer circuit board – see the illustration opposite – but the sensors for these were situated outside the box, in a housing similar to one described in a previous article. The biggest instal-

was a chocolate block-type connector. Into one side I connected the wires from each separate project, and to the other I attached a lead with a D-plug for connection to the Electron's Plus 1.

Before I mounted the weather station outdoors I tested it with all the wiring in place – it's easier to do it this way.

The wind sensors need to be in the best open surroundings possible. You might like to mount them on a platform like a bird table, or something similar. Again, ensure the wind vane and

monitoring program, which pulls together all the projects and displays the readings in sequence.

Each piece of equipment in turn is checked, and the result displayed on screen. The program will also allow you to save readings in a Basic array, and the contents can be saved to tape or disc.

The program is fairly self-documenting, making constant use of meaningful procedure and function names. It is quite elementary, and bits could be added to it very easily.

PROCinitialise sets up the variables used, and dimensions arrays and the code space required by the program.

Note that the values given to *wet*, *dry* and *wind* depend upon which ADVAL channel you are using to monitor these parameters.


In addition, the *temp0* and *counts_per_degree* arrays need to be initialised with the values obtained when you calibrated the temperature sensor circuits. The values shown are those used for my own circuits.

PROCinput_time allows the current time to be entered whenever readings are to be taken, and the hours should be entered using a 24 hour clock format – that is, 2pm should be entered as 14.

The hours and minutes entered are then converted into hundredths of seconds so that Basic's TIME function can be used to update the time while the program is running. This time keeping isn't terribly accurate over very long periods,

INTERFACING INTO THE WIND

JOE PRITCHARD presents a master control program as the final part of his useful weather station project



The anemometer box

lation work is the cabling between the various different projects. I had the wind vane circuit in its own box, mounted fairly close to the anemometer, but not so close as to cause eddies in the wind that would affect readings of either wind direction or speed.

The wiring from both of these boxes was taken to a smaller box, inside of which

the anemometer don't interfere with each other.

Keep the connections between different boxes and the computer as short as possible, and don't run the lead to the computer past any mains cables, phone lines and so on, which might cause interference to be picked up by the Plus 1 a/d converter.

Program II shows a simple

but is good enough for our purposes.

PROCprint_time actually displays the current time on the screen, and is also responsible for signalling when values are to be written to the various arrays.

Line 1480 checks the time and sets a flag every so often, so that a dump of results to the arrays can be performed by *PROCcheck_time*.

Currently this flag is set every two minutes by checking when the minutes part of the time MOD 2 is zero. We could change this to dump every 10 minutes, for example, by changing the 2 after the MOD to 10.

PROCcheck_time looks at the variable *array_flag\$* to see if you've set the program to dump the results to an array. It also checks the *time_out* flag set in *PROCprint_time*, and only if this is set to one and *array_flag\$* equals Y are the results placed into the relevant arrays.

A pointer to the array is

— simply run it and enter the current time. If you want to start saving data in arrays at any point, press the Escape key and answer Y to the "Store results in array?" prompt.

To stop storing the results, press Escape again and enter N in response to this prompt.


On the Escape screen you'll also be asked whether you want to save the arrays, and if you wish to finish with the program.

Saving the arrays will write them to tape or disc, and answering Y to the finish prompt will end the program run. Entering N will resume monitoring.

Simple extensions of this software could include:

- A more attractive display screen.
- More options offered on the Escape screen, like a print out option.
- Larger arrays.
- Saving of minimum and maximum data to disc or tape along with the arrays.

To read the files written



The wet and dry thermometer circuit board

incremented, and if this reaches the array size limit — 30 — then *array_flag\$* is set to N by the program, thus preventing any more entries.

PROCsave_arrays writes the contents of the array out to tape or disc for future analysis. As the program stands, the filename is fixed at *data* but can be altered.

Using the program is easy

by the program, a procedure similar to Program II could be used. Here, we simply open the file, read in the array items and print them out.

● Next month we change tack slightly and begin to look at the cartridge slot of the Plus 1, and see how we can build a simple 8 bit digital input/output port.

Program I

```

10 REM Weather monitor
20 REM By Joe Pritchard
30 REM (c) Electron User
40 :
50 ON ERROR GOTO 1750
60 PROCinitialise
70 PROCassemble
80 PROCinput_time
90 MODE 6
100 REPEAT
110 PROCevent_on
120 PROCwind_speed
130 PROCevent_off
140 PROCwind_direction
150 PROCwet_temp
160 PROCdry_temp
170 PROCcheck_time
180 PROCprint_time
190 UNTIL FALSE
200 END
210 :
220 DEFPROCassemble
230 FOR pass = 0 TO 2 STEP
2
240 P%=code%
250 [
260 OPT pass
270 .event_service
280 PHA
290 PHP
300 LDA #1
310 STA &70
320 PLP
330 PLA
340 RTS
350 :
360 .event_on
370 LDX #clock MOD 256
380 LDY #clock DIV 256
390 LDA #4
400 JSR &FFF1
410 LDA #14
420 LDX #5
430 JSR &FFF4
440 RTS
450 :
460 .event_off
470 LDA #13
480 LDX #5
490 JSR &FFF4
500 RTS
510 :
520 ]
530 NEXT pass
540 ENDPROC
550 :
560 DEFPROCevent_on
570 !clock = &FFFFFF0C: cl
ock?4 = &FF
580 ?&220=event_service MO
D 256
590 ?&221=event_service DI
V 256
600 ?&70=0
610 CALL event_on
620 ENDPROC
630 :
640 DEFPROCevent_off
650 ?&220=old_event
660 ?&221=old_event1
670 CALL event_off
680 ENDPROC
690 :
700 DEFPROCinitialise
710 DIM counts_per_degree(
2), temp0(2), code% 100, clo
ck 20
720 DIM top(10), bottom(10
), dir$(10), time$(30), wet(
30), dry(30), win_d$(30), wi
n_s(30)
730 FOR IX=1 TO 8:READ top
.(IX), bottom(IX), dir$(IX):N
EXT IX
740 wet = 2 : REM depends
on which ADVAL channels you
used
750 dry = 1 : REM as to ho
w these three variables are
set
760 wind = 3 : REM up here
.
770 :
780 REM next initial value
s depend upon temp. sensor c
ircuit calibrations
790 :
800 temp0(wet) = 17 : temp
0(dry) = 19
810 counts_per_degree(wet)
= 6.4 : counts_per_degree(d
ry) = 6.9
820 :
830 @X=&20209
840 old_event=?&220
850 old_event1=?&221
860 TIME = 0
870 real_time%=TIME
880 array_flag$="N"
890 pointerX=1:minimum = 9
99: maximum = 0
900 time_out = 0: temp_tim
e=0
910 ENDPROC
920 :
930 DEFFNadval(x)
940 =INT(ADVAL(x)/256)
950 :
960 DEFFNtemperature(chann
el)
970 counts_per_degree=6.4
980 temp0=17
990 =(FNadval(channel)-tem
p0)/counts_per_degree
1000 :
1010 DEFPROCwind_speed
1020 real_time% = TIME
1030 TIME=0
1040 REPEAT:UNTIL(ADVAL(0)A
ND3)=0OR?&70=1
1050 REPEAT:UNTIL(ADVAL(0)A
ND3)=1OR?&70=1
1060 T=TIME/100:IF ?&70=0T=
1/T ELSE T=0
1070 IF T=0PRINTTAB(10,6)"S
till air!"
ELSE PRINTTAB(10,6)T;" Revs
. per Second
1080 TIME=real_time% + TIME
1090 ENDPROC
1100 :
1110 DEFPROCwet_temp
1120 PRINTTAB(10,8)"Wet bul
b temperature: ";FNtemperatu
re(wet)
1130 ENDPROC

```

Turn to Page 19 ►

ACCESS & VISA
HOTLINE

TEL: JACQUI
0625 528885

21st. Software

MAIL ORDER ONLY

PRESENTS A SELECTION OF HARDWARE, UTILITIES & SOFTWARE FOR THE ELECTRON

NEW BEAU JOLLY'S **NEW**
5 STAR GAMES Vol III

Southern Belle, W. of Exploding Fist,
Thunderstruck, Frak, Caveman
Capers, Strike Force Harrier &
Project Thesis - Only £7.95
COMPUTER HITS IV
Death Star, The Mine, Thrust, Killer
Gorilla, Psycastria, Repton, Blagga,
Zalaga, Ghoulis, Bug Eyes II &
Galapagos & Karate Force - Only
£7.95

NEW RELEASES

A.S.L.	Cass	TOP TEN	Cass
Impact	7.95	Warehouse	2.75
MANDARIN SOFTWARE		GODAX	
Icarus	£7.95	Skirmish (joust game)	7.95
BLUE RIBBON		Kourtyard	7.95
Trapper	1.99	SUPERIOR SOFTWARE	
R2	1.99	Barbarian	7.75
Mango	1.99	Spycat	7.75
3D Doty	1.99	Quest	7.95
Videocard Arcade	1.99	Play It Again Sam II	7.95
		Repton Through Time	5.95

**BACK IN STOCK
FOR ELECTRON
OWNERS**

**INCENTIVE'S
ADVENTURE CREATOR**

Cass only £6.99

**MICRO POWER'S
POWER PACK**

3 Cassettes
Croaker, The Mine,
Frenzy
All 3 for just
£3.95
or £2.50 each
title

**NEW
P.R.E.S. AP+3
only £110.00**

**NEW
NEW
TYNESOFT'S
SAIGON
Cass only £7.95**

A & F
Chukle Egg 3.90
Cylon Attack 3.90
ACORNSOFT
Elite 10.95
Forth 8.95
Lisp 4.95
Boxer 1.00
Business Games 2.99
Desk Diary 2.99
Snapper 1.99
View Rom (Cart) 13.95
Viewsheet Rom (Cart) 13.95
Hopper Rom (Cart) 8.95
ISO Pascal Rom (Cart) 54.80
ACORN/LINKWORD
Italian 8.95
Spanish 8.95
ATARI SOFT
Robotron 4.95
ATLANTIS SOFTWARE
League Challenge 2.99
BLUE RIBBON
Nightmare Maze 1.99
Castle Assault 1.99
Astro Plumber 1.99
Diamond Mine 1.99
Diamond Mine II 1.99
Darts 1.99
Joey 1.99
Ravage 1.99
Bar Billiards 1.99
Condition Red 1.99
BEAU JOLLY
Computer Hits I 8.45
Computer Hits II 8.45
Computer Hits III 8.45
Five Star Games 8.45
Five Star Games II 8.45
BUG BYTE
Twin Kingdom Valley 2.99
Starforce 7 2.99
Tennis 2.99
Cricket 2.95
Jack Atac 2.95
Savage Pond 2.95
Skyhawk 2.99
Ice Hockey 2.99
Hunk Dory 2.99
Plan B 2.99
Dunjuz 2.99
Squeakaliser 2.99
Templeton 2.99
Plan B II 2.99
COMSOFT
Serpents Lair 3.95
Playbox 3.95
S.A.S. Commando 3.95
C. D. S.
Steve Davis Snooker 7.45
Birdie Barrage 6.95
Colossus Chess IV 8.45
Brian Clough's Fortunes 12.95
DR SOFT
747 Flight Sim. 6.95
Phantom Combat 8.45
DATABASE
Mini Office 4.95
Micro Olympics 4.95
Majic Sword 5.45
French on the Run 8.95
DOMARK
Star Wars 7.95

DURELL MARTECH
Gisburne's Castle 3.95
Tarzan 7.50
ELITE
Paperboy 7.75
EPIC SOFTWARE
The Lost Crystal 10.95
The Wheel of Fortune 7.45
Castle Frankenstein 5.95
The Quest of the Holy Grail 5.95
Kingdom of Klein 5.95
FIREBIRD
Star Drifter 2.95
GOLEM LTD
Education II 6.50
Fun with Words 6.50
Fun with Numbers 6.50
Jigsaw 6.50
GREMLIN GRAPHICS
Footballer of the Year 7.95
HEWSON
Heathrow A.T.C. 6.95
Evening Star 7.95
ASL SOFTWARE
Bug Eyes II 6.95
Frankenstein 2000 5.95
Caveman Capers 6.50
Psycastria 6.50
The Last of The Free 6.50
Electron Power Pack 8.65
Thunderstruck 6.75
Thunderstruck II 6.95
Sphere of Destiny 6.75
Omega Orb 6.75
Graham Gooch Test Cricket 7.75
Ziggy 6.75
Electron Power Pack II 7.95
Ransack 7.95
Despatch Rider 7.25
IMAGINE
Mike 7.45
INCENTIVE
Confuzion 5.00
Ket Trilogy 8.45
Adventure Creator 13.25
KOSMOS SOFTWARE
French Mistress A or B 7.95
German Master A or B 7.95
Spanish Tutor A or B 7.95
Italian A or B 7.95
Answer Back Jun. or Sen 8.95
Answer Back Sport 8.95
Identify Europe 6.95
FACTFILE SERIES
(Used with Answer Back Series)
Arithmetic (6-11 yrs) 4.25
Spelling (8-12 yrs) 4.25
Natural History (10+) 4.25
English Words (12+) 4.25
First Aid (12+) 4.25
General Science (14+) 4.25
Know England (12+) 4.25
Know Scotland (12+) 4.25
Supersport (14+) 4.25
20th Century History (12+) 4.25
Association Football (14+) 4.25
L.C.L.
Micro French ('O' Level) 21.50
Micro Maths (24 Progs 'O' Level) 21.50
Micro English (24 Progs 'O' Level) 21.50
Mega Maths ('A' Level) 21.50

LARSOFT
Hex 3.65
Puppet Man 3.65
The Rising of Salandra 4.55
Wyndwood 3.65
The Nine Dancers 3.65
LOGOTRON
XOR 7.75
MELBOURNE HOUSE
Way of Exploding Fist 8.95
Dodgy Geezers 7.75
MICROPOWER
Micropower Magic II 6.95
Micropower Magic 6.95
Jet Power Jack 2.95
Positron 2.95
Swag 2.95
Gauntlet 2.95
Chess 2.95
Killer Gorilla 2.95
U.X.B. 2.95
Felix/Evil Weevils 2.95
Felix in Factory 2.35
Felix/Fruit Monsters 2.95
Stock Car 2.95
Rubble Trouble 2.95
Bumble Bee 2.95
MIRRORSOFT
Tetris 7.25
Spitfire 40 7.95
Harrier Strike Force 7.95
First Steps 7.95
Here/There with Mr Men 6.95
Quick Thinking Plus 5.95
ROBICO SOFTWARE
Rick Hanson 7.75
Project Thesis 7.75
Myorem 7.75
Enrhar 7 (5.25") Disc 16.45
Note the above disc-AP4 IF only
The Hunt 7.95
Village of Lost Souls 7.95
SOFTWARE INVASION
3D Bomb Alley 2.95
Gunsmoke 2.95
Blitzkrieg 2.95
Super Pool 2.95
Votex 2.95
Chipbuster 5.95
SOFTWARE PROJECTS
Project Graphics 5.95
SQUIRRELSOFT
Supergolf 6.50
Trafalgar 7.00
Cashcare 10.65
VAT Care 13.65
Building Soc. Care 8.95
Investment Care 12.95
T.V. Director 11.65
Squirrels Nuts Pack 7.95
**ACORNSOFT AND
SUPERIOR SOFTWARE**
Smash and Grab 6.95
Overdrive 6.50
Repton 7.95
Death Star 7.95
Repton 2 7.95
Citadel 7.95
Karate Combat 7.45
Thrust 6.75
Galaforce 7.75
Ravenskull 7.75

Repton 3 7.75
Acornsoft Hits Vol I 7.75
Acornsoft Hits Vol II 7.75
Superior Hits Vol III Cass. 7.75
Superior Hits III Plus 3D 12.95
Around World 40 Screens 5.95
Strykers Run 7.75
Codename Droid 7.75
Crazy Rider 7.75
Crazy Rider (Disc) 12.75
Palace of Magic 7.75
Palace of Magic (Disc) 12.75
Play It Again Sam 7.75
Elixir 7.95
Spellbinder 7.95
Life of Repton 5.95
Bonecruncher 7.95
TYNESOFT
Winter Olympiad 88 7.75
Indoor Games 7.95
Boulderdash 7.95
Micro Value Gold 3.99
Spy vs Spy 7.75
Oxbridge 6.75
Phantom 6.75
Microvalue 3.49
The Big K.O 6.75
Futureshock 6.75
Jet Set Willie II 6.75
Goal 6.75
Commonwealth Games 6.50
US Drag Racing 5.95
Jet Set Willy 6.50
Tynesoft Starter Pack I 6.50
Ian Botham Test 6.50
Rig Attack 3.95
Winter Games 6.50
Mousetrap 6.50
Five-A-Side Soccer 2.95
Peg Leg 2.95
Bouncing Bombs 2.95
Wet Zone 3.95
Stratobomber 2.95
Caterpillar 2.95
Hyperdrive 2.95
Super Hangman 2.95
3D Maze 2.95
U.K. P.M. 2.95
Invader (I.J.K.) 2.95
Bozo the Brave 2.95
Cylon Attack 2.95
Trek II 2.95
Space Caverns 2.95
Physics 'O' Level 2.95
Chemistry 'O' Level 2.95
Maths 'O' Level 2.95
U.S. GOLD
Crystal Castles 8.65
Rebel Planet (text adv) 6.95
Kayleth 6.95

**UTILITIES AND HARDWARE
SECTION CONTINUED**

Advanced Plus 2 11.65
Advanced Plus 6 35.95
A. R. Manager 13.65
A. Electron D.F.S. Era 18.65
Advanced Rom Ad. 13.65
A.S. Ram 27.90
Advanced Disc Inv. 26.55
A.P.4 75.98
A.P.5 62.50
Plus I 47.95
AMS Mouse 65.95
FIRST BYTE
Quickshot Joystick & I/Face 27.99
Quickshot II 9.99
Joystick Interface 18.25
BBC/E Printer Cable 29.95
A1
Super Smooth Power Suply + 2yr
guarantee + on/off switch 20.45
P.M.S.
E2P6502 85.00
SLOGGER
Rombox + 51.95
Joystick Interface 18.65
Electron Expansion 2.0 10.65
Starstore II 27.25
Elkman 9.95
Starman 9.95
Stargraph 9.95
Starword 18.65
Starword Cumana 18.65
Printer Rom 18.65
16K Sideways Ram 27.95
Trek 9.95
S.E.D.F.S. 22.95
T2P3 or T2CU or T2P4 22.95
T2SD or T2SEDFS 22.95
Master Ram Board 48.95
Turbo Driver 27.95
Rom Cartridge 11.65
S.E.D.I. (Int. + Manual) 70.95
VINE MICRO
Addcomm 26.00
PLUS 3 DISCS
ACORNSOFT'S
Database 18.65
BLUE RIBBON
Games Disc 1 8.95
C. D. S.
Steve Davis 8.95
Birdie Barrage 8.95
KOSMOS SOFTWARE
French A+B 18.65
German A+B 18.65
Italian A+B 18.65
Spanish A+B 18.65
Ans. Back Sen. 11.65
Ans. Back Jun. 11.65
Ans. Back Sport 11.65
Any Factfile 7.45
SUPERIOR SOFTWARE
Superior Hits III 12.75
Codename Droid 12.75
Crazee Rider 12.75
Palace of Magic 12.75
Play It Again Sam 12.75
Bonecruncher 12.75
Elixir 12.75

BOX OF TEN C20 COMPUTER CASSETTES £4.99 inc VAT & P&P

**UTILITIES AND
HARDWARE SECTION**

ACORN COMPUTERS
Electron Power Supply 12.95
**ADVANCED COMPUTER
PRODUCTS**
A.Quarter Meg Ram 75.95
Advanced Battery Ram 37.99
Advanced Control Panel 32.20

EDUCATIONAL & GOVERNMENT ORDERS WELCOME
ALL PRICES ARE INCLUSIVE OF VAT AND CARRIAGE
OVERSEAS ORDERS PLEASE ADD £1.00 PER ITEM. INCLUDES INSURANCE

Please send me: Cass Plus 3 Disc

1. _____ £ _____
2. _____ £ _____
3. _____ £ _____
4. _____ £ _____
TOTAL £ _____

Please make cheques payable to:
21st Software Ltd
Access No
[] [] [] [] [] [] [] []
Visa, Mastercard, Eurocard
Card holders name

Name _____
Address _____
Post Code _____
Tel. No (STD) _____

Send Orders to:
21st SOFTWARE LTD. Dept EU
15 Bridgefield Avenue, Wilmslow SK9 2JS
Tel: Wilmslow (0625) 528885

Hardware Projects

◀ From Page 17

```

1140 :
1150 DEFPROCdry_temp
1160 PRINTTAB(10,9)'Dry bulb
temperature: ;FNtemperatu
re(dry)
1170 IF FNtemperature(dry)
> maximum THEN maximum = FNT
emperature(dry)
1180 IF FNtemperature(dry)
< minimum THEN minimum = FNT
emperature(dry)
1190 PRINTTAB(10,10)'Max. T
emperature: ;maximum
1200 PRINTTAB(10,11)'Min. T
emperature: ;minimum
1210 ENDPROC
1220 :
1230 DEFPROCwind_direction
1240 direction = FNadval(wi
nd)
1250 direct$ = ""
1260 FOR IX=1 TO 8
1270 IF direction > bottom(
IX) AND direction < top(IX)
THEN direct$=dir$(IX)
1280 NEXT IX
1290 PRINTTAB(10,7)'Wind di
rection is "direct$
1300 ENDPROC
1310 :
1320 DEFPROCcheck_time

```

```

1330 IF array_flag$ = "N" O
R time_out=0 THEN ENDPROC
1340 wet(pointer%)=FNtemper
ature(wet)
1350 dry(pointer%)=FNtemper
ature(dry)
1360 time$(pointer%)=STR$(I
NT(hours))+STR$(INT((hours-I
NT(hours))*60))
1370 win_d$(pointer%)=direc
t$
1380 win_s(pointer%)=T
1390 pointer%=pointer%+1:IF
pointer%>30 THEN array_flag
$="N"
1400 time_out=0
1410 ENDPROC
1420 :
1430 DEFPROCprint_time
1440 secs = real_time%/100
1450 minutes = secs / 60
1460 hours = minutes / 60
1470 PRINTTAB(10,12)'Curren
t Time is ;STR$(INT(hours))
;";STR$(INT((hours-INT(hou
rs))*60))
1480 IF INT((hours-INT(hou
rs))*60) MOD 2 = 0 THEN IF te
mp_time<>INT((hours-INT(hou
rs))*60) THEN time_out=1:temp
_time=INT((hours-INT(hours)
)*60)
1490 ENDPROC

```

```

1500 :
1510 DEFPROCinput_time
1520 INPUT "Hours: ",hours
1530 INPUT "Minutes: ",minu
tes
1540 real_time%=((hours*60)
+ minutes) * 60 * 100
1550 TIME = real_time%
1560 ENDPROC
1570 :
1580 DATA 0,0,North,0,0,Nor
th-east,0,0,East
1590 DATA 0,0,South-east,0,
0,South,0,0,South-West
1600 DATA 0,0,West,0,0,Nort
h-west
1610 :
1620 :
1630 DEFPROCsave_arrays
1640 YX=OPENOUT("data")
1650 FOR IX=1 TO 30
1660 PRINT#YX,time$(IX)
1670 PRINT#YX,win_d$(IX)
1680 PRINT#YX,win_s$(IX)
1690 PRINT#YX,wet(IX)
1700 PRINT#YX,dry(IX)
1710 NEXT IX
1720 CLOSE#YX
1730 ENDPROC
1740 :
1750 REM Escape key trap
1760 IF ERR <> 17 THEN REPO
RT:PRINT;" at ";ERL

```

```

1770 TIME = real_time%
1780 VDU3
1790 CLS
1800 INPUTTAB(10,8)'Store r
esults in array',array_flag$
1810 INPUTTAB(10,10)'Save a
rray ',save$
1820 INPUTTAB(10,12)'Finish
with program ',finish$
1830 IF save$="Y" THEN PROC
save_arrays
1840 IF finish$="Y" THEN EN
D
1850 CLS
1860 GOTO 100

```

Program II

```

10 REM data file read
20 REM By Joe Pritchard
30 REM (c) Electron User
40 :
50 DEFPROCread_data
60 YX=OPENIN("data")
70 FOR IX=1 TO 30
80 INPUT#YX,a$
90 INPUT#YX,b$
100 INPUT#YX,c,w,d
110 PRINT a$,b$,c,w,d
120 NEXT IX
130 CLOSE #YX
140 ENDPROC

```

electron
user

MAIL ORDER OFFERS

electron
user

MAIL ORDER OFFERS

This is THE ultimate guide to the Electron!



This detailed guide to the Electron's operating system is a must for every serious Electron User. In its information

- ★ Full details of how to implement the powerful *FX/OSBYTE calls.
 - ★ Page ROMs revealed: The way they work and how to write your own.
 - ★ Programming the ULA - all you need to know.
 - ★ Full coverage of memory allocation and usage - make every byte count.
 - ★ Complete circuit diagram: How to use the Electron's exciting expansion capabilities to the full.
- and much, much more...

Quite simply, the Electron Advanced User Guide is THE essential handbook that will allow you to exploit the full potential of the Electron.
Don't miss this money saving offer!

Only £3.45 (inc. P&P)
SAVE a massive £6! (Normal price £9.45)

TO ORDER PLEASE USE THE FORM ON PAGE 53

GAME SET AND MATCH



Strike a light! It's a battle for the last match in NEIL DAVIDSON's clever strategy game



FIBONACI Nim is a game of strategy, based on the popular match puzzle of the same name.

The object of the game is for two players to take turns at removing matches from a pile of arbitrary size. The winner is the one who manages to take the last match.

Simple it may sound, but this is a very challenging puzzle requiring a great deal of thought. There is only one rule of play – each player may not remove more than double the matches taken by the other player during the previous go.

The reason why the game

is called Fibonacci Nim is that the winning strategy is based on the Fibonacci series – but you will have to get your maths textbook out, because we don't intend to spoil the fun by revealing just what this is.

The game allows two humans to play against one another, or one human versus the computer, or the computer can even play itself – type 2, 1 or 0 respectively at the "Number of players?" prompt.

The computer is, of course, well aware of the Fibonacci series, and is therefore very hard to beat, but it can be done.

VARIABLES

C% Number of counters
 P% Maximum that can be removed
 R% Number of counters removed
 n1\$ Player one's name
 n2\$ Player two's name

PROCEDURES

double() Prints double-height text
 set Sets up the title page
 box() Draws a bordered box
 play Asks for players' details
 game Main game loop
 delete Removes matches from the pile

```

10 REM Fibonacci Nim
20 REM By Neil Davidson
30 REM (c) Electron User
40 REM
50 IF PAGE=8E00 THEN 100
60 *FX21,0
70 *K.0 *T.IMFORIX=0TO(CTO
P-PAGE)STEP4:IX!&E00=IX!PAGE
:NEXTIMPAGE=8E00:IMOLDIMRUNIM
80 *FX138,0,128
90 END
100 MODE1
110 ONERRORRUN
120 VDU23;8202;0;0;0;
130 PROCset
140 ONERROR CLEAR:GOTO150
150 PROCdata
160 REPEAT
170 PROCinit
180 PROCplay
190 CLS
200 PROCsquare
210 PROCgame
220 UNTILO
230 END
240 DEFPROCinit
250 R5=5*0.5
260 R1=1+R5
270 R2=1-R5
280 FS=""
290 FORI=1 TO 10
300 FS=FS+CHRS(FNfibon(I))
310 NEXT
320 VDU23,224,83C,876,8EB,
8D5,8AB,8D7,86E,83C
330 TX=0
340 ENDPROC
350 DEFFNFibon(NX)
360 =(R1/2)*NX-(R2/2)*NX
/R5
370 DEFFNfactor(IX)
380 FORI=10 TO 1 STEP-1
390 AX=ASC(MID$(FS,I,1))
400 IFA%<=IX IX=IX-AX:JX=A
%
410 NEXT
420 =JX
430 DEFPROCdbl(AS,X,Y)
440 VDU31,X,Y
450 AX=10:XX=870:YX=0
460 FORI=1 TO LENAS
470 ?870=ASC(MID$(AS,I,1))
480 CALL&FFF1
490 IFPOS>33 PRINTTAB(X)
500 VDU23,225,?871,?871,?8
72,?872,?873,?873,?874,?874,
23,226,?875,?875,?876,?876,?
877,?877,?878,?878,225,10,8,
226,11
510 NEXT
520 ENDPROC
530 DEFPROCset
540 *FX115,1
550 VDU19,3,4,0;0;0;
560 PROCbox(32,32,1276,102
0,1)
570 PROCbox(0,0,1246,998,3
)
580 PROCbox(384,800,894,92
8,1)
590 PROCbox(368,784,878,91
2,2)
600 PROCbox(351,30,895,70,
1)
610 MOVE416,880:GCOLOR,0:VD
US:PROCdbl("Fibonacci Nim",0
,0)
620 MOVE412,876:GCOLOR,3:VD

```

```

US:PROCdbl("Fibonacci Nim",0
,0)
630 MOVE367,66:GCOLOR,0:PRI
NT;"By Neil Davidson"
640 VDU4
650 VDU28,2,27,36,9
660 *FX115,0
670 ENDPROC
680 DEFPROCbox(X1,Y1,X2,Y2
,CX)
690 GCOLOR,CX+128
700 VDU24,X1;Y1;X2;Y2;
710 CLG
720 VDU26
730 GCOLOR,CXMOD3+1
740 MOVEX1,Y1:DRAWX2,Y1:DR
AWX2,Y2:DRAWX1,Y2:DRAWX1,Y1
750 ENDPROC
760 DEFPROCplay
770 VDU28,2,27,36,9
780 COLOUR131
790 CLS
800 COLOUR0:PROCdbl("How m
any players ?",0,1)
810 *FX15
820 REPEAT:A=GET-48:UNTILA
>-1 AND A<3
830 PROCdbl(CHRS(A+48),18,
1)
840 PRINT
850 IFA=0 P1X=0:P2X=0:n1S="
Computer":n2S="Nimachine" E
LSE IFA=1 PROCwhich ELSE IFA
=2 PROCnames
860 COLOUR2
870 PRINT
880 IFFNquery("Do you want
to choose the number of co
unters ?")=1 PROCchoose ELSE
CX=RND(66)+15
890 ENDPROC
900 DEFPROCwhich
910 PRINT
920 COLOUR1
930 n1S=FNinput("Your name
please ....")
940 PRINT
950 COLOUR2
960 IFFNquery("Do you want
to go first ?")=1 P1X=1:P2X
=0:n2S="Nimachine" ELSE P1X=
0:P2X=1:n2S=n1S:n1S="Nimachi
ne"
970 ENDPROC
980 DEFPROCnames
990 PRINT
1000 COLOUR2
1010 n1S=FNinput("Player on
e's name ....")
1020 PRINT
1030 n2S=FNinput("Player tw
o's name ....")
1040 P1X=1:P2X=1
1050 ENDPROC
1060 DEFPROCchoose
1070 PRINT
1080 REPEAT
1090 CX=EVAL(FNinput("How m
any counters (15 - 81) ?"))
1100 UNTILCX>14 AND CX<82
1110 ENDPROC
1120 DEFFNquery(AS)
1130 PROCdbl(AS,POS,VPOS)
1140 *FX15
1150 REPEAT:AS=CHRS(GETAND2
23):UNTILAS="Y" OR AS="N"
1160 IFA="Y" PROCdbl("Yes"
,POS,VPOS):=1 ELSE PROCdbl('

```



```

No,POS,VPOS):=0
1170 DEFPROCsquare
1180 PROCbox(432,218,784,64
0,1)
1190 VDU28,2,27,36,9
1200 EXX=INT(CX*0.5)
1210 X1=17-EXX/2
1220 Y1X=9-INT(CX/EXX)/2
1230 SX=0
1240 X=X1:YX=Y1X
1250 COLOUR129:COLOUR0
1260 REPEAT
1270 VDU31,X,YX,224
1280 X=X+1:IFX>=17+EXX/2 X=
X1:YX=YX+1
1290 SX=SX+1
1300 UNTILSX=CX
1310 PROCbox(992,560,1120,6
72,1)
1320 VDU28,2,27,36,9
1330 PROCdbl(STRSX,30,3)
1340 ENDPROC
1350 DEFPROCgame
1360 VDU28,2,27,36,9
1370 PX=CX-1
1380 COLOUR2:COLOUR131:PROC
dbl("Max :"+STR$PX,0,5)
1390 VDU28,2,28,36,26
1400 PLX=1
1410 COLOUR131:COLOUR1
1420 REPEAT
1430 CLS
1440 IFPLX=1 nmS=n1S ELSE n
mS=n2S
1450 PRINTTAB(0,0);nmS;" ..
..."
1460 FORX=1 TO 500:NEXT
1470 IF(PLX=1 AND P1X=0)OR
(PLX=2 AND P2X=0) PROCmove(F
Namove) ELSE REPEAT:INPUT"Ho
w many counters do you wish
to"remove ",RX:UNTILRX>0 A
ND RX<=CX AND RX<=PX:PROCmov
e(RX)
1480 PLX=3-PLX
1490 UNTILCX=0
1500 PLX=3-PLX
1510 VDU28,2,27,36,9
1520 COLOUR131:COLOUR0:CLS
1530 PROCdbl("Well done !!!
",1,1)
1540 PROCdbl("Player "+STR$
PLX+" (+nmS+) won !!!",1,3
)
1550 COLOUR1
1560 PRINT""
1570 PROCdbl("Press Space f
or another game",2,10)
1580 SX=0:REPEAT:SOUND1,-15
,sn(SX),sn(SX+1)

```

```

1590 REPEATUNTILADVAL(-6)=1
5
1600 FORT=1 TO 40*sn(SX+1)
1610 NEXT
1620 SX=(SX+2)MOD 82:UNTILI
NKEY0=32
1630 ENDPROC
1640 DEFFNamove
1650 IFFNfactor(CX)<=PX =FN
factor(CX)
1660 =RND(PX-1)+1
1670 DEFPROCmove(NX)
1680 TX=TX+NX:CY=CX-NX
1690 PROCdelete(TX)
1700 PX=NX+2:IFPX>CX PX=CX
1710 COLOUR131:COLOUR2
1720 PROCdbl(STRSX+" ",5,5
)
1730 COLOUR131:COLOUR1
1740 VDU28,2,28,36,26
1750 ENDPROC
1760 DEFPROCdelete(TX)
1770 SX=0
1780 X=X1:YX=Y1X
1790 COLOUR129
1800 COLOUR0
1810 VDU28,2,27,36,9
1820 REPEAT
1830 VDU31,X,YX,32
1840 X=X+1:IFX>=17+EXX/2 X=
X1:YX=YX+1
1850 SX=SX+1
1860 UNTILSX=TX
1870 PROCdbl(STRSX+" ",30,
3)
1880 ENDPROC
1890 DEFFNinput(AS)
1900 PROCdbl(AS,POS,VPOS)
1910 BS=""
1920 *FX15
1930 REPEAT
1940 REPEAT
1950 A=GET:UNTIL(A>31 AND A
<127 AND LENBS<10) OR A=13 OR
(A=127 AND BS<>")
1960 IFA=127 VDU127,10,32,1
1,8:BS=LEFT$(BS,LENBS-1):GOT
02010
1970 IFA=13 THEN 2010
1980 AS=CHRS A
1990 BS=BS+AS
2000 PROCdbl(AS,POS,VPOS)
2010 UNTILA=13
2020 =BS
2030 DEFPROCdata
2040 DIMsn(82)
2050 RESTORE
2060 FORI=0 TO 79 STEP2
2070 READsn(I),B:sn(I+1)=B*
2
2080 NEXT
2090 ENDPROC
2100 DATA52,4,72,1,72,1,72,
2,72,2,92,2,108,2,108,2,92,1,
88,1,72,2,88,1,88,1,88,1,88,
1,88,1,88,1,68,0.5,60,0.5,5
2,0.5,52,0.5,72,1,72,1,72,1,
92,1,108,1,108,1,92,0.5,88,0
.5,72,1,88,1,88,1,52,1,52,1,
72,0.5,72,0.5,72,0.5,72,0.5,
72,0.5,72,0.5
2110 DATA52,1

```

This listing is included in this month's cassette tape offer. See order form on page 53.

STAYING IN THE SHADOWS

WE developed a simple shadow ram database last month, using all of bank zero's lower 12k as the data storage area. This month I'm presenting you with a complete utility which allows this same area to hold up to an 8k long Basic program, while another is being edited or run in bank one — the normal Basic program area in 64k mode.

This time I am afraid there's no sparing you from the dreaded machine code — the very nature of this month's utility necessitates the use of 100 per cent assembly language. But don't worry, the techniques used here are still basically the same as those outlined in the past two articles.

Type in Program I, and save it under a suitable filename before running. When run, the assembled machine code is saved on your tape or disc as TWIN — so make sure you don't save Program I using this name.

Now, as we have seen in the previous two articles, all the lower 12k in bank zero between locations &0000

and &3000 is never used unless you have Slogger's printer buffer rom. Therefore there is exactly the same amount of free memory going to waste as is used by the longest possible program capable of running in Modes 0, 1 and 2.

Twin takes advantage of this fact, and allows you to

have two Basic programs resident in memory at the same time, so long as neither exceeds the maximum size Mode 0, 1 or 2.

One is held in the normal 64k mode program ram, in bank one, while the unused 12k in bank zero holds the second program.

To use the utility at any

time, make sure you are in 64k mode, insert the tape or disc holding the previously assembled code and type *TWIN. You now have one extra operating system or star command at your disposal, namely *SWAP. What this command does is very simple, but extremely powerful.

When typed in at the keyboard, *SWAP immediately swaps all of the ram between PAGE and &3000 for the corresponding memory locations in bank zero.

The first time you do this, the message *Bank 0 loaded* will be displayed.

If you now type LIST, you will undoubtedly get *Bad program*. This is because any Basic program in memory before the *SWAP command was typed will have been placed safely in bank zero, while the contents of bank zero — probably garbage — will have been copied into the current program area.

Effectively, you now have an empty memory, as if the machine had just been turned on. You can type NEW and start to write another program, or you can load one from tape or

```

10 REM TWIN for Slogger's
20 REM Master Ram Board
30 REM By Chris Nixon
40 REM (c) Electron User
50 REM
60 MODE6:FORPASS=@T02STEP
2
70 ptr1=&52:ptr2=&54
80 PX=&900:[OPT PASS:SEI
90 LDA &209:BPL skipvec
100 LDA &208:STA &230:LDA
&209
110 STA &231:LDA #patch MO
D 256
120 STA &208:LDA #patch DI
V 256
130 STA &209:LDA #1:STA ba
nk
140 .skipvec
150 CLI:LDA #10:STA &F4:ST
A &FE05:RTS
160 .patch
170 STX &70:STY &71:LDX #0
180 .wordlp
190 LDY #1:LDA comtab,X:BE
Q notfound
200 .bytelp
210 LDA (&70),Y:AND #223:C
MP comtab,X
220 BNE nextword:CMP #13
230 BEQ found:INX:INY:JMP
bytelp
240 .nextword
250 INX:LDA comtab,X:BNE n
extword
260 INX:JMP wordlp
270 .notfound
280 LDX &70:LDY &71:JMP (&
230)
290 .found
300 LDA comtab+1,X:STA &50
310 LDA comtab+2,X:STA &51
320 JMP (&50)
330 .swap
340 LDA #0:STA ptr1:LDA &1
8
350 STA ptr1+1
360 .swaploop
370 LDY #0:LDA (ptr1),Y:PH
A:LDX ptr1
380 LDY ptr1+1:LDA #0:PHA:
PLP
390 JSR &FBFD:LDY #0:STA (
ptr1),Y
400 LDX ptr1:LDY ptr1+1:LD
A #&40
410 PHA:PLP:PLA:JSR &FBFD:
CLC
420 LDA ptr1:ADC #1:STA pt
r1
430 LDA ptr1+1:ADC #0:CMP
#&30
440 BEQ swapdone:STA ptr1+
1
450 JMP swaploop
460 .swapdone
470 LDA bank:EOR #1:STA ba
nk:CLC
480 ADC #48:STA bankmess+5
490 .message
500 LDA bankmess,X:JSR &FF
E3:INX
510 CMP #13:BNE message:RT
S
520 JMP &8AF3
530 .bank
540 BRK
550 .bankmess
560 EQU$'Bank X loaded':EQ
UB13
570 .comtab
580 EQU$'SWAP':EQU$B13:EQU$
swap:BRK
590 BRK
600 ]:NEXT
610 OSCLI$'SAVE TWIN 900 '+
STR$'PX

```

Program I

Programming

disc. But whenever you want your old program back, just type *SWAP again, and you'll be greeted with the message *Bank 1 loaded*.

Don't be confused by this message. Although we are always inside bank one, the contents of bank zero were loaded into bank one after the first *SWAP.

This reminder simply means that now *SWAP has been used a second time, the original contents of bank one have been re-loaded, and bank zero holds the new program. Type LIST, and sure enough, there is your old program, safe and sound.

It's worth noting at this point a very interesting side effect of Twin. If you had a Basic program in memory before you switched to 64k mode and typed in the listing for Twin, you will find that after the first *SWAP it will re-appear!

Likewise, if you are editing a Basic program in 64k mode and you type *SWAP, flipping back to normal mode followed by Control+Break then OLD will recover this, too.

If you think about it, you will see why this happens. Because the 64k mode uses bank one to hold a Basic program, while bank zero is used in normal mode, flipping from one mode to the other won't disturb your program – it will just be paged out. And as long as its length doesn't exceed the magic &3000 upper limit, typing *SWAP will flip it back from apparent limbo into main memory once more.

The program Twin resides in page &900, where it is safe while a Swap is in operation. If you know even a smattering of assembly language, look at the listing carefully and you will see just how simple the program really is.

A machine code equivalent of the Basic FOR ... NEXT loop is used, which first takes a look in zero page at location &18 to ascertain the current setting of PAGE.

If you look at Memory

Map part I from the April 1988 issue of *Electron User*, you can see that this location actually holds the high byte of PAGE. If it's at &1D00, location &18 will hold the value &1D, or 29 decimal.

Now that Twin knows where PAGE is, a loop is started which counts up from this value, swapping each byte in bank one for the same address byte in bank zero, using the simple routines given in Part I of this series.

The loop stops when &3000 is reached, whereupon you are informed which logical bank is currently resident in user ram. Finally, location &8AF3 in the Basic rom is called.

This is the routine which Basic uses after an ordinary LOAD command to reset its internal pointers and clear

out all variables – it's necessary to neatly inform Basic of the new program's size, because we have used a strictly non-standard way of loading a program.

You may like to add your own shadow ram commands to Twin, and I have made this possible by using a full-blown command interpreter, rather than simply hard-wiring Twin to just accept *SWAP.

To add a new command, its name and address must be added to the command table between line 570 and 590 – line 590 contains the end of table marker. Note that line 580 is the entry for *SWAP, and the same format must be used for any extra commands.


The format is to place the command name itself, in capital letters, after the EQUUS. Then put the

routine's address in an EQUW statement, and finally a zero byte, or BRK instruction, at the end of the line.

Now all you have to do is add the new routine to the main program, not forgetting to label it with the same name you gave after the EQUW in the command table.

Experiment with *SWAP as much as you like, but remember – if you *SWAP a program which is too long to run in Modes 0, 1 or 2, you may not be able to *SWAP it back again – there is no guarantee against memory over the &3000 limit being overwritten by the new program.

● Next month I'll present you with another complete utility, a shadow ram filing system.



The Slogger Master Ram Board – including Turbo – in place on the Electron main circuit board

PRES

THE ADVANCED PLUS 3

Now you can turn your Electron & +1 into a full disc system – no more waiting for tape loading or 'bad block'/data? messages. A.P.3. gives you . . .

1. A fully Acorn compatible 1770 interface
2. 80 track 3.5" disc drive, as used by Acorn (320k capacity)
3. Separate PSU
4. Acorn ADFS
5. Welcome disc
6. Utilities
7. Full documentation
8. All the advantages of the original Plus 3 PLUS extra ROM socket.

All this without dramatically increasing the required desk space! Now well into the SECOND THOUSAND production.

Remember – 2nd drives (3.5 or 5.25) can be added and the AP3 drive can be used on a BBC or Master computer! Also most Electron disc-based software is supplied on 3.5" ADFS discs.

The only fully compatible disc upgrade running Acorn's own preferred filing system (supplied on: Plus 3, Master 128, Master Compact and now the Archimedes)

EXTRA BONUS

3 games on disc – SNAPPER – DRAUGHTS – REVERSI

COMPLETE PACKAGE ONLY

£99.00 excl VAT; £113.85 inc VAT

ADVANCED PLUS 1 . . . The plus 1 is the main expansion for the Electron. It provides the Centronics parallel printer, printer port, joystick interface and 2 cartridge slots into which go ROM cartridges including View, Viewsheet, Pascal, Logo and our own popular AP4 disc upgrade.
£43.43 excl VAT; £49.95 inc VAT

ADVANCED PLUS 6 . . . a fully buffered 6 ROM expansion module for the Electron user. AP6 is fitted inside the advanced Plus 1 or a modified Acorn Plus 1 (when used with the Acorn Plus 3, 5 ROM sockets are available). All sockets are designed to accept either ROMEPROMS or RAM chips. A further feature is the optional AP7 upgrade.
£33.00 excl VAT; £37.95 inc VAT

UPGRADE SERVICE for the original Acorn Plus 1 to Advanced Plus 1 and AP6. This will provide all the benefits of AP6 and also includes the printer circuit modification for some modem printers. (AP6 can be fitted to original Plus 1 by users with soldering experience) for upgrade service add £7.00 + VAT to AP6 price ie
£40.00 excl VAT; £46.00 inc VAT

This price includes modification, fitting AP6, testing and return postage. Address for returning your Plus 1.
P.R.E.S. Service Department, PO Box 34, Bradford BD17 6DE

ADVANCED ROM ADAPTER 2

An Acorn approved cartridge containing a card with special 'zero' profile sockets that allow you to fit compatible 8k or 16k EPROMS/ROMS. The cartridge is fully enclosed providing complete protection for your ROMS. Simple to use – No switching – complies fully to the Acorn (sideways) Rom filing system.

*The best ROM cartridge is by far the ARA 2...A&B Dec 86
£13.00 excl VAT; £14.95 inc VAT

ADVANCED BATTERY-BACKED RAM

A standard Acorn approved cartridge but containing 32k (2 x 16k) of sideways RAM. The added bonus is the battery-backed feature that holds the RAM contents when the power is switched off! Different ROM images can be loaded into either bank from ROM images previously saved. The banks can also be locked to imitate ROM use. Now it is possible to have View & ViewSheet in one cartridge every time you switch on. Other uses include &E00 ADFS, printer buffer, ROM software development. The use of ABR is simplified by the newly written PRES software utilities which include:- SaveROM, LoadROM, Lock, Unlock, Printer Buffer, Zero and MakeROM a new utility to put your own software from disc or tape into ABR & use the ROM filing system. All software is supplied in ABR with a simple menu to transfer the utilities to your own media. No hardware switching – totally software controlled. Instructions for using supplied software and necessary information for users developing their own applications.

"It's a superb add-on and a must for all serious Electron users" . . .
Electron User

£34.77 excl VAT; £39.95 incl VAT

ADVANCED QtrMeg RAM

A quarter megabyte is a whole 256k of extra sideways RAM. AQR provides this in a standard size, Acorn approved cartridge. Although ROM images can be loaded (with the appropriate software) into the various 16 banks of 16k RAM; AQRs primary and best use is as a RAM DISC. On an Electron this is achieved by using our ADFS 1.1 or ADFS &E00, both supplied with the necessary initialisation software to configure AQR as a 256k RAM DISC (the latter also regains 3.75k of main user memory on a Plus 3 system).

£69.52 excl VAT; £79.95 inc VAT

NEW PRODUCT

NEW ** ADVANCED PLUS 2 ROM

We feel this is one of the best, low cost, additions we have produced for the Electron & +1 user, especially for Plus 3, AP3 & ABR users.

Now with this easy to fit upgrade you can add:

1. Fix for Tape filing system in Hi-res screen modes.
2. *ROMS – to display all ROMs/ROM images present on the system.
3. *UNPLUG – disable ROM/RAM image.
4. *INSERT – enables or inserts a previously unplugged ROM.
5. *KILL – to totally disable the Plus 1.
6. *LOCK – to lock a sideways RAM bank in ABR, AQR, AP7.
7. *LROMS – to lock all sideways RAM banks found.
8. *UNLOCK – to unlock a sideways RAM bank in ABR, AQR, AP7.
9. *UROMS – to unlock all sideways RAM banks found.
10. *SAVEROM – saves a copy of a ROM image to the current filing system.
11. *LOADRUN – loads a ROM image from the current FS into a RAM bank.
12. *FORMAT – will format an ADFS disc for Plus 3 or AP3.
13. *VERIFY – reads and tests every sector on an ADFS disc.
14. *VFORM – formats and verifies an ADFS disc in one command.
15. *BUILD – creates a text file that can be used by *EXEC (ie IBOOT).
16. *LIST – displays a numbered listing of a text file.
17. *TYPE – displays a file on screen with no line numbers.
18. *DUMP – to view a file's contents on screen.
19. *LANG – selects a default language to be booted on <CTRL-BREAK>
20. *HELP – provides a full 'help' list on all the ROM's commands
STOP PRESS
21. *AQRPAGE – selects the specified page in any AQR present.

Now there is no need to search for your utilities disc every time you want to Format/Verify a disc, Build a IBoot file or Lock/unlock/Load a ROM image into ABR PLUS much more . . . the ideal companion from the company that produces the Acorn Plus 1.

£11.00 ex VAT; £12.65 inc VAT

NEW ** USER PORT **

A new low cost unit for those who just require a user port interface. Supplied in a standard size, Acorn approved cartridge, with the standard connector on top. Inside is a spare ROM socket which can also be configured for high priority use such as mouse software.

£19.99 ex VAT; £22.95 inc VAT

NEW ** ADVANCED PRINTER BUFFER

Newly written software from PRES that will use sideways RAM (ie ABR) to take text on its way to a printer from the computer & then continue to 'feed' the printer on demand while the computer is freed as soon as it has delivered up to 14k of text to the buffer. As printers are much slower than computers, this means you can carry on editing text in View while the printer takes text from the buffer at its own speed. Included are commands to turn the buffer ON/OFF, purge the buffer, control the effect <ESCAPE> has on the buffer and produce a buffer status report. Supplied on 3 .5" ADFS or 5.25" DFS disc.

£9.00 ex VAT; £10.35 inc VAT

ADFS VERSION 1.1

Suitable for existing Plus 3 or A.P.4 users. This new version has the software fixes for Zysyshep, write protect disable & compaction. Also Winchester code has been replaced with the necessary driving software to handle AQR as a 256k RAM DISC. Please note - ADFS is Acorns adopted standard filing system supplied on the Plus 3, Master 128, Master Compact & now the Archimedes. Supplied on 16k ROM with Welcome disc, utilities & full documentation.

£19.95 ex VAT; £22.55 inc VAT

ADFS E00

For Electron users with either Plus 3 or A.P.4 and 32k of S/W RAM i.e. ABR. All the benefits of ADFS but without all the loss of RAM! Includes all the software 'fixes' as in version 1.1 as well as the AQR/RAM DISC code and an 'FX' call for managing the new & original ADFS. One of the most frequent questions we are asked: "How do I get back the memory lost on my Plus 3 system?" Answer: PRES ADFS & E00 regains 3.75k leaving page @ &E00 the same as Tape! Supplied on 3.5" disc.

£19.95 ex VAT; £22.95 inc VAT
+5.25" Disc £17.35 ex VAT; £18.95 inc VAT

NEW ** PRES ABR SOFTWARE

The new PRES ABR software now available separately containing: SaveROM, LoadROM, Lock, Unlock, Printer Buffer, Zero and MakeROM a new utility to put our own software from disc or tape into ABR & use the ROM filing system. Supplied on 3.5" ADFS or 5.25" DFS disc.

3.5" £9.99 ex VAT; £11.49 inc VAT
5.25" £8.99 ex VAT; £10.34 inc VAT

NEW ** ADVANCED GAMES COMPENDIUMS - ON DISC

With so many of our products providing more 'serious' add-ons for the Elk; we thought it was time to allow easy access to some of the favourite games ON DISC! . . . Three volumes of popular games, previously only available on tape, now 'instantly' loadable from menu on disc. Titles such as Croaker, Felix & Fruit Monsters, Killer Gorilla, Danger UXB, Swoop, Ghouls, Invaders, Swag, Galactic Commander, Felix in the Factory, Bumble Bee, Gauntlet, Frenzy, Moonraider, Positron etc. etc. Each volume contains EIGHT menu selectable games (titles per volume not finalised when going to press). Available on 3.5" ADFS or 5.25" DFS.

Vol. I	Vol. II	Vol. III
Invaders	Felix and the Fruit Monsters	Danger UXB
Jet Power Jack	The Mine	Ghouls
Killer Gorilla	Rubble Trouble	Felix and the Evil Weevils
Stock Car	Swag	Adventure
Bandits @ 3	Cybertron Mission	Positron
Bumble Bee	Moonraider	Swoop
Croaker	Frenzy	Chess
Felix in the Factory	Escape Moonbase Alpha	Galactic Command

3.5" £9.99 ex VAT each volume; £11.49 inc VAT
5.25" £8.99 ex VAT each volume; £10.34 inc VAT

DISC DRIVES	Ex VAT	+VAT
Cumana 5.25" dbl/sided 40/80 track, switchable, inc. psu.	£129.56	£149.00
Cumana 5.25" sing/sided 40 track, inc. psu.	£112.17	£129.00
Cumana 3.5" dbl/sided 80 track, inc. psu.	£112.17	£129.00
PRES special 3.5" sing/sided 80 track, inc. psu.	ONLY £59.00	£67.85

DISCS	Ex VAT	+VAT
3.5" 10 in plastic library box - ideal for Plus 3 users	£19.95	£22.95
5.25" 10 dble/sided dble/dens.	£12.99	£14.99
5.25" 10 sing/sided sing/dens.	£8.99	£10.34
5.25" Twin Gift Pack	£1.49	£1.74

VIEW CARTRIDGE . . . the Acornsoft word processor for the Electron and Plus 1. Inc. full documentation. . . . £14.95
VIEWSHEET CARTRIDGE . . . the Acornsoft spreadsheet for the Electron and Plus 1. Inc. full documentation. . . . £14.95
VIEW & VIEWSHEET . . . both products as above *special price* . . . £22.00
LISP CARTRIDGE . . . the Acornsoft language cartridge for the Electron and Plus 1. . . . £9.99

ACCESSORIES

NEW ** ELECTRON POWER SWITCH

For those who are fed up with removing the power connector every time when resetting the computer or for those whose jack-plug connector has become unreliable by removing the power at random! This useful accessory provides a double-pole in-line switch with a new power jack-plug already attached: just connect to the existing lead, having removed the old jack-plug.

£3.44 ex VAT; £3.96 inc VAT

AP3 2nd DRIVE LEAD

Replaces existing drive cable with one containing an extra connector for adding a second drive configured as Drive 1.

£4.95 ex VAT; £5.69 inc VAT

PLUS 3 2nd DRIVE ADAPTOR

Converts the fitting at the back of the original Acorn Plus 3, to take a standard disc drive connector when adding a second drive which has been configured to Drive 1.

£6.91 ex VAT; £7.95 inc VAT

A.D.F.S Guide Manual £5.00

SPECIAL PACKAGE PRICES

AP1 + AP3 £130.39 ex VAT £149.95 inc VAT

AP1 + AP6 £69.52 ex VAT £79.95 inc VAT

AQR + ADFS 1.1 £78.00 ex VAT £89.70 inc VAT

ABR + ADFS E00 £47.78 ex VAT £54.95 inc VAT

*** NEW EXCLUSIVE MAIL ORDER PRODUCT FROM PRES *** THE TIMES COMPUTER CROSSWORD VOLUME 1

	Ex VAT	+VAT
ADFS 5.25"	£13.00	£14.95
ADFS 3.5"	£13.00	£14.95
DFS 5.25"	£11.26	£12.95
Cass	£8.65	£9.95

*** NEW ***
AP3 INTERFACE ONLY £52.00 ex VAT £59.80 inc VAT

PRINTER

Printer ideal for Electron Plus 1. Panasonic KX-P1081 Graphic Epson Compatible NLQ ready to connect including cable, delivery and VAT

..... £155.65 ex VAT £179.00 inc VAT

ELECTRON ADVANCED USER GUIDE . . . further reading and information for the Electron user. . . . £3.95

ELECTRON ASSEMBLY LANGUAGE . . . book by Bruce Smith containing many examples of how to program in assembler. . . . £2.95

Software on disc for the above 3.5" ADFS £3.50 - 5.25" DFS £2.50

COMING SOON

ADVANCED PLUS 7 . . . upgrade for AP6 allows for 2 banks of 16k battery backed sideways ram which can be fully write protected.

HYBRID'S MUSIC 5000 . . . as widely used on the BBC computers has been fully versioned for the Electron & Plus 5.

USER PORT CARTRIDGE . . . a new single user port in standard size cartridge at budget price . . . £T.B.A.

1MHZ bus . . . a new single 1MHZ bus in standard size cartridge at a budget price . . . £T.B.A.

Please send order to:-
P.R.E.S. LTD.,
6 Ava House, High Street,
CHOBHAM, Surrey, England.
GU24 8LZ. Tel: 0276 72046
(Mail order only)
All our prices include
UK delivery & VAT



(in event of any query -
please include your tel. no.)

Product	Qty	@	Total
Name			
Address			
Postcode			
Tel:	I enclose payment for £		
Credit Card No.:	Exp date		(Ref E106)

In deep water

THE year is 1989, and it is crisis point in the Gulf. Agents from opposing nations are systematically penetrating the waters near your country's stronghold, seeding them with deadly neutron mines.

You, as your country's leading diver and bomb disposal expert – Jaques Custard – have been commissioned (at gunpoint) to keep the harbours free of any exploding items.

Your task is to swim around the shark-infested waters of the harbour, collecting the spanners which have been carelessly dropped by your ham-fisted assistant Penfold.

Once you have collected one you must take it to the bomb to defuse part of the mechanism – but to disable

each bomb five separate spanners are needed, and time is ticking steadily away.

The sharks which infest the water are a slight problem, but they can be killed with your trusty harpoon. However, the smell of the blood which this causes will attract other sharks which appear at random positions in the bay.

After you have defused the bomb you are given an extra life, and moved on to another part of the bay, containing faster, much more deadly sharks

Dodge the man-eating sharks in this frantic race to defuse the bombs – from STEPHEN and DAVID BURNETT



CONTROLS


Z	Left
X	Right
:	Up
/	Down
Space	Fire

VARIABLES

LIVES%	Time left
Xpos	Shark X position table
Ypos	Shark Y position table
level%	Level
manX	Diver X position
manY	Diver Y position
spannerX	Spanner X position
spannerY	Spanner Y position
score%	Score
spanner%	Spanners collected

PROCEDURES

won	Go to next level
found	Spanner collected
shark	Move sharks
man	Move diver
key	Keyboard input
init	Set up variables
dead	Diver killed
hiscore	High score routine
assemble	Assembles machine code



```

10 REM Bomb Alert
20 REM by S.J.Burnett
30 REM & D.J.Burnett
40 REM (c) Electron User
50 ON ERROR GOTO 4650
60 PROCinit
70 PROCassemble
80 MODE5:VDU19,0,4,0,0,0:
VDU19,2,2,0,0,0
90 VDU23,1,0;0;0;0;0;
100 PROCsetmasks
110 PROCskill
120 REPEAT
130 PROCdrawmaze
140 PROCsetup
150 *FX11,1
160 *FX12,1
170 AX=10:YX=10:CALL code
180 PRINTTAB(?manX,?manY);
AS
190 key=GET
200 REPEAT
210 PROCkey
220 PROCshark
230 IF ?eaten PROCdead
240 IF ?found PROCfound
250 PROCbomb
260 UNTIL LIVESX<1
270 *FX12,0
280 COLOUR3:PRINTTAB(6,20)
;GAME OVER
290 time=TIME:REPEAT UNTIL
TIME>time+300
300 PROCchiscore
310 PROCsetup:scoreX=0:spannerX=0:LIVESX=3:levelX=1
320 UNTIL key$="N" OR key$="n"
330 MODE6:END
340:
350 DEFPROCbomb
360 IF TIME<time2X + 100 E
NDPROC
370 TX=TX-1
380 COLOUR129:COLOUR3
390 PRINTTAB(9,29);TXDIV10
;TXMOD10
400 COLOUR128
410 time2X=TIME
420 IF TX<1 TX=50+delayX:P
ROCdead
430 ENDPROC
440:
450 DEFPROCscore
460 COLOUR130:COLOUR1
470 PRINTTAB(0,1);STRINGS(
LIVESX,CHR$224);STRINGS(5-LI
VESX,CHR$32);STRINGS(spanner
%,CHR$233);STRINGS(5-spanner
%,CHR$32);Sc="";scoreX
480 COLOUR128
490 ENDPROC
500:
510 DEFPROCwon
520 scoreX=scoreX+200:LIVE
SX=LIVESX+1:spannerX=0
530 IF LIVESX>5 LIVESX=5
540 levelX=levelX+1
550 SOUND1,3,157,20
560 delayX=delayX-5
570 IF delayX<0 delayX=0
580 PRINTTAB(0,29);Level:
;LevelX:PRINT:PRINT:PROCdra
wmaze
590 ?spannerX=2*RND(9):?sp
annerY=2*RND(12)
600 PROCreset:*FX21,0
610 key=GET:TIME=0
620 ENDPROC
630:
640 DEFPROCfound
650 ?found=0
660 IF gotX PROCgot:ENDPRO
C
670 gotX=TRUE
680 spannerX=spannerX+1:IF
spannerX>5 spannerX=5
690 SOUND1,3,157,20
700 scoreX=scoreX+200
710 ?spannerX=9:?spannerY=
28
720 SOUND1,3,157,20
730 PROCscore
740 ENDPROC
750:
760 DEFPROCgot
770 IF spannerX=5 PROCwon:
PROCscore:ENDPROC
780 gotX=FALSE:time2X=time
2X+300
790 SOUND1,3,157,20
800 scoreX=scoreX+200
810 ?spannerX=2*RND(9):?sp
annerY=2*RND(12)
820 PROCscore
830 ENDPROC
840:
850 DEFPROCshark
860 IF TIME<time1X+delayX:
AX=10:YX=10:CALL code:ENDPRO
C
870 AX=RND(5):YX=RND(5)
880 CALL code,bitmapX(0),m
askX(0)
890 time1X=TIME
900 IF NOT gotX COLOUR RND
(3):PRINTTAB(?spannerX,?span
nerY);CHR$232
910 ENDPROC
920:
930 DEF PROCkill
940 SOUND1,2,100,20
950 VDU19,3,11,0,0,0
960 timeX=TIME:REPEAT UNTI
L TIME=timeX+50
970 PRINTTAB(Xpos?1X,Ypos?
1X);SPC2
980 Xpos?1X=4*RND(4):Ypos?
1X=4*RND(7)
990 AX=10:YX=10:CALL code
1000 VDU19,3,7,0,0,0
1010 scoreX=scoreX+100
1020 PROCscore
1030 ENDPROC
1040:
1050 DEF PROCsetmasks
1060 maskX(0)=1
1070 FOR m=1 TO 30
1080 maskX(m)=maskX(m-1)*2
1090 NEXT m
1100 ENDPROC
1110:
1120 DEF PROCdrawmaze
1130 LOCAL x,y,flag,nogap
1140 bitmapX(0)=&1FFFFFFC
1150 bitmapX(19)=&3FFFFFFC
1160 REPEAT
1170 FOR x=1 TO 17 STEP 2
1180 BX=(RND(&3FFFFFFF) AND
&2AAAAAAA) OR &20000002
1190 bitmapX(x)=BX:bitmapX(
x+1)=BX
1200 NEXT
1210 nogap=FALSE
1220 FOR y=0 TO 30
1230 flag=0
1240 COLOUR(y MOD 2 + 1)
1250 FOR x=0 TO 19
1260 IF bitmapX(x) AND mask
X(y) THEN PRINT:CHR$240; ELS
E PRINT:SPC1;:flag=flag+1
1270 NEXT x
1280 IF flag=0 nogap=TRUE
1290 NEXT y
1300 UNTIL nogap=FALSE
1310 TX=50+delayX
1320 COLOUR1:PRINTTAB(8,29)
;CHR$238;TAB(11,29);CHR$239
1330 COLOUR129:COLOUR3:PRIN
TTAB(9,29);TX
1340 COLOUR130:COLOUR1:PRIN
TTAB(14,1);SPC6;TAB(0,29);L
evel:;levelX
1350 COLOUR128:PROCscore
1360 ENDPROC
1370:
1380 DEFPROCman
1390 JX=(JX+1)MOD4
1400 ?newX=hX+?manX:?newY=v
X+?manY
1410 XH=5:CALL continue,bit
mapX(0),maskX(0)
1420 PRINTTAB(?manX,?manY);
SPC2
1430 PRINTTAB(?newX,?newY);
man$(dirX+1,JX)
1440 ?manX=?newX:?manY=?new
Y
1450 ENDPROC
1460:
1470 DEFPROCkey
1480 IF INKEY(-99) AND dirX
=1 PROCright ELSE IF INKEY(-
99) PROCleft
1490 IF (INKEY(-98)+INKEY(-
67)+INKEY(-73)+INKEY(-105))=
0 ENDPROC
1500 IF INKEY(-98) hX=-1:di
rX=-1 ELSE IF INKEY(-67) hX=
1:dirX=1 ELSE hX=0
1510 vX=INKEY(-73)-INKEY(-1
05)
1520 PROCman
1530 ENDPROC
1540:
1550 DEFPROCinit
1560 ENVELOPE1,3,-17,61,9,4
,0,0,126,0,0,-126,126,126
1570 ENVELOPE2,4,90,-15,-15
,10,20,20,126,0,0,-126,126,1
26
1580 ENVELOPE3,2,-56,5,77,4
5,-99,-2,126,0,0,-126,126,12
6
1590 VDU 23,224,0,24,47,27,
2,4,127,0
1600 VDU 23,225,0,8,240,192
,64,32,24,0
1610 VDU 23,226,0,0,248,128
,96,24,0,0
1620 VDU 23,227,0,24,244,21
6,64,32,254,0
1630 VDU 23,228,0,16,15,3,2
,4,24,0
1640 VDU 23,229,0,0,31,1,6,
24,0,0
1650 VDU 23,230,0,0,248,192
,0,0,0,0
1660 VDU 23,231,0,0,31,3,0,
0,0,0
1670 VDU 23,232,0,66,231,60
,60,231,66,0
1680 VDU 23,233,0,34,119,28
,28,119,34,0
1690 VDU 23,234,0,16,24,13,
15,13,24,16
1700 VDU 23,235,128,192,252
,246,255,240,252,0
1710 VDU 23,236,1,3,63,111,
255,15,63,0
1720 VDU 23,237,0,8,24,176,
240,176,24,8
1730 VDU 23,238,7,15,31,63,
63,31,15,7
1740 VDU 23,239,131,195,231
,255,255,231,195,131
1750 VDU23,240,28,42,54,28,
62,107,85,85
1760 AS=CHR$17 +CHR$1 +CHR
$224 +CHR$17 +CHR$2 +CHR$225
1770 BS=CHR$17 +CHR$1 +CHR$
224 +CHR$17 +CHR$2 +CHR$226
1780 CS=CHR$17 +CHR$1 +CHR$
224 +CHR$17 +CHR$2 +CHR$230
1790 DS=CHR$17 +CHR$2 +CHR
$228 +CHR$17 +CHR$1 +CHR$227
1800 ES=CHR$17 +CHR$2 +CHR$
229 +CHR$17 +CHR$1 +CHR$227
1810 FS=CHR$17 +CHR$2 +CHR$
231 +CHR$17 +CHR$1 +CHR$227
1820 DIM man$(2,4),bitmapX(
19),maskX(31),code 500,hiX(1
0),hi$(10)
1830 man$(0,0)=AS
1840 man$(0,1)=BS
1850 man$(0,2)=CS
1860 man$(0,3)=DS
1870 man$(2,0)=DS
1880 man$(2,1)=ES
1890 man$(2,2)=FS
1900 man$(2,3)=ES
1910 Xpos=&70:Ypos=&76:manX
=&75:manY=&78
1920 store1=&7C:store2=&7D
1930 newX=&7E:newY=&7F
1940 shark=&80:eaten=&82:fo
und=&83
1950 Xpointer=&84:Ypointer=
&86
1960 spannerX=&88:spannerY=
&89
1970 temp=&8A
1980 LIVESX=3:levelX=1
1990 scoreX=0:lX=0:spannerX
=0
2000 ?spannerX=4*RND(4):?sp
annerY=4*RND(7)
2010 FOR I=1 TO 10
2020 hiX(I)=11000-I+1000:hi
$(I)="Steve"
2030 NEXT
2040 ENDPROC
2050:
2060 DEF PROCdead
2070 SOUND0,-15,100,10
2080 VDU19,0,11,0,0,0
2090 time4X=TIME:REPEAT UNT
IL TIME>time4X+100
2100 AX=10:YX=10:?shark=32:
shark?1=32:CALL code
2110 PRINTTAB(?manX,?manY);
SPC2
2120 PROCreset
2130 VDU19,0,4,0,0,0
2140 LIVESX=LIVESX-1
2150 PROCscore
2160 ENDPROC
2170:
2180 DEF PROCfire
2190 MOVEX,yX:GCOL3,3:DRAW
rX,yX
2200 SOUND1,1,157,4
2210 MOVEX,yX:GCOL3,3:DRAW
rX,yX

```

Turn to Page 28 ▶

Game

◀ From Page 27

```

2220 ENDPROC
2230:
2240 DEF PROCleft
2250 x%=?manX*64:y%=(31-?ma
nY)*32+4
2260 I%=-1:shot=FALSE
2270 REPEAT
2280 I%=I%+1
2290 IF Ypos?I%=?manY AND (
(Xpos?I%)+1)<?manX THEN shot
=TRUE
2300 UNTIL shot OR I%=4
2310 IF shot r%=((Xpos?I%)+
2)*64:PROCFire:PROCKill:ENDP
ROC
2320 r%=64:PROCFire
2330 ENDPROC
2340:
2350 DEF PROCright
2360 x%=(?manX+2)*64:y%=(31
-?manY)*32+4
2370 I%=-1:shot=FALSE
2380 REPEAT
2390 I%=I%+1
2400 IF Ypos?I%=?manY AND (
(Xpos?I%)-1)>?manX THEN shot
=TRUE
2410 UNTIL shot OR I%=4
2420 IF shot r%=(Xpos?I%)*6
4:PROCFire:PROCKill:ENDPROC
2430 r%=1215:PROCFire
2440 ENDPROC
2450:
2460 DEFPROCSetup
2470 ?shark=234:shark?1=235
2480 h%=0:v%=0:dir%=-1
2490 ?manX=16:?manY=2
2500 ?Xpos=RND(5)+8:?Ypos=4
2510 Xpos?1=RND(5)+8:Ypos?1
=8
2520 Xpos?2=RND(5)+8:Ypos?2
=14
2530 Xpos?3=RND(5)+8:Ypos?3
=16
2540 Xpos?4=RND(5)+8:Ypos?4
=24
2550 ?eaten=0:?found=0
2560 TIME=0:time1%=0:time2%
=0
2570 got%=FALSE
2580 ENDPROC
2590:
2600 DEFPROCreset
2610 PROCSetup
2620 PRINTTAB(?manX,?manY);
AS
2630 CALL code
2640 key=GET
2650 ENDPROC
2660:
2670 DEFPROCscore
2680 CLG:*FX21,0
2690 IF score%>hi%(10) PROC
update
2700 CLG:COLOUR1
2710 PRINTTAB(1,1);"TODAYS
HIGH SCORES"
2720 COLOUR3:PROCTable
2730 COLOUR2:PRINTTAB(1,30)
;"another game(Y/N)"
2740 REPEAT key$=GET$
2750 UNTIL key$="Y" OR key$
="y" OR key$="N" OR key$="n"
2760 ENDPROC
2770:
2780 DEF PROCskill
2790 GCOL0,131:CLG:GCOL0,13
0:CLG:GCOL0,128:CLG
2800 COLOUR1:PRINTTAB(1,16)
;"enter skill level"
2810 REPEAT:PRINTTAB(6,18)"
(1 to 4)";TAB(9,20);SPC10
2820 INPUTTAB(9,20)skill%
2830 UNTIL skill%>0 AND ski
ll%<5
2840 delay%=50-skill%+10
2850 ENDPROC
2860:
2870 DEFPROCupdate
2880 COLOUR3
2890 PRINTTAB(2,12);"Congra
tulations";TAB(3,14);"you're
on the";TAB(2,16);"high sco
re table"
2900 time=TIME
2910 REPEAT UNTIL TIME=time
+ 300
2920 slot=0
2930 REPEAT slot=slot+1
2940 UNTIL score%>hi%(slot)
2950 FOR pos=9 TO slot STEP
-1
2960 hi%(pos+1)=hi%(pos):hi
$(pos+1)=hi$(pos)
2970 NEXTpos
2980 hi%(slot)=score%:hi$(s
lot)=-
2990 CLG:COLOUR2:PROCTable
3000 COLOUR3
3010 PRINTTAB(2,28);"enter
your name"
3020 INPUTTAB(10,slot+2+4)n
ame$
3030 hi$(slot)=LEFT$(name$,
9)
3040 CLG
3050 ENDPROC
3060:
3070 DEFPROCtable
3080 FOR pos=1 TO 10
3090 score$=STR$(hi%(pos))
3100 PRINTTAB(1,pos+2+4);LE
FTS("0000000",7-LEN(score$))
;score$:SPC2;hi$(pos)
3110 NEXT pos
3120 ENDPROC
3130 DEF PROCassemble
3140 FOR PASS=0 TO 2 STEP2
3150 P%=code
3160 [OPT PASS
3170 STA store1
3180 STY store2
3190 LDX #5
3200 .loop
3210 CPX store1:BEQ move
3220 CPX store2:BEQ move
3230 DEX
3240 LDA#31:JSR &FFEE
3250 LDA Xpos,X:JSR &FFEE
3260 LDA Ypos,X:JSR &FFEE
3270 LDA#17:JSR &FFEE
3280 LDA#3:JSR &FFEE
3290 LDA shark:JSR &FFEE
3300 LDA shark+1:JSR &FFEE
3310 JMP test
3320 .move
3330 DEX
3340 LDA Xpos,X
3350 CMP manX
3360 BEQ zero
3370 BCC increaseX
3380 SEC:SBC #1:STA newX
3390 LDA#236:STA shark:LDA#
237:STA shark+1
3400 JMP cont
3410 .increaseX
3420 CLC:ADC #1:STA newX
3430 LDA#234:STA shark:LDA#
235:STA shark+1
3440 JMP cont
3450 .zero
3460 STA newX
3470 .cont
3480 LDA Ypos,X
3490 CMP manY
3500 BEQ none
3510 BCC increaseY
3520 SEC:SBC #1:STA newY
3530 JMP continue
3540 .increaseY
3550 CLC:ADC #1:STA newY
3560 JMP continue
3570 .none
3580 STA newY
3590 .continue
3600 LDA Xpos,X
3610 ASL A:ASL A
3620 CLC:ADC &0601:STA Xpoi
nter
3630 LDA &0602:ADC #0:STA X
pointer+1
3640 LDA newY:ASL A:ASL A
3650 CLC:ADC &0604:STA Ypoi
nter
3660 LDA &0605:ADC #0:STA Y
pointer+1
3670 STX temp \STORE
X TEMP
3680 LDX #8:LDY #3
3690 .loop2
3700 LDA (Xpointer),Y
3710 AND (Ypointer),Y
3720 BNE oldY
3730 DEX:BEQ Xtest
3740 DEY:BPL loop2
3750 LDA #4
3760 CLC:ADC Xpointer
3770 STA Xpointer
3780 LDA Xpointer+1
3790 ADC #0
3800 STA Xpointer+1
3810 LDY #3
3820 JMP loop2
3830 .oldY
3840 LDX temp \REST
ORE X
3850 LDA Ypos,X
3860 STA newY
3870 ASL A:ASL A
3880 CLC
3890 ADC &0604:STA Ypointer
3900 LDA &0605:ADC #0:STA Y
pointer+1
3910 .Xtest
3920 LDX temp \REST
ORE X
3930 LDA newX:ASL A:ASL A
3940 CLC
3950 ADC &0601:STA Xpointer
3960 LDA &0602:ADC #0:STA X
pointer+1
3970 LDX #8:LDY #3
3980 .loop3
3990 LDA (Xpointer),Y
4000 AND (Ypointer),Y
4010 BNE oldX
4020 DEX:BEQ print
4030 DEY:BPL loop3
4040 LDA #4
4050 CLC:ADC Xpointer
4060 STA Xpointer
4070 LDA Xpointer+1
4080 ADC #0
4090 STA Xpointer+1
4100 LDY #3
4110 JMP loop3
4120 .oldX
4130 LDX temp \REST
ORE X
4140 LDA Xpos,X
4150 STA newX
4160 .print
4170 LDX temp \REST
ORE X
4180 CPX #5
4190 BNE over
4200 LDY newY:CPY spannerY
4210 BNE end
4220 LDY newX:CPY spannerX
4230 BEQ take
4240 INY:CPY spannerX
4250 BNE end
4260 .take
4270 LDA #&FF:STA found
4280 JMP end
4290 .over
4300 LDA#31:JSR &FFEE
4310 LDA Xpos,X:JSR &FFEE
4320 LDA Ypos,X:JSR &FFEE
4330 LDA#32:JSR &FFEE:JSR &
FFEE
4340 LDA#31:JSR &FFEE
4350 LDA newX:STA Xpos,X:JS
R &FFEE
4360 LDA newY:STA Ypos,X:JS
R &FFEE
4370 LDA#17:JSR &FFEE
4380 LDA#7:JSR &FFEE
4390 LDA shark:JSR &FFEE
4400 LDA shark+1:JSR &FFEE
4410 .test
4420 LDA Ypos,X
4430 CMP manY
4440 BNE next
4450 LDY Xpos,X
4460 DEY
4470 CPY manX
4480 BEQ dead
4490 INY
4500 CPY manX
4510 BEQ dead
4520 INY
4530 CPY manX
4540 BNE next
4550 .dead
4560 LDA #&FF
4570 STA eaten
4580 .next
4590 TXA:BEQ end
4600 JMP loop
4610 .end
4620 RTS:]
4630 NEXT PASS
4640 ENDPROC
4650 ON ERROR OFF
4660 MODE6
4670 *FX12,0
4680 REPORT
4690 PRINT' at line ";ERL
4700 END

```

This listing is included in this month's cassette tape offer. See order form on Page 53.

AS those of you who have to travel often know only too well, driving for long distances around the country can be extremely tiring.

Certainly the last thing you want to worry about is getting lost midway between the start and finish of your journey.

Carmate is an aptly named piece of software which can take most of the worry out of long road journeys.

It is essentially a database in which you can store and retrieve complete route descriptions, giving details of which roads to take, the right motorway exits and so on.

Unlike some databases, Carmate is both simple to use yet powerful enough to allow 300 different routes to be stored on an ordinary 40 track DFS disc.

Plus 3 owners can modify the program to store either 900 or 1,800 entries on one disc, depending on whether their drive is double-sided or not.

The idea is to load Carmate before setting out on a long car journey, and select option one - Examine a route - from the main menu.


Then enter the names of the two places between which you are travelling, and if they are already on the disc you will be presented with a concise description of which roads to take, and the approximate distance in miles. This information can be printed out if desired as a handy dashboard record.

The disc data file itself is 90,002 bytes long, enough for 300 entries of 300 bytes each, plus two bytes at the file's start which hold the current number of entries in the database.

Carmate caters for the minimum possible disc size, which is 100k on a 40 track disc.

However, if you have a Plus 3, change the value assigned to *maxitem%* in line 70 from 300 to either 900 if you have a single sided ADFS drive, or 1800 for a double sided drive.

Then change the OSCLI command in line 260 to *SA.ROUTES 0+41EB2 if



If your sense of direction is as poor as CHRIS NIXON's, this utility will help put you back on the right track

you have a single sided ADFS drive, or *SA.ROUTES 0+83D62 if it is double sided. These changes will give you 900 or 1,800 possible entries respectively.

When you first use Carmate you will be informed that there is no data file on disc. Press C to create a new routes file, and make sure that you have a disc in the drive with at least 90k free.

Alternatively insert an

this option, so you must press Shift to scroll the list up - alternatively press Escape at any time to abort the listing.

Option three is Add a new route. As your database will be empty the first time you use it, this will be the most frequently selected option.

You will be asked for the start town, destination and total distance between them in miles. This is quickly worked out by using the key

any reason - for instance, if there is insufficient room on disc to create a new data file - you will be informed, but you won't lose control of the program.

Carmate runs in Mode 4, partly because it is a lot faster than Mode 1, but mainly because there is not enough memory available in Mode 1 if you have a Plus 3, because it leaves PAGE at &1D00.

However, four colours are actually present on screen by making use of Roland Waddilove's palette switching techniques, as detailed in the November 1985 issue of *Electron User*.

Unfortunately, you may not get a colour display if you have a Cumana disc interface and Slogger SEDFS, due to an annoying bug in this system which resets the event vector when switching off the drive motor.

By far and away the best feature of Carmate is its ability to furnish you with a hard copy of any selected route.

With a printout pinned to your dashboard, all your worries about wandering around in circles for hours should just fade away - along with your petrol bill.

Turn to Page 30 ►

COMPUTING IN

ACTION

other disc on which you know is a previously created file and press Return to go back to the main menu.

The program recognises whether you are using the ADFS or DFS, and acts accordingly. All file handling between the two systems is identical, but if the ADFS is being used Carmate must perform a *MOUNT every time the main menu appears.

The second option from the main menu is List all routes. Selecting this allows you to find out exactly which routes you have stored on disc so far.

Page mode is enabled for

on any road map with the help of a ruler.

Next you are prompted to enter the route description. You have 240 characters in which to furnish concise directions - I have found this to be quite ample when simple abbreviations are used, but you can be as descriptive as the space permits.

Press Return when finished, and your new route description will be entered into the disc file. The program is completely error trapped, and you cannot exceed the file limit of 300 entries.

If an error does occur for

```

10 REM Car Companion
20 REM By Chris Nixon
30 REM (c) Electron User
40 ONERRORGOTO790
50 CLOSE#0:OSCLI'FX16:AX
=>0:XX=870:YX=0:discX=USR(&FF
DA)AND 256:IfdiscX=8 discS=
ADFS' ELSE discS='DFS'
60 MODE4:PROCcassen:PROCse
tup:REPEAT:PROCmenu:UNTIL0
70 DEFPROCsetup:DIMdataX
300:discX=1:itemX=0:maxitemX
=300:town1X=0:town2X=19:mile
sX=38:infoX=40
80 CHX=OPENUP'ROUTES':IF
CHX=0 PROCnewfile:GOTO80
90 itemsX=BGET#CHX:itemsX
=BGET#CHX*256+itemsX:CLOSE#0
100 ENDPROC
110 DEFPROCmenu:OSCLI'FX13
,4:IfdiscX=8 OSCLIMOUNT
120 PROCtitle('CAR MATE Tr
avel Route Database'):PRINT
AB(3,5)'By Chris Nixon - (c)
Electron User'
130 PRINTTAB(0,8)::PROCbig
('Filing system "discS" :
"STRSitemsX" Routes on dis
c')

```

```

240 DEFPROCnewfile:OSCLI'F
X14,4':PROCtitle('No Route D
ata on disc')
250 PRINTTAB(16,8)::PROCbig
('EITHER:'):PRINT'""SPC3'I
nsert Data Disc and press RE
TURN':PRINTTAB(18,16)::PROCbig
('OR:'):PRINT'""SPC4'Pres
s C to create new Data File'
;
260 REPEAT:GS=GETS:UNTILGS
='C'ORGS='c'ORGS=CHR$13:IFGS
=CHR$13 ENDPROC ELSE PROCtit
le('Creating new data file -
Please wait:'):OSCLI'SA.ROU
TES 0+15F92':CHX=OPENUP'ROU
TES':BPUT#CHX,0:BPUT#CHX,0:CL
OSE#0:ENDPROC
270 STOP
280 DEFPROCcassen

```

```

550 DEFPROCexamine:IF item
sX=0 PROCtitle('There are no
Routes to examine'):PRINTTA
B(6,12)::PROCbig('Press RETU
RN for Main Menu:'):VDU10:RE
PEAT:UNTILGET=13:ENDPROC EL
S PROCtitle('Examine a Route
')
560 PRINTTAB(0,10)::REPEAT
:INPUT'Start Town ',T1S:UNTI
LLENT1S<=19 AND LENT1S>1:PRI
NT:REPEAT:INPUT'Destination
Town ',T2S:UNTILLENT2S<=19
AND LENT2S>1
570 PRINTTAB(6,20)::PROCbig
('Searching - Please wait .
.'):CHX=OPENUP'ROUTES':RTX=
0
580 PTR#CHX=300+RTX+2:S1S=
':FORLX=0TO18:BX=BGET#CHX:S
1S=S1S+CHRSBX:NEXT:IF INSTR(
S1S,T1S)=0 GOTO 610
590 S2S='':FORLX=0TO18:BX=
BGET#CHX:S2S=S2S+CHRSBX:NEXT
:IF INSTR(S2S,T2S)=0 GOTO 61
0

```

```

670 CHX=OPENUP'ROUTES':PTR
#CHX=300+itemsX+2:FORLX=0TO2
99:BPUT#CHX,dataX?LX:NEXT:PT
R#CHX=0:itemsX=itemsX+1:BPUT
#CHX,itemsX MOD 256:BPUT#CHX
,itemsX DIV 256:CLOSE#0:ENDP
ROC
680 DEFPROCshow:PROCtitle(
T1S+ ' to '+T2S):PRINTTAB(9,6
)::PROCbig('Distance = '+STR
$mileX+ ' miles')
690 PRINTTAB(7,12)::PROCbig
('Concise Route Description
'):PRINT'":PROCjustify(RT
S):PRINTTAB(11,30)::PROCbig(
'Print-out (Y/N)?'):VDU10:R
EPEAT:GS=GETS:UNTILGS='Y'OR
S='y'ORGS='N'ORGS='n':IFGS=
'N'ORGS='n' ENDPROC
700 CLS:VDU2:AS=T1S+ ' to '
+T2S:PRINTAS:PRINTSTRINGS(LE
NAS,'-'):PRINT:PRINT'distanc
e = 'STR$mileX; ' miles':PRI
NT:PRINT'Concise Route Descr
iption:':PRINT:PROCjustify(
RTS):VDU3:ENDPROC
710 DEFPROCjustify(JS):ptr
X=1:countX=1
720 CX=INSTR(JS,' ',ptrX):
IFCX=0 PRINTRIGHTS(JS,LENJS-
ptrX+1):ENDPROC
730 sizeX=CX+ptrX+1:countX
=countX+sizeX:IfcountX>40 PR
INT:countX=1:GOTO 720
740 PRINTMIDS(JS,ptrX,size
X)::ptrX=ptrX+sizeX:GOTO 720

```

COMPUTING IN ACTION

```

140 PRINTTAB(12,12)::PROCbig
('Do you want to:'):PRINTT
AB(10,17)::COLOUR0:COLOUR129
:PROCbig(' 1) Examine a Rout
e '):PRINTTAB(10,21)::PROCbig
(' 2) List all Routes '):PR
INTTAB(10,25)::PROCbig(' 3)
Add a new Route ')
150 COLOUR1:COLOUR128:PRIN
TTAB(4,30)::PROCbig('Press e
ither '):COLOUR0:COLOUR129:P
ROCbig(' (1)'):COLOUR1:COLOUR
128:PROCbig(' or '):COLOUR0:
COLOUR129:PROCbig(' (2)')
160 COLOUR1:COLOUR128:PROC
big(' or '):COLOUR0:COLOUR12
9:PROCbig(' (3)'):COLOUR1:COL
OUR128:PROCbig('):VDU10
170 OSCLI'FX14,4':REPEAT:6
X=GET-48:UNTILGX>0 AND GX<4:
ONGXGOTO180,190,200
180 PROCexamine:ENDPROC
190 PROClist:ENDPROC
200 PROCadd:ENDPROC
210 STOP
220 DEFPROCbig(BS):VDU23,1
,0;0;0;0::FORMX=1TOLENSB:XX=
0:YX=89:Y8900=ASC(MIDS(BS,MX
,1)):AX=10:CALL&FFF1:LX=1
230 FORXX=224TO225:VDU23,X
X:FORYX=0TO3:VDU?(&900+LX):V
DU?(&900+LX):LX=LX+1:NEXT:NE
XT:VDU224,8,10,225,11:NEXT:V
DU23,1,1;0;0;0::ENDPROC

```

```

290 *FX13,4
300 FOR i=0 TO 2 STEP 2
310 PX=8A00
320 [OPT i:SEI
330 LDA #patch MOD256:STA
&220
340 LDA #patch DIV256:STA
&221
350 CLI:RTS
360 .patch
370 PHP:PHA:TXA:PHA:TYA:PH
A
380 LDA #251:STA &FE08
390 LDA #250:STA &FE09
400 LDX #97
410 .pause
420 LDY #10
430 .loop
440 DEY:BNE loop
450 DEX:BNE pause
460 .colour
470 LDA #16:STA &FE08
480 LDA #17:STA &FE09
490 PLA:TAY:PLA:TAX:PLA:PL
P
500 RTS
510 ]
520 NEXT:CALL&A00
530 ENDPROC
540 DEFPROCtitle(BS):CLS:P
RINTTAB(20-LENSB/2,1)::PROCbig
(BS):ENDPROC

```

```

600 mileX=BGET#CHX:mileX=B
GET#CHX*256+mileX:RTS='':REP
EAT:BX=BGET#CHX:RTS=RTS+CHRS
BX:RTX=RTX+1:UNTILBX=13:CLOS
E#0:PROCshow:ENDPROC
610 RTX=RTX+1:IFRTX=itemsX
CLOSE#0:VDU7:ENDPROC ELSE 5
80
620 DEFPROCadd:IF itemsX=m
axitemX PROCtitle('Database
Full'):PRINTTAB(6,12)::PROCbig
('Press RETURN for Main Me
nu:'):VDU10:REPEAT:UNTILGET=
13:ENDPROC ELSE PROCtitle('A
dd a new Route')
630 PRINTTAB(0,8)::PRINT'S
tart Town ?':!8980=(dataX+t
own1X):?8982=18:?8983=32:?89
84=127:XX=880:YX=9:AX=0:CALL
&FFF1
640 PRINT'Destination Tow
n ?':!8980=(dataX+town2X):?
8982=18:?8983=32:?8984=127:X
X=880:YX=9:AX=0:CALL&FFF1
650 INPUT'Distance in mil
es ',mileX:dataX?milesX=mile
X MOD256:dataX?(milesX+1)=mi
leX DIV256
660 PRINT'Input the Rout
e (Max 240 chars)':!8980=(
dataX+infoX):?8982=239:?8983
=32:?8984=127:XX=880:YX=9:AX
=0:CALL&FFF1

```

```

750 DEFPROClist:IF itemsX=
0 PROCtitle('There are no Ro
utes to list'):PRINTTAB(6,12
)::PROCbig('Press RETURN for
Main Menu:'):VDU10:REPEAT:U
NTILGET=13:ENDPROC ELSE PROC
title('Listing all routes -
ESC for Main Menu')
760 VDU28,0,31,39,5,14:CHX
=OPENUP'ROUTES':FORTX=1TOite
msX:PTR#CHX=300+TX-298:S1S=
':REPEAT:BX=BGET#CHX:S1S=S1S
+CHRSBX:UNTILBX=13:S1S=LEFTS
(S1S,LENS1S-1)
770 PTR#CHX=300+TX-298+19:
S2S='':REPEAT:BX=BGET#CHX:S2
S=S2S+CHRSBX:UNTILBX=13:S2S=
LEFTS(S2S,LENS2S-1)
780 PRINTS1S;' to 'S2S:NE
XT:CLOSE#0:PRINT'SPC7:':COLO
UR0:COLOUR129:PRINT'Press RET
URN for Main Menu':COLOUR1:
COLOUR128:REPEAT:UNTILGET=1
3:VDU28,0,31,39,0:ENDPROC
790 IFERR=17 THEN RUN
800 PROCtitle('ERROR - PRE
SS RETURN FOR MAIN MENU'):PR
INTTAB(0,15)::REPORT:REPEAT:
UNTILGET=13:RUN

```

Guide to software & hardware products



ARCADE GAMES

Product	Format	Price	Supplier
Chuckie Egg	Cassette	£3.90	**A & F
Cylon Attack	Cassette	£3.90	**A & F
Elite	Cassette	£12.95	Superior
Boxer	Cassette	£1.00	Superior
Snapper	Cassette	£1.99	Superior
Hopper	Cartridge	£8.95	Superior
Crazy Er*bert	Cassette	£1.99	Alternative
Video Pinball	Cassette	£1.99	Alternative
Triple Deckers	Cassette	£1.99	Alternative
Bug Eyes II	Cassette	£7.95	ASL
Frankenstein 2000	Cassette	£6.95	ASL
Caveman Capers	Cassette	£7.95	ASL
Psycastris	Cassette	£7.95	ASL
Thunderstruck	Cassette	£7.95	ASL
Thunderstruck II	Cassette	£7.95	ASL
Omega Orb	Cassette	£7.95	ASL
Sphere of Destiny	Cassette	£7.95	ASL
Power Pack II	Cassette	£9.95	ASL
Graham Gooch Test Cricket	Cassette	£9.95	ASL
Ziggy	Cassette	£8.95	ASL
Ransack	Cassette	£9.95	ASL
Despatch Rider	Cassette	£8.95	ASL
Impact	Cassette	£9.95	ASL
Robotron	Cassette	£4.95	Atarisoft

Product	Format	Price	Supplier
League Challenge	Cassette	£2.99	Atlantis
Creepy Cave	Cassette	£2.99	Atlantis
Survivors	Cassette	£2.99	Atlantis
Nightmare Maze	Cassette	£1.99	Blue Ribbon
Castle Assault	Cassette	£1.99	Blue Ribbon
Astro Plumber	Cassette	£1.99	Blue Ribbon
Diamond Mine	Cassette	£1.99	Blue Ribbon
Diamond Mine II	Cassette	£1.99	Blue Ribbon
Darts	Cassette	£1.99	Blue Ribbon
Joey	Cassette	£1.99	Blue Ribbon
Ravage	Cassette	£1.99	Blue Ribbon
Bar Billiards	Cassette	£1.99	Blue Ribbon
Condition Red	Cassette	£1.99	Blue Ribbon
3D Doty	Cassette	£1.99	Blue Ribbon
Mango	Cassette	£1.99	Blue Ribbon
Return of R2	Cassette	£1.99	Blue Ribbon
Trapper	Cassette	£1.99	Blue Ribbon
Video Card Arcade	Cassette	£1.99	Blue Ribbon
Games Disc I	3.5in disc	£9.99	Blue Ribbon
Games Disc II	3.5in disc	£9.99	Blue Ribbon
Steve Davis Snooker	Cassette	£1.99	Blue Ribbon
Golf	Cassette	£1.99	Blue Ribbon
Computer Hits I	Cassette	£9.95	Beau Jolly
Computer Hits II	Cassette	£9.95	Beau Jolly
Computer Hits III	Cassette	£9.95	Beau Jolly
Computer Hits IV	Cassette	£9.95	Beau Jolly
Five Star Games I	Cassette	£9.95	Beau Jolly

Turn to Page 32 ▶

Guide to software and hardware

+ Not available at time of going to press.
* Electron-compatible BBC Micro products.
** Company no longer trading

Product	Format	Price	Supplier
Five Star Games II	Cassette	£9.95	Beau Jolly
Five Star Games III	Cassette	£9.95	Beau Jolly
Five Computer Hits	Cassette	£5.95	Beau Jolly
Uranians	Cassette	£2.99	Bug Byte
Tennis	Cassette	£2.99	Bug Byte
Cricket	Cassette	£2.99	Bug Byte
Jack Atac	Cassette	£2.99	Bug Byte
Savage Pond	Cassette	£2.99	Bug Byte
Skyhawk	Cassette	£2.99	Bug Byte
Ice Hockey	Cassette	£2.99	Bug Byte
Hunky Dory	Cassette	£2.99	Bug Byte
Plan B	Cassette	£2.99	Bug Byte
Plan B2	Cassette	£2.99	Bug Byte
Dunjanz	Cassette	£2.99	Bug Byte
Squeakaliser	Cassette	£2.99	Bug Byte
Templeton	Cassette	£2.99	Bug Byte
Serpent's Lair	Cassette	£3.95	Comsoft
S.A.S Commando	Cassette	£3.95	Comsoft
Colossus Chess IV	Cassette	£9.99	C.D.S
Brian Clough's Fortunes	Cassette	£9.99	C.D.S
Classic Card & Board Games I	Cassette	£5.95	Database
	3.5in disc	£7.95	
Classic Card & Board Games II	Cassette	£5.95	Database
	3.5in disc	£7.95	
Electron User 10 of the Best I	Cassette	£5.95	Database
	3.5in disc	£6.95	
Electron User 10 of the Best II	Cassette	£5.95	Database
	3.5in disc	£6.95	
Electron User 10 of the Best III	Cassette	£5.95	Database
	3.5in disc	£6.95	
747 Flight Simulator	Cassette	£6.95	Doctor Soft
Phantom Combat	Cassette	£8.45	Doctor Soft
Star Wars	Cassette	£9.95	Domark
Paperboy	Cassette	£7.75	Elite
Star Drifter	Cassette	£2.95	Firebird
Kourtyard	Cassette	£9.95	Go-Dax
Skirmish	Cassette	£9.95	Go-Dax
Birdstrike	Cassette	£1.99	Firebird
The Hacker	Cassette	£1.99	Firebird
Heathrow A.T.C.	Cassette	£6.95	Hewson
Evening Star	Cassette	£7.95	Hewson
Mikie	Cassette	£7.45	Imagine
XOR	Cassette	£7.75	Logotron
Mission Icarus	Cassette	£9.95	Mandarin
Way of Exploding Fist	Cassette	£8.95	Mastertronic
Micropower Magic	Cassette	£6.95	Micropower
Micropower Magic II	Cassette	£6.95	Micropower
Jet Power Jack	Cassette	£2.50	Micropower
Positron	Cassette	£2.50	Micropower
Swag	Cassette	£2.50	Micropower
Gauntlet	Cassette	£2.50	Micropower
Chess	Cassette	£2.50	Micropower
Killer Gorilla	Cassette	£2.50	Micropower
U.X.B	Cassette	£2.50	Micropower
Felix & Evil Weevils	Cassette	£2.50	Micropower
Felix in the Factory	Cassette	£2.35	Micropower
Felix & Fruit Monsters	Cassette	£2.50	Micropower
Stock Car	Cassette	£2.50	Micropower
Rubble Trouble	Cassette	£2.50	Micropower
Bumble Bee	Cassette	£2.50	Micropower
BBC Mastermind	Cassette	£9.95	Mirrorsoft
	5.25in disc	£12.95	
BBC Quizmaster	Cassette	£5.95	Mirrorsoft
	5.25in disc	£8.95	
Caesar The Cat	Cassette	£6.95	Mirrorsoft
	5.25in disc	£9.95	
Caesar's Travels	5.25in disc	£12.95	Mirrorsoft
Fleet Street Editor	5.25in disc	£39.95	Mirrorsoft
Fonts & Graphics (F.S.E.)	5.25in disc	£14.95	Mirrorsoft

Product	Format	Price	Supplier
Walt Disney Graphics (F.S.E.)	5.25in disc	£14.95	Mirrorsoft
Quick Thinking Plus	Cassette	£6.95	Mirrorsoft
	5.25in disc	£9.95	
Look Sharp	Cassette	£7.95	Mirrorsoft
	5.25in disc	£10.95	Mirrorsoft
Spitfire 40	Cassette	£9.95	Mirrorsoft
	5.25in disc	£12.95	
Harrier Strike Force	Cassette	£9.95	Mirrorsoft
	5.25in disc	£12.95	
Tetris	Cassette	£8.99	Mirrorsoft
	5.25in disc	£12.99	
Quest	Cassette	£9.95	Superior
	5.25" disc	£11.95	
+ Exile	Cassette	£9.95	Superior
	5.25" disc	£11.95	
+ Barbarian	Cassette	£9.95	Superior
	5.25" disc	11.95	
Smash and Grab	Cassette	£7.95	Superior
Overdrive	Cassette	£6.95	Superior
Spycats	Cassette	£9.95	Superior
Repton	Cassette	£9.95	Superior
Repton 2	Cassette	£9.95	Superior
Repton 3	Cassette	£9.75	Superior
Life of Repton	Cassette	£6.95	Superior
	3.5in disc	7.95	
Around The World in 40 screens	Cassette	£6.95	Superior
Death Star	Cassette	£9.95	Superior
Citadel	Cassette	£9.95	Superior
Palace of Magic	Cassette	£9.75	Superior
	3.5in disc	£14.95	
Karate Combat	Cassette	£8.95	Superior
Thrust	Cassette	£7.95	Superior
Galaforce	Cassette	£9.95	Superior
Ravenskull	Cassette	£9.95	Superior
Acornsoft Hits Vol I	Cassette	£9.95	Superior
Acornsoft Hits Vol II	Cassette	£9.95	Superior
Superior Hits Vol III	Cassette	£9.95	Superior
	3.5in disc	£14.95	
Stryker's Run	Cassette	£9.95	Superior
Codename Droid	Cassette	£9.95	Superior
	3.5in disc	£14.95	
Craze Rider	Cassette	£9.95	Superior
	3.5in disc	£14.95	
Play it again Sam	Cassette	£9.95	Superior
	3.5in disc	£14.95	
	5.25in disc	£11.95	
Play it again Sam 2	Cassette		Superior
Elixir	Cassette	£9.95	Acornsoft
	3.5in disc	£14.95	
	5.25in disc	£11.95	
Spellbinder	Cassette	£9.95	Superior
	5.25in disc	£11.95	
Bonecruncher	Cassette	£9.95	Superior
	5.25in disc	£11.95	
TV Director	Cassette	£12.95	Squirrelsoft
Winter Olympiad 88	Cassette	£9.95	Tynesoft
Indoor Games	Cassette	£9.95	Tynesoft
Boulderdash	Cassette	£9.95	Tynesoft
+ Saigon	Cassette	£9.95	Tynesoft
Micro Value Gold	Cassette	£4.99	Tynesoft
Spy vs Spy	Cassette	£9.95	Tynesoft
Phantom	Cassette	£7.95	Tynesoft
Microvalue I	Cassette	£3.99	Tynesoft
Microvalue II	Cassette	£3.99	Tynesoft
Microvalue III	Cassette	£3.99	Tynesoft
The Big K.O.	Cassette	£7.95	Tynesoft
Future Shock	Cassette	£7.95	Tynesoft
Jet Set Willy	Cassette	£7.95	Tynesoft
Jet Set Willy II	Cassette	£7.95	Tynesoft
Goal	Cassette	£7.95	Tynesoft

Product	Format	Price	Supplier
Commonwealth Games	Cassette	£7.95	Tynesoft
US Drag Racing	Cassette	£7.95	Tynesoft
Ian Botham Test Cricket	Cassette	£7.95	Tynesoft
Winter Olympics	Cassette	£7.95	Tynesoft
Mousetrap	Cassette	£7.95	Tynesoft
Five-Aside Soccer	Cassette	£2.99	Tynesoft
Rig Attack	Cassette	£2.99	Tynesoft
Peg Leg	Cassette	£2.99	Tynesoft
Bouncing Bombs	Cassette	£2.99	Tynesoft
Wet Zone	Cassette	£3.95	Tynesoft
Stratobomber	Cassette	£2.99	Tynesoft
Caterpillar	Cassette	£2.99	Tynesoft
Hyperdrive	Cassette	£2.99	Tynesoft
Super Hangman	Cassette	£2.99	Tynesoft
3D Maze	Cassette	£2.99	Tynesoft
U.K. P.M.	Cassette	£2.99	Tynesoft
Invader (I.J.K.)	Cassette	£2.99	Tynesoft
Bozo the Brave	Cassette	£2.99	Tynesoft
Cylon Attack	Cassette	£2.99	Tynesoft
Trek II	Cassette	£2.99	Tynesoft
Space Caverns	Cassette	£2.99	Tynesoft
Crystal Castles	Cassette	£8.65	U.S. Gold
Kayleth	Cassette	£6.95	U.S. Gold

EDUCATIONAL PROGRAMS

Product	Format	Price	Supplier
Fun School ages 2-5	Cassette	£4.95	Database
	3.5in disc	£5.95	
Fun School ages 5-5	Cassette	£4.95	Database
	3.5in disc	£5.95	
Fun School ages 8-12	Cassette	£4.95	Database
	3.5in disc	£5.95	
French on the Run	Cassette	£9.95	Database
French Mistress A	Cassette	£7.95	Kosmos
French Mistress B	Cassette	£7.95	Kosmos
French Mistress A+B	3.5in disc	£18.95	Kosmos
German Master A	Cassette	£7.95	Kosmos
German Master B	Cassette	£7.95	Kosmos
German Master A+B	3.5in disc	£18.95	Kosmos
Spanish Tutor A	Cassette	£7.95	Kosmos
Spanish Tutor B	Cassette	£7.95	Kosmos
Spanish Tutor A+B	3.5in disc	£18.95	Kosmos
Italian Tutor A	Cassette	£7.95	Kosmos
Italian Tutor B	Cassette	£7.95	Kosmos
Italian Tutor A+B	3.5in disc	£18.95	Kosmos
Answer Back junior	Cassette	£8.95	Kosmos
	3.5in disc	£11.65	
Answer Back senior	Cassette	£8.95	Kosmos
	3.5in disc	£11.65	
Answer Back sport	Cassette	£8.95	Kosmos
	3.5in disc	£11.65	
Identify Europe	Cassette	£6.95	Kosmos
Fact Packs for Answer Back	Cassette	£4.25	Kosmos
	3.5in disc	£7.45	
Micro French "O" Level	Cassette	£21.50	L.C.L
Micro Maths "O" Level	Cassette	£21.50	L.C.L
Micro English "O" Level	Cassette	£21.50	L.C.L
Mega Maths "A" Level	Cassette	£21.50	L.C.L
Count With Oliver	Cassette	£7.95	Mirrorsoft
	5.25in disc	£10.95	
Giddy Game Show	Cassette	£9.95	Mirrorsoft
	5.25in disc	£12.95	
Crack it! Towers	Cassette	£9.95	Mirrorsoft
	5.25in disc	£12.95	

ADVENTURE GAMES

Product	Format	Price	Supplier
Scoops	Cassette	£9.99	Adventure Soft
Starforce 7	Cassette	£2.99	Bug Byte
Twin Kingdom Valley	Cassette	£2.99	Bug Byte
Starship Quest	Cassette	£4.95	Elk Adventure Club
Axe of Kolt	Cassette	£5.95	Elk Adventure Club
Magnetic Moon	Cassette	£4.95	Elk Adventure Club
The Lost Crystal	Cassette	£11.95	Epic
Wheel of Fortune	Cassette	£5.95	Epic
Castle Frankenstein	Cassette	£4.95	Epic
Quest for the Holy Grail	Cassette	£4.95	Epic
Kingdom of Klein	Cassette	£4.95	Epic
Dreamtime	5.25" disc	£7.50	Heyley
The Ket Trilogy	Cassette	£9.95	Incentive
The Puppet Man	Cassette	£3.95	Larsoft
The Rising of Salandra	Cassette	£4.95	Larsoft
Wychwood	Cassette	£3.95	Larsoft
The Nine Dancers	Cassette	£3.95	Larsoft
Hex	Cassette	£3.95	Larsoft
Dodgy Geezers	Cassette	£7.75	Melbourne House
Suds	Cassette	£4.00	Riverdale
American Suds	Cassette	£4.00	Riverdale
+ Ozzy Suds	Cassette	£4.00	Riverdale
+ What The Dickens	Cassette	£4.00	Riverdale
Rick Hanson	Cassette	£9.95	Robico
Project Thesius (Rick Hanson II)	Cassette	£9.95	Robico
Myoren (Rick Hanson III)	Cassette	£9.95	Robico
Rick Hanson Trilogy	Cassette	23.95	Robico
Island of Xaan (Slogger 64k)	Cassette	£9.95	Robico
The Hunt	Cassette	£9.95	Robico
Village of Lost Souls	Cassette	£9.95	Robico
Enthar 7 (DFS only)	5.25in disc	£17.95	Robico
	3.5in disc		
Giant Killer Kids	5.25in disc	£14.95	Topologika
	3.5in disc		
Return to Doom	5.25in disc	£12.95	Topologika
	3.5in disc		
Philosopher's Quest (enhanced)	5.25in disc	£9.95	Topologika
	3.5in disc		
Countdown to Doom (enhanced)	5.25in disc	£9.95	Topologika
	3.5in disc		
Kingdom of Hamil	5.25in disc	£9.95	Topologika
	3.5in disc		
Acheton	5.25in disc	£9.95	Topologika
	3.5in disc		
Oxbridge	Cassette	£7.95	Tynesoft

BUSINESS

Product	Format	Price	Supplier
Desk Diary	Cassette	£2.99	Acornsoft
View	Cartridge	£13.95	Acornsoft
ViewSheet	Cartridge	£13.95	Acornsoft
Database	3.5in disc	£18.65	Acornsoft
Knitwear Designer	Cassette	£5.95	Database
	5.25in disc	£9.95	
Mini Office	Cassette	£4.95	Database
VAT Care	Cassette	£13.65	Squirrelsoft
Building Society Care	Cassette	£8.95	Squirrelsoft
Investment Care	Cassette	£12.95	Squirrelsoft
Starword	Rom	£19.95	Slogger
Starword Cumana	Rom	£19.95	Slogger

Guide to software and hardware

If you find any items missing from this list, please write to us enclosing details of the product's supplier, cost and format, so we can include it next time.

LANGUAGES

Product	Format	Price	Supplier
* Micro Prolog	Rom	£62.00	Acornsoft
Lisp	Cassette	£4.95	Acornsoft
Forth	Cassette	£4.95	Acornsoft
* Logo	Rom	£49.00	Acornsoft

HARDWARE

Product	Price	Supplier
Romplus-144	£39.00	Jafa Systems
Romplus-144 with ram	£54.00	Jafa Systems
Mode 7 Adaptor (built)	£89.00	Jafa Systems
Mode 7 Adaptor (kit)	£25.00	Jafa Systems
Mode 7 Adaptor (kit and case)	£35.00	Jafa Systems
E2P Second Processor kit	£15.00	Jafa Systems
E2P with software on disc or rom	£20.00	Jafa Systems
E2P fully built	£79.00	PMS
Advanced Plus 1	£49.95	PRES
Advanced Plus 2	£12.65	PRES
Advanced Plus 3	£113.85	PRES

Product	Price	Supplier
AP3 interface only	£59.80	PRES
AP3 with AP1	£149.95	PRES
Advanced Plus 6	£37.95	PRES
Advanced Quarter Meg Ram	£79.95	PRES
Advanced Rom Adaptor	£14.95	PRES
Advanced Battery Backed Ram	£39.99	PRES
4 Channel Sound Cartridge	£45.95	Project Expansions
User Port	£34.44	Project Expansions
Eprom Programmer	£40.19	Project Expansions
Acorn Electron (with MRB fitted)	£99.00	Slogger
Pegasus 400 Disc Drive System	£149.50	Slogger
Master Ram Board (shop fitted)	£59.95	Slogger
Elk turbo driver (fitted)	£39.95	Slogger
Rombox Plus	£54.95	Slogger
Joystick Interface	£14.95	Slogger
Joy Int. with Expansion Rom 2.0	£19.95	Slogger
32k Sideways Ram Cartridge	£34.50	Slogger
32k S.R. with Expansion Rom 2.0	£39.50	Slogger
Eprom Cartridges	£10.00	Slogger
COMMS1 (RS423, software, modem)	£85.00	Slogger
COMMS2 (RS423, software)	£59.00	Slogger
COMMS3 (modem only)	£30.00	Slogger
Mouse package (inc. User Port, Mouse & Art package)	£75.00	Slogger
Micro Stuffer	£49.95	Supra Corporation
Panasonic KX-P1081 Printer	£149	Watford Electronics

ADDRESSES

Acornsoft, Fulbourn Road, Cherry Hinton, Cambridge CB1 4JN
Tel: 0223 245200

Adventure Soft, PO Box 786, Sutton Coldfield, West Midlands B75 7SL Tel: 021 352 0847

Alternative, Unit 3-6, Baileygate Industrial Estate, Pontefract, West Yorkshire Tel: 0977 797 777

ASL, Winchester House, Canning Road, Wealdstone, Harrow, Middlesex HA3 75J Tel: 01-861 1166

Atlantis Software, 28 Station Road, London SE25 5AG Tel: 01 771 8642

Blue Ribbon, CDS House, Beckett Road, Doncaster DN2 4AD Tel: 0302-21134

Beau Jolly, 29a Bell Street, Riegate, Surrey RH2 7AD Tel: 0737 222 003

Bug-byte, Victory House, Leicester Place, London WC2H 7NB Tel: 01-439 0666

CDS, CDS House, Beckett Road, Doncaster DN2 4AD Tel: 0302-21134

Comsoft, 67 Kent Road, Harrogate, Yorkshire (mail order only)

Dabs Press, 76 Gardner Road, Prestwich, Manchester M25 7HU Tel: 061 773 2413

Database Software, Europa House, Adlington Park, Adlington, Macclesfield, Cheshire SK10 4NP Tel: 0625 878888

Doctor Soft, PO Box 66, East Preston, West Sussex BN16 2TX (mail order only)

Domark, 204 Worple Road, London SW20 8PN Tel: 01 947 5622

Elite, Eastern Avenue, Lichfield, Staffs WS13 6RX Tel: 0543-414188

Elk Adventure Club, 2 The Beeches, Tilbury, Essex RM18 8ED Tel: 03752 4860

Epic, 10 Gladstone Street, Kilsworth Beauchamp, Leicester LE8 OHL (mail order only)

Firebird, 64-76 New Oxford Street, London WC1A 1PS Tel: 01-379 6982

Go-Dax, 12 Chiltern Enterprise Centre, Station Road, Teale RG7 4AA Tel: 0734 302 600

Heyley Software, 24 Ley Hey Road, Marple, Stockport SK6 8ED (mail order only)

Imagine, 6 Central Street, Manchester M2 5NS Tel: 061 832 6633

Hewson, 56B Milton Trading Estate, Milton, Abingdon OX14 4RX Tel: 0235 832 939

Jaffa Systems, 9 Lon-y-Garwa, Caerphilly, Mid-Glamorgan CF8 1NL Tel: 0222-887203

Kosmos Software, 1 Pilgrims Close, Harlington, Dunstable, Bedfordshire Tel: 05255 3942

LCL, Melody House, 13 Deafield Road, Henley-on-Thames, Oxon R69 1U6 Tel: 01-580 5577

Larsoft, 4 Chantry Road, Clifton, Bristol B58 2QD (mail order only)

Logotron, Dales Brewery, Gwydir Street, Cambridge CB1 2LJ Tel: 0223 323 656

Mandarin Software, Europa House, Adlington Park, Adlington, Macclesfield SK10 4NP Tel: 0625 878888

Mastertronic, 8-10 Paul Street, London EC2A 4JH Tel: 01-377 8411

Micropower, Northwood House, North Street, Leeds LS7 2AA Tel: 0532-458 800

Mirrorsoft, Athene House, 66-73 Shoe Lane, London EC4P 4AB Tel: 01 377 4645

PMS, 38 Mount Cameron Drive, St. Leonards, East Kilbride G74 2ES Tel: 03552 32796

PRES, 6 Ava House, High Street, Chobham, Surrey GU24 8LZ Tel: 0276 72046 (mail order only)

Project Expansions, 40 Meyrick Drive, Newbury, Berkshire RG14 6SX Tel: 0635-45774

Riverdale, 95 Brinton Avenue, Manchester M9 3JW Tel: 061-795 6539

Robico, 3 Fairland Close, Llantrisant, Mid-Glamorgan CF7 8QH Tel: 0443 227 354

Slogger, 107 Richmond Road, Gillingham, Kent ME7 1BR Tel: 0634-52303

Squirrelsoft, 4 Bindloss Avenue, Eccles, Manchester M30 0DU Tel: 061-789 4120

Superior Software, Regent Street, Skinner Lane, Leeds LS7 1AX Tel: 0532-459 453

Topologika, PO Box 39, Shilton, Peterborough PE7 3RL (mail order only)

Tynesoft, Unit 3, Addison Industrial Estate, Blaydon, Tyne & Wear NE21 4TE Tel: 091-414 4611

US Gold, Unit 2-3, Holford Way, Holford, Birmingham B6 7AX Tel: 021-356 3388

Indexed linked

Part 4 of PETE BIBBY's machine code primer looks at the index registers

WITH the nine new assembler mnemonics, two new registers and four addressing modes we're going to cover this month, the pace is hotting up. So straight down to work.

Up to now, we've only covered one of the 6502's registers, the accumulator or A register. There are two others frequently used, the X and Y registers. Figure 1 shows (diagrammatically) the registers we've used so far.




Figure 1: The 6502 registers so far

Like the accumulator, these index registers – as they're known – are 8 bits wide, allowing them to hold numbers between zero and 255. And like the accumulator they have instructions that allow values to be loaded straight into them. These are LDX for Load the X register and LDY (guess).

Now these registers aren't




Figure 2: The routes between registers and memory

as versatile as the accumulator as they don't have all its mathematical and logical powers. Yet you'll often want to do some maths with values held in X and Y. Because of this there are the TXA and TYA instructions which transfer – or, more accurately, copy – values from the X and Y registers to the accumulator.

Can you guess what the TAX and TAY mnemonics do? If you have any doubt, take a look at Table 1 which lists all the new instructions

```

10 REM Program I
20 MODE 6
30 codeStart=&2000
40 oswrch=&FFEE
50 Pk=codeStart
60 [
70 LDA #&41 \ immediate addressing
80 LDX #2*33 \ X register holds result of expression
90 LDY #INT(67.2) \ assembler deals with function
100 JSR oswrch
110 TAX \ contents of X copied to A
120 JSR oswrch
130 TYA \ contents of Y copied to A
140 JSR oswrch
150 RTS
160 ]
170 CALL codeStart
    
```

Program I

we'll come across this time.

Program I uses two of our new instructions to print out our ABCs again. Now I know we've done this before without using the X and Y registers, but bear with me. I'm trying to show how the new registers and their associated instructions work, not write the best or

most consistent assembly language programs. We'll run later, for the moment let's walk.

Close inspection of Program I will show I've included a bit of revision from last month. The comments will explain all.

Three more instructions next. These are known as the store instructions. They take values from the registers and place them in specified memory locations. They are STA, Store the Accumulator – STX and STY.

Program II shows two of them in action. Again it's a rather contrived example, but examine the assembly listing with care. Make sure that you know what's going on. A little time spent on the basics will be rewarded as we delve deeper in the next three months.

Try modifying Programs I and II making use of the nine mnemonics shown in Table

Turn to Page 36 ▶

Mnemonic	Action
LDX	Load the X register
LDY	Load the Y register
STA	Copy from accumulator into memory
STX	Copy from X register into memory
STY	Copy from Y register into memory
TXA	Copy X register into accumulator
TYA	Copy Y register into accumulator
TAX	Copy accumulator into X register
TAY	Copy accumulator into Y register

Table 1: This month's crop of instructions

Programming

◀ From Page 35

1. Figure II shows what each one does.

One thing to notice about Program II is that we've used LDA in a rather different way. Line 130 is:

```
LDA &2100
```

Up till now we've always followed LDA by the number we wanted put into it. This was immediate addressing where the value to be used by the instruction

```
10 REM Program II
20 MODE 6
30 codeStart=&2000
40 oswrch=&FFEE
50 PX=codeStart
60 number=65
70 address=&2100
80 [
90 LDX #number \ X register,
  immediate addressing
100 STX address \ contents of
  X copied to &2100
110 LDY #number+1 \ Y register,
  immediate addressing
120 STY address+1 \ contents
  of X copied to &2101
130 LDA &2100 \ absolute addressing
140 JSR oswrch
150 LDA address+1 \ absolute
  addressing
160 JSR oswrch
170 RTS
180 ]
190 CALL codeStart
```

Program II

follows the opcode immediately. The hash sign warns the assembler that the next byte is a value not an address.

In line 130, however, we use LDA to read in the value found inside the memory location at &2100. In the first case the thing that came after the instruction was a number, in the second it's an address which tells the assembler where to look for the required number. This is known as absolute addressing and we've come across it before with our JSRs.

We've also used a third form of addressing, implied. This is where the instruction itself contains all the details necessary for the 6502 to find the data it needs. TAX is an example. The instruction tells the 6502 where to find the data and where to put it. There's no need for a value or address to be tagged on.

This discussion isn't as academic as it might seem. If you take a look at the assembly listings from the last two programs you'll see that absolute addressing takes up three bytes per instruction, immediate two and implied one.

Knowing which addressing mode to use can save you precious bytes when you're short of memory. This desire to save bytes is shown in the fourth example of addressing we'll cover this month, zero page.

The Electron's memory ranges from location &0000 to &FFFF, and the bytes up to &7FFF are ram (you can read and write to it and its contents disappear when the power's off) and &8000 to &FFFF being rom

(holding Basic and the operating system).

Assembly language programmers tend to think of this in 256-byte chunks. The first is the locations from &0000 to &00FF, the second from &0100 to &01FF, the third from &0200 to &02FF and so on.

The first of these – from &0000 to &00FF – is known as page zero, and is special.

```
10 REM Program III
20 MODE 6
30 codeStart=&2000
40 oswrch=&FFEE
50 PX=codeStart
60 number=65
70 address=&70
80 [
90 LDX #number \ immediate addressing
100 LDY #number+1
110 STX &0070 \ absolute addressing
120 STY &71 \ zero page addressing
130 LDA &70 \ zero page addressing
140 JSR oswrch
150 LDA address+1 \ zero page addressing
160 JSR oswrch
170 RTS
180 ]
190 CALL codeStart
```

Program III

One reason is that the locations &0070 to &008F are reserved for the programmer's use – the other locations are used as a kind of scratchpad by the operating system. The second reason is that some commands can use the zero page addressing mode.

All this means is that if

you're referring to an address in page zero, you can leave off the initial two zeroes of the address: The assembler will know what you mean.

Hence instead of:

```
LDA &0070
```

you can use:

```
LDA &70
```

to load the accumulator with the value held in memory address &70, the 113th location in page zero. And you save yourself a byte of memory as zero page addressing only uses two bytes, as opposed to the three bytes taken by absolute addressing.

Program III, another artificial bit of programming, shows it in action. Table II lists the addressing modes we've covered.

Mode	Example
Immediate	LDA #65
Absolute	LDX &2100
Implied	TAX
Zero page	LDA &7F

Table II: Addressing modes with examples

If you cast your mind back to last time, you'll recall that we used assembly language to draw a line. This was done by way of the appropriate VDU codes and

Low byte, high byte order of addressing the 6502

BY now you should be used to using two byte hex numbers to specify addresses. For example, &7D00 can, and does, refer to a memory location. To store the value in the accumulator there we'd use the instruction STA &7D00.

However, that's in our convenient mnemonic terms. The 6502 itself likes things in hex (or

more accurately, a binary representation), stored in a string of contiguous memory locations.

In this case the hex for STA is &8D, so you might think that in memory the code would look like:

```
8D 7D 00
```

It doesn't, though. The 6502 likes addresses with the low byte coming

before the high byte. We say that it likes addresses in low byte, high byte fashion. This means that STA &7D00 translates as:

```
8D 00 7D
```

Don't be too hard on the 6502 for this quirk, it's quite understandable. After all, when you're doing your hundreds, tens and units sums, you

start with the low column – the units – first. Similarly the 6502 finds it easier to start with the low byte.

Incidentally, it's a convention that we write hex numbers with an even pair of digits, even if we have to add a leading zero. This means that &9 is written &09 and &3EF is written &03EF.

oswrch. Program IV uses the same technique to draw a triangle, the program emulating the effects of:

```
VDU 22,5
VDU 25,4,200,0,0,0
VDU 25,85,100,0,200,0
```

These VDU codes are held in the data statements at the end of the listing. The heart of the program is the loop which cycles 14 times. Inside this loop is the routine:

```
[
LDA #code
JSR oswrch
]
```

For each cycle of the loop these two instructions are assembled, but with different values read into code each time. The result is that when the loop has finished, some 70 bytes of code have been assembled in the loca-

```
10 REM Program IV
20 MODE 6
30 codeStart=&2000
40 oswrch=&FFEE
50 P%=codeStart
60 REM Loop to read in VDU codes
70 FOR Loop=1 TO 14
80 READ code
90 REM assembler entered each loop cycle
100 [
110 \ latest code value placed in memory location P%
120 LDA #code
130 \ opcode for subroutine call placed in memory
140 JSR oswrch
150 ]: REM quit assembler for this cycle
160 NEXT loop
170 REM drop out of loop
180 [ \ one last entry to assembler
190 RTS \ finish off assembled routine
200 ]: REM quit assembler
210 CALL codeStart
220 REM VDU codes
230 DATA 22,5
240 DATA 25,4,200,0,0,0
250 DATA 25,85,100,0,200,0
```

Program IV

tions from &2000 to &2045.

The routine at line 180 just adds the RTS to finish things off while the final CALL of line 210 sets the newly-assembled routine (or collection of routines) going. The result is the triangle.

Program IV is just ripe for playing around with. Look up the VDU codes in your

```
10 REM Program V
20 MODE 6
30 codeStart=&70
40 oswrch=&FFEE
50 P%=codeStart
60 [
70 .start
80 LDX #&41
90 STX &8E
100 LDY &008E
110 STY &8F
120 LDA &8F
130 JSR oswrch
140 JSR start
150 RTS
160 ]
170 CALL codeStart
```

Program V

Electron's manual and see what you can do. And when you've tired of that, have a glance at Program V.

The previous program used a Basic loop. If you look closely at Program V you'll see there's a loop, but this time it's written in assembly language. And if you run it, you'll find you can't stop it, short of using brute force.

I'll leave you to figure out how it works and where the assembled code is stored. Notice how the lack of comments makes the mnemonics appear fairly obscure. When you've cracked that, see if you can write a routine that will swop the values in the X and Y registers. And then try it without using the accumulator.

● *That's all for now. Next month we'll be exploring some rather better ways of looping in assembler.*

electron
user

MAIL ORDER OFFERS

electron
user

MAIL ORDER OFFERS

Getting started with BBC Basic

This best-selling book takes the reader through the fundamentals of writing programs. Its hands-on approach has been specifically designed to teach the absolute novice not only the formal rules of Basic but also that elusive quality - good programming style. By working through its many examples, the reader will gain a clear insight into structured programming and will quickly acquire the ability to use structured techniques in creating his own programs.

Was £5.95

NOW £2.95

**TO ORDER PLEASE USE
THE FORM ON PAGE 53**



Memory Map

Part 2

IN the second part in this series of fact sheets providing a complete description of the Electron's memory map we'll move on to look at page two, starting at &200.

The lower third is dedicated to the main operating system vectors, while

the last two thirds is used to store system variables.

We haven't forgotten page 1 - &100 to &1FF. This is relatively uninteresting though, as it is the 6502 stack. The bottom half should always be free so it's possible to use it as a scratchpad.

TABLE 1

Address	Use
&200/&201 &202/&203	USERV - *LINE and *CODE use this. BRKV - the break vector, nothing to do with the Break key.
&204/&205 &206/&205 &208/&209	IRQ1V - the main interrupt vector. IRQ2V - not used on the Electron. CLIV - used by the command line interpreter.
&20A/&20B &20C/&20D &20E/&20F &210/&211	BYTEV - used by osbyte (*FX) calls. WORDV - used by osword calls. WRCHV - used by oswrch (VDU) calls. RDCHV - used when reading characters from input stream.
&212/&213 &214/&215 &216/&217 &218/&219 &21A/&21B	FILV - used when loading and saving. ARGSV - read/write file arguments. BGETV - read a byte from a file. BPUTV - write one byte to a file. GBPVB - get/put a block of bytes from/to a file.
&21C/&21D &21E/&21F	FINDV - open or close a file. FSCV - filing system control vector.
&220/&221	EVENTV - points to event handling routine.
&222/&223	UPTV - pointer to user print routine.
&224/&225	NETV - not used on the Electron.
&226/&227	VDUV - unrecognised VDU commands.
&228/&229	KEYV - used for reading the keyboard.
&22A/&22B	INSV - used for inserting characters into a buffer.
&22C/&22D &22E/&22F	REMV - remove character from buffer. CNPV - count/purge buffer vector.
&230/&231 &232/&233 &234/&235	INDV1 - not used. INDV1 - not used. INDV1 - not used.




TABLE 2

Address	Use	Address	Use
&238/&239	Address of rom pointer table.	&283	Bell (Control+G/VDU 7) channel number.
&23A/&23B	Address of rom table.	&264	Bell amplitude/ENVELOPE number.
&23C/&23D	Address of key translation table.	&265	Bell frequency.
&23E/&23F	Address of VDU variables.	&266	Bell duration.
&240	CFS timeout counter - frame flyback synchronised.	&26A	Number of items in VDU queue.
&241	Currently selected input buffer.	&26C	Current escape character.
&246	Character definition explosion status.	&275	Escape key status set by *FX229.
&24A	Rom enabled before last BRK.	&287	Break key interception flag - &4C=JMP.
&24B	Number of Basic rom.	&288/&289	Address to jump to when Break key is pressed.
&24C	Current ADC channel number.	&28C	Current language rom.
&24D	Maximum ADC channel number.	&28D	Last Break type - 0=soft, 1=power up, 2=hard.
&24E	ADC conversion accuracy.	&28F	Start up options set by *FX255.
&251	Flashing colour countdown timer.	&292-&296	System clock 1.
&252	Flashing colour mark period count.	&297-&29B	System clock 2.
&253	Flashing colour space period count.	&2A0	Rom table - complete list of currently active roms.
&254	Keyboard auto-repeat delay set by *FX11.	&2B1/&2B2	INKEY countdown timer.
&255	Keyboard auto-repeat rate set by *FX12.	&2B6-&2B9	Low bytes of last ADC conversions.
&258	Break/Escape key options set by *FX200.	&2BA-&2BD	High bytes of last ADC conversions.
&25A	Caps Lk and Shift key state.		
&262	Sound output suppression flag set by *FX210.		



MAIL ORDER OFFERS



MAIL ORDER OFFERS

Get yourself in a flap with Skirmish!

SAVE UP TO £5

Sit astride a giant blue ostrich and engage in exciting futuristic jousting contests against opponewnts riding giant green buzzards.

This superb one-or-two-player game features beautifully animated sprites, with a plabability that's second to none.

"I can recommend Skirmish wholeheartedly. It is one of the most playable games I have ever seen and will certainly lead to a severe case of repeated late nights . . . Playability: 11 out of 10"

- Hac-Man, *The Micro User*, March 1988



Suitable for	Product	Format	RRP	Special reader offer	YOU SAVE	Offer including subscription	YOU SAVE
Electron	Skirmish	Tape	£9.95	£7.95	£2	£19.95	£5

TO ORDER PLEASE USE THE FORM ON PAGE 53

FREE MYSTERY GIFT WITH EVERY ORDER!

AMAZING OFFERS

SCOOP PURCHASE

ELECTRON COMPUTERS

Includes power supply, aerial lead, user guide and 90 day warranty

ONLY £59.95

VIEW £29.95
(Word Processor) **£14.95**

VIEW SHEET £29.95
(Spreadsheet) **£14.95**

BUY BOTH
£21.95!!

JUNE SPECIALS

LOGO ROM
~~£59.95~~ **£24.95!**
Plus 3 Games
Disc **£4.95**

Lloytron
DATA RECORDERS
Suitable for the
Electron
only £19.95

HOME INTEREST

Crazy Tracer	£6.99	Desk Diary	£6.99
Snapper	£6.99	Graphs & Charts	£6.99
Boxer	£6.99	Theatre Quiz	£14.95
Turtle Graphics	£6.99	Watch Your Weight	£6.99
Chess	£6.99	The Complete Cocktail Maker	£6.99
Business Games	£6.99		

Any Five for Only £7.95

VOLTAGE TWIN JOYSTICKS

for use with Plus
One or BBC
Normally ~~£19.95~~
Now Only £16.95!

NEW GAMES

Elite - Cass **£9.50!**
Computer Hits 3 or 4
Acomsoft Hits I or II
Superior Collection Vol III
Cass
Codename Droid*
Strykers Run
Crazee Rider*
Palace of Magic*
Spitfire
Play it Again Sam*
Spellbinder
Bonecruncher
Quest
Play it Again Sam II
Winter Olympiad
Skirmish
Kourtyard
Spy Cat

Cassette ~~£9.95~~ **£7.45!**
*3.5" Disc ~~£14.95~~ **£11.50!**

MICROPOWER GAMES

Felix in the Factory	£7.95	Stock Car	£6.95
Croaker	£7.95	Swoop	£7.95
Bumble Bee	£7.95	Jetpower Jack	£7.95
Gauntlet	£7.95	Cybertron Mission	£7.95
Killer Gorilla	£7.95	Galactic Commander	£7.95
Rubble Trouble	£7.95	Moonraider	£7.95
Electron Invaders	£7.95	Bandits at 3 O'Clock	£6.95
Felix Fruit Monsters	£7.95	Adventure	£7.95
Chess	£7.95	Swag	£6.95
Danger UXB	£7.95	Escape from Moon Base	£7.95
Frenzy	£7.95	Ghouls	£7.95
Felix meets the		The Mine	£7.95
Evil Weevils	£6.95	Gyroscope	£7.95

Any Five for Only £7.95

Micropower Magic
Compilations 1 & 2
Only
£5.95 each!

Electron Joystick Interface
and Software
£14.95

Quickshot II Turbo Joystick
£13.95

Buy Both for only
£25.00!

EDUCATION SPECIALS

Linkword Spanish	£14.95	Maths 'O' Level II	£12.05
Linkword Italian	£14.95	Where?	£6.95
Talkback	£6.95	Biology	£12.05
Workshop	£6.95	English	£12.05

BBC & ELECTRON AVAILABLE
ANY TWO FOR £3.95

Maths with a Story I or 2
BBC/ELE Cass **£11.95** **£9.95 each**

The best 4 language programs (set)
The best 4 maths programs (set)
BBC/ELE Cass **£23.43** **£17.95 per set**

Answerback Junior Quiz	£7.95
Answerback Senior Quiz	£7.95
Identify Europe	£6.35
Mini Office I	£5.95
Lisp Cartridge	£29.95
Lisp Cassette	9.95
Me & My Micro BBook	£1.00
Advanced User Guide	£2.95
How to Write Adventure Games (Book)	£5.95
	£4.75

NEW

ELECTRON REPAIR SERVICE
Phone for details

Name _____
Address _____

I Claim my Mystery Gift **EU6**

Fantastic Offer

Brand New
Ferguson 12" Green
Screen Monitors (MM02)

Only £59.95

ELECTRON or BBC lead supplied FREE!



Please make cheques/P.O.'s payable to Software Bargains & add 95p P&P. All prices include VAT



0532-687735 Out of hours Ansaphone

SOFTWARE
Bargains



Goods despatched within 48 hours subject to availability

Dept EU6, 8/8A Regent Street,
Chapel Allerton, Leeds LS7 4PE

DELTA COMPUTERS

BBC MASTER SERIES

Archimedes	Ring for price
Master 128	£395.00
Master Compact Entry System	£349.00
Master Compact Colour System	£555.00

DISC DRIVES

5802 400K DS DD 40/80T.	£104.95
5802DB Dual 800K 40/80T.	£204.95
5802D as 5802DB+PSU	£234.95
Opus DDOS (With a drive)	£40.00

SPECIAL OFFERS

Acom Electron + Acom Cass player + 3 games + all leads and manual	£79.99
As above + Slogger Rom box + Starword	£119.99
Tatung Std. Res. Col. Monitor	£169.00
Acom Med. Col. Monitor	£239.00
Philips 8833 Col. Monitor	£259.00
Brother HR5 Printer	£69.99

PRINTER RIBBONS

Brother M1009	£3.25
Brother HR5	£3.25
Canon PC1080A	£3.25
Epson FX,MX,RX 80	£2.70
Epson LX80, LX86	£2.70
Epson FX, MX, RX 100	£3.35
Panasonic KX-P1081	£3.99
Citizen 120D/LSP10	£4.60
Citizen MSP10,20	£2.70
Citizen MSP15,25	£3.25
Kaga 810	£3.25
M Tally MT80	£3.50
Seikosha GP100/250	£2.65
Shinwa CP80	£3.50

PRINTERS (Inc lead)

Brother HR5	£69.95
Brother HR10 d/wheel inc Tractor feed	£149.00
Citizen 120D	£169.00
Star LC10	£195.00
Panasonic KX-P1081	£169.00
Amstrad DMP3000	£179.00
Amstrad DMP3160	£199.00

All orders over £100 receive free Touchpad for BBC B (only).
(while stocks last).
MINIMUM ORDER £10.00

All prices include VAT

Please add £5 carriage on orders over £100
Mail Order only at this address
Trade and Educational enquiries welcome
85 Union Street Oldham Lancs

061-626 3841



TWO WAYS TO ENSURE
YOU GET

A Desktop Publication
electron
user

EVERY MONTH

1. Complete and mail subscription form on Page 53
2. Hand this form to your newsagent.

Please reserve me a copy of Electron User magazine every month until further notice.

- I will collect
 I would like it delivered to my home.

Name _____

Address _____

Note to newsagent: Electron User should be obtainable from your local wholesaler, or contact Mike Rice Circulation Manager on 0424 430422

EVEN MORE AMAZING OFFERS!

NORMALLY £9.95 – NOW ONLY £7.35!!

5 Star Games Vol. 3	Indoor Sports
Boulderdash	Spitfire 40
Colossus 4 Chess	Spy vs Spy
G. G. Test Cricket	Star Wars
Gold Run	Star Force Harrier
Icarus	Tarzan
Impact	

BUDGET TITLES

3D Dotty	Return R2	ANY 5 for £7.95
Billiards	Steve Davis	
Bird Strike	Snooker	
Brian Jacks	Trapper	
Eddie Kidd	Vegas Jackpot	
Geoff Capes Strongman	Video Card Arcade	
Grid Games	Way of the Exploding Fist	
Mango		

NORMALLY
£2.95 EACH

SPECIAL DEAL

ANY 5 FOR
£9.95!

Cricket	Uranians	Templeton
Hunki Dory	Jack Attac	Tennis
Ice Hockey	Plan B	Savage Pond
Squeakalizer	Roboto	
Twin Kingdom	Sky Hawk	
Valley	Star Force Seven	

NORMALLY £7.95 – NOW ONLY £5.95!!

Big K.O.	Oxbridge
Commonwealth Games	Phantom
Ian Botham Cricket	Psycastris
Jet Set Willy	Sphere of Destiny
Jet Set Willy 2	Thrust
	Thunderstuck II



Please make cheques/P.O's payable to Software Bargains & add 95p P&P. All prices include VAT

SOFTWARE

Bargains



Goods despatched within 48 hours subject to availability

0532-687735 Out of hours Ansaphone

Dept EU6, 8/8A Regent Street,
Chapel Allerton, Leeds LS7 4PE

Going for a scroll

In Part 5 of his sprites series **ROLAND WADDILOVE** reveals how to create entertaining scrolling map arcade games

THIS month I'm continuing with the theme of maps. Or to be more precise, creating your own massive multi-screen arcade games.

The main problem facing the majority of programmers attempting to write such a game is how on earth they can fit all the screens into the Electron's small memory.

A single Mode 5 screen takes up 10k, and as there's only around 15k of memory available for the game, it's quite clear that they can't be stored in the normal manner. So how is it done?

Last month I dealt with static screens, like the ones used in Superior Software's Citadel and Palace of Magic, or Tynesoft's Mousetrap and Phantom.

Now I'll move on to show how scrolling map games are written. The most famous of these is Superior Software's Repton series. The technique is also used in Tynesoft's Boulderdash.

The method used to achieve this is similar in some respects to the one used for static maps last month, and I've used the same graphic characters for the scrolling map.

So if you've already entered last month's listing you can save yourself some typing here.

Enter and run this

month's to see the scrolling map technique in action. Use the A, Z, < and > keys to scroll the display up, down, left and right. The screen dump shows what you should be seeing on the screen.

Although the view is limited to a small window in the centre of the screen, the only real limitation to its size is speed. The larger the map, the slower will be the scrolling.

If you have played both the BBC Micro and Electron versions of Repton you'll have noticed that while the BBC Micro uses full screen (hardware) scrolling, the Electron's display is restricted to a small (software scrolled) window, like the program here. This is simply

to keep the speed up to an acceptable level.

The map is 16 x 16 blocks and the display is a window of 5 x 5 blocks which can be moved over the whole area. You can see the screen data at the end of the listing.

Each type of block is numbered, and to keep the typing down to a reasonable level I have only used five in this map, numbered zero to four. Though there's no reason why you couldn't have up to 128 different types.

It's up to you to decide how many types of block to use. The sprite data does consume a fair bit of ram - 96 bytes per block - so it's a trade off between space and variety of graphics.

The 96 times multiplication table at line 1320 will need expanding, and extra sprite data will need to be added for the extra blocks.

The single map in the listing takes up 256 bytes, which although consuming far more memory than previous screens, is still reasonably small. Repton for instance, comes with eight screens, and this, using the method outlined here would take up just 2k of ram - quite acceptable.

The *drawmap* subroutine at line 780 draws five rows of five blocks, starting at row *ycoord*, column *xcoord*, and this is the heart of the scrolling map technique.

The map isn't actually scrolled as such, what the program does is to either increment or decrement the *xcoord* or *ycoord* and

redraw it on screen. The subroutine *movereads* the keyboard and updates *xcoord* and *ycoord* if the control keys are pressed. Then *drawmap* draws the section of map.

The only thing to watch out for is that *xcoord* or *ycoord* doesn't exceed 11. The map is 16 blocks wide and we display five blocks, 5 plus 11 is 16 so this is the edge of the map.

You could easily add extra characters like Repton, boulders, diamonds and so on. These are simply extra blocks in the map. Boulders could be block number five, diamonds could be six,

```
10 REM Scrolling Map
20 REM By R.A.Waddilove
30 REM (c) Electron User
40 PROCAssemble
50 MODE 5
60 VDU23,1,0;0;0;0;
70 PRINT TAB(3,3)'Press A
Z < >
80 VDU 28,4,25,15,9
90 COLOUR 131
100 CLS
110 VDU 26
120 COLOUR 128
130 !pos=85800+5*16+10*814
0
140 CALL 8900
150 END
160
170 DEF PROCAssemble
180 *FX16
190 index=850
200 tindex=851
210 addr=852
220 xcount=854
230 ycount=855
240 new=856
250 xcoord=858
260 ycoord=859
270 temp=85A
280 pos=85C
290 FOR pass=0 TO 2 STEP 2
300 PX=8900
310 [ OPT pass
320 LDX #0
330 STX xcoord
340 LDY #0
350 STY ycoord
360 .main
370 SEI
380 JSR drawmap
390 CLI
400 JSR &FFED:BCS esc
410 JSR move
420 JMP main
430 .esc
440 RTS
450
460 .move
470 CMP #ASC'A'
480 BNE down
490 LDA ycoord
500 BEQ end_move
```



Special: Arcade game creator

ALL the programs from this series revealing the secrets of writing fast-action arcade games have been put on a special cassette (£3.95) and disc (£4.95). On it you'll find everything you need to create your own machine code games.

The programs include:

- A Mode 5 sprite editor for designing your own multicoloured characters.
- A selection of fast print routines that will move sprites both in front or behind other objects on the screen.
- Map generators that will squeeze a Mode 5 screen into eight bytes.
- Scrolling maps.
- Score print routines

... and much more. This is an offer no aspiring games programmer can afford to miss!

To get this great offer, use the order form on page 53.

Repton could be seven and so on.

You wouldn't even need to keep track of Repton's coordinates. If he is at the centre of the display, he will be at *xcoord* + 2, *ycoord* + 2. You could then move him round by moving character seven up, down, left or right in the map, updating *xcoord*, *ycoord* accordingly.

Try adding your own Repton-like character to the program, and see if you can make him move in a realistic way - so he doesn't walk through walls! You'll need to design a sprite and add it to the data in the listing.

Note that for extra speed

the sprite data has been modified. The editor presented in Part 1 of the series in the February 1988 issue of *Electron User* was used to design the blocks, and the print routine from the following month was used to print it.

The data was then read from the screen into data statements as three horizontal, character-high strips 32 bytes wide. This means a simple, and extremely fast, indexed print routine can be implemented.

● Next month I'll show how to keep track of the score in your high speed games.

```

510 DEC ycoord
520 RTS
530 .down
540 CMP #ASC'Z'
550 BNE left
560 LDA ycoord
570 CMP #11
580 BEQ end_move
590 INC ycoord
600 RTS
610 .left
620 CMP #ASC','
630 BNE right
640 LDA xcoord
650 BEQ end_move
660 DEC xcoord
670 RTS
680 .right
690 CMP #ASC'.'
700 BNE end_move
710 LDA xcoord
720 CMP #11
730 BEQ end_move
740 INC xcoord
750 .end_move
760 RTS
770
780 .drawmap
790 LDA ycoord
800 ASL A
810 ASL A
820 ASL A
830 ASL A
840 ADC xcoord
850 STA index
860 LDA pos
870 STA addr
880 LDA pos+1
890 STA addr+1
900 LDY #5
910 STY ycount
920 .yloop
930 LDA addr
940 STA temp
950 LDA addr+1
960 STA temp+1
970 LDA index
980 STA tindex
990 LDA #5
1000 STA xcount
1010 .xloop
1020 LDA addr
1030 STA new
1040 LDA addr+1
1050 STA new+1
1060 LDY index
1070 INC index
1080 LDA scr,Y
1090 JSR print
1100 LDA addr
1110 ADC #4*8
1120 STA addr
1130 LDA addr+1
1140 ADC #0
1150 STA addr+1
1160 DEC xcount
1170 BNE xloop
1180 LDA temp
1190 ADC =(3*8140)MOD256
1200 STA addr
1210 LDA temp+1
1220 ADC =(3*8140)DIV256
1230 STA addr+1
1240 LDA tindex
1250 ADC #16
1260 STA index
1270 DEC ycount
1280 BNE yloop
1290 CLI
1300 RTS
1310
1320 .mult
1330 EQUW 0
1340 EQUW 1*96
1350 EQUW 2*96
1360 EQUW 3*96
1370 EQUW 4*96
1380
1390 .print
1400 ASL A
1410 TAY
1420 LDA mult,Y
1430 ADC #sprites MOD256
1440 STA ploop+1
1450 LDA mult+1,Y
1460 ADC #sprites DIV256
1470 STA ploop+2
1480 LDX #3
1490 .ploop1
1500 LDY #31
1510 .ploop
1520 LDA 83000,Y
1530 STA (new),Y
1540 DEY
1550 BPL ploop
1560 CLC
1570 LDA new
1580 ADC #840
1590 STA new
1600 LDA new+1
1610 ADC #81
1620 STA new+1
1630 LDA ploop+1
1640 ADC #32
1650 STA ploop+1
1660 LDA ploop+2
1670 ADC #0
1680 STA ploop+2
1690 .p1
1700 DEX
1710 BNE ploop1
1720 RTS
1730
1740 OPT FNscrdata
1750
1760 .sprites
1770 EQU$ STRINGS(96,CHRS0)
1780 OPT FNsprdata
1790
1800 ]
1810 NEXT
1820 ENDPROC
1830
1840 DEF FNsprdata
1850 RESTORE 1940
1860 FOR IX=0 TO 4*4*24-1 S
TEP 4
1870 READ a$
1880 [ OPT pass
1890 EQU$ EVAL('&'+a$)
1900 ]
1910 NEXT
1920 =pass
1930
1940 REM Brick
1950 DATA 20202020,F0202020,
F0F0F0F0,F00F0F0F,20202020,F
0202020,F0F0F0F0,F00F0F0F,F0F
0F0F,F00F0F0F,4B4B4B4B,F04B4
B4B,F0F0F0F0,F00F0F0F,4B4B4B4
B,F04B4B4B,20202020,F0202020
,F0F0F0F0,F00F0F0F,20202020,F
0202020,F0F0F0F0,F00F0F0F
1960 REM Pillar bottom
1970 DATA 0,0,FAFCFCF8,F8FC
FCF8,F0F0F0F0,F0F0F0F0,0,0,0
,0,FCF8F8FA,FCFCF8FA,F0F0F0F
0,F0F0F0F0,0,0,0,33331111,F8
FAF8,F8F0F8F0,F0F0F0F0,F0F0F0F
0,0,C0C08080
1980 REM Pillar top
1990 DATA 11113333,0,F0F0F8
F0,FAFCF800,F0F0F0F0,F0F0F00
0,8080C0C0,0,0,0,F8FCFCF8,FC
FCF8FA,F0F0F0F0,F0F0F0F0,0,0
,0,0,F8FCF8FA,F8F8FAF8,F0F0F
0F0,F0F0F0F0,0,0
2000 REM Stone
2010 DATA 20162503,205A205A
,A55AA50F,A55AA55A,A55AA50F,
A55AA55A,864A8608,A54BA54B,2
05A205A,205A205A,A55AA55A,A5
5AA55A,A55AA55A,A55AA55A,A54
BA54B,A54BA54B,255A205A,1122
516,A55AA55A,F5AA55A,A55AA55
A,F5AA55A,A54BA54B,80C864A
2020
2030 DEF FNscrdata
2040 RESTORE 2170
2050 scr=PX
2060 FOR Y%=1 TO 16
2070 READ a$
2080 FOR X%=1 TO 16
2090 [ OPT pass
2100 EQU$ EVAL('LEFTS(a$,1))
2110 ]
2120 a$=MID$(a$,2)
2130 NEXT
2140 NEXT
2150 =pass
2160
2170 REM Screen
2180 DATA 1111111111111111
2190 DATA 1000000000000000
2200 DATA 1044440440444401
2210 DATA 1040040040000401
2220 DATA 1040030440400401
2230 DATA 100002004000401
2240 DATA 1044440440444401
2250 DATA 1000000400400001
2260 DATA 1044444444404441
2270 DATA 1000000040004001
2280 DATA 1444404444404401
2290 DATA 1000000000000401
2300 DATA 104404444440401
2310 DATA 1040300004030001
2320 DATA 1000200400020401
2330 DATA 1111111111111111

```

I INTRODUCED you to ViewSheet's windows last month, and showed how they can be used to produce useful bar charts from ordinary data on your sheet.

In this, the final article in the series, we'll remove last month's dummy figures and extend Clever Soft's profit and loss analyser to provide real, month-by-month computed figures, thereby completing our full size trouble-shooting spreadsheet.

First of all load in last month's spreadsheet, which contains the bar chart display. If you missed any of the last two articles, Listing 1 is an up-to-date spreadsheet exactly as we left it at the end of last month's article.

To enter it into ViewSheet, start at the top of the listing and work downwards, placing the slot cursor over each slot reference as shown on the left, and entering the contents shown on the right.

Now that we are going to further work on the sheet, the current window definitions must go. This is because the top and side margins have been turned off, and you'd need a lot of guesswork to edit a sheet without having them present.

Normally, any window definitions will be saved along with your sheet, but there are two ViewSheet commands associated with just the definitions. They are:

```
SW filename
LW filename
```

As you can probably guess, the first command saves the current window definitions, while the second loads a previously saved set of definitions into the current sheet.

This can be a very useful technique for loading one of your favourite window set-ups into a freshly written sheet, thereby saving the effort of setting them up from scratch.

For our purposes however, we simply need to make a temporary record of our windows on disc, while

Trouble on the horizon

Spot lean times coming with the final part of CHRIS NIXON's series on ViewSheet

we update the sheet. Then they can be loaded back in again to add the finishing touch.

So from ViewSheet's command mode, type:

```
SW WINDOWS <Return>
```

When the prompt returns, press Break to clear the windows back to their default state.

Don't worry - ViewSheet will return you immediately to its command mode with the sheet still intact.

Now press Escape to enter edit mode, and you will see that the top and side margins are with us once more, and the bar chart has disappeared.

Now we can get down to the business of upgrading our profit and loss predictor.

To replace the dummy end-of-month figures given in slots B31-B41, we need to create 11 more Sales Figures blocks, similar to January's - which appear between rows 9-19 - and arrange them side by side, starting immediately to the right of January.

At this point I must mention that owners of standard 32k Electrons will not be able to fit all 12 months into one sheet in this fashion - there just isn't enough memory.

The best idea is to split the sheet into two six-monthly parts. To do this, follow the instructions below for replicating January's figures, but stop after entering the sixth month. Save the sheet as PART1, then alter the names of the existing months to

(JUL) - (DEC) and save again as PART2.

If you have to do it this way, then all following instructions apply equally to both parts. However, if you have Slogger's Master Ram Board, simply save your work and flip into 64k mode before reloading and continuing.

Make sure you are in Mode 3 - the additions we are about to make will not fit into the sheet on an unexpanded Electron if a higher-memory mode is used. Press Func+1 - Replicate - and in answer to the From - To? prompt, type:

```
A9A19-E9
```

If you remember last month's article, the trick with replication is to get the

```
LA SLOT=A1
CONTENTS=CLEVER
```

```

0 .....A.....B.....C.....D.....E.....F.....G.....H.....I
.....1.....2.....3.....4.....5.....6.....7.....8.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....1.....2.....3.....4.....5.....6.....7.....8.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....2.....3.....4.....5.....6.....7.....8.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....3.....4.....5.....6.....7.....8.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....4.....5.....6.....7.....8.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....5.....6.....7.....8.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....6.....7.....8.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....7.....8.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....8.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....9.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....10.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....11.....12.....13.....14.....15.....16.....17.....18.....19
.....12.....13.....14.....15.....16.....17.....18.....19
.....13.....14.....15.....16.....17.....18.....19
.....14.....15.....16.....17.....18.....19
.....15.....16.....17.....18.....19
.....16.....17.....18.....19
.....17.....18.....19
.....18.....19
.....19

```

Figure 1: After replicating the first column

dash in the correct part of the argument. When used as we have used here, it means: Copy all slots in the range A9 to A19 into the same relative vertical positions, starting at E9.

Press Return – if you haven't already – and after a brief pause you'll see an identical column appear, descending from slot E9, making your screen look like Figure I.

You can see that column D remains blank. That's because we ideally want 12 identically laid-out monthly reports, side by side, and things would look very cluttered if there were no break between the blocks.

We still have 10 minutes or so of replication ahead of us, so back to work. Press Func+1 again, and this time type:

```
B9B19-F9
```

Now replicate the third column, using:

```
C9C19-G9
```

You will be prompted:

```
R)relative, N)no change?
C17-((C4/100)*C15)
```

and the C17 will be highlighted. Again, referring to last month's article will remind you that when formulae are being replicated, ViewSheet needs to know whether you want them copied relatively or verbatim.

Now this is where the concepts can become difficult to grasp, so just to refresh your memory: We are not simply copying the information as displayed in the slots – each formula must be properly replicated, so any references by the copied column to itself are adjusted for the replicated C column's new position.

All slot references in a formula which is undergoing replication are highlighted in turn. Pressing R – Relative replication – at that point means you want that slot reference adjusted relatively to take into account its new position. Pressing N – No change – means you want that part of

LA SLOT=A1
CONTENTS=CLEVER

0	A	B	C	D	E	F	G	H	I
1	PRODUCT	NAME:	ALIEN SHOOTUP						
2	AUTHORS	%RYLTY:	15						
3	ARTWORK	COSTS:	500						
4	PRODCN	COST:	3.95						
5	RETAIL	PRICE:	9.95						
6									
7	SALES	FIGURES	(JAN)		SALES	FIGURES	(FEB)		
8	UNITS	MADE:	600		UNITS	MADE:	600		
9	OVERALL	COST:	2870		OVERALL	COST:	2870		
10	UNITS	SOLD:	350		UNITS	SOLD:	350		
11	GROSS	INCOME:	3482.5		GROSS	INCOME:	3482.5		
12									
13	GROSS	PROFIT:	612.5		GROSS	PROFIT:	612.5		
14	NET	PROFIT:	90.125		NET	PROFIT:	90.125		
15									
16									
17									
18									
19									

Figure II: February's module completed

the formula copied verbatim.

So, press R to start with, because we want the reference to slot C17 to be copied with a relative adjustment for the destination column – it's going to become G17.

C17 will promptly disappear from the edit line, and the C4 will now be highlighted. This time we want to leave well alone, because C4 is a slot near the top left of the screen – in among the master production figures – and it holds the author's percentage royalty cut.

We need this reference to remain the same throughout all 12 months, otherwise our sheet would be inaccurate. So press N to copy the reference unchanged, and the C4 will disappear to be replaced with the last slot reference of the equation, C15. This must be copied relatively, to become G15, so press R once more.

ViewSheet will carry on in this fashion for the other formulae in column C, prompting you for each slot reference it finds – nine for the whole column.

If you are still not sure when to press R and when to press N, remember that any slot reference with a row number greater than nine should be copied relatively, as it will be part of

column C. Press N for anything else.

You should begin to see what is happening. We now have our report for February laid out before us, with only one defect – column G is a total clone of January's figures from column C. So move to slot G10 and enter (FEB). Ignore the cloned figures in the rest of column G for the time being, because we want to get the rest of the year laid out first.

Your sheet should now look like Figure II. Using the replicate function as shown above, now create 10 similar blocks for March to December, starting at column I and extending right up to column AU. Your sheet, when finished, should be 46 columns wide in total, and you will probably feel pretty exhausted!

It is here, after producing just the first six months, that owners of unexpanded Electrons should save the sheet as PART1, alter the names of the months to (JUL) - (DEC) and save again as PART2. All following instructions are assumed to be used with the six months in PART1 for clarity's sake, although they apply to PART2 as well.

All that hard work was well worthwhile, because we can now link all 12 modules to our bar chart and begin entering test figures for the full year – which at

present is still covered with the cloned results from January's result column.

But first we must perform the linking. What we need to do is ensure the value shown in the net profit slot from each month's module appears in the result range B30-B41. This, as you will remember, is where the bar chart looks to find its data – and at present it contains just fake figures.

So move to slot B30, and enter the reference C18 – the slot containing January's net profit. Then move to B31 and enter G18, which is February's net profit. Continue down column G until the slot references for all 12 months' profit figures are entered.

Now we are almost done. Our sheet is complete, save for the actual monthly data – which is for you to enter and experiment with. So press Escape, and reload your window definition with:

```
LW WINDOWS <Return>
```

Press Escape again, and your screen should show the new bar chart. Pretty uninspiring, isn't it? The reason that all the bars are the same length, of course, is that all 12 months still contain the data originally copied from January's

Turn to Page 46 ▶

Feature

◀ From Page 45

results column. So it's time now for us to change things.

Scroll up the screen until the actual monthly modules appear in the top window, as shown in Figure III. This is actually the best way to keep the sheet now, with the data being edited in window zero, while the bar chart updates itself accordingly in window one.

We are interested in altering only three sections of the sheet: The master production cost block at the top left of the sheet, and the Units made and Units sold slots present in all 12 monthly modules.

The data contained in

these areas should be altered according to the following rules: To make a major production cost alteration, change some of the figures in the master production cost block at the top left of the sheet. For instance, you may want to see how using cheaper production methods affects the overall monthly profits – in which case you'd alter slot C6.

The whole sheet will then recalculate, giving a totally new bar chart. Then to adjust to your liking the sales results for a newly revised cost of production, alter the Units made and Units sold slots for the months you are inter-

ested in. Hopefully, you should be able to work out the most cost-effective marketing strategy possible for your product, by careful manipulation of this – and any similar – sheet. Not to mention what fun it is too!

Bear in mind, however, that if your profits end up greater than about £250 for any month, you will need to alter the adjustment formulae in slots A50-A61. These formulae, as you will remember, ensure that the monthly figures stay within the 70 character width of window one.

Each formula in this range divides a month's profit results by 3.5, so it is a simple matter to change this

constant to 4, 5 or whatever you wish. Do remember to alter all of these formulae, or the bar chart will be a distortion of the facts – but this isn't necessarily undesirable, as most business executives will tell you!

That brings us to the close of this short introductory series on using ViewSheet. We hope that as a result of it, more Electron owners will realise just what sort of computing power lies beneath that innocent-looking keyboard, and make creative use of it in whatever way they can.

There are, of course, many more powerful facilities available with ViewSheet. However, these are probably best excluded from what is really a series for beginners – those of you who are interested should by now have enough background knowledge to trudge successfully through the more advanced sections of the ViewSheet manual.

There is also no reason at all why ViewSheet cannot be used in the classroom, perhaps to help illustrate business studies courses. Especially as it's also great fun to experiment with – a valuable criterion for any method of education.

A spreadsheet similar to the one I've presented over the last few months could form the basis for a fascinating project, involving pupils in a competition to construct the most efficient business possible.

```

LA SLOT=A9
CONTENTS=-----

```

SALES FIGURES (JAN)			SALES FIGURES (FEB)			SALES		
UNITS MADE:	600		UNITS MADE:	600		UNITS OVERALL		
OVERALL COST:	2870		OVERALL COST:	2870		UNITS OVERALL		
UNITS SOLD:	350		UNITS SOLD:	350		UNITS GROSS		
GROSS INCOME:	3482.5		GROSS INCOME:	3482.5		GROSS NET		
GROSS PROFIT:	612.5		GROSS PROFIT:	612.5		GROSS NET		
NET PROFIT:	90.125		NET PROFIT:	90.125		GROSS NET		

Figure III: The finished sheet after reloading the windows

Slot	Contents						
A1	CLEVER	A35	JUN	B3	NAME:	B36	79.914
A3	PRODUCT	A36	JUL	B4	XYRLTY:	B37	88.692
A4	AUTHORS	A37	AUG	B5	COSTS:	B38	125.254
A5	ARTWORK	A38	SEP	B6	COST:	B39	140.657
A6	PRODCN	A39	OCT	B7	PRICE:	B40	170.264
A7	RETAIL	A40	NOV	B9	-----	B41	236.518
A9	-----	A41	DEC	B10	FIGURES	C1	LTD
A10	SALES	A50	B30/3.5	B12	MADE:	C3	ALIEN
A12	UNITS	A51	B31/3.5	B13	COST:	C4	15
A13	OVERALL	A52	B32/3.5	B14	SOLD:	C5	500
A14	UNITS	A53	B33/3.5	B15	INCOME:	C6	3.95
A15	GROSS	A54	B34/3.5	B17	PROFIT:	C7	9.95
A17	GROSS	A55	B35/3.5	B18	PROFIT:	C9	-----
A18	NET	A56	B36/3.5	B19	-----	C10	(JAN)
A19	-----	A57	B37/3.5	B30	90.125	C12	600
A30	JAN	A58	B38/3.5	B31	88.34	C13	500+C12*C6
A31	FEB	A59	B39/3.5	B32	85.75	C14	350
A32	MAR	A60	B40/3.5	B33	83.925	C15	C14*C7
A33	APR	A61	B41/3.5	B34	79.64	C17	C15-C13
A34	MAY	B1	SOFT	B35	74.391	C18	C17-(C4/100)*C15)

Listing I: The up-to-date spreadsheet listing from last month

Last month the View Sheet article contained some errors.

The slot references in Listing I should have been for column B. Column A, which should have contained the months JAN to DEC, was omitted. See Listing I for the correct details.

In Mode 3 the bottom bar chart window must be entered and scrolled to show the bottom few lines, unless you have a 64k Electron – in which case use Mode 0.

If you want to start doing more with your micro than just playing games, this package is your ideal introduction to the four most popular applications for professional computers. All the programs have been designed for simplicity, so even a child can use them. Yet they include advanced features not yet available on programs costing many times as much!

Finalist for the Home Software of the Year Award



Contains 32 page booklet giving clear, easy-to-follow instructions on all 4 programs

Word Processor: Ideal for writing letters and reports. There is a constant display of both time and word count, plus a words-per-minute display to encourage the budding typist! A unique feature is the double-size text option in both edit and printer mode — perfect for young children and people with poor vision.

Database: You use this for storing information, just like an office filing cabinet. Facts you have entered can be quickly retrieved by just keying in a word or part of a word. They can be sorted, replaced, saved for future use or printed out.

Spreadsheet: Enables you to use your micro for home accounts or pocket money records. It creates a display of numbers in rows and columns. Continuous updating is possible, and a changed figure can be instantly reflected throughout the rest of the spreadsheet. Your results can be saved, to be used for future updates, or can be fed into its associated program . .

Graphics: Part of the spreadsheet section, it lets you draw bar charts, pie charts and histograms to give a graphic presentation of your statistics. Helps to give life and colour to the duller figures!


- ☆ Word Processor
- ☆ Spreadsheet
- ☆ Database
- ☆ Graphics

Now they're all together - in ONE simple package

Four full-scale programs for an incredible low, low price! **£5.95** cassette

TO ORDER TURN TO THE FORM ON PAGE 53

Leisure interests



Product: *Indoor Sports*

Price: £9.95

Supplier: Tynesoft, Unit 3, Addison Industrial Estate, Blaydon, Tyne & Wear NE21 4TE

Tel: 091-414 4611

WHEN Tynesoft brings out a sports simulation of any type, it's certainly something to sit up and take a look at. So *Indoor Sports* got the treatment. There are four events on the tape – two less than its recent *Winter Olympiad '88* – so I was anxious to find out whether it really justified its top of the range price tag. I was to be pleasantly surprised.

First on the tape is **10-Pin Bowling**. This realistic simulation is controlled by three keys, of which two are used to position your figure within the lane. All subsequent action is controlled with the spacebar – which led to some initial confusion.

After setting your position, the computer cycles through all the available levels of spin, as shown by the spin meter at the top of the screen. Pressing the spacebar sets the spin, and the computer will begin cycling through the shot angles – displayed on the lane by an arrow.

As soon as this is fixed – by releasing the spacebar – your figure begins his run-up to the line. At the right moment the spacebar must again be

pressed to bowl – or so I thought – but at this point my figure kept either falling flat on his face, or dropping the ball on his foot.

This continued until I finally understood the ambiguous phrase in the cassette inlay: "Press Space and the bowling action is recorded". What this rather unhelpful instruction means is that you must press it during, not after, the run-up, when your figure happens to be in the best posture for bowling. The ball will then follow automatically when the figure reaches the line, using the previously recorded posture.

Once this sank in, I settled down to enjoy a really great game. As the ball coasts down the lane the view shifts to cover the run, and when the ball approaches the skittles the viewing angle changes to show the action from behind and slightly above the ball.

The hit itself is simulated very realistically, with some skittles teetering for a while before either toppling over or remaining upright. The frustration caused by the ball rolling straight into the gully was balanced by the nerve-racking anticipation when it actually remained on course.

Darts is next on the tape, and as a mediocre to bad player I thought this would be one to skip over quickly. Not a bit of it. The skills needed are, of course, totally different when playing the real thing, so Tynesoft has added its own skill requirements, making this an addictive game in its own right.

You start off face to face with an accurately drawn dart board. Below is the aiming window, which is the same width as the board. To either side of



this window are two meters, one for power and the other for the angle of shot elevation.


Inside the aiming window is a dart, which can be slid left and right. Slid is the operative word, because if it passes over the mid-point, a weird



Air ball

sort of gravity sucks the dart to the other side of the window. Hence aiming requires some concentration.

Pressing Return when the dart is where you want it sets the angle meter into action, which is in the form of a continuously growing and shrinking circle sector. Releasing Return fixes the angle and starts the power meter climbing, which is represented by



10-Pin bowling

three volume meter type bars. Finally, releasing Return throws the dart with the selected settings.

The scene then changes to a comfortable-looking pub, where a log fire crackles gently in the corner. In the centre of the screen, poised in front of the dart board – now hanging from the far wall – stands your figure. From behind, which is your only view of him, he could easily pass himself off as Eric Bristow.

Immediately he throws his dart. Well, it's more of a flick of the wrist than a throw, but attention is focused on the dart, now flying through the air. This part is quite well done, although there is no inertia on the dart, nor is its flight trajectory particularly curved.

I was both surprised and pleased to see that it is possible to hit the metal frame. I was therefore well able to match my real life performance on the Electron, thankfully unwitnessed by any grinning bystanders.

After each throw the enlarged board re-appears, showing the exact spot where the dart hit. Your score is then chalked up, by real chalk – a nice touch – and after three throws it's the Electron's turn.

In actual fact, although very competent and a consistently high-scorer, the Electron tended to hit the frame more than I did – usually when attempting to show off by going for double-top.

I'd only fault the game on the slight inaccuracy of the darts' position on the board, which seemed to be different sometimes for the same angle and power settings.

Now on to **Table Tennis**, my favourite of the four. When the game has loaded, you are presented with a proper perspective view of a ping-pong table, with a bat floating in mid-air at either end. Four keys control

your bat, one each for moving it left, right, flipping it over for a back-hand stroke and hitting the ball.

Hitting it is not strictly necessary, because as long as the ball hits your bat it'll bounce back up the table. However, you won't win by playing a lazy game like this. The real skill in Table Tennis is to press the hit key at the right moment as the ball approaches your bat.

This causes the bat to swing into the screen, and the direction of the rebound depends on which way your bat is facing. The actual angle is determined by the closeness of the ball to the bat when the key is pressed. The further the ball is from your bat when you hit it, the sharper the ball's angle will be as it goes back across the table.

Here lies the way to beat the computer, which seems incapable of producing clever shots for itself. Because the bats can only move at a smooth, slowish pace, you can fool the computer with a sharply-angled shot which just clips the other end of the table and the Electron won't be able to shift its bat across in time to return the shot.

But if you swipe too early the ball will shoot straight past your bat's tip to lose you a point.

Pressing the hit key with the ball at varying degrees of closeness results in realistically varying shot angles, and this results in a really satisfying, skilful game.

Table Tennis conforms to the proper rules of the sport, where 21 points wins a game, and service swaps to the other player after every five serves.

Also, this event – like the other three – has several variable playing options, to keep up the interest. You can determine the computer's skill level, and the number of games required to

win the match. Most importantly, you can select a two-player option, as Table Tennis really comes into its own when played against someone else.

Finally, and most interesting of all, is **Air Ball**, a strange hybrid of ice hockey and the old video game, Pong. You and your opponent each control a bat which looks like part of a pin-ball machine, and the object of the exercise is to hit the Smartie-shaped puck into your opponent's goal.

It's quite easy to beat the computer, even on the highest level, but it's no mean feat when there's another person at the controls. The game is fast and furious – by Electron standards – and very addictive, as long as you can find a volunteer to play against you.

Sometimes the game ends in a deadlock, with the puck vibrating furiously between the two bats – but if this is successfully broken it can gain you the advantage of sudden surprise as the puck shoots away up the field.

Air Ball is an unusual game, and it really needs the stimulus of a second player to bring it into its own. The poor old computer opponent seems to get stuck bouncing the puck off a wall more often than not, and isn't really up to much even when playing properly.

Indoor Sports contains a good mixture of entertainment, addictiveness and competitive spirit. If you have Winter Olympiad, you'll be pleasantly surprised at the different approach of these programs, and I enjoyed all four immensely.

Chris Nixon

Sound.....	2
Graphics.....	8
Playability.....	9
Value for money.....	9
Overall.....	8



Table tennis



Darts

Zap 'n blast spectacular

Product: Icarus

Price: £9.95

Supplier: Mandarin Software, Europa House, Adlington Park, Adlington, Macclesfield SK10 4NP.
Tel: 0625 878888

WHILE transporting a shipment of battle droids to the Andromeda system, the starship Icarus' master computer suffered a major malfunction. Having lost navigational control, the Icarus is on a collision course with the sun and if its matter drive explodes there will be an almighty bang.

Icarus is a one or two player game written by Julian Avis, the author of Dunjuz. By reducing the number of players from four to two Julian has been able to double the playing area available to each player – and also reduce the congestion around the keyboard.

To reach the ship's computer you



have to fight your way through 20 decks of droid-infested starship. Laser in hand, you blast away at the automaton army. More astute players will soon notice that no matter how many metal menaces you destroy, their numbers remain constant. This is because reinforcements are free to enter the deck via the service lifts – your main objective must be the deactivation of these.

Great care should be exercised when blasting a lift as the highly polished doors will reflect your laser bolts. Not until you have deactivated every service lift on a deck will you be allowed access to the emergency lift – and the next level.

The duration of your solitary life is determined by a combination of factors, which are displayed as a series of bar graphs. Each player's damage and armour levels reflect the degree of injury that can be inflicted and sustained.

Charge affects the rate at which your laser recharges when not in use. The final graph is the one showing the state of your health. Allow this to reach zero and you'll no longer have to worry about the spaceship's appointment with the sun.

Your chances of completing the mission can be greatly increased by collecting tokens. Depending upon the type, they can be used to boost firepower, armour, or recharge rate. Credit tokens can be inserted into vending machines in exchange for



health points.

The two-player option prevents Icarus from becoming a monotonous zap and blast game. Your way will often be barred by security coded forcefields and if two people are playing one can concentrate on cracking the code while his partner fends off the battle droids.

The only let down is the speed. Although it is normally quite fast, the game really slows when there are a lot of aliens on screen. A Slogger Turbo makes the world of difference.

As a one-player game Icarus is superb. Play it with a friend and you'll experience the excitement of true two-player arcade action.

Jon Revis

Sound.....	8
Graphics.....	8
Playability.....	10
Value for money.....	9
Overall.....	9

This'll drive you dotty...

Product: 3D Dotty

Price £1.99

Supplier: Blue Ribbon Software, CDS House, Beckett Road, Doncaster DN2 4AD.
Tel: 0302 211134

3D DOTTY is a simple game in which your aim is to eat all of the dots on a screen. Success will take you through a series of eight rooms, similar in style, but of increasing complexity.

Each screen consists of three large platforms drawn in 3D perspective. The higher platforms are supported on substantial pillars, and this creates the first difficulty in eating all of the dots as some of them are behind pillars and can't be seen.

There are even some junctions behind pillars and these are quite a problem to negotiate. The levels are linked by ladders.

Your main problem is to avoid the

fungus, which appears as a fast-moving but rather shapeless snake. Contact with this nasty substance causes a very rapid loss of energy and a fairly swift loss of life.

Fortunately, you can drop anti-fungal barriers behind you, which will force it to chase you via a different route giving you a short breather. These barriers last for a few seconds and you can have up to three on a screen at a time.



The game's graphics are adequate, and I like the 3D effect, but the main character is rather small, and I am sure the fungus could have been made more interesting.

The sound is about par for this type of game. If you like persistent footstep beeps then it's fine. If not you can select the silent play option. Keyboard or joystick options can be chosen at the start of each game.

3D Dotty is a quite a good budget-priced game with nice graphics, fast gameplay and it is fun to play. But for me, it lacks that compulsive edge that keeps me coming back for more. But at just £1.99 you can't really go wrong, and it has got to be worth a try.

Rog Frost

Graphics.....	6
Sound.....	5
Playability.....	6
Value for money.....	7
Overall.....	6

Old favourite revamped

Program: *Philosopher's Quest*
Price: £9.95 (40T and 80T 5.25in disc)
Supplier: Topologika, PO Box 39, Stilton, Peterborough PE7 3RL.
Tel: 0733 244682

THIS adventure was originally published by Acornsoft in 1982 and sold 25,000 copies on tape and disc. You would imagine therefore, that there seemed little point in another company re-releasing it, as most respectable adventurers would already have a copy of the original.

However, it has been totally rewritten by its author, Peter Killworth, and in many respects is a different game from its predecessor.

Philosopher's Quest is now in disc form only, which means it is much larger with extra locations and a thicker layer of atmosphere, thanks to more detailed room descriptions.

The constant disc access slows down responses, but that gives you more time to think. Philosopher's Quest is not a difficult adventure by the standards of, say, Acheton, but you will need to do a lot of head-scratching.

Magic wands can be dangerous

things. The one you found in the junk shop off Market Street was no exception. It was a mistake to wave it while the cranky old shopkeeper's back was turned. One wave of that wand and you have been transported into a parallel existence in the same shop on another plane in a complex of caves.

A voice echoes in your mind: "Go and seek the treasure, mortal, and bring it back here in payment for the misuse of my wand. You will need every ounce of cunning to deal with the serpent in the Garden of Eden, the ancient mariner, and myriad other problems too difficult to mention".

So the scenario is set, leaving you as the hero to think, and, having thought, to act and think again.

All the familiar characters are still in the adventure - the old lady who has lost her dogs, the albatross and the whale - but the order in which you solve the game has changed quite dramatically. The M. E. passages are still bound to fox you and the solicitor's office will require a visit or two.

A novel and intelligent addition to this game is the facility to construct your own database disc and thus save wear and tear on the original copy.



The game also comes with an excellent hint booklet, a leaflet all about playing adventure games and marvellous packaging.

Philosopher's Quest should appeal to a wide adventure-buying public. Whether or not you have played the original Acornsoft version of this game, I recommend this revamped escapade without reservation.

Pendragon

Presentation	10
Atmosphere	9
Frustration factor	8
Value for money	8
Overall	9

Atmospheric adventure



Program: *Hex (The Legend of Vianna)*
Price: £3.95 (mail order only)
Supplier: Larsoft, 4 Chantry Road, Bristol BS8 2QD.

HE's done it again. Geoff Larsen's last adventure, The Puppet Man, gave rise to an excess of superlatives in my review. Now, I shakily pluck out my thesaurus in an attempt to find more words of praise of his latest Quilled masterpiece.

While on a hiking holiday in Cornwall way back in 1902 you find yourself in Padstow during the Hobby

Horse celebrations. After the celebrations you talk to a couple of local Cornishmen in one of the taverns.

When you tell them of your interest in myth and folklore they recount the legend of Vianna, a witch who lived in the area some 200 years earlier.

Common to most witches of her time she had been ceremonially put to death by the local populace. People say that now, at certain times she returns to stalk the night with various demons.

Thus the scene is set and as you accept a lift in a carriage to Bude the next day, the story you heard the previous evening sends a shiver down your spine.

With no obvious purpose, it will take you some time to realise exactly what your quest is to be. As with previous Larsoft adventures, flags are set as you move, which put into operation certain important events.

For instance after about 30 moves the trinket shop will be open for business, and 30 moves later a fisherman will appear outside the inn and explain that the tide is turning. Shortly afterwards a means of reaching the island will be uncovered.

That is as much of the plot as I can

give away without spoiling the enjoyment for you.

However, I will say that it is essential that you talk to the characters you meet, as they will provide the most important hints to unravelling this mystery.

Once again this Larsoft adventure is only restricted by the utility which Geoff has used to write it. I long ago groaned at having to use two word, verb-noun input. Considering such limitations, the adventure reeks atmosphere and is incredibly addictive.

I won't go so far as to say that Hex surpasses The Puppet Man in quality, as it is constructed and carries a plot in a totally different vein. However, once again the Quill has been taken to its limits by the creativity and ingenuity of Geoff Larsen.

This adventure immediately jumps into my all-time Top Ten of personal favourites.

Pendragon

Presentation	9
Atmosphere	8
Frustration factor	9
Value for money	10
Overall	9

nursery rhymes



5 fun-packed educational programs
... for young children everywhere



This delightful collection of programs is based around children's favourite Nursery Rhymes. There's plenty of sparkling colour, sound and captivating animation to keep them riveted – and as they play they'll be learning all the way.

- ★ Tell the time with Hickory Dickory Dock.
- ★ Assemble the jigsaw in Humpty Dumpty.
- ★ Learn to spell with Jack and Jill.
- ★ Match the animals in See Saw Marjory Daw.
- ★ Play an exciting game in Hey Diddle Diddle.

Children from two to nine will be entertained for hours with these interactive programs. Don't miss out on this beautiful gift for your family – and at a very special price.

ONLY £5.95 (cassette)

£6.95 (3½" disc)

Suitable for any Acorn Electron

TO ORDER PLEASE USE THE FORM ON PAGE 53



MAIL ORDER OFFERS



ORDER FORM

* Special price if accompanied by subscription or renewal

All prices include postage, packing and VAT
Overseas orders sent exclusively by Air Mail

Valid to June 30, 1988
Please enter number required in box

Electron User subscription UK £15 3001 £p
 Europe & Eire £23 3003
 Overseas £38 3004
 Commence with _____ issue

Renewal UK £15 3002
 Europe & Eire £23 3476
 Overseas £38 3477

Computer Hits 4
 Tape only * £3.95 £6.95 3032/3033

Ransack
 Tape only * £3.95 £6.95 3038/3039

The Life Of Repton
 Tape * £2.95 £5.45 3034/3035
 5.25" Disc * £3.95 £5.95 3036/3037

Skirmish (see page 39) **NEW**
 Tape only * £4.95 £7.95 3040/3041

Electron User back Issues

£1.75 UK	January 1987	3210	<input type="checkbox"/>
£2.75 Europe	February 1987	3211	<input type="checkbox"/>
£3.75 Overseas	March 1987	3212	<input type="checkbox"/>
	April 1987	3213	<input type="checkbox"/>
	May 1987	3214	<input type="checkbox"/>
	June 1987	3215	<input type="checkbox"/>
	July 1987	3216	<input type="checkbox"/>
	August 1987	3217	<input type="checkbox"/>
	September 1987	3218	<input type="checkbox"/>
	October 1987	3219	<input type="checkbox"/>
	November 1987	3220	<input type="checkbox"/>
	December 1987	3221	<input type="checkbox"/>
	January 1988	3222	<input type="checkbox"/>
	February 1988	3223	<input type="checkbox"/>
	March 1988	3224	<input type="checkbox"/>
	April 1988	3225	<input type="checkbox"/>
	May 1988	3226	<input type="checkbox"/>

Cassette tape annual subscription UK £35 3005
 Europe/Overseas £45
 Commence with _____ issue

Renewal UK £35 3006
 Europe/Overseas £45

Electron User tapes/discs
 Tape £3.95, Discs £4.75. Add £1 for Europe/Overseas

	Tape	3.5" Disc	<input type="checkbox"/>
Grid Warrior	Jan 1987 3310	3410	<input type="checkbox"/>
Maze	Feb 1987 3311	3411	<input type="checkbox"/>
Super Boss	Mar 1987 3312	3412	<input type="checkbox"/>
Dragons Doom	Apr 1987 3313	3413	<input type="checkbox"/>
Hectic Henry	May 1987 3314	3414	<input type="checkbox"/>
Hungry Harry	June 1987 3315	3415	<input type="checkbox"/>
Mazebugs	July 1987 3316	3416	<input type="checkbox"/>
Arena	Aug 1987 3317	3417	<input type="checkbox"/>
Mr Miner	Sept 1987 3318	3418	<input type="checkbox"/>
Witchcraft	Oct 1987 3319	3419	<input type="checkbox"/>
Fawkes' Run	Nov 1987 3320	3420	<input type="checkbox"/>
Santa on the Tiles	Dec 1987 3321	3421	<input type="checkbox"/>
Cosmic Guerrillas	Jan 1988 3322	3422	<input type="checkbox"/>
Super Digga	Feb 1988 3323	3423	<input type="checkbox"/>
Shove Penny	Mar 1988 3324	3424	<input type="checkbox"/>
Go-Pig	Apr 1988 3325	3425	<input type="checkbox"/>
Keyboard Gremlins	May 1988 3326	3426	<input type="checkbox"/>
Bomb Alert	June 1988 3327	3427	<input type="checkbox"/>

Readers in Europe (inc Eire) add £2. Overseas add £5 per item unless otherwise indicated

The Sound Master **SPECIAL OFFER** £9.99 3000 £p
 Add £2 for Europe (inc. Eire)/£7 for Overseas

Arcade Game Creator (see page 43)
 Tape £3.95 3118
 3.5" Disc £4.95 3127
 5.25" Disc £4.95 3010

Adventure Anthology (see page 13) **NEW**
 Tape £4.95 3044

Knitwear Designer Tape £8.95 3128
 5.25" Disc £9.95 3129
 Add £2 for Europe (inc Eire); £5 for Overseas

Nursery Rhymes (see page 52) Tape 3.5" Disc
 £5.95 £6.95
 Add £1 for Europe/Overseas 3018/3019

Education Special Vol. 2
 Classroom Computing on the Electron
 Magazine + Electron Cassette £3.95 3007
 Magazine + Electron 3.5" Disc £4.95 3008
 Add £2 for Europe (inc Eire); £4 for Overseas

Fun School Tape 3.5" Disc
 £4.95 £5.95
 Ages 2-5 3080/3108
 Ages 5-8 3081/3109
 Ages 8-12 3082/3110
 Add £1 for Europe/Overseas

Getting Started in BBC Basic
 (see page 37) £2.95 3100

Advanced User Guide
 (see page 19) £3.45 3072

Mini Office (see page 47) Tape £5.95 3062
 Add £1 for Europe/Overseas

Magic Sword Tape 3.5" Disc
 £5.95 £6.95
 3065/3105
 Add £2 for Europe (inc Eire); £5 for Overseas

Ten of the Best Tape 3.5" Disc
 £5.95 £6.95
 Volume 1 3068/3111
 Volume 2 3069/3112
 Volume 3 3070/3113
 Volume 4 3120/3121
 Add £1 for Europe/Overseas

French on the Run Tape £9.95 3115
 Add £1 for Europe/Overseas

Classic Card and Board Games
 No. 1 Tape £5.95 3090
 3.5" Disc £7.95 3092
 No. 2 Tape £5.95 3091
 3.5" Disc £7.95 3093
 Add £1 for Europe/Overseas

Electron Dust cover £3.95 3058
 Add £1 for Europe/Overseas

Magazine Binder £3.95 3059
 Add £3 for Europe (inc Eire); £7 for Overseas

TOTAL

Send to: Database Publications, FREEPOST,
Macclesfield, Cheshire SK10 4YB

(No stamp needed if posted in UK) Please allow 28 days for delivery

Order at any time of the day or night

Telephone Orders: 0625 879920

Fax Orders:
0625 879966

Orders by Prestel:
Key *88, then 614568383

MicroLink/Telecom Gold
72:MAG001

Don't forget to give your name, address and credit card number

ENQUIRIES ONLY: 0625 879940 9am-5pm

Payment: please indicate method (✓)

Access/Mastercard/Eurocard/Barclaycard/Visa

Expiry Date

No.

Cheque/Eurocheque made payable to Database Publications Ltd.

Name Signed

Address

Post Code

Tel

EU6

SOFTWARE AT BARGAIN

NEW TITLES THIS MONTH

Barbarian	£7.50
Quest	£7.50
Spycat	£7.50
Boulderdash	£7.50
Indoor Sports	£7.50
Tetris	£6.95
Icarus	£7.50
Phantom Combat	£2.99
Repton II	£2.99
Karate Combat	£2.99



ACORNSOFT TITLES

Talkback	£1.50
Workshop	£1.50
Sphinx Adventure	£1.00
Starship Command	£1.00
Hopper	£1.00
Chess	£1.00
Desk Diary	£1.00
Business Games	£1.00
Boxer	£1.00
Me and My Micro	£1.00
Snapper	£1.00
Complete Cocktail Maker ...	£1.00
Watch Your Weight	£1.00
Linkword Italian	£2.25
Linkword Spanish	£2.25
Turtle Graphics	£2.25
Advanced User Guide	£3.25

IVAN BERG SERIES

English CSE/GCE	£2.00
Biology CSE/GCE	£2.00
Maths 1 CSE/GCE	£2.00
Maths 2 CSE/GCE	£2.00

ROM CARTRIDGES

View (Wordprocessing)	£11.95
Viewsheet	£11.95
Lisp	£7.75
Logo	28.50

SPRING BARGAINS

4 FANTASTIC GAMES IN EACH
COLLECTION
£3.99 each or both £7.50

Acornsoft Hits Vol 1:
*Magic Mushroom - Maze -
Planetoids - Monster

Acornsoft Hits Vol 2:
*Starship Command - Meteors -
Arcadian - Snooker

BUDGET TITLES

Repton 1	£2.49
Death Star	£2.49
World Geography	£2.49
Dog Fight	£2.99
Combat Link	£2.99
Warehouse	£2.99
Suds	£3.99
Peter Scott Trilogy	£2.99
Cascade (50 Games)	£2.99
Daredevil Dennis	£1.99
Snooker (Visions)	£1.99
Tarzan (Martech)	£2.99
Football Manager	£2.99
Last of the free	£3.99
XOR	£4.99
Micro Value (4 games)	£3.99

ACORN CASSETTE RECORDERS

Complete with lead and power
supply
£22.95

TRIPLE DECKERS

3 Games on 1 Cassette for £1.99

1. Grand Prix/Day at the Races/Manic Mole
2. Invasion Force/Haunted/Parachute
3. Lunar Invasion/Lander/Jam Butty
4. Howzat/Fishing/Golf
5. Starfight/Skramble/Karate Warrior
6. Cavern Capers/Snap Dragon/Castle of Sand
7. Atom Smash/Knock Out/Reaction Tester
8. Grebit/Mr. Freeze /Fruit Worm
9. Break Free/Missile Jammer/Code Breaker



CURRENT TITLES

Five Star Games Vol 3	£7.50
10 Computer Hits Vol 4	£7.50
Life of Repton	£5.50
Spellbinder	£7.50
Elixir	£7.50
Bone Cruncher	£7.50
Omega Orb	£6.25
Dispatch Rider	£6.95
Ransack	£7.50
Ziggy	£6.95
Impact	£7.50
Graham Gooch Cricket	£7.50
Thunderstruck II	£6.95
Powerpack II (7 Games)	£7.50
Play it again Sam	£7.50
Palace of Magic	£7.50
Codename Droid	£7.50
Crazee Rider	£7.50
Collosus 4 Chess	£7.50
Psycastris	£6.50
Sphere of Destiny	£6.50
Superior Hits Vol 3	£7.50
Elite	£10.50
Around World 40 Screens	£5.50
Repton 3	£7.50
Paper Boy	£7.50
The Lost Crystal	£9.95
The Hunt	£7.50
Village of Lost Souls	£7.50
Spitfire 40	£7.50
Spy v Spy	£7.50
Brian Clough Football	£12.50
Five Star Games Vol 1	£7.50
Five Star Games Vol 2	£7.50
10 Computer Hits Vol 1	£7.50
10 Computer Hits Vol 2	£7.50
10 Computer Hits Vol 3	£7.50
Phantom	£7.50
Evening Star	£7.50
Winter Olympiad '88	£7.50
Star Wars	£7.50

TOWERHILL COMPUTERS LTD

1 Hockcliffe Road
Leighton Buzzard

Telephone: Leighton Buzzard (0525) 385329



PRICES

BUGBYTE AT £2.75 EACH

Uranians
Hunkydory
Tennis
Savage Pond
Cricket
Starforce
Ice Hockey
Twin Kingdom Valley
Jack Attack
Temptation
Dunjuz
Squeakalizer
Sky Hawk

ALTERNATIVES AT £1.99

Dead or Alive
Mineshaft
Video Pinball
Microball
Rik the Roadie
Soccer Boss
Olympic Spectacular
Craze Erbert
Licence to Kill
Confusion
Night Strike

CDS BLUE RIBBON AT £1.99

Bar Billiards
Mango
3D Doty
Trapper
Return of R2
Video Card Arcade



ATLANTIS

League Challenge £2.99
Survivors £2.99
Panic £1.99
Cops and Robbers £1.99
Creepy Cave £1.99

RECENT RELEASES

Play It Again Sam II £7.50
Skirmish £7.50
Kourtyard £7.50
Plan B II £2.99
Pro Golf £2.99

SUPERIOR at £1.99 each

Fruit Machine
Invaders
Draughts
Reversi
Stranded
Mr. Wiz
Chess
Smash 'n' Grab
Repton I



Percy Penguin
Alien Dropout
World Geography
Centi Bug
Zany Kong Junior
Overdrive
Tempest
Death Star

ALL PRICES INCLUDE V.A.T. AND P&P.
OVERSEAS ORDERS ADD £1.00

Europress

G R O U P

The Europress Group is one of Britain's most dynamic companies. Its divisions include Database Software, Mandarin Software and the publishers of this magazine, Database Publications.

We are currently seeking applicants for the following positions at our prestigious new headquarters at Adlington, on the edge of the Peak District National Park.

Assistant Manager (Software Projects)

The position involves day to day supervision of projects from their early stages through to launch, including liaison with in-house and third party programmers.

Experience of 8/16 bit micros is essential together with a knowledge of design, programming and quality assurance techniques. It is important that applicants are fully aware of the software market, especially that of games and leisure products, and can evaluate products with this in mind. Salary commensurate with experience.

Programmer for Maintenance/Conversion Work

Applicants should be familiar with 8 bit micros and have a knowledge of programming in Z80 and 6502 machine code as well as Basic. Experience of 16 bit machines is an advantage but not essential. But a willingness to learn other languages is vital.

The position initially involves product maintenance/conversion work although in due course there will be opportunities to work on exciting new products now being planned. Salary commensurate with experience.

Software Technical Support

An assistant is required in our software department to undertake product testing, quality assurance and customer liaison. Experience of day to day use of 8/16 bit micros is essential but programming skills are not necessary. Salary commensurate with experience.

*Applicants for these positions
should send a full CV to:*

**Barbara McCullough, The Europress Group,
Europa House, Adlington Park, Adlington,
Macclesfield SK10 4NP.**

Tel: 0625 878888

Publishing • Electronic mail
Exhibitions • Public Relations
Computer software & hardware



electron user

ARCADE CORNER

Compiled by MARTIN REED

THIS month's pokes and tips come from Alix Jones from Bellingdon, Bucks, Scott Moore from Angmering, West Sussex and Steve Simmonds from Rubery Rednal, Birmingham.

Many thanks to everyone for all the excellent contributions. However, many of the top Electron games are also available for other machines, so please mark your letters and any accompanying sheets or maps with your name and the code letters EU.

Share your hints, tips, pokes and cheats with fellow *Electron User* arcade addicts - but please ensure they are all your own work. Send them to:

Arcade Corner
Electron User
Adlington Park
Adlington
Macclesfield
SK10 4NP

Boffin - Addictive

Here are a few tips for this delightful platform game. One major problem for newcomers is the large black blobby creature with tentacles. It first appears on level two, blocking your way to the owl, then at regular intervals throughout the game.

The secret is to squash it by jumping on it from a substantial height without your umbrella. However, you will lose a life if you do not land in the exact centre of its head, so be careful.

On later screens these creatures - once squashed - hatch into winged creatures that flap up and down until you jump off, allowing you to get to normally inaccessible ledges.

Level four introduces the spider - beautifully animated, but quite deadly. Spider screens are normally designed so

that there is a long passage filled with potholes for you to run through - with the spider in hot pursuit.

However, many of the later screens are designed so the spider ends up on the same level as the owl, with you on a trampoline just below.

As you bounce up towards the owl, the spider will inch forwards and kill you just before you get there. You must, therefore, get a good head start on it before venturing back into the path of its jaws.

Many of the spider screens involve jumping down in front of the spider and running for your life. The best way to get a good lead is to put your umbrella up only at the last minute. This way, you will fall as quickly as possible - an essential skill to acquire because the spider starts to move while you are falling.

Codename: Droid - Superior Software

Here are a few hints for Codename: Droid to complement last month's map - help for anyone who may still be having problems with this superb arcade adventure.

The first and most important point to note is that you must collect everything you come across, especially the four sets of plutonium rods. Everything has a purpose, no matter how obscure it may appear at the time, and you will need everything to complete the game.

The two crates - on sector three of the surface defence and

sector one of the crew's quarters - give you six passcards and two energy cells - you'll certainly need them.

The microfilm maps show the layout of each sector - including the positions of the guards - and are invaluable when planning an attack strategy.

They become essential when travelling by jetpack - your precious fuel burns away with every passing second, so you must take care to use your brief powers of flight wisely.

Shoot all Volgans on sight. Ask no questions - it's either them or you. At quite a few stages in the game you will come to long corridors patrolled

by a number of Volgans. Although this is a daunting prospect, it can be put to your advantage.

The Volgans also shoot on sight and one will often kill another if the first happens to be in the second's line of fire. The remainder can then be dispatched with carefully laid mines. This technique also conserves your blaster energy, so it's certainly not to be sniffed at.

As the instructions show, you can run, kneel or crawl. This last movement is very useful for getting into awkward corners, and it can also save your life - a metal block in the surface defence and a crane in the missile factory will

Vegas Jackpot - Mastertronic

To increase your initial cash reserves, put the fully rewound cassette into the recorder and type:

```
LOAD"
```

When the first file has loaded, enter the following:

```
100 REM  
RUN  
*LOAD VEGAS
```

When the Vegas file has loaded, type:

```
PAGE=6144  
LIST 1000
```

Change *coin%* to the required value. This can be as high as you like, but the screen display will be corrupted if you choose a value over 9999. Now type RUN to start the game.

If you want to change the value of *coin%* part-way through the game, press Break then type:

```
OLD  
RUN  
PAGE=6144
```

and change *coin%* in line 1000 as before. Type RUN to continue with this new value.

suddenly fall as you pass underneath, killing you instantly if you are not on your hands and knees.

The Series 7000 Herbert droid on the far side of sector one of the crew's quarters seems to be causing problems. Drop a mine next to him, then walk into it and he will explode. However, this does give your suit energy a hammering, so make sure it is well charged.

When you get down to Sector One of the Missile Factory, you will come to two control buttons. Make sure you push the left hand one, then the right. If you push them in the wrong order, you will very quickly be killed by a falling crane.

MICRO MESSAGES

I HAVE a few answers to questions which appeared in recent Micro Messages pages, which were not cleared up completely by your solutions.

First, to clarify Andrew Cossar's problem – from the April 1988 issue – of using games with Slogger's Turbo board.

The codes you gave to disable the Plus 1 will still cause the same problems, leaving some games still refusing to load.

To totally disable the Plus 1 when in 64k or turbo modes the new pokes given below must be used. With many games the Plus 1 is disabled automatically in the loader program – using the normal Plus 1 pokes – which explains why some games won't work at all when trying them in turbo mode.

To solve this particular problem load the first file from tape, list it to find the old Plus 1 disable pokes, replace them with those below and run the loader. The program should load and run in turbo mode with no problems:

```
*FX 163,128,1
?&212=&55
?&213=&F2
?&2AC=0
```

My second point concerns the answer you gave to Very Confused in the same issue, who was unsure how to use the Plan B cheat from January's Arcade Corner. The poke must be RUN, and the game loaded from the file called PLANB on tape – not CHAINED from the beginning as you stated.

Now for some more useful information. Not long ago I read that Electron User was interested in any BBC Micro roms which were Electron compatible, so here

Pokes, cheats and compatible roms

is a list of some that I have tried successfully:

Rom Manager, NLQ Rom (Watford Electronics); View, ViewSheet, ViewStore, Lisp, Logo, Pascal, Micro Prolog (Acornsoft); GDump (D A Computers); Caretaker, Printmaster, Wordwise Plus, Intersheet, Interchart (Computer Concepts)

And finally, a question: Is the new Pegasus 400 interface from Slogger totally BBC compatible, or is it another very good emulation like their SEDI?

I usually rely on Electron User reviews to point out such things, but I notice that there has only been one in the last eight months! – David Brown, Whalley Range, Manchester.

● The hardware scene has been fairly quiet lately, but is now hotting up slightly with new products from

various companies due for release.

The Pres AP6 is reviewed in this issue, and the new AP2 and ADFS roms will be covered in next month's Electron User.

The Pegasus disc interface should be almost 100 per cent compatible with the BBC Micro as it is based around the WD1770 FDC, as are most modern BBC Micros – including all of the Master series. We hope to review this next month.

Train crash

NO matter how many times I try, I cannot get the Southern Belle train simulation working from the Five Star Games III compilation.

It loads the first part, then the screen goes black and

Elusive Frak!

designer

I MUST congratulate Dave Croft and the team at Tynesoft for another fantastic game in Winter Olympiad 1988. The game has the best graphics I have seen on any computer – it fully deserved its Golden Game award.

My best times are 1.49 (Bob sled), 0.35 (Speed skating), 115 (Ski jump), 1.05

(Giant slalom) and 2.33 (Biathlon).

I have Frak! from the excellent Five Star Games III, but the instructions were very poor. I read in the Frak! review in the April 1986 issue of Electron User that it has a screen designer built in.

Please could you list the necessary keys for using the designer? – P. Sanderson, Chesterfield, Derbyshire.

● We couldn't find out how to access the screen designer on the version of Frak from Five Star III either. Perhaps some reader can help.

nothing happens. Island and Planet on the introductory cassette don't work either – can you help?

Also, if my Electron were fitted with a Mode 7 adapter and a four-channel sound cartridge system, would it mean I could order any Mode 7 BBC Micro game and use it on the Electron? And is Superior going to produce any games on rom cartridge? – Luke Horton, Liss, Hampshire.

● We had problems with Southern Belle, too. You have to disable the Plus 1 with the codes given in last month's Micro Messages, or if you have Slogger's turbo board and want the game to run in turbo mode, use David Brown's alternative pokes on this page.

As far as we know, an Electron fitted with the new four-channel sound unit from Project Expansions, and a Jafa Mode 7 adapter, should run all full-blown BBC software which uses strictly Acorn documented routines only and avoids doing anything clever with memory locations.

Unfortunately, few BBC Micro games programmers stick to Acorn approved guidelines. We are doubtful whether Superior will be producing its games on Electron cartridges.

Dutch plea

I AM a teacher in a Dutch school, working with children from 4 to 11 years old. We have three Electrons, and the children love the programs we type in from Electron User. However, we have a problem in that we are probably the only school

Turn to Page 58 ►

◀ From Page 57

in Holland using these machines.

Some schools over here have BBC Micros, but a lot of their programs are just not compatible with the Electron – and besides, most of their software is on disc. We simply don't have the money for a disc drive, and have to be content with just using cassettes.

We know that there are many good programs for the Electron in England, and we enjoy buying them or typing in program listings from your magazines – Electron User in particular – but we would like more!

The Fun School tapes are magnificent, and so is Educational Computing. We ordered Nursery Rhymes as well, but these programs are locked and we need to translate the English for the children – and some teachers, too.

So we would like to ask whether there are any readers – who are perhaps also teachers – who have educational programs for us? We have a great lack of geography, history and biology programs, but reading and arithmetic tutors would be welcome too. – M. de Bruin, Basisschool De Kinderboom, Kalloenstraat 11, 1022 BA Amsterdam, The Netherlands.

Pig problems

I WISH to bring to your attention a mistake in Bill Vincent's Go-Pig program from the April 1988 issue of Electron User.

Line 3480 appears to be the culprit, perhaps because Bill used character codes which the printer cannot produce. I have changed the line as follows:

```
3480 b$=CHR$224+CHR$225+CHR$226+CHR$227
```

It now works perfectly with the above alteration, and is a delight to play. Thanks again, Electron User – I don't know what I'd do

ALL programs printed in this issue are exact reproduction of listings taken from running programs which have been thoroughly tested.

However on the very rare occasions that mistakes may occur corrections will be published as a matter of urgency. Should you encounter error messages when you type in a program

they will almost certainly be the result of your own typing mistakes.

Unfortunately we can no longer answer personal programming queries concerning these mistakes. Of course letters about suggested errors will be investigated without delay, but any replies found necessary will only appear in the mail pages.

without you. – Paul Clark, Warrington, Cheshire.

● Don't thank us, thank Bill! Seriously, we have been experiencing more glitches in the listings than usual over the past few months.

This month you'll find all the corrections which so many of you have kindly written in with, and our thanks to everyone involved even if their name isn't printed.

Shove it!

I EXPECT that I am one of the many eager readers of the March Electron User who were puzzled by the description of Shove Penny.

Okay to the end of page 19: "Wait until it is where you" – but where? Then at the bottom of page 21: "Hold the key down". I am still holding it down until I know what to do next.

Then the definition of PROCpause in line 1150 is unfinished until we know what L% can become. Mr.

Snapper solved

AS soon as I had collected my copy of Electron User from the newsagent, I saw on the front cover: "Arcade corner – cheating with Snapper".

I tried the cheat as soon as I got home. The merging went fine, but as soon as it had loaded file "?", it simply halted and waited for me to

Editor, this is a bit below your high standard!

I also have a problem with February's Character Builder. The key repeat rate as set up in line 590 seems very short – shouldn't it be 20 to match the delay rate set up in line 580? And what is the function of:

```
PRINT"+.
```

in lines 620 and 650? They seem to disable the Electron so that it will neither save nor load, or do anything else for that matter. I've cut these lines out and it seems to work all right. – G.D. Price, Kingsley, Warrington.

● The gremlins seem to have been having a field day just lately – the last two lines at the foot of page 21 are actually the missing text from the end of page 19. The completed sentence is:

"Wait until it is where you want to fire from, and press Space. Hold the key down, and the power meter on the right of the screen will begin to climb."

And the truncated defini-

type something in.

Eventually I found that there is a line missing from the end of the upgrade. Before SPOOLing it, type:

```
1780 ENDPROC
```

and it should work fine. – Philip Hounsell, Eastleigh, Hants.

tion of PROCpause is in fact the last line of the program, and should be:

```
1150 DEFPROCpause:FOR LX=1  
TO 2000:NEXT:ENDPROC
```

And our apologies to everyone who was unable to get Shove Penny to run.

As far as Robin Nixon's Character Designer goes, the repeat rate is set up faster than the delay rate so that people can, if they wish, rapidly repeat the current function.

If both rates were set to 20, it would be faster to press the key repeatedly rather than to hold it down.

And the PRINT in lines 620 and 650 cannot possibly disable the Electron – it simply perform three carriage returns, followed by a disc or tape catalogue.

Listing

Hisssteria

I HAVE just spent a very frustrating couple of weeks trying to debug Hiss, from the March 1988 issue of Electron User, with no success.

The problem seems to occur at lines which contain a *FX command inside quotation marks.

What purpose do these quotes serve? I've never seen them used in this way before, and they are certainly giving my Electron a bad case of indigestion. – R.A. Biscare, Glasgow.

● Every OSCLI command in Hiss disappeared due to an unforgivable mistake – all our Electrons were being used at the time, so we borrowed a BBC Micro from The Micro User to prepare the file for typesetting.

What we didn't realise was that it only had the older, less sophisticated Basic I inside. As you may or may not know, Acorn's older Basic has no OSCLI command, hence it cannot recognise any it comes across in a program and simply strips them out.

The offending lines

should be as follows:

```
230 OSCLI 'FX21':Z%=GET:OS
CLI 'FX138,0,'+STR$Z%
1620 OSCLI 'FX21':REPEAT:Z%
=INSTR('00',GET$):UNTILZ%>0
2230 OSCLI 'FX21':OSCLI'FX1
2'
```

It serves us right really, for using an inferior computer rather than our solid, reliable Electron!

Letterhead

improvements

IN the letterhead design program accompanying Julie Forester's article in the March 1988 issue of *Electron User* something must have thrown a spanner in the works. May I suggest the following. Change line 200 to:

```
200 IF G=34 THEN *SAVE HEA
DINGS 5800 5BC0
```

If you are using cassettes, the on-screen prompt produced by this line causes the screen to scroll up and destroy part of the heading. I couldn't see the point of line 70, so I replaced it with:

```
70 *OPT 1,0
```

And in line 190 the TAB should be (0,3) not (0,5) – but in fact, is not needed. The line could be:

```
190 IF G=31 PROCscreen_dump
```

Line 670 should be removed. It sends a Tab character to the printer, causing the logo to be printed too far to the right. Not all printers can accommodate 1280 points across the page – most can only manage 960 at the most. The solution is to change line 750:

```
750 FOR N=0 TO 2
```

I would also suggest:

```
180 IF G<>32 THEN 190
185 *FX4,0
186 *OPT 1,1
187 CLS:END
```

It is also a good idea to delete the END from line 190, so that the logo may be

Newmarket cured

I AM responding to the letter from N. Gill in the March 1988 issue of *Electron User*, concerning a so-called bug in the Newmarket program.

It does not really freeze during the swap routine – it is just that all text is printed on the same spot on the screen. This makes it – to put it mildly – somewhat hard to see. Just type Mode 6 and watch the result.

The real problem is indeed variable Z at lines 160-180. It becomes a random number with a value between 40 and 52, and as the program progresses the trouble starts at line 740 when the value of da% gets higher than Z.

This situation causes a subscript error, because at line 180 an array N%() is

dimensioned with its maximum subscript determined by Z. I found this out by adding a line 5:

```
5 ON ERROR MODE 6:REPORT
:PRINT at Line ;ERL:END
```

Instead of freezing, the screen will clear and the message Subscript at line 740 will appear. The solution to the problem is to delete lines 160 and 170, and change the following lines to:

```
180 DIM N%(52),C(52),S(52)
290 FOR IX=1 TO 52:N%(IX)=
IX:NEXT:FOR IX=52 TO 2 STEP-
1:D%=RND(IX):TX=N%(D%):N%(D%
)=N%(IX):N%(IX)=TX:NEXT
```

After these alterations the program runs very well, but it left me with two ques-

tions: Why was variable Z introduced, and did it have to DIM an array with a random number?

The variable A% at line 170 should change Z into 52 if A%=1, but nowhere in the program is A% set to 1. In addition to this line 40 may be changed into:

```
40 *KEY10 EX=0:MGX=0:MF%=
0:IM
```

Maybe the author could answer these questions? – H. Berkenveld, Holland.

● Thanks are due to you, and everyone else who attempted over the past three months to sort out this problem.

Our version never crashed, so we're not sure what's going on.

edited further if the printed version is not to your liking. – John Bloxham, Stratford-upon-Avon, Warwickshire.

● These modifications work fine, except that there is no need to replace line 70. Just put the *OPT 1,0 at line 45. And we can see no reason for changing line 200, as both versions achieve exactly the same result.

Clock

revealed

TO help P. Eisler of London and the many others who use television sets, I have found a method of lowering the display of the Clock utility from the January 1988 issue of *Electron User*. Change line 470 to:

```
470 LDY #0:LDA #0:.L3 STA
(896),Y:INY:CPY #8:BNE L3:LD
A #96:CLC:ADC #8:STA #96:LDA
#97:ADC #1:STA #97
```

And using VDU 28,0,24,39,2 will stop hardware scrolling in 40 column modes. – M. Farley, Dagenham, Essex.

Keeping

the peace

COULD you please tell me how to switch off the sound when playing games? I live in a flat and use my *Electron* sometimes very late at night, and feel I may be upsetting other residents.

Reading Joe Pritchard's review of Project Expansion's user port in the March 1987 issue of *Electron User*, could you please tell me if the user port can be used with a light pen? If not, what interface would I need?

And regarding Robin Nixon's review of the Tarantula touch tablet from the March 1987 issue, do you know where I can obtain this product, how much it costs, and whether I need a Plus 1? – Philip Tee, Oxton, Birkenead.

● To turn off the sound completely, use *FX210,1 before loading a game. Most games provide a keypress to toggle this FX call on and off, but this should work for those that do not.

Light pens work by send-

ing a signal back into the micro when they detect the electron gun passing over their light-sensitive tips, and careful timing is used to extrapolate the pen's position over the screen.

All the necessary circuitry is contained inside the BBC Micro's 6845 video chip. This is not present on the *Electron*, and you can't use other devices like a user port to do the job instead.

The Tarantula touch tablet used to be made by Wigmore House, but unfortunately it is no longer available.

Mail pages

to the rescue

I WAS on the point of throwing away two expensive game tapes because they would only load the header screens. All I got after that were Rewind tape messages and obeying these did not work.

I was combing through my back issues of *Electron User*,

Turn to Page 60 ►

Tracing the logic

◀ From Page 59

when in the December 1986 Micro Messages I found a letter entitled Recovering corrupted files.

Following the advice given, much to my delight the tapes loaded perfectly. As I had spent several weeks trying unsuccessfully to load these in the normal fashion, I am very grateful to Electron User, which is always a source of great help to me.

I could not have returned these tapes to the manufacturers as the firm has gone bust, so you can imagine my relief. — Mrs F. Whitehead, Denton, Manchester.

● This just goes to show just how useful those old back issues can be.

It also highlights the value of the Micro Messages section, which has always been a forum for a multitude of assorted technical hints and tips. We rely on these — please keep them coming in.

In the September 1987 issue of Electron User you published a letter from Mick Green of the Netherlands in connection with the utility Super Tracer from the July 1987 issue.

He says that he found the top left hand corner of the screen to be an inconvenient location for the trace, as do I, and he was able to re-direct the trace

output to a user-defined coordinate.

My knowledge of assembly language is sadly lacking, and I am unable to follow his good example. I would therefore appreciate a published modification, with sufficient instructions for altering the print position myself. — Jeff Somerville, Shoeburyness, Southend on Sea.

● This modification will allow you to specify your own screen positions for Super Tracer's output:

```
460 LDA #31:JSR oswrch
462 LDA #?:JSR oswrch
464 LDA #?:JSR oswrch
```

Simply replace the question marks in line 462 with the desired X coordinate, and do the same for the Y coordinate in line 464.

Put the boot into View

I ALWAYS use a rom image of View in sideways ram, which of course means that it must be initialised with Control+Break before it will work properly.

I would like to write a /BOOT file on disc that sets up View in ram, and also

sets up the various options such as screen colours, F/JI flags and so on, to my own preferences.

However, I obviously need a way to fully initialise my rom image from within software, and this is the part that defeats me. — Andy Wells, Sheffield.

● Any rom which doesn't need to claim private workspace — that is, raise PAGE — can be safely initialised from software by poking its rom type byte into

the operating system's internal rom tally.

Briefly, a language rom — like View — has a type byte of &C2, whereas a service rom — like the ADFS — has a type byte of &82.

Simply poke the corresponding value for your rom image into location &2A0 + the socket number of your sideways ram.

So if your sideways ram is in socket 6, you would use:

```
?&2A6=&C2
```

● ROM/RAM EXPANSION BOARD 2 for the PLUS 1

will hold 7 ROMS or 6 ROMS plus 16k RAM

.fits inside the plus1 .easy to fit yourself .clear instructions given
.write protect switch .only five leads to solder on, connector to board
.plugs into plus1 rom socket .ours working with 64k Electron & dual discs
.options: with 16k ram (2+6264) £37.50 .without ram £30.95

● 1MHz BUS & ROM BOARD

.plugs into any cartridge slot .2 rom sockets
.standard idc bus connector (as BBC)
.£17.95 .gold plated edge contacts
all prices incl. no more to pay (UK)
enquiries tel. 0703-260900 (best after 3pm)
36 Sarum Road, EASTLEIGH, HANTS, SO5 2AN.



BBC/ELECTRON 'IMAGE' V.2

'IMAGE' was the ultimate tape back up system, now, it's even better

You can be completely assured that this is the best and most able program of its type available. It can deal with:


- Locked programs
- Programs of any length
- 300t and 1200 BAUD
- Files
- ?'s (Ctrl codes) in Filename
- Multiple back ups
- False or trick block info.
- Changing Filenames
- Continuous data stream
- Locking and unlocking programs

It is VERY IMPORTANT INDEED purchasers take note that 'IMAGE' is for sale strictly for making BACK-UPS of your own software for your own use, for protecting your own programs, or as an aid to putting software on disk (by removing locks from tape software). Any person found using the program for illegal purposes runs the risk of being prosecuted.

To receive your copy of 'Image' send a cheque or P.O. for the sum of
An Astounding £5.80 to:

Peter Donn, Dept. EU, 18 Tyrone Road,
Thorpe Bay, Essex SS1 3HF

Please state BBC or Electron version. V1 owners can obtain V2 by sending £1.50 + V1
AA269 without case † BBC version only



Whatever your subject...

French, First Aid, Football, Spelling, Science, Spanish, Sport,
Scotland, England, English Words, German,
General Knowledge, Geography, Italian, Arithmetic,
Natural History.

Let your computer help you learn

Write or phone for a FREE 20 page illustrated catalogue of our
Leisure and Educational Software

KOSMOS SOFTWARE LIMITED

FREEPOST (no stamp needed)

DUNSTABLE, Beds. LU5 6BR

Tel: 05255 3942 or 5406

LIGHTSPEED SOFTWARE

Dept EU

31A BROADWEIR BRISTOL BS1 TELEPHONE: 0272-225604

24 HOUR ANSWER PHONE FOR ALL QUERIES

New titles available on release day

TITLE	OUR PRICE	TITLE	OUR PRICE
ADVENTURE CREATOR	12.50	PALACE OF MAGIC	7.65
BONECRUNCHER	7.75	PALACE OF MAGIC (3.25" disc)	10.80
COMPUTER HIT 10 V3	7.75	PALACE OF MAGIC (3.5" disc)	12.50
COMPUTER HIT 5	5.90	PHANTOM COMBAT	3.50
CRAZEE RIDER	7.75	PSYCASTRIA	6.90
ELITE	10.50	RAVENSKULL	7.75
ELIXIR	7.75	REPTON 3	7.75
ICARUS	7.75	ROUND WORLD 80 SCRIN	6.75
IMPACT	7.75	SKIRMISH	7.50
INDOOR SPORTS	7.75	STAR WARS	7.75
KOURTYARD	7.50	SUPERIOR COL VOL 3	7.75
MINI OFFICE	4.90		

ALL PRICES ARE INCLUSIVE OF VAT AND DELIVERY INSIDE THE UK.

PLEASE MAKE CHEQUES P.O.s PAYABLE TO

"LIGHTSPEED SOFTWARE"

ALL ORDERS DESPATCHED WITHIN 24 HOURS, BUT PLEASE ALLOW 7 DAYS

Featuring
4 Chartbusters

Play It Again Sam 2



SUPERIOR'S BEST COMPILATION YET for the BBC Micro and Acorn Electron

Sam, an ardent fan of Superior Software's games, has been absolutely delighted by the success of his first selection of chart-topping Superior Software games. Now here's four more games that will keep you enthralled day after day — on that you can rely!

Repton 3 is probably the best-loved of all of Superior's games. Our endearing lizard, Repton, is trapped in a netherworld amidst falling rocks, fearsome monsters and haunting spirits. A superb strategic game which includes character and screen designers enabling you to create your own scenarios. A & B Computing reported: "This is top quality; arcade action at its very best."

Craze Rider, a fascinating motorcycle-racing game, features seven international racetracks. "It's fast, challenging and there's plenty to keep you entertained. Thoroughly recommended" remarked The Micro User.

Galaforce is the thinking-man's alien-zapping game; fast and furious, yet full of strategy. Oracle enthused: "You haven't lived until you've played this game. Buy it! — it's the ultimate in shoot-em-up. RATING: 20 (out of 20)"

Codename: Droid is a challenging arcade-adventure. The quality of the graphics and animation must be seen to be appreciated. Electron User summed the game up by saying "CODENAME: DROID is brilliant . . . it's worth every penny!"

BBC Micro Dual Cassette.....\$9.95 Acorn Electron Dual Cassette.....\$9.95
BBC Micro 5¼" Disc.....\$11.95 BBC Master Compact 3½" Disc.\$14.95

(Compatible with the BBC B, B+ and Master Series computers).

THE ORIGINAL "Play It Again, Sam"

Our original selection of 4 of Superior's biggest hits for the BBC Micro and Acorn Electron is still available.

- CITADEL
- STRYKER'S RUN
- THRUST
- RAVENSKULL

SUPERIOR SOFTWARE
Limited

ACORNSOFT

Dept. 2PS10, Regent House, Skinner Lane, Leeds LS7 1AX. Telephone: 0532 459453.

Please make all cheques payable to "Superior Software Ltd".



24 HOUR TELEPHONE ANSWERING SERVICE FOR ORDERS

OUR GUARANTEE

- All mail orders are despatched within 24 hours by first-class post.
- Postage and packing is free.
- Faulty cassettes and discs will be replaced immediately. (This does not affect your statutory rights)

MITHRAS SOFTWARE

Best selling software for your Electron at Bargain prices
New titles available from day of release

	RRP	Ours		RRP	Ours
Saigon	9.95	7.50	Evening Star	9.95	7.50
Barbarian	9.95	7.50	Spirite 40	9.95	7.50
Spycat	9.95	7.50	Phantom Combat	-	2.95
Icarus	9.95	7.50	Rick Hanson Trilogy	23.95	12.95
Quest	9.95	7.50	The Lost Crystal	11.95	9.95
Skirmish	9.95	7.50	French on the Run	9.95	7.50
Impact	9.95	7.50	The Quill	16.95	12.95
Tetris	8.95	6.95	The Hunt	9.95	7.50
Ziggy	8.95	6.95	Village of Lost Souls	9.95	7.50
Star Wars	9.95	7.50	Project Thesius	9.95	7.50
10 Computer Hits Vol. 4	9.95	7.50	Myorem	9.95	7.50
Five Star Games Vol. 3	9.95	7.50	Kayketh	7.95	6.50
Xor	9.95	5.50	Obridge	7.95	6.25
Ransack	9.95	7.50	Wheel of Fortune	5.95	5.25
Despatch Rider	8.95	6.95	Castle Frankenstein	4.95	4.50
Play it Again Sam	9.95	7.50	Quest for Holy Grail	4.95	4.50
Play it Again Sam Vol 2	9.95	7.50	Kingdom of Klein	4.95	4.50
Palace of Magic	9.95	5.95	Rising of Salandra	-	4.50
Bonecruncher	9.95	7.50	The Nine Dancers	-	3.65
Codename: Droid	9.95	7.50	Wychwood	-	3.65
Elixir	9.95	6.95	The Puppet Man	-	3.65
Spellbinder	9.95	7.50	Hex	-	3.65
Superior Collection Vol. 3	9.95	7.50	Stranded	-	2.50
Around World 40 Screens	6.95	5.50	Golden Baton	-	2.50
The Life of Repton	6.95	5.50	Waxworks	-	2.50
Boulderdash	9.95	7.50	Wizard Akryz	-	2.50
Paper Boy	9.95	7.50	Perseus and Andromeda	-	2.50
Kourtyard	9.95	6.50	Escape from Pulsar 7	-	2.50
Spy vs Spy	9.95	7.50	Adventure	-	2.75
Colossus Chess	9.95	7.50	Scott Adams Scoops (3 Adv)	-	2.95
Indoor Sports	9.95	7.50			
Winter Olympiad '88	9.95	7.50	DISCS	5.25*	3.5*
Soccer Boss	-	1.99	Bonecruncher	9.50	-
Way of the Exploding Fist	-	1.99	Spellbinder	9.50	-
Plan B2	-	2.95	Elixir	-	10.95
Micro Value Vol. 3	-	3.65	Life of Repton	6.35	-
Warehouse	-	2.75	Play it Again Sam	9.50	11.95
5 Computer Hits	-	2.75	Palace of Magic	9.50	10.95
			Codename: Droid	-	11.95

A full list of our Electron titles is sent with each order

ALL PRICES INCLUDE VAT & P&P IN UK. ORDERS NORMALLY DESPATCHED WITHIN 24 HOURS OF RECEIPT BY FIRST CLASS POST BUT PLEASE ALLOW 7 DAYS

(Orders to Europe and Eire add 50p for each item. Worldwide add £1 for 1st and 50p for each other item. Please send cheque payable through a UK bank or give full details of your Visa, MasterCard or Eurocard). Please Quote Electron (A BBC list is available on request) and send cheque, P.O., Access or Visa number and cardholder's name to:



MITHRAS SOFTWARE
PO Box 151, Maulden, Bedford, MK45 2YH
Tel: (0525) 402630



ADVERTISERS INDEX

21st Software	18
Centec	62
Delta Computers	40
Electron & BBC Micro User Show	4
Kosmos	60
Lightspeed Software	60
Mandarin Software	63
Melton Computer Supplies	8
Mithras Software	62
Peter Donn	60
PRES	24,25
RODH Design	60
Slogger	14,15
Software Bargains	40,41
Superior Software	2,61,64
Towerhill	54,55

All disks are sent by Trackback or Courier service at no extra cost!

TOP QUALITY DISKS AT ROCK BOTTOM PRICES

5.25" BULK PACKED-TOP QUALITY	10	25	50	100	150	250
Single Sided 48T.P.I.	£5.49	£10.50	£18.50	£32.50	£41.50	£61.50
Single Sided 96T.P.I.	£5.95	£10.75	£19.00	£33.50	£43.00	£63.00
Double Sided 48T.P.I.	£5.95	£11.00	£19.50	£34.50	£45.00	£66.00
Double Sided 96T.P.I.	£6.95	£11.50	£20.50	£36.00	£46.50	£69.50
Double Sided Coloured 96T.P.I.	£7.95	£13.75	£25.75	£48.50	£57.50	£99.75
Double Sided Reversible 96T.P.I.	£7.95	£15.00	£28.50	£50.50	£65.50	£102.50
Coloured & Reversible 48T.P.I.	£8.95	£17.25	£32.75	£63.25	£86.25	£129.75
Coloured & Reversible 96T.P.I.	£9.95	£18.75	£34.50	£65.50	£94.75	£143.75

Packs of 10 5.25" Disks come with Free Plastic Library Case (worth £1.49!) Coloured Disks come in five colours (Red, Blue, White, Yellow, Green)

Reversible disks have two index holes and two notches

Coloured and reversible disks come in five colours and have two holes and notches All Centec disks are packed with a protective jacket (envelope) and come with a full user set, including a label and a write protect tab. The disks are manufactured to top international standards and have a hub ring for added protection. All disks carry our no quibble replacement guarantee and are certified 100% error free



Storage Boxes

3.00" Lockable - Holds 25	£7.49
3.50" Lockable - Holds 40	£7.49
3.00" Lockable - Holds 60	£8.49
3.50" Lockable - Holds 80	£8.49
3.50" Lockable - Holds 120	£10.95
5.25" Lockable - Holds 50	£7.49
5.25" Lockable - Holds 100	£8.49
5.25" Lockable - Holds 140	£10.95
3.5" Cleaning Disc	£4.99
5.25" Cleaning Disc	£3.99
Disk Notcher	£3.49
ST Printer Cable	£8.49



PROFESSIONAL PRINTER STAND

This new printer stand is very space efficient as it takes hardly any more room than your printer. Due to the unique positioning of the paper guide mechanism and retold compartments that is one above the other, the desk space is effectively halved. The space saving design allows easy access to the paper from both sides, the special dial controlled paper feed system with adjustable deflector plates ensures smooth paper flow and automatic refolding

80 Col	£29.95
132 Col	£34.95

JUDGE FOR YOURSELVES

You'll be guilty of paying more & getting less if you go elsewhere



SPECIAL OFFERS 3.5" DISCS + LOCKABLE BOXES

20 x 3.5" DS-DD DISCS PLUS 40 CAPACITY LOCKABLE BOX FOR
ONLY £24.95

OR

40 x 3.5" DS-DD DISCS PLUS 40 CAPACITY LOCKABLE BOX FOR
ONLY £44.95



50 x 3.5" DS-DD DISCS PLUS 80 CAPACITY LOCKABLE BOX FOR
ONLY £54.95

OR

80 x 3.5" DS-DD DISCS PLUS 80 CAPACITY LOCKABLE BOX FOR
ONLY £79.95

COPY HOLDERS



YU-H32 Copy Holder with Adjustable Arm
Size 9.5" x 11.5" with smooth slide line guide - £19.95
YU-H34 Copy Holder with Adjustable Arm
Size 19" x 12" (A3) - £29.95

3.5" TOP QUALITY BULK PACKED DISKS

	10	25	50	100	150	200
Single Sided 135T.P.I.	£12.49	£23.95	£46.95	£91.95	£129.95	£169.95
Double Sided 135T.P.I.	£14.49	£26.95	£52.95	£98.95	£145.95	£189.95

Rainbow Pack of five colours - New product!

Single Sided 135T.P.I.	£17.95	£35.95	£62.95	£119.95	£169.95	£219.95
Double Sided 135T.P.I.	£19.95	£39.95	£75.95	£145.95	£214.95	£279.95

Packs of 10 3.5" Disks come with Free Plastic Library Case (worth £1.49!) All discs are supplied with labels and are certified 100% error free

CENTEC DISK SUPPLIES

UNIT 3, THE METRO CENTRE, BRIDGE ROAD, ORPINGTON, KENT BR5 2BE
TEL: (0689) 35353 (6 Lines) (24 Hours) Fax: 0689 77737

Please note we operate a call stacking system. Outside office hours a telephone answering machine will take your order.

Remember - all prices include VAT and delivery! There are no hidden extras to pay! Personal callers welcome: Monday-Friday 9.30am-4.30pm



ICARUS

£9.95
cassette
BBC Model B, B+,
Master and Electron

£11.95 disc
BBC series:
5 1/4" or 3 1/2"



Split-screen action with different views for each player. When you are both in the same area the views are the same.

Crack the code to the forcefield, pass through the portals to raid the area of valuable credits, then head for the lift.

Now **TWO**
can play – and
experience ...

THE CHALLENGE OF A LIFETIME!

Starship Icarus is plummeting towards the sun, and the only hope of averting the impending cataclysm is for you to teleport on board, disable the master computer and regain control ...

This spectacular fast-action game has a unique split-screen which means that one player can complete the game on his own – or play simultaneously with a friend – to fight the trigger-happy droids which infest the ship. With 20 levels of nerve-racking excitement, forcefields, mines,

electronic doors, emergency lifts, movable walls, and opportunities to build up your armour, blaster and health ratings, this is one game you won't complete in a few weeks!

There can be no doubt that Icarus, with its incredible one- or two-player action, is one of the most exciting games ever created for the BBC Micro and Electron.

❖ **Check it out for yourself –
and take up the challenge!**

Icarus is the result of six months' intensive work by Powerhouse Software, the programming team which developed the top-selling Dunjuz. A full three months has been spent play-testing and fine-tuning to produce an addictive challenge with a gameplay that's really out of this world!



MANDARIN SOFTWARE

Europa House, Adlington Park,
Adlington, Macclesfield SK10 4NP.

TELEPHONE ORDERS: 0625 879920 ENQUIRIES: 0625 879940

Available from all good stockists or order direct by sending a cheque or postal order made payable to Mandarin, together with your name and address. Access or Visa owners: Phone our hotline or send your card number with your order. Price include P&P.

BARBARIAN

The Ultimate Warrior

NOW AVAILABLE FOR:
**BBC MICRO
ELECTRON**

BARBARIAN
The Ultimate Warrior
© Palace Software, 1987
MADE UNDER LICENCE



A bout of
Mortal Combat



The Victorious
Gladiator



Nearing the End of
a Ferocious Battle



Under the Gaze of
Drax and Mariana

THE ULTIMATE WARRIOR • THE ULTIMATE GAME

At last, BARBARIAN, the most realistic and exciting of sword-fighting games reaches the BBC Micro and Electron.

One or two players—fight against the computer or a friend.

The evil sorcerer Drax has abducted the beautiful Princess Mariana to satiate his nefarious desires. A powerful warrior is sought to vanquish against Drax's demonic guardians and free the princess? You are that warrior: a mighty barbarian wielding your broadsword with deadly skill.

BBC Micro Cassette	£9.95	Acorn Electron Cassette	£9.95
BBC Micro 5¼" Disc	£11.95	BBC Master Compact 3½" Disc	£14.95

(Compatible with the BBC B, B+ and Master Series computers)

Please make cheques payable to "Superior Software Ltd".

PRIZE COMPETITION

£100 is the first prize in our competition, with 20 congratulatory certificates for runners-up.

To enter the competition, you must complete the game and write to us describing the final messages that you receive.

Closing Date: 30th September, 1988.

**SUPERIOR
SOFTWARE**
Limited

ACORNSOFT

Dept. B5, Regent House, Skinner Lane, Leeds LS7 1AX. Telephone: 0532 459453



24 HOUR TELEPHONE
ANSWERING SERVICE FOR ORDERS