

# Software Masters™

3330 Hillcroft, Suite BB • Houston, Texas 77057 • (713) 266-5771

Dear Customer:

Here's your copy of The Visible Computer: 6502. I think you'll find it a powerful system for learning machine language programming. Although we've made every effort to insure the accuracy of both the Visible Computer: 6502 program disk and manual, if you find something that we missed, or simply have comments or suggestions, please let us know.

The Visible Computer: 6502 program disk is copy protected. Should it ever fail to load, we will replace the disk for a fee of \$5.00. During the ninety day warranty period there is no charge for replacement.

If you wish to purchase a backup copy, one is available for \$5.00. Only registered owners may purchase a backup, so take a minute now to fill in the form below and drop it in the mail. This information will allow us to keep you informed about possible updates and related products of interest.

Good programming!



George Cowsar  
President, Software Masters

---

## Visible Computer: 6502 (C-64 Version) Registration Form

Purchase Date: \_\_\_\_\_ Serial Number: \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

Purchased from: \_\_\_\_\_

How Did You Hear About TVC: 6502?

- ☐ Magazine Advertisement (please specify) \_\_\_\_\_
- ☐ Friend \_\_\_\_\_
- ☐ Review (please specify) \_\_\_\_\_
- ☐ Dealer Recommendation \_\_\_\_\_
- ☐ Other (please specify) \_\_\_\_\_

## VISIBLE COMPUTER: 6502 (C-64 VERSION) ERRATA

Please make the following changes in your manual.

- p. 6: First paragraph, first sentence should read: "...depends on its position in the number.
- p. 9: In the "Count-to-Ten" figure in the middle of the page, between 11 (3) and 101 (5) should be 100 (4).
- p. 11: First paragraph, first sentence should read: "...any longer than it takes to get..."
- p. 28: First paragraph, first sentence: "...get acquainted with the program portion..."
- p. 55: Last paragraph, seventh sentence: "The branch instruction BNE consists of an opcode byte (\$D0) at \$C005 and an offset (\$FB) at \$C006."
- p. 79: Last sentence on the page should read: "These switches are mapped into the first five positions of I/O addresses \$DC00-\$DC01. \$DC01 for port A (or 1), and \$DC00 for port B (or 2)."
- p. 80: Second paragraph, last sentence should read: "Will behave as though there's a joystick plugged in with no switches depressed."
- p. 80: The FCHECKPROG listing does not agree with what's on disk. The disk version is correct.
- p. 85: In COUNTPROG listing, ADD should be ADC.
- p. 90: Next to last paragraph, second sentence should read: "Do an: LC 88 and WINDOW MEM. That \$60 at..."
- p. 91: Last paragraph, first sentence: "Now display the timer locations with: LC A0 and WINDOW MEM."
- p.102: In INTPROG listing, STI should be SEI.

# **The Visible Computer: 6502**

**Commodore 64 Version**

**© 1984 Software Masters**