

-

SNE

TRAILBLAZERS: The origins of life on a BBC micro


SCOOP REVIEW: Elite - Acomsoft's new blockbuster

CARTOON ANIMATION: Move your characters around the screen

-

UTILITY ROMS: We pick the best of six toolkits

副前的 建酸



Acorno

DOUBLE MEASURE...



A VAILABLE FROM ALL LVL DEALERS, (FOR FURTHER INFORMATION TELEPHONE 0602 394000)

fs

FA

80

fэ

0/

12

 ${f T}$ wice as much storage capacity on your present or proposed discs.

The LVL true double density printed circuit board offers an amazing 1,474,560 Bytes of on-line storage, on a twin 80 track double density drive.

Removed is the 8271; (it is not capable of supporting double density). In it's place, a small printed circuit board with a new disc controller and support place, a small printed circuit board with a new disc controller and suppo circuitry provides a much improved data retrieval. This drastically reduces read errors by using a phased locked loop data separator, which is superior to the standard window circuit.

Your BBC micro will now recognise the media density in the drive, and inform you if it is correct. You may define what density you require, 40 or 80 track, and which sides of the disc to use.

The device gives complete flexibility and comes with an Eprom containing firmware; manual, and a 40/80 track utilities disc. On a dual drive it is simplicity itself to copy existing software from single density to double density.


- Double Density Automatically checks for correct e No 8271 (Rare & expensive) • Utilities provided Defaults to single density on power up
- 40 or 80 trackOwn PCB with seperate 8Mhz clock
 - Simple to fit 0 User definable •
 - density Phase lock loop • data separator circuit.



Scientific House Bridge Street, Sandiacre Nottingham. NG10 5BA Telephone (0602) 394000

20,000K Winchester Disc for your BBC Micro

INTEC MAKES THE BBC REALLY COMPETE WITH SYSTEMS COSTING 2X AS MUCH!



UK manufactured.

The INTEC 505 gives all these benefits PLUS the removable hard disc cartridge providing a compact, secure and usable back-up or cartridge per application approach. Why pay more for less? For full details on the INTEC range of hard discs for the BBC Micro, complete and post the tear-off slip or phone INTEC now - 01-761 5999.

ADDRESS

NAME -

that he

BBC

INTEC 41A-45 Knights Hill The INTEC Hard Disc Range 520 Mb Winchester and the fixed and removable 505. West Norwood, London SE27 OHS Telex 8813271 GECOMS G



2

October 1984

Editor Production editor Technical editors AI	Tony Quinn Keith Parish ex van Someren,
Editorial assistant Art editor	Bruce Smith Kitty Milne Nigel Wingrove
Art assistant Publishing director Editorial director C	Frances King Michael Potter
Editorial director C	hristopher Ward

Editorial

Redwood Publishing, 68 Long Acre, London WC2E 9JH. Tel: 01-836 2441

Advertising

Computer Marketplace Ltd, 20 Orange St, London WC2H 7ED. Tel: 01-930 1612

Subscriptions

Jan Potter, Subscriptions manager. Tel: Nutfield Ridge (073782) 2957. Correspondence: Redwood Publishing, 68 Long Acre, London WC2E 9JH.

Annual subscription rates:

£15
£25
£30
£30
£35

Acorn User welcomes submissions from readers. Articles should be typed, double-spaced text, with diagrams on separate sheets. Please enclose programs on disc or cassette, with a listing if possible. Photos should be 35mm, or larger, transparencies, or 5in by 7in black and white prints. Ensure your name is on everything. Please include a suitable stamped, addressed envelope for return. Articles are acknowledged on receipt.

Typeset and printed in Great Britain by Watmoughs Ltd, Bradford. Print production by Aquarius Print and Design, London. Distributed to the news trade by Comag, Tavistock Rd, West Drayton, Middlesex UB7 7QE. Tel: (0895) 44405.

© Redwood Publishing 1984

All rights reserved. No part of this publication may be reproduced without prior written permission of the publisher. The publisher cannot accept any responsibility for claims or errors in articles, programs or advertisements published. The opinions expressed on the pages of this magazine are those of the authors and do not necessarily represent those of the publisher, Acorn Computers Ltd, or Acornsoft Ltd. Acorn, Acornsoft, and the Acorn symbol are the registered trademarks of Acorn Computers Ltd and Acornsoft Ltd.

THE ONE AND ONLY BBC, ELECTRON AND ATOM MAGAZINE

33

51

59

62

27

Yellow listing

New Users

First Byte

Keyboard capers Start making music and other noises on your Electron, under the baton of Jeremy Vine

Fly Killer Tessie Revivis's asterisk turns into a full-blown fly that runs the gauntlet of the spray can. Design and move your own screen characters with deadly accuracy

Hints & Tips

No 27

Martin Phillips explains points that perplex readers: printing with daisywheel and dot matrix connected at the same time; outmoded operating systems; a scrolling text window; offthe-shelf procedures; and the ENVELOPE statement

Letters

What's on readers' minds? The 6502 second processor, professional typesetting from wordprocessors, high-scoring hit men, comparative reviewing

Dear Kitty ...

What's the difference between ROMs and EPROMs? How do I know which software to buy?

Features

Trailblazers

In the first in our new series focusing on the more exotic uses that the Beeb is being put to, Chandra

Wickramasinghe explains how his micro helped him advance a startling theory of life in space

Chipping in

By programming the Beeb's 8271 floppy disc controller chip you can increase your data-handling power, says Richard Harris

All sorts

See how sorting techniques work and you'll soon be able to pick the right one for the job. George Hill sorts them out

Self-diagnosis

123

133

137

81

117

In the interests of cost-cutting and keeping your micro on the road, Paul Beverley helps you set up tests on the Beeb to diagnose its own ailments

Education

Primary scream

The government claims success for its 'micros in primary schools' scheme, but is it of much help in practice? To Geoff Nairn the satisfied smiles look like smugness

Modules by Microtext

lan Birnbaum assesses Acornsoft's Microtext authoring

system, which allows even inexperienced programmers to set up instructional quizzes and tests on the Beeb

Atom

Wordprint

pages

143

Alex Wilson provides Atom users with a wordprocessor that makes full use of all script facilities

You'll find all the main listings of this

issue in the yellow pages	this
First Byte	97
Our fly gets its come-uppance Hints & Tips	99
Simple envelope generators	
Animated sprites Move your character around	100
8271 programmer	102
Disc copier Beeb Forum	103
Disc catalogue reader	105
Sorting	104
Demonstrated in colour! Self-diagnosis	107
Choose a test routine	
Atomic text Wordprocessing on a shoestrir	109
Toolkits	112
Sample utilities	



Bulletin boards

The social side of communicating by computer is represented by bulletin boards, or free public access systems. Jeff Ashurst briefs you on how they operate, the equipment you'll need to become a registered user, and which BB to join

Reviews

Toolkit trials

Bruce Smith compares a fistful of Basic utility ROMs

Elite squad

Elite is Acornsoft's secret new space game. Tony Quinn is our test pilot ...

Games

Blagger and Bugblaster from Alligata: Horse Race, Pool, Corporate Climber and Lemming Syndrome from Dynabyte: Screenplay's Chickaroo: First Byte's Star Trader; DACC's Super 7 compendium; Trench by Virgin; One to Nine by Acornsoft; and A Maze in Space by Opus

Hardware

185

190

113

Sideways ROM sockets by Viglen and NMC give convenient and cheap expansion on the Beeb. Chris Drage compares them

Utilities

Bearsoft's Editor ROM; Watford's Buffer and Backup ROM: and Ampersand's Colour Module

Regulars

The News

Acorn's ABC - the specs, the facts; the Electron Plus 3, with 3in disc drive; instant program-entry with the MEP's bar-code reader; software on cable TV

Beeb Forum
Bruce Smith prese

ents ... NFS update: security for data files; testing the RS423; and finding the file-length

Top 20 software Curse you, Caveman!	155
Free ads	201
Small ads	207
Acorn Abuser's Diary Curried eggs and cabbages	184

IN THIS ISSUE.

167

157

165

173

Origins of Life

Chandra Wickramasinghe explains how he and Sir Fred Hoyle are using the humble BBC micro to help them research the origins of life on Earth and back up their theories on microbes coming from space

27



ONTENTS



7





Cartoon time

How to move the sprites designed last month. Look out for the free demonstration to download on Micronet and Viewfax


EXCLUSIVE

Acorn's new computers ABC is the name for the company's new range of business machines. Read the facts, not the guesswork

Acornsoft's Microtext 137

The National Physical Laboratory developed this language to help people who were new to programming write training and educational software. lan Birnbaum reveals how well it succeeds

second processors





A 100k BBC-drive for £99 + VAT

We've done it! We've built a mass storage system for your BBC Micro with the power and convenience of a floppy disk drive, but at a fraction the price. Get to know PHLOOPY, the remarkable new 100k drive that costs only £99 plus VAT, and a further £26 plus VAT for the interface to your BBC, operating system and connecting cables.

How PHLOOPY does it

PHLOOPY does not use disks to store data, but a 12-foot loop of professional - quality quarter-inch magnetic tape contained in a robust cartridge. The drive has only one moving part, the motor which drives the tape loop – hence the low price and high reliability. As the loop is driven round, each file of data it contains passes across the magnetic head which reads it or writes to it. Other people have produced tape loop micro- drives,



but they've not been very reliable. They lacked PHLOOPY's special secret.



PHLOOPY's special secret

The heart of the invention is a brilliantly designed "byte-wide" magnetic head, made by Phi Magnetronics who build multi-track heads for professional use. PHLOOPY's head records and reads nine tracks across the width of a quarterinch tape. That means the tape loop can be much shorter, so the typical time to access a file is reduced to a mere 3 seconds. If you're used to waiting for a cassette tape to trundle programs into your BBC, you'll be amazed at PHLOOPY's performance.

Getting it right every time

In addition, we've included a feature we know you will appreciate. PHLOOPY has full error detection and correction, so you can be certain you will get back what was originally written onto the tape.

Talking to your PHLOOPY

PHLOOPY's own software, contained in ROM, responds to standard BBC filing system and Basic commands. Most programs written to run on disk or cassette should run on PHLOOPY without problem.

And because PHLOOPY contains its own intelligent microprocessor – a second computer which does most of the hard work – PHLOOPY puts very Electro magnet to pull motor spindle onto tape.

little load on the BBC and uses much less RAM than most disk systems.

Installing PHLOOPY on your BBC

You'll be amazed how simple it is to install PHLOOPY. Just plug in the interface cut two resistors (clearly marked in the instructions) and the job is done. If you should have problems our engineers are waiting to help you.

Making a PHLOOPY Library

PHLOOPY cartridges hold a full 100k of data or programs. Two of them come free with the drive and extra ones cost £3.75 each plus VAT. They are moulded of high impact polymers for protection and store easily on a bookshelf. Many programs will be available to purchase on PHLOOPY. "On-board" microprocessor.

Nine track "byte-wide" head.

Tape drive spindle.

Precision ground rubber pressure roller.

Twelve foot long loop of tape freely packed into cartridge.

PHLOOPY 100k cartridge, shown not yet pushed fully home.

> **Phi Mag Systems Ltd.** PO Box 21, Falmouth, Cornwall TR11 3TD. Telephone: (0326) 76040.

Order Form

14 day money-back option.

• Please send me further details about the PHLOOPY 100k
data storage system for the BBC Model B.
• Please send me(qty) PHLOOPY starter pack(s)
for my BBC Model B microcomputer, including PHLOOPY
drive, BBC interface, leads, connections, operating system in
firmware, manual, and two PHLOOPY 100k cartridges, at
£147.75 each including VAT, postage and packing.
Amount £
• Please send me(qty) packs of 5 PHLOOPY cartridges
at £19.75 including VAT, postage and packing.
Amount £
I enclose a cheque/PO for £ OR Please debit
my Access card: Number:
Your order will be acknowledged within 10 days, giving a
delivery date.
Name
Address
Town:Post code
Send this coupon to:
Phi Mag Systems Ltd, PO Box 21, Falmouth,
Cornwall TR11 3TD. Telephone: Falmouth (0326) 76040.



TEACH YOUR COMPUTER SOME NEW TRICKS

BUNE

RA

Transform your computer into a letter writer, a chess master, a design aidwith these high-quality programs from BBC Publications.

Word Mover

An easy-to-use text editor offering many of the facilities of a word processor – but none of the complications. It gives you a wide choice of display, editing and printing options. £9.95 Cassette/booklet For Model B or Electron

Game Core

This intriguing package shows you how to write your own computer board games. It includes three ready-made games, and a fourth one that is explained in detail as a tutorial model. £10.95 Cassette/booklet

Astronomy

Vivid graphical demonstrations which bring astronomical subjects to life. The programs include phases of the moon, solar eclipses, planetary motion-even the chance to pilot your own spacecraft! £13.80 Disc/booklet £9.20 Cassette/booklet

Drawstick

This friendly program can produce elaborate high resolution pictures and patterns in four colours. It enables children to create pictures, charts, maps and diagrams, and can be used as a Computer Aided Design tool. It includes a fast 'save' routine. £9.95 Cassette/booklet

White Knight Mark 11

This powerful chess program is now available for the Electron. It outclasses and outplays several well-known chess programs, and compels even experienced players to treat it with respect! Cassette/booklet Model B version £11.50 Electron version £9.95



Word Mover will run on your Electron. An Electron version of White Knight is now available

PAINTDA TEXT

FROM BOOKSELLERS AND SOFTWARE DEALERS

All software is for the British Broadcasting Corporation Model B Microcomputer except where indicated. Every pack includes full documentation. Prices include VAT.

ECT CIRC ARC LINE

0813

Ch

St. Pauls Cathedral

- by 'Drawstick'

New Acorn micro

ACORN'S new business range will be based around a repackaged BBC micro with two 16-bit second processors available. There will be eight variants under the generic name ABC – Acorn Business Computer.

Top of the range is the ABC310 running an Intel 80286 second processor giving IBM PC and XA (Popcorn) compatibility, with ikon software and high-resolution graphics.


The 16-bit operating system will be Concurrent, a development of version

3.1 from Digital Research. It is capable of performing several tasks at the same time and dividing the screen into windows.

As our picture shows, a full professional keyboard with separate numeric keys links to a box containing the 6502 processor used in the Beeb, topped by a monitor.

The monitor tips forward, giving access to internal sockets where second processor and hardware cards can be added.

The machines should be on view at dealers in November, with deliveries starting in the New Year. The whole range



SCOOP: first sight of Acorn's much-awaited business computer

EXCLUSIVE

should be available by Easter, says Acorn. Prices have yet to be released.

Bottom of the range is the Terminal, which is exactly what its name says. It will not be expandable, and comes with terminal emulator software and Econet as standard. The monitor is a 14in monochrome with 32k RAM and no disc drive.

Next up is the Personal Assistant wordprocessor. It 700k of storage. A 12in monitor comes as standard, as do View and Viewsheet. Second processors and other hardware can be added, right up to the top of the range configuration. The ABC100 includes the

comes with one double

density, 5.25in drive giving

Z80 second processor running CP/M and two 700k drives as standard. The three Plan software packages are included, and have been enhanced (see June's *AU*). The ABC110 is similar, but with one drive replaced by a 10Mb Winchester

Electron Plus 3 disc interface – page 9

hard disc and colour monitor.

NEWS

7

Whereas the 100 machines cover office productivity, the ABC200 and 210 are loosely described as 'academic workstations'. The 32016, the 16/32bit chip is included with disc variations as above. Standard RAM is 256k. A choice of programming languages will include C, Modula2 and Pascal. The Xenix operating system comes with the Winchester on the 210.

Flagship of the series are the 'executive workstations' with the 80286 16/24-bit chip. The 300 will carry two 700k drives and monochrome monipage 9►

Using your free function key strip

THE FREE gift on this month's front cover is designed as a re-usable function key strip for BBC micros and Electrons.

Using a chinagraph pencil (about 30p from art shops), you can mark in key definitions for your own programs. It slots under the BBC's clear plastic strip, or can be taped onto the Electron. We hope you find it useful.

30,000 flock to Acorn User show



THIS year's Acorn User show was the first to be held at the new Olympia 2 exhibition hall. More than 30,000 people passed through the turnstiles over four days, but with the new venue there was little of the overcrowding which dogged last year's show.

Acorn had the largest stand running 'live' demonstrations. Said Acorn's Graham Winnard: 'For the first time we're using technical people instead of sales staff to demonstrate the products. The demonstrapage 9 QUALITY NEVER LOOK

Now everyone with a BBC or IBM PC will want to Now everyone with a BBC or IBM PC will want to get their paws on CUB's sleek new D series plastic cabinet – a triumph of ergonomics and up to the minute design. Within it is the CUB 653 the MEDIUM RESOLUTION colour monitor – the MEDIUM RESOLUTION colour monitor – the perfect mate for computer ware who wich to AEDIOW RESOLUTION COOULTION for a tree perfect mate for computer users who wish to combine the advantages of brilliant, low controlling transfer with 90 column

cost colour graphics with 80 column CUB 653's remarkable depth of colou is enhanced by minimal screen glare processing software.

thanks to a super high contrast CRT. Even in well lit environments the 653 (H) X 585 (V) resolution and 0.43mm dot pitch produces 80 column text which is pin-sharp and easy to read. Owners of SHARP, RML 480Z, APPLE Series, WANG and other leading computers needn't feel left out, because CUB 653's compatibility extends to these models and many more.

NEW PLASTIC CABINET THERE'S NEVER BEEN A BETTER TIME TO BUY. Standard Resolution version also available in new cabinet. Both Standard and Medium resolution models produced in metal cabinets if required.

inc. VAT

NEW LOW PRICE,

PICK ONE


•



Microvitec PLC, Futures Way, Bolling Road, Bradford, BD4 7TU, West York Tel: (0274) 390011 Telex: 517717

Available from High Street Computer Retailers and selected branches of W. H. Smith, Harrods, John Lewis Partnership, John Menzies with selected models available from larger branches of Boots.





Bird's eye view: plenty of people with space to move

Show hit

◀ page 7

tions have been very successful and attracted a lot of interest.'

Three new 'add-ons' for View and Viewsheet were announced: a Printer Driver Generator at $\pounds 9.95$ ($\pounds 11.50$ disc); View Index, for producing an index of pages, at $\pounds 14.95$ on disc only; and Hi-View, a $\pounds 59.80$ version of View to use with the 6502 second processor.

Hi-View offers more free memory than the ordinary View but is only available on disc – the high price is to protect sales of the ROM-based View.

Torch, now part of Acorn, was showing off the Graduate, the add-on which makes the BBC IBM PC-compatible. 'We're getting a lot of interest from large companies, education and small businesses. If you put an order in now you could get one in November,' promised Adam Lewis.

Making a debut was a £65 robot construction kit from Micro Robotic Systems. Using Fischertechnik parts (as used in the BBC Buggy) several different experiments can be built. With the addition of a £32 interface, the experiments can be controlled from the BBC micro. Experiments include: a plotter, a robot arm, Tower of Hanoi and a sorting system. Micro Robotic Systems is at 20 Penywern Rd, Earls Court, London SW5 9SU.

The first mouse for the BBC micro was on the AMS stand. The designer, Dave Brader, was still working on the software, but it appeared to provide a much quicker method of editing text and drawing graphics.

The device has been curiously renamed the AMX Mouse and will go on sale in October for £79.95. Dave was also promising an EPROM programmer – though it wasn't available in time for the exhibition.

Electron gets microdrives in Plus 3 box

ELECTRONS will not come down in price at Christmas says Acorn, and a big sales push will be headed by the Plus 3 add-on incorporating a 3.5in disc drive.

The machine will be promoted as the basis of an expandable system which will be around for a long time, with Plus 3 proving the point. Extra hardware can be plugged into the spare cartridge socket on the Plus 1 to add interfaces such as RS423.

No firm price has been announced for the Plus 3, but it is likely to be about £250. This includes the drive and interface in the add-on box.

Special deals will be offered on combinations of Electron and add-on boxes or software, as with the Me and My Micro pack released last month.

The missing Plus 2 will supply Econet and won't be out until next year. View and Viewsheet will be released for the Electron before Christmas.

Acorn's choice of the 3.5in drive will no doubt anger the existing microdrive market for the BBC micro, which has plumped for the 3in version. However, Acorn decided the standard will be fixed by the big business companies going for the larger format.

The Plus 3 uses the newer 8272 floppy disc controller chip as in the ABC machines. The BBC micro uses the 8271, which is in short supply and cannot support double density discs.

Micros live on BBC TV

BBC TV's new computer magazine series, Micro Live, will go out monthly from Friday, October 5.

Leslie Judd, of Blue Peter fame, and Ian McNaught Davis will be up front, with special reports on America by Freff from June's Micro Live.

Producer Patrick Titley explained that the shows will go out live and have a topical

New micro

◀ page 7

tor while the 310 will have a single drive plus Winchester and colour screen. Again 256k RAM is standard, but upgradable to 1Mb.

A mouse will be released next year for the 300 machines, along with a modem card for the range.

Interfaces are as on the BBC, but with no TV socket and some of the connectors will be changed.

Howard Fisher, ABC project leader, said: 'Our research shows people want computers that work, and this range has flavour. 'It will be a fast moving magazine programme – like a printed magazine.'

There will be six programmes, each lasting 30 minutes on BBC2, probably at 6pm.

A bulletin board will be set up for viewers – and Patrick Titley hopes *Acorn User* readers will contact them with news stories.

been designed to meet needs we have identified. They match very specific requirements.'

On the question of performance, he declared: 'The 80286 machines are up to five times faster than the IBM PC on benchmarks.'

Tom Hohenberg, Acorn's marketing manager, added: 'The ABC range is a neater alternative for the BBC micro, aimed at business users. There is no conflict with the BBC itself.

'We've gone for a modular technique to save space and make it a doddle for the engineers.'

ACORN USER OCTOBER 1984

9

NEWS

Bar code listings aim to cut down typing

BAR codes are set to become more than just things on cans of beans with the launch of a reader pen for the BBC micro in October costing £50.

And Acorn User will be supporting the project by Addison Wesley, which has MEP backing, with program listings printed in bar code.

Schools will be the initial target, but a consumer pack will follow. The pen enables people to enter software without any typing and produce actual listings in the form of bar codes for distribution. A pack consists of the reader pen, which measures $2 \times 4 \times \frac{1}{2}$ in, cassette or disc with demonstration and driver programs, template for producing bar codes by hand and a user guide written by AU author George Hill.

The software will decode the bar system used in supermarkets and there is a music program.

For more details contact Addison Wesley at Finchampstead Rd, Wokingham, Berks RG11 2NZ.

See next month's issue!



TAXAN has released two centronics NLQ printers. Their main forte is the near letter quality print (NLQ) of the dot matrix head. The two models, the KP810 and KP910, feature 160cps bidirectional printing, a half speed 'quiet' mode, friction and adjustable tractor feed plus roll paper. Both are available at £229 for the KP810 and £399 for the KP910 from Data Efficiency, Maxted Road, Hemel Hempstead, Herts.


One winner from 8000 entries

THE competition set in May's *Acorn User* was the most popular ever. To say we were overwhelmed at the response would be a gross understatement – more than 8000 readers entered! The incredible response, with some excellent and thought-provoking solutions, has been the prime factor in the result being delayed and we thank you for your patience! Now to the competition.

You will remember that Simon Dally set the task of counting from 1 to 1,000,000 in the quickest time possible. The first task for most of you was to decide what was meant by 'counting from one to one million' – but that was all part of the competition.

Many entries were based around using the two user and two system VIA timers to 'count' in around 0.25 seconds. These entries were disqualified because they did not count to a million – they simply counted to 250,000 each. Although the sum of the four counters is indeed 1 million, the rubric clearly stated count from one to one million.

The second most common entry was based on the fact that the computer performs so many operations in so many cycles. With the Beeb operating at 2MHz it would be possible to determine when a million cycles had been performed simply by creating loops of machine code that contained a set number of cycles. The quickest time would therefore be 0.5 seconds. However, entries using this technique were discounted because, again, a physical counter incrementing from one to one million was not involved.



'After a final four-hour deliberation the winner was chosen'

The acceptable solution was to use 24 bits anywhere within the Beeb that would be loaded with 1 and then incremented to a total of one million. The three bytes needed to do this could have been the three processor registers, three memory locations or a combination of each.

After much sorting and sifting, the 8000 entries were whittled down to a final selection that all used the threebyte counter and all gave results of one second, or fractionally over. After a final four-hour deliberation late one Friday night the winner was chosen; John Faris from Oakham in Leicestershire. John's time was a staggering 1.004856 seconds.


Now, all you readers who had times of 1.00 or 1.004 seconds – don't write in. The level of timing accuracy varied and all times of one second, plus a fraction, were considered in the final analysis.

John used the accumulator (least significant byte), X register (middle byte) and a zero page RAM location (most significant byte) to act as his counter. The program was written in assembler and used macros to assemble sets of the appropriate incrementing instructions. Extra speed was gained by turning off the system timers to inhibit the household interrupts issued every 10msecs, giving around a 5 per cent increase in speed.

So £1200 of wordprocessing equipment wings its way to John Faris with our hearty congratulations. Two second prizes of Acorn spark-jet printers go to Chris Wedge of Folkestone and Colin Edwards in Sussex. In addition, we are giving a special prize to the slowest entry. This is not intended as a booby prize, but as a reward for entering the competition in the spirit in which it was intended.

Finally, we are unable to enter into any correspondence regarding the competition. All decisions are final.

Once again, congratulations to all prize winners and thanks to everyone for entering.



 High quality 5⁺s inch J.
 Cabinet finished in hare BBC beige
 12 months warranty

12 months warranty
 Fully assembled

ike the beautiful prints from Japan, Cumana disk drives represent the very highest standards in design and production. Also like the prints, Cumana disk drives represent the highest state of the art; and they not only look beautiful, they perform beautifully as well.

Cumana disk drives for the BBC Microcomputer are available in slimline single, dual and dual switchable versions. They have 12 months warranty, are fully assembled and tested before packaging, and are available — at unbeatable value for money prices — from W. H. Smith, The John Lewis Partnership, Greens Leisure, Laskys, Spectrum (IK, area distributors (see below) and Cumana's national dealer network.

Look out for the distinctive Cumana packaging in your high street, today!

Area distributors:

HCCS Associates (Gateshead) 0632-821924, Eltec (Bradford) 0274-72.2512, Basic Business Systems (Nottingham) 0602-819713, Walters Computer Systems (Stourbridge) 03843-70811, Microage Distribution (North London) 01-205 7688, J. S. Simnett Computers (South London) 01-541 1495, Gwent Computers (South Wales) 0633-841760, National Micro Centre (Stockport) 061-429 8080, Microworld (Edinburgh) 031-228 1111, Microtest (Cornwall) 0208-3171, DRG Business Machines (Weston-Super-Mare) 0934-415398, Kingdom Design (Belfast) 0232-643720, Hugh Symons (Bournemouth) 0202-26535, Audio & Computer Centre (Jersey) 0534-74000, Peco Electronic (London) 01-543 1030 (Brighton) 0273 688395/6, Clwyd Technics (North Wales) 035 283 766, + National Dealer Network.

For further information about Cumana disk drives for the BBC Micro, please complete and return this coupon.	Name	
Interests:	Address	
Home Use		
Education		
Dealer		
Business	Tel. No	AU10/84

The Highest State of the Art

Commanna 0



Cumana Limited, Pines Trading Estate, Broad Street, Guildford, Surrey, GU3 3BH. Telephone: Guildford (0483) 503121. Telex: 859380.

Print from Japan

Disk Drives

from Cumana

Note: If dealer, please attach this form to your letterheading.



The first IBM PC compatible upgrade for the BBC model B micro.

0 C

ir H

T di di

From only £764.00 the new Torch Graduate will upgrade your BBC Model B to a powerful 16 bit business computer

Disc and hardware compatible with the IBM PC, the Graduate is the latest addition to the Torch range of BBC upgrades. It's MS[™]-DOS operating system is customised to IBM compatibility allowing exploration of the massive range of IBM compatible business software, programming aids, compilers and languages universally available from most major software houses.

Introduction to MS[™]-DOS

The Graduate offers two levels of upgrade, the G400 and the G800, both with 128K on board user memory as standard (optionally 256K). This can be increased to 1.2 Mbytes with an IBM compatible expansion board. The G400, contains a single, double sided 320K formatted disc drive and provides the low cost introduction to MS[™] -DOS for the





- 8088 16-bit processor running at 5 Mhz
- 128K or 256K RAM
- MS[™]-DOS operating system customised
- MS Los operating system castering to IBM compatibility
 Model G400 Single, double sided, high density disc drive (320K formatted) • Model G800 – Twin, double sided, high
- density disc drives (640K formatted)
- Integral stabilised power supply
- 2 IBM PC compatible hardware expansion buses

• Software compatibility allows Lotus 1-2-3 and all popular IBM PC business programs to run without modification, subject to the constraints of the BBC keyboard and display

• Disc interface is not required Keyboard text and graphics supplied by BBC Model B

THE GRADUATE •

user who wants real 16 bit power from his Model B.

More data storage

A step up from the G400 is the G800 which offers twin, double sided 320K disc drives for extra data storage. Both the G400 and the G800 provide the possibility of further expansion for networking, modems, etc., via the IBM compatible hardware slots provided

by the Graduate models. Each model comes complete with a well written user/technical manual and connecting leads.

Just plug it in


Unlike other add-ons there is no need to open the BBC to make the connection. The compact and tidy Graduate models simply plug in to the 1MgHz bus on the Model B. Within minutes you can be up and running with an IBM PC compatible system that really means business.

The range

Add 256K RAM, 640K disc storage and IBM PC compatibility to the BBC Micro for less than £1.000.

Graduate G400(128K)£764 inc.VAT Graduate G400 (256K) £815 inc. VAT Graduate G800 (128K) £949 inc. VAT Graduate G800 (256K) £999 inc. VAT

For further information complete the coupon today.





Torch Computers Limited Abberley House, Great Shelford, Cambridge CB2 5LQ. Telephone (0223) 841000. Telex 818841 TORCH G.

The Graduate is manufactured by Torch Computers under licence from Data Technologies Ltd.

To: Torch Computers Ltd., Abberley House, Great Shelford Cambridge CB2 5LQ. Telephone (0223) 841000 Please send further information on the Graduate and the address of my nearest dealer.

AU10

Name _

Address ____

Post Code _

Telephone ____

BBC Compatible Mitsubishi Slimline Disc Drives

These are high capacity, precision drives with dynamic clamping and very low power consumption. All drives are supplied with cables, a very comprehensive utility/format disc and a manual. MD 400 — 400K (800K double density) 40/80 track switchable double sided single drive. MD 800 — 800K (1600K double density) independently 40/80 track switchable double sided dual drive. MD 800P — 800K (1600K double density) independently 40/80 track switchable double sided dual drive. MD 800P — 800K (1600K double density) independently 40/80 track switchable double sided dual drive.

Opening Hours: Mon-Fri 9am-6.30pm Sat 10am-5pm (ample parking) We accept telephone orders on Barclay and Access Cards.

MD 800 £312.17 + VAT = £359

MD 400 £155.65 + VAT= £179

AHHTEP

COMPUTER GROUP

28/29 BURNT MILL, HARLOW, ESSEX CM20 2HU UK. TEL. HARLOW (0279) 443521 TELEX 818894 AKHTER G

Mail Order: Cheques or bankers draff payable to Akhter Instruments. Delivery free of charge (UK only)

Dealer Enquiries Welcome

MD 800P £373.04

+ VAT = £42

Cable TV to transmit software for micros

A SPECIAL cable TV service aimed at home micro users is set for launch next year. Information and software will be transmitted as teletext by Thorn-EMI, one of the largest entertainment groups in the UK.

Adapters will be needed to download telesoftware, but the information pages will be accessible by anyone with a teletext television set. The service will be restricted to subscribers in major towns.

Unlike broadcasts by the BBC and IBA, where teletext information is transmitted between television frames, Thorn-EMI's service will be 'full-field'. This means that the whole cable channel is given over to teletext.

Richard Wolfe, who heads the project, said: 'The channel will transmit 5,000 different pages every second. Each month the subscriber will be able to download between 20 and 100 different programs.

'This year we're still in an exploratory mode but we should have a commercial service running in autumn 1985.'

Thorn-EMI already transmits teletext with the Music Box cable service, but it's squeezed between the picture frames in the conventional manner. At the moment it runs to 20 pages of music-related material: the Top Ten, tour



Music Box logo news and video reviews.

Music Box will be available in about 40 towns by September to potentially one million homes. For £5 a month you get Music Box and three other channels. Premium services – for feature films and the like – cost about £7 a month extra. The full-field teletext service will be a premium channel.

Richard Wolfe explained: 'We're waiting for full-field teletext chips to come out next year before deciding on the hardware. Obviously with the telesoftware pages we're looking for adapters for the popular home micros and certainly the BBC micro will be one of the machines we'll go for.'

A full-field teletext service can offer many more pages than the IBA's Oracle, so rather than trying to compete in the mass market the IBA is revamping Oracle to attract commercial customers. As revealed exclusively in *Acorn User* last month, the IBA intends to add subscriptiononly pages of specialised information – the latest Stock Market prices for example.


As the Bill to permit this went through Parliament, John Gorst MP had suspicions that by charging for teletext pages, 'the IBA may now, in a back door way, be entering the interactive services of cable television.'

Douglas Hurd, the Home Office Minister set him straight: 'The IBA is talking about a one-way service, whereas interactive services are, by definition, two-way.'

When asked about whether the IBA had considered fullfield teletext, Pat Hawker, a technical spokesman, commented: 'Unfortunately there are no spare' channels for broadcasting full-field teletext. Instead we are expanding the conventional teletext service and will add some subscription-only pages for commercial users.

'Using Oracle, you can't go much above 100 pages before the access time gets too long. Full-field teletext potentially offers 100,000 pages with similar access times to Oracle.'

The IBA was hoping to run a full-field teletext service using the now-obsolete VHF television channels. Unfortunately the proposal was turned down and the channels went to cellular radio.



Aerial links to satellites

FOLLOWING on from August's article on downloading weather satellite pictures, Weston Developments is offering a suitable aerial for £31.75 (plus £4.50 p&p). Called WB6/Uosat, it is specifically designed for receiving satellite signals on the 136MHz band.

You need your own cable, but a filter box is available at £9.85 to match cable to aerial.

Further details from Roger Bunney, Weston Developments, 33 Cherville St, Romsey, Hants SO5 8FB.

Ultracalc boost

ULTRACALC, the BBC's spreadsheet chip, has been upgraded. All reported bugs have been fixed and it now works with any BBC screen mode. When running with a second processor, the program is automatically relocated and 45k of memory is then available in mode 0.

Owners of the existing version can get the new chip for a 'nominal' price when it becomes available at the end of this month.

Contact BBC Publications, BBC, 35 Marylebone High St, London W1M 4AA.

School challenge

BRITISH Gas is running a computer-based competition for secondary schools. Using a BBC micro program called Cedric, students have to conduct a survey in homes and suggest a plan for saving energy. The best school entry wins £1000, and there are prizes for individual students.

Teachers can obtain a free copy of Cedric from Mr R Wolfe, Education Liaison, British Gas, 326 High Holborn, London WC1V 7PT. Closing date is the end of the year.


Electron board runs BBC firmware

THE Electron can now use software on a chip intended for the BBC micro. Broadway Electronics' sideways card costs £29.95 and can hold four sideways ROMs.

The company claims it will work with about 60 per cent of BBC ROM software, but not View or Wordwise.

It plugs onto the Electron's edge connector and further expansion cards can then be plugged into the ROM card. Also available are a £45.95 user port/printer interface and a £39.95 analog interface.

These use the same chips



Electron sideways ROM card from Broadway as the BBC micro and so have way Ele

the same features. Further details from Broad-

way Electronics at Aston Road, Bedford, Beds MK42 0LJ.

Will you be the first Earthling to win a ple

Acornsoft are issuing a nationwide challenge to all Acorn Electron and BBC Micro users.

It's the challenge to join a new and exclusive group of computer games players: The Elite.

With 3-dimensional graphics, Elite is a game which is light years ahead of any other.

It strictly defines the rank of each and every player.

As your prowess improves, you move into higher ranks.

But make no mistake, to reach the top rank, your performance must become exceptional.

Then, and only then, will you qualify to call yourself a member of The Elite.

From harmless, you must become lethal. In Elite, all players start as equals. With the initial rank of "Harmless," you will embark upon an experience unlike any that you have known before. to

You will be a space trader who roams the bar universe, making your living from buying and will selling the cargo in your Cobra space craft.

On your travels, you will encounter aggressor 2,0 who are eager to put an end to your dealings.

Only the fittest will survive. with


As you establish yourself as a survivor, you pe will win the right to a higher rank.

In all, there are nine, from "Harmless" to fin "Elite." And your computer will continually tell sid you where you stand.

Trade with 2,000 planets in eight galaxies. the

Besides survival, your success also depende on the rewards you reap from the cargo that you carry.

ski



ole among the Elite?

That cargo can be anything from foodstuffs you to contraband. If you decide to trade in contraband, the rewards will certainly be higher. But so and will the risks you take.

To ply your trade, you can dock at any of ssors 2,000 planets in eight galaxies.

However, before you dock, you must use your wits to assess the planet's political climate and the you perils which may be waiting for you.

Also, in any of the eight galaxies, you may find yourself being asked to perform acts of contell siderable heroism and selfless courage.

to

ends

Although these will bring you into danger, they can bring considerable rewards too.

We're waiting to recognize your skills. Achieving higher status in Elite will tax your skills to the limit. Which is why you must download your game onto cassette or disc each time you take a break from play.

When you reach the rank of "Competent" or higher, you should send us the secret code number revealed to you by your computer.

We will send you in return a special document which certifies your achievement. And you stand to win a valuable prize.

Are you ready to accept the challenge?

Elite is available on both disc and cassette for the BBC Micro and on cassette for the Acorn Electron.



With either, you will get "Elite: The Dark Wheel," a compelling novel which sets the whole mood of your adventure. You'll also get a flight training manual which will get you fit to roar into the unknown in your Cobra spacecraft.

Your Acornsoft dealer now has the entire package at £14.95 on cassette, or £17.65 on disc (for the BBC Micro) and £12.95 for the Electron. (For the address of your local stockist, call 01-200 0200.) Credit card holders can simply telephone 0933 79300 during office hours.

Alternatively, you can order by post from: Acornsoft, c/o Vector Marketing, Denington Estate, Wellingborough, Northants NN8 2RL.

You can also get a free Elite poster by ringing 0933 79300.



NEWS FEATURE

Geoff Nairn reports on piracy and Bill Penfold looks at the pressure on MPs

TWO software companies have crashed this year and more could follow unless piracy can be stamped out. And it's not just down to a few big-time counterfeiters; if you have ever swapped games with friends then you too are a pirate in the eyes of the industry.

Nick Alexander, who chairs the Guild of Software Houses, claimed: 'For every legitimate tape sold, 10 or 12 copies are made'. Chris Holland of Salamander put the number nearer six but added that 'between £100m and £150m is lost in this country alone each year '

18

Imagine collapsed in July and '50 to 60 per cent of the problem was due to copying', said Nick Alexander. He cited how Salford CID seized 10,000 counterfeit copies of Imagine games in one raid. GOSH has set up a £50,000 fund to enable its 34 members to take court action.

Pirates fall into two categories: commercial counterfeiters who make copies by the thousand and pass them off as the real thing; and home users who make just a few copies to sell or swap.

Quicksilva has started a civil action against one group of pirates after 30,000 copies were found in a single raid. Counterfeits had been found in legitimate retail outlets and street markets which were indistinguishable from the originals.

Amateur pirates can be just as destructive. One Blackburn doctor was selling £300-worth of copied Microdeal software for just £30. The company seized all his tapes and docuFighting talk on software piracy



ments through the courts, and is now seeking damages 'of several thousand pounds so as to discourage others', according to John Symes of Microdeal. He added that similar actions were pending against a user group and a school.

Acorn's Chris Curry has claimed school computer classes harbour 'a den of thieves'. He told a Parliamentary committee: 'You provide the software to one person and it gets copied throughout the school'. Rod Cousens of Quicksilva goes further, and thinks teachers often encourage piracy: 'If we find a teacher doing this, we are quite prepared to take him to court.'

Retailers have similar feelings. Matthew Hyams, manager of the Lion House store in London said: 'One schoolkid comes in and buys a program while five friends watch. They then all go out together, presumably to make five illegal copies. Some even have the cheek to bring the original back saying it's faulty!'

The user groups have been on the receiving end of criticism. Peter Hughes who runs the Format 40/80 group takes a clear stand. 'Our group is dead against copying. I have had to turn down many applications from people – usually kids – who were obviously only interested in copying software.' However, he admitted his group was probably in a minority as many exist solely to copy and swap games.

The Format 40/80 group caters for disc users and will copy any genuine program tape to disc for members. When it was suggested this be classified as piracy, Peter Hughes replied: 'If you've bought a disc drive, why shouldn't you be allowed to get the benefits? Why should you have to buy a disc version of a program you already own?'

PSS, a Coventry software house, has adopted a policy of not advertising in any magazine which carries adverts for tape or disc copiers. Richard Cockayne, one of the directors, said he was 'fairly appalled' at the attitude of companies who sold copier programs.

He went on: 'In the longer term they are cutting their own throat. There's no need for such devices. We will replace any tape which doesn't load.'

He quoted the case of one 13-year old selling pirate copies of PSS games through the classified columns: 'He was using a commercial tape copier program and had master tapes for 34 titles.'

When it comes to solutions, Nick Alexander differentiated between commercial pirates and the home user. 'For the professional criminals we're trying to get legislation for tougher penalties.'

He drew an analogy with video tape pirates: 'A change in legislation and some wellpublicised raids drove them away-to computer software instead.'

For the small-time pirates, technical measures do stop casual copying, but the determined can usually crack protection devices. Nick Alexander hopes to 'appeal to their better nature as he feels legal remedies are inappropriate.

Let's hope his faith is justified.

Law to beat pirates hinges on lottery

ONE raffle in November could be worth £150 million to Britain's computer industry. It's the yearly 'Private Members' Ballot in the House of Commons.

The 20 names plucked out of the hat will be backbench MPs who get the chance to introduce their own private members' bill, but only the first six or eight have any real chance of seeing their measure become law. The lucky half-dozen or so will find themselves besieged to adopt various measures, one of which aims to outlaw pirates estimated to be costing software houses £150 million a year.

Hoping to find a friendly face amongst the MPs will be FAST – the Federation Against Software Theft.

FAST, set up last July, has already got its draft bill on the stocks. In fact the measure has even been introduced in the Commons by Tory MP Nicholas Lyell, although it never had any chance of getting any further.

The situation is similar to video piracy two or three years ago. That was virtually stamped out by tough legislation. Penalties leapt from just £50 on conviction to £2,000 for each offence, plus the possibility of jail.

The software industry hopes to repeat that success with a simple amendment to the video bill which amended the 1956 Copyright Act. The software measure proposes in turn amending the 1983 Act by simply adding after references to video films, the words 'or computer programme'.

Before any Beeb owner begins panicking at what is in their own software libraries, a word of reassurance. Though no one is condoning amateur pirates who borrow and copy software that's not the target.

Ranald Robertson, chairman of the Computing Services Association's legal affairs group, insists FAST is not after the schoolboy pirate, unless he's selling his copies.

'It's the commercial pirates, the blokes who are selling stolen computer software for profit, that we're chasing,' he explained.

FAST's chairman, Donald MacLean, explained that come the day of the draw the Federation will be standing in the queue ready to pounce on the six or eight MPs heading the list.

TECHNOMATIC

BBC Computer & Econet Referral Centre 01-208 1177

ACORN COMPUTER SYSTEMS

BBC Model B	Special Offer	£320 (a)
BBC Model B	+ Starter Pack	£348 (a)
	+ DFS	
BBC Model B	+ Econet	£389 (a)
BBC Model B	+ Econet + DFS.	£450 (a)
	ver	
Pair of Joysti	cks	£14.50 (d)

UPGRADE KITS

A to B £65 (d)	Installation£20
	Installation£15
	Installation£25
Speech Kit£47 (d)	Installation£15

ECONET ACCESSORIES

Terminator (Two regd per in	nstallation)		
Clock with psu	£35 (c)		
Printer Server Rom	£42 (c)		
File Server Level I	£86 (c)		

File Server Level II.....£216 (c) 10 Station Lead Set....£26 (c) Extra Econet cable..£1.50/m (d) Econet User Guide.....£10 (d)

ACORN BITSTICK

The Acorn adaptation of the renowned 'Bitstick' graphic CAD package — the ''expensive joystick'' that lets you exploit the powerful capability of the BBC micro to the full. The joystick is of a robust design which achieves remarkable precision without fiddliness. Total control is available from the joystick using the on-screen menu. It can draw freehand or follow lines of shapes chosen with high accuracy, and colours can be chosen from a palette displayed on the screen. Any part of a drawing can be magnified, by a virtually unlimited number of times, and upto 48 drawings can be saved on a single disc. The discs use a visual library system for easy identification. Inspite of its powerful features, the Bitstick is extremely friendly and easy to use, due to menus being displayed on the edge of the screens.

£328.00 (a) FX80 dump routine for the bitstick available.

TORCH UNICORN PRODUCTS

The TORCH Unicorn system has been in the field for over two years and is now a proven Z80 system for the BBC. It gives you the potential to expand which no other system can currently offer. You can expand a single system with a 20Mb Hard Disc, have the processing power of a 32bit 68000 cpu with 256K ram and a UNIX operating system, or set up a network of upto 254 machines. All these capabilities are available NOW.



The TORCH UNICOMM Modem package is now available for the UNICORN range providing the

benefits of the extensive TORCH communication packages. It offers three options: **Uniview** for viewdata services, **Uniterm** for terminal emulation, and **Unimail** which allows messages and files to be exchanged between Unimail/Torchmail/Torchmail-Plus users. Access to files can be controlled by heirarchial passwords which determine the extent of access. Z80 Card ZEP100 with PEREFECT Software Packages

Z80 Card ZEP100 with PE	RFECT SC	oftware I	Package
-------------------------	----------	-----------	---------

+ Z80 Basic		
Z80 Disc Pack ZDP240 with software as above		
20Mb Hard Disc + 1 × 400K Floppy Drive		
UNICOMM Communications Package + modem		
Unicorn 68000, Unix OS/Z80B/256K, 20MB		
Hard Disc, 400K Floppy	£2995 (a)	

A BBC Family System

These

ACORN Z8O 2nd Processor

This processor converts your BBC into a complete business micro with all the computing power a professional would need. The system is CP/M based and is supplied with a very extensive software package. The package includes three office productivity programs, (memoplan, fileplan and graphplan), Systems generator program, three programming languages plus the ACCOUNTANT business program. Software is accompanied by extensive manuals that not only get you started but also answers your whys and hows.

All for only £299 (a)

OCTODITIDOR.

ACORN 6502 2nd Processor

This processor is designed for the serious computer user who wants to get even more out of his computer. This processor provides increased memory — allowing up to 44K for Basic programs and up to 60K for assembly language programs, regardless of screen mode in use. (ideal for VIEW). An increase in speed means that programs run up to 50% faster. The second processor/BBC combination offer computing power comparable to systems costing twice as much. £175 (a)

TORCH GRADUATE SYSTEMS

This latest addition to the range of BBC upgrades will upgrade your BBC to a powerful 16bit business computer and make it disc & hardware compatible with the IBM PC. Its MS/DOS is customised to IBM compatibility allowing access to the massive range of IBM compatible software, programming aids, compilers and languages. It uses A8088 CPU at 5MHz, 128K or 256K ram, single or dual drive, software compatibility allows LOTUS 1-2-3, Flight Simulator and other popular IBM PC business programs to run. Connection of the Graduate is simple, with just a connection to the 1Mhz Bus. The disc drives can be used in both BBC and IBM PC mode without needing an Acorn Disc Interface in the computer. The top-of-the-market GRADUATE Model G800/2 will come complete with the superb Xchange suite of programs, comprising a full feature word processor, a financial planner, a database, and a business graphics package. Although these programs are in modular form, they can be linked together to form an integrated software system that allows you to switch instantly between various tasks and to exchange information between programs. G800/2 £945 (a) Full spec & prices on application.




ALL PRINTERS HAVE A 12 MONTH GUARANTEE

DOT MATRIX

This month we are adding the new KAGA printers to our range of quality dot matrix printers. These printers, with their EPSON compatible control codes are available in 80 col & extra wide 156 col versions. Features include NEAR LETTER QUALITY print using a 23 × 18 matrix, Dot addressable graphics in 8, 9 & 16 pin modes. Text modes include Normal, Italic, Enlarged, Condensed, Super & Sub script, Proportional spacing. Defined characters can be placed in ROM to give personalised print. An intergral 3K buffer, both friction & adjustable tractor feeds with built in paper roll holder, etc. etc. makes these superb 'value for money' printers unique. KP810 (80 cols) £249 (a) KP910 (156 Cols) £375 (a) (With free BBC cable).

We continue to supply the ever popular, definitive EPSON range. This 'industry standard' range provide reliability and quality 'second to none' The budget RX80FT Dot Matrix, has 100cps and all standard printing and graphic functions as well as friction and tractor feed. The deluxe FX80 has all the above, as well as a 160cps, buffer, programmable characters etc. For wider paper use — up to 16" — the RX/FX100 are ideal. RX80T £225 (a); RX80FT £240 (a); FX80 £318 (a); RX100 £345 (a); FX100 £450 (a).



DAISY WHEEL

The Brother HR15 daisy wheel offers features normally found in printers costing far more. Features include: 14 cps, 3K buffer, proportional spacing, underlining, bold and shadow printing, two colour printing, super & subscript and many other features. Centronics parallel interface is fitted as standard


BROTHER HR15 £349 (a) (With free BBC Cable).

The JUKI 6100 daisywheel with 20cps, 2K buffer, and switchable 10, 12, 15cpi + proportional printing. A linear motor ensures optimum reliability. JUKI 6100 £345 (a)

GRAPHICS PLOTTER/WORK STATION

Equally at home in the artists studio, hobbyists workshop, science lab or a classroom, this system has something to offer for everyone. The 3 colour graphics plotter provides both precision and versatility. The carriage can be moved with an accuracy of 0.025cm over an A4 area — the plotter being able to accept paper and far thicker materials at sizes of up to A3. The basic plotter carries 3 colour pens each of which is software selectable. Additional accessories greatly enhance the versatility of the unit without loosing the accuracy. The servo controlled drill/router, and scriber can be used on various materials. A unique Opto Sensor (using a Hewlett Packard device) turns the plotter into a high-res scanning digitiser to read & store whole diagrams and photographs.

Workstation Complete £490(a); Basic Plotter £270(a); Software on disc £3.00; Power Supply: PS12V £42; PS24V £78; Drill/Router Attachment £79; Scriber £7; Opto Sensor £72



TECHNOMATIC All prices exclude VAT

PRINTER ACCESSORIES

Paper Roll Holder £17 (d) FX80 Tractor Attachment £37 (c). Interfaces: 8143 RS232 £35(c); 8148 RS232 + 2K £55(c); 8132 Apple II £60(c); 8165 IEEE + Cable £65(c).

Serial & Parallel Interfaces with larger buffers available. Ribbons: RX/FX/MX80 £5.00(d); RX/FX/MX 100 £10(d); FX80 Dustcover £4.50 (d)

FPSON

KAGA TAXAN: RS 232 Interface + 2K buffer £85(c); Ribbon KP810/910 £6(d)

JUKI: RS232 Interface £65(c); Spare Daisy Wheel £14(d); Ribbon £2.50(d) Sheet Feeder £199(a); Tractor Feed Attachment £99(a)

BROTHER HR15: Sheet Feeder £199(a); Ribbons Carbon or Nylon £3(d)

BBC Printer Lead: Parallel (42") £7(a); Serial £7(a) Printer Leads can be supplied to any other length.

Plain Fanfold Paper with extra fine perforation (Clean Edge): 2000 9.5" × 11" £13(b); 200 15" × 11" £18.50(b) Labels: 2-3/4" × 1-7/16" in quantities of 1000


Single Row: £5.25/1000 (d); Triple Row: £5.00/1000 (d)

PRINTER SHARER BUFFER

A unique delux printer buffer/sharer providing a simple way to upgrade your computer system by allowing greater utilisation of existing equipment by reducing the waiting time for printing documents. Data from three computers can be loaded into the buffer which will continue accepting data until its 64K storage is full. The buffer will automatically switch from one computer to the next as soon as that computer has dumped all its data. The

computer is then available for other uses. A LED bargraph indicates the memory usage, with LED indication showing from which computer the data is being fed from. There is simple push button control for PAUSE, RESET, and COPY facilities. The copy facility is ideal for continually printing copies of a document without 'tying up' the computer. Built in mains psu. SP110 BUFFER/SHARER

TECHNOMATIC



PRINTER SHARER Three Computers to one

incl one cable set £275(b)

printer (parallel)......£65(b) Six Computers to One Printer (parallel).....£129(b) Cables for Six Way Sharer.....£38(c)

COMPUTER SHARER

Two Printers to one Computer.....£19(c)

GRAFPAD

A low cost graphic tablet offering the performance & durability required by industrial and educational users. It is compact, accurate & reliable; working area 240 x 192mm + menu area. Comes complete with a CAD packag. £120 (b). 'Microdraw' CAD Package £21.70 (d).

VIEW PRINTER DRIVER FOR FX80/KP810

This driver allows the use of all FX80s fonts to be used in text written using the VIEW rom. If user defined characters are held in the printer buffer they can also be used within the text. Manual

a Ca A Se ti S CO

Ci Cá be in SI us TI be

A

re

ar

Wa

TI

d a

01-208 1177

Please add carriage: (a) £8; (b) £2.50; (c) £1.50; (d) £1.

DISC DRIVES

A choice of high quality RGB and Monochrome monitors are available. The British made MICROVITEC Std/Med/Hi Resolution 14" monitors offer a consistent reliable performance. Their resolution ranges from 452 pixels horizontal on the std res monitor to 895 pixels on the Hi res monitor. Std res monitors are also available with RGB/PAL/Audio inputs. Dual input versions also available.

1431 Std. Res. RGB £175 (a); 1431AP RGB/PAL/AUDIO £225 (a); 1451 Med. Res. RGB £295 (a); 1441 Hi-res RGB £420 (a). 2031 20" Std. Res. RGB £260 (a)

Plinth for Microvitec 14" Monitors £8.50 (c). The KAGA Vision 3 12" RGB monitor offers a superb performance but in a smaller cabinet with a genuine etched anti-glare screen. £358 (d). The Japanese made SANYO and the KAGA monochrome monitors provide an ideal answer for an 80 character hi-clarity display. A futuristic swivel base plinth with integral clock is available for the Kaga green monitor as an optional extra.



SANYO DM 8112CX Hi Res Green Screen... .£99 (a) KAGA KX1201G 20MHz Hi Res Green with etched screen £106 (a) Swivel Base for Kaga Green (fitted with digital clock).....£22.50 (c) Note: All monitors are supplied with free BBC leads.

BBC Leads: Kaga RGB £5; Microvitec £3.50; Monochrome £3.50 (d)

KX1201G with stand

VIDEO DIGITISER

A high quality yet cost-effective unit offering uses for the scientific, educational and home user. Feeding in a video signal (this can be from a camera, VCR etc) will output to the BBC a high quality picture, with eight different grey levels. This picture can be stored on disc, manipulated or dumped to a printer. The friendly, yet sophisticated menu driven software comes complete with an Epson printer dump. 9250 (a) dump. £250 (a).

SANYO DRIOI DATA RECORDER

A high quality tape recorder with circuitry specifically designed for data and a tape counter, it makes this recorder an ideal choice for anyone wanting a reliable tape storage device. £30 (c). Cassette £3.00 (d).

8(c)

9(c)

oility

act.

rea.

CAD

text

d in

nual

(d).

ACORN ANFO3 TAPE RECORDER

The official Acorn tape recorder recommended for the BBC. Has a counter, automatic record level, mains/battery and comes complete with a BBC £28.50 (c) cassette cable...

RH LIGHTPEN

A superior quality lightpen, features including: adjustable sensitivity, LED output to show data transmission, microswitch tip. Full software backup. £39 (c). The 'Lightpen Colour Graphic Software' pack helps you to draw line drawings as well as more complex drawings. Colour fill, point plotting, line, square, triangle, circle XY rulers are all available with rubber banding facility. £7 cassette, £9 Disc. The 'Artfun' pack provides full interaction between pen and screen. Allows your initial design to be shrunk into a high res format, and these images can be stored for subsequent use. £7 cassette. The 'Word Master' encourages the use of correct grammar and is an excellent aid. £7 on cassette. The 'Ed Master' uses a quiz format, and up to 160 questions may be programmed by the teacher. £7 on cassette (d).



Technomatic Disc Drives offer the best value for money. They come fitted with high quality slimline Japanese mechanisms & represent the state of art in disc drive technology. They are built to highest standards in design and production, and are all tested to their full performance capability before packaging. All drives are available with or without integral power supply. Dual Drives with PSU are supplied with generously rated integral switched mode power supplies. All 80 track TEAC drives are fitted with 40/80 Track switching at no extra charge to the user. Attractively designed steel casings are painted in hard wearing BBC matching beige paint. All drives can operate in single or double density modes. Drives are supplied complete with necessary cables, manual and formatting disc and are ready to be connected to the computer. formatting disc and are ready to be connected to the computer.

Single Drives 100K 40T SS TEAC £100(a); 200K 80T SS 40/80T TEAC £155(a) 400K 80T DS 40/80T TEAC £185(a) 3" 100K HITACHI Drive £115(a) **Dual Drives**

TEC with psu£135(a) TEC with psu£165(a) Mitsubishi with psu£195(a)

 2×100 K 40T SS with psu: TEAC **£300(a)** TEC without psu **£225(a)** 2×200 K 80T SS with psu 40/80T TEAC **£375(a)** TEC without psu **£275(a)** 2×400 K 80T DS with psu 40/80T

Mitsubishi without psu £325(a) TEAC \pounds 00(a) Mitsubis 2 × 400K 80T DS with psu Mitsubishi \pounds 400(a).

Our 40/80 Track Switching Module will take care of your frustration of not being able to read or write 40 Track software on 80 Track drives. No additional cables or accessories needed. Full fitting instructions supplied. All for only £30 (c).

The FLOPPICLENE disc head cleaning kit is the ideal way to ensure the optimum performance of your drives. The use of disposable cleaning discs eliminate the risk of recontamination and abrasion of the sensitive disc heads and ensure continuously reliable data capture and transmission.

Floppiclene with 20 disposable cleaning discs. £14.50 (b)



SCOTCH 3M DISCS



This month we are offering these high performance discs at a bumper bargain price - not to be repeated again. The current offer will be valid for orders received until 15th October only. These discs are manufactured with advanced manufacturing techniques that have enabled 3M to set the industry standard. Their quality is such that their error free performance is guaranteed for life.

Discs in pack of 10 (c): 40T SSDD £12.50(c): 40T DSDD £17(c): 80T SSDD £21(c): 80T DSDD £22(c)

DISC ACCESSORIES

Single Disc Cable £6 (d) Dual Disc Cable £8.50 (d) 10 Disc Library Case £1.90 (d) 30 Disc Case £8.00 (c) Lockable Storage Boxes: 30/40 Discs £14 (c) 70/80 Discs £18 (c)

KENDA DMFS

This is an alternative to the Acorn DFS with several significant advantages. *Single/Double Density *Up to 379 Files per disc. *No user ram required i.e. PAGE = &EOO *CP/M compatible file structure *Can read DFS files *Can read most Acorn and other protected software. Simple plug-in installation - comes complete with utilities disc and manual.....£120 (c)

0(c);

(d)

0(d)

to

n of ing

the e is

the

The

MODEMS

We stock a modem for every requirement, whether it is for the business, or private user, whether you require access to a public database or a mainframe, whether for local or international use. We also carry suitable software - see our section on ROMS

TORCH UNICOMM

See our section on Torch for further details.

ACORN PRESTEL

The dedicated Prestel adaptor complete with integral, BT approved, auto-dial modem and software in ROM £99(a).

BUZZ BOX

A full spec, BT approved, pocket size, direct connect modem with both originate & answer modes, full & half duplex, allowing access to many databases, bulletin-boards as well as intercomputer communications. It conforms to CCITT V21 300/300 Baud standard. Battery/mains powered. **£65**(c) BBC Lead **£3.50** External PSU £8.

WS2000

A world standard direct connect modem switchable between 75,300/300,600,1200/75,75/1200 baud, awaiting BT approval. It is compatible with Bell 103/113/108, 202 and CCITT V21 & 23

standards and allows you to communicate with virtually any computer system in the world. This is one of the new generation modems, that will probably cover any communications standards you would ever need. This is the modem that will cover



Prestel, Micronet, Telecom Gold, Distel, Microweb, One-to-One, Bulletin Boards both in the UK and abroad, etc. etc. as well as userto-user communication. It also has a rather useful facility of 'Reverse-Prestel' mode i.e. 75/1200 so that you can communicate with other users who only have a standard 1200/75 type modem. What possibly gives this modem its biggest advantage is its option of computer controlled switching between all modes of operation. In addition, separate auto-answer and auto-dial cards are available, giving this modem possibly the greatest potential of all. Mains powered. £129(c).

Please phone/write for details of optional extras.

TELEMOD-2

A BT approved modem complying with CCITT V23 1200/75 Duplex 1200/1200 Half-Duplex standard, that allows communication & with Viewdata services e.g. Prestel, Micronet etc., as well as using 1200 Baud for communicating with other computer users. Mains powered. TELEMOD 2 £65(b) BBC Lead £3.50

ACORN IEEE INTERFACE

This interface enables a BBC computer to control any scientific and technical equipment that conforms to the IEEE488 standard, at a lower price than other systems, but without sacrificing any aspect of the standard. The interface can link up to 14 separate IEEE compatible devices. Typical applications are in experimental work in academic and industrial laboratories, with the advantage of speed, accuracy and repeatability. The interface is mains powered and comes with cables, IEEEFS ROM, and user guide. £282(a)

ACORN TELETEXT INTERFACE

This interface enables a BBC Computer to receive and store teletext information transmitted by both BBC and ITV. In addition it allows the downloading of transmitted software. The unit comes with a ROM and user guide. £195(b)

TECHNOMATIC All prices exclude VAT

EPROMER

Our current version of the highly popular Eprom programmer is now being enhanced to provide more and better facilities for easy programming by the user. The software will maintain its superiority over all currently available similar programmers. The range of eproms handled has been widened to include the eproms with lower programming voltage and eproms which can be programmed using the fast algorithm. Control of all operations has been moved to the keyboard. The screen display has been improved to give more information. The screen editing facilities have also been modified to simplify the data entry.

- Preliminary Information The new Eprom Programmer will now program 2516, 2532, 2564, 2716, 2732, 2764, 27128 and 27256 + 5v eproms, and all but the 27256 in a single pass.
- The programmer will be supplied with integral power supply, and interfaces with the BBC via the 1MHz bus. It is fully buffered and complies with Acorn protocols. There is no power drain from the computer
- No knobs or switches to fiddle with total control from the keyboard.
- Fully software driven with easy to understand instructions displayed on the screen.
- Eprom type selectable from the keyboard. Selectable programming voltage 25/21/12.5V. Defaults to normal programming with high speed algorithmic
- programming selectable, for a device with suitable capability. Continuous screen display of eprom type, option and address range selected
- Full screen editor with HEX or ASCII input. Constant display of logical eprom address.
- Can read, blank check, program and verify at any address/addresses on the eprom. *
- Full Tape/Disc filing facility. Several basic programs can be entered on a single eprom and called up with individual name.

ATPL SIDEWISE ROM EXPANSION BOARD

This is a well constructed expansion board that does not require soldering in its installation. It will give you an additional twelve sockets, with a 16K batterbacked RAM option. All the busses are fully buffered. £39(d).

EPROMS 8K 2764-25 £6.50(d); 16K 27128-30 £21.00(d). RAM 8K standard power 6264-15 £35; 8K low power 6264LP-15 £41.00.

SMARTMOUTH

The Original 'Infinite Speech' Synthesiser — Still the Best! A ready-built totally self-contained speech synthesiser unit, attractively packaged with built in speaker, Aux. output socket etc. Optimum sound quality is achieved due to a tailored frequency response audio stage. It allows the creation of any English word with both ease and simplicity, while, at the same time, being very economical in memory usage. You can easily add speech to most existing programs. Due to its remarkable infinite vocabulary, its uses spread throughout the whole spectrum of computer applications — these include educational, industrial, scientific, recreational etc. — simply plugs into the User Port. No ROMs are needed. Smartmouth is supplied with demo and development programs on cassette and full instructions. £37(c).

UV ERASERS

UVIT with built-in timer and safety switch £59(b).

'TIME-WARP' REAL-TIME CLOCK CALENDER

A low-cost compact unit that opens up the total range of Real-Time applications,

A low-cost compact unit that opens up the total range of Real-Time applications, and adds a new dimension to the personal computer. Though built to exacting professional standards, it is at a price previously unattainable, and brings it within reach of all BBC Computer owners. With its full integral battery backup, possibilites include an Electronic Diary, continuous display of 'on-screen' time and date information, automatic document dating, precise timing and control in scientific applications, recreational use in games etc. — its uses are endless and are simply limited by ones imagination. Simply plugs into the User Port — no ROMs needed. Extensive applications software supplied on cassette (easily transferred to disc) and full instruction manual. Please phone for details. **229(c)**.



L beris ps cli l pc a o n a

S a

V

S A

p

n ir

01-208 1177

Please add carriage: (a) £8; (b) £2.50; (c) £1.50; (d) £1.

COMMUNICATION ROMS

TERMI This is a semi intelligent terminal emulator allowing the BBC to act as a dumb terminal, slave BBC graphics terminal, or VT52 terminal. The rates at which data is sent or received is easily set up with rates of up to 4800 Baud with 40/80 col. selectable. Allows files to be transmitted from disc, or a copy of incoming data to be sent to a file or to a printer. (Termi is not suitable for PRESTEL). **28(d)**.

COMMUNICATOR This is a full 80 col VT100 terminal emulation program on 16K eprom. It is a more advance program than TERMI and features easy to follow screen menus. The rate at which data is sent or received is easily set up with rates up to 19200 Baud with 80 column text. Allows files to be transmitted from disc, or a copy of incoming data to be sent to a file or to a printer. (Communicator is not suitable for PRESTEL). **5500**.

COMMSTAR This intelligent communication facility is extremely easy to use yet very versatile. It features a terminal mode, a full VT100 emulation mode and a special PRESTEL mode. In Terminal mode, all input may be copied into a buffer in memory over which full control is provided. Controls of protocols is very simple and any type of file (not just ASCII) may be sent using XModem protocols. The Emulation mode may be used using a disc based emulation file to emulate virtually any terminal type including VT100, within the capabilities of the BBC. In PRESTEL mode all normal Prestel features are available, including downloading of software, saving and retrieving of pages etc. etc. £29(d)

GEMUNI DATAGEM

The Definitive Random Access, 24K ROM Based DATABASE MANAGEMENT SYSTEM.

Datagem is the first truly flexible database for the BBC Micro that can make your system really useful and efficient, saving you money in the long run. The system includes a carrier board containing two Eproms, demonstration applications disc in both 40/80T, professional documentation with quick reference card, and 'Trans' utility program. Features include: *almost unlimited file size (max 10MByte) *supports up to 4 drives *Max of 5000 records per file *max 6K record size *max of 62 fields *9 level hierarchical search system with facilities to store results of searches. Searches can be any one of the following: Search, Include, Exclude, Combine, Common or Difference *user defined variables *generates form letters from records.

ACORNSOFT/MIRLE Business software

Using this well designed, cost effective business system, the small businessman is able to reduce repetitive tasks significantly, and increase efficiency at the same time. Instead of making individual entries in stock records, VAT records, purchase records, sales records, and so on, the entry is made just once. As well as taking care of the production of all the paperwork, the system also allows for instant access to information and speedy analysis of recorded data. The beauty of the system is that packages can be purchased and used individually with the option of, possibly later, linking them with the other packages.

can be purchased and used individually with the option of, possibly later, linking them with the other packages. Invoicing: Stores details such as names & addresses of customers, products, VAT numbers, etc. Order Processing: You can confirm your customers orders, check on their requirements, prepare despatch notes, and get speedy order analysis of single orders, selected orders, or all the orders stored on the data disc. Accounts Receivable: Provides accurate maintenance of customer accounts, and instant access to customer account status. Accounts Payable: Provides accurate maintenance of supplier accounts, and instant access to supplier account status. Stock Control: allows you to keep an eye on product records, record stock receipts and issues, report on restocking requirements and to analyse stock for valuation and physical reconcilliation as well as instant access to stock for valuation and printing of orders. Mailing System: When sending a mailshot, you can specify criteria such as size of company, location, type of industry, value of business etc. Will print names and addresses on either gummed labels or printed paper. £22(d).

BBC FIRMWARE

VIEW Word Processor Rom on special offer at £48(c).

This is the new version V2.1. Advantages include being able to print straight from memory, as well as editing in any mode. Complete with comprehensive manuals to Acorns usual high standard.

WORDWISE One of the most popular word processors for general use £34(d). Wordwise SpellCheck Disc — A must for any serious word processor user. Normal price £16.50(d). If bought with Wordwise: No p&p and only£14.

ULTRACALC From BBC Publications: The only spreadsheet ROM for the BBC that offers features found in the most sophisticated spreadsheet programs, like the handling of labels as well as numbers as values, and allowing a search by a meaningfull name instead of just a number etc. Efficient memory usage allows large spread sheets to be constructed. Facilities and commands include, variable width column, Sum, Replicate, Insert, Delete, & most mathematical functions. It helps to create and manipulate pricelists, balance sheets, payroll, c/flow forecasts, order entry, small databases, scientific calculations. £69(c).

BCPL A full implementation of the BCPL compiler language from Acornsoft. It consists of the BCPL language ROM and a disc containing the BCPL Compiler, a Screen Editor, a 6502 Assembler, other utilities and program development aids, and some examples of BCPL code. A comprehensive 450 page user guide is included. It can be used to develop games programs and commerical packages, to develop system software, to write control systems, and to produce programs which otherwise would need to be written in assembler. £86(b).

BCPL CALCULATIONS PACKAGE: supplied on disc, it supports floating point, fixed point and fast integer calculations. It includes the BCPL calculation files, example files and a comprehensive user guide. £17.30(b).

UTILITY ROMS

DISC DOCTOR This general purpose ROM adds 20 commands to the DFS system. It includes a formatter, sector editor, tape-disc & disc-tape routines, a powerful disassembler, commands for listing function key definitions for editing etc. This ROM will obliviate the need to go for non standard DFS systems (with their inherent disadvantages) as it overcomes many of the Acorn DFS's shortcomings. **£28(d)**.

GREMLIN Contains a full machine code monitor including features such as a dissassembler, memory move and search routines. Also feature a full expression evaluator and an assembler. Can single step through ROM & RAM as well as any sideways ROM. Works in any mode with full status display. Up to 8 breakpoints can be used and it has a special mode for debugging graphic programs. £28(d).

EXMON This extended machine code editor provides 35 new commands. Features include machine code relocator, single stepping, memory search and full assembler & dissassembler. **£20(d)**.

TOOLKIT This ROM adds 27 new commands to the BBC BASIC. These include a full screen editor, merge, relocating data in memory, program compactor, listing of variables and memory search. **£23(d)**.

CARETAKER This adds 17 new commands to the BASIC which include: renumber, squash, exchange insert, single key entry of BASIC keywords etc. £28(d).

GRAPHICS ROM This ROM includes over 28 new graphics related commands which can be used in BASIC programs. Features include: sprites, LOGO Turtle graphics, fill routines, shading, large characters, rotation, scaling and 3D plotting all using '*' commands. £28(d).

PRINTMASTER This ROM features the most versatile screen dump for EPSON MX/RX/FX80 and Kaga 810 printers. It supports three types of dumps. The first allows any graphics on the screen to be dumped. Colours appear as shades of grey. Any part of the screen can be printed at any position on the paper in any one of four orientations. The screen dump may be magnified by any factor ×2, ×3, ×4 etc. A special feature allows true MODE 7 screen dumps with TELETEXT text & graphics. The second dump allows any text to be dumped whilst the third dump will print the contents of a file on disc whilst the computer is doing other things. This is not all. All printer functions can be called up using the *command. *DEFINE allows the user to define his own characters and store them. *GPRINT allows printing of enlarged text in any position, orientation, size & shade. *WINDOW allows windows to be defined in any size and position on the screen. In short this one ROM does it all. **£28(d)**.

ow

asv

ity

of

ned

red

ore

ied

64

he

oly, red

om

he

ns

g in ter-

vith

o a vith ory ble iter

vith

ins, ing hin

SOFTWARE

TURTLE GRAPHICS

Ideal as an introductory package for teaching geometry, mathematics and graphics at an elementary level. £17.30 on disk.

MICROTEXT

This authoring system was developed by the National Physical Laboratories. It is a programming system designed to simplify the production of a wide range of man-computer dialogues. Using Microtext's simple commands, the user can draw up any number of 'frames', each containing text and/or graphics. A series of frames build up into a complete module. Each program can consist of more than one module. Using Microtext, an expert in any field can construct their own complete courses of computer-based instructional material. Applications include interviewing systems, teaching packages, training courses and interactive demonstrations and simulations. Available on Cassette and Disc. £52(a) Disc; £43(c) Cassette.

S-PASCAL

Contains a subset of Pascal — one of the most popular programming languages available today. The package contains the S-Pascal compiler on disc, several example programs and a comprehensive user guide. £17.30(d)

ACORN LISP

Lisp provides more flexibility in data and control structures than traditional languages. Is easy to learn, and is widely used for writing substantial and sophisticated programs, with practical applications. £17.30(d) Disc; £14.35(d) Cassette.

ACORN FORTH

Forth is a compiled language, so programs run very fast (typically five times faster than Basic). £17.30(d) Disc; £14.35(d) Cassette

DESIGN

Design is a screen processor which allows information to be displayed in a format suitable for demonstrations, slide projections, handouts or presentations. $\pounds16.50(d)$ Disc; $\pounds8.50(d)$ Cassette.

SUPERPLOT

Superplot is ideal for anyone interested in screen representations of mathematical functions. £16.50(d) Disc; £8.50(d) Cassette.

SPELLCHECK

The spelling checker available for both Wordwise and View. £16.50(d) Disc; £8.50(d) Cassette each.

MASTERFILE

A general purpose data base that is extremely useful, allowing vast amounts of information to be stored. The disc version allows up to 17 fields per record, and the only limitation as to the number of records, is the capacity of the disc. Typically, using 5 fields, about 2000 records may be stored on a 100K disc. £16.50(d) Disc.

PAINTBOX

A joystick drawing program for the BBC, You can use it to doodle or to design sophisticated full colour pictures. £8.50(d) Cassette.

VU-Type This is a powerful and versatile typing tutor developed and published in association with Pitmans. It is designed to enable you to acquire or enhance typing and keyboard skills. $\pounds 12(d)$.

Record Keeper A personalised program for storing and retrieving data for a variety of purposes. Report facility lets you choose how to generate the layout of your data and display and print it. The program also contains alternative versions for transfer to disc. $\pounds 16.50(d)$.

TECHNOMATIC LTD MAIL ORDERS TO: 17 Burnley Road, London NW10 4ED

(Tel: 01-208 1177 Telex 922800) SHOPS AT: NW London: 15 Burnley Road, London NW10 4ED ↔ (Dollis Hill 2 mins walk, ample car parking space) West London: 305 Edgware Road, London W2. Tel: 01-723 0233 (Near Edgware Road) ↔

BOOKS

(No VAT p&p £1.50 per book)

Let your BBC Teach U To Program.	£3.50	DIY Robotics & Sensors	\$6.95
100 Programs for the BBC	£6.95	Disc Book	
30 Hour Basic	£6.95	Disc Systems.	
35 Educational Progs	£6.95	Discovering BBC M/Code	
6502 Applications	£10.95	Essential Maths BBC/Electron.	
6502 Assembly Lang Programming	£13.95	Forth	
6502 M/Code for Beginners		Friendly Computer Book	
6522 VIA Book		Graphics on the BBC Micro	
6809 Assembly Lang Programming		Graphs & Charts	
Advanced Graphics with BBC	£9.95	Interfacing the 6502.	
Advanced M/C for the BBC		Intro BBC Micro	
Advanced Prog Tech for BBC	£8.95	LISP	
Advanced 6502	£11.75	Making Music on the BBC Computer	
Advanced User Guide	£12.50	Micro BBC Basic Sound Graphics	
Assembly Lang Prog on the BBC	£8.95	MOS Memory Data Book	
Assembly Lang for the BBC		Prog the BBC Micro	
Assembly Lang Prog for Electron	£26.00	Programming the 6502	
Assembly Lang Programming I		Programming the 6809	
		Programming the 8086/8088	
Basic Prog on the BBC Cryer	£5.95	Programming the BBC	
Basic Rom User Guide	£7.95	Programming the 280	
Basic II Rom User Guide	£4.00	Start Prog with Electron.	
BBC Basic		Step by Step Prog Book 2	
BBC Basic for Beginners	£6.95	Structured Programming	
BBC Micro for Beginners		The Electron Book	
BBC Micro Disk Companion	£7.95	TORCH Z80 Disc Pack User Guide	
BBC Micro Expert Guide	£6.95	TTL Data Book Vol-1	
BBC Micro Graphics & Sound		TTL Data Book Vol-2	
BBC Micro in Education	£6.50	BBC User Guide	
BBC Micro Revealed		Using BBC Basic	
BCPL User Manual		Using Floppy Disks.	
Beyond Basic	£7.25	Using the 6502 Assembly Lang	
Creating Adventure Progs		Z80 Applications Book	
Creative Graphics	£7.50		

EDUCATIONAL PROGRAMMES

A selected range of cassette based software for all the family to enjoy and at the same time arouse curiosity and create an interest in computers. Apart from providing hours of fun they will also help teach the young ones fundamentals of English and Maths without them realising it.

Mr T's Alphabet Games Watch how quickly the children learn to identify, name & match the letters and also write them correctly. Amusing sound effects and animated graphics make learning fun. $\mathfrak{L7}(d)$.

Number Gulper A gripping fast moving game that helps develop arithmetic skills. 19 levels of skill to cater for all ability levels. Even parents might find upper levels embarassing. **£7(d)**.

Words Words Words A stimulating game to help young children with reading & spelling. Pictures are shown on the screen and the child has to type in the name of the object shown. If correct, the object takes its place in a scene. When all objects have been correctly identified the scene comes to life. $\Sigma7(d)$.

Tree of Knowledge A interactive program that teaches categorisation. The computer is first educated about a group of objects - e.g. plants or birds. The database, or tree created in this way is then used in playing a guessing game. Two sample databases are supplied on the program. New databases are saved and loaded from within the programs. $\Sigma7(d)$.

Royal Quiz Pit your knowledge of Royalty against Anthony Holden, the Royal Biographer. Do you know who told the queen that she didn't recognise her "without her crown on"? The quiz will tease, teach and entertain. $\mathfrak{L7}(d)$.

Science Fiction Quiz A SF quiz in the widest sense, especially adapted from the Weidenfeld Quiz book that will provide hours of edification and amusement. $\mathfrak{L7}(d)$.

TECHNOMATIC SERVICE

Our in depth stocks allow us to offer immediate deliveries on most items and our aim is to provide the best available products at competitive prices. In addition to the items listed above we carry extensive stocks of: connectors, connector assemblies, components including TTLs, CMOS, RAMS, EPROMs and CPUs. Spares for the BBC computers are normally available from stock. Orders from government departments, public bodies, hospitals, schools, colleges, universities and recognised PLCs welcome. We specialise in world wide exports. No VAT on exports. Our specially negotiated freight charges to many countries ensure the customer considerable savings on charges.

01-208 1177

All prices exclude VAT. Please add 50p carriage unless indicated as follows: (a) £8: (b) £2.50: (c) £1.50: (d) £1.00. add 15% VAT to the total order value. For fast delivery telephone your order quoting VISA or Access card or official order number. (Minimum telephone order £5).

The Definitive 24K ROM based Random Access Database Management System for the BBC Micro.

DataGem is here! The most comprehensive Database Management System ever written for the BBC Micro, allowing up to 5100 user definable records. Facilities are also included for interfacing with 'Wordwise' and 'View' word processors. DataGem will not work with cassette based systems and requires a model B BBC Micro computer fitted with at least one disk drive and operating system 1.2 or greater. Use of a printer is optional. Write to or telephone Gemini for

further information, or complete the coupon below. Stock subject to availability





for the BBC Micro.

Designed for the small to medium sized business user, where speed and efficiency are vital, Gemini Integrated programs are suitable for sole traders, partnerships, or limited companies. All require a BBC B 32K microcomputer, and an 80 column printer. A double disk drive with an Acorn compatible DFS is required for integrated accounting purposes. A single disk drive may be sufficient where modules are used independently, although this is not recommended for the Sales Ledger and Invoicing module. The manuals indicate the system capacities for various disk drive combinations.

Why Integrated Accounting?

Because it will retrieve information stored in one program for use by another, and store data in one program which has been generated by another.

Why Gemini?

Because our business software for the BBC Micro is based upon the solid foundation of experience. Not only are three of our Directors Chartered Accountants, but we have also successfully written business software for the BBC Micro since it was first launched

PURCHASE

LEDGER

TOCK CONTROL A program providing full control over every aspect of stockholding operations.

Inventory Master File holding details of part number, selling and cost price, sales and product code current stock, location of stock, allocated items, re-order level, quantity on order, current period activity and supplier code Maximum 980 part numbers on 40 track disk and 1980 on 80 track disk pe stock file.

Price £99.95 per Module VAT inclusive

NO SECOND PROCESSOR

REQUIRED!

NOMINAL LEDGER

This is the central module of the Integrated Accounting system and may also be used independently as a Cash Book or interfaced with the Sales and Purchase Ledgers and Payroll programs.

INVOICING 8

SALES LEDGER

143 Nominal accounts all of which are user definable. Print out of full Trading and Profit and Loss Account and Balance Sheet together with notes Full cash Book facilities.

Pre-Printed Stationery

The following Gemini two-part preprinted continuous stationery forms are available by completing the order form in the manual: Invoices, Statements, **Remittance Advices and Payslips**.

> • •

> •

Available from:

Larger branches of Boots and W.H. Smith and most good software dealers... or phone Gemini for immediate despatch quoting your Access, Visa or American Express card number. Telephone (0395) 265165/265832. Alternatively make your cheque or Postal Order payable to Gemini Marketing Ltd., and send to Gemini Marketing Ltd., 18a Littleham Road, Exmouth, Devon EX8 20G.

Please send urgently (specify 40 or 80 track)

rices stated in this brochure include VAT and Post and Packing (UK onl	
Iame	
ddress	
ignature	

TRAILBLAZERS

LIFE, THE UNIVERSE AND MY BEEB

Astronomer Chandra Wickramasinghe and his micro pursue a theory of organisms in space

OMPUTERS are now vital to space science and astronomy: first collecting information from space probes and satellite-borne telescopes, and then analysing and interpreting the results. Micros have also played a role, especially when linked to equipment launched in rockets.

However, I have a more personal story of working with micros. My research into the origins and evolution of life in the Universe is aided and abetted by my own BBC model B with Cumana disc drive, PL digitiser, Epson FX80 printer and Tandy graph plotter. It might seem an amateurish medley of equipment, but I found it better in some ways than a university mainframe computer!

My tale begins with the Lagoon and Trifid nebulae in the constellation of Sagittarius (figure 1). Here is a rich field of stars in a portion of the Milky Way, containing in addition to stars, clouds of hot glowing gas, with dark patches and striations silhouetted against a brighter background. The dark patches represent clouds of obscuring dusty material found in many galaxies and known to astronomers as "interstellar fogs".





Figure 1. The Trifid nebula in the constellation of Sagittarius

Matter exists within these clouds in a variety of forms: single atoms, ions, molecules and, perhaps the most baffling component of all, 'dust'. These dust particles have radii in the range 1/100 to 1/3 of a micrometer and their space density by earthly standards is exceedingly low – the average distance between them is as much as 100 metres! Despite the tenuous nature of the clouds, their size – light years across – is so vast as to produce the fog patches shown in figure 1.

Light from distant stars in our galaxy is dimmed and reddened by scattering and absorption effects in interstellar dust particles. The effect is similar to

Astronomer in action

The author is an internationally renowned astronomer; a collaborator with Professor Sir Fred Hoyle, and co-author with him of books such as 'Lifecloud', 'Diseases from Space' and 'Evolution from Space'. Their latest book, entitled 'From Grains to Bacteria', is due to be published this month by the University College Cardiff Press.





ACORN USER OCTOBER 1984

SPACE STATION ALPHA

A GRAPHICAL SPACE BATTLE

VERSIONS FOR CBM by & SPECTRUM SCON The deadly cylon fleet has reached its destination. Their objective - destroy planet earth. Each ship in the fleet carries a single devastating lithium torpedo. Earth shields are up but their power is being drained. You, as mmander of earths last remaining space station all that stands between the cylons and earths £7.95

> ZORAKK THE CONQUERO A GRAPHICAL ADVENTURE GAME

> > tolomnage .

Address

ELECTRON D

Nome

Bersend ne the folk

Journey through the medieval lands of Ramagora in search of the three pieces of the long lost crown of Ultimate Darkness. Battle with vicious brigands, avoid the greed of the great dragon, suffer plagues and famine in pursuit of your ultimate

goal. This is a graphical adventure in which you play the part of Zorakk and take control of his loyal warriors. £7.95

ATTENTION PROGRAMMERSI WE PAY EXCELLENT WE FAY EXCELLENT ROYALTIES FOR ORIGINAL EXCITING PROGRAMMES ON BBC, ELECTRON, CBM 64 & SPECTRUM

SOFTWARE

65 HIGH STREET, GOSFORTH, TYNE & WEAR, NE3 4AA. TEL: (091) 2846966

AVAILABLE FPOM ALL GOOD COMPUTER STORES. **OR DIRECT FROM US!** TRADE ENQUIRIES WELCOME

TRAILBLAZERS

29


all the stellar and non-stellar material in the immediate vicinity of the Sun.


Data on interstellar dust is being steadily added to from observations made by satellites such as the International Ultraviolet Explorer and IRAS. Much of the information has accumulated over the past two decades, and it was at the start of this period that my own work with Sir Fred Hoyle began. We set out in 1962 to find a composition of cosmic dust that could explain the available data, and we have continued in this endeavour unceasingly ever since. We first explored the possibility that the dust in space might have an icy composition, but had no success at all. Then we discussed the possibility of carbon dust grains and carbon grains overlaid with icy mantles. Here we had a limited measure of success in that observations using the latest satellites and rockets proved that at least a fraction of the dust in space was made of carbon in the form of graphite. Next we considered mineral grains and mixtures of minerals with graphite in attempts to match the full range of observational data, but woefully without luck. The precise composition of the interstellar dust stubbornly defied identification for 10 years.

Then, in 1973, we considered the possibility that cosmic dust had a predominantly organic composition. This model instantly led to a better – but not perfect – agreement with observational data than for purely inorganic grains. However, we felt that at long last we were approaching the correct solution. Then in 1979 a major breakthrough occurred. Sir Fred Hoyle and I considered the seemingly outlandish proposition that the cosmic dust grains were not merely organic, but biological; live, freeze-dried bacteria in space.

Within days of arriving at this heresy, a mathematical calculation was carried out on a BBC micro to determine the way in which such particles cause the dimming of starlight. The computation involved a solution of the well-known Maxwell's equations with the boundary conditions for spheres having the properties of biological particles. The BBC's highly versatile Basic language made this calculation relatively easy, and the resulting graphs were plotted on the Tandy plotter-printer. The calculated curve of the microbial model agreed almost precisely with the astronomical data (figure 2). This agreement, coming after almost two decades of failure, gave us confidence to embark further in the direction of cosmic microbiology

Together with Mr S Al-Mufti and Dr A H Olavesen, Sir Fred Hoyle and I next set up a program of laboratory studies to look for diagnostic thumbprints of









Figure 3a (above). Radiation from IRS7 showing effect of absorption by cosmic bacteria Figure 3b (below). Radiation from hot bacteria in the Trapezium nebula in the constellation of Orion



ACORN USER OCTOBER 1984

TRAILBLAZERS

biology at infra-red wavelengths. An infra-red spectrum of a dried out microorganism over the waveband 2.9-5.5micrometers was compared using the digitiser with data for the infra-red source IRS7 located near the centre of our galaxy. The result, shown in figure 3, was plotted on the Tandy. Figure 4 shows a comparison between the biological model and astronomical data over another waveband, 8-12micrometers. The correspondences seen in figures 2-4 are in our view decisive for the identification of cosmic bacteria. Bacteria resembling terrestrial bacteria, but in a freeze-dried state, seemed to be present in vast quantities on a galaxy-wide scale, giving rise to the dark fog effects.

30

But how, you might ask, could such a situation arise, and how does this connect with other facts from astronomy and geology as well as biology?

Louis Pasteur (1822-1895) first showed that micro-organisms did not arise spontaneously, but were derived from pre-existing microbes. The question then arises as to how the first micro-organisms arose on the Earth. The usual theory is that flashes of lighting in a primitive atmosphere led first to the conversion of simple inorganic molecules into organic molecules which are the building blocks of life, and thence to the assembly of organic molecules into living structures. Laboratory studies have indicated that the first of these steps might well have occurred, but laboratory experiments on the second step have been singularly without success. An argument against the usual theory is that the first signs of microbial life in the Earth's fossil record occur far too abruptly for any chemical evolution to have preceded it. In fact, at the very first moment that life could have survived on Earth, about 3.8 billion years ago, we find evidence of microscopic fossils of bacteria and microfungi. There seems too little time for any 'primordial soup' to have brewed.

There is, of course, no logical reason why life should have started de novo on Earth. Our planet was assembled from cosmic material along with the Sun and other planets some 4.6 billion years ago. The entire solar system is now surrounded by tens of millions of cometary objects in the form of a gigantic spherical halo. Although direct collisions with comets are rare, the Earth is estimated to pick up some thousands of tonnes of cometary debris each year. What this debris is made of can only be guessed at by studying the gases that escape from the comet head as seen for instance in the fan-like structures of figure 4. Sir Fred Hoyle and I have argued that comets are in fact chock-




Figure 4. The Comet Mrkos photographed on several days in 1957

a-block with cosmic micro-organisms, and that their nuclei contain warm liquid ponds which are congenial places for such micro-organisms to breed. Indeed, studies have shown that the overall atomic composition of comet material is remarkably life-like. Moreover, fossilised remains of microorganisms have been discovered within carbonaceous meteorites, which are thought to be spent comets. So astronomical evidence now points to life starting on Earth by contamination from comet-borne micro-organisms.




Figure 5. Amplifying Cosmic Feedback loop

Cometary micro-organisms must necessarily have been derived from cosmic dust clouds. We know that stars similar to the Sun are born within such clouds, and comets would undoubtedly be associated with these stars. The cosmic life-cycle of biology is shown schematically in the feedback loop of figure 5. In the earliest days of the Galaxy there need to have been only a small number of viable micro-organisms. Cosmic microbiology would become progressively amplified with every successive generation of stars. The great power of the feedback loop lies in the enormous replicative ability of biology: a single bacterial cell can double in a matter of hours.

At the present stage in the evolution of our Galaxy some 100 billion circuits in the loop of figure 5 would have taken place, one for every sun-like star. The total mass of material that has been biologically processed would measure some 10 \land 33 tonnes.

At the time the Earth formed as a solid body, biological evolution in the galaxy would already have been well advanced, and this heritage of evolution would have been trapped in the comets of our solar system. Cometary micro-organisms would have been raining down on the Earth essentially from the dawn of its creation. At the beginning, however, hostile physical conditions would have prevented the survival of any incident organisms, in the same way that organisms would now perish at the surface of the airless Moon.

Cosmic life took root on our planet at the very first moment when survival was possible, when the Earth had acquired its oceans and atmosphere nearly four billion years ago.

According to the present point of view the influx of cometary microbes must have continued unabated to the present day, some causing epidemic diseases in plants and animals, others generally adding to the microbial flora of our planet. Furthermore, and perhaps most importantly, the evolution of living forms on our planet would seem to be primarily controlled by the entry of new genetic information from cosmic micro-organisms.

NEXT in our Trailblazers series:

Scientists are using a BBC micro to roast weeds and give cocoa plants the kid-glove treatment. Find out why in next month's issue

Introducing The New Epson Micro Printer At Only £99.95 inc.VAT

Ideal for use with the BBC Micro, and most popular home computers. Parallel and RS232 versions available.

THE TARY & BISSADD BALLET BARDERBELT ALTRADED AND THE AND THE

A Compact thermal printer packed with superior features.

Now there is a light-weight, high performance compact printer that is suitable for portable and home computers — the Epson P-40 thermal printer.

EPSON

Quality and Versatility

The Epson P-40 is part of the new P range, which offers a micro printer with print quality identical to that found in the Epson range of superior printers. The P-40 is the first low cost printer that can print 480 dots per line which means it can reproduce graphs, and pictures beautifully. The P-40 can offer three kinds of column capacities: 20 columns, 40 columns and 80 columns (condensed) -no other compact printer offers such a selection.

Light, Quiet and Cost Efficient.

Since the P-40 is a thermal printer, operation is particularly quiet and there's no ink ribbon to change. Maintenance is simple. In addition the P-40 portable battery-driven printer has four rechargeable NiCad batteries built into the printer which can be recharged in 6 hours. It's simple, economic and easy to use.

Top Quality Image and High Speed Printing.


The quality of printing in all Epson printers is unequalled and the P-40 is no exception. A superior Epson head design featuring nine dots together with it's ability to express small letters ensures superior legibility. The compact P-40 also provides high speed printing with 45cps.

89:1(=)20ABCDEFGHLJKLM oparstuveryzilis ("#\$%& ()*+, 6789:1(=)70ABCDEFGHIJKLMNOPOR anoparstuvwxyzeli3* 1=##%& O* 456789:1(=>?@ABCDEFGHLJKLMNOF Lanopqrstuwwyz(1)*1*##%& DAGRCDEFGHLJKLM

Self Test Function

The P-40 compact thermal printer has a useful self test function.

High Resolution Print - Actual Size



Specifications Print Method	Thermal Dot Matrix	
Print Speed	45 Characters per second (For 40 and 80 column setting)	
Print Direction	Unidirectional (Left to Right)	
Character Set	96 ASC11 character, (Featuring English Capital Letters, English Lower Case Letters, figures, signs and graphics)	
Character Size (mm)	2.4 (H) x 1.7 (W) Normal 2.4 (H) x .85 (W) Condensed 2.4 (H) x 3.4 (W) Enlarged	
Paper	Epson Thermal roll paper P-40 TRP	
Paper Feed	Friction Feed	
Paper Width	112mm	
Power Supply	NiCad Batteries, Internal	

Actual Size: (ust 2"(H)x 81/2"(W)x5"(D)



60155



The Epson P-40 thermal printer costs £99.95 (inc VAT). A box of Epson Thermal roll paper costs £9.95 (inc VAT) — 5 rolls. Please add £3.00 for postage and packing. Please allow 28 days for delivery.

ancdeta

You can pay for your P-40 micro printer by cheque or by credit card. I enclose a cheque for £____ VISA




To order your Epson P-40 now, just phone 0442-60155 and ask for Angela.

Maxted Road, Hemel Hempstead, Herts HP2 7LF, Tel: Hemel Hempstead (0442) 60155, Telex: 825554 DATEFF G

0 P W E E R R W R M

FROM THE AUTHOR OF THE TOP SELLING FELIX IN THE FACTORY

Clear a path through the vault and shove the Radio-active Plutonium cannisters behind the safety barrier before all hell breaks loose and the Megapods and oscil-lating Nuclids appear. Cassette: £6.95. Disk: £9.95.



FOR THE B.B.C. MICRO

C

0



RIO POWER MILICIRIO POWER

C

PO

X

WATCH OUT

NEW PACKAGING!!"

MICRO POWER LTD., NORTHWOOD HOUSE, NORTH STREET, LEEDS LS7 2AA TEL: (0532) 458800 AVAILABLE FROM AUTHORSI WE PAY 20% ROYALTIES!

POW

R

E

SCALING SCALING MUSICAL HEIGHTS Jeremy Vine conducts a musical lesson on the Electron

N THE August issue of *Acorn User* we published some musical listings but you may not have understood how the programs worked. This month we'll look at the SOUND command available on the Electron and BBC and show how easy it is to produce music. You may have already experimented and created the odd sound or two but creating music is more complicated – but not too difficult.

The SOUND command has four parts to it and we can best understand its use by looking at each part in turn. Type in the following line:

SOUND 1, -15, 100, 20

The sound you can hear is the C above middle C and it is playing for one second. The SOUND statement is followed by four sets of numbers, each there for a specific purpose and determining the actual noise you hear. This can be more easily understood if we name each part as follows: SOUND C, A, P, D.

The first parameter C refers to the **channel number.** The Electron has four SOUND channels but unlike the BBC only one channel may be played at a time. These channels are numbered from 0 to 3, channel 0 being reserved for noise and channels 1 to 3 for tone. To hear the difference type in the SOUND statement above but change 1 to 0. Whether you type C as 1, 2 or 3 the tone will be exactly the same. These three tone channels produce the same

effect and as only one can be used at any time we will use only the number 1 from now on when we need a tone. The other two channels (2 and 3) have been included to make the Electron compatible with the BBC micro.

The next parameter, A, is responsible for the **amplitude** of the sound and can represent one of three different things depending on the value assigned. If A is negative then the sound is 'on'; if set to 0 it is 'off'. However, if the number is from 1 to 16 inclusive an ENVELOPE of the same number will be selected. I won't cover the ENVELOPE command in this article but don't worry as we need not use it for the moment.

In my example I used -15 as the value. This means the sound is turned on. The reason for using this number is that it is the most common amplitude value used on the BBC on which you can alter the level of the sound. The sound level cannot be altered in the same way on the Elk but by using -15 we keep our programs compatible with the BBC.

The third parameter P stands for **pitch** and as the name suggests it controls the pitch of the sound output. This value can be in the range 0 to 255. Each step represents a change in pitch of a quarter-semitone and from this we can produce a range of pitches covering more than five octaves. Figure 1 shows these values and their corresponding pitches. Try changing the value of P to see how the pitch changes.

Octave number Note 2 1 3 4 5 6 B 0 48 96 144 192 240 C *52 4 100 148 196 244 *middle C C# 8 56 104 152 200 248 D 12 60 108 156 204 252 D# 16 64 112 160 208 EF 20 68 164 116 212 24 72 120 168 216 F# 28 76 124 172 220 G 32 80 128 224 176 G# 36 84 132 180 228 A 40 88 136 184 232 A# 44 92 140 188 236

Figure 1. Table of pitch values for each semitone

The final parameter, D, determines the **duration** of the sound and each step is equal to 50 milliseconds. In the example D=20 this is equivalent to keeping the sound on for 1 second. To work this out multiply D by 50 and divide by 1000. 33

FIRST BYTE

Now we know how the SOUND command works, and the relationship between the pitch control numbers and the pitches they create, we can start to write music on the Electron.

Type in and run program 1. The program plays a chromatic octave of the 12 semitones from middle C. If we go back to my explanation of the pitch parameter, each unitary value is equal to a quarter-semitone. Therefore four units equal a semitone and octaves will therefore occur at intervals of 48 steps, because there are 12 semitones in an octave (ie, 12×4). To produce a different octave use figure 1 to look up the note of your choice and change the value 52 in line 20. Changing 52 to 68, for example, will play the chromatic octave from E instead of C.

Now you might be wondering how to

BUZZWORDS

Channel—The sound generator on a BBC micro can make up to four sounds at once, so it has four channels. Channel O produces specific noises, while the other three produce single notes. The Electron also has four channels but in effect only one channel can produce a sound at any one time.

Amplitude—The volume or loudness of a sound.

Pitch—The frequency of a sound. Duration—The length of time a note plays.

Envelope—The volume (amplitude) and pitch of a sound rise and fall throughout the sound's duration, and both Beeb and Electron can use pitch and amplitude envelopes to give a sound 'shape'. These are set up with the ENVELOPE statement.

MAKE SURE YOUR HOME COMPUTE WORKS.... FO

Guarantee years of service from your home computer. Protect your investment by joining the MICRO REPAIR CLUB. After your warranty has run out can you afford the manufacturers' repair charges which can be as high as £60 minimum?

THE MICRO REPAIR CLUB is a brand new organisation offering a unique scheme which guarantees that should your computer break down, it will be repaired at absolutely no cost.

THE MICRO REPAIR CLUB has been formed to save you money and ensure that your computer is in tip-top working condition for years to come.

A one-year membership that guarantees all repairs to your micro costs only £24.95, with an annual renewal of £14.95. A two-year membership costs £35.95, three years £46.95. For incredible value for money a four-year membership costs only £57.95.

All prices are inclusive of VAT THE MICRO REPAIR CLUB is backed by one of the world's largest insurance groups and the actual repair work will be carried out by

Computeraid Services, a division of Thorn EMI Information Technology Ltd. There can be no greater protection. So if you own a Sinclair, BBC, Acorn, Dragon, Commodore or any other home computer join the

Club by ringing the HOTLINE on 01-946 7777 or clip the coupon below and send it to:

Micro Repair Club Limited, Swan Court, Mansel Road, Wimbledon, London SW19 4AA.



MUSICSC SPECIALISTS FOR THE 32K BBC

\star THE SYNTH \star (0.S.1.0+)

"A very flexible and inventive program that's highly recommendable." (Dr David Ellis, E&MM, Oct 83). This synthesizer' program has features which to our knowledge are unique. ALTER RHYTHM. The rhythm of a recorded melody may be altered by tapping on a single key. REPEAT. No need to play a phrase twice, great saving in space. REAL TIME PLAYING. With alteration of volume, envelope and octave pitch as you play a note. EDITING. Back and forwards whilst hearing the tune. INPUT. May be hesitant or in correct time. TIDY. 'Cleans up' inaccuracies of input on demand! NUMBER OF NOTES. From 3000 for 1 channel to 1000 for 3, etc. Plus all the other synthesizer programs do PLUS, IE sophisticated envelope editing (very easy), larger keyboard used (TAB to 4 cursor). No secrets, user transparent. This is the program for the experimenter who wants to make HUMAN music rather than perform mathematical finger dexterity exercises. THE SYNTH. Cassette & instructions only £8.75 inc. P&P.

\star KEYBOARDS \star (O.S.1.0+)

5 programs to turn your BBC into 5 real-time keyboards. 1.3 simultaneous voices (in Basic for easy understanding) 2. Single voice M/C with Pitch Bend. 3.3 simultaneous voice M/C with Envelope control built in. 4. Single finger Chord organ ranging over the whole key-board, 2 variations for each chord. 5. Chord organ 2 with different chord configuration. These are all separate programs designed for you to use as they are or in your own programs. KEYBOARDS cassette & instructions £5.75 inc P&P

★ MUSICTOOLS ★ (all O.S.)

"Musicsoft also produce an excellent 'Musictools 1' cassette . . . all in all, rather good value" (E&MM, Oct 83) Five music utility programs on one tape. Tune Generator with dynamic graphic Keyboard & Stave display, Envelope Command Explorer (Very easy to use), Musical Symbols Graphic routine, Simple single line organ with sophisticated controls. Over 60 procedures for you to use in your programs already in work-ing programs. MUSICTOOLS 1 cassette & instructions £5.75 inc. P&P.

★ PIEMAN ★ (all O.S.)

"The best version of Simon I've seen, it goes so much further than most" (Quote by a rival software firm!) Recommended for Primary & Middle Schools. Not as simple as Simon! It develops into a fun set of ear cleaning and musical concentration PIEMAN cassette & instructions £5.75 inc. P&P.

> ALL PROGRAMS TRANSFER EASILY TO DISC. Cheques and official orders to: MUSICSOFT, Dept N, 12 Fallowfield, Ampthill, Beds. Telephone: 0525 402701 All 4 programs on 40 track disc - £26.00



Opus Supplies offer vou Rambank a 32K sideways RAM board to really boost the capabilities of your Micro.

Unlike ROMs, each block is individually write selectable and can be write protected to ensure against accidental erasure.

If you're running short of ROM sockets, the RAM card allows you to load utilities as and when they are needed.

We'll give you software and utilities free of charge, so you can save ROM based firmware on disc.

• Uses low power 64K dynamic RAM chips. • Simple to install. • Consists of 2 x 16K blocks of sideways RAM.

• 2 year guarantee.



tł

r

fu

fc

158 Camberwell Road, London SE5 0EE. 01-701 8668 or 01-703 6155.

FIRST BYTE

create a scale. So far we have played a series of semitones but a scale consists of both tones and semitones. Program 2 gets round this problem by inserting tones or semitones in the correct sequence. Line 70 holds the data for the tones (t) or semitones (s) and line 10 gives the user the choice of scale by entering the appropriate value of the starting note. If a tone is needed an extra value of 4 is added to the variable 'note' to extend the gap to 8 and therefore a whole tone.

Let's go one step further now and play a complete tune. Using the lookup table of figure 1 we now have enough information to convert musical notes into numbers that the micro will understand. That's one half of the conversion from a musical score to numbers; the second part is to tell the computer the duration of each note. Figure 2 shows the numeric values needed for note durations. We can therefore write each note as a pair of values, the first representing the pitch, the latter the note duration.

Program 3 follows such a method and a tune has been typed into the DATA statements in the form of pitch and duration values. By changing the numbers in the DATA statements you can write in your own tunes and the tempo can be altered by changing the value in line 10.

Entering music via DATA statements is fine but for the more enterprising composer there is no substitute for having a keyboard at the fingertips. Once more this is no problem to the Electron and with a bit of thought we can simulate a keyboard instrument. When playing a musical keyboard, notes can be short or sustained, depending on how long or hard a key is pressed. However, with the Electron pressing a key doesn't have the same effect - a note can be played long after the finger has been removed because it plays for a fixed length of time. To ensure that the note is played only while a key is pressed we have to repeat a note very fast instantly to ensure that no gaps occur and that when the finger is removed the sound stops. Program 4 does this. To hear the effect type in the listing and run it.

The important parts to note are the setting of the key delays *FX11 and *FX12, and the conversion of a note to a number. By using the INSTR function we can use the normal qwerty keyboard to represent notes. This is done by assigning all the notes to be used to a single variable 'note\$' and then using GET\$ to search for the occurrence of the pressed key within the string 'note\$'. The key to this is the INSTR function and INSTR works by searching for a match of the string input to the one

Figure 2. Duration of the various notes						
Note N	ame	Duration		Crotchet	8	
A s	emiquaver	2		Dotted crotchet	12	
. D	otted semiquaver	3	0	Minim	16	
J c	luaver	4	0.	Dotted minim	24	
. D	otted quaver	6	0	Semibreve	32	

held in memory, in this case 'note\$'. If a match is found the position of the key pressed within note\$ is multiplied by four to give the numeric value for pitch (four being the starting point for the note C). For example if 'a' is pressed, the position within the string would be 1 and therefore C below middle C would be played. If the key pressed is 'f', the position returned would be 6 and 6*4 =24. If you look this up in figure 1 you'll see the note to be played is F below

30 NEXT


middle C. By these means we have reproduced a keyboard spanning two octaves, depending on whether the key is lower or upper case.

This is not, of course, all that you can achieve with the sound chip of your Electron or BBC. In a future article we will take the story further and consider the use of the ENVELOPE command. If you can't wait, though, Martin Phillips has something to say about the subject in his Hints & Tips column.

Program 1. Chromatic octave of Program 2. Tones and semitones to make the 12 semitones from middle C up a scale 10 FOR pitch = 10 INPUT"Enter number 52 TO (52+48) STEP 4 to begin ie C=52".scale 20 FOR note = scale TO 20 SOUND 1.-15, pitch, 5 (scale+48) STEP 4 30 READ gap\$ 40 IF gap\$="t" THEN note = note + 4 50 SOUND 1,-15, note.5 60 NEXT 70 DATA %.t.t.s.t.t.t.s 10 REM Set tempo 20 tempo=.75 30 REM Read each pair of pitch **Program 3. Pitch and duration** 40 REM and duration values values combine to give a tune 50 READ note.duration 60 REM If value = -1then finish 70 IF note=-1 THEN END 80 REM Play selected note and duration 90 SOUND1.-15. note. duration *tempo 100 SOUND1.0.note.2 110 GOT050 120 REM Pairs of pitch and duration 130 REM numbers 140 DATA 68.16.68,8,96,16,96,8,76,12 150 DATA 80.4.76.8.68.16 150 DATA 96.8.108.8.116.16.108.8.96.8 170 DATA 104,8.88,8.96.16 180 DATA 116.8,116,16,116,8,108,16 190 DATA 96,4,96,8,88,8,80,8,76,8 200 DATA 60,16,68,16,96,8,88,16 210 DATA 80,8,76,8,68,8,60,8,68,16 220 DATA -1,-1 10 ON ERROR GOTO 150 20 REM Chromatic order of keys over 30 REM 2 octaves. 40 note\$="awsedftgvhuikAWSEDFTGYHUJK" 50 REM Set keyboard repeat rates Program 4. Micro keyboard as 60 *FX11.1 musical keyboard 70 *FX12.2 80 n\$=INKEY\$(0) 90 IF n\$="" THEN GOTO 80 100 REM Conversion of note to number 110 pitch=INSTR(note\$,n\$)*4 120 SOUND &11,-15,pitch.2 These programs, around 130 GOTO 80 which Jeremy Vine has 140 REM Reset key repeat rates written his article, were 150 *FX11.50 150 *FX12.7 devised by Joe Telford 170 END

35

SOLIDISK SIDEWAYS RAM: 20,000 UNITS SOLD



"Exciting" (ACORN USER JAN 84), "Power to your Beeb" (PCN 61, MAY 84), "Break the RAM Barrier" (A&B) HAS YOUR BBC COMPUTER GOT ITS SIDEWAYS RAM BOARD YET?

Not surprisingly many BBC computers have got their sideways RAM boards. Solidisk Sideways RAM can be completely integrated into the BBC computer system: with 6502 and 280 second processors, Torch disk pack, teletext, Econet and Solidisk 8— sideways ROM expansion board.

Adding Sideways RAM to the BBC computer is simple. And it will multiply the machine's power. Here is how.

1- HOW DOES IT WORK?

Occupying the same place as sideways ROMs (such as BASIC, DFS etc) it is treated like other sideways ROMs and therefore can replace them.

Sideways RAM can run any language, and filing system, wordprocessors, databases etc.

2 - WHAT SORT OF SOFTWARE DOES IT RUN?

Better than sideways ROM, sideways RAM can be written into. This property makes it not only possible to run the same programs as their ROM counterparts but sideways RAM can be used as Virtual Memory, RAM disc, printer buffer, Basic program store, 65-C-02 assembler, zero RAM, take DFS etc, etc...

3 - WHAT OTHER SERVICES DO YOU GET WITH ALL SIDEWAYS RAMS?

Solidisk sideways RAM comes with lots and lots of free software (see list on opposite page). As a sideways RAM user, you will be able to get updated disks*, free local expert advice and free bi-monthly newsletters to keep you informed. Solidisk spend more than 1,000 man hours every month to produce free software for all sideways RAM users. More and more free software will be available every month.

4 - WHO USES SIDEWAYS RAM?

Solidisk sideways RAM is widely used in schools for ECONET, by programmers to develop new software, in small business systems for wordprocessing and database** and now at home, even for games. New applications are being found every day, such as moving screen memory to Sideways RAM (essential for increasing memory for VIEW and VIEWSHEET), Colour Imaging System, Teletext page logger and generator, computer typesetting etc.

Sideways RAM is such a versatile and flexible instrument that it will renew your interest continually.

5 - WHICH SIDEWAYS RAM DO YOU NEED?

Solidisk sideways RAM is available in multiples of 16k, each replacing a sideways ROM. Units are in 16k, 32k, 128k and 256k.

The first step is to evaluate your needs.

You can buy a small unit to start with, and exchange it later for a larger one. Extra costs involved with upgrading are minimal. The SWR16, 16k sideways RAM is adequate for most simple tasks (running common programs or for Econet slave stations), including fast disk copying with a single disk drive.


For wordprocessor: using VIEW or WORDWISE, a SWR32 will do. Large documents (20 page plus) will require something like SCRIBE and the 128k or 256k Solidisk**.

For database, unless very high speed is required, a SWR32 will suffice for most popular databases such as Beebase, Fileplus, Starbase, Datagem. Otherwise use the 128k or 256k Solidisk**. For the 6502 and the BITSTIK you will need the 256k Solidisk.


Remember — the more memory you instal inside the BBC computer, the more power you will get out of the machine.

All sideways RAM units come complete with 60+ page Sideways RAM User Manual, 1 utility diskette and 1 year warranty.

**Solidisk recommends SCRIBE and STARBASE because they exploit perfectly the inherent speed of RAM disc. Quite often, some users try to solve a software problem (such as increasing the size of Wordwise) by a hardware solution (buying the 128k Solidisk). The better way is to buy Merlin's Scribe (or wait until we offer you one for free) and then increase its speed with the Solidisk. The situation regarding databases is much simpler as Solidisk works well with most of them (from 6 times speed increase with Beebug's Masterfile to 2 times with Starbase).



UVIPAC EPROM ERASER



TEAC DISC DRIVES FD55 Series



Soli Disk with with disk Mits num insta

8 CAVC T-S

M

fo

(R

7 -Th

aut

COL

ST

The

8 -

A li of a Pot

The or DFS an in 2 - 0

STL I board straigh

> HOV You Acco Edu Nan Ado

> > Cre

Call

SO 17 5 SO ESS

6 - SENDING FOR FREE SOFTWARE:

Our free software is divided into volumes and is available in single density, either 40 or 80 track 5.25" diskettes. 40 track diskettes contain only 1 volume, 80 track diskettes contain 2 consecutive volumes, (1+2, 3+4, 5+6, etc.)

All sideways RAM is supplied with 1 diskette, containing either VOL, 1 (40 tracks) or VOL. 1+2 (80 tracks) as requested. Extra volumes are charged for media and postage cost.

The following volumes are available at the present time:

- VOL. 1: General Utilities: Menu, STLDISC, STLOEOO, STLRFS, Printer Buffer, STLRFS, Quicky, Fastbackup, Keyboard, Word64, help!.

- VOL. 2: English Spelling Checker: Silexicon and English dictionary (15000 words). VOL. 3: BASIC program generator: Macro Basic. Never Bad Mode again: Virtual Memory

- VOL. 4: Database: Solidisk Datafile.

- VOL. 5: Foreign Language Dictionary Generator: Silexigen, Silexicon source code for programmers.

- VOL. 6: French spelling checker (15,000 words).
- VOL. 7: German spelling checker (13,000 words).
- VOL. 8: Machine code tools: Solimon, the finest machine code monitor with Disassembler, debugger, single step etc. for both 6502 and 65-C-02 (for second processor. 65 C 02 assembler (for second processor), UVIPROM control software, SPRITES and SPRITE generator (providing 60 sprites per 16k sideways RAM).

- VOL. 9: to be released in October: Solidisk Toolkit, Rubber band, and Z80 drive C (RAM disc facilities for Acorn Z80 second processor).

VOL. 10 to 19: Source code for use with the Technical Manual.

7 - TECHNICAL MANUAL:

THE TECHNICAL MANUAL contains extensive program listings and notes by their authors. It also covers the MACRO language programming (part of Macro Basic), MOS conventions for sideways software. Solidisk conventions for sideways RAM software, STL DFS entry points, the 65C02 programming facilities and schematic diagram. The Technical Manual package consists of the Technical Manual and 3-80 track diskettes containing VOL. 10 to 15 and costs £10.00.

8 - LOCAL EXPERT HELP:

A list of local Solidisk experts is printed in the Sideways RAM User Manual. For the cost of a local call, they can certainly help you with installation or software advice. Potential experts are warmly invited to contact us.

SOLIDISK DUAL DENSITY **DISK FILING SYSTEM**

Solidisk Disk Filing System (STL DFS) is based on the Western Digital WD1770 Floppy Disk Controller for the BBC computer. Solidisk DFS features an AUXILIARY PORT with the possibility of having up to 8 disk drives (4 Double Sided), numbered from 0 to 7 with 2 simple connections. Thus it is possible to connect 4×TEAC 55F (or Mitshubishi's) with the same data cable, providing 2.8MB of storage for much less than having a fixed disk (and tape streamer or more floppy disks). The total cost of such a system (DDFS+4 Mitsubishi) is around £650 inclusive. Quite a few users especially schools with a large number of pupils, will find that it is a much better choice and technically speaking, installation is much simpler.

1 - SINGLE OR DOUBLE DENSITY?

The difference is in the number of sectors per track you can get. With single density, STL DFS allows 10 sectors per track (Acorn format), with double density, this number is 16, an increase of 60% at no extra media cost.

2 - CONTENTS:

STL DFS consists of only 4 ICs to be plugged into existing sockets on the BBC computer board. They are labelled: IC 78, IC 79, IC 80 and the DFS ROM. Installation is quite straightforward and should not take nore than a few minutes.

HOW TO ORDER?

Name:

Address:

You can order any item using the coupon. Post and packing is only charged once. Access and Barclay card holders can place their order by phone. Educational authorities, Acorn dealers and OEMs can obtain guantity discounts.

Credit Card Account:

Callers are requested to ring first for appointment.


Total:

SOLIDISK TECHNOLOGY LIMITED 17 SWEYNE AVE SOUTHEND-ON-SEA ESSEX SS2 6JO

SOLIDISK'S NEW TELPHONE NUMBER: SOUTHEND-ON-SEA (0702) 354674 (10 lines with automatic exchange)

£









Connect the control wires

PRICE LISTS AND ORDERING (including P&P and VA SIDEWAYS RAM:	
SWR16 SWR32 128K SOLIDISK 256K SOLIDISK	£59.95
The following are upgrade prices for existing Sideways Ram Users: 16 — 32 (return complete item) 16 — SOLIDISK (return item) 32 — SOLIDISK 256 (return item) 32 — SOLIDISK 256 (return item) 128 — 256 (return item)	£19.00 .£110.00 POA £95.00
DFS AND DISK DRIVES: SDDFS DDDFS Chip upgrade S – DFS DDFS – 1MHz bus version	£39.95 £49.95
MITSUBISHI 2×80 (incl leads+manual) MITSUBISHI TWIN (incl leads+manual)	£163.00
COMPLETE SYSTEMS: (i.e. DRIVES+DDDFS): MITSUBISHI 2×80 MITSUBISHI TWIN	£202.95 £353.00
DISKETTES (Datalife Verbatim boxes of 10) SS/DD 40 DS/DD 40 SS/DB 80 DS/DD 80	.£23.00 £24.00
CPU CASE	.£13.00 £23.99
EPROM PROGRAMMER (use with Swr or Solidisk) UVIPAC EPROM ERASER 2764 PACK OF 5 Special offer: Eprom Programmer + 5 2764s	£20.95 £20.95

Watford Electronics

Dept. ACORN, CARDIFF ROAD, WATFORD, HERTS. ENGLAND Tel: Watford (0923) 40588/37774 Telex: 8956095 WAELEC ACCESS ORDERS Tel: (0923) 50234



New Low Price Only: £326

Price includes a FREE Data Recorder PLUS five software programs worth £80.

(At Watford we give you a great deal for your money)

6502 2nd PROCESSOR	
Z80 2nd PROCESSOR	£262
TORCH Z80 DISC Pack	£695
TORCH Z80 2nd Processor	ONLY £295
BBC Micro with ECONET	£375
ECONET Upgrade Kit File Server Level 1	£55 £85
File Server Level 2	£215
Printer Server EPROM	£41
Clock Terminators (1 pair)	£95
10 Station Lead Set	£25
ECONET User Guide and Cable	£10

Dust Cover for

Protects your expensive N bodies while not in use.



One of the classic printers: 100 CPS, 9 x 9 dot matrix, dot graphics, condensed, double width, normal and italic. 10" carriage; bi-directional logic seek. Centronics parallel interface.

ONLY £229 (£7 carr.)

EPSON RX80 F/T PRINTER As above but with friction feed capability built in. This allows the use of plain paper sheets.

£245 (£7 carr.)

£149

PRINTER INTERFACE BUFFER

This neatly packaged, self-contained unit is supplied complete with all leads, operating manual and power supply. Computer output to the printer is stored in the buffer so that the computer is stored in the buffer so that the computer can continue with other tasks while the printer works from the stored contents in the buffer. 16K holds approximately 10 pages of A4, close to the full memory of Wordwise. The 48K model is very useful for extremely large documents that changing in the computer use documents that otherwise tie the computer up for hours while being printed. Price: 16K Price: 48K £115

r BBC Micro	Buffer with c
Micro from foreign £3.50	text copy swi underlining, b printing in tw
	of carbon par

Epson FX80 Printer

The most popular printer in the Epson range. Features include 160CPS, 11 x 9 matrix, proportional spacing, superscripts, subscripts, graphics, many character fonts, user definable character set, margins. Tractor and Friction feed built in as standard. 10" carriage width with bi-directional logic seek for maximum speed Centronics parallel interface standard.

ONLY £316 (£7 carr.)

the second state of the se		state of the state of the state of the
Туре	Ribbons	Dust Covers
MX80FT	£4.75	£4.50
MX100/FX100	£10.00	£5.25
FX80	£4.75	£4.95
RX80	£4.75	£4.50
GP80	£4.50	_
GP100	£4.95	£3.95
GP250	£5.95	£3.95-
GP700	£18.50	
KAGA KP810	£5.95	
CANON PW1080	£5.95	
and a second		

RX & FX PRINTER INTERFACES

Epson interfaces fit inside the printer to allow connection using techniques other than Centronics. RS232 £35 RS232 + 2K Buffer £59 **IEEE 488** 2K Parallel £65 £58

BROTHER HR-15

DAISY-WHEEL PRINTER

This is a high-quality daisy-wheel printer, for the price of a dot matrix. Daisy-wheel quality gives a professional look to your correspondence. Facilities include 18CPS, bi-directional print, 3K Buffer with clear facility, carriage skip movement, vitch, proportional spacing, bold, shadow, super and sub-script, wo colours. Impact control allows use aper. Connects directly to the BBC micro with centronics parallel interface. RS232 interface is an optional extra. Other options are a single sheet feeder that automatically feeds up to 150 single A4 sheets and a keyboard to transform the printer into a sophisticated electronic typewriter.

SPECIAL OFFER

ONLY £339 (carr. £7)

Single Sheet Feeder	£195
Electronics KEYBOARD	£135
TRACTOR FEED Attachment	£90
RIBBON CARTRIDGES:	
Fabric £3; Carbon £3; Multist	rike £6
DAISYWHEELS (various typefaces	s) £18

LISTING PAPER (Plain)

1,000 Sheets $9\frac{1}{2}$ " Fanfold Paper	£7
2,000 Sheets 9½" Fanfold Paper	£13
1.000 Sheets 15" Fanfold Paper	£9
Teleprinter Roll (Econo paper)	£4

PRINTER LABELS (On continuous fanfold backing sheet)

1,000	90 x 36m	m			£5.50
	90 x 49m				£7.75 £6.25
	rriage on		Paper or	Labels f	

NEW **DPW1120**

DAISY WHEEL PRINTER

At last a low cost, high quality daisy wheel printer that everyone can afford, yet there are no compromise in facilities available – 20 CPS, bi directional, logic seeking, print 10, 12 & 15 directional, logic seeking, print 10, 12 & 15 pitch, proportional spacing, QUME Protocols, QUME Ribbon, QUME Daisywheel 96 characters, maximum characters per line: 180 at 1/15" pitch, copy capacity: 4 copies Centronics Interface, Supports all Wordstar features, paper width 13" max., Optional extras: RS232-C Interface, tractor feed attachment, single sheet feeder

Amazing Introductory Offer: £219 (£7 carr.)



What do the press say:

"At £269 this is an unbeatable product for what it has to offer." – Educational Computing. 'Offers excellent value for money. Electronics & Computing.

This new Japanese printer has EPSON FX/RX compatible control codes and is functionally equivalent to an FX80 with the added advantage of its 'Near Letter Quality' mode. It is solidly built and features include: Normal, Italic, Enlarged, super/subscript, proportional spacing and user-defined character set. Extras over the FX80 included in the price are Near Letter Quality (NLQ) print ideal for correspondence,

(NLQ) print ideal for correspondence, properadjustible tractor feed, half speed quiet mode and 3K buffer. The printer is bi-directional and logic seeking to give a speed of 140CPS for high throughput in conjunction with the standard 3K buffer. 8K RAM may be added to give more user-defined character sets. Centronics parallel interface + Watford's 12 month NO QUIBBLE WARRANTY.

Special Offer: ONLY £235

RS232 interface + 2K buffer to connect to other micros

• I 16 £89 28

EP

sur EP

TE

SDE wo the

off

.

P

KAGA KP910 PRINTER

Very similar to the KP810 but with 17" carriage for really wide print. Gives 156 columns of normal print or 256 columns in condensed mode. This printer is ideal for printing out spreadsheets and can also be used for correspondence in NLQ mode

ONLY £349

PRINTER LEAD 36"

Centronics lead to connect BBC micro to EPSON, KAGA, SEIKOSHA, NEC, STAR, JUKI, BROTHER, SHINWA etc. printers.


STANDARD (3 foot long) EXTRA LONG (5 foot long)

for

£7

£10

EPROM PROGRAMMER



The Watford Electronics' EPROM programmer for the BBC micro is a high quality self contained package. Programs all popular EPROMs from 2K to 16K: 2716, 2516, 2532, 2564, 2764 and 27128. All manufacturers' specifications have been followed to program EPROMs at the correct speed – wrong timings could destroy your EPROMs. The unit has its own power supply so does not put heavy loads on the BBC power supply as do some other units. Connects directly to the 1MHz bus following all Acorn recommendations on addressing and bus loadings. loadings.

SOFTWARE PACKAGE

The software is supplied on an EPROM which plugs into the Micro and is instantly available with a single command (no time wasting as on Cassette/disc loading). It is a fully purpose designed and integrated package to simplify ROM development. The system is menu driven with many prompts to avoid any accidents.

Software facilities include:

Load File – Save File – Down Load EPROM – Program EPROM – Verify – Blank Check – Editing of memory contents prior to programming. Also included is an automatic system to allow

Also included is an automatic system to allow Basic programs to be put in EPROM and accessed through the *ROM filing system. More than one program may be put in an EPROM. All these facilities and more are explained in the comprehensive and clear 15 page manual.

ONLY £79 (£3 carr.)



TEX EPROM ERASERS


EPROMs need careful treatment if they are to survive their expected lifetime. Over erasure of EPROMs very rapidly turns them into ROMs! The TEX erasers operate following the manufacturers specifications to give the maximum possible working life by pre-present too fact. working life by not erasing too fast. We use these erasers for all our own erasing work.

• ERASER EB - Standard version erases up to 16 chips. £28

• ERASER GT - Deluxe version erases up to 28 chips. Has automatic safety cut-off to switch off the UV lamp when opened. $\textbf{\pounds30}$

• Spare UV tubes. £9

NEW DESIGN PLASTIC LIBRARY CASES



for Disc Storage 51" (holds 10) £2

DISC DRIVES (All Drives are NEW SLIM-LINE Type)

NEW LOW PRICES



(DRIVES Cased with Cables; connects directly to your BBC Micro)


- CLS 100 Single, TEC Single sided 40 track100K, $5\frac{1}{4}$ " Disc Drive£1 £112
- CLS200 Single Drive. Double sided 40 track 200K, 54" £129
- $\begin{array}{c} \textbf{CLS400} \mbox{ Single, Mitsubishi Double sided 80} \\ \mbox{track 400K, } 5\frac{1}{4}"\mbox{ Disc Drive} & \textbf{£16} \end{array}$ £165
- CLS400S Single, Mitsubishi Double sided 40/80 track Switchable, 400K, 5¹/₄" Disc Drive £199
- CLD200 TEC Single sided 40 track 200K, twin 5¼" Drives £225
- CLD800MitsubishiDoublesided80track800K, $5\frac{1}{4}$ "TWINDrives£: . £325
- CLD800S Mitsubishi Double sided 40/80 £349 . track switchable, 800K, Drives

P.S

You do not require a formatting disc nor the expensive 40/80 track switchable drives if you use Watford's sophisticated Disc Filing System which has all these facilities in the ROM.

(CUMANA) DRIVES CASED

WITH PSU & CABLES



- CS100 TEC Single sided 40 track 100K 5 Single Disc Drive £129
- CS200 TEC Single sided 80 track 200K 51 Single Disc Drive £175
- CS400 Mitsubishi Double sided 80 track £199 400K $5\frac{1}{4}$ " Single Drive
- CD200 TEC Single sided 40 track 200K 5 TWIN Disc Drives £265
- CD400 TEC Single sided 80 track 200K 514 TWIN Disc Drives £349
- CD800 Mitsubishi Double sided 80 track 800K 51" TWIN Drives £399
- CD800S Mitsubishi Double sided 40/80 track Switchable 800K TWIN Drives £425 £425
- SPARE DRIVE CABLES SINGLE F6. DUAL F8
- DFS Manual (comprehensive) £7.50 (No VAT)

DUST COVERS

£3.20

£3.85 £3.25

£3.90

£3.95

(For our Disc Drives) Single (without PSU) Twin (without PSU) Single (with PSU) Twin (with PSU) Twin (side by side)

5급" DISKETTES

Top quality 3M and XIDEX diskettes with a lifetime guarantee. These discs are quiet in operation and insert positively with their reinforced hub rings. Boxes of 10 supplied with disk labels and use the set of disk labels and write protect tabs.

	10 SCOTCH / 3M + labels S/S S/D	£15
•	10 SCOTCH / 3M + labels S/S D/D	£17
	10 SCOTCH / 3M + labels D/S D/D	£24
	10 XIDEX + labels S/S D/D	£15
	10 XIDEX + labels D/S D/D	£24

DISCALBUMS

Atractively finished in beige leather-look vinyl, these conveniently store up to 20 discs. Each disc can easily be seen through the clear view pockets.

£4 25



Strong plastic cases that afford real protection to your discs. The smoked top locks down. Dividers and adhesive title strips are supplied for efficient filing of discs

M35 holds upto 40 discs	£13
M85 holds up to 95 discs	£18

FLOPPY HEAD CLEANER KIT

The heads in a floppy disc drive are precision made and very sensitive to dirt. Drive matufacturers recommend that you clean the heads approximately once a week. Unless your home or office is dust free one of these kits is a very sensible precaution against losing valuable data. A dirty head can destroy many disks before you realise the trouble. Very simple to use.

Only £14


BBC Micro WORD-PROCESSING PACKAGE

A complete word-processing package (which can be heavily modified to your requirements, maintaining the large discount). We supply everything you need to get a BBC micro running as a word-processor. Please call in for a

EXAMPLE PACKAGE

BBC Model B, Watford Electronics' DFS upgrade, Twin 200k Teac drives in beige, Zenith 12" Hi-resolution monitor (Green or Amber), Brother Hi-resolution monitor (Green or Amber), brother HR15 daisywheel printer. Gemini software: BEEBCALC spreadsheet, analysis and DATABASE software on disc. 10 x 3M discs, 500 sheets fan-fold paper, 4way mains trailing socket, manuals, all leads and BBC carrying case.

ONLY £1,189 (£15 carr.)



0

84

MONITORS



We stock a range of monitors to suit all needs. Choice of a monitor is a matter of personal taste so we recommend that whenever possible, you ask for a demonstration at our shop.

MICROVITEC

- 1431 Medium resolution as used on the .
- BBC television computer programme £174 .
- 1451 High resolution, suitable for word processing in mode 0 £295
- 1441 Super High res, exceeds the capabilities of the BBC micro . £389

All Microvitec monitors are 14" RGB in their distinctive right angled case. They come with the connecting lead to the BBC and a mains plug.

KAGA

. Standard resolution with RGB and composite video inputs £195

 High resolution colour
 <u>£259</u>
Kaga monitors are 12" RGB colour with antiglare screen and user access to screen controls.

ZENITH

12" Ultra high resolution monochrome monitor. Ideal for word processing as its green or amber screen is very restful to read. The high resolution makes it good for games too - you can really see the detail that has been put into the graphics. ONLY £75

LEADS BNC for Zenith £3

RGB lead for KAGA £5 N.B. Carriage on Monitors £7 (securicor)

Versatile BEEB SPEECH SYNTHESISER Unit



SIMPLY the best! – An unlimited speech synthesis system. Complete with easy-to-follow manual. Controlling software is in ROM so no Cassette Loading

problems! PHONEMES for word synthesis – That means

- PHONEMES for word synthesis That means unlimited vocabulary! No extra speech dictionary chips to buy!
 BUILT-in Library of approximately 500 words to get you started.
 ENGLISH accent Utilises inflexion techniques to produce highly comprehensible speech.
 EASY to use system Just plug the software ROM into a socket, the Speech unit into the User Port, and away you go! No specialised 'dealer upgrade' required!
- specialised 'dealer upgrade' required! COMPACT unit The whole system is built into a small case - easily tucked behind the computer. Auxillary output socket provided for direct connection to an external amplifier. HOURS of fun! – Suitable for any application – Games, Educational Programs, Specialised

Packages.

We know this all seems to good to be true but DON'T BE LEFT SPEECHLESS! Order your Versatile Speech Unit now!

Only £44

Best cost less at WATFORD

WATFORD'S LAUNCH OF THE YEAR APEX

The ultimate expansion system for the BBC microcomputer. It enables you to increase memory capacity to 2+ MEGABYTES including BATTERY BACKED-UP RAM

The system consists of a mother board which fits inside the BBC and further daughter cards can be connected externally. The internal card has the following features:

• 15 ROM/RAM sockets, 11 of which can be configured as 2716, 2732, 2764, 27128 EPROMS or ROM equivalent devices or as 6264 RAMs. Any RAM is Automatically battery backed-up and it's contents preserved when the power is turned off.

The battery is recharged every time the machine is turned on and lasts several months, depending on the number of RAMs fitted.

 There is very little extra current drain. even with a fully loaded board as only the presently active ROM is powered up. In fact the fully populated board uses only 300mA.

The board reduces micro bus loading by up to three ROM loads, which improves reliability and performance.

Installation is extremely simple. There is no soldering required. The board is rigidly held by two 40 pin sockets and five support posts. A ribbon cable can be brought outside the computer and up to 8 external cards added. This enables the user to plug-in up to 142 paged ROMs. The cards have following features:

• Each card can accommodate up to 16 devices each of which can be configured as 2716, 2732, 2764, 27128 ROMs or 6264 8K RAMs.

 Battery backup is provided from the internal card.

Only the active ROM is powered up permitting many external ROMs to be added with very little current loading (100mA per card).

The system comes with controlling software in ROM. The utilities supplied are as follows:

* APEX - replies with the device number currently being accessed.

★ APEX C - toggles between the colour and standard black and white messages.

AL - loads from any device, regardless of the data type.

★ AS - saves memory to any specified RAM device.

★ AD - prints a directory of the devices present in the system, i.e. ROMs present and files stored. This also reports on the amount of free storage space.

★ AF - asks for the free RAM devices.

★ LA - repeats the last command to paged ROMs.

Continued

★ AT - enters a memory testing routine. This will write a test pattern into the memory and read it back out again. If a fault is found, it is reported to the user. This test continues until Escape is pressed.

 RDISC – activates APEX as a filing system which then treats all free APEX RAM in the system as a continuous 'RAM-DISC'. All commands have similar

format to the DFS and transfer is possible between the two systems.

The complete computer system bus is available to the user, so that other cards/devices could be added such as EPROM programmers, second processors, Winchester disc drives, clocks, etc. By racking the cards you eliminate the tangled mass of cables that usually accumulates around the micro.

A comprehensive operating manual is supplied with every APEX Board. Please write in for further details and prices.



by Q Watford Electronics

Highly acclaimed at The ACORN and BBC MICRO USER Shows. What do the independent

press sav?

Good value for money - Beebug Aug. '83 A very worthwhile package - The Micro User

You'll be buying a very powerful package Personal Computer News

Superior DFS: Excellent disc sector editor -Computer Answers

Without a doubt, the most sophisticated DFS Software yet written for BBC Micro Computer. This powerful new DFS is fully compatible with ACORN DFS yet has much increased power due to additions, carefully designed to make life easier in normal use. It consists of over 14K of efficiently written machine code. It is entirely self contained and so does not require a utilities disc to function

Please write in for full technical specification.

PRICES: DFS (Disc Filing System) ROM

£29

Complete Disc Interface Kit including DFS ROM & Fitting instructions £99

Disc Filing System Manual. Comprehensive and clearly written £7.50 (no VAT)

P.S. We will exchange your existing ACORN DFS or PACE (AMCOM) DFS for Watford's highly sophisticated 16K DFS ROM for £2 £25

Watford's DFS is exclusively available from Watford Electronics. We do NOT retail through any dealers. Every ROM carries a label with our LOGO and a serial number.

Now available:	
Acorn DFS Kit	 £99

EPROMs & CMOS RAMs NEW LOW PRICES

2764-250nS (8K ROM)	£5.25
27128-250nS (16K ROM)	£19
6116-150nS (2K RAM Low Power)	£5.25
6264-150nS (8K RAM Low Power)	£28

BEEB PRINTER ROM



This utility ROM is designed to simplify using all the facilities of your printer. It has many facilities

Selection of printer modes such as underline, * Selection of printer modes such as underline font and size is by 'Single Key' operations. * From Wordwise, a single number following OC will select a mode rather than a long and incomprehensible string of control codes. This makes using your printer with Wordwise much more comparison.

more convenient When using Basic (or other languages) you

When using Basic (or other languages) you can have control over the formatting of the output to the printer in the style of a wordprocessor. You can define page top, bottom and side margins etc. with intelligent page skip for binders an option. All supported printers will now respond to form-feed etc. commands.
 User defined characters are printed as you see them on the screen so that non-standard characters are not be ended.

characters are automatically printed out correctly * Commands select the options for the

 Commands select the options for the following printers:
 GP100, STAR, NEC, MX/FX, KAGA, LP//II/DMP100, DMP200.
 Operates with either parallel or serial interfaces.
 Supplied with a 50 page manual that is very comprehensive and easy to follow. Please specify printer type when ordering so that we can send the correct function key strip. the correct function key strip

Price: £24

DUMPOUT 3

A highly sophisticated screen dump ROM. This A highly sophisticated screen dump ROM. This has to be the most flexible and powerful screen dump ROM yet produced for the BBC micro. It will put on paper anything you see on the screen, including all Mode 7 facilities etc. We have to admit that there is one facility that we cannot replicate – if anyone can supply flashing ink we would like to know!

The ROM also provides window setting facilities and two new OSWORD calls that allow mode 7 graphics pixels to be read and plotted using the standard graphic co-ordinate system. Two commands are used to operate the dump

routines: *GIMAGE – This provides a full graphics dump of any Mode (including Mode 8). There are various optional parameters but you need only specify the parameters you wish to change. V < scale>, - These 2 byte numersgive fine control over the size of the dump fromminute to enormous. Unlike other dump ROMsthe scale does not change with mode

the scale does not change with mode. • R <0-3> – Print dump rotated by 0.90, 180, 270 degrees.

 I <indent> – Set gap from left edge of paper.
 X <min>,<max>, Y <min>,<max> – The whole of the screen graphics window area is dumped except when these parameters are given.

 P – Physical colour values are used for plotting, otherwise a negative scale is used white darkest).

9

T)

5

5

5

B

Two tone dump for maximum resolution.

 M <mask> - 8 bit colour mask.
 E - Contrast expansion to make mode 7 text and separated graphics stand out from the background.

- All mode 7 graphics are printed as . contiguous to improve the shading in graphic

*TIMAGE < indent > - Does a fast, text only, dump of the contents of the text window in any

*GWINDOW and *TWINDOW - These commands draw the graphics and text windows, respectively, on the screen and allow them to be

respectively, on the screen and allow them to be changed with the cursor keys. N.B. GIMAGE and GWINDOW work fully in mode 7. Designed for use with the following printers: CP80, GP80, GP100, GP250, STAR, KAGA/TAXAN, NEC, SHINWA, GEMINI, EPSON MX/RX/FX LPVII, DMP 100/120/200/400, CANON CANON

Price including comprehensive manual £22



many other 1200/75 baud databases for about the cost of a good tape recorder. Prestel gives you access to an incomparable Prestel gives you access to an incomparable database covering almost every subject under the sun. There is Micronet with lots of free programs that you can download and run. Details of clubs and user groups, a diary of meetings and exhibitions, news and reviews, technical information etc. There is Homelink with online banking. And there is armchair shopping, travel information, entertainment, world news, sports news, weather information, electronic mail and lots more. lots more.

lots more. The basic Prestel subscription is only £5 per quarter and at off peak times there is no charge for access time. A local phone call facility means no long distance phone calls to Prestel (approx. phone cost is only 40p per hour). The Watford Prestel package consists of the B.T. approved Watford MODEM 84 (1200/75 baud full duplex 1200 baud half duplex direct connect) and a very sonhisticated Prestel

connect) and a very sophisticated Prestel Terminal ROM.

This totally machine code software: • is fully compatible with not only the Modem 84 but also with the PRISM 1000 and most other modems that require a data link via an RS423/RS232 port making it a worthwhile supports full Prestel colour alpha and graphic

characters including double height, flashing, conceal/reveal.

conceal/reveal.
 called by simple *PRESTEL (*P.) command.
 Disc and tape configurations fully supported.
 includes a comprehensive telesoftware downloader for BBC and other programs with continuous on screen status report (an essential facility)

facility) has very powerful OFF LINE MAILBOX editor

allowing colour flashing graphic mailboxes to be prepared without having to be on line to Prestel auto logon sequence can be burnt into ROM if desired

 a vital 'TAG' facility allows tagging and recall of interesting pages, avoids that common and annoying 'NOW WHERE WAS THAT PAGE' problem

 includes simple page and program loading and saving functions for both disc and tape, automatically assigning frame and program directories.

 not one but TWO PRINTER DUMP
 ROUTINES are provided within the software allowing either full graphics dump (mode 7 to EPSON compatible printers) or ASCII characters only

 a user function built into the software allows interface with specialist routines, (yours as well as ours)

EPSON DUMP ROM

This screen dump ROM is specifically designed for use with the Epson RX/FX printers and the Kaga KP810. It is extremely simple to use as there is only one command to remember. It will accurately dump any screen mode using multiple tones as required. Mode 7 is fully supported giving teletext graphics, double height etc. For those who like to keep life simple this EPROM is only 520 only £20

FORTH ROM for BBC

This ROM provides a complete implementation of the FIG-FORTH standard (including editor). Supplied with a large tutorial manual at only £33

TINY PASCAL for BBC Micro £59

 All the above facilities are accessed via function keys. An overlay is provided to give comprehensive guidance to key functions. A 34 page comprehensive instruction/operating manual is supplied.

WATFORD'S 1200 BAUD FULLY AUTOMATIC USER **TO USER SOFTWARE** ng purchased the WATFORD PRESTEI

TERMINAL which includes the 1200/75 baud MODEM 84 the addition of the WATFORD user to user ROM based software enables you to discover a whole new world of data communication.

This software enables you to use the MODEM

84 very powerfully.
85 Send and receive error checked programs and files (even WORDWISE files) to and from other users at 1200 baud.
8 k file transfer in under 2.5 minutes (approx four times forter there with 200 here).

The transfer in under 2.5 minutes (approx four times faster than with 300 baud modems).
 The transfer of data is totally AUTOMATIC which means that the modem is automatically switched between transmit and receive under

 A chat mode is provided which also has this automatic switching for receive and transmit. (This mode is essential just before and after data transfer when both hand sets are replaced to

reduce noise)

 A copy facility is provided which allows transmission of all screen output.
 A continuous on screen modem status report is included.

 The software is totally function key driven enabling easy transmission, reception, saving and loading of programs and files (Basic, Machine code or Data)

A help menu is available from within the

Full instructions are supplied.

PRICES

PRESTEL SOFTWARE ROM ONLY (incl. Comprehensive Manual £20 PRESTEL PACKAGE comprising: WATFORD MODEM 84, SOFTWARE ROM and Comprehensive Manuals £82 (carr. £2)

USER TO USER SOFTWARE ROM £14

VIEW

VIEW WORDPROCESSOR

We are supplying the new VIEW version 2.1 allowing printing of memory contents etc. £49

FX80 PRINTER DRIVER Watford's own TWO Sophisticated **PRINTER DRIVER for VIEW**

To simplify using the full facilities of the Epson FX80 or Kaga KP810 use this printer driver. Full facilities are provided for selecting between fonts etc. The disc includes examples of use and instructions. Available on 40 or 80 track disc (please state which required) £6

WATFORD ELECTRONICS **VIEW PRINTER DRIVER** FOR SILVER REED


We are pleased to introduce a new range of printer drivers to complement the Silver Reed ange of printers and typewriters and the View wordprocessor. These drivers have been officially approved by Silver Reed, for use with their printers and typewriters.

The View driver allows access to all of the features supported by the range of daisy wheel printers (EXP 700/400/500/550). These include underlining, bold, shadow, superscript, and underlining, bold, shadow, superscript, and subscript printing. Additionally, you can use proportional spacing on the EXP 700. Owners of one of the typewriters in the range EXP 55/44/43, using it as a printer, can also access underlining with these drivers. The features of each printer/typewriter are accessible from the two highlight codes, which can be redefined a tany point within the text

can be redefined at any point within the text. The printer drivers also extend the facilities in View to allow the use of pad characters. The printer driver on disk with a user manual is at a special introductory price of **£7.50**. Please specify printer type when ordering.



TWO DATABASE MANAGEMENT SYSTEMS



Discdata is an entirely disc based database andling system. It is extremely easy to use through its comprehensive menu system. The simplicity is such that we do not feel the need to provide explanation on use in the written guidance supplied with the program. The first-time database user will rapidly become familiar with this package designed throughout

to be simple and obvious. Despite the ease of use this system provides all the facilities needed for complex data handling problems. The length of database that can be problems. The length of database that can be handled is only limited by the total space on the disc. You can have up to 20 fields with page length records up to 254 bytes in length. Adding and deleting records, amend titles, field names and records. Sort on any field and search for any record or group of records in any field. The database may be re-formatted after creation, the system will rewrite all your files for your. system will re-write all your files for you automatically. You may add extra fields and extend the length of existing fields freely. Output formatting is very powerful. You are allowed 40, 80 or 132 column output modes going to printer or screen. Selected fields can be put in any order on the screen or printer, either across the paper or down. Output can start or stop anywhere in the file. Decimal fields are automatically totalled and records output are counted. Version 2, now on sale has improved counted. Version 2, now on sale has improved input and amendments procedures giving full record edit as well as the 3 extra features... String searching, Calculations on numeric fields, and the ability to create sub files from your main files

On disc at

(Please specify 40 or 80 track when ordering)

Only £17

FILE-PLUS

The File-Plus package is even more powerful and flexible than Disc-Data. It is also largely menu driven but has its own command language for file searching. The 16K ROM contains all the normally required routines, with lesser used options supplied on the utilities disc. All input and output formatting is controlled through screen forms. A full screen editing system is used to define a form which allows tremendous flexibility in the format in which your data is displayed. It is very easy to change from form to form so that you can type in your data with one form and examine it with others. Your will form, and examine it with others. You will typically design several forms before starting to access the database so that you can quickly and easily see the fields of each record that you want to appear in the layout you decide on. The form system is also used for output to your printer. File Plus has a unique file linking system that allows the entire on-line storage of your system to be used for one database. This can give


around 1.5 Megabyte database. Just give a around 1.5 Megabyte databases using dual drives and double density. The built in FQL (File-Plus Query Language) can be used for searching the database. Presented in the form of a powerful command language with looping facilities etc. this allows the most flexible access the user data powerful command language. Many keywords are supported by the language: assign, compare, display, end, goto, iff, ift, print, read, search, spool and update. Supplied with a very detailed 70 page manual to

explain all the facilities with many examples

Only £43

(Please specify 40 or 80 tracks for the utilities disc)

BUFFER & BACKUP ROM



For those with sideways BAM fitted in their machines this utility ROM will make full use of this facility. By using the sideways RAM area for extra memory the following features are implemented:

*

4K or 16K buffer for parallel printer. Dumps selection of Disc files to Tape. Makes backup copies of tapes on to tape and disc

Displays contents of paged ROMs on screen. Menu display of ROM filing system contents Shift-Break. * + on

Comprehensive manual.

Only £22

DATAGEM

Gemini's 24K ROM based **DATABASE** Management System Special Introductory Offer: £99



PEN PAL-VERSATILE LIGHT PEN SOFTWARE

Do you have a light pen that never gets used? Then this piece of software is for you. This package offers many useful facilities that make the light pen a useful device to own. Facilities included are: • Pixel, Line and Character definition

Free hand drawing .

All Colours .

Fill, Refill and stripes

 User defined "Brush strokes" plus character definer

Grid, Scale and perspective aids 2 to 200 points palletable in one design with Circles and

rubber banding" Move design/character to any screen position Save and Load screens, User defined characters and line drawings for video titles, own

programmes etc.

This program has many uses in education and at home. It is supplied with a comprehensive instruction manual.

Works with Watford, RH, Acorn User, DIY and many other Light Pens. Prices

TAPE DISC (40 or 80)


DISC EXECUTOR

Disc Executor is a sophisticated disc utility for the transfer of your cassette programs to disc. If you have difficulties transferring your cassette software to your disc system then this is the answer. It handles 'locked' files and full length adventures (up to &&e blocks) and programs that load below &EOO. It is very simple to operate with instructions supplied. It saves you time and money.

Price £10

£10 £11

(Please specify 40 or 80 track discs)



This ROM is unique in its capabilities. It allows you, the user, full control over the BBC Micro's sideways ROM paging system with simple to use commands. This ROM is essential for those with several ROMs. At a simple level ROM MANAGER can be used to remove the problem of clashing command names and allow full use of clashing command names and allow full use of all the facilities of your ROMs. This is coupled with facilities to completely enable or disable various ROMs in the machine including ROM

manager itself. ROM MANAGER can also be used to develop

ROM MANAGER can also be used to develop sideways ROMs using the machine's standard memory. This is achieved by sending sideways ROM calls to your code in RAM, saving the expense of fitting sideways RAM for ROM development purposes. ROM status reports are also given by the ROM, including ROM lengths, checksums, entry points supported and current filing system title. The ROM also provides facilities to examine ROMs, list function keys for editing, modify RAM (using a HEX/ASCII editor) and list ROM titles neatly and concisely.

neatly and concisely

The commands given in the ROM: • CHECKSUM – Generates a CRC for a specified ROM (useful for testing suspected faulty ROMs). *DIRECT – Passes a command directly to a

named ROM (overcomes command name clashes

*EXAMINE - Allows examination of a named ROM

*EXPLAIN - Gives detailed explanation of the first 22 *FX codes. *FILE – Passes a command directly to the

FILE – Passes a command directly to the current filing system (which normally receives commands after all the ROMs).
*FUNCTION – Lists the contents of the function keys in a form suitable for editing.
*INCLUDE – Allows the main memory to be used for ROM development.

*MODIFY - Memory editing in HEX/ASCII

*NAMES – Lists the names and socket numbers of all resident ROMs.
 *RAM – Sends command directly to the RAM based ROM routine.

*REMOVE – Removes RAM based ROM option. *SPECIFY – Selects the default ROM. *DEFAULT – Sends commands directly to the default ROM without having to give its name. *STOP and *START – Disable and enable any second provide the second seco

named ROM to completely eliminate command clashes.

*STATUS - Information about all the ROMs fitted in the machine including socket number

Inted in the machine including socket number, name, length, whether it is enabled, whether it has service or language entries etc. ***VALUES** – Gives ROM MANAGER status information, such as its socket number, how many ROMs have higher priority, number of default ROM and the identity of the current filing system

*VECTOR – Same as *DIRECT, just in case *DIRECT clashes with another ROM. All selection between particular ROMs is by the name of the ROM and this may be abbreviated for convenience. ROM numbers can also be used if required. This ROM is very simple and obvious to use. All the facilities are explained in the clear to use. All the facilities are explained in the clear and detailed manual.

Price £22

Di O pr A th pr an


in dis co alt an se lat alr Th sur

me

ADE

Complete program development package in a 16K ROM. Full assembling and debugging facilities provided.

SPECIAL OFFER ONLY £43



Watford's own Machine code Monitor ROM written by Andrew Bray (Cambridge), co-author of the BBC Micro Advance User Guide.

The most powerful and versatile machine code monitor ROM yet written for BBC Micro. It has all the normal memory editing, moving and relocating facilities, plus all editing is with a full screen editor allowing scrolling up and down memory, entering in Hex, ASCII or standard assembler mnemonics.

In use as a debugging tool, you run code under a total emulation system. Everfelt a desperate urge to set a break point in ROM? No problem you can even have breakpoint on reading or writing locations in memory and on register contents. The system fully supports debugging of sideways ROMs e.g. BASIC can fully and easily be run from within Beebmon and from there DFS and other sideways ROMs can be used to total conduction exects.

there DFS and other sideways ROMs can be used in total emulation mode. Beebmon can even run itself. In so doing you can nest Beebmon up to a level limited only by the memory size. Beebmon uses 256 bytes of workspace, located anywhere in memory, even on the 1MHz Bus. Beebmon effectively uses no zero page workspace, so your program (e.g. BASIC) can use any or all of the base page. How does it achieve this? By providing a 6502 interpreter all programs running under it exist in a vertual BBC, so special memory locations like the ROM latch are not actually accessed by your programs, instead they alter a location in Beebmon's workspace. Emulation also allows immediate return to Beebmon command level by ctrl-escape no matter what code is level by ctrl-escape no matter what code is being excuted at the time. All this exceptional power and flexibility is complemented by a clear and detailed manual included in a value for money price of:

£22



rs

g

Discover the hidden secrets of BASIC and the OPERATING SYSTEM with this easy to use programmers tool. A ROM based machine code Disassembler for

the BBC micro. It enables machine code programs to be listed in BASIC/DUMP format and thus is the perfect complement to the built in assembler. It allows Sideways ROMs, files on disk or tape to be listed, and also has a comprehensive editor, allowing mnemonics to be altered directly, as well as HEX, DECIMAL, ASCII and BINARY memory editing. There is also a full set of labelling facilities available (up to 3,200 labels), with the major locations and routines already labelled. Thus DIS-ASM enables any monitor program, such as BEEBMON to be used to much greater

effect as it is not necessary to disassemble memory each time the display is altered.

ONLY £18



COMPUTER CONCEPT'S	ROMS
CARETAKER Basic Utility	£28
Graphics ROM	£28
Disc Doctor ROM	£28
Sector and the sector of the s	



Without doubt a very sophisticated piece of software for the BBC Micro. It has all the features of a professional word processor yet is easy to use

SPECIAL OFFER THIS MONTH: £32

BEEBFONT ROM

BEEBFONT is a remarkable and different concept in BBC software supplied on a 16K ROM. It allows you to display text on the screen in any of the following styles:

ABCDC16HIJELMAOP abcdefghijklmnop авсде 166ЈТКІНДОІ

ABCDEFGHIJKLMNOP abcdefghijklmnop ABCDEFGHIJKLMN

ABCDEFGHIJKLMNOP abcdefghijklmnop ABCDEFGHIJKLMNOP

ABCDEFGHIJKLNNOP abcdefghijklmnop ABCDEFGHIJKLMNOP

ABCDEFGNIJKLMNOP

It works in modes 0, 1, 2 and 4 using the full It works in modes 0, 1, 2 and 4 using the full colour capabilities of each mode. Characters are printed in the same way as normal. Selection between the various fonts is very easily achieved with Ctrl-V – press this followed by a font number and the output will continue in the new font. Beebfont ROM is particularly useful in display work with the characters produced at twice the operate is a

display work with the characters produced at twice the normal size. You can create your own character fonts with the editor supplied. You can also print-out pre-formatted text files using the special characters with Epson FX, RX and NEC printers. The full range of character styles can be used, controlled from within the text. The editor and spooler program are supplied with the package, on cassette or disc. The spooler allows word processor (Wordwise & View) output to be printed in the new characters. printed in the new characters.

A twenty page manual is supplied. Please state printer type and media for the editor & spooler when ordering (cassette, 40 or 80 track disc).

ONLY £39



Now Watford Electronics brings you the latest state-of-the-art memory expansion board for your BBC microcomputer. This compact board which fits inside the computer does not just give you 16K or even 20K of extra RAM, but a massive 32K!!!

There are many useful facilities available with this board

• The top 20K of the expansion RAM can be used as the screen display memory, leaving all the standard BBC RAM free for programs or data storage. This allows good graphics and long programs to be combined. For instance you could have MODE 0/1/2 GRAPHICS AND 28K OF PROGRAM SPACE. The extra memory can be used by virtually any language or utility such as BASIC, VIEW, WORDWISE, etc.

• The full 32K or the bottom 12K of the expansion RAM can be used as a buffer for the printer, sound channels, RS423. keyboard or speech synthesiser. This allows very long text files to be printed while you are using 27K of program and 20K of graphics

 This board is the ideal complement to any word processing system. There is no need to wait for slow printers as you can type in long text in 80 column display mode while printing is going on – TWO JOBS DONE SIMULTANEOUSLY!!! (an equivalent printer buffer would cost you £115+).

• The board is compatible with a vast range of software and hardware available for the BBC microcomputer, including our ROM expansion board and double density

• The board is extremely easy to fit. It is supplied complete with a comprehensive manual and ROM based software with full *HELP messages

SPECIAL INTRODUCTORY OFFER Only: £69 (carr. £1)

GRAPH PAD

With this popular British Micro's Graph-pad, you can add new dimension to your computer enjoyment. It helps you to create your own application programs by the simple use of the Graphpad. Ideal for Educational use. Supplied complete with Cables, Manual and a two program cassette.

Price: £115

SURGE PROTECTOR Plug

Fitted in place of your normal mains plug, this device protects your equipment against mains surges. Nearby lightning strikes, thermostats switching and many other sources put high voltage transient spikes on to the mains. This can lead to data corruption in memory and on disc and can result in spuriously crashing. disc and can result in spuriously crashing machines. Suitable for computers, Hi-Fi, Fridge Freezers etc. Max. Surge current 2KAmp; max. Voltage 250. Essential for serious computer users

Protection for only £8.50

WATFORD ELECTRONICS Continued -

DOUBLE DENSITY DISC INTERFACE

We are proud to announce the launch of the We are proud to announce the launch of the Watford Electronics Double Density Board for the BBC micro. The DDFS supplied is a new version of the popular Watford Electronics DFS re-written to make full use of the capabilities of the new double density controller.

the new double density controller.
Storage is increased by the maximum physically possible, 80%.
Our system will use the whole of an 80 track drive. Inferior systems do not allow files longer than &3FFFF bytes, but with our system files can be as long as one disc side.
Discs may be created in either single or double density format with the built in formatter and in single density mode are fully commatible.

and in single density mode are fully compatible with normal Acorn format discs.

 The density of the disc you put in is automatically sensed by the system and you are informed of the density in the catalogue display.
 The double density system is of course faster than single density.

than single density. Worried about compatibility with single density discs? Don't. The Watford Electronics DDFS implements an extremely comprehensive 8271 emulator so that commands passed through OSWORD &7F are correctly interpreted. Other manufacturers thought that read and write sector alone were sufficient - we decided to implement every command of the 8271 that was physically possible. We have allowed the use of all the special registers including bad tracks, allowed special registers including bad tracks, anowed access to deleted data etc., etc. The emulator itself takes up around 1K of compactly written machine code. We reckon it will run the vast majority of protected discs now available. Gain all the advantages of the WE DFS together with much increased attence and compatibility. with much increased storage and compatibility with existing protected discs. The price is the same as for the standard single density system that we continue to sell so you can choose between the two options without financial worries



At Watford we haven't forgotten those of you with small budgets, so we've produced a ROM board which takes only one ROM! But don't stop reading - this ROM can be changed in under five seconds without taking the case apart. The SIDEWAYS ZIF eliminates the possibility of damage to your ROMs as zero insertion or extraction force is required when changing

ROMS Included in the SIDEWAYS ZIF package is a specially designed see through storage container for your ROMs which protects them from mechanical and static damage when not in use. Consider the features:

Consider the reatures:
Very simple to install, no soldering or modifications to the BBC Micro are required.
Uses a professional ZERO INSERTION FORCE SOCKET (ZIF) so no force is required changing a ROM.

 No further expense, ROMs are used as supplied without expensive specialised cartridges. The storage box included stores up to 12 ROMs in perfect safety.

 Fits neatly into the existing cartridge slot on the lefthand side of the BBC Micro keyboard. The low profile design of the socket gives unrestricted access to the keyboard, unlike other cartridge systems.

 Allows easy installation and changing of BIC Micro. Once locked in position in the ZIF socket the ROM behaves as a normal sideways ROM.


No more problems of running out of socket space, simply unplug the ROM and plug a different one in!

A REAL MUST FOR PROFESSIONALS AND HOBBYISTS ALIKE **ONLY £16**

BOOKS (No VAT on Books	;)
30 Hour BASIC (BBC Micro) 35 Education Programs for BBC 36 Challenging Games for BBC 40 Educational Programs for BBC 100 Programs for BBC Micro Cassette version of above 6502 Application Book 6502 Assembly Language Program 6502 Assembly Language	£6.95 £5.95 £5.95 £6.95 10.00 11.95 13.95
Subroutines	£5.95 10.50 £4.50
for BBC Advanced User Guide for	£7.95
BBC Micro	11.95
Advanced 6502 Interfacing £ Advanced 6502 Programming £ Assembly Language Programming on	10.95
BBC Micro	£7.95
Advanced Programming Techniques for the BBC Micro BBC Basic Assembly Lang. Prog. on BBC	£7.95 £7.95 £7.40
BBC BASIC BBC Basic for Beginners	£5.95 £6.95
BBC DIY Robotics & Sensors	
BBC Forth BBC Lisp	£7.50 £7.50
BBC Micro An Expert Guide BBC Micro Book BASIC Sound &	£6.95
Graphics	£7.95
BBC Micro Graphics and Sound BBC Micro Programs in Basic	£6.95
BBC Micro ROM PAGING System	10.00
Explained BBC Micro Revealed	£2.00
BBC Micro Assembly Lang. Prog	£7.95
BBC Micro Disc Companion	£7.95
BBC Micro in Education Basic Programming on BBC Micro	£6.50 £5.95
Best of PCW Software (BBC)	£5.95
CP/M Users Guide f Creating Adventure Programs on	13.95
BBC Micros	£6.95
Creative Graphics Cassette (Acornsoft Has 36 graphics programs	
Creative graphics on BBC Micro	£7.50
Complete Programmer for BBC DISC FILING SYSTEM (DFS)	
Operating Manual for BBC Discover BBC Machine Code	£6.95
Discover FORTH f	13.95
DIY Robotics & Sensors with BBC Further Prog. for BBC Micro	£6.95
FORTH Programmingf	14.40
Functional Forth for the BBC Micro Games on your BBC Micro	£5.95
Games BBC Computer Can Play	£6.95
Graphs & Charts on BBC Micro Graphic Art for BBC Computer	£7.50
Graphs and Charts (Cassette)	£7.50
Graphics on BBC Micro Hobbit (Book and Cassette)	£6.95
Introducing the BBC Micro Introduction to FORTH	£5.95
Introduction to FORTH Intro to Micro Beginners Book	£9.30
(3 Ed.)	£9.90
Let your BBC teach u to program LISP	£6.45
Logo Programming	£8.95
Mastering VISICALC	E12.45
Micros in the Classroom	£4.90
Programming the 6502 f Programming & Interfacing 6502 f	E11.95
Programming the BBC Micro	£6.95
PASCAL Programming for Education on BBC	£9.25 £5.95
Structured Prog. with BBC BASIC	£6.50
The Complete FORTH The BBC Micro Book, BASIC, SOUNI	£6.95
& GRAPHICS Using Floppy Discs with BBC Micro	£7.40
Using Floppy Discs with BBC Micro Using BBC Basic	£5.95 £6.95
Using 6502 Ass. Language f	

Wordstar & CP/M made easy £6.95

PLINTHS FOR BBC MICRO AND PRINTERS



Protect your computer from the weight and heat of your monitor. BBC micro plinths have slots for maximum ventilation. Single height version is suitable for BBC and monitor. Double height version allows the disc drives to be used in the centre section or stationary, etc. The computer slides easily in to place, allowing easy access to remove the lid.

remove the lid. The printer plinth is equally sturdy but without the cooling slots. This allows the paper to be stacked under the plinth with the printer on top – a very convenient way to work as it does not require the usual very deep table.

SINGLE BBC PLINTH	£11 (carr. £1.50)
DOUBLE BBC PLINTH	£20 (carr. £2.00)
PRINTER PLINTH	10 (carr. £1.50)

4 WAY MAINS DISTRIBUTION SOCKET



4 way top quality mains trailing sockets Supplied wired up with mains plug ready for use. Can be screwed to floor or wall if required. Very useful for tidying up all the mains leads from your peripherals. Allows the whole system to be switched on from one plug.

£9.50

ASSORTEDCONNECTING IFADS

LLADO	
(All ready made and tested)	
CASSETTE LEADS 7 pin DIN Plug to 5 pin DIN Plug + 1 Jack Plug to 3 pin DIN Plug + 1 Jack Plug to 7 pin DIN Plug to 3 Jack Plugs 6 pin DIN to 6 pin DIN Plug (RGB)	£2.00 £2.00 £2.50 £2.00 £2.50
MONITORLEADS	1-17-
Microvitec RGB leads 6 pin DIN to 6 pin DIN colourmonitors KAGA/SANYOColourMonitorLeads	£2.50 £5.00
Monochrome monitor leads BNCtoPhono DISC DRIVE POWER LEADS	£3.00
Supply from BBC power supply to standard	Disc
Drive connector. Single	£3.00
Dual	£3.75

MISCELLANEOUS CONNECTORS

	Plugs	Sockets
RGB (6 PIN DIN)	30p	45p
RS423 (5 pin Domino)	40p	50p
Cassette (7 pin DIN)	25p	65p
ECONET (5 pin DIN)	20p	30p
Paddles (15 pin 'D')	110p	215p
BBC Power Plug 6 way	80p	- 1
Disc Drive Plug 4 way	75p	1

ATTACHE CARRYING **CASE for BBC Micro**

The Attache carrying case is attractively finished in mottled antique brown leatherette. The case is made of tough plywood, providing a very solid and safe way to carry your BBC micro. There is room provided to fit all the leads necessary behind the computer and manuals in the front. Locks supplied with two keys. Price £12 (£2 carr.)

VOLTMACE DELTA 14 JOYSTICK SYSTEM

The Voltmace system provides full facilities for connecting the Delta 14 handset. Delta 14 handset – On its own makes a high quality centre sprung analogue joystick with fi buttons £12 50 Adaptor Module allows use of two joysticks and provides hardware to access all the keys on the keypad of the joystick £12.55 £12.55 keypad of the joystick **£12.55** Transfer program allows use of the keypad keys and joystick to simulate any key on the keyboard. This works by creating a machine code patch that stays in memory while another program is loaded in. Allows any game to be used with joysticks. Supplied on disc or tape.

Tape £5.10 Disc £7.95

STANDARD JOYSTICKS

These are standard analogue type with a fire button on each joystick. Twin joysticks go to a single moulded plug, long leads provided.

Single Player version £7.00 Two Players version £12.00

GAMES SOFTWARE

50 65 .95

£5

ADVENTUREQUEST(L.9)	£8.50
COLOSSAL ADVENTURE (L.9)	£8.65
CHESS	£6.95
CHUCKIEEGG	£7.90
CRAWLER (WESOFT)	£5.00
CROACKER	£6.95
DUNGEON ADVENTURE (L.9)	£8.50
Escape from MOONBASE ALPHA	£6.95
FELIX in the FACTORY	£6.95
GALACTIC COMMANDER	£6.95
	£6.95
KILLER GORILLA	
MUNCHYMAN	£5.95
MOONBAIDER	£6.95
MUSIC SYNTHESISER	£8.25
PENGO (Watford)	£5.95
SNOWBALL(L9)	£8.50
SWOOP	£6.95
Twin Kingdom Valley	£8.25
747 FLIGHT SIMULATOR	£7.75
THE DITIONATION	21.10

CRAWLER

50

0

0

60 0 0

50

00

00

00

75

ets

e is is

arr.)

A new challenge for your reflexes from Watford Electronics. Crawler is the best yet implementation on the BBC micro of the arcade game 'Centipede'. Blast the voracious caterpillar before it eats you, while avoiding the wandering spiders. Passing scorpions poison the mushrooms causing the caterpillar to fall straight on to you. Falling fleas also induce massive mushroom growth. This game is fast and fluent to play, suitable for all skill levels. The control system is cleverly arranged to give high speed movement AND precise control of position

A SUPERB GAME FOR ONLY

LEVEL9 ADVENTURES

Level 9 have the highest reputation for their adventure range. Each one is in itself a challenge that could take you months to crack. All feature the ability to save your current position on tape. These adventures understand many words and have vast numbers of rooms

COLOSSALADVENTURE-The classic adventure as provided on most mainframe computers. Has all the original puzzles with 70 extrarooms. £8.65

ADVENTURE QUEST- Through forest, mountains, desert, caves, water, fire, moorland andswampfightanepicquestagainsttyranny. £8.50

DUNGEON ADVENTURE -- Cover 100 puzzles theDemonLord'sdungeon £8.50

SNOWBALL – Science Fiction adventure set in 2302 AD. Save a colony starship full of frozen people. 7,000 locations must make this the biggest adventure on the BBC micro. Has robots, flashing control panels, etc. etc. Really goodfun! £8.50

SPECIALOFFER

HITACHI EPROMs for BBC

2764(8K)£4.95 27128(16K) £19

HITACHI RAMs for BBC 6116L(2K)£4.25 62641 (8K) £26

MK 2 13 ROM SOCKET

EXPANSION BOARD

Now all lines fully buffered - On board battery back-up facility – will now accept EPROMS 2716, 2732, 2764 & 27128 and ROMs 6116 & 6264.

Simply plugs into one of the four ROM sockets currently available in BBC Micro. There are only 5 solder connections to be made. Full

instructions are supplied. This board has been ergonomically designed to enable the user, easy further expansion inside the Micro, e.g. Double Density Board, Torch Board, etc. (At Watford, we think ahead.)

Our Mk2 13 ROM Socket Board enables the User to increase the sideways ROM capacity from the basic 4 sockets up to full 16 capable of being supported by current operating systems. In addition the board is designed with the facility to operation is automatically selected by any WRITE signal to the Sideways ROM area. This gives the User the ability to write a utility or language and upon pressing break have the utility or language up and running tnew ROM software can be developed and tested in situ.)

The Board gives the User, plenty of freedom to explore the possibilities of the new paged ROMs due in the coming months and offers them the chance to develop their own.

All lines are fully buffered and the Board meets or exceeds all timings for operation in the BBC Microcomputer. When fully populated, the ROM Board consumes less than half the recommended maximum current limit.

Supplied ready-built and tested complete with fitting instructions.

ONLY £32.50 (carr. £1)

THE INVESTIGATOR

A utility program provided on disc to make security backup copies of all your valuable discs.

Makes full use of all 8271 facilities to discove the precise format of your protected disc so that an exact copy can be produced. Supplied with detailed instructions. Please specify 40 or 80 track disc when ordering.

Price £25



This Light Pen for the BBC micro is packaged in a neat pen shape with built in switch. Supplied complete with our sophisticated Pen-Pal software on cassette (see elsewhere in this ad).

Only £20 (For software on disc please add £2)

DATA RECORDER AND ACCESSORIES

Top quality slimline portable cassette recorder designed specifically for use with home computers. Mains/Battery operated with tape counter.

DATA CABLE to con	£24 nect recorder to BBC
DATA CASSETTES - Data cassettes supplied	£2.50 - Top grade tested C12 d in library cases 35p

MISCELLANEOUS

28 pin DIN PLUG	
Solder type	£1.85
IDC Crimp type	£2.90
28 pin ZIP SOCKET (Textool)	£7.50
34 way Ribbon Cable	£0.60/foot
8 way DIP SWITCH	£0.87

ANTI GLARE MONITOR SAFETY SCREEN

HEADACHES? TIRED EYES? Don't take pills

Use a Watford Electronics anti-glare filter! Considerable research into the possible health problems associated with monitor screens has shown that eye strain, blurred vision, watering, itching eyes and headaches can result after prolonged use. The problems are caused by prolonged use. The problems are caused by extraneous reflections which force the eye to continuously re-focus to try to ignore them. The answer is our contrast enhancement, anti-glare filter which is similar to those which have been previously available on business systems, but at the low cost that you would expect for your personal computer. You will soon find the reduction in eye strain well worth your investment. investment Features:

- Simple fitting with sticky Velcro pads.
- .
- Easily removed for cleaning. Tinting improves colour quality and contrast. Works on monochrome or colour monitors. Curved instead of usual flat screen reduces . .
- edge distortion. Made in Britain by a long established glass
- maker
- Available in 12" or 14" versions please specify when ordering

Introductory offer price: £14.95(carr.£1)

Prices subject to change without notice and availability. MAIL ORDER AND RETAIL SHOP. TRADE AND EXPORT INQUIRIES WELCOME. GOVERNMENT AND EDUCATIONAL ESTABLISHMENTS OFFICIAL ORDERS ACCEPTED. CARRIAGE: Unless stated otherwise, please add 75p to all cash orders. VAT: UK customers please add 15% VAT to the total cost incl. Carriage SHOP HOURS: 9.00am to 6.00pm. Monday to Saturday. (Ample Free Car Parking Spaces) ACCESS ORDERS: Simply phone: Watford (0923) 50234. (24 Hours)



Telephone: 0923 40588/37774. Telex: 8956095

LIGHTPEN

FIRST BYTE

IN THE CAN Your graphics program comes to life – and death – as Tessie Revivis sets up the roving fly for the kill

NOW IT'S

AST month in First Byte we used an asterisk to represent a moving fly in a simple buzzing game. Now we'll make our fly a little more realistic and put some action into the game by introducing a can of lethal fly spray.

The Electron has its own designing command, which allows the user to program a shape into a character so that it can be printed onto the screen in much the same way as our common or garden asterisk. The command is VDU23. But first we must design our fly.

To do this we use a sheet of paper marked into squares eight wide by eight deep. A suitable character planning sheet can be found on page 287 of the Electron User Guide (page 496 in the Beeb User Guide). The character itself is designed by filling in suitably positioned squares. Figure 1 shows my own effort at designing the fly-I hope you see some resemblance.

designed it has to be converted into a form that the Electron can understand; as it's a computer that means numbers. If you study figure 1 you'll see that each column is assigned a value, termed its 'weight', starting with 1 on the right and then doubling as you move left along the columns. To convert the character into a computer-recognisable form each 'row' is turned into a numeric value by adding the weight of each column that contains a coloured square.

This process is shown in the figures to the right of the diagram, but just to make sure it is clear in your mind let's consider the top row. If we think of a clear square as a 0 and a coloured square as a 1 the top row can be represented as 00100100. The ones are often referred to as bits, so we can say that the two 'set' bits are in the 32 and 4 column. Adding these two together gives Once the character has been 36, thus the computer representation of




Figure 1. The fly is drawn on an 8×8 grid, each column of which is given a 'weight' (top row of figures). Each row is given a numeric value by adding the weights of each filled square (right-hand column) and a series of figures is produced that the computer can interpret.

the top fly is 36.

row of the character Each of

the remaining rows is treated in the same way, the net result being eight numbers.

Before working these eight values into the VDU23 statement we must decide which of the user-definable characters we wish to use to represent the fly. The basic set of user-definable characters are the ASCII characters 224 through to 255, so we can use any of these. Let's use the first ASCII character 224. Constructing the VDU23 statement is simple enough. It must be followed by the character code and then the eight definition values starting with the top one, each being separated by a comma. So the final statement looks like this:

VDU23,224,36,24,90,189,255,60,24,36

A simple two-line program shows how the fly can be printed onto a mode 4 graphics screen:

10 MODE 4

20 PRINT TAB (10,10); CHR\$224

As the fly forms part of the ASCII character set it can be printed on the screen using the CHR\$ function, as illustrated in line 20 above.

Designing a fly spray can proceed in much the same way. The can will obviously need to be much larger than the fly but, as we have seen, the VDU23 command allows only set-sized characters. This can be overcome simply by using several character definitions together. For example, if we plan to start the fly spray can at character 225 and make it two characters wide



by three deep its layout might look like figure 2. The design of the spray can is done in sections and the complete picture produced by printing the correct sequence of characters using the PRINT TAB commands.

Figure 3 shows the top of the can designed across two character planning sheets. Calculating the numeric value is done as described above for each planning sheet. The complete definition need be only four VDU23 commands in length as the second and third rows can be identical, unless you fancy adding a base to the can or something extra that would make the third set of characters different.

The following short program illustrates how the can can be printed on the right-hand side of the screen.






Figure 2. The fly spray can, being much bigger, cannot be represented on one 8 × 8 grid so it assembled from six 'characters'.

10 MODE 4

- 20 VDU23, 225, 3, 7, 31, 31, 7, 7, 7, 15 30 VDU23, 226, 192, 224, 224, 224, 224, 224, 224, 240
- 40 VDU23, 227, 31, 63, 63, 63, 63, 63, 63.63
- 50 VDU23, 228, 248, 248, 248, 248, 248, 248, 248, 248, 248
- 60 PRINT TAB (30, 2); CHR\$(225); CHR\$(226)
- 70 PRINT TAB (30, 3); CHR\$(227); CHR\$(228)
- 80 PRINT TAB (30, 4); CHR\$(227); CHR\$(228)

The second of the TAB coordinates, the Y value, is simply incremented by one to ensure that the next pair of characters is printed below.

> The animation part of the program is set in

two stages: moving the fly to and fro across the screen and moving the spray can up and down the right-hand side of the screen. Moving the fly across the screen was discussed last month and indeed there are few changes from that section of the program, PROCfly. However, rather than moving the fly along a straight path an extra line (line 105) has been inserted into the procedure that will cause the fly to move up and down slightly as it proceeds across the screen. This is produced by adding a random number generating command to determine the Y tab position within a set range. The command is RND and this is followed by a value, 7 in the program, which causes

As we do not wish the fly to move too

near the top of the screen 2 is added to

this value, thus ensuring a random

Creating movement with the fly spray

can is done in much the same way

except that movement is on the Y axis. Two keys are used by PROCfly to see if

this is required, the up arrow to move

the can up, and the down arrow to move

it down. Normally these two keys will

not return a value when tested with the

INKEY\$ command, however, you can

force them to return ASCII values by

first turning them on using a *FX4. 1

value in the range 3 to 10.

a random

range 1 to 7

number in the

to be 'found'.

command (line 505 in PROCsetup). The ASCII codes produced by these two keys are 138 and 139 and these are tested for by lines 140 and 145 in PROCfly. If either is detected the appropriate can-moving procedure is called.

To swat the fly it must be sprayed with a cloud of the killer potion. Once the can has been moved into position the space bar will press the top, the fly will freeze in fright as the spray cloud is propelled across the screen. If the fly is in the line of fire then it crashes to the floor with a thud-otherwise it lives to fight another day.

To see just how good you are a record of the number of sprays you use is kept at the bottom of the screen.

47

For the main listing, which is fully annotated, turn to yellow page 97. Study this and refer to your User Guide to find out more on the commands being used in each section. Then you might feel up to adding a couple more flies and perhaps even a mobile strip of fly paper.

If you think your fly program is better than mine send it in to Acorn User. We'll pay £20 for the best fly game we publish



The annotated 'Flies 2' program is listed on yellow pages 97/98




Figure 3. Detail of the can showing the top put together from two adjacent characters

PRINTERS

DOT MATRIX

All printers have centronic parallel interface unless otherwise stated. All printers have hi res dot addressable graphic mode. Please send SAE for full details.

EPSON

FX80 160CPS 10" wide friction & pin feed	£324 + VAT £373
FX100 160 CPS 15" wide friction & tractor feed	£499 + VAT £574
RX80 F/T 100 CPS 10" wide friction & tractor feed	£239 + VAT £275
RX80 F/T 100 CPS 10" wide tractor feed	£199 + VAT £229
RX100 F/T 100 CPS friction & tractor feed	£385 + VAT £443
8143 RS 23 Interface for FX and RX printers	£39 + VAT £45
8148 RS 232 Interface with 2K buffer x on x off	£60 + VAT £69
Ribbon Cartridge for RX80 FX80 & MX80	£5 + VAT £6
Ribbon Cartridge for FX100 & MX100	£7 + VAT £8

STAR

Gemini 10X120 CPS 10" wide friction & tractor feed £200 + VAT £229 Gemini 15X120 CPS 15" wide friction & tractor feed £295 + VAT £339 Gemini Ribbon £3 + VAT £3

SEIKOSHA

BP 420 designed for the business world, 420CPS in draft mode, 110CPS in NLQ mode. £1095 + VAT £1259

SMITH

CORONA Fastext 80: 80 col, 80CPS. Friction feed standard £149 + VAT £171



ENSIGN

1650 Standard, Correspondance and Graphics Modes; friction and tractor feed; 165 CPS; bi-directional logic seeking £269 + VAT **£309**

TAXAN KAGA 160CPS 10" wide 27CPS NLQ 24 x 16 matrix 160CPS 15" wide 27CPS NLQ 24 x 16 matrix

COLOUR PRINTERS Seikosha GP700A 7 colour 50CPS printer Canon PJ1080A 7 colour 40CPS ink jot printer

All our printers have 1 year warranty

DAISYWHEEL

JUKI 6100/I PRINT

20 CPS Bi-Directional Logic seeking 10 12 15 CP1 + PS spacing 2K buffer best selling Daisywheel Singer sheet feeder unit Tractor Unit RS 232 Interface Space Daisywheel	£95 £52	++++	VAT VAT VAT	£249 £109	
Spare Daisywheel	£14	+	VAI	£16	



BROTHER HR-15 13 CPS Bi-directional 10, 12, 15 CP1 + PS Keyboard Unit Single Sheet Feeder Unit Tractor Unit

> QUENDATA 20 CPS Unidirectional 10 12 15 CP1

£344 + VAT £395 £139 + VAT £159 £217 + VAT £249 £95 + VAT £109

£259 + VAT £298 £349 + VAT £401

£347 + VAT £399 £391 + VAT £449

£217 + VAT £250

ACORN F



BBC is the best microcomputer currently on the market 32K RAM 32K ROM 8 modes of operation full colour full-size keyboard internal expansions such as disc interface speech synthesizer Econet interface — in short it is a personal computer capable of expanding into a small business system.

APPROVED ECONET SERVICE CENTRE


WE STOCK A LARGE RANGE OF SOFTWARE FOR BBC MICRO INCLUDING ACORNSOFT, BBC SOFTWARE, LONGMANS SOFTWARE, PLEASE SEND LARGE STAMPED ADDRESSED ENVELOPE FOR FULL DETAILS.



ŵ

ETAL

100% BBC COMPATIBLE MITSUBISHI AND TEAC SLIMLINE DISK DRIVES



These drives are supplied ready cased with all the necessary cables formatting program and User Guide There are some very useful utilities included on formating disc e.g.

DISASSEMBLER: This is 6502 machine code disassembler
 DUP: To copy and rename a file on disc
 FORMAT: Formating progam for 40 & 80 tracks

PRODUCTS

ns er-

ry

SC

er

BBC Microcomputer Model B BBC Mod B - disk interface BBC Mod B - conet interface BBC Mod B - disk and Econet interfaces BBC Compatible 100K disk drive BBC Compatible 100K disk drive Acorn 280 Acorn 6502 Second Processor Acorn Bit stick Acorn IEE Interface Acorn Electron plus 1 interface BBC Prestel Adaptor BBC cassette recorder and lead Disk interface kit (free fitting) Mod A to Mod B upgrade kit Fitting charge for A to B upgrade kit 16K memory upgrade kit Camee paddlas	£348 £409 £389 £450 £86 £312 £260 £173 £327 £82 £52 £115 £196 £384 £70 £20 £311	+ VAT + VAT	£399 £469 £447 £517 £99 £359 £299 £375 £325 £325 £325 £132 £132 £225 £40 £132 £225 £40 £96 £80 £233 £33 £34 £23 £234 £234 £234 £235 £234 £255 £255 £259 £355 £259 £355 £355 £355 £355 £355 £355 £355 £3
16K memory upgrade kit Games paddles User Guide Advanced User Guide Econet Guide			1
Econet interface (free fitting) Speech interface (free fitting) BBC disk manual - formating disk Parallel printer cable BBC word processor (view) BBC Fourth language cassette BBC Lisp language cassette	£60 £47 £30 £10 £52 £15 £15 £15	+ VAT + VAT + VAT + VAT + VAT + VAT + VAT	£69 £54 £34 £11 £59 £17 £17

YOUR CONTACT AT AKHTER Tel: 0279 443521 (12 lines)

	AL 202
DEALER/BULK ENQUIRIES	
DEALER ORDERS	20
BUSINESS SYSTEM	
ENQUIRIES TONY GLOVER	20 20
EXPORT ENQUIRIES	20
ALAN LAFFOLEY	21
LITERATURE REQUEST	21
ODDEDING INFORMATION	

ORDERING INFORMATION We accept official orders from UK Government and Education establishments. Carriage is £2.50 + VAT (UK only) for normal delivery. If express delivery is required please add £8.00 + VAT per parcel. We accept telephone orders on Barclay and Access card please ring (0279) 443521 (10 lines). all cheques made payable to "AKHTER INSTRUMENTS".

N.B. All prices are subject to change without notice and are rounded up to the nearest pound

OPENING HOURS: MON-FRI 9am-6.30pm, SAT 10am-5pm. We welcome callers, no parking problems.

DRIVE

- * FREE: This utility provides a disk usage analysis
- * MDUMP: Enables you to display and modify any part of
- **BBC** memory MERGE: Merge a number of text files into one file
- * RELOCATE: Downloads a basic program to & E00
- * SDUMP: Screen dump for EPSON In all graphic modes
- * VERIFY: Verifies every sector on a disk
- * MENU: A flexible menu program

£86 + VAT £99 Single drive 100K 40 trks single sided £164 + VAT £189 Dual drive 200K 40 trks single sided £138 + VAT £159 Single drive 200K 40 trks double sided £260 + VAT £299 Dual drive 400K 40 trks double sided £152 + VAT £175 Single drive 400K 80 trks double sided Single drive 400K 40 80 trks £155 + VAT £179 switchable DS £303 + VAT £349 Dual drive 800K 80 trks double sided Dual drive 800K 40 80 trks £312 + VAT £359 switchable DS Dual Drive 800K 40 80 trks + PSU £373 + VAT £429 + built in monitor stand

All above drives are low power slimline (0 3 A typ at + 12v and 0 4 at + 5v per drive) Normally extra power supply is not required. The BBC Computer power supply is designed to drive to low power drive (IT IS NOT DESIGNED TO DRIVE IN-TERNAL ROM BOARD)

I LANAL NOW DOAND	
40 Track SS DD disketts (10 Box)	£18 + VAT £20
40 Track DS DD disketts (10 Box)	£23 + VAT £26
80 Track SS DD disketts (10 Box	£28 + VAT £32
80 Track DS DD disketts (10 Box)	£30 + VAT £34
ALL ABOVE DISKETTS ARE CERTIFIED	EITHER MEMOREX
ORDETALIFE	

ISINES

COMPLETE BUSINESS PACKAGE

This system is based on 16 Bit 8088 Processor 128K RAM, 2X730K Floppy Disc Drives, High Res Monitor, fast (160cps) Dot Matrix Printer, Wordstar Word-processor, Calcstar Spreadsheet Program, complete integrated Accounts package consisting of Sales Ledger, Purchase Ledger, Nominal Ledger, Invoic-ing, Stock Control, Payroll and Pro-mail. Complete turnkey system at an unbelievable price. Delivered Only Delivered and lestallocing to the statement of the statement

Delivered and Installed plus 1 day training

APRICOT PC

APRICOT PC "Portable Executive Computer" 16 Bit Micro. 256K RAM up to 1.44 megabytes flopy disk storage. 3," Sony disks. Portable briet case styling. Modern with auto dialler (optional) hard disk optional. Vast software library (com-patible with Sirius 1). Apricot with Double Drive. Monitor and Free Printer <u>£1790</u> + VAT £2059

APRICOT XI

7 VA

P.

but with 10MB Winchester Drive and As above perwriter Supercald and FREE JUKI 6100 Printer £2995 + VAT £3444

SANYO PROFESSIONAL COMPUTER

SANYO 550 SANYO 550 16 Bit Micro 128K RAM expandable to 256K. Single or Double Disk drive built in full colour graphics (640 x 200 pixels in 8 colours) IBM compatible. Free software. Sanyo MBC 550 128K RAM single drive and free software in-cluding Wordstar and Calcstar E749 + VAT £862

SANYO 550-2 As 550 but with Dual Drive 2 x 160K £849 + VAT £976

SANYO 550-360

550 but with 2 x 360K Drives £999 + VAT £1149

SANYO 550-730 but with 2

x 730K Drives £1049 + VAT £1206

SANYO 555 Sanyo MBC555 128K double drive and free software including Wordstar, Calcstar, In-forstar, Datastar.et. £999 + VAT £1149

£1495 + VAT £1719 £1595 + VAT £1834

PR

COMPLETE SYSTEMS FROM £650 + VAT

BBC 1: BBC Micro Model B. View (or Word-wise) Wordprocesscr. Quendata 20 CPS Daisywheel Printer, High Res Green Monitor. Cassette Recorder plus 10 cassettes and all the necessary cables $\pounds 650 + VAT = \pounds 747.50$

BBC 2: BBC Micro Model B + Disk Interface. View for Wordwise) Wordprocessor 100K Disk Drive High Res Green Monitor, Quen-data 20 CPS Daisywheel Printer, 1 Box of Disks and all the necessary cables $\pounds799 + VAT = \pounds803.35$

 BBC 3: Same as System BBC2 but with 400K

 Drive
 £875 + VAT = £1006.25

BBC 4:Same as System BBC 2 but with 400K Drive and JUKI 6100 Daisywheel Printer £975 + VAT = £1121.25.

BBC 5: BBC Model B + Disk Interface. View BBC 5: BBC Model B + Disk interface. View (or Wordwise) Wordprocessor. 800K Dual Disk Drive (Mitsubishi). High Res Green Monitor. JUKI 6100 Daisywheel Printer. 1 Box (10) of 80 Track DS discs and all necessary cables£1145 + VAT = £1316.75.

If you require High Res Colour Monitor instead of High Res Green Monitor in Sanyo Systems please add £320 + VAT = £368 to the above prices. *128K RAM Upgrade for all above Sanyo systems (makes a total of 256K RAM) £150 + VAT = £172.50 including fitting.

PHILIPS

7001 High Res Green Screen with sond input £65 + VAT £75 GM1211

GM1211 18 MHZ High Res Monochrome Monitor with filt and swivel stand available in green or amber etched antiglare screen (please specify colour £86 + VAT £99 7001 High Res Green Screen with sound input £65 + VAT £75

SAMWOO

24MHZ High Res Monochrome etched an-tiglare grean screen IBM/BBC Compatible £86 + VAT **£99**

SANYO

 DM8112
 12"
 Green screeen
 18MHZ
 Hi-Res

 £86
 + VAT
 £99
 DM2112
 12"
 Green
 screen
 15MHZ

 £66
 + VAT
 £99
 266
 + VAT
 £99
 266
 + VAT
 £99

MICROVITEC CUB

 Microvine
 Cobs

 1431
 MS
 14"
 RGB
 Normal
 Res
 Colour

 1451
 MS
 14"
 RGB
 Medium
 Res
 Colour

 1451
 MS
 14"
 RGB
 Medium
 Res
 Colour

 1283
 H
 RGB
 High
 Res
 Colour

 1441
 MS
 14"
 RGB
 High
 Res
 Colour

 £417
 + VAT
 £479

 £477
 KAT
 £479

MICROVITEC FOR QL

1451 14" Medium Res Colour. Specially designed for Sinclair QL

£239 + VAT £275

AS FROM £650 + VAT SAN 1: Sanyo MBC 550 Series 16 Bit Microcomputer 128K Ram. Duai 160K drives (2 × 160K). High Res Graphics (600 × 200 pixels in 8 colours) JUKI 6100 Daisywheel Printer. High Res Green Monitor. 1 Box of 10 discs: Wordstar Wordprocessor. Calcstar spread-sheet and all the necessary cables £1175 + VAT = £1351.25 SAN 2: Same as SAN 1 but with Duai 360K Drives £1395 + VAT = £1546.75 SAN 3: Same as SAN 1 but with Duai 720K Drives £1395 + VAT = £1546.75 SAN 4: Sanyo MBC 555 Series 16 Bit Microcomputer. 128K Ram. Duai 160K Drives (2 × 160K). High Res Graphics (600 × 200 pixels in 8 colours) JUKI 6100 Daisywheel Printer. High Res Green Monitor. 1 Box of 10 discs. Wordstar. Wordprocessor. Calcstar spread-sheet. Mailmerge. Spellstar (dictionary). Datastar (database). Reportstar plus all the necessary cables ±1295 + VAT = £1696.25 SAN 4: Same as SAN 4 but with Duai 360K Drives 1475 + VAT = £1696.25 SAN 4: Same as SAN 4 but with Duai 370K Drives £1525 + VAT = £1753.75 d of High Res Green Monitor in Sanyo Systems

555 but with 2 x 730K Drives F1299 + VAT £1494 SANYO SYSTEMS INCLUDE FREE HIGH RES GREEN MONITOR

SANYO 555-730



highly effective an lot nachine-code program for text. displaying any dimension other Can be incorporated into other See our programs on MICRONET 800 Beeb-Rext Reatures TWO PLAYER GAMES × COMPUTER WARE Cassette E5.95 Disc E8.95 PERSONAL Two 2-player games Two 2-player games including 4Line and Frustration, joystick compatible. Jic programs. our characters and compatible. E6.95 and opticated resulting Disc E9.95 s even store the ready to "Star" denotes d. SOFT PIXEL PACKAGE* ograms al colour Very tall text agns can BLOCK rograins even FONTS otated Cassette £7.95 Disc £10.95 SIVE 1 0 IN · INE DISC TOOLS The complete UIL TOOLS The complete utility disc for twin 80 track drive users and includes a sollow of sollow or sollow TEVEN 122 EDU OR ORT lacility. Disc E10.95 **3HREE** BEEB-TEXT ROBOBRAIN Arcade fun 40/80 or 40 backing up ROBOBRAIN Arcade fun Disable the robots positroni Self defence. Cassette E7.95 Disc E10.95 ADUR sophisticate spacing mach Spacing unlimited virtually unlimited variation in the phC/s variation in the user vext display. The varying has acter thickness, itali these height, width, colo Pacing PERSONAL COMPUTER SOFTWARE, IGIO IBT. PERSONAL COMPUTER Software, IGIO IBT. 10 Spareleaze Hill, Loughton, Essex, track or 10 Spareleaze please specify 40 or dering discs. 102.0230 3" types when ordering discs. acin 9 character thickness, train-character thickness, train-styles, height, width, colour combinations, etc. Up to different fints one apage different fints one apage displayed in owed atext including types, proportional outine text in proportional displays text in were the use displays to ontwo, character spacing to ontwo, independent and time spacing on Disc £15-00 S hickness P S are fully inclusive, AP&P on all orders is FREE! Our FREE program special offer Continues, Contact us Aplease make cheques/P.015 Aprices Tel. 01-502-0230 .14 Newlands, Disc £15.00

16 SOCKET ROM/RAM EXTENSION BOARD

Fully buffered the board offers the following features.

All 16 sockets may contain 8K or 16K roms.

Up to two pairs of sockets may be configured to accept 8K eproms to simulate a 16K eprom without the expense of a 27128.

Up to 16K of CMOS RAM type 6116LP (made up of 8 2K ram chips) may be fitted to 8 of the available sockets leaving & free for roms

or 2 8K Ram chips (6264) leaving 14 available sockets.

The advantage of sideways ram is twofold:

Programs can be assembled directly to hex 8000 and debugged before being 2

committed to eprom. Programs intended for sideways roms may be stored on disc and downloaded into ram. Many more programs may be kept on disc allowing the extension board to be fitted only with roms that need to be resident.

This is a high quality PTH board and plugs into the extreme right hand rom socket. 4 wires to the paging register and one lead to the R/W line have to be connected.

Separate power leads for the board

are used to eliminate possible crashes that may occur due to trying to draw up to 650mA from a sideways rom socket.

Board fully assembled and tested complete with full installation and operating instructions

Cost £34.50 + VAT, £1.00 P&P

HCR ELECTRONIC SERVICES THE INDUSTRIAL UNIT, PARKER ROAD CHELMSFORD, ESSEX CM2 6ES Tel: Chelmsford (0245) 350188

EXTERNAL RAM/ROM CARD

THE NEW EXTERNAL 28 ROM EXPANSION SYSTEM FROM HCR ELECTRONICS

This extremely powerful but versa-tile machine has the capability of: 32K RAM & 24 sockets available for ROM or many various combinations to your personal require

ments. This machine has its own separate power supply which eliminates drain on the BBC's switched mode NO SOLDERING IS REQUIRED.

The unit consists of two modules

1. An adaptor board to plug into the BBC sidways Rom socket 15.

2. The expansion case.

The case comes complete with an inbuilt power supply and one expansion card. This card will hold 12 Roms or a combination of Ram/Rom (Ram can be 6116's, 2016's or 6264's). This gives a total of 16 Roms (including four in machine). A second board identical to the above can be fitted at a later date, giving a total capability of 28 available sockets for Rom or Ram.

The second board can be selected as an alternative to the first board, either by a switch on the case or via software control.

SOME ADVANTAGES


- No soldering required.
 No access into machine required after initial fitting.
- 3 No overheating problems
- 4. Does not physically interfere with other internal
- expansion add-ons.
- expansion add-ons.
 5. Built in power supply (does not overload BBC's supply).
 6. Computer will still function with external box powered down or unplugged (using Roms resident in machine).
 7. Will make available 32K Ram plus 24 Rom sockets at a varied combination to the customer's needs

Cost unit complete with one board £70.00+vat. Second board £29.00+vat. Postage & Packing £3.00





HINTS & TIPS



Martin Phillips answers your queries on two-up printing, a 'freezing' screen, text and title display and the envelope statement

Dot and daisy

at the same time?

IS there any way of having a dot matrix printer and a daisywheel printer connected to a micro at the same time through the parallel printer port? This question was put to me by H L Malhotra of Radlett.

Indeed it is possible, and Keyzone of Unit 4, Regeneration House, School Road, Park Royal, London NW10 (tel: 01-965 1684/1804) makes a printerchanger designed to connect two or three printers to one micro. The device costs about £75.

Mr Malhotra would also like to know if his Watford disc filing system (DFS) will work with a second processor (6502 or Z80). New ROMs are provided with both second processors. For the 6502 second processor one is a new version of Basic and the second is a combined DFS and Econet Filing System (NFS). These two ROMs are installed in the BBC's sideways ROM sockets. The existing DFS needs to be removed and be replaced by the new one, but the new Basic ROM can be added without removing the existing Basic. For the Z80 a single new ROM is provided. This is the combined DFS and Econet ROM and the existing DFS needs to be removed.


Outmoded system

in operation

B J WOOLNOUGH, who lives in Jeddah, has an Acornsoft program that will not run on his BBC computer, although it runs perfectly well on another machine. On Mr Woolnough's micro the display 'freezes' after a short time and will not respond to the keyboard. It

happens only with this program. The problem, I suspect, is the operating system in his BBC. Many software houses are now producing software that will run only with the 1.2 operating system (1.2 OS). Early BBC machines were sold with a 0.1 OS, which had fewer features than the current one. If the software was designed to run with the 1.2 OS, it probably won't work correctly with the older 0.1 OS fitted. My advice to anyone still using an 0.1 OS is to return it to the Acorn dealer and have it replaced by the 1.2 OS. The cost is a little over £10.

To test which operating system is fitted, type *FX0 and press RETURN. A message will appear that will give the answer. A few of the first machines fitted with the disc or Econet filing systems were fitted with a 1.0 OS. This is almost the same as the 1.2 OS, but not quite, and if similar problems are experienced it would be worth getting it changed.



THE following problem was encountered by Mr Macdonald of Stornaway when he was writing an index file for his cassettes.

He wanted mode 7; he wanted to reserve the top four lines to display a title; he wanted to reserve the bottom four lines for instructions; and he wanted the remaining lines to be used to display information and to be able to scroll without corrupting the title or the instructions.

It is useful to receive such an explicit request, and I'm sure this is a program that many will be able to put to good use. Mr Macdonald's requirements can be fulfilled by using a text window after printing the title and instructions. At the same time it is possible to alter the

IF YOU have a technical hitch or a programming problem let Martin Phillips give his diagnosis. We'll pay £5 if you raise a really interesting point. Please give full details of the system you're using and include a listing where appropriate, making your question as specific as possible. WRITE TO: Hints & Tips, Acorn User, Redwood Publishing, 68 Long Acre, London WC2E 9JH.

background and foreground colours and incorporate other teletext codes to the left of the text window so that they will not be overwritten.


51

Listing 1 shows the technique. There are two procedures. PROCsetup contains the title strings and the four strings of instructions. PROCscreen is the procedure that performs the screen layout. Lines 180 to 220 set up the first four lines and print the title in double height. The background colour is blue (CHR\$132), and the foreground colour is cyan (CHR\$134). CHR\$157 changes the background colour, and CHR\$141 gives double-height printing. Line 200 adds extra spaces to the title to centre it

Lines 230 to 250 similarly set the background colour to blue and the foreground colour to white for the middle

10	REM Listing 1
20	MODE7
30	PROCsetup
40	PROCscreen
50	END
60	
70	DEFPROCsetup
80	DIM title\$(1), instr\$(3)
90	title\$(0)="Title line 1"
100	title\$(1)="Title line 2"
110	instr\$(0)="1st line of
	instructions."
120	instr\$(1)="2nd line of
	instructions."
130	instr\$(2)="3rd line of
	instructions."
140	instr\$(3)="4th line of
	instructions."
150	ENDPROC
160	:
170	DEFPROCscreen
	FOR N=0 TO 3
190	PRINTCHR\$132 CHR\$157 CHR\$141
	CHR\$134;
200	PRINTSPC(16-LEN(title\$(N/2))
	/2);
210	PRINTtitle\$(N/2)
	NEXT N
	FOR N=0 TO 15
	PRINTCHR\$132 CHR\$157 CHR\$135
	NEXT N
	FOR N=0 TO 3
	PRINTCHR\$132 CHR\$157 CHR\$134;
	PRINTinstr*(N);
	IF NK3 PRINT
	NEXT N
310	VDU28,3,19,39,4,14
320	ENDPROC
istin	ng 1. For the Beeb, text scrolling in a

Listing 1. For the Beeb, text scrolling in a window, with title above and instructions below



HINTS & TIPS

10 REM Listing 2
20 MODE1
30 PROCsetup
40 PROCscreen
50 END
60 :
70 DEFPROCsetup
80 DIM title\$(1),instr\$(3)
90 title\$(0)="Title line 1"
100 title\$(1)="Title line 2"
110 instr\$(0)="1st line of
instructions."
120 instr\$(1)="2nd line of
instructions."
130 instr\$(2)="3rd line of
instructions."
140 instr\$(3)="4th line of
instructions."
150 VDU19,0,4,0,0,0:REM Blue
background
160 VDU19,2,6,0,0,0:REM Colour
2 - cyan
180 :
190 DEFPROCscreen
200 COLOUR 3
210 FOR T=0 TO 1
220 x=20-LEN(title\$(T))/2
230 PROCdouble(title\$(T),x,T*2)
240 NEXT T
250 COLOUR 1
260 FRINTTAB(0,28);
270 FOR N=0 TO 3
280 PRINTinstr\$(N);
290 IF N<3 PRINT
300 NEXT N
310 VDU28,0,27,39,4,14
320 COLOUR 3
330 ENDPROC
340 :
350 DEEPROCdouble(A\$,x,y)
360 X%=0:Y%=13:A%=10:D=&D00
370 C\$=CHR\$(240)+CHR\$8+CHR\$10+
CHR\$(241)
380 FOR N=1 TO LEN(A\$)
390 B\$=MID\$(A\$,N,1):?D=ASC(B\$)
CALL&FFF1 400 VDU23,240,D?1,D?1,D?2,D?2,
400 VDU23,240, D?1, D?1, D?2, D?2,
D?3, D?3, D?4, D?4
410 VDU23,241,D?5,D?5,D?6,D?6,
D?7,D?7,D?8,D?8 420 PRINT TAB(x+N-1,y)C\$:NEXT
420 PRINT TAB(x+N-1,y)C\$:NEX1
N
430 ENDPROC

Listing 2. Modified version of listing 1 for **Electron owners**

lines, which will be the scrolling window. Lines 260 to 300 print out the four instruction lines at the bottom of the screen. The background colour is set to blue and the foreground colour to cyan.

Line 290 is used to start a new line after each line of instructions except the last. This line appears at the bottom of the screen, and if the cursor goes to the next line the screen will scroll, losing the top title line.

Line 310 is the key to the whole program. It defines a text window in the middle of the screen four spaces in from the left to avoid the teletext characters placed down the left-hand three columns. VDU14 puts the text window into paged mode so that the screen will scroll only when the shift key is pressed. Once the program has | Listing 3. Double-height printing in any of the BBC and Electron's graphic modes

run, list it to see the effect. Title and instructions will remain in place while the rest of the program scrolls.

The colours can be changed by changing the teletext colour codes. You don't have to type in the CHR\$132 etc each time. Instead if the shift key and (in this case) function key f4 is pressed. it will give the blue character control code. This feature of the function keys is present only on a BBC with the 1.2 OS and not the Electron. It will not show up on printed out listings so the CHR\$ alternative has been used for the printout.

Red	CHR\$129	SHIFT/f1
Green	CHR\$130	SHIFT/f2
Yellow	CHR\$131	SHIFT/f3
Blue	CHR\$132	SHIFT/f4
Magenta	CHR\$133	SHIFT/f5
Cyan	CHR\$134	SHIFT/f6
White	CHR\$135	SHIFT/f6

When typing in this program, you must ensure that all punctuation marks are

exactly as in the listing or some odd effects will appear on the screen. The display could consist of a series of black and white stripes, for instance, or the title or instructions could be lost. Readers interested in using text windows are reminded that this subject also occurred in the July Hints & Tips.

For Electron owners, a similar program (Listing 2) is included which uses mode 1 instead of mode 7 and the double-height procedure described elsewhere in this section.

Envelope

53

generators

SEVERAL readers have been trying to unravel the mysteries of the BBC's or Electron's sound system. The thing that most find confusing is the ENVELOPE statement. This statement is followed by 14 parameters, and trying all the page 54►

Off-the-shelf procedures

FOR several years I've been saying to myself that I must build up a library of simple procedures that I can quickly *EXEC onto the end of an existing program to save typing time. I still have not achieved this. I've included procedures in this column that can be used in such a way but it would be nice to receive short procedures that readers find useful when programming. Perhaps we could then assemble a library of these for publication and inclusion on the monthly cassette.

One procedure I use frequently is a double-height printing routine that works in any of the BBC or Electron's graphics modes. This is shown in listing 3. Once the procedure has been typed in it should be saved by typing *SPOOL "DOUBLE" and pressing RETURN. Then type list and the procedure will be transferred to tape or disc under the filename DOUBLE. To complete the process type *SPOOL again and press RETURN. This then

closes the *SPOOL file.

To show how the procedure can then be incorporated into a program type in the following short program:

- 10 REM Program to demonstrate double height procedure
- 20 MODE 1
- 30 PROCdouble ("This is DOUBLE height", 9, 5)
- 40 END
- 50 :

Then load in the procedure by typing *EXEC "DOUBLE" and pressing return. The procedure should load in line-byline and at the end will give an error message. Don't worry, that is normal. Now list the program and the procedure will be added to the end of the listing. When the program is run the message should be printed in the middle of the screen five lines down from the top in double-height lettering.

The use of this procedure is also demonstrated in listings 2 and 4.

```
10 REM listing 3
  20 REM Do not spool these two lines!
20000 DEFPROCdouble(A$,x,y)
20010 X%=0:Y%=13:A%=10:D=&D00
20020 C$=CHR$(240)+CHR$8+CHR$10+CHR$(241)
20030 FOR N=1 TO LEN(A$)
20040 B$=MID$(A$,N,1):?D=ASC(B$):CALL&FFF1
20050 VDU23,240,D?1,D?1,D?2,D?2,D?3,D?3,D?4,D?4
20060 VDU23,241,D?5,D?5,D?6,D?6,D?7,D?7,D?8,D?8
20070 PRINT TAB(x+N-1,y)C$:NEXT N:ENDPROC
```

HINTS & TIPS

combinations of these parameters is a slow and laborious task. It can be greatly simplified by using an envelope generator. This is a simple program that allows the parameters to be quickly and easily changed and the sound of the new envelope heard.

Two simple envelope generators are included this month. Listing 4 is an envelope generator for the BBC and listing 5 a simpler version for use on the Electron. The Electron doesn't have the full ENVELOPE statement and so needs a different program, although the full BBC version will run on the Electron.

The program is quite straightforward to use and understand, although it is worth reading the 'sound' chapter in the User Guide first. When an interesting sound is heard it is worth recording the parameters and a brief description of the sound. A collection of sound effects is useful when writing programs. Again, I would be interested to hear from readers who have discovered useful envelopes. Remember that an envelope will sound right only over a limited range of the pitch parameter, and this too should be varied to hear different effects. See page 99 for listings 4 and 5

REMinder

WHEN de-bugging programs you often have to delete lines that are causing trouble. The easiest way to do this without forgetting the contents of the line is to edit the line, put a REM statement directly after the line number and then copy the rest of the line. Now when the program is run the rest of the line will be ignored once the REM statement is encountered. If the line is to be included again, the REM statement need only be deleted.

Word-blocked

MR KELLER of Weybridge has his BBC and *View* wordprocessor fitted up to a Silver Reed EX44 typewriter. When he tries to print out the text that he has saved on a cassette recorder the 'Block' error appears on the screen after a few lines. Mr Keller wonders if he needs a printer driver to cure the problem.

The answer is simple – use a cassette recorder with a motor control fitted. What is happening is that the

printer is taking so long to print out the first block of text saved on tape that by the time it is ready for the next block, the cassette had played on and was at the wrong block. With a motor control fitted, the cassette stops after the first block and restarts when the printer is ready for the next block.

Menu amendment

IN MAY's Hints & Tips a simple disc menu program was printed. A problem can occur with this menu if it is used to *LOAD a program that resides in a different place in memory from normal. What happens is that after loading the appropriate program the menu program will move onto the next line and load the following program too. To avoid this, insert a line after the offending line to end the program. Eg:

490 CHAIN"PROG1" 500 *LOAD"PROG2"3000 505 END

510 CHAIN"PROG3"

Notice that the line number ends in a 5 so that it doesn't upset the computed GOTO in line 390

GOLF DOCTOR

Computer software to keep your score, analyse your play and calculate your handicap – for the BBC Model B Microcomputer.



- Stores a full year's play for most golfers (100 rounds on 10 courses)
- Fairway and green strokes recorded separately.
- * Weather conditions included.
- Comprehensive selective analysis of play.
- * Computer rating of performance.
- ^r Calculates handicap to latest CNGU rules.
- Capacity for any number of golfers.
- * Well written user guide.

To: MICRO INVESTOR SOFTWARE, P.O. Box 16, Heswall, Wirral, L61 4YT.

antity	Product	Version	Price	То	tal
	Golf Doctor	Cassette	9.95		
	Golf Doctor	Disc	11.95		
	Overseas Postage - F		3.00		
	Overseas Postage · E	ach additional item	1.00		
(commu	the ve a			THE S	

My computer is a Discs are 40/80 track. I enclose a cheque/P.O. payable to: MICRO INVESTOR SOFTWARE. Name

Address

Qu

Post Code

EPROM PROGRAMMER for the BBC micro

An exceptionally versatile unit, programs EEPROMS and EPROMs from 2K to 32K.

Powerful, easy to use software in a sideways ROM. Features full screen data editor, files, and softkeys. Professionally

designed hardware ensures reliable and safe programming, also detects badly socketed EPROMs. Soundly

constructed in a convenient flip-top box which protects unit when not in use. Supplied with a comprehensive manual.

£95 (excl VAT, free P&P)

2 year guarantee. Detailed information on request

 \square

Control Telemetry of London Unit 11, Burmarsh, Marsden St., London NW5 3JA Tel: 01-482 2177

ACORN USER OCTOBER 1984

54

IN Frice

Phone your nearest dealer for the most competitive prices

Best Service

write for details

Europe's No. 1 Group of Retail Outlets * Check our multi-national network for your nearest dealer * Backed by an after-sales service second to none



The Electron – A thoroughbred from the manufacturers of the BBC, who have incorporated all their experience and knowledge to conceive another winning computer. Many BBC programs are compatible. This full colour 32K ROM and RAM computer with text and graphics includes a cassette input, and a multi-way connector for the addition of expansion units containing interfaces to additional hardware. It has a 56 key full travel QWERTY keyboard, 10 user-definable and 29 pre-defined keys enabling BASIC keywords to be entered in a single keystroke. The Electron comes with free introductory cassette containing 19 programs including a number of exciting games. £199.00

E Carro



×

Citybench 2/4 Eaton Place Marlow 06284 75244

MONITORS

Micro Land Weatherburn Court Brunel Centre Bletchley Milton Keynes 0908 368018

G.C.C. Cambridge Ltd 66 High Street Sawston Cambridge 0223 835330

Computavision 4 Market Street St. Austell 0726 5297

First Byte Computers 10 Castlefields London Road Derby 0332 365280

Devon Computer Systems (Torbay) 35 Hyde Road Paignton 0803 524284

Roy Hart Computer Services 10 Fore Street Tiverton 0884 253468

Solent Micro Systems Ltd 25 Bargates Christchurch 0202 470468

General Northern Computing 8 Whitworth Road South West Ind. Estate Peterlee 0783 860314

Essex Computer Centre 216 Moulsham Street Cheimsford 0245 358702

Focus Computer Systems 140A Hathaway Road Grays 0375 79717

County Computer Stores 5a West Square Harlow 0279 414692

The Home Computer Centre 261 Victoria Avenue Southend-on-Sea 0702 43568

and sideways ROM.

programs for 5¼" and 3" drives. Acorn

view forth etc. 25% faster than Acorn

DFS on file access. Auto 40-80 track switching. Compatible with .1 DFS view

compatible runs basic, wordwise, BCPL,

The Model Shop 22 High Street Stroud 04536 5920

Sabre Consultants Ltd 103 High Street Tewkesbury 0684 298866

County Computer Stores 95a South Street Bishops Stortford 0279 506801/2

Hobbyte 153 Grove Road Harpenden 0587 3542

N. Humi Beverley Computer Centre 1 Windmill Passage 55 Lairgate Beverley 0482 881911

Ashby Computer Centre 247 Ashby High Street Scunthorpe Scunthorpe 0724 871756

Tollgate Computers 249 Beaver Road Ashford 0233 37187

Data Store 6 Chatterton Road Bromley 01-460 8991

Canterbury Software Centre 9 The Friars Canterbury 0227 53531

Density

DFS

North Kent Computer Centre 52/54 Bellgrove Road Welling Bedley 01-301 2677

Amat Computing 67 Friars Gate Preston 0772 561952

Henry's Computer Shop 404 Edgware Road London 01-402 6822

Miracle Computers 245A Coldharbour Lane London 01-274 7700

Entertains 88 The Ro Bury 061 797 3

Internna

aisv V

Control T 184 Mark Hyde 061 366 8

Enfield C 135 High Ponders E Enfield 01-805 77

Twillstar (17 Regina Southall 01-574 52

K.L. Co Windson Uxbridge 0895 5181

***** st Service * X × X DISK * DRIVES **ACORNAND BBC** × **DISK DRIVES Disk Drive 100K Single** × * NAME AND ADDRESS OF AD **Disk Drive 200K Single** * **Disk Drive 400K Single** × TwoNew Disk Drive 800K Dual * Products **DWP 20** * from isy Wheel Printer OUEN-X DATA PRINTERS Astron IP80 (as ill.) RINTERS MCP40 (Colour Printer) **Executive 80** Electronic * **Epson RX-80 Printer** Office Typewriter Epson FX-80 Printer With 2 Line ASTRON 160cps display **Joystick & Cassette** tand **Players** -1 text Joystick Many joysticks and SOFTWARE cassette players available all leading chart ilt in SOFTWARE & Cassette × from stock. Just in . . . software available d tub The **BBC** Compatible RO Plavers Crack-Shot. This special complete pack contains: Apple IIe Personal Computer, disk drive and controller. TV Modulator VIEW (colour and sound) • £25 Apple APPLE FORTH Software rebate certificates HOME £100 Training Voucher • £25 Apple Monitor rebate certificate . PACK menunant. R. Ann Micronet/Prestel discount voucher -£68 off • 'Windfall' Apple user magazine Apple Sports Bag • Software Certificates • **Catalogue of Hardware and Software** rnonal Dealer Network ******************** Yorkshire W. Midle

Intertainment in Leisure 88 The Rock Bury 061 797 3463

Control Technology 84 Market Street Hyde 061 366 8223

M

er.

Enfield Communications Ltd 135 High Street Ponders End Enfield 01-805 7772/7434

Twillstar Computers 17 Regina Road Southall 01-574 5271

I.K.L. Computers 7 Windsor Street Uxbridge 0895 51815

Impulse Computer World 60 Hartford Street Coventry 0203 27711

Wolverhampton Computer Centre 17/19 Lichfield Street Wolverhampton 0902 29907

Norfolk Abacus 12a Pottersgate Norwich 0603 61441

Viking Computers Ardney Rise Catton Grove Road Norwich 0603 45209

Sinewave Computer Services Corporation Street Taunton 0823 57526

Eric Reynolds Ltd 86 High Street Burton-on-Trent 0283 65086/65869

Town Computer Store 30 Town Road Hanley Stoke-on-Trent 0782 287540

Brainwave 24 Crown Street Ipswich 0473 50965

Micro Management 32 Princes Street Ipswich 0473 59181

Concise Computer Consultants Ltd 1 Carlton Road S. Croydon 01-681 6842

Gamer 24 Gloucester Road Brighton 0273 698424

Orchard Business Systems Ltd 34 East Street Horsham 0403 68461

Worthing Computer Centre 32 Liverpool Road Worthing 0903 210861

Video & Home Computers Centre 3 Rozburgh House Park Avenue Whitley Bay 0632 534725

Skipton Computer Systems 16 Swadford Street Skipton 0756 68192

York Thoughts & Crosses 37 Market Street Heckmondwike 0924 402 337

N. Ireland Everyman Computers 80 Charlotte Street Ballymoney Co Antrim 02656 62116/62658

Wales Automation Services 42 Dunraven Place Bridgend Mid Glamorgan 0656 3550

Micro Management Nederlands Raad Huisstraat 98 2406 Ah Alphen-aan-den-rijn 01720 - 72580


Hollan

Micro Store 38 The Arcade King Street Stirling Central Region 0786 64571 0786 64571

For your nearest European Dealer telephone Belgium or Holland

Micro Management Belgium Ballaerstraat 75 2018 Antwerp Belgium 03-238 9284

The last piece to make your BBC business system complete



Now, for the first time, you can realise the full potential of your BBC computer as a powerful **Business Management System**.

When developing this new range of business software, our programmers had one objective foremost in their minds – to design 'no nonesense' software for the busy, growing business. We knew that it would have to be easy to understand, efficient, flexible and fast. And the result, a product that will be of immediate value to any small, expanding business-it dramatically reduces the time spent on administration, and presents printed documentation, to the highest standards.

The Sales and Purchase Ledger Duo ensures that you are always in control of cashflow by providing a comprehensive record of ingoings and outgoings, keeping accounts up-to-date and issuing statements and reports on time. Unique features are the automatic production of V.A.T. statistics for returns and the ability to provide year end accounts for your auditors.

The Stock Control and Invoicing Duo monitors and automatically adjusts stock levels, whilst issuing purchasing recommendations. Invoices are rapidly calculated and immaculately typed. The unique feature is a free format invoice,

which allows non-standard narrations to be used, a most important detail, and previously unavailable.

The two Systematics International Business Duo's are available at only £89.00 each, from selected Systematics International stockists or direct by using the coupon below.

Order with confidence from Systematics International, our reputation as the U.K.'s leading Software House – is your guarantee of satisfaction.



Systematics International

Systematics International Microsystems Limited, Cleves House, Hamlet Road, HAVERHILL, Suffolk CB9 8EE

Telephone: (0440) 61121 Telex: 99431 SIG

(aud 11.50 lowards C	arriage and insurance)OR	Stock Control/Invoicing Systematics International for £
Please charge my A	ccess/Barclaycard/Ammex/Dir	iers* card number
		Signature
Name:		
Address:		
	Post code	Telephone number
Credit card custome	ers may use our 24 hour Telephö spatched within 48 hours.	one ordering service S.T.D. 0440 61121



second processor

Sir, I am writing in response to the letter from I Crawford in your August edition concerning his 'problems' with the 6502 second processor. It seems to me he has not understood what happens when using a second processor.

The 6502 is an eight-bit processor and because of this can address 64k directly. As a result, any languages or machine code programs have to run in the second processor, hence the need to copy them across from the input/output processor (in this case the BBC micro). Some of the memory in the second processor is used to hold operatsoftware at system ina location &F800. On start-up the default language is copied across the Tube to the same memory position as it occupied in the I/O processor - but this time in the memory space of the second processor.

HiBasic is a relocated version of Basic II and resides in the second processor at location &B800, giving approximately 44k for Basic programs. For machine code programs, 61k is available since the memory occupied by Basic and its workspace may be used.

Also with a second processor, HIMEM remains fixed at &8000 regardless of mode, since the screen is mapped into the I/O processor and not processor. second the Memory in the I/O processor that is not being used for display purposes can still be used-effectively by poking and peeking. This may be done using operating system calls as defined in the User Guide and Advanced User Guide. It is also possible to execute code in the I/O processor from the second processor.

Now to I Crawford's questions.

When using HiBasic the gain made is the memory below the operating system and above the default language location (ie, the location Basic occupies in an ordinary machine), this being about 14k.

When the machine is switched on, Basic is copied across to the second processor and any programs loaded will be run here. The original memory is now used only for display purposes. Part of this memory (depending of course on mode) may be used by peeking and poking via the correct operating system calls, but cannot be reclaimed.

As far as ROMs are concerned, all Acornsoft's will work across the Tube. Wordwise will not work because it pokes directly to the screen. The same is true for any ROM which pokes the screen directly. I hope this clears up some of

the problems and that my comments will be of use to potential purchasers of a second 6502. Gary Jones Manchester

Reviewers need to

compare products

Sir, As one who is involved with the BBC micro, both personally and professionally as a teacher, I must compliment you on the new format of your magazine, particularly the idea of compacting the listings into a separate section of the magazine. There seems, too, to be a greater variety of articles, and diversity of sections.

I find your magazine a tremendous reference pointfor new software that may be of interest to me at home, and for new developments in the field of education.

With particular reference to the educational software or developments in hardware I find it difficult to evaluate new material and have to rely on publications that concern themselves either with the BBC computer or with educational computing. I have found your reviews objective and fair, but could they be more comparative?

I suggest this because I do not have the facilities to compare new software, making a realistic judgment more difficult. Software houses are still reluctant to supply local authority education computer centres with software free for evaluation.

To take a case in point, this month (July issue) you reviewed Edfax. How much more relevant and useful it would have been if you had been able to take 'viewdata systems' as a theme and to compare the software available. Edfax certainly has strengths, but what are the qualities of Optima's Datext or Datapen's Teletext Display Creator. My own experience would put Datext's move, copy, cycling options in a different league to those of Edfax, yet Edfax's use of function keys is clearly more friendly. At the same time, the documentation of Edfax is extensive, that of Datext restricted to a fold-up pamphlet!

Similarly, there has been a need for a comprehensive database for schools that is menu-driven and accesses the disc rather than being an enhanced cassette version. Suddenly, they appear to be available in plenty, but again how can you evaluate them without purchasing each one?

I do not feel that I am a lone voice crying in the wilderness, there must be many 'nonexperts' like myself in primary schools up and down the country who seek opportunities for evaluation of new materials. Schools do not have the money to make errors over choice of software.

David Powell Rotherham

We couldn't agree with you more, and have already begun the task you suggest. The review, with bench tests, of four monitors in June's issue was very popular and in this issue we cover Basic toolbox ROMs (page 157).

To say these reviews are strictly comparative would be wrong, but they aim to give a series of test criteria that readers can apply for themselves. Already, there are dozens of databases and wordprocessors, making detailed comparison difficult. However, our reviews should enable you to decide what facilities you need and to make your choice. As you point out, most have strengths and weaknesses, and the opinions of a reviewer may not tally with yours.

In the next few months we shall consider databases, wordprocessors, machine code utilities, lightpens and joysticks. In November's issue, six turtles and buggies are put under scrutiny. Please let us have your comments.

Bar codes in

FTTERS

Acorn User

Sir, May I comment on a news item in the August issue of *Acorn User*, which said that Wordsmiths of Somerset were the first company to offer a professional typesetting service to Wordwise users. We have been offering this service for 12 months, having done work for, among others, Computer Concepts themselves (Disc Doctor manual) and more recently Clares Micro Systems (Beta Base manual).

We are also co-operating with John Coll and Mike Bostock of MEP in generating high-quality bar codes for their bar code reader. I believe Acorn User is to be the first magazine to publish bar code programs. We can generate typeset bar codes directly from a cassette/disc program or messages from Wordwise, etc. In fact, our service extends beyond Wordwise and we believe we are able to typeset directly from most BBC wordprocessors-including Wordwise, View and Wordsworth. information booklet An explaining our coding system is available.

Our ability to typeset from various disc formats enables us to offer an additional data conversion service of transferring data between different types of disc, ie accept a BBC disc and transfer the data to a Tandy 80, or Epson to a Torch, or Apple to a Sharp etc. This data conversion service normally involves a basic handling charge plus 25p per thousand for the first 500,000 characters and 20p per thousand for the remaining charac-Ray Lumb ters.


Quorum Technical Services Sandford Park Trading Estate Corpus Street Cheltenham

Gloucs GL52 6XH

We don't think Acorn User will be the first magazine to publish bar code listings (*Byte* did it a few years ago in the US), but we are supporting the MEP with its project which will be launched in October.

Addison Wesley will be releasing the reader with software and documentation, while *Acorn User* will explain the ideas involved, and make software available in bar code format.

So, interested parties should keep their eyes peeled!



announces its complete local and wide area Viewdata communications system for the BBC micro.

The first system to unlock the full power of the BBC micro, it turns the BBC into THE Viewdata/communications machine.

Become your own 'micro-PRESTEL'.

Log on to any other Viewdata system.

Create your own Viewdata bases & telesoftware. Let others access them over the phone.

Explore the new world of electronic publishing & information services.

- By far the most comprehensive and easy to use Viewdata system for the BBC micro.
- Track tested since Nov. 83 in the national ITeC program.
- Subset to be bundled by Acorn with their new Winchester file server. Adapts itself to Disc or Econet Level II.
- Up to 195 frames on a disc.
- Multiple databases can be used simultaneously on a network. Special Education licence (Single school, multi-machine, multi-site licence).

The complete package includes SOFTWARE, MANUALS, LEADS and MODEM:

Nothing further required beyond the BBC micro and the new 600 series B.T. phone socket.

THE SOFTWARE

SYSTEM MENU simple cursor driven selection used throughout, with powerful configuration facilities. Auto-booting.

OFFLINE EDITOR one of the best viewdata editors available for ANY machine, combining exceptional facilities with ease of use, enabling complete Viewdata bases to be created on disk or network.

SEARCH this enables a Viewdata base to be searched locally in exactly the same way as when on-line to PRESTEL

CAROUSEL for exhibition and public display, frames can be left automatically displaying in a cycle. * FRAME PRINTER hard copy of frames, supporting parallel, serial or net-

work printers, with graphics supported on Integrex colour inkjet, Epson FX80 & MX100 type III, Microline 80/82, Silver Reed EX43, and text on any other ASCII printer.

TERMINAL can log onto any other Viewdata system, single key auto-dialling, download frames to a local database, telesoftware downloading, full on-line editing, frame-load and send.

HOST enables a locally created Viewdata base to be accessed by any standard Viewdata over the phone. Also provides an on-line editor so that callers can enter messages or complete frames, saved in a private "intray".

* TELESOFTWARE FORMATTER any file, text or data, as well as programs, can be turned into C.E.T. telesoftware frames and made available to callers via the HOST, providing machine independent secure file transfer through the C.E.T. standard.

REQUIREMENTS

BBC micro B, OS 1.0+, DFS 0.9+ &/or Econet level 2 / NFS 3.34+. Also B.T.600 series phone socket.

PRICES

FULL SYSTEM as outlined above. £325.00 + VAT + pp

LOCAL MODE OFF-LINE SYSTEM (No communications). Software: MENU, EDITOR, SEARCH, CAROUSEL, FRAME PRINTER, + full documentation, all as outlined above, working on disk or Econet level 2 £45.00 + VAT + pp.

HARDWARE

INTELLIGENT AUTO-ANSWER / AUTO-DIAL MODEM the first of the new generation of intelligent modems, it is far in advance of anything else in the field

* No buttons or knobs to set - it sets itself - and no understanding of bits and bauds needed

Auto-dial software driven - needs no telephone handset, making phone costs controllable.

 * Auto-answer — handles incoming calls unattended.
 * When calling another CommunITel system in HOST mode, unique speed switching enables frames to be spent at high speed, creating a fast electronic mail system with dramatic phone cost savings. Robust, steel cased

BABT approved (No. S/1397/3/E/450348) - legal to use on public B.T. p hone lines

All leads provided - just plug in and it's ready to go.

DOCUMENTATION

TUTORIAL MANUAL an excellent self-teach tutorial manual is provided. This is properly type-set in large type and heavily illustrated with colour photographs. Further copies of this are available separately. This covers every part of the system

* REFERENCE MANUAL a comprehensive reference manual covers the remaining aspects of the system.

SCHOOLS

Hatfield Advisory Unit for Computer Based Education have negotiated a special schools deal' and are selling the Local mode off-line system + the TERMINAL software + a book on Educational uses of Viewdata + sample database disk, under the extended schools licence for the same price: £45.00 + VAT. Enquiries to Hatfield AUCBE.

FURTHER INFORMATION

For further information and order form write to: CommunITel Ltd. 189 Freston Road, London W10 6TH.

Searching for

robot projects

Sir. After seeing the BBC TV series 'Computers in Control', I am interested in the Fishertechnik models. How do I link them to my BBC micro?

Also, has anyone published any books on home-made Paul Dormer robots? Cheshire

There is a Fishertechnik robot kit which can be made up into six variants: a telescopic arm; tablet; sorting graphics machine: crane; plotter; and solar tracker. It costs £92 and links to the BBC through the user and analogue ports. Simple software is included.

The list is available from Micro Robotic Systems. 20 Penywern Rd, London SW5 9SU.

There is a magazine called Practical Robotics, and Electronics and Computing Monthly often carries articles on robots. Next month's Acorn User features a review of six turtle and buggy-type robots, with more on robotics to come in the New Year.

QL chance

Sir, The announcement that Acorn has obtained a renewal of the BBC contract for four years will be generally welcomed in our schools and colleges. This continuity should provide a much-needed element of stability in a field where there is, all too often. change for the sake of change, or so it appears.

Meanwhile, the fact that Sir Clive has, not for the first time, missed not only the Bus but also the Tube could allow more time for development of the QL as a genuine competitor to the Beeb.

Kenneth Swinburne St James's University Hospital Leeds

Joystick aid

Sir, I would be grateful if you could list the ADVAL commands that detect joystick movement in all directions as the 'Useless Guide', sorry, User Guide does not list them! **Robin Sasson** Slough

We think you're being a bit harsh on the User Guide, but

here's the information.

ADVAL (1) and ADVAL (2) are used to detect movement on one joystick and ADVAL (3) and ADVAL (4) on the other. ADVAL (1) and ADVAL (3) detect left-right movement, returning a low number when the joystick is right, and a high number when the joystick is across to the left. ADVAL (2) and ADVAL (4) return a low number when the joystick is back and a high number when the joystick is forwards. The number returned is in the range 0 to 65520.

Analogue joysticks will return a value even if the joystick is not being moved, the number returned indicating the position of the joysticks.

Elk insanity

Sir, I've been reading Acorn User for over a year now. It has always been an excellent publication and with the new printing format it's near perfect.

I say 'near perfect' because one thing is driving me mad! You keep on referring to Electron as an ELK (ugh!).

What idiot made that name up? It brings Acorn down to Sinclair standards. It even sounds like a Sinclair add-on! So please, please help me

keep my sanity. Call the Electron an Electron.

Jason Cann Cardiff

Latest round-up of games high scores

Aviator		450	Mark Bradshaw
Android Attack		602,590	Stephen Green
Arcadians Battletank Chuckie Egg Crazy Painter	Concepts Acornsoft Superior A&F Acornsoft	48,760 16,320 1,997,800 13,700	Gerard Mulholland Damon Futter Gerard Mulholland Derek McDowell Mark Bradshaw
Cybertron Mission Fortress	Micro Power Pace	26,460 87,000	Damon Futter
Free Fall	Acornsoft	1,188	Owain Griffiths
JCB Digger	Acornsoft	52,000	Owain Griffiths
Killer Gorilla	Micro Power	63,900	Mark Bradshaw
Meteors	Acornsoft	73,220	Robert Hirskyj
Missile Command	Gemini	25,905	Mark Bradshaw
Monsters	Acornsoft	19,270	Owain Griffiths
Moonraider	Micro Power	320,000	Damon Futter
Overdrive (BBC)	Superior	102,560	Daryl McClure
Overdrive (Electron)	Superior	707,010	Gerard Mulholland
Painter	A&F	104,820	Mark Bradshaw
Pengo	Watford	173,000	Damon Futter
Planetoids	Acornsoft	488,900	Robert Hirskyj
Rocket Raid	Acornsoft	61,560	Robert Hirskyj
Snapper	Acornsoft	168,970	Mark Bradshaw
Space	Virgin	4,640	Gareth Dykes
Adventure Zalaga	Aardvark	171,430	Daryl McClure

Odd character

Sir. Congratulations on the recent improvements to Acorn User. I have a frustrating problem which I wonder if you could solve. What does *; do! No error message is given and the filing system is not accessed

> **Clive Maidment** Middx

The "' character has a special meaning to the operating system. "A' represents control A. "B' represents control B and so on. Its main use is to allow the placing of control codes in a function key definition, notably :M representing a carriage return. It can be used with all the operating system commands, so a file can be saved with the name 'L' (clear screen code) resulting in the screen being cleared each time you get a directory.

The particular code you mention doesn't really do anything as it is incomplete.

Third 'first'

Sir, I am writing in response to a news item that appeared on page 22 in the May edition of Acorn User. The headline read Salamander first with m/c compiler', but I rather doubt that this is true. Jeremy Ruston produced a compiler that was marketed in 1983, and in Janu-

ary of this year we marketed a compiler written by Simon Parker, Our compiler comes on cassette for £17.95 or disc for £19.95, and is advertised in your magazine every two months. More than 50 BBC Basic keywords are catered for

ETTERS

So it would appear that Salamander's compiler was in fact the third.

> **M** Towle ACK Data 21 Salcombe Drive Nottingham NG58JF

61

Keyboard guery

Sir, I have three questions on BBC Basic. First, how do you clear the keyboard buffer? Second, how do you mix colours in user-defined graphics? Finally, what is the teletext control code for separated graphics, as in the title page on Acornsoft's programs for the BBC micro?

Timothy Lennon Somerset

Here come the replies, in order. *FX15,0 will clear all the internal buffers, and *FX21,0 flushes the keyboard buffer. Further information on these calls can be found in chapter 42 of the BBC and Electron user guides, and in the Advanced User Guide.

In the September issue, Harry Sinclair showed how to produce full colour sprites. Also if you are printing at the graphics cursor (after VDU 5) then only points that are in the foreground colour are plotted, those pixels which are in the background colour are not so colours can be mixed by printing at the same position with different characters in different colours.

Finally, the teletext code for separated graphics is 154; it is turned off by code 153. All the teletext control codes are in the BBC User Guide on pages 486 to 489.

Unilab contact

Sir, I have already written in for details of the weather satellite project in August's magazine, but could you please let me have an address for information on the Unilab computer interface.

Jason Bryant Gwent

The address for Unilab is: Clarendon Rd, Blackburn BB1 9TA.

LETTERS

Breaking

the barrier

Sir, While playing around at my Beeb I discovered a way of program protection, quite by accident. I typed in:

*KEY 10 A\$ = GET\$:M CLS:M

When typed in, any program already in the computer could not be tested and break would cause a 'Bad program' message to appear. I found this very interesting as I had not seen such a simple procedure as this before. I would like to know why this happens.

62

D Wolff

To understand why this works you must know a little about where the Beeb stores a Basic program and where it stores variables. Normally variables are stored in memory after the end of your program, the value of this location is held in the variable LOMEN.

When the Break key is pressed the old value of LOMEN is lost (OLD resets it), and it is set up with the value &1900, which is where Basic stores your program. So if before you OLD, you set up any variables they will overwrite the beginning of your program. You have programmed the Break key to set up a variable, this corrupts the beginning of your program, and hence a 'Bad program' error when you try to OLD.

If you only do a CTRL-Break then a program can still be recovered by typing 'OLD'.

Fortress cure

Sir, I had the same problems as your reviewer in running Amcom's *Fortress* (September), namely that, after the first three lives, the machine locks up solid, switching off being the only solution.

The solution turned out to be simple. Once the program is loaded, and *before* the craft is crashed, hit the escape key. This works for myself every time, and was discovered thanks to Reed Photography of Chesham.

ASK a silly question, pass a fair comment, stage an angry protest – we don't mind what you write to us about (or about us!). Keep 'em short, keep 'em sweet, but keep 'em coming! The address is: Letters, Acorn User, Redwood Publishing, 68 Long Acre, London WC2E 9JH.

Whether this is the fault of the machine (an Issue 3 board) or the superbly protected software could be debated until the cows come home. The moral of the story? First, don't panic; second, find someone who has played it before and watch them like a hawk!

Before I get condemned to Mad Alex's dungeon for life, dare I ask when *Acorn User* is going to review Skywave's Multi-Tasking Forth-83?

A Binns Amersham

Thanks for the tip, and the Skywave review is underway.

Shinwa tip

Sir, I am writing with reference to the multi-tone screen dump presented in the July issue of *Acorn User*, for Epson-type printers. A simple way to alter the program to produce a proportional dump on a Shinwa CP80 printer (provided the occasional lost byte is not important), is to amend the following two lines:

180 VDU1,27,75,1,0,1,2 710.print_bytes 1dx #1 Great magazine!

Stephen Wilcock Bristol

Electron games

Sir, Your Electron readers might like to know about some BBC programs that will run on the Elk. Versions of Aviator, Arcadians, 3D Bomb Alley, Saloon Sally and The Mine all worked when I tested them, although the sound effects aren't as good. Also 3D Bomb Alley, Saloon Sally and The Mine are all slower, but in some circumstances Arcadians is faster!

Keep producing the magazine by which all others are measured. **N Wright** Lincs

Flashback

Sir, What on earth has the he/she/it silver painted graffiti'd asymmetrical-eyebrowed creature in a government surplus naval gunner's anti-flash hat got to do with computing? **R Taylor**

Gwynedd

Kitty explains how to choose software and unravels ROMs

l've been very disappointed with some of the programs l've bought. What tips can you give to stop me making the same mistakes again? Peter Brown Liverpool

Buying software is just like buying any product, for example a book, and you should look at the task in the same light.

Personal recommendation is the most reliable method, and then there are reviews. As with book reviews, you will learn to trust some people and magazines more than others. Look out in *Acorn User* for a series of comparative reviews where the major criteria in picking a particular type of software will be considered. We covered monitors in June, and this month it's Basic utility ROMs.

Make sure you know what machine you have (especially if it's an upgraded model A). Don't assume a program will work, and, of course, programs labelled for other types of computers will not work. Although the Beeb and Electron are similar, don't buy Electron software for the BBC and vice-versa, unless the seller can show it works on your machine.

Before you buy, ask for a demonstration in your local dealer's or shop. If they won't help, then go elsewhere. Build up a relationship with a dealer who will often be able to recommend software as he/she gets to know your tastes.

Packaging and documentation will be a good indication of quality and will be important to some people, but not others. Look out for screen shots, which many software houses are showing as standard on cassette boxes. Make sure the company prints an address for return if the program doesn't work, or that the shop will exchange.

Some shops will stock only the best-selling software, and these are usually a safe bet. Remember though that the games market is dictated by youngsters



whose tastes may not be the same as yours – and their reflexes may be a lot better.

Finally, Acornsoft is soon to produce a catalogue of software and products from other companies it recommends. Look out for news in *Acorn User*.

Everyone talks about ROMs and firmware, but Ibought *Wordwise* and a friend told me it was on an EPROM, and that his *View* was on a proper ROM. What is the difference? Helen Phillips Birmingham

A ROM (read-only memory) is a chip on which information is stored and cannot be easily wiped out. An EPROM is an erasable/programmable

an erasable/programmable ROM, on which the information can be destroyed if the chip is exposed to ultra-violet light. If you remove the label from the EPROM, you will actually be able to see the silicon chip covered by plastic inside its casing. This means an EPROM can be wiped and then re-used, whereas a ROM cannot.

Acornsoft has put View on ROMs because they are cheaper-but only if they are ordered in very large numbers. Smaller companies use EPROMs because they can be produced in small numbers, giving more flexibility and costing less in the short term. Also, EPROMs can be recalled and exchanged more easily because are valuable - costing thev about £8 each. ROMs just have to be thrown away.

The best example of this was Acorn's original 0.1 operating system. This was sent out on EPROM as it was a temporary system, whereas the 1.2 version is in ROM as it will be produced in large numbers over several years.

The term 'firmware' just means a piece of hardware on a chip, such as the BBC's ROMs and the Electron's cartridges.

-					
			mputer in s Telephone:061-	the NORTH 366-8223/7794	
	with DFS & Econet with DFS & Wordwise	f p 346.95 407.82 439.00 433.92 Free Cassette Lea	ad and Software Package. Most a	Acorn Equipment 6502 2nd Processor Z80A 2nd Processor Telextext Adaptor Electron Computer add-ons include free fitting and installation.	f p 173.04 260.00 199.00 173.04
Monitors Philips Hi Res Microvitec No Ferguson TX-	ormal Res 90 RGB/TV	68.69 199.00 199.00	DISKETTES	Addons ATPL ROM/RAM board Light Pen OEL 200 Prestel Terminal Acorn Speech Synth Chip Chat Speech Synth	38.00 21.69 87.39 47.83 26.04
Add on Light JMB Full Ana Joystick Pairs His Fi Extensi	logue Joystick	21.70 13.00 17.35 5.17 13.00	•	Pace Grapevine ROM Software Wordwise Graphics ROM Print Master	POA 34.74 28.65 28.65
Component: We stock eve 2764 Eproms 27128 Eprom 8271 Eproms Printer Cables Disk Power C	s hs Low s	6.04 POA 12.99 8.65	Boxes of 10 diskettes BASF s/s d/d diskettes £13.00 BASF d/s d/d diskettes £22.90 XIDEX diskettes £15.22	View 2.1 Ultra-Calc 1.2 O.S. Disk Doctor BCPL Termi Commstar	52.09 56.48 7.38 28.65 86.09 28.65 30.39
TEC TEAC SHINON	TEAC Disk, Cables, Case and Manual. £109.00 + VAT				
TEC TEAC SHINON	TEAC Cables, Case and Manual. £369 + VAT				
ACORN	ACORN DISK INTERFACES FROM £69.00 + VAT The Fabulous LVL Single and Double Density Interface. This will allow you to read and write to Acorn Disks see below. But also you can create your own Single OR Double Density Diskettes for extra online storage. Maximum capacity is 1.6 MB with 8 logical drives and 248 files. The standard Acorn Interface is available from us this uses the 8271 disk controller which gives very fast access to disk files. Acorn DFS is the standard for the BBC Micro it allows 31 files per disk and a maximum of 800K on 4 logical drives. £85.00 + VAT				
CANON PWINTERS CANON PW 1080A. This is the latest state of the art in printer technology. This machine out performs the EPSON FX80. It will do everything the FX80 does and more besides and using the same control codes! What makes the PW1080A so special is not only its superb value for money but the near LETTER QUALITY mode. We include a free screen dump and our BBC Micro Instructions as well as the excellent manual. f259 + VAT. QUEN 5100 Daisywheel. This British assembled printer has all the features that you would expect like Auto Bold, Auto Underline. Sheet Feeder option. Take Qume daisywheels and Ribbons. 20Cps Bi Directional. f299 + VAT Bi-directional (120 cps), tractor and friction bed. £199.00 + VAT QUEN DATA Dot Matrix Printer—British assembled £173.04 + VAT					
PRICESAll our prices are constantly moving, so please ring us to check the latest price. All prices plus VATFREE DELIVERY TODAY (Orders over £90)All prices plus VATFREE DELIVERY TODAY (Orders over £90)All prices plus VATFREE DELIVERY TODAY (Now for business software too!)		JTERS Irket Street, Cheshire EX 166 7794			

TO PHILIP CIBBS: Examine in detail all the Editor Assemblers, all the disassemblers and all the Monitors for the BBC Micro; choose their very best features - improve upon them then; add any other feature required to create the finest combined machine language programming utility on the market...

He did just that-producing the Kansas

EDITOR ASSEMBLER MONITOR AND DEBUGGER (Kmon)

The only Monitor with both the normal Single-Pass AND a unique Two-Pass Assembler

In addition to interacting with the rest of the program, this Two-Pass Assembler stores the source code in a compressed format, which enables much larger programs to be assembled in memory at once, with the listing all neatly tabulated (in colour) with the minimum of memory usage. Another advantage over such as Beebug's Exmon and Watford's Beebmon is that KMON allows full disassembler labelling facilities. Neither of which have the important Two-Pass Assembler, as doesn't the Molimerx Micromon, which just does not rate.

Our normal return first class post service applies with orders despatched the same day if on credit card before 4pm.

This program also carries our full guarantee. Remember, we are the longest established software publishers in the business...

UPGRADE to Kmon

As many people may wish to have all the facilities of Kmon we will allow £8 on your Beebmon Exmon or Micromon in part exchange

As well as the Two-Pass Assembler

and Disassembler labelling facilities there are over THIRTY Commands ...

Two-pass Assemble Single-pass Assemble Disassemble E dit Memory E xamine Memory Word Search B yte Search R elocate P rogram Move B lock Compare B lock Insert to Source Code Fill Memory Block Overwrite Line P seudo-ops Set Breakpoint Clear Breakpoint Display Breakpoint Table Set Variable Display Variable Move User Table Display User Table Extent SPC Count

JSR to Address List Source Code Hexadecimal Dump Select Printer Delete Label Kill Source Code Select Paged ROM Set Scrolling Speed Save to Disk/Tape Load from Disk/Tape

Supplied on ROM, KMON comes complete with a most extensive User Guide, which starts with a tutorial introduction to the use of the program, with detailed examples of the commands. This is followed by a reference section giving further details. This User Guide is extremely well written and could be easily understood by the beginner to machine language.

KMON is valuable to both beginners and the experienced machine code programmer since its use provides an excellent introduction to the use of assembly language, whilst the Two-Pass Assembler allows the experienced programmer to develop much larger machine code programs than the BBC assembler or other Monitors allow. The use of the KMON assembler also facilitates easier debugging than a separate assembler and monitor.

POWERFUL Relocator-anywhere in memory. Wide range of pseudo-ops, ORG, MEM, DFW, etc. Versatile editing facilities, can be altered by instruction RTS, LDA, etc., hex, decimal or Ascii. Source code stored in memory so available to cassette as well as disk users. Assembler will not allow you to overwrite-idiot proof!

KMON contains a full Disassembler with all O.S. calls labelled, vectors between &200 - &2FF correctly disassembled and user defined labels automatically substituted.

LABELS can be defined, erased and altered at any time. The two-Pass Assembler automatically accesses and alters user labels. Labels can be used instead of numbers in ALL Monitor functions. Numbers and addresses can be hex, decimal or a label (or Ascii). There is a full Breakpoint handler. Etc., etc., etc., etc.,



Supplied on ROM for the BBC model B at £34 all inclusive

Kansas City Systems, Unit 3, Sutton Springs Wood, Chesterfield, S44 5XF. Tel 0246 850357

GRAPHICS

FATMAN ON THE MOVE

Harry Sinclair shows you how to animate your character

AST month I presented a program that enables you to design multicoloured mode 2 'sprites'. As promised, this month's article introduces a program which allows you to move your creations around the screen smoothly without disturbing any background, maintaining their original colours at all times. Not only that! If you want you can have cartoon-style animation.

You don't have to understand exactly what is going on, but it helps you to know the general picture, especially for the animation part.

Apart from its obvious job, last month's program performs three main functions:

 It organises your data into easily usable blocks.


Sprite 7

- It sets up a table containing the start address of the data for each of your sprites and saves it with the rest of the data.
- It saves information about the width of your sprites so that this month's *Mover* program automatically knows how big to draw them.

The importance of these three things is that the *Mover* program can quickly put your data on the screen just by knowing which character you want to display and where you want to display it. If you aren't particularly interested in the details of how the program works, all you need to know is:

- It should be typed in and subsequently LOADed with PAGE set at &1900.
- You must save it before you run it.


Sprite 4



The animation sequence for walking Fatman in both directions, left and right. It takes six sprites, two being repeated

Sprite 5

Sprite 4



Fatman can be moved to any position on the screen

• When you want to move a set of characters around, *LOAD them first and then run the *Mover* program.

As I explained last month, the designer program allows six sprites to be defined at a time but it regards them as being 8. Sprites 0 and 2 are the same, as are sprites 4 and 6. This means that if you ran through them in sequence you would get sprites 0, 1, 0, 3, 4, 5, 4, 7.

In other words, if you want to produce animation effects – say, of a man walking right to left – sprite 0 should be of a man standing feet-together facing right. Sprite 1 would be man with left leg forward, right leg back, sprite 3, right leg forward, left leg back. That completes the moving right sequence. The moving left sequence is the same but with the man facing the other way. (I'm not sure whether I understand all that. It's a bit like describing Dolly Parton with your hands tied behind your back).

Anyway, when you're designing, you don't have to worry about duplicating sprites 0 and 4 – the program does it for you. If you look at the screen shots accompanying this article you'll see page 67 ►

Harry Sinclair's 'Mover' program is listed on yellow pages 100 and 101





For 150 employees with 100K disc using random access operation.

Calculates most tax codes and national insurance rates. Calculates up to 24 fixed deductions per employee including employer's and employee's pension contribution and S.S.P

Prints payslips, cheques and cheque list. Has coin and note analysis.

Has a complete end of year routine for tax returns.

BBC B DISC MAIL MERGE PROGRAM

Produces personalised versions of a standard letter by merging names and addresses held on a data disc with a standard letter produced on Wordwise or Merlinscribe word processors.

Prints letters, envelopes, two abreast labels and the complete file including telephone numbers.

Comprehensive facility for selecting and printing using any user definable criteria.

BBC B DISC MAILING LIST PROGRAM

Stores up to 350 names and addresses per 40 track disc or 700 per 80 track disc.

Incorporates comprehensive search facilities for selective printing of labels, envelopes and letter headings.







Each disk holds 1000+ hours of s/w engineering developed from our artwork systems. These programs fully exploit a disk-based BBC to stimulate long-term interest through exploration and experiment.

Prices inclusive. State 40tr or 80tr. £3 off total for 2 programs; £6 off for 3. Add £5 if backup reqd. Special terms for Schools/Colleges needing 3+ copies.

JIGSAW PICTURE & WORD PUZZLES (2 programs): £14.50 JSPP takes any mode - 2 picture, 3 pictures supplied JSWP has fun-to-use word-puzzle creator/editor Random jumbles, 12 levels: toddler to top puzzler Four sliding & teleporting cursor options Helps: Tidy/Re-jumble keys, Save/Reload

TEX and PAM (2 programs):

£14.50 TEX creates/modifies/animates mode-7 pictures Output options: spool, *save, *save 5 pic sequence PAM runs TEX o/p as animated-film/slides/newsreel

Timed frames, Inner loops, 13 TV-type smart wipes Shop/exhib users: please ask about pricing version

MUSIC MAESTRO (synth for non-musicians): £12.50 Design pleasant/weird sound envelopes, MM autodraws

Play: 4oct, 8std + ownenvs, chords, arpeggios, loops Record/edit/replay. Add rhythm after melody



Cheques/PO with order to: **Promotional ArtWork Systems** 9 Mayo Cl, Leeds 8 LS8 2PX



MICROS BBC B £380 + DFS £460 Electron £199 £125 Spectrum MONITOR Colour/Green Novex 1414 £220 Green Sanyo DM2112 f77 PRINTERS RX-80 £290 RX-80 F/T £325 Gemini 10X £247 Juki 6100 £390. DISC DRIVE Single 40 track 100K £170 Single 40/80 track 100K £299 Dual 40 track £350 Dual 40/80 track DS £560

SOFTWARE

Ultra-Calc £78.00

Clares Database £26.00 Payroll :- 40 or 80 track £49.95; Torch Z80 £74.95 Mail merge :- 40 or 80 track £39.95; Torch Z80 £69.95 Mailing list :- 40 or 80 track £19.95; Torch Z80 £29.95 Carriage 50p.

Discs from £19.95, cassettes from £0.55 and joysticks from £17.50, leads from £2.50.

Just arrived hard covers for all micros.

Business systems customised to individual needs such as word processing, payroll, employment agencies and chemist.

All prices inc VAT. Postage extra. SEND ORDERS TO CYB COMPUTERS 9 Crown Parade, Crown Lane, Morden, Surrey SM4 5DA. 01 542 7662.

WE ARE A FEW YARDS FROM MORDEN UNDERGROUND STATION

how Fatman is organised. He is eight pixels (four bytes) wide.

If you select the animation option, *Mover* runs through the sprite sequence 0-3 when the cursor right key is pressed and 4-7 when the cursor left is pressed. Up cursor and down cursor just move the currently displayed sprite in the appropriate direction. The key detect routine can tell if two keys are pressed at the same time, so you can give your sprites a headache if you're feeling evil.

That's all you need to know if you want to start typing. Incidentally, if you don't want to type it all in at once just stop when you're cheesed off and save what you've done. Then, suitably uncheesed, load the program, list it then type AUTO XXX where XXX is a number 10 higher than the last one. You can then carry on.

Right, now for the tricky bit-full screen addressing.

A mode 2 screen is composed of 32 (0-31) horizontal 'strips', each eight bytes deep and 80 bytes wide. Type in the following short program.

10 *TV255 20 MODE 2 30 screenstart = &3000 40 FOR I% = 0 TO 31 50 S% = screenstart + 1%*640 60 IF NOT 1% MOD 2 C% &03030303 ELSE C% &3F3F3F3F 70 FOR J% = 0 TO 639 STEP 4 80 J%!S% = C% 90 NEXT 100 NEXT

When you run this you will see the screen divided into red strips and white strips – 16 of each. Every strip represents 8 deep by 80 wide = 640 (&280) bytes. Screen memory in mode 2 starts at &3000. If you pick a location on the screen – say third down, 20th byte across within the fourth strip, you know that its address will be:

\$3000 + (\$280 * the number of complete strips above your chosenlocation - in this case 3) + (8 * 19)+ 2

If you're puzzled as to why the last part of this equation is not (8 * 20) + 3, remember that numbering starts at 0, not 1. So the third byte down in a column is in position 2, and the 20th across in position 19.

			&3000	start of screen
Y co-ordinate DIV 8 * 640	=	+	&780	3 * & 280
X co-ordinate * 8	=	+	&88	19*8
Y co-ordinate MOD 8	=	+	2	
	=		&380A	

To complete the example, the final address is shown in figure 1.

If you add an extra line to the above program:

110? & 380 A = 0

this will make that particular location black.

So calculating screen addresses is not very difficult. The only problem is that if you're using this method to draw a character to the screen and the character is 24 bytes deep and four bytes wide, the calculation has to be done 96 times – pretty time-consuming. Another way of doing it is to calculate the address of each of the leftmost bytes.

Let's take the above address as an example – &380A. The address of the location immediately to the right of that is just eight higher – &3812 – and the one next to that is eight higher again – &381A. Add the following line to your program:

120?&3812 = &F:?&381A = &30

When you run it you will have three bytes in a row in strip 4 – the first black, the second yellow and the third blue.

Calculating the left-hand address and then adding eight to it to get the next one is a bit more efficient, but not much. There are a few variations on this method but they all require a fair amount of calculation, and microprocessors, oddly enough, were not designed to perform arithmetic operations – logical operations are their forté.

Yet another way of doing it is by using a bit of lateral thinking. Say your sprite is 24 bytes deep – it doesn't matter how wide it is. This means that its depth is equal to that of three of the screen strips. If your sprite is to be drawn starting exactly at the top of one strip it will finish exactly at the bottom of the next-but-one strip beneath it. Bytes within a strip are consecutive and arranged as in figure 2.

As you can see, all we have to do is calculate the addresses of A, B and C. If the sprite is four bytes wide – 32 bytes in each strip – we can send our data to three lots of 32 consecutive addresses starting at A, B and C respectively, using the Y or X registers of the 6502 to increment the address relatively. This has the added advantage of not actually changing the base address. In

			A 110	AILU
is w e ur e g.	STRIP 2	$B \\ B+1 \\ B+2 \\ B+3 \\ B+4 \\ B+5 \\ B+6 \\ B+7 \\ \end{array}$	B+8 B+9 B+10 B+11 B+12 B+13 B+14 B+15	B + 16B + 17B + 18B + 19B + 20B + 21B + 22B + 23
st in ie at	STRIP 3	C C+1 C+2 C+3 C+4 C+5 C+6	$C+8 \\ C+9 \\ C+10 \\ C+11 \\ C+12 \\ C+13 \\ C+14$	C + 16 C + 17 C + 18 C + 19 C + 20 C + 21 C + 22

GRAPHICS

A + 8

A+9

A+10

A+11

A+12

A+13

A + 14

A+1

A+2

A+3

A+4

A+5

A + 6

STRIP 1

A+16

A+17

A + 18

A+19

A+20

A+21

A + 22

A + 23

Figure 2. How bytes are arranged within a strip

C+7 C+15 C+23

fact it's even easier than that. Since each strip contains 640 bytes, address B = address A + 640 and address C =address B + 640, so we can generate addresses B and C by simple addition.

Well, that's fine for sprites that start exactly at the top of a strip, but what about ones that start within a strip?

Consider our 24-bytes deep sprite. If it starts at the top of a strip it will appear in three strips. If it starts within a strip, parts of it will appear in four strips. We need one extra address – the top of strip 4 – which we get by adding another 640. All we have to do now is ensure that we write only to the bytes we want to.

The exact start point of a sprite within a strip is easy to calculate. Remember that the vertical axis (Y) has 256 possible values – 0 to 255. Y MOD 8 or Y AND 7 give the remainder of Y divided by eight – the start position. If this is subtracted from eight the result

is the



etc

ACORN USER OCTOBER 1984

Figure 1.




Microbyte Software (Dept. A10)

18 Hilgrove Road, Newquay, Cornwall TR7 2QZ







number of bytes in each column in strip 1 that should be written to, and the number of bytes in each column in strip 4 that should *not* be written to. In the program, this value is put into the X register each time a new column is to be drawn and is decremented each time a set of bytes (one to each strip) is sent. While X is positive, bytes will be written to strip 1 and not to strip 4. When X is negative the reverse is true. The value is also used to control the (negative) offset into the sprite data tables.

The only other thing you have to do is to ensure that other characters on the screen are not rubbed out as your sprite is moved about. A common way of doing this is to use what is called EOR (Exclusive OR) plotting. EOR is one of the logical operators and is very simple. If you EOR K with J to give you N, when you then EOR N with K you will get J, or if you EOR N with J you will get K. EOR works by taking two binary numbers and comparing pairs of bits. Each bit in no. 1 is compared with the corresponding bit no. 2.

If either (but not both) of the bits is set-ie = 1-the corresponding bit in the result is set. If both or neither of the pair is set, the result bit is zero – eg:

	6 EOR 3 = 5	
6	= 00000110	
3	= 00000011	
Result	= 00000101=	F

6 EOR 5 = 3 6 = 00000110 5 = 00000101
Result = 00000011=3
3 EOR 5 = 6
3 = 00000011
5 = 00000101
Result = 00000110=6

So if you take the value (V) you want to write to a screen byte and EOR it with the value already there (S), you will get a new value (N) – and unfortunately a new colour unless the value already there is 0. When you want to move your sprite to a new position and replace the background you just repeat the operation. EOR V with the screen byte (now N) and you get the original screen byte S. On screens that are mainly black this is a very effective method.

The method I have used is different. Before any screen byte has a new value written to it, its original value is stored. The original values are written back before the sprite is drawn in a new position. This way your sprite's colourings are maintained at all times and there is absolutely no disturbance of any background.

Two other parts of the program may interest you – speed control and the keypress-detect routine.

Speed control is achieved by the use of an interrupt routine. The vertical sync. pulse event is enabled by the equivalent of *FX 14,4. This generates an interrupt every fiftieth of a second as the screen is about to be refreshed, and control is passed to a user routine whose address is contained in locations &220 and &221-the event vector. All this routine does is decrement location &77. When you run the program you are asked what delay factor you want to use. When the sprite is about to be written to the screen the delay routine is executed the number of times you have specified. The routine loads the contents of &77 into the accumulator and then continues to compare the accumulator with the current contents of location &77 until they are different – ie the vertical sync. pulse event has occurred.

GRAPHICS

The key detect routine, which is very fast-it should only take 12 machine cycles out of 2 million per second to discover that no key has been pressed examines locations &EC and &ED in the operating system workspace. If one key is being pressed, location &EC contains its internal key number + 128 and &ED contains 0. If two keys are being pressed location &EC will now contain the internal number of the second key pressed + 128 and &ED will contain the internal number + 128 of the first key pressed. If no keys are being pressed both locations contain zero. You may like to modify the routine for your own purposes

Internal numbers are with very few exceptions easily generated from the negative INKEY numbers. Take the negative number, reverse the sign, and add 1. For instance, if you wanted to test for 'A' being pressed, in Basic you would use INKEY (-66). The internal number would be 65, coincidentally the ASCII code for 'A'. To use my routine you would check for 193 (65 + 128). Negative INKEY numbers are given on page 275 of the User Guide. The Advanced User Guide also gives the internal key numbers.

Well, I hope this has given you some ideas and that you get a bit of fun out of the two graphics programs. Next month I will give you some modifications for the *Design* program that allow you to edit previously designed sprites and produce mirror images so you only have to design your animation characters facing one way. I will also give you a procedure that will take the data for a sprite, shift it all over by one pixel and store the new image. You will then be able to move your sprites very smoothly – one pixel at a time – by alternating the images.

MOVER PROGRAM DESCRIPTION

20 If you want your sprite data to autoload make this line *LOAD followed by whatever you called your sprites.
80 to 120 Check to see if animation is required and set the flag (&74) accordingly. The machine code checks this location and if it is set it ensures that sprites are displayed in the sequence 0, 1, 2, 3 when moving right and 4, 5, 6, 7 moving left.
130 If animation not required and only one sprite is to be displayed, which one?

160 Gets the delay factor - see text.

170 to 210 Instructions.

240 Sets screen background.

250 to 270 Set control variables.

280 Calls routine to point EVENTvector to program interrupt routine.

290 Displays sprite for the first time.

300 Enters the main program.

310 Cleans up when Basic re-entered.

370 to 490 Leftpressed. Decrement X axis value unless it is already zero. Check if animation required – if so it sets left flag and gets next character in the sprite sequence from 'animation'. Pass control to *Mover*, which operates the delay mechanism and calls the display routine.

500 to 610 Rightpressed. Increment X axis value unless it is already 80 - width of sprite (contents of &7A). Other actions as above.

620 to 760 Downpressed/up-pressed. Control Y axis value in similar manner except animation not used. Where appropriate the above routines are called by the key detect routine, 'keycheck'. page 70 ►

GRAPHICS



MOVER PROGRAM DESCRIPTION (cont)

770 to 910 Animation. Test the left/right flag (&75). If right has been pressed the X axis value is ANDed with 3 to give a sprite number in the range 0-3. If left has been pressed, 4 is added to make the range 4-7. Since the X axis is increased or decreased only by 1 at a time this routine is always able to pass the next sprite number in sequence to the display routines.

920 to 1040 Mover. If no delay is required &76 will be negative so the delay routine is skipped. Delay (see accompanying text).

1050 to 1090 Nv. This is the vertical sync. pulse event routine which decrements &77 each time the event occurs.

1110 to 1490 Cv. Change contents of the event vector at &220/&221 to point to above routine. Store old contents so they can be restored when Escape is pressed to give orderly return to Basic – not strictly necessary in this case but good practice. Also enable the vertical sync. pulse event. Set variable offset into data tables. Calculate maximum allowable X axis value given the width of the sprite, and store this in &7A. This enables use of variable-width sprites from designer program. The storage area for screen background is set up by inserting addresses based on the size of the sprite into the address fields in the 'replace' routine (see below).

1500 to 1740 Start. Put addresses of control routines into table so they can be accessed quickly by the keypress detect routine.

1750 to 1890 Keycheck. Executive section of program from which all other control routines are accessed. Arranged as an infinite loop which can only be exited by pressing Escape. See text.

1900 to 2180 Keyvalid. If a 'valid' key has been pressed (ie any of the cursor control keys or Escape) an appropriate value is returned in the accumulator. In the case of Escape being pressed, the return address of the routine calling keyvalid is pulled off the stack and a jump is made to the escape routine. This ends with RTS so with no other address to return to control is passed back to Basic. See text for explanation of values tested.

2190 to 2270 Getaddress. The value returned in the accumulator by 'keyvalid', if non-zero, is multiplied by 2 and transferred to the Y register, which is then used to get the address of the appropriate control routine. This address is inserted in place of the dummy operand in 'gotomover', which is then called by the main control section.

2310 to 2410 Escape. Replaces original contents of the event vector, flushes the keyboard buffer and returns to Basic.

2420 to 2450 Tbl. Storage area for addresses of the up/ down/right/left control routines. Those with Basic 2 can replace NOP with EQUD etc to define zero bytes, but it isn't necessary. Note that 10 bytes are needed since the first two bytes cannot be accessed by 'getaddress'.

2460 to 2470 Olv. Two-byte storage area for original contents of event vector.

2480 Display. Loads Y register with number of bytes to be written to each strip, contained in &78.

2510 to 2640 Replace. Return the original contents of screen memory to location where last sprite has been drawn – ie delete it before drawing sprite in new position. The low bytes of the storage addresses are dummies and vary according to the width of the sprite.

2650 First. When a sprite is first drawn it is unnecessary to call 'replace' since there is nothing to replace, so the drawing routine is entered here. The start addresses of the strips are calculated and the calculation is simplified a little by accessing the *640 table in the OS ROM starting at &3C75. Start addresses of the sprite data are obtained from the table at &12F0 (lines 3270 and 3440), are modified by the offset contained in &73 and inserted into their zero page locations (&88 onwards).

3520 Loads Y register with the number of bytes to be written to each strip.

3530 to 3540 X register set up to control writing.

3550 Start of the main drawing routine.

3850 to 4170 Sh. This is what actually puts your sprites on the screen and also what saves the background. The low byte of all addresses shown as &C00 is a dummy which is changed by the routine 'cv' above, to accommodate sprites of different sizes. The sections that write to the separate strips are 'b2', 'b3' etc.

ZERO PAGE LOCATIONS USED

&70 = Number of sprite to be displayed. &71 = X axis value - 0 to 79. &72 = Yaxis value - 0 to 255. &73 = Y MOD 8 at first then 8 - (Y MOD 8) + 1 to control display routine. &74 = Animation flag. 0 = no animation 1 = animation.875 =Left/right flag if animation selected 1 =leftpressed 0 =rightpressed. 876 =Number of vertical sync. pulse interrupts to occur before sprite is drawn to the screen = delay factor - 1, so negative (&FF) if no delay required. &77 = Used to sense if vertical sync. pulse has occurred. Is decremented at each such interrupt. Width of sprite in bytes * 8 = block size. 878 =

&/9 =	(Width of sprite 8) - 8 = additional offset into sprite data tables.								
	into sp	orite da	ata ta	bles	- 1941) 1				
&7A =	Maximum X axis value allowable (80 – width of sprite in bytes).								
&80/&81	Start screen address for strip 1.								
&82/&83	,,	,,	,	,	,,	,, 2			
&84/&85		,,	,	,	,,	,, 3			
&86/&87	,,		,			,, 4			
&88/&89	Start address of sprite data for strip 1.								
&8A/&8B	,,	,,	,,	,,	,,		,,	2.	
&8C/&8D	,,	,,	,,		,,	,,		3.	
&8E/&8F	,,	.,,	,,	,,	,,	.,	,,	4.	

(Midth of aprita * 0) 0 - additional offact

&12EF is part of the sprite data tables and contains the number of bytes in each block = 8 * width (in bytes – not pixels).

I C R O P O W E R M I C R O P O W E R M S

10

B.B.C. MICRO electron A two player game of dexterity set in Hazard County. Beat

your opponent to the jewels, and gold with the help of your band of cronies. **Includes** police cars and one player practise option. (BBC version: joystick & keyboard control). Cassette: £6.95. Disk: £9.95.

C

R

E

O

R

0

POWERMI

FOR THE FANTASTIC NEW PACKAGING!!" MICRO POWER LTD., NORTHWOOD HOUSE, NORTH STREET, LEEDS LS7 2AA TEL: (0532) 458800

R

0

WATCH OUT

SELECTED BRANCHE MENZIES, CO-OP, M SMITH. BOOTS AUTHORS! WE PAY 20% ROYALTIES!

C

BBC SPEECH Speech Synthesizer for the BBC Computer

PRICE BREAKTHROUGH

HEETAH

Export orders at no extra cost

Dealer enquiries welcome Send cheque/PO now to

neeta

Marketing

anovers

Price includes V.A.T.

Postage and Packing Delivery normally 14 days • Totally unlimited vocabulary is now possible with the revolutionary "SWEET TALKER" Speech Synthesizer for the B.B.C. A or B Microcomputer, any series.

• The CHEETAH "SWEET TALKER" simply plugs into speech socket IC99 within the computer. No soldering, no cutting of tracks, no headaches.

• Based on an allophone system you can easily program any word, sentence or phrase and incorporate speech into your software games.

• Fully tested and guaranteed. Complete with demonstration cassette and full instructions.

Cheetah, products available from branches of

John Menzies 3000 WHSMITH and Rumbelows

Cheetah Marketing Ltd, Dept. A/U 24 Ray Street, London EC1R 3DJ. Tel:01 833 4909. Telex: 8954958.

The Micro User ElectronUser Come to our great pre-Christmas bonanza!



Organise

and

Everyone who is anyone in the exciting world of the BBC Micro and Electron will be at our greatest ever autumn show.

Waiting for you will be more than 150 stands, packed with hardware, software and peripherals some of which will be on show for the first time.

And everything will be for sale much of it at really low, show prices!


Once again our team of experts will be on hand to give you free advice – an ideal opportunity to find out all the facts on the latest computing techniques.

Thursday to Sunday, October 25 to 28

Yes, we're back once more at the spacious **ALEXANDRA PALACE... where there's** plenty of room to move around and inspect all the latest micro goodies at your leisure!



NEW RELEASES MICRO











from the author of Overdrive comes another superb arcade-action game. You must guide Wally the Boxing Wallaby up the ladders to rescue the baby wallaby from its cage. The evil monkeys will try to stop Wally in his tracks; he can kill the monkeys by a swift upper-cut, but watch out for the apple-cores which they hurl at him without compassion. Five screens of increasing difficulty with bonus fruit on each level. Yet another winner from Superior Software!


. . . NEW RELEASE .



Many of our titles are available in Boots, W.H. Smiths, John Menzies, Rumbelows, Laskys, Currys, HMV, Greens at Debenhams and Spectrum Shops. Also at all major computer dealers – Eltec Computers, Micro Management, West Coast Personal Computers, Microstyle, Electronequip, 3D Computers, Computerama, GTM Computers, etc. Our software is also available through all the major distributors, and directly from us by mail-order.







SMASH AND GRAB (32K)

An excellent and original arcade-style game in which you take the role of a robber aiming to snatch bags of gold from the bank. A policeman is after you . he is able to jump at you or squat down and try to hit you with his truncheon. You must also keep clear of the flying police cones and floating dustbin lids. There are 3 fascinating screens of action including play streets with bouncing balls, one-way streets, conveyor belts, traffic lights and police-boxes. A novel and amusing game. (KEYBOARD OR JOYSTICKS)

. . NEW RELEASE

WE PAY UP TO 20% ROYALTIES FOR HIGH QUALITY BBC MICRO AND ELECTRON PROGRAMS.

SUPERIOR SOFTWARE LTD.

Dept. AU10, Regent House, Skinner Lane, Leeds 7 Tel: 0532 459453

OUR GUARANTEE

- All our software is available before we advertise. All our software is despatched within 48 hours by first-class post.
- (1) (2) (3) In the unlikely event that any of our software fails to load, return your
- cassette to us and we will immediately send a replacement.

B In Sc

£7.95

E Ir

P B

Ju Da

SI



ADVANCE 86

IBM compatible, 128K RAM, 2 x 320K Drives. Price includes: Perfect Writer, Perfect Speller, Perfect Filer and Perfect Calc, plus 12 months on site warranty (monitor available at extra cost).

£1437 inc. VAT.

SANYO 555

80% IBM compatible, 128K RAM, 2 x 160K Drives. Price includes: Wordstar, Mailmerge, Info-Star and Calc-Star. Limited number of SAGE Accounts still available. (Monitor available at extra cost)

£1148 inc. VAT.

Electron £199 inc. VAT.

Includes free software tape

BBC-B from £399 inc. VAT. Includes free tape recorder. Full range of Software and Disk Drives available.

PRINTERS

Brother Printers Juki Daisywheel Daisystep

Epson Fx 80

Including lead for BBC. £399 inc. VAT.



Diskettes


Memorex, in pa	cks of 10
SS 40tk	£18.00
DS 40tk	£23.00
SS 80tk	£26.00
DS 80tk	£29.00
ding WAT n Con	

Including VAT, p&p.

Stay tuned to Microware for further discounts

DRIVES

Epson 400K-200K-800K plus new 3½" Epson Drives and 100K Superdrive from



200K

62 file names including cable and power lead.Send £215 to include VAT, p&p,inc. formatting disk & manual.Single & Double

400K

124 file names including all necessary leads. Send £399 to include VAT, p&p, 80 Track inc. formatting disk & manual. Single &

800K & 800K Switchable

Single & Double

124 file names including cable & power lead. Send £490 to include VAT, p&p. Send £499 for 800K Switchable.

MONITORS

Sanyo/BMC £110 inc. VAT.

12"amber or green screens.



Full range Microvitec colour from £199. Call for our full price list.



Disk storage boxes..... $\pounds 17.00$ (takes 35) Disk storage boxes.... $\pounds 25.00$ (takes 80) Prices include VAT, p&p. ACCESSORIES BBC Stands.....£15.00 Dust covers.....£5.60 (for BBC, Drives and Printers)



Product	Price	Qty.	Total
-			£
			£
		the second second	£
and the second second		C. A WALL	£
			£
			£
			£
			£
South I want to			£
			£
and the second second			£
			£
		and the second	£
		Constant States	£
END DETAILS ON			IN A REAL PROPERTY OF

ALL PRODUCTS ARE BRAND NEW BOXED AND OFFERED WITH FULL MANUFACTURERS WARRANTY. ALL QUERIES WILL BE ANSWERED BY MAIL

MICROWARE
FIGROFFICE
14 Charles Street Hanley Stoke-on-Trent
(0782) 269 883 44 Westow St. Upper Norwood London SE19
01-771 5123
637 Holloway Road London N19 5SS
01-272 6398
I enclose my order for the above products.
Name
Address
Signed





MACINTOSH AND PRINTER DEMONSTRATIONS DAILY AT OUR SHOWROOMS ON THE HOUR

- SUNDAY OPENING
- 24 HOUR **DELIVERY SERVICE**
- COMPREHENSIVE TECHNICAL SUPPORT

THE GRAPPLER - 5448 \$102.00 + VAT

Your Commodore 64 can print like a pro!

The Grappler offers a complete answer to printer interfacing, with many capabilities unique in the Commodore market place. Complete signal transmission allows many popular name brand printers to operate perfectly with the Commodore 64. Even Commodore's graphic character set can be reproduced on Epson, Star, Oki, Brother.

Prowriter and other popular printers.

Prints screen graphics without software. Graphics screen dump routines include rotated, inversed, enhanced, and double sized graphics. Complete emulation of the 1525 printer for printing Commodores special characters.

Text screen dump and formatting commands. 22 unique text and graphics commands.

CANON PJ 1080A - £459 £399.00 + VAT

Seven colour printer ideal for the BBC, Sirius, Apple, etc. Seven colour primer raded for the BBC, sinds, Apple, etc. Seven colours print on demand ink jet printer; 70 cps bi-directional; high resolution graphics; will print on acetate sheets for overhead projection; long life ink cartridges 3.5 million characters per cartridge; eight bit parallel interface; Epson compatible; easily replaced colour cartridges; accepts single sheets; interchangable character sets.



24 hour nationwide delivery by Securicor $\pounds 9.50 + VAT$ Bankers orders; Building Society Cheques; Postal Orders; same day despatch. All orders covered by the Mail Order Protection Scheme

MANY MORE PRINTERS AVAILABLE 1,000s OF BARGAINS SEND NOW FOR THE FAMOUS SCI (UK) CATALOGUE **FAST Mail Order** SCI (UK) Unit 16, Inmans Lane, Sheet, Petersfield, Hants GU32 2AN URGEN Freepost Mail Order SCI (UK) Freepost, Petersfield, Hants GU32 2BR. ORDER Tel. 0730 68521. SCI (UK) FREE POST, PETERSFIELD, HANTS GU 32 2BR. **Telex 88626 MYNEWS G** PERSONAL CALLERS WELCOME PLEASE RUSH ME AT OUR MAGNIFICENT NEW SHOWROOMS AT 12 High Street, Petersfield, Name Hants GU32 2JG. We wish to acknowledge the several well known trade marks used in this advertisement Credit Card

CANON **PW1080A**

or KAGA TAXAN 810 - £329 £289.00 + VAT 80 cols; High speed printing, 160 cps; bi-directional logic seeking; fantastic 27 cps near letter quality; 23 \times 18 matrix; very quiet – less than 60 Db; 4, 5, 6, 8, 10, 12, 17 cpi; down loading for user-optional characters; high resolution graphics; handles various forms, roll paper, fan fold, single sheet and multipart copy paper. Also available – wide bodied Canon PW1156A or KAGA TAXAN KP910 – New low prices!

Phone for a Quote 0730-68521

DAISY STEP 2000 - £299 £249.00 + VAT

canon

18 cps; Bi-directional logic seeking; 10, 12, 15 cps; Wordstar compatible; 13 inch platen; 12 inch print line; auto under-score; bold and shadow printing; subscripts and superscripts; Qume compatible daisy wheel; optional tractor and sheet feeder; optional RS232C serial interface; low noise; low cost;

high reliability.

There's more software on the way from developers like Microsoft, Lotus and Software Publishing to mention a few. And with Macintosh BASIC, Macintosh PASCAL and our own Macintosh Toolbox for writing your own mouse driven programs, you could turn a few bob in your spare time. All the right connections

All the right connections On the back of the machine, you'll find built-in RS232 and RS422 Applebus serial communication ports for connecting printers, modems, and other peripherals without adding expensive cards. If you wish to double Macintosh's storage with an external disc drive, you don't have to pay for a disc controller card — that's built in too.

Talking of extras

g

0

Macintosh has a built-in polyphonic sound generator capable of producing high-quality speech and music.



Machintosh automatically makes room for illustrations in text. MacPaint - virtually any image the human hand can create. Microsoff's Multiplan for Macintosh.

THREE NEW PROGRAMS FROM MICROTEST

DAIRYFILE FOR DAIRY FARMERS

Keep on that economic line between over and under feeding!

Save time recording milk yield and calculating feed amounts!

Quickly decide feeding policy with the 'Monthly Calving Group' Performance Graph!

Print out a recording sheet with cows in numerical order. Print out graphs or tables of individual cows or Monthly Groups showing serving and pregnancy details, illness record, Calving Index, weekly and running total Margin over Concentrate. See at a glance cows due for serving, pregnancy diagnosis and drying off. Keep track of weekly total feed cost and milk sale price

All this and more with DAIRYFILE.

Predict cow or Monthly Group total lactation yield. Compare with Standard Lactation Curves. All old data preserved - compare Monthly Groups over the years. Which is the most profitable month?

Find out with DAIRYFILE - for up to 200 lactating cows

£69.00 inc. VAT (disc only) + p&p 50p

2 × 40 Track Drives Required or 1 or more 80 Track Drives. Please state which when ordering.

Enables you to use our joysticks even on programs that do not offer joystick

capability.

DEALER ENQUIRIES

and

EXPORT ORDERS

WELCOME

SATAN'S CHALLENGE or (Nevil Rides Out)



A Black Magic Adventure

Dare you take up the challenge laid down by the most evil and sinister of all beings... the devil himself. If you do you will find yourself alone and at the mercy of the twisted fancies and whims of a cold and calcu-

of the twisted fancies and whims of a cold and calcu-lating mind. Occult forces are threatening the lives of those near and dear to you. Their only salvation rests in your hands but in accepting the challenge your own exist-ence is put in severe peril. In taking up the challenge you have to find The TALISMAN and locate a pentagram which then has to be prepared for the final rite. In the meantime dark forces will be opposing you making a difficult task almost impossible. Do not allow yourself to be lulled into a sense of security for it will be short lived. Many have gone before only to swell the ranks of the damned.

Many have gone before only to swell the ranks of the damned. This is the latest adventure from the stables of Micro-test and has been written with the acclaimed features of other adventures in mind eg save facility, quick re-sponse, simple but extensive commands, a mixture of logical and friendish problems to solve. Be warned this is an easy adventure to get into but devilishly difficult to end. Cassette £7.95 inc. VAT Disc £9.45 inc. VAT + p&p 50p Disc 40 or 80 Track.

MICROTEST FONT ROM

This exciting new ROM from Microtest will enable you to get all sorts of new characters and fonts from your BBC Computer. Once you have produced your masterpiece on the screen, all you have to do is use the inbuilt screendump utility to produce a hard copy on to paper.

Typing "HELP FONTS gives you a list of available fonts and the blocks of characters which they replace.

Available fonts are:	
Accents	Accents and miscellaneous.
Block	Small capitals.
'Data	Like the bottoms of cheques.
Greek	It's all Greek to me tool
Joined	Standard capitals with joined up lower case.
Maths	A mix of until now unobtainable Mathematical symbols.
'Miscellaneous	A few oddities which often are very necessary.
Thick	Thick text (for MODEs 0&3) to enhance 80 column mode.
Thin	Thin text (for MODEs 2&5) which makes modes 2 & 5 much more read- able or perhaps "READABLE".
*Vertical	For labelling graphs in a vertical plane.
'Mode 8	10 column multi colour, memory miserly mode.
'S Dump	A Dump facility which will produce a screen dump of any mode from 0 to 8 (including a text only dump in mode 7) on an epson, star. CP80, MT80 or JP80 etc. etc.

The dump utility will produce negative or positive product. can magnify, and will also rotate the picture through 90 degrees as well as being able to position the picture anywhere laterally across the paper

The ROM uses absolutely no user memory and can be used with word processors etc, as well as with normal word programs.

> £17.50 inc. VAT + 0&0 500

Microtest Starstick ROM & Joystick Package

Now available the Starstick ROM and Joystick. This comes in three forms:



- (A) The Starstick ROM and Quickshot I Joystick Price 17.95 + VAT = 19.84
- (B) The Starstick ROM and Quickshot II Joystick Price 19.25 + VAT = 22.14
- (C) The Starstick ROM and patch lead, choose your own Spectrum/Atari style joystick Price 15.25 + VAT = 17.54 Post and Packing £1.00 inc. VAT per item

This enables you to plug the Rapid action self centring joysticks until now only available for the Spectrum/Atari/CBM machines into the user port of the BBC. Model A users please note NO ANALOGUE INTERFACE REQUIRED.

Disc Users Note – pressing BREAK, SHIFT-BREAK or CONTROL BREAK does not modify or destroy the STARSTICK software so Disc Users please feel free to Boot!


The software patch provided in the ROM is interrupt driven and adds the following commands to your computer.

- STICK turn on the STARSTICK ROM NSTICK turn off the STARSTICK ROM SETSTICK set up joystick to users spec SAVE "NAME" 140 160 saves your user-key protocols ADVAL emulate standard analogue joysticks PAUSE define key to Freeze game NPAUSE turn off ability to freeze game "NAME" predefined key protocols set up for software bouses programs rams
- houses programs HELP KEYS displays currently selected key protocols REPEAT enables auto-repeat fire NREPEAT disables auto-repeat fire

VISA

MICROTEST LTD 18 Normandy Way, Bodmin, Cornwall PL31 1EX **Telephone: 0208 3812** OR ANY GOOD DEALE

available from





COMPETITION

ANNIVERSARY ANSWERS

Simon Dally separates the winners from the wallies among the entrants to our 20-question birthday quiz featured, complete with tie-breaker, in the July issue

79

OUR July competition celebrating the second birthday of Acorn User was the easiest ever (thanks to the generous nature of our editor). Many of the 250-odd entrants pointed this out. But, alas, only about a third of all entries proved to be correct!

The commonest mistake made was to think that the first computer to be sold for less than £100 was the ZX81. In fact, it was its predecessor, the ZX80, though not a few of the entries thought it was the Atom. Also, an enormous number thought the Basic statement DIM A\$(20,2) produces an array of 40 elements: in fact it creates 63 – remember the first element will be A\$(0,0)!

A few entries even managed to get the date of the original issue of *Acorn*

User wrong – despite the fact that all over the magazine were plastered the words 'second anniversary issue'! Ah well, if there's one thing queerer than folk, it's *Acorn User* competition entrants...

The correct answers were:

1)b; 2)a; 3)c; 4)b; 5)b; 6)b; 7)b; 8)b; 9)c; 10)a; 11)b; 12)a; 13)b; 14)b; 15)a; 16)a; 17)c; 18)b; 19)a.

Judging tiebreakers ('I like Acorn User because ...') is never easy (sob ... now I know how washing-powder manufacturers feel) but in the end, we felt the best two were from M Fulker of Hungerford, Berks, who wrote: '... it gives a profusion of solutions to Basic confusions and programming illusions

..., and Charles Williams of Coventry, whose slogan was: '... because it is Authoritative, Clarifying, Outstanding, Relevant, Necessary, Useful, Sensible, Educational, Recommendable, and very good value for money....

A consolation prize goes to Nick Evans of Grimsby, who appended his corny pun with the message, 'Well, what do you expect for a T-shirt?'. The duffer's prize goes to C M Hempsell of Hitchin, Herts, whose slogan was 'I like *Acorn User* because the competitions are so easy' – but he got no fewer than three of his 19 answers wrong...

The 20 winners of the first prizes (five packs of software) and the 10 winners of the second prizes (*Acorn User* sweatshirts) have all been notified.

HARD DIAMOND This month's gem: a palindromic puzz

THIS month's problem is taken from the shortly-to-be-published *Century/Acorn User Book of Computer Puzzles*, which is the result of the competition we set you earlier this year, inviting you to send in your own puzzles. This one was submitted by J Oldroyd of Batley.

Look at the diamond of letters. The object is to find as many ways that the palindromic sentence RISE TO VOTE SIR can be read (a palindrome, just in case you don't know, is something which reads the same both backwards and forwards).


You may move in any direction to an adjacent letter and you can use the same letter twice or more.

Incidentally, J Oldroyd's program goes on to solve all palindromic puzzles of this nature.

Answers on a postcard, please, to October Competition, Acorn User, Red-

					R	Ι	R					
				R	I			R				
			R		S	Read			R			
		R	I	S	E	т	E	S	Ι	R		
	R	I	S	E	Т	0	Т	Е	S	I	R	
R	I	S	Е	Т	0	V	0	Т	Е	S	Ι	1
	R	Ι	S	Е	Т	0	Т	E	S	I	R	
		R	Ι	S	E	Т	Е	S	I	R		
			R	I	S	Е	S	Ι	R			
				R	I	S	Ι	R				
					R	I	R					
						R						

wood Publishing, 68 Long Acre, London WC2E 9JH, to arrive not later than Friday November 2, 1984. Prizes of two Acornsoft packages (worth £20) will go to the first five correct solutions taken from the bag. Century is offering six copies of the book to the runners-up.



ACORN USER OCTOBER 1984

Remove your weary fingers from the fire buttons and climb aboard your magic carpet to enjoy this delightful and original game.

PROGRAMMED BY DENNIS IBBOTSON

£7.95

- Infuriatingly addictive
 Fantastic sound effects

- Refreshingly original family game

EDWORD Educational word processor for the BBC microcomputer

11((((((

BBC INTERFACING COURSE

Introduction to the use of microcomputers as controllers of external equipment

DIGITAL ELECTRONICS TASTER COURSE

Introduction to microelectronic digital circuitry

KEYMASTER

Keyboard emulator for the BBC microcomputer

These and other educational/computing products are available from:


> Dept AU10, CLWYD TECHNICS LTD Antelope Industrial Estate, Rhydymwyn Mold, Clwyd Tel: Hendre (035283) 751

Something new from CMC. . . . books . . .



... type 'n' talk

Simply connected to any micro, this is a powerful speech computer with sophisticated software: it will convert any text into speech faster than it can be spoken. This is our own product, developed and manufactured in Cambridge.



joined by the Advanced Basic ROM User Guide, which delves deep into the BBC micro BASIC I and BASIC 2 ROMs. At **£7.95**, it's essential for the serious user. We have also introduced hard-back ring-binders for the Acorn User Guide and our Advanced User Guide: available at £4.50 each.

£171.35

and disk drives . .

The new generation of TEAC 5¹/₄" slim-line disk drives offer high performance at incredibly low prices.

Single drives: 100K £120; 200K £140; 400K£180. Dual drives: 2×100K £295; 2×200K£325; 2×400K £450 Disk with power supply extra £30.

and

systems

Cambridge

Microcomputer Centre

The Peripheral Centre of East Anglia

153-4 East Road, Cambridge CB1 IDD, U.K. Telephone (0223) 355404 Telex 817445.

All drives are fully cased and complete with cables and format disk-ready to AZII

We offer a number of complete packages for wordprocessing, from £658 to £1860. Pictured here is a BBC-based system: BBC 'B' + DFS, Philips green monitor, 100K disk drive, Wordwise, dot matrix printer, leadsready to use, at £875 including VAT.

We stock a vast range of micros, printers, monitors, joysticks . . . phone or write for our complete price list. All prices listed **include** VAT. Credit terms available for orders of £500 or over-ask for details. See our full stock on Prestel 377550875/76Aupdated weekly.

ORDER FORM

To: Cambridge Microcomputer Centre, 153-4 East Road, Cambridge CB1 IDD □ Please supply the following items, as described above: @£ a £ @£ Delivery charge (free delivery on books) £5.00 TOTAL £ or please debit my Access/Barclaycard/Diners/ I enclose a cheque for £ Amex* card number Please send me your price list and catalogue. Name Address Signature _ AU1084 delete where inapplicable Please allow 21 days for delivery. Prices valid in UK only-please telephone or write for overseas rates.

DISCS

81

TAKE COMMAND ' ^ OF THE 8271 CHIP _

By programming the floppy disc controller you can out-perform the DFS. Richard Harris has the details

THE 8271 floppy disc controller (FDC) chip is a complex piece of electronics, allowing relatively easy control of up to four disc drives. This article will try to explain how to program the 8271: it will not cover the circuitry of the disc interface since there is no benefit from altering this. The circuit itself can be found in the User Guide and Advanced User Guide.

Why bother with programming the 8271, since the disc filing system (DFS) does it all for you? There are several reasons. First, simply to know more about how your computer works, especially as little information has been made available on the disc interface. Once mastered, it is possible to write your own data handling routines which for some applications are more efficient and quicker than those in the DFS. You will also discover some of the tricks to protect your discs and, possibly, to make backup copies of other discs. It is also possible to modify protected programs: at the end I'll show you how a simple change in Aviator can be made to alter the keys used.

Figure 1 shows the overall structure of the 8271, and details of the control logic and registers are listed in figure 2.


The value obtained from the Result register gives the following information about the command just processed:

Bit 7,6 Not used

- Bit 5 Set if deleted data found (see below) Bit 4,3 Completion types:
- 0,0 = good completion
 - 0,1 = system error, may be
 - recoverable if retried 1,0 = 'fatal error'
 - 1,1 = 'fatal error'
- Bit 2,1 Completion code (see below) Bit 0 Not used

TypeCode Meaning

- 0,0 0,0 good completion
- 0,0 0,1 scan result see later
- 0,0 1,0 scan result
- 0,1 0,0 clock error
- 0,1 0,1 late DMA see later
- 0,1 1,0 ID CRC error see later





Register	Address in BBC	Туре	Comments
COMMAND	&FE80	Write	The various commands
PARAMETER	&FE81	Write	Commands take up to five parameters, entered here
RESULT	&FE81	Read	
STATUS	&FE80	Read	
RESET	&FE82	Write	

All data transfers occur at address &FE84, both reading from the disc and writing to it

Figure 2. Details of the 8271's control logic and registers

data CRC error - see later 0,1 1,1 0.0 drive not ready 1.0 write protected disc 1.0 0,1 track zero not found 1.0 1.0 1,1 write fault 1,0 track/sector not found 1.1 0.0

Incidentally, these are the values given in the Acorn DFS errors 'Disc fault at ...' and 'Drive fault at ...'.

- The Status register gives information about the 8271's internal working:
- Bit 7 Command busy; set to 1 if processing command.
- Bit 6 Command full; set to 1 when command written to 8271 and

cleared when begins processing.

- Bit 5 Parameter buffer full; if set to 1 further parameters should not be written.
- Bit 4 Result ready; after a command is completed bit 7 goes low and this bit is set to 1. It is cleared by reading the result register.
- Bit 3 Interrupt request; reflects state of interrupt line. Cleared by reading result register.
- Bit 2 Non-DMA data request; if DMA is not being used, set to 1 if interrupt is for data transfer rather than end of command

ACORN USER OCTOBER 1984

Game for a song ... VIRGIN GAMES at £2.99

The LAUGHING SHARK told us that it won't be long till CHRISTMAS and it was time we did something about it so, until the end of NOVEMBER, we will be selling most of our BEST GAMES at the SPECIALLY REDUCED price of £2.99 instead of the usual prices of £5.95 and £7.95 – that's a SAVING of between nearly £3.00 and £5.00 per game!

These titles ONLY £2.99 each -

ELECTRON	PRICE	SAVING	Noc A Bloc		£4.96
Bugs Jungle Jive		£4.96 £4.96	Chieftain Plankwalk Microbe	£7.95	£4.96 £4.96 £4.96
BBC B	NORMAL	SAVING	Trench Bug Bomb	£7.95	14.96
Brainstorm Sea Adventure Check Out	£7.95	£4.96 £4.96 £4.96	Landfall Space Adventure Jungle Jive	£7.95 £7.95	£4.96 £4.96 £4.96

Brainstorm – TWO PLAYERS'...on a parallel with chess if not more complicated... great for a game which needs thought' Home Computing Weekly Checkout – RECENT RELEASE 'Superb graphics and sound and originality combine to make a wonderful game 'Home Computing Weekly Noc-a-bloc – '... good game with clear, smooth graphics and plenty of colour Personal Computer Games Plankwalk – 'Highly recommended' Personal Computer Games Maicrobe – The game is a great example of what can be done on the BBC. I'm addicted' Personal Computer News Trench – '... an excellent game which will certainly keep your fingers dancing on the keys of your Beeb' TV Gamer Bug Bomb – This game is wonderful and is a great example of what can be done on the BBC. I'm addicted' Personal Computer News Landfall – 'Virgins Landfall is a sophisticated flight simulator' Your Computer Space Adventure – The only problem I had with Space Adventure was pring my friends away from it' Home Computing Weekly. Jungle Jive – RECENT RELEASE 'If you enjoy wholesale slaughter then you'll probably have a good time' Personal Computer Games

If your local **RETAILER** does not stock these **GAMES** at the **SPECIAL LOW** prices, simply send a cheque or PO for **£2.99** for **EACH GAME** you want plus 50p postage and packing (however many **GAMES** you **ORDER**) to the **'GRAB IT WHILE YOU CAN'** Department, Virgin Games, 2-4 Vernon Yard, Portobello Road, London W11 2DX.

Stake your survival on Spaceman Sid.

Another great challenge from English Software

Survival on Earth depends on 'Spaceman Sid'. And that means YOU! Get behind the controls of your laser-armed combat rover – and start the battle.

The Martians have taken over our dilithium mines on the planet Tribos and re-capturing those essential mines is your tough challenge.

But watch those Martians – they're loaded with dirty tricks. And watch out for the other hazards of space travel ... you won't have to wait long, we can guarantee!

There are 3 progressive levels of difficulty of play. That applies to both Acorn Electron and BBC Model B users.

'Spaceman Sid' is available on cassette for just £7.95, so beam yourself into

CAN BE YOUR

STEPPING STONE

ADMINISTRATIVE CONTROL

ALL PROGRAMS AVAILABLE

AS A BUSINESS STARTER

PACK FOR THE SPECIAL

PRICE OF £99.50



your local dealer today. Tomorrow itself could be at stake!



THE POWER OF EXCITEMENT The English Software Company, Box 43, Manchester M60 3AD Trade Enquiries Tel: 061-835 1358

IS PAPER WORK GETTING ON TOP OF YOU ?



- 1 PAYROLL
- 2 PURCHASE/SALES LEDGER
- **3 STOCK CONTROL**
- **4 NONVATACCOUNTS**
- 5 CASHPLANNER
- 6 MAILING LIST
- 6 MAILING LIST

THE PRICES ABOVE ARE FOR THE CASSETTE VERSION OF THESE PROGRAMS, DISC VERSIONS USING RANDOM ACCESS FILES ARE AVAILABLE FROM OCTOBER 1ST 1984.

£29.95

£29.95

£17.95

£17.95

£12.95

£17.95

ALL SOFTWARE PROVIDED BY ABACUS, IS FULLY SUPPORTED BY THE COMPANY.



Williams & Glyn's Bank plc 5224 Proster Cent 9 3428 1263 Moster Cent 9 3428

21 UNION STREET RAMSBOTTOM, LANCS PHONE: 0204 52726



Bit1.0 Notused

A reset is initiated by writing 1 and then 0 to the reset register. All drive control signals go low, commands in progress are aborted, status register flags are cleared, and an idle state occurs until the next command is entered. This mimics a hard reset via the reset pin.

The operation of the 8271 falls into three phases.

1 Command phase.

This starts with the issue of a command after checking the status register to ensure the 8271 is not busy. If parameters are needed these are then issued, checking before each one that the parameter buffer is empty. Failure to check may result in loss of a parameter.

2 Execution phase.

During this phase the computer can ignore the 8271 until the command is completed. This will be signalled by an interrupt. For this to occur a special chip is used to handle data transfer: a direct memory access device (DMA). The DMA can address, load and write to memory during part of the clock cycle not used by the central processor; the only information the DMA needs is the start address in memory for the data transfer. However a DMA is not used in the BBC micro, so any data transfers needed (each byte) are signalled by an interrupt and processed by the 6502. Because of the importance of this data transfer and the high speed at which it occurs, the highpriority non-maskable interrupt (NMI) is used, overriding any interrupts from internal timers, analogue to digital convertors, keyboard and so on which use the interrupt request (IRQ). In the BBC micro the routine to handle NMI interrupts is based at &D00 and only very urgent needs are allowed to use it. These are the disc and Econet interfaces so far.

3 Result phase.

This notifies the successful completion of the command, or an error occurring during the operation.

Fortunately, the Acorn DFS provides a routine to carry out most of the complex control of the 8271: OSWORD routine with A=&7F which performs 'read/ write a sector' as detailed in the DFS manual. In fact it will do much more than just read or write a sector.

As with all OSWORD routines, the 6502 accumulator (or A% if called from Basic) indicates which routine, while the X and Y registers (or X% and Y%) hold the address of the parameter block (X = low byte, Y = high byte). The call address is &FFF1.

The parameter block is as follows:

10.14 Off bas

Offset from	
base address	6
0	Drivenumber
1-4	Address in memory
	where data is to be sent
	to or from disc
5	Number of parameters
	needed by the 8271 com-
	mand
6	8271 command
7	1st parameter
8	2nd parameter
9	etc
This routine I	handles all three phases of

the 8271 operation. On completion the byte above the last parameter will contain the value in the result register and should contain zero if successful.

In Basic a simple routine would be:

DIM block 20, data 256 10

1000 A% = &7F:X% = block MOD 256:Y% = block DIV 256 1010 block? 0 = drive 1020 block! 1 = data 1030 block? 5 = noofpar 1040 block? 6 = command 1050 block? 7 = param1 1060 block? 8 = param 2 1070 CALL & FFF1 1080 IF block? (7 + noofpar) < >0THEN PRINT "error!"

Before detailing the various 8271 commands, the layout of data storage (or 'format') on a disc must be understood.

Data is stored in concentric 'tracks' around the disc, there being 35, 40 or 80 tracks depending on which type of $5\frac{1}{4}$ in disc drive is in use. The 8271 will also support 8 in drives. Each track is subdivided into a number of 'sectors', which consist of an identification (ID) field and a data field. The number of bytes of data per sector depends on the number of sectors per track. The 'first' sector on a track is identified by the 'index hole'

the small hole in the disc which allows a photocell to detect a pulse of light once per revolution of the disc. The first sector is the one that immediately follows the light pulse.

The general layout on each track is shown in figure 3 and the ID fields in figure 4.

The 'gaps' are fixed or variable numbers of bytes that prevent sectors overwriting each other if the disc revolution speed should vary slightly.

Both the ID field and the data field have additional bytes called the Cyclic Redundancy Check (CRC) bytes. The value of these depends on the value of the rest of the bytes in the field and allows a check on the accuracy of subsequent reading of the field. While reading in the bytes, the CRC value is recalculated and compared to the original CRC; if these are not equal an error must have occurred and one of the error codes is generated.

The relationship between number of sectors per track, sector size, sector length (number of bytes of data) and gap size is set out in figure 5.

Gaps 1 and 3 can be varied if desired; 2 and 4 are fixed. 1, 2 and 3 have six additional bytes, always present, which act to synchronise any reading or writing operations. This gives a total of 3125 bytes per track, with a maximum of 2560 bytes of actual data. The format command (see below) also expects details of Gap 5: this is used only with 8 in discs and should be set to zero with 5¹/₄ in discs.

It might be useful to describe some tricks that can be done with the format. With a 40-track disc one can command the drive head to be stepped to any of these, ie 0 to 39. However, one can number the track in the ID field anything from 0 to 255. One could step out to track 5 and then fool the 8271 into thinking that the current track is 78, for

Index							_		
Gap 4	Gap 1	ID	Gap 2	Data, sector 0	Gap 3	ID	Gap 2	Data, sector 1	Gap 3
Figure	3. Layou	tofac	lisc trac	k					
Tra	ck	D	rive	Sector	Secto	r length	r		
Figure	4. The ID	fields	5						
		-			1	-	1		
No. of	sector	S	Size/le	ngth Ga	ip1	Gap	2	Gap 3	Gap 4
									04

No. of sectors	Size/length	Gap 1	Gap 2	Gap 3	Gap 4
18	0 128	16	11	11	24
10	1 256	16	11	21	30
5	2 512	16	11	74	88
2	3 1024	16	11	255	740
1	4 2048	16	11	0	1028

Figure 5. Relationship between number of sectors per track, sector size and length and gap size


Synergy Software

PROFESSIONAL SOFTWARE FOR THE BBC MICRO

EASIPLOT

EASIPLOT is a sophisticated **AND** user friendly graph package for the BBC Micro, placed 14th in the top 20 Educational packages by the, leading Educational Computing Magazine. EASIPLOT has also come to be regarded as an 'outstanding business package' and 'excellent value for money'.

Note:- **EASIPLOT** 3 comes complete with the number charting program **DATA PLOTTER** with graph magnification, colour and moving average facilities. SUPERB VALUE AT £22.95.



EASIPLOT FACILITES	DISK CA	SSETTE	
Line, Bar and Pie Charts	YES	YES	
Auto & Manual Scaling	YES	YES	
Grid & Scatter Options	YES	YES	
No of simultaneous graphs	5	3	
Overwrite memory	YES	NO	
Screensave facility	YES	YES	
Screendump facility	YES	YES	
Fixed description per graph (char's)	up to 200	100	
Full plot and axis editing	YES	YES	
Save, Load & *CAT facilities	YES	YES	
Single file selection	YES	NO	
Operating Manual (pages)	52	52	

All our programs will produce hard copy on the following printers:-EPSON (entire range), Shinwa CP80, Star DP 510, Seikosha (GP80A & GP100A). Share Analyser will produce reports on any BBC compatible printer.

PLEASE NOTE:- Our programs CANNOT BE OBTAINED FROM YOUR LOCAL DEALER so send for details NOW.

PROGRAM	PRICE	
Data Plotter (cassette) Model B & Electron	£7.00	
Data Plotter (disk) Model B	£8.00	
Easiplot 1 (cassette) Model B & Electron	£15.95	
Easiplot 2 (disk only) Model B	£19.95	
Easiplot 3 (including Data Plotter-disk only)	£22.95	
Share Analyser (cassette) Model B & Electron	£14.95	
Share Analyser (disk only) Model B	£19.95	

Disk orders.. please state 40 or 80 track (add £1 for 80 track and £1.50 for overseas orders). We will upgrade Easiplot 1 to Easiplot 2 for £7 (£10 to Easiplot 3).

Write for full details of all our programs or leave your name and address with our Answerphone service (Luton 33858). All programs are normally despatched within 24 hours.

Send cheque/P.O. etc to Synergy Software, 7 St Andrews Close, Slip End, Luton, LU1 4DE.

SHARE ANALYSER

SHARE ANALYSER is a sophisticated portfolio reporting and share analysis package designed for the small investor. The disk version has a capacity of 20,000 SHARE PRICES and up to 320 buy/sell deals covering 20 share names. Share Analyser has facilities for profit flexing and multiple merging of graphs and a variety of selectable indicators. SHARE ANALYSER IS A MUST FOR THE INVESTOR AT A BARGAIN PRICE.

PROFIT STATEMENT

	DEALINGS	
Bought	Av Price	Cost
600	338	2028
Sold	Av Price	Income
300	426	1278
Held	Curr Price	Mkt Valn
300	438	1314
	Gross Profit	564
	Income	257
	Expenses	101
	Net Profit	720

DISK CASSETTE

SHARE ANALYSER FACILITIES

	Dion	
No of prices stored	20.000	Appx 1700
Max no' of Holdings	20	20
Transactions per holding	16	16
Range adjuster	YES	NO
File Manager	YES	NO
Printer Manager	YES	NO
REPORTS PRODUCED:-		
Portfolio Valuation	YES	YES
Portfolio Profit Analysis	YES	YES
Share Profit Analysis	YES	YES
Share Movement Analysis	YES	YES
Transaction Record Report	YES	NO
File Status Report	YES	NO
GRAPHICS FACILITIES:-		
GRAFHICS FACILITIES:-		
Magnification option	YES	YES
Grid	YES	YES
Autoscale	YES	YES
Screenwrite	YES	YES
Screendump	YES	YES
	TLU	100
SELECTABLE GRAPHICAL INDICATORS:-		
Lagged Moving Average	YES	YES
Centred Moving Average	YES	YES
Rise and fall indicator	YES	YES
Weekly/Daily Low indicator	YES	YES
Superimpose Facility	YES	YES
- spennipeer running	1LJ	IL5



instance, whereas the usual DFS commands would simply report a disc error with this format. Thus one can talk about 'physical track numbers' and 'logical track numbers' (ie, that in the ID field). Logical track numbers do not have to follow any particular sequence: they can even be in reverse order (normal is 0 outermost).

The same applies to sectors; with a 10-sector format, the physical numbers would be 0 to 9. They can be given any logical number between 0 and 255, in any order, not necessarily sequential. There are, however, advantages to using sequential addresses in ascending order. The 8271 can be ordered to load into memory more than one sector at a time - for example start at sector 3 and load in four sectors. This will occur only if sectors 3, 4, 5, 6 are on the current track and it will be much quicker if they are in ascending order.

Interestingly, most efficient operation of the normal DFS occurs if physical sector 0 does not have logical number 0 on each track.

Thus if track 0 has sectors

0, 1, 2, 3, 4, 5, 6, 7, 8, 9

track 1 should be

7, 8, 9, 0, 1, 2, 3, 4, 5, 6

and track 2 should be

4, 5, 6, 7, 8, 9, 0, 1, 2, 3

Consider loading a program which covers more than one track on a disc without these sector offsets. The sectors on the first track will be loaded to sector 9, then the head will be stepped out to the next track-to just miss sector 0, as stepping is not instantaneous. A complete revolution of the disc then has to occur before sector 0 reappears. The offset described above ensures that the first sector encountered after stepping is 0. The actual offset needed will depend on the disc drive characteristics.

8271 commands

The general format of the command byte is for bits 6 and 7 to select which drive is in use, and bits 0-5 to specify the command. OSWORD &7F sorts out which drive (specified as the first parameter); so bits 6,7 of the command appear irrelevant. The DFS manual suggests they are set to 1,0, ie &40. This value should be added to the command value given below (eg, 'read data' &13 becomes &53 for the OSWORD parameter block).

SPECIFY

Command byte = &35 Uses four parameters

This command is used to initialise the 8271 with the physical properties of the

drive in use. It can also be used to tell the 8271 of any 'bad tracks' (ie, ones that will not format correctly). Once notified of these, the 8271 will automatically step over them as though they did not exist. This saves a disc being unusable simply because one or two tracks are faulty.

This facility is not used in the Acorn DFS, though modern discs are of very high quality and 'bad tracks' are a rarity.

The parameters are listed in figure 6.

Before expanding on the initialise parameters, a brief note about disc drive mechanisms. The disc itself is rotated at a constant speed by a motor, each rotation being detected by the index pulse. Data is read off the disc by the 'head'. This has two controls: a stepper motor that moves the head across the disc in a series of steps. these being the tracks; second, the head can be 'loaded' - that is, brought into contact with the disc, allowing reading/writing of data. There is in addition a micro-switch to detect when the head is stepped outwards as far as it can go - that is, when it is at track zero.

The speed of stepping between tracks varies with different makes of drive; parameter 2 defines this as 0 to 255ms (milliseconds) in 1ms steps. Likewise the time it takes for the head to settle after loading varies and can be set by parameter 3 (0 to 510ms in 2ms steps). Parameter 4 allows two features to be set. Bits 4 to 7 set the index count; this is the number of disc revolutions that occur after the last command before the 8271 unloads the head (0 to 14; 15 keeps head loaded). Bits 0 to 3 specify head loading time (0 to 120ms in 8 ms steps).

The Acorn DFS can set up parameters for several makes of drive using the links on the keyboard or *FX255see DFS manual and Advanced User Guide for further details. Unless you have an unusual make of drive, little will be gained by varying these values.

READ DRIVE STATUS Command byte = &2C No parameters

Issuing this command puts the drive status into the results register which then can be read:

- Bit 7 **Not used**
- Bit 6 Drive 1 ready
- Write fault Bit 5
- Index pulse detection Bit 4
- Bit 3 Disc write protected
- Bit 2 Drive 0 ready
- Bit 1 Track 0 detected
- Count pin (used by 8271 Bit 0
 - for stepping)

Drive not ready' is cleared by this command and should be issued during any initialisation

A DUNDITE ODEOLAL DEOLOTEDO

	<i>ESPECIAL REGISTERS</i> bytes = &3D (read), &3A		
Uses one pa	rameter		
	neter determines which		
register is in			
&12	Drive 0 current track		
&1A Drive 1 current track			
&17	Mode register		
&23	Disc control output port		
&22	Disc control input port		
&10	Drive 0 Bad track 1		
&11	Bad track 2		

Drive 1 Bad track 1 &18

Bad track 2 &19

There are also three registers involved in scanning for data - see below.

The current track registers are the means to having different physical and logical track numbers.

The mode register has the following features: bits 6, 7 must be 1, bits 2-5 must be 0. If bit 1 is set, then the two heads on a double-sided disc move together (ie, always have some physical track number). If bit 0 is clear this means a DMA is in use, if 1 the CPU is used for data transfer.

Drive control input port is the same as reading the drive status, but does not clear 'drive not ready'.

Drive control output port gives the status of various lines between 8271 and drive:

Drive select lines Bits 6,7 Bit 5 Not used

Parameters	Initialise	Bad tracks		
		Drive 0	Drive 1	
1	&0D	&10	&18	
2 3	Step rate Head settling time Index count/	Bad track no. 1 (physical addr Bad track no. 2 Current track		
	load time			

Declaring all bad tracks as &FF implies no bad tracks

Figure 6. The four parameters of the Specify command, useful in informing the 8271 of any 'bad tracks'

SEEK

86

DISC

Command byte = &29

Uses one parameter The parameter is the *physical* track address required. The head is then stepped to the appropriate point using the current track register as the starting point. Bad tracks will be skipped. The track number is not confirmed by reading the ID field.

A 'seek track zero' is different; here the head is stepped outwards until the track zero signal from the drive microswitch is detected. If this fails after 255 steps an error occurs. A seek track zero should be performed whenever the current physical position is unknown, eg at power-up.

FORMAT

Command byte = &2C Uses five parameters

This command formats one track at a time. The parameters are:

1	Track address (physical)
2	Gap 3
3	Bits 5 to 7 = sector size (0 to 4)
	Bits 0 to 4 = number of sectors
4	Gap 5
5	Gap 1

It also requires data for the ID field of each sector, ie four bytes times number of sectors. Each block of four follows the pattern previously described: track number, drive number, sector number, sector size. Thus using the OSWORD routine a block of 40 bytes (for 10 sectors/track) would be pointed to by parameters 1 to 4 of the OSWORD control block.

The track number is the logical number and need not be the same as the physical number. The drive number can be anything from 0 to 255. Sector number can again be any value (see above) but sector size should be the correct value. The first set of values in the data block will be the ID of the first physical sector and so on.

Each byte of the data in the sectors is set to a value of &E5 during formatting. Formatted tracks can be checked with the 'Verify' command (see below).

READ ID FIELDS

Command byte = &1B

Uses three parameters This command transfers a specified number of ID fields into memory from a track, starting with the one immediately after the index pulse (ie, physical sector 0). The parameters are:

1

2

- Track number (physical)
- Must be set to zero
- 3 Number of ID fields to be read

Note that a seek to the specified track occurs, though this is not confirmed by checking with the ID field. Thus if the logical track number is different an error does not occur when reading the ID fields.

Data processing commands

All the following commands seek the specified track and confirm it is the correct one by checking the ID field. If it is not correct the 8271 will try the next two tracks before causing an error ('Track not found').

128 BYTE SINGLE SECTOR Two parameters

&12	Read data
&16	Read data and deleted
	data
&0A	Write data
&0E	Write deleted data
&1E	Verify data and deleted
	data

The parameters are:

1

2

- Track number (logical)
- Sector number (logical)

If the logical number is not the physical number, the command must be preceded by a 'seek track' command, and then change the current track register to the logical number with the special registers command.

'Verify' data reads the data and checks the CRC values, but does not transfer the data to memory.

'Deleted data' refers to sectors that have a special code and are ignored by the usual read commands, ie it is effectively wiped off the disc. However, the data is still present and can be read or restored if desired later on. It is another way of protecting discs; the usual DFS commands will see only a blank disc!

VARIABLE LENGTH/MULTI-SECTOR Uses three parameters

&13	Read data
&17	Read data and deleted
	data
&0B	Write data
&0F	Write deleted data
&1F	Verify data and deleted data
&00	Scan data
&04	Scan data and deleted data

The parameters are:

Track number (logical)
 Sector number (logical;

first if more than one)
Bits 5 to 7 = sector size
Bits 0 to 4 = number of
sectors to be processed

3

See notes on previous command, and earlier notes on formatting regarding multi-sector processing. Processing multiple sectors is much quicker than doing them one at a time. Commands not processing deleted data will skip them and process the required number of normal sectors.

If an error occurs during multi-sector processing the sector at fault can be found by reading one of the 'scan special registers', number &06.

The scan command enables the 8271 to search for a byte pattern on a disc, but is of real value only when used with a DMA.

I hope this article has been some help to those wishing to know more about the disc system. I recommend reading it twice (if you can face it!), as some bits are more easily understood in conjunction with information presented later in the article.

Finally, a disc copying program (listing 1) that will make back-up copies of most discs if not all. Some copies will have to be made onto fresh, unformatted discs. This program is not written in a sophisticated way but in a manner that I hope is easy to follow in conjunction with the article. Many improvements are possible, for example to transfer all the sectors on a track at once.

With some minor changes it can also be used to change protected discs. Omit the 'format' procedure, and read and write to the same disc. In between reading and writing, CALL a machine code monitor and the data can then be examined, disassembled and changed as desired before being written back to the disc. The position of the data in memory can be found by having 'PRINT data' in the first few lines.

One change I've found useful is to alter the keys in Aviator. As set up it is impossible to use the joystick and the rudder keys (A and +) together effectively. In logical track number 72 (physical track 8), logical sector number 125 (physical sector 3) will be found a block of data holding the INKEY values (negative numbers) of the keys and used when flying. This includes &FF, &BE, &DD, &DA &C8, &BC, &CA and &A8 etc. If the &BE and &A8 are changed to &9E and &BD then keys Z and X will control the rudder - now one hand can operate these and fire with shift, while the other uses the joystick.

Richard Harris' disc copier is listed on yellow page 102

ACORN USER OCTOBER 1984



Choosing a printer is a lot easier than choosing a computer.

THERE are dozens of quality printers from which to choose. With quality price tags of around £250.

The Brother M-1009, however, breaks all the rules.

Stays defiantly below the £200 barrier. Though it has far more than its fair share of features, it maintains the extraordinarily low price of £199.95.

Travels at a steady fifty.

In the speed stakes, the M-1009 is certainly no slouch, being fully capable of up to 50 characters per second.

Providing bi-directional and logic seeking printing for normal characters and uni-directional printing for super and sub script and graphics.

Prints on any paper.

Being an impact printer, the M-1009 will print on virtually any paper, including letter headings, invoices and standard office stationery.

It will even print two copies together with your original.

A superb character recommendation. In its price range, the M-1009 has a great deal more character than many printers.

96 no less, plus international type and graphic characters. Reliability comes as standard.

Built to the same exacting standards as Brother's elite office

printers, the Brother M-1009 already has faultless credentials for reliability.

Its 9 x 9 dot matrix head, for example, has an astonishing 20 million character service life.

One printer that doesn't block out the light.

Many home computers tend to be a little on the large side. In contrast, the compact M-1009, at only 7 cm high, keeps a discreet profile.

Well designed, reliable – and conscientious. The Brother M-1009.



The future at your fingertips.

DEPT P, BROTHER OFFICE EQUIPMENT DIVISION, JONES + BROTHER, SHEPLEY STREET, GUIDE BRIDGE, AUDENSHAW, MANCHESTER M34 5JD. TEL: 06I-330 6531 (10 LINES) 06I-330 0111 (6 LINES) 06I-330 3036 (4 LINES) TELEX: 669092 BROTHER INDUSTRIES LIMITED, NAGOYA, JAPAN.

TOOLKIT ROM from BEEBUGSOFT BASIC Programmer's Aid for the BBC micro



- 27 new commands to make life easier
- Saves hours in program development and debugging
- Supports both cassette and disc systems
- No command name conflict with other Roms
- Ideal for expert and novice alike
- Fitting instructions and a 32 page manual supplied
- You'll wonder how you ever managed without it

SPECIAL FEATURES INCLUDE

SCREEN EDITOR An extremely powerful editor, allowing the use of cursor keys to list a program line-byline in either direction and move to any part of a program to overtype or insert new code and corrections.

ERROR DETECTION Powerful facility to trap an error in a Basic program as it runs. It will then automatically enter the Screen Editor, display the line in error and position the cursor close to the statement at fault.

"TOOLKIT is an essential utility for all Basic programmers using the BBC Micro. . . . The range is enormous. . . . an indispensable aid packed full of powerful utilities." EDUCATIONAL COMPUTING MARCH 1984

"... highly recommended." PCN MARCH 17 1984

"The Beebugsoft Toolkit costs £27 and in my opinion is worth every penny. Since it has been installed in my BBC it has been used extensively and I can find no fault with it. Highly recommended to lazy programmers!"

COMPUTING TODAY JUNE 1984

COMMANDS

*

CHECK	Verify a program or data in memory with disc/cassette.
CLEAR	Clear all variables including integers.
EDIT	Enter full screen editor
FREE	Display free memory and pseudo variables.
HELP INFO	Display a screenful of useful system information.
MEMORY	Display memory contents.
MERGE	Merge a program in memory with one on disc/cassette.
MOVE	Move program to run at specified address.
NEW	As NEW, but can be issued from within a program.
OFF	Cancel enhanced error handling.
OLD	As OLD, but can be issued from within a program.
ON	Auto error handling—enters editor at line in error.
PACK	Efficient program compactor.
RECOVER	Intelligently recover bad programs.
RENUMBER	Allow partial renumbering.
REPORT	Extended error reporting facility.
SCREEN	Screen dump to cassette or disc.
UTIL	Display utilities menu.
UTIL 1	String search.
UTIL 2	String search and replace.
UTIL 3	Move Basic program lines.
UTIL 4	List procedures and functions.
UTIL 5	List values of A% to Z%.
UTIL 6	List numeric variables.
UTIL 7	List string variables.
UTIL 8	List names of arrays.
UTIL 9	Set up range for utilities 1 and 2.

BEEBUGSOFT, PO BOX 109, HIGH WYCOMBE, BUCKS HP10 8HQ

Please send me.....Toolkit(s) at £27.00 each

Name

Address

Send Cheque/Postal Order to BEEBUGSOFT, DEPT 13 , PO BOX 109, HIGH WYCOMBE, BUCKS HP10 8HQ (Distribution agents for BEEBUG Publications Ltd.)



SEE ALSO BEEBUGSOFT DOUBLE COLOUR ADVERT IN THIS ISSUE.

SERIOUS SOFTWARE from BEEBUGSOFT.

Design (C.A.D. Pack)

DESIGN is a screen processor which allows information to be displayed in a format suitable for demonstrations, slide projections, handouts or presentations.


Graphs, Pie Charts and Bar Charts are quickly produced on automatically drawn and scaled axes.

Text may be written anywhere on the screen and may be displayed normally, enlarged, underlined or sideways.

Twenty user-defined characters and four large macro characters are supplied, and may be placed anywhere on the screen or redefined as required. Additionally a set of characters for circuit diagram generation is also included.

Machine code screen dumps are included for Epson, Seikosha, Shinwa and Star printers and details on how to load dumps for other printers are also included.


Screens may also be saved and reloaded to cassette or disc.



value to schools and colleges ideal tool for preparing display material

EDUCATIONAL COMPUTING APRIL 1984

Sprite Utilities



".... Definitely recommended " ELECTRONICS & COMPUTING MAY 1984 ".... For my money Sprite Utilities wins through' ACORN USER MAY 1984

SPRITE UTILITIES A game writers utility pack which allows high speed arcade games to be written in Basic.

This is achieved by using the set of supplied machine code sprite routines to move multicoloured characters (sprites), of your own design, around the screen at high speed.

Control of the sprites' movements is by user written Basic program. Specific commands to the sprites are very simple.

Sprites are generated in mode 2 on a 8 x 16 grid and may include any of the available 16 colours.

Up to seven sprites may be displayed and controlled on the screen at any one time. A special super sprite facility enables clones of each sprite to be created, to provide animation.

BEEBUGSOFT, P.O. BOX 109, HIGH WYCOMBE, BUCKS. HP10 8HQ

Please send me	Design Disc(s) at £19.00 each	 Design Cassettes at £10.00 each
Please send me		 Sprites Cassettes at £10.00 each
Name		 All BEEBUGSOFT products are available from leading dealers including
Address		 larger branches of W.H. Smith

Send Cheque/Postal Orders to BEEBUGSOFT DEPT. 13 P.O. BOX 109, HIGH WYCOMBE, BUCKS. HP10 8HQ (Distribution agents for BEEBUG Publications Ltd.)

Hey Prestel. A new dimension for the BBC Micro.

Add the new Prestel Adaptor to a BBC Micro and you can download all programs available on the Prestel service. Which considering Prestel is fast

becoming a major software source, is a very attractive proposition indeed.

You can, for example, connect it to the growing Micronet 800 database. This

also enables you to access Prestel information on any TV or monitor. And store the data so that it can be displayed or manipulated how and when you require it.

What's more, the Prestel Adaptor turns your BBC Micro into a terminal that can link with other dial-up computers with 1200/75 baud interface.

> So you can, for example, have access to the British Telecom Gold electronic mail and telex service.

> > In fact, the enormous potential of our Prestel Adaptor, coupled with a surprisingly modest

price of £99 + VAT, make it a most exciting not to mention economical way

to get more from your Micro.

> The BBC Prestel Adaptor is currently only available via mail order.

You can order it on your credit card by ringing 01-200 0200 at any time, or 0933-79300 during office hours.

Alternatively, send off the coupon below.

S - 1 - 1	To: BBC Microcomputers, c/o Vector Marketing,
	Denington Estate, Wellingborough, Northants NN8 2RL.
	Please send meBBC Prestel Adaptor at £113.85 each, inc. VAT and delivery. I enclose PO/cheque payable to
iteif	Readers A/C, Acorn Computers Ltd, or charge my credit card.
)/75	Card Number Amex/Diners/Visa/Access (Delete) Name
m Gold).	Address
ired.	Postcode
	SignatureAC10
	Registered No. 140 3810 VAT No. 215 400220
	The BBC Microcomputer System.
	Designed, produced and distributed by Acorn Computers Limited.

gives you an extensive choice of educational and business programs. Other closed

And that's in addition to games that range from simple to sophisticated. Plus electronic shopping and banking facilities, and an extremely useful personal 'mailbox' service.

But that's only the beginning. The Adaptor

Technical Specifications For use with any BBC Micro 'B' with 1.2 MOS or later issue. Prestel Language ROM supplied. Dealer will install ROM together with MOS upd required in the BBC Micro. Interfaces to any BT connection attached to 120 baud dial up system (eg. Prestel, Micronet, Teleco A BT socket outlet of the latest type will be requ Connection via RS423 serial port. Height 70mm. Width 210mm. Depth 350mm. Colour: BBC Computer Cream. Power in 240v, 50HZ, 15w. Operating Temperature 10°-35°C.

Prestel and the Prestel symbol are trademarks of British Telecommunications PLC.





areas' for private company

communications are also available.

"I COULDN'T BELIEVE THE SPEED..... YOU'RE THE BEST BY FAR"

(Paul Singleton, Cheshire)

We've played hundreds of BBC progams to try and choose the best (like the ones on this page.) Details are in our catalogue - free with your order. It's the ONLY catalogue to list the best, omit the rest and quote all the reviews. All programs for 32K BBC.

All programs work with keyboard control - or joysticks as shown. WE TRY TO SEND YOUR PROGRAMS THE SAME DAY WE GET YOUR ORDER. All games in stock - and tested by us - BEFORE we advertise them.

Access/Visa card holders phone 01-789 8546 24hrs, from any country where your own laws allows this. We have satisfied customers in over 40 countries: UK prices include UK vat. Export prices are the same - this 15% surcharge on export orders enables us to get them to you fast.

FRAK "TRAK is going to be a BBC classic.... Frak is one of the biggest fully-animated computer heroes yet." (PC Games). A platform game, with amazing graphics, from your hero - Frak - armed with yo-yo, to the fact that each screen scrolls to become many screens. Good tunes, great sound - and it's difficult enough to keep you trying. Written by Nick Orlando, "the best games

programmer for the BBC" - according to PCGames! NO STIX (Aardvark) 68.90 THE FALL OF ROME "A refreshing change..... a

gripping game... you won't want to leave it" (HomeCompWkly). Can you reverse history as you command the Roman Empire for its last sixty years? Defeat the 11 barbarian tribes, the two Eastern Empires as you buy legions, auxilies, cavalry. Good screen-prompts lead you through helpful up-dating on hi-res map of your Empire. NO STIX. (Asp) 58.99

FOOTBALL MANAGER "The BBC version is

the most impressive yet... the action is fast and the animated football sequences most impressive" (PopCompWkly). "The combination of graphic action and informed decision-making distinguishes this from many other strategy games ... entertaining and absorbing" (AcornProgs). Simply the best BBC football simulation. 3D animated colour graphics: 4 divisions: 7 skill levels. CUSTOMIZE feature: you can even be sacked as well! **£7.95**

SWORDS AND SORCERY A Quest

adventure where you have helpers: in this case 3 you name yourself as they are released from prison to help you! The characters you meet have varying moods: every object has a use: and there's a different scenario every time you play - each one totally logical. 9 SKILL LEVELS (the easy one is a good introduction to adventuring: soothing music while you play! Map Routine shows where you are - and where you've been. It is very good indeed. NO STIX. (Kansas) £10.35

MYSTERY OF THE JAVA

STAR New 4-part adventure with 100K of program, 3 skill levels and a score table! You must complete each part to get to the next - but you can SAVE the first two parts to help you! Otherwise each time you play, the adventure will be different. And part 4, when you have found the wreck and dived for the treasure, is a real-time search as your air runs out. HELP available from the authors if you get stuck too! NO STIX (Shards) 67.95

WHEEL OF FORTUNE "Ouite simply the best adventure I have seen for the BBC Micro... the advances in programming that have been made are amazing.. this has to be THE ADVENTURE OF 1984" (Micronet 800). 250 locations: EVERY ONE WITH HALF-SCREEN GRAPHICS! Commands of up to 254

characters! Moving cast with varying mooods! Save your position to tape or disc! Very fast response. NO STIX. (Epic) £9.95

BLAGGER "DEFINITELY A BEST BUY FOR THE BEEB. A game to beg, borrow or blag" (PCGames). 20

SCREEN fully animated game that's quite a lot like M*N*C M*N*R. Each of the 20 screens is a different puzzle with a different solution. Will your burglar collect the keys to all the safes? You'll certainly make him try for weeks! NO STIX. (Alligata) **57.95**

FORTRESS "An absolutely magnificent piece of programming. In many respects, the feel of the game is even better than that of 'ZAXXON." (PCGames) "The game is thrilling, the diagonally scrolling graphics superb and the sound effects excellent...in a class of its own." (Micro User) "Deserves a place in any self-respecting software collection." (C&VG) The classic arcade game, arguably better on your Beeb than it ever was in the arcades. All the features, plus Hall of Fame. STIX OK (Pace) £8.95

OVERDRIVE "The best race simulation I've seen on this machine, it's excellent value for money." (PCN) You are in a multi-stage 3D race for the World Drivers Championship/ 5 stages - day, night, snow, desert, riverside. To qualify for the next stage, you must finish in the first 12. Onscreen score, time, speed and bonus. You can actually feel how fast you're going - and the graphics are great! NO STIX. (Superior) £7.95

SOFTWARE SUPERMARKET VISA/ACCESS CALL 01-789 8546 (24hrs)

SAVE £££s ON ROMS

Computer Concepts ROMS have been widely praised - we use them all the time! And we sell them to you cheaper than anyone else we know! As Home Comp Wkly said "Installation is easy, providing you have a spare sideways ROM socket or an expansion board".

GRAPHICS ROM "Good value for money...will provide anyone interested in graphics with a whole new field of possibilities" (Beebug) £27.50 YOU SAVE £5.85

PRINTMASTER ROM "If you have an Epson printer, there is no better choice at present than Printmaster, (Beebug) £27.50 YOU SAVE £5.85

DISK DOCTOR "If you use discs or write assembler programs, then you must have this chip" (HomeCompWkly) £27.50 YOU SAVE £5.85

WORDWISE "Probably the most useful word processor on the market" (YrCromp) £36.00 YOU SAVE £10.00

SAVE £40 ON PROGS!

All 20 of these programs have appeared in our catalogues of Beeb best. Now, you can save £2 on each of them. Offer limited to supplies available. Please state second choice.

THE MINE	(Program Power)	£5.95	YOU SAVE £2.00
GHOULS	(Program Power)	£5.95	YOU SAVE £2.00
PIMANIA	(Automata)	£8.00	YOU SAVE £2 00
TRAFALGAR	(Squirrel)	£6.00	YOU SAVE £2 00
ALIEN DROPOUT	(Superior)	£5.95	YOUSAVE £2.00
LUNAR RESCUE	(Alligata)	£5.95	YOU SAVE £2 00
MOON RAIDER	(Program Power)	£5.95	YOU SAVE £2.00
ROADRUNNER	(Superior)	£5.95	YOU SAVE £2 00
MICROBE	(Virgin)	£5.95	YOU SAVE £2.00
WORLD TRAVEL GAME	(Hessel)	£3.95	YOU SAVE £2.00
DICTATOR	(dk tronics)	£4.95	YOU SAVE £2.00
DANGERUXB	(Program Power)	£5.95	YOU SAVE £2.00
CYBERTRON MISSION	(Program Power)	£5.95	YOU SAVE £2.00
FRUITY FREDDY	(SoftSpot)	£5 95	YOU SAVE £2.00
HUNCHBACK	(Superior)	£5.95	YOU SAVE £2.00
KILLER GORILLA	(Program Power)	£5.95	YOU SAVE £2 00
3D-MUNCHY	(MRM)	£3.95	YOU SAVE £2.00
CRAZY PAINTER	(Superior)	£5.95	YOU SAVE £2 00
Q MAN	(MRM)	£3.95	YOU SAVE £2 00
TRANSISTORS REVENGE	(SoftSpot)	£5.95	YOU SAVE £2 00

and quote this	want to cut this magazine, write your order out caref number ACU4	
	BBC computer 1 enclose a cheque/PO made payable market OR Charge my VISA/ACCESS/EUROCARD/ 0 number	
Signature		
	arly If we can't read it, you won't get it.	
Name		
Address		
	Postcode	
	n case of query	
	PROGRAM NAME	Price
		£
		£
		£ £
		£
		£ £
POSTAGE	U K Add 55p only per order	É É É
POSTAGE AND	U K Add 55p only per order EUROPE Add 55p for each program	E E E E E
		£ £ £ £ £0 55p

Electronequip

(Authorised BBC micro Dealer, and service centre)

) e ntinB) Breft rait s and Maiu n () Tcl i trolos () () 31 (E at at Buts (AAn, S) ouk with the with a same of the
--




R

F

JSV JSV JSV

Electronequip

(Authorised BBC micro Dealer, and service centre)





Electronequip is an authorised Acorn service centre and has been an Acorn dealer since the introduction of the Atom. Our demonstration facilities include 20 station Econet and Torchnet systems.

Ref.	BBC Micros	Ex VAT	Inc VAT
ANB01	BBC Model B Micro Computer	348.26	399.00
ANB02	BBC Model B with Econet Interface	389.14	446.00
ANB03	BBC Model B with Disc Interface	409.14	469.00
ANB04	BBC Model B with Disc & Econet Interface	450.01	516.00

NOW REDUCED TO £89 (incl VAT)

£89 3" Micro Disc £129.95 (inc. VAT)

Disc Interface & Drive £185 (inc. VAT)



Micro Disc Drive for the BBC Micro


The Micro disc drive offers a method of low cost quick access to programs. The drive is essentially a small version of a 51" disc drive and offers similar features to the larger drive. The data is stored on a 3" disc, this is enclosed in a protective

hard plastic cassette which features a write protect switch. The micro drive requires the standard Acorn disc interface, but a new disc filing system rom. Acorn DFS may be exchanged for the micro DFS for £12.00. The new micro disc filing system can read and write to Acorn DFS discs.

Thus if a 5¹/₄ inch and a micro floppy were connected on the same cable files could be transferred between them Capacity: 80.64 K bytes Transfer Rate: 125k bit/s.

BRANCHES

FAREHAM: 59 WEST STREET (0329) 230670 KINGS LYNN: 17 TENNYSON AVE. (0553) 3782 MAIL ORDER: 36-38 WEST STREET FAREHAM, HANTS. (0329) 230670



BACK ISSUES

BACK ISSUES £1.25

6. January 1983 MEP school launch. *FX commands for sound. Second BBC TV series. Machine code 3 – two pass assembly. Disc drives for the Beeb. Programming forum. Program protection. Micros in schools – new series. Commodore Pet printer used with Beeb. BBC programs written on an Atom. Extra Atom memory.



94

7. February 1 MHz bus examined (4). 3D Atom graphics (3). Atom BBC Board reviewed (3). Machine code 4memory (5). BBC Computer Literacy update (1). Atom error handling (2). Micros in schools 2-getting organised (6). Hints and Tips (4). Beeb Forum (3). Reviews of *Wordwise* (2) and the Amber printer (1). ***

8. March Chess on the BBC micro (3). Sound on the Beeb (4). Printers for beginners (4). Atom analogue converter (2). Schools 3 micros and maths (6). Machine code 5 – indirect addressing (3) DIY lightpen (5). MEP's *Microprimer* review (2). Atom Ross toolkit review (1). Beeb Forum (2). Assembly language and Pascal book reviews (2). ***

9. April Hexangle game listing (4). Bach on the Beeb (4). Hints & Tips on disc drives (4). Machine code 6 - the CALL statement (4). Interfacing the 1 MHz bus (3). Schools 4 - young children and micros (6). Graphics listings (2). Printers for beginners 2 (4). Reviews of BCPL, educational software and Atom software (3).***

10. May Review of Basic II. Graphics listings. New *FX calls in OS1.2. Colour mixing on the Beeb. Jazz, blues and folk on the BBC. Schools 5 – language development. DIY Beeb interface box. Atom sound board. A to Z of printing: how to get going. Hints and Tips: PROCs, discs and FNs. Printer, software and book reviews.

11. June Techniques series-sorting. Hints and Tips: 50p network. Drawing techniques and CAD. Machine code: interrupts. Schools 6-information technology. Atom Forum. Beeb Forum. Printers-write your own graphics dumps. Comparitive review of *View* and *Wordwise*. Three graphics packages reviewed. Test of *Acorn User's* interface box.

12. July Techniques – hash tables. Hints and Tips: logic made easy. Recursion and graphics. Handling strings. Two ideas for passing variables. Beeb aids the blind. DIY second keyboard. Beeb Forum. Sounds on the Atom. Hardware, firmware, software and book reviews. Atom Forum.

and book reviews. Atom Forum. **13. August** Printer graphics and dumps. Techniques – Tree structures and sorting. All the fun of the fair. 40/80 disc copier. Colour painting. Basic II: random access files. Screen dumps for Olivetti, Centronics and Seikosha. Atom strings. Reviews of Tandy CGP115 printer, five educational packs, A to D converter.

14. September Techniques – ink-blots and mazes. Painting by lightpen. DFS space explored. Beeb Forum. Mega Monsters game listing. Machine code graphics dumps. Atom Forum. Atom cassette recorder check. Reviews of Atom RAM boards, Cumana disc manual, Logo for schools, Hobbit floppy tape and books.

floppy tape and books. **15. October** Women and computing. Techniques – random numbers. Review of Computer Concepts' *Beebcaic.* Fractal graphics. 57 files on 40 & 80 track discs. *Vampire* game listing. Beeb Forum. Assembly code controls tab key. Osfile merging. Atom future. Atom verify routine. Reviews of *Vu-Type*, Procyon Atom book, Epson FX80, Teletext adapter, disc drive, software.

Teletext adapter, disc drive, software. **16.** November Techniques – impossible problems. Contour graphics. Connecting two Beebs together. XREF: sorts & lists variable, function and procedure names. Assembler utilities in Basic II. OS, VDU, *FX, OSBYTE calls – **pull-out poster**. Disc overlays. Adding extra Atom commands. Reviews of 7 educational packs, Atom ROM, books, games.



17. December Random graphics. Animated graphics in colour. Techniques-graphs. Hints & Tips. Universal printer dump. 6522 connected to the Electron. Saving machine code. Beeb Forum. Graphics pull-out poster. Index: July 82-July 83. Forum Extra: EQUS. BBC helps the disabled. Schools-data processing. Transfer-



ring data between Beebs, Atoms ... or Pets. Atom block demolition utility. Atom disassembler program. Reviews of software, books, educational programs from Chalksoft.

18. January 1984: Games special issue Techniques – graphs part 2. Stacks and queues, Basic and languages. Hints & Tips. Voice chip revealed. How to write games. Electron interfacing. Beeb Forum. Life graphics routines. *Defencecom* game listing. *The Train Game* listing. Machine code graphics. Where to put machine code. Schools – handling data. Juki daisywheel printer examined. Atom Forum and adventure. Reviews of ultilities, software, *Beeline* wordprocessor, educational packages, two chess programs.



19. February: Adventures special issue Techniques - efficient sorts. PROC for a numeric keypad on the Beeb keyboard. 12 graphics listings. Random access filing on disc. Locking files. MCP40 printer/plotter looked at. Hints & Tips. Beeb Forum. Make discs readable on 40 and 80 track drives. Screen memory organisation. Hints on adventure design. Adventure action. Adventure ideas in computer language. Text compression. Word-crunching. VIA chip on Electron to drive a parallel printer, Atom Forum, Schools-simulation packages. Reviews: Disc Doctor, Leasalink's DFS upgrade, Hitachi's microdrive system, Solidisk's sideway RAM board, software.

20. March Utility: timing routine. Fractals. Teletext and mode 7 dump. ROMs reviewed. Hints & Tips. Beeb Forum. Add sounds to your games. Learn Lisp 1. Cube graphics. Printer driver for View. Basic II from Basic I. Beeb's ADC chip. Atom Forum. Listing formatter for the Atom. Atom 'bytes free' routine. Schools – test of *Factfile*. Keyboard skills. Amcom DFS v Acorn DFS. Reviews: *Beebpen* wordprocessor, Atom expansion system, software, books.

21. April Beeb graphics on TV. 6845 chip explored. Advanced filing systems. Lisp 2. Hints & Tips. Beeb Forum. Choose disc tracks to copy. Function key editing. Teletext dumps. CES scrutinised. Passing variables Computer Concepts' graphics ROM. Schools - simulations. Calculating Easter dates. Better programming. Atom Forum. Atom ROM routines. Con-verting BBC to Atom Basic. Three printers compared. Reviews: software, Aries B20 RAM board, Toolkit, Monitore

22. May Bitstik graphics system. Hints & Tips. 6502 second processor examined. Lisp 3. Beeb Forum. Disc utility to keep track of available space. Statistics. Pattern graphics. OSWORD explained. 4 colour graphics listings. Second-hand disc drives. Education – do girls get a fair deal? Atom Forum. BBC to Atom Basic 2. Reviews: British Micro's Grafpad, *Edword* wordprocessor, 4 sprite generators, Opus microdrive, Beasty, software.

23. June Acorn Z80 second processor. Forth. Graphics to brighten up your games. Soft Pottery graphics. Go faster and save memory space. Rapid search and load routine for tapes. How the Beeb and Electron work 1. Business: reviews and how to gently enter office computerisation. Education – adult literacy. Dumping Atom programs on the BBC. Atom Forum. Software copyright laws. Hints & Tips. Techniques – B-Trees. Beeb Forum. Reviews of monitors, printers, books, software, adventures, EPROM programmer.



*** Sold-out copies

Four issues of Acorn User are not available – July 1982, February, March and April 1983. Photocopies of articles are available at 18p a page (minimum charge 50p, inclusive of postage). Orders should be addressed to AU Photocopies, Redwood Publishing, 68 Long Acre, London WC2E 9JH. Figure in brackets indicate the number of pages for each article.

HOW TO ORDER

Fill in the order form opposite and send with your cheque or postal order for £1.25 per issue (made payable to Redwood Publishing) to Acorn User Services, PHS Mailing Ltd, PO Box 14, Horley, Surrey.

ACORN USER

Please start my subscription to Acorn User from the next available issue as indicated:



•	12 months	24 months
01: UK	£15 🗆	£30 🗆
02: Europe	£25 🗆	£50 🗆
03: Middle East	£30 🗆	£60 🗆
04: The Americas and Africa	£30 🗆	£60 🗆
05: All other countries	£35 🗆	£70 🗆
Name		

	1	1		1	L	1	1	1	1	1	1			I	1		1		1	
Add	Ires	ss								17										
	1		1	1	1	1	1	1				1		1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	L	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	L	1		1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1
								-												

SUBSCRIPTIONS

Please answer these questions to help us improve your magazine.

1 Do you use your micro for?:

1 school 2 business 3 hobby

- 2 Do you have, or intend to buy, any of the following?:
 - 1 monitor 2 disc drive 3 second processor 4 printer 5 modem
- 3 How many software packages do you think you will buy in the next 12 months?:
 - 10-5 206 to 10 30 10 or more
- □ I enclose my cheque/postal order/sterling bank draft payable to Redwood Publishing for £
- Please debit my Access/American Express/Barclaycard Account no.

Signed. ...Date... Send this form, with your remittance, in an envelope, to Acorn User Subscriptions, Redwood Publishing, 68 Long Acre, London WC2E 9JH.

ACORN USER

SPECIAL OFFERS ON SWEAT SHIRTS

UANTITY	DESCRIPTION	PRICE		
RP01	Binders	@ £4.75	£	
RP02L	Sweat shirts (large)	@£5.00	£	
RP02M	Sweat shirts (medium)	@£5.00	£	
RP02S	Sweat shirts (small)	@£5.00	£	

BACK DATED ISSUES @ £1.25 per copy

MONTH YEAR

IS.

 AU	issue	 	£
 AU	issue	 	£
AU	issue	 	£
		Total	£

Please	add £1.00 each for overseas	iten
Please	allow 28 days for delivery.	

ACORN USER

DISC EXCHANGE SERVICE

Send in your copy of Trek or Sword Master with a cheque for £3.50 and we will exchange it for a disc. (Which runs on 40 or 80 tracks).

	k
E	N
	~
	E

£

Tape(s) in exchange for disc @£3.50 each

Please send	me:	Таре	Disc				
	Copies of Sword Master for BBC (32k series 1.0 OS)	£7.95	£10.95	£			
	for Electron	£7.95		£			
	Copies of Trek for BBC (32k series 1.0 OS)	£7.95	£10.95	£			
	for Electron	£7.95		£			
24 HOUR PHONE SERVICE (02034) 72209							

HOUR PHONE

Please add £1.00 each for overseas items. Please allow 28 days for delivery.

SOFTWARE

MONTHLY PROGRAM LISTING CASSETTES



Please send me a cassette of all major BBC Micro and Electron program listings (October issue) as advertised on page 96 @£3.75£.....

Total £

Name..... Address

and packing.

8	u	-	88	Y	9	9	1	**	٠	×	۰	×

□ I enclose my cheque/PO payable to Redwood Publishing for £ Please debit my Access/Barclaycard

Account no.

..... Date.... Signed.

ORDER FORM

ORDER FORM EXPRESS

EXPRESS

SERVICES

Name	
Address	
□ I enclose my cheque/PO paya Publishing for £	ble to Redwood
Please debit my Access/Barcl	aycard
Account no.	
Signed	Date
Send this form, with your remit to Acorn User Services, PHS M	

Horley, Surrey. All the above prices include postage

Send this form, with your remittance, in an envelope, to Acorn User Software, PHS Mailing Ltd, PO Box 14, Horley, Surrey. All the above prices include postage and packing.

ACORN USER SOFTWARE

FOR THE BBC MICRO AND ELECTRON

ON DISC AND CASSETTE

Two quality, full colour games to test your skill, nerve and cunning. Each £7.95 per cassette or £10.95 per disc (40/80 track). Price includes VAT and postage. Both games need OS1.0, or later, and 32k. Developed, produced and tested by Micrograf.



SWORD MASTER is one of the few two-player games around, and is designed for joystick or keyboard.

Sword Master by Ken Worrall is based on the fencing rules written in 1190 by Herman von Salza for the Deutscritter Order of Teutonic Knights. It features fullcolour machine code animation of a sword duel between two knights.

'A quality game with high class graphics ... one of the most enjoyable games I have played' - Home Computer Weekly 'An immensely entertaining game with excellent graphics and animation'-Personal Computer Games 'Sword Master is a unique game'-Personal Computer News

'Slickly animated and suitably medieval'-Popular Computing Weekly



TREK was the first game to take advantage of **voice synthesis** on the BBC micro – and uses joystick or keyboard.

Trek puts you in charge of a Starship with the task of wiping out an alien fleet. It's an excellent adaptation of the classic game with 7 screen displays, 3 on-board computers and 2 weapon systems.

Versions have been written for BBC micro and Electron to use both machines to their full. The BBC tape uses voice synthesis (if the chips are fitted).

The game has been extensively developed from Tim Heaton's famous Trek III. It barely fits into 32K.

DISC UPGRADE SERVICE


Return your cassette of Trek or Swordmaster, and we will exchange it for a disc (which will run on 40 or 80-track drives) for just £3.50. Please specify Amcom, Watford or Acorn DFS.

PLUS ARTICLE LISTINGS ON CASSETTE

Yes, at last, the tape you've been crying out for! Save the wear on your fingers by sending for one of our cassettes giving all the major listings in this issue.

Each cassette costs £3.75 (inclusive) for the Electron and BBC micro. This includes a menu and disc transfer routine to help you find your way around – and use on your own programs.


The tapes come with BBC programs on one side and Electron programs as the other, so it shouldn't be possible to mix the two. Order form on page 95.



ORDER FORM ON PAGE 95

FIRST BYTE

See 'Now it's in the Can', page 46



FIRST BYTE

0 0 < Continued 0 0 0 0 0 0 0 0 0 0 290 ENDPROC 295 : 0 0 300 : 305 DEF PROCcanup 0 0 310 IF ycan=2 THEN ENDPROC 315 PRINTTAB(xcan,ycan+2);" 0 0 If can at Y tab 2 do nothing, otherwise rub out bottom of 320 ycan=ycan-1 can and print it one position up 0 325 PROCcanister 0 330 ENDPROC 0 0 335 : 340 : 0 0 345 DEF PROCcandown 350 IF ycan=11 THEN ENDPROC 0 0 If can at Y tab 11 do nothing, otherwise rub out top of 355 PRINTTAB(xcan,ycan);" can and print it one position down 0 360 ycan=ycan+1 -365 PROCcanister 0 0 370 ENDPROC 375 . 6 0 380 385 DEF PROCfire 0 390 *FX21 395 PRINTTAB(pos+1,xpos);"help!" . 0 400 FDR shot=xcan-1 TO pos STEP -1 405 PRINTTAB(shot,ycan);CHR\$(229) 410 FDR wait=0 TD 10 : NEXT 0 0 - Move spray across the screen until at position of fly -415 PRINTTAB(shot,ycan);" 0 420 NEXT 0 0 425 squirts=squirts+1 430 PRINTTAB(10,30); squirts 0 0 - Update squirt count and erase 'Help!' 435 PRINTTAB(pos+1,xpos);" 440 IF ycan=xpos THEN PRDCdie :END 0 445 ENDPROC If spray hits fly then kill fly . 450 : 0 455 : 0 0 460 DEF PROCsetup 465 VDU 23,1,0;0;0;0; **Turn cursor off** 0 0 470 VDU 23,224,36,24,90,189,255,60,24, **Define fly** 36 0 0 475 VDU 23,225,3,7,31,31,7,7,7,15 480 VDU 23,226,192,224,224,224,224,224 0 . ,224,240 0 485 VDU 23,227,31,63,63,63,63,63,63,63 -Define fly spray can 0 0 0 490 VDU 23,228,248,248,248,248,248,248,248 ,248,248 0 495 VDU 23,229,160,84,170,85,168,80,16 Define spray and dead fly 0,0 0 0 500 VDU 23,230,0,0,0,0,36,24,60,126 505 *FX4,1 0 0 Make cursor keys produce ASCII codes and initialise 510 xcan=32 : ycan=11 : dead_flag=1 variables 515 squirts=0 0 520 PRINTTAB(2,30); "Squirts: "; squirts 0 . 525 PRINTTAB(10,0); "*** Flies Two ***" -Print headings 0 0 530 ENDPROC 0 0 0 0 0 0 0 0 . 0 0 0 0 0 0

HINTS & TIPS

See pages 53 and 54

99

	4. Envelope generator for the BE			COLOUR 128. COLOUR 7. DOINT
	EM Listing 4 N ERROR RUN			COLOUR 129:COLOUR 3:PRINT PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3",";
30 MD			460	PRINT; FN1", "; PN2", "; PN3", "; AA", "; AD", "; AS", ";
	ROCinitialise			AR", "; ALA", "; ALD
50 RE				COLOUR 132
	ROCscreen ROCsound		480 490	ENDPROC
	ROCinput			DEFPROCsound
	NTIL Ø		510	ENVELOPE1, T, PI1, PI2, PI3, PN1, PN2, PN3, AA, AD,
100 :			520	AS,AR,ALA,ALD SOUND &11,1,P,D
	EFPROCinitialise DU19,0,2,0,0,0:REM Green bac	karound		ENDPROC
	0019,2,0,0,0,0:REM Colour 2		540	
140 VD	0U19,3,4,0,0,0:REM Colour 3			DEFPROCinput
150 0%				COLOUR 1:PRINT PRINT" Press return for repeat note"
	=2:PI1=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0			COLOUR 3: PRINT
	A=127: AD=-1: AS=0: AR=0			INPUT"Change which parameter? "Q\$
	LA=126:ALD=0:P=100:D=50			IFQ\$="T" THEN INPUT"Value for T "T IFQ\$="PI1" THEN INPUT"Value for PI1 "PI1
200 EN 210 :	NDPROC		620	IFQ\$="PI2" THEN INPUT"Value for PI2 "PI2
	EFPROCscreen			IFD\$="PI3" THEN INPUT"Value for PI3 "PI3
230 CL	LS CONTRACTOR OF CONTRACTOR OF CONTRACTOR			IFQ\$="PN1" THEN INPUT"Value for PN1 "PN1 IFQ\$="PN2" THEN INPUT"Value for PN2 "PN2
	ROCdouble("ENVELOPE DESIGNER	",10,1)		IFQ\$="PN3" THEN INPUT"Value for PN3 "PN3
	OLOUR2:PRINT RINT" T=Step length	1/255 = "	T 670	IFQ\$="AA" THEN INPUT"Value for AA "AA
	DLOUR 1: PRINT		000	IFQ\$="AD" THEN INPUT"Value for AD "AD IFQ\$="AS" THEN INPUT"Value for AS "AS
280 PR	RINT"PI1=Pitch Increment 1		PI1 700	IFQ\$= HAR" THEN INPUT Value for AR "AR
	RINT"PI2=Pitch Increment 2		PI2 710	IFQ\$="ALA" THEN INPUT"Value for ALA "ALA
510 PF	RINT"PI3=Pitch Increment 3 RINT"PN1=Pitch Step No. 1	0/255 = "	PN1 720	IFQ\$="ALD" THEN INPUT"Value for ALD "ALD IFQ\$="P" THEN INPUT"Value for P "P
320 PF	RINT"PN2=Pitch Step No. 2 RINT"PN3=Pitch Step No. 3	0/255 = "	PN2 740	IFQ\$="P" THEN INPUT Value for D "D
		0/255 = "		ENDPROC
	OLOUR 3:PRINT RINT" AA=Amplitude Attack	1/127 = "	'AA 770	
	RINT" AD=Amplitude Attack RINT" AD=Amplitude Decay			DEFPROCdouble(A\$,×,y) X%=0:Y%=13:A%=10:d=&D00
370 PR	RINT" AS=Amplitude Sustain	0/-128 = "	'AS 790	C\$=CHR\$(240)+CHR\$B+CHR\$10+CHR\$(241)
380 PR	RINT" AR=Amplitude Release	0/-128 = "	AR 800	FOR N=1 TO LEN(A\$)
590 Ph	RINT"ALA=Amp. Attack Level RINT"ALD=Amp. Decay Level	0/126 = "	ALD 820	B\$=MID\$(A\$,N,1):?d=ASC(B\$):CALL&FFF1 VDU23,240,d?1,d?1,d?2,d?2,d?3,d?3,d?4,d?4
A DOLD				
410 CC	OLOUR 2: PRINT		830	VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8
410 CC 420 PF	OLOUR 2:PRINT RINT" P=Pitch RINT" D=Duration	0/255 = " -1/255 = "	930 P 840	
410 CC 420 PF 430 PF	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El	0/255 = " -1/255 = "	830 'P 840 'D 850	VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC
410 CC 420 PF 430 PF Listing	OLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing S	0/255 = " -1/255 = "	832 'P 842 'D 852	VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3",";
410 CC 420 PF 430 PF Listing 10 RE 20 Of	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN	0/255 = " -1/255 = "	832 'P 842 'D 852	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";FN3",";AA",";AD",";</pre>
410 CC 420 PF 430 PF Listing 10 RE 20 Of 30 MC 40 PF	OLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise	0/255 = " -1/255 = "	832 'P 842 'D 852 382 392	VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3",";
410 CC 420 PF 430 PF 430 PF 10 RE 20 Of 30 MC 40 PF 50 RE	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing S N ERROR RUN ODE1 ROCInitialise EPEAT	0/255 = " -1/255 = "	832 'P 842 'D 852 382 392 400	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD</pre>
410 CC 420 PF 430 PF 430 PF Listing 10 RE 20 Of 30 MC 40 PF 50 RE 60 PF	OLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen	0/255 = " -1/255 = "	"P 840 "D 850 380 390 400 410 420	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC ;</pre>
410 CC 420 PF 430 PF 430 PF Listing 10 RE 20 Of 40 PF 50 RE 60 PF 70 PF	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing S N ERROR RUN ODE1 ROCInitialise EPEAT	0/255 = " -1/255 = "	832 'P 842 'D 852 382 392 400 410 420 430	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";AN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound</pre>
10 CC 20 PF 430 PF 430 PF 10 RE 20 Of 30 MC 40 PF 50 RE 60 PF 80 PF 90 UN	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN DDE1 ROCinitialise EPEAT ROCsound ROCsound ROCsound ROCinput NTIL 0	0/255 = " -1/255 = "	832 'P 842 'D 852 382 392 400 410 420 430	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,FN3,AA,</pre>
410 CE 420 PF 430 PF 430 PF 10 RE 20 Of 30 MC 40 PF 50 RE 60 PF 50 RE 60 PF 70 PF 80 PF	OLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0	0/255 = " -1/255 = "	"P 840 "D 850 "D 850 380 390 400 410 420 430 440	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";AN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound</pre>
10 CC 20 PF 20 PF 20 PF 10 RE 20 Of 30 MC 40 PF 50 RE 60 PF 70 PF 80 PF 90 Uf 100 : 110 DE	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROC1nitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFPROCinitialise	0/255 = " -1/255 = "	832 P 842 D 852 380 390 400 410 420 430 430 440 450 460	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND %11,1,P,D ENDPROC</pre>
410 CC 420 PF 430 PF 430 PF 10 RE 20 Of 30 MC 40 PF 50 RE 60 PF 90 Uf 100 E 10 CE 10 RE 10 RE	OLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0	0/255 = " -1/255 = "	832 P 842 D 852 382 392 400 410 420 430 430 430 440 430 440 440 440	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC ; DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC ;</pre>
10 CC 20 PF 20	CLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL Ø EFFROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,2,2,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 3	0/255 = " -1/255 = " lectron	"P 840 "D 850 "D 850 380 390 400 410 420 430 440 430 440 430 440 440 440 440	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; A5",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput</pre>
10 CC 120 PF 130 PF 130 PF 10 RE 20 Of 20 Of 20 Of 50 RE 60 PF 50 RE 60 PF 90 Uf 100 E 110 DE 120 VI 130 VI 130 VI 150 CC	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN DDE1 ROCinitialise EPEAT ROCsoreen ROCsound ROCinput NTIL Ø EFPROCinitialise DU19,0,2,0,0,0:REM Green bad DU19,2,2,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 3 %=4	0/255 = " -1/255 = " lectron	"P 840 "D 850 "D 850 400 410 410 420 430 440 430 440 430 440 450 450 450 450 450 450 450 450 45	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC ; DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC ;</pre>
10 CC 20 PR 20 PR 20 PR 20 PR 20 OP 20 OP 20 OP 50 RE 60 PF 50 RE 60 PF 50 RE 60 PF 50 UP 10 CC 10	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCInitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFFROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,2,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 3 %=4 =2:PI1=0:PI2=0:PI3=0	0/255 = " -1/255 = " lectron	"P 840 "D 850 "D 850 "D 850 "S 20 "S	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT" Press return for repeat note" COLOUR 3:PRINT</pre>
10 CC 120 PF 130 PF 130 PF 10 RE 20 Of 30 MC 40 PF 50 RE 60 PF 90 Uf 100 S 110 DE 110 DE 110 DE 1120 VI 130 VI 140 VI 150 RE 120 PF 110 RE 10	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN DDE1 ROCinitialise EPEAT ROCscreen ROCsound ROCisound ROCisound ROCinput NTIL 0 EFPROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 3 %=4 =2:P11=0:P12=0:P13=0 N1=0:PN2=0:PN3=0	0/255 = " -1/255 = " lectron	"P 840 "D 850 "D 850 "D 850 "S 850 "S 80 "S 80 "S 80 "S 80 "S 80 "S 10 "S 20 "S 20	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,FN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "Q4</pre>
10 CC 20 PF 20 PF 20 PF 20 PF 20 Of 20	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCINITIALISE EPEAT ROCSoreen ROCSound ROCINPUT NTIL 0 EFFROCINITIALISE DU19,0,2,0,0,0:REM Green bac DU19,2,0,0,0:REM Colour 2 DU19,2,4,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 3 %=4 =2:PII=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR=-126 LA=126:ALD=126:P=100:D=50	0/255 = " -1/255 = " lectron	"P 840 "D 850 "D 850 400 410 420 430 440 430 440 440 440 450 450 500 510 520 530	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC ; DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND %11,1,P,D ENDPROC ; DEFPROCinput COLOUR ::PRINT PRINT" Press return for repeat note" COLOUR 3:PRINT PRINT" Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "Q# IFQ%="T" THEN INPUT"Value for T "T</pre>
10 CC 20 PF 20 PF 20 PF 20 OF 20 OF 20 OF 50 RE 60 PF 50 RE 60 PF 90 UN 100 E 110 DE 110	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFPROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 3 %=4 =2:PI1=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:ALD=126:P=100:D=50 NDPROC	0/255 = " -1/255 = " lectron	"P 840 "D 850 "D 850 "D 850 "S 20 "S	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,FN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "Q\$ IFQ\$="T" THEN INPUT"Value for T "T IFQ\$="F11" THEN INPUT"Value for PI1 "PI1 IFQ\$="P12" THEN INPUT"Value for PI2 "PI2</pre>
Listing 10 RE 20 PF 130 PF 20 PF	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g5.Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL Ø EFPROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Green bac DU19,2,2,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 3 %=4 =2:PI1=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR=-126 LA=126:ALD=126:P=100:D=50 NDPROC	0/255 = " -1/255 = " lectron	"P 840 "D 850 "D 850 "D 850 "S 20 "S	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND %11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "D\$ IFQ4="T" THEN INPUT"Value for P11 "P11 IFQ4="P12" THEN INPUT"Value for P11 "P11 IFQ4="P12" THEN INPUT"Value for P13 "P13</pre>
10 CC 120 PF 130 PF 130 PF 130 PF 20 Of 20 Of	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL Ø EFFROCinitialise DU19,2,2,0,0,0:REM Green bac DU19,2,2,0,0,0:REM Colour 2 DU19,3,4,0,0;REM Colour 3 %=4 =2:PI1=0:PI2=0:PI3=0 N1=0:PN2=0:AS=0 A=126:AD=0:AS=0:AR=-126 LA=126:ALD=126:P=100:D=50 NDPROC EFFROCscreen	0/255 = " -1/255 = " lectron	B32 PB42 DB52 380 390 400 410 420 430 440 430 440 450 450 500 510 520 530 510 550 550 550 550 550 550 550 550 55	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,FN3,AA, AD,AS,AR,ALA,ALD SOUND %11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT" Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "O\$ IFO\$="T" THEN INPUT"Value for PI1 "PI1 IFO\$="PI1" THEN INPUT"Value for PI2 "PI2 IFO\$="PN3" THEN INPUT"Value for PI3 "PI3 IFO\$="PN1" THEN INPUT"Value for PN1 "PN1</pre>
Listing 10 PF 20 PF 20 PF 20 PF 20 PF 20 PF 20 PF 50 RE 60 PF 50 PF 50 RE 60 PF 50 PF	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL Ø EFFROCinitialise DU19,2,2,0,0,0:REM Green bac DU19,2,2,0,0,0:REM Colour 2 DU19,3,4,0,0;REM Colour 3 %=4 =2:PI1=0:PI2=0:PI3=0 N1=0:PN2=0:AS=0 A=126:AD=0:AS=0:AR=-126 LA=126:ALD=126:P=100:D=50 NDPROC EFFROCscreen	0/255 = " -1/255 = " lectron - black - black - blue	"P 840 "D 850 "D 850 "D 850 "D 850 "S 20 "S 20 "	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PII",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT" Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "D\$ IFQ\$="PI1" THEN INPUT"Value for P11 "PI1 IFQ\$="PI2" THEN INPUT"Value for P12 "PI2 IFQ\$="PN1" THEN INPUT"Value for P13 "PI3 IFQ\$="PN1" THEN INPUT"Value for P13 "PI3 IFQ\$="PN2" THEN INPUT"Value for PN2 "PN2</pre>
Listing 10 CC 20 PF 30 PF 130 PF 20 Of 30 MC 40 PF 50 RE 60 PF 70 PF 80 PF 90 Uh 100 : 110 DE 120 VI 130 VI 140 VI 150 CC 120 VI 140 VI 150 CC 210 CC 220 DE 230 CC 230 CC 230 CC 230 CC	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL Ø EFFROCinitialise DU19,0,2,0,0,0:REM Green bad DU19,2,2,0,0,0:REM Colour 2 DU19,3,4,0,0:REM Colour 3 %=4 =2:PI1=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 NDPROC EFFROCscreen LS ROCdouble("ENVELOPE DESIGNED	<pre>@/255 = " lectron ckground black blue R",10,1)</pre>	"P 840 "D 850 "D 850 "D 850 "D 850 "S00 400 410 420 430 440 440 440 450 450 500 510 520 530 510 550 550 550 550 550 550 550 550 55	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,FN3,AA, AD,AS,AR,ALA,ALD SOUND %11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT" Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "O\$ IFO\$="T" THEN INPUT"Value for PI1 "PI1 IFO\$="PI1" THEN INPUT"Value for PI2 "PI2 IFO\$="PN3" THEN INPUT"Value for PI3 "PI3 IFO\$="PN1" THEN INPUT"Value for PN1 "PN1</pre>
Listing 10 PF 130 PF 130 PF 130 PF 20 PF 20 Pf 20 Pf 50 Rf 50 Rf 50 Rf 50 Rf 50 Rf 50 Rf 50 Rf 50 Rf 50 Rf 50 Rf 50 Rf 50 Rf 50 R	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing S N ERROR RUN ODE1 ROCinitialise EPEAT ROCsoreen ROCsound ROCinput NTIL Ø EFFROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 3 %=4 =2:PT1=0:PT2=0:PT3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR==126 LA=126:ALD=126:P=100:D=50 NDPROC EFFROCscreen LS ROCdouble("ENVELOPE DESIGNEI GLOUR2:PRINT RINT" T=Step length	0/255 = " -1/255 = " lectron - black - black - blue	"F 840 "D 850 "D 850 "Д 420 420 420 430 440 430 440 450 450 500 510 510 520 530 510 520 530 510 550 530 510 550 550 550 550 550 550 550 550 55	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,FN3,AA, AD,AS,AR,ALA,ALD SOUND %11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT" Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "Q4 IFQ4="T" THEN INPUT"Value for PI1 "PI1 IEQ4="PI2" THEN INPUT"Value for PI2 "PI2 IFQ4="PN3" THEN INPUT"Value for PN3 "PN3 IFQ4="PN3" THEN INPUT"Value for PN3 "PN3 IFQ4="D" THEN INPUT"Value for D "D </pre>
Listing 10 PF 130 PF 130 PF 130 PF 20 DF 20 DF 20 DF 20 DF 50 RE 60 PF 50 P	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing S N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFPROCinitialise DU19, 0, 2, 0, 0, 0: REM Green bac DU19, 0, 2, 0, 0, 0: REM Colour 2 DU19, 3, 4, 0, 0, 0: REM Colour 2 DU19, 3, 4, 0, 0, 0: REM Colour 3 %=4 =2: PII=0: PI2=0: PI3=0 N1=0: PN2=0: PN3=0 A=126: AD=0: AS=0: AR=-126 LA=126: AD=0: AS=0: AR=-126 NDPROC EFPROCscreen LS ROCdouble("ENVELOPE DESIGNED COLOUR2: PRINT RINT" T=Step length	@/255 = " -1/255 = " lectron - black - blue R",10,1) 1/255 =	"P 840 "D 850 "D 850 "D 850 "A 400 410 420 430 430 440 430 440 430 500 500 500 500 500 500 500 500 500 5	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PII",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT" Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "D\$ IFQ\$="PI1" THEN INPUT"Value for T "T IEQ\$="PI2" THEN INPUT"Value for PI1 "PI1 IEQ\$="PI3" THEN INPUT"Value for PI3 "PI3 IEQ\$="PN3" THEN INPUT"Value for PI3 "PI3 IEQ\$="PN3" THEN INPUT"Value for PN3 "PN3 IEQ\$="PN3" THEN INPUT"Value for PN3 "PN3 IEQ\$="PN3" THEN INPUT"Value for PN3 "PN3 IEQ\$="PN" THEN INPUT"Value for PN3 "PN3 IEQ\$="PN4CE" </pre>
Listing 10 CC 20 PF 20 PF 20 OF 20 OF 20 OF 20 OF 50 RE 60 PF 90 UN 100 : 110 DE 120 VI 120 VI 130 VI 140 PF 90 UN 120 VI 140 PF 90 UN 120 VI 140 PF 90 UN 120 VI 140 PF 90 UN 140 PF 90 UN 140 PF 90 UN 120 VI 140 PF 90 UN 120 VI 140 PF 90 UN 120 VI 140 PF 90 UN 120 VI 140 PF 90 UN 120 VI 120 VI 12	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing S N ERROR RUN ODE1 ROCinitialise EPEAT ROCsoreen ROCsound ROCinput NTIL Ø EFFROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 3 %=4 =2:PT1=0:PT2=0:PT3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR==126 LA=126:ALD=126:P=100:D=50 NDPROC EFFROCscreen LS ROCdouble("ENVELOPE DESIGNEI GLOUR2:PRINT RINT" T=Step length	<pre>@/255 = " -1/255 = " lectron ckground - black - blue R",10,1) 1/255 = -128/127 =</pre>	"P 840 "D 850 "D 850 "D 850 "A 400 410 420 430 440 430 440 450 440 450 550 550 540 550 540 550 540 550 540 550 540 550 540 550 540 550 540 550 540 54	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT;PNI",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "D\$ IFQ\$="TI THEN INPUT"Value for T IT IFQ\$="PI1" THEN INPUT"Value for PI1 "PI1 IFQ\$="PI2" THEN INPUT"Value for PI2 "PI2 IFQ\$="PN2" THEN INPUT"Value for PN3 "PN3 IFQ\$="PN3" THEN INPUT"Value for PN3 "PN3 IFQ\$="P" THEN INPUT"Value for PN3 "PN3 IFQ\$="P" THEN INPUT"Value for P "P IFQ\$="D" THEN INPUT"Value for P "P IFQ\$="D" THEN INPUT"Value for D "D ENDPROC : </pre>
410 CC 420 PF 430 PF 430 PF 10 RE 20 Df 30 MC 40 FF 50 RE 60 FF 50 RE 60 FF 50 RE 60 FF 90 Uf 100 E 120 VI 130 VI 140 VI 150 CC 140 FF 220 DF 220 DF 220 CC 240 FF 220 CC 240 FF 270 CC 240 FF 270 CC 280 FF 270 FC 270 FC 27	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFPROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 3 %4 = 2:PII=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LS=0:AD=0:AS=0:AS=0:AS=0:AS=0:AS=0:AS=0:AS=0:AS	<pre>@/255 = " -1/255 = " lectron ckground - black - blue R",10,1) 1/255 = -128/127 = -128/127 =</pre>	"P 840 "D 850 "D 850 "D 850 400 410 410 420 430 440 440 450 450 520 530 540 540 540 540 540 540 540 540 540 54	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PII",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT" Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "D\$ IFQ\$="PI1" THEN INPUT"Value for T "T IEQ\$="PI2" THEN INPUT"Value for PI1 "PI1 IEQ\$="PI3" THEN INPUT"Value for PI3 "PI3 IEQ\$="PN3" THEN INPUT"Value for PI3 "PI3 IEQ\$="PN3" THEN INPUT"Value for PN3 "PN3 IEQ\$="PN3" THEN INPUT"Value for PN3 "PN3 IEQ\$="PN3" THEN INPUT"Value for PN3 "PN3 IEQ\$="PN" THEN INPUT"Value for PN3 "PN3 IEQ\$="PN4CE" </pre>
Listing 10 CC 20 PF 20 PF 20 PF 20 OF 20 OF	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFPROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 3 %=4 =2:PI1=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=126:P=100:D=50 NDPROC EFPROCscreen LS ROCdouble("ENVELOPE DESIGNEJ OLOUR1:PRINT RINT" T=Step length OLOUR1:PRINT RINT"PI1=Pitch Increment 1 RINT"PI1=Pitch Increment 2 RINT"PI=Pitch Increment 3	@/255 = " -1/255 = " ectron ectron - black - blue R",10,1) 1/255 = -128/127 = -128/127 = -128/127 = 0/255 =	"P 840 "D 850 "D 850 "D 850 "D 850 "P 840 "S 00 400 410 410 420 420 420 420 420 420 420 420 420 42	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT;ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;ENNT,";N2",";N3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,FN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT INPUT"Change which parameter? "Q4 IFQ1="T" THEN INPUT"Value for PI1 "PI1 IFQ1="T" THEN INPUT"Value for PI1 "PI1 IFQ1="PI3" THEN INPUT"Value for PI1 "PI1 IFQ1="PI3" THEN INPUT"Value for PI1 "PI3 IFQ1="PN3" THEN INPUT"Value for PN3 "PN3 IFQ1="PN3" THEN INPUT"Value for PN3 "PN3 IFQ1="PN3" THEN INPUT"Value for P "P IFQ4="D" THEN INPUT"Value for P "P IFQ4="D" THEN INPUT"Value for D "D ENDPROC : DEFPROCdouble(A4,x,y) XX=0;Y2=13;A2:AB;d=&D00 C4=CHR4(240)+CHR4\$CHR410+CHR4(241)</pre>
410 CC 420 PF 430 PF 430 PF 10 RE 20 Of 30 MC 40 PF 50 RE 60 PF 90 Uf 100 FF 90 Uf 120 VI 130 VI 130 VI 140 VI 130 VI 140 VI 150 RE 200 EF 210 E 210 E 220 DE 230 CL 240 PF 250 CC 280 PF 250 CC 280 PF 300 PF	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN DDE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFPROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 3 %=4 =2:PI1=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=126:P=100:D=50 NDPROC EFPROCscreen LS ROCdouble("ENVELOPE DESIGNEJ OLOUR2:PRINT RINT" T=Step length OLOUR1:PRINT RINT"PI1=Pitch Increment 1 RINT"PI1=Pitch Increment 3 RINT"PN1=Pitch Step No. 1 RINT"PN2=Pitch Step No. 1	@/255 = " -1/255 = " lectron - black - blue R",10,1) 1/255 = -128/127 = -128/127 = -128/127 = 0/255 = @/255 =	"P 840 "D 850 "D 850 "D 850 "D 850 "P 400 400 410 410 420 430 440 450 450 540 540 540 540 540 540 54	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC ; DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND %11,1,P,D ENDPROC ; DEFPROCinput COLOUR 1:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT INPUT 'Value for T 'T IF0\$="PTI' THEN INPUT 'Value for P11 "PI1 IF0\$="PI3" THEN INPUT 'Value for P12 "P12 IF0\$="PN3" THEN INPUT 'Value for PN2 "PN3 IF0\$="PN3" THEN INPUT 'Value for PN3 "PN3 IF0\$="PN3" THEN INPUT 'Value for P "P IF0\$="PN3" THEN INPUT 'Value for P "P IF0\$="PN3" THEN INPUT 'Value for D "D ENDPROC ; </pre>
110 CC 120 PF 120 PF 130 PF 10 RE 20 Of 30 PF 10 RE 20 Of 30 PF 20 Of 30 MC 40 PF 90 Uf 100 E 100 E 100 E 100 E 110 DE 120 VI 150 C 140 VI 150 C 210 E 220 D 2200 C 2200 C 2200 C 2200 PF 310 P 320 P 330 P	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing S N ERROR RUN ODE1 ROCinitialise EPEAT ROCScreen ROCsound ROCinput NTIL 0 EFFROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Colour 2 DU19,2,0,0,0;REM Colour 2 DU19,2,0,0,0;REM Colour 3 %=4 =2:PI1=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR==126 LA=126:ALD=126:P=100:D=50 NDPROC EFFROEscreen LS ROCdouble("ENVELOPE DESIGNEJ OLOUR 1:PRINT RINT"PI1=Pitch Increment 1 RINT"PI1=Pitch Increment 1 RINT"PI3=Pitch Increment 3 RINT"PN3=Pitch Step No. 1 RINT"PN3=Pitch Step No. 2 RINT"PN3=Pitch Step No. 3	@/255 = " -1/255 = " ectron ectron - black - blue R",10,1) 1/255 = -128/127 = -128/127 = -128/127 = 0/255 =	"P 840 "D 850 "D 850 "D 850 "D 850 "T 400 410 420 430 430 430 430 430 430 430 500 530 530 530 530 530 530 530 530 5	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT"ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,P12,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND &:11,1,P,D ENDPROC : DEFPROCinput COLOUR 3:PRINT NPUT"Change which parameter? "Q4 IFQ4="T" THEN INPUT"Value for T "T IFQ5="P12" THEN INPUT"Value for P12 "P13 IFQ5="T" THEN INPUT"Value for P13 "P13 IFQ5="PN3" THEN INPUT"Value for PN3 "PN3 IFQ5="PN3" THEN INPUT"Value for D "D ENDFROC : DEFFROCdouble(A1,x,y) X%=0;Y%=13;A%=10;d=&D00 C3=CHR4(240)+CRR48+CHR410+CHR4(241) FOR N=1 TO LEN(A4) B3=MID\$(A1,N,1):?d=ASC(B\$):CALL&FFF1</pre>
410 CC 420 PF 430 PF 430 PF 10 RE 20 Of 30 MC 40 PF 50 RE 40 PF 50 RE 40 PF 90 Uf 100 : 110 DE 110 DE 110 DE 110 DE 120 VI 130 VI 130 VI 140 VI 130 VI 140 VI 150 CC 250 CC 240 PF 220 DE 220 DE 220 DE 220 DE 220 DE 230 CC 240 PF 250 CC 240 PF 250 CC 260 PF 300 PF 320 PF 330 PF 330 PF 330 PF 330 PF 330 PF 330 PF 330 PF 330 PF 330 PF	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFPROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,0,2,0,0,0:REM Colour 2 DU19,0,2,0,0,0:REM Colour 3 %4 = 2:PII=0:PI2=0:PI3=0 N1=0:PN2=0:PN3=0 A=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AS=0:AS=0:AS=0:AS=0:AS=0:AS=0:AS	@/255 = " -1/255 = " lectron - black - blue R",10,1) 1/255 = -128/127 = -128/127 = -128/127 = -128/127 = 0/255 = 0/255 = 0/255 =	"P 840 "D 850 "D 850 "D 850 "S 20 "S 20 "S 20 "S 20 S 20 S 20 S 20 S 20 S 20 S 20 S 20	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT;PN1",";PN2",";PN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC ; DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,PN3,AA, AD,AS,AR,ALA,ALD SOUND %11,1,P,D ENDPROC ; DEFPROCinput COLOUR 1:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT NPUT"Change which parameter? "O\$ IFQ\$="T1 THEN INPUT"Value for P11 "PI1 IFQ\$="P12" THEN INPUT"Value for P12" "P12 IFQ\$="T1" THEN INPUT"Value for P13" "P13 IFQ\$="P12" THEN INPUT"Value for P13" "P13 IFQ\$="PN2" THEN INPUT"Value for PN2 "PN2 IFQ\$="PN3" THEN INPUT"Value for PN3 "PN3 IFQ\$="PN3" THEN INPUT"Value for PN4 IFQ\$="PN4" THEN INPUT"Value for PN4 IFQ\$="PN4 IFQ\$="PN4" THEN INPUT"Value for PN4 IFQ\$="PN4 I</pre>
110 CC 120 PF 120 PF 130 PF 120 PF 20 PF 20 PF 20 PF 20 PF 20 PF 20 PF 50 RE 60 PF 90 Uh 120 YI 2200 CI 2200 CI 2200 CI 2200 PF 2200 PF 2300 PF 300 PF 310 PF 320 PF <tr< td=""><td>DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFFROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,2,0,0,0:REM Green bac DU19,2,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 3 %=4 =2:PII=0:PI2=0:PI3=0 N1=0:PN2=0:RNS=0 A=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 NDPROC EFFROCscreen LS ROCdouble("ENVELOPE DESIGNED OLOUR 1:PRINT RINT"PI3=Pitch Increment 1 RINT"PI3=Pitch Increment 2 RINT"PI3=Pitch Step No. 1 RINT"PN3=Pitch Step No. 2 RINT"PN3=Pitch Step No. 3 OLOUR 2:PRINT</td><td>@/255 = " -1/255 = " ectron ectron - black - blue R",10,1) 1/255 = -128/127 = -128/127 = -128/127 = -128/127 = -128/127 = 0/255 = 0/255 = 0/255 =</td><td>"P 840 "D 850 "D 850 "D 850 "A 400 410 420 430 440 440 440 450 450 540 540 540 540 54</td><td><pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT;ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;ENNT,";N2",";EN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,FN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT INFUT"Change which parameter? "Q4 IFQ1="T" THEN INPUT"Value for PI1 "PI1 IFQ1="T" THEN INPUT"Value for PI1 "PI1 IFQ1="P13" THEN INPUT"Value for PI1 "PI1 IFQ1="P13" THEN INPUT"Value for PI2 "PI2 IFQ4="P13" THEN INPUT"Value for PN1 "PN1 IFQ1="PN3" THEN INPUT"Value for PN3 "PN3 IFQ1="PN3" THEN INPUT"Value for PN3 "PN3 IFQ1="PN3" THEN INPUT"Value for P "P IFQ4="P1" THEN INPUT"Value for P "P IFQ4="P1" THEN INPUT"Value for D "D ENDPROC : DEFPROCdouble(A4,x,y) XX=0;YX=13;AX=10;d=&D000 C4=CHR4(240)+CHR48+CHR410+CHR4(241) FOR N=1 TO LEN(A4) B*=MID*(A4,N,1):?d=ASC(B4):CALL&FFF1 VDU23,240,d71,d71,d72,d72,d72,d72,d74,d74</pre></td></tr<>	DLOUR 2: PRINT RINT" P=Pitch RINT" D=Duration g 5. Envelope generator for the El EM Listing 5 N ERROR RUN ODE1 ROCinitialise EPEAT ROCscreen ROCsound ROCinput NTIL 0 EFFROCinitialise DU19,0,2,0,0,0:REM Green bac DU19,2,0,0,0:REM Green bac DU19,2,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 2 DU19,3,4,0,0,0:REM Colour 3 %=4 =2:PII=0:PI2=0:PI3=0 N1=0:PN2=0:RNS=0 A=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 LA=126:AD=0:AS=0:AR=-126 NDPROC EFFROCscreen LS ROCdouble("ENVELOPE DESIGNED OLOUR 1:PRINT RINT"PI3=Pitch Increment 1 RINT"PI3=Pitch Increment 2 RINT"PI3=Pitch Step No. 1 RINT"PN3=Pitch Step No. 2 RINT"PN3=Pitch Step No. 3 OLOUR 2:PRINT	@/255 = " -1/255 = " ectron ectron - black - blue R",10,1) 1/255 = -128/127 = -128/127 = -128/127 = -128/127 = -128/127 = 0/255 = 0/255 = 0/255 =	"P 840 "D 850 "D 850 "D 850 "A 400 410 420 430 440 440 440 450 450 540 540 540 540 54	<pre>VDU23,241,d?5,d?5,d?6,d?6,d?7,d?7,d?8,d?8 PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT TAB(x+N-1,y)C\$:NEXT N ENDPROC PRINT;ENVELOPE1,";T",";PI1",";PI2",";PI3","; PRINT;ENNT,";N2",";EN3",";AA",";AD","; AS",";AR",";ALA",";ALD COLOUR 132 ENDPROC : DEFPROCsound ENVELOPE1,T,PI1,PI2,PI3,PN1,PN2,FN3,AA, AD,AS,AR,ALA,ALD SOUND &11,1,P,D ENDPROC : DEFPROCinput COLOUR 1:PRINT PRINT Press return for repeat note" COLOUR 3:PRINT INFUT"Change which parameter? "Q4 IFQ1="T" THEN INPUT"Value for PI1 "PI1 IFQ1="T" THEN INPUT"Value for PI1 "PI1 IFQ1="P13" THEN INPUT"Value for PI1 "PI1 IFQ1="P13" THEN INPUT"Value for PI2 "PI2 IFQ4="P13" THEN INPUT"Value for PN1 "PN1 IFQ1="PN3" THEN INPUT"Value for PN3 "PN3 IFQ1="PN3" THEN INPUT"Value for PN3 "PN3 IFQ1="PN3" THEN INPUT"Value for P "P IFQ4="P1" THEN INPUT"Value for P "P IFQ4="P1" THEN INPUT"Value for D "D ENDPROC : DEFPROCdouble(A4,x,y) XX=0;YX=13;AX=10;d=&D000 C4=CHR4(240)+CHR48+CHR410+CHR4(241) FOR N=1 TO LEN(A4) B*=MID*(A4,N,1):?d=ASC(B4):CALL&FFF1 VDU23,240,d71,d71,d72,d72,d72,d72,d74,d74</pre>

0

GRAPHICS

100

See 'Fatman on the Move', page 65

10*TV255			
20REM*LD.DATANAME			
30*T.			
40MODE2 SOPROCASS			
60COLOUR138: PRINTI	TAB(6.1)" ":COLO	URO: PRINTTAB (6,2) " MOVER	": TAB(6.3)"
":COLOUR128			
70COLOUR6			
		B:PRINT"1.";:COLOUR6:PRIN	
ation";''':COLOUR15: "	PRINT"2.";:COLOUR6:PR	INT"Single character"'''	FAB(2)"movemen
90*FX15			
	"Please choose."::REP	EAT PRINTTAB(16,22)CHR\$12	27: : INPUTTAB(1
,22)" "G:UNTILG=1 OF			
110*FX15			
1201F G=1 ?&74=1 EL		EPEAT FRINTTAB(18,26)"	INPUTTOR/17
26)" "G:UNTIL G>=0 4	AND $G < 9:7270=G$	CPEHI PRINTHOUD, 20/	, INFOTTABCI/
140CLS			
150*FX15			
	what delay ?":INPUTTAB	(3,15)"(0 = no delay)"del	. %
170CLS 180VDU23,1,0;0;0;0;0;			
	i Irsor keys control"'''	"character movement."	
	B(0,15) "ESCAPE to exit		
210COLOUR5: FRINTTAL	3(0,22)"SPACE to conti		
220REPEAT UNTIL GET	F=32		
230CLS		V-100-NEVT-DOINTTOD// //	IMPUEDILI
250IF?&74=1 ?&70=0	27KND (20000) +&3000; ?0	%=&2A:NEXT:PRINTTAB(6,14)	HOVER: :
2607&71=40:7&72=100	5		
270?&76=de1%-1	720BED limit	1190STA&221	1630INY
280CALL CV	730SEC	1200CL1	1640LDA£Downpressed
290CALL first	740SBC£4	1210LDA£14	MOD256 1650STA t61,Y
300CALL start 310COLOUR7	750STA&72 760JMP draw	1220LDX£4 1230JSR &FFF4	1660INY
320END	770.animation	1200JSR @FFF4 1240LDA&12EF	1670LDA£Downpressed
330DEFPROCASS	780LDA&75	1250STA&78	DIV256
340FORI%=0T02STEP2	790BEQ right	1260SEC	1680STA tb1,Y
350P%=&E00	BOOLDA&71	1270SBC£8	1690INY 1700LDA£Uppressed
360LOPTI%	BIOAND£3	1280STA&79 1290LDA&78	MOD256
370.Leftpressed 380LDA&71	820CLC 830ADC£4	1300STA Rblock2+1	1710STA tb1,Y
390BEQ limit	B40STA&70	1310STA 62+3	1720INY
400DEC&71	850BNE finished	1320CLC 1330ADC&78	1730LDA£Uppressed
410LDA&74	860.right	1340STA Rblock3+1	DIV256 1740STA tb1.Y
420BEQ draw	870LDA&71	1350STA 63+3	1750, keycheck
no animation 430LDA£1	880AND£3 890STA&70	1360CLC	1760LDA&ED
440STA&75	900.finished	1370ADE%78	1770BEQ checkEC
450JSR animation	910RTS	1380STA Rblock4+1 1390STA b4+3	1780JSR keyvalid 1790BEQ checkEC
460.draw	920.mover	1400LDA&78	1790BEW checkEC 1800JSR getaddress
470JSR mover	930.speedcontrol	1410LSRA	1810JSR gotomover
480.limit 490RTS	940LDX&76 950BMI fast	1420LSRA	1820.checkEC
500.Rightpressed	960.delay	1430LSRA	1830LDA&EC
510LDA&71	970LDA&77	1440STA&7A 1450LDA£&50	1840BEQ keycheck
520CLC	980.check	1460SEC	1850JSR keyvalid 1860BEQ keycheck
530CMP&7A	990CMP&77	14705BC%7A	1870JSR getaddress
540BEQ limit	1000BEQ check	1480STA&7A	1880JSR gotomover
550INC&71 560LDA&74	1010DEX 1020BPL delay	1490RTS	1890JMP keycheck
570BEQ draw	1020BFL delay	1500.start 1510LDY£2	1900.keyvalid
no animation	1040JMP display	1510LDY£2 1520LDA£Leftpressed	1910CMP£&FO
580LDA£0	1050.nv	MOD256	1920BNE checkleft 1930PLA
590STA&75	1060PHP	1530STA tb1,Y	1930PLA
600JSR animation	1070DEC&77	1540INY	1950JMP escape
610JMP draw	1080PLP	1550LDA£Leftpressed	1960.checkleft
620.Downpressed 630LDA&72	1090RTS 1100.cv	DIV256 1560STA tb1.Y	1970CMP£&99
640CMP£228	1110LDA&220	1570INY	1980BNE checkright
650BEQ limit	1120STA 01V	1580LDA£Rightpressed	1990LDA£1 2000RTS
660CLC	1130LDA&221	MOD256	2000RTS 2010.checkright
670ADC£4	1140STA 01v+1	1590STA tbl,Y	2020CMP£&F9
680STA&72	1150SEI	1600INY	2030BNE checkdown
690JMP draw 700.Uppressed	1160LDA £nv MOD256 1170STA&220	1610LDA£Rightpressed DIV256	2040LDA£2
			2050RTS

ACORN USER OCTOBER 1984

GRAPHICS

DUNNIN	G'MOVER'	4 Z% = Z% + ?N%	•
THE listing can be broken do	wn into two sections: Basic and	5 NEXT 6 PRINT"CHECKSUM IS:";Z% 7 END	•
entering the program-just	e of the latter is not necessary for type it in exactly as you see it. PAGE has been set to &1900,	Now re-run the program and after CHECKSUM IS :73536	r a short delay the result
whether you have tape or disc		should be displayed. If this is no	of the case you have made a
PAGE = & 1900 < return > NEW < return >		mistake in entering the assemble If all is well re-enter line 340 as	er – so check again carefully!
You'll find it much easier to	enter the assembler listing first. low page X in last month's issue.	340 FOR 1% = 0 TO 2 STEP 2	
Enter lines 330 to 4200 and the	en save what you have entered so	Now delete lines 1 to 7 inclusive	and enter the rest of the list-
	e of accidents. Change line 340 to	ing, and you're ready.	
read: FOR 1% = 0 TO 3 STEP 3		CONVERTING FOR	
Now add the following two line	25:	MOVER will run on the Elk if a fer listing. The alterations are in the a	
1 PROCASS		1970 CMP £&88	
2 END		2020 CMP £&84	
Run the program and correct add the following lines to your	any syntax errors that occur, then	2070 CMP £&89 2120 CMP £&8D	•
1 PROCASS	program	2790 LDA &C36D,Y	•
2 Z % = 0		2820 LDA &C36D,Y The checksum value will be 73310	
3 FOR N% = &E00 TO &1084	4	The checksum value will be 733 fc	
060.checkdown	2590STA(&84),Y	3130LDA£%80	3670STA&88,X
070CMP£&A9	2600.Rblock4	3140CLC	3680DEX •
080BNE checkup 090LDA£3	2610LDA&C00,Y 2620STA(&86),Y	3150ADC%84 3160STA%86	3700BPL hi
100RTS	2630DEY	3170LDA£2	3710.sa
110.checkup	2640BPL replace	3180ADC%85	3730 mi
120CMP£&B9 130BNE invalidkey	2650.first 2660LDA£0	3190STA&87 3200LDA£8	3740DEX
140LDA£4	2670STA&80	3210SEC	3750BNE sh
150RTS 160.invalidkey	26805TA%82 2690LDA£%30	3220SBC%73 3230STA%73	3760LDX£6 3770.10
170LDA£0	2700STA&81	3240LDA&70	3780LDA&88,X
180RTS	2710LDA&72	3250ASLA	3790SEC 3800SBC&79
190.getaddress 200ASLA	2720AND£7 2730STA&73	3260TAY 3270LDA&12F0,Y	38105TA&88,X
210TAY	2740E0R&72	3280CLC	3820DEX
220LDA tbl,Y 230STA gotomover+1	2750LSRA 2760LSRA	3290ADE&73 3300LDX£0	3830DEX 3840BPL 10
2240INY	2770TAY	3310STA&88,X	3850.sh 🔘
250LDA tb1,Y	2780INY	3320CLC	3860DEY 3870LDA (&80), Y
260STA gotomover+2 270RTS	2790LDA&C375,Y 2800STA&80	3330.100p 3340ADC&78	38805TA&C00,Y
2280.gotomover	2810DEY	3350INX	3890TXA 3900BMI 62
290JSR&8000 dummy address	2820LDA&C375,Y 2830CLC	3360INX 3370CPX£8	3910LDA (&88),Y
2300RTS	2840ADC&81	3380BCS ex	3920BEQ 62
2310.escape	2850STA&81	3390STA&88,X	3940.62
2320SEI 2330LDA 61V	2860LDA&71 2870LDX£3	3400BCC 1cop 3410vex	3950LDA(&82),Y 🔍
23405TA&220	2880.LOOP	3420CLC	3960STA&C00,Y 3970LDA(&8A),Y
2350LDA o1v+1 2360STA&221	2890ASLA 2900ROL&82	3430INY 3440LDA&12F0,Y	3980BEQ 53
2370CLI	2910DEX	3450LDX£0	3990STA(&82),Y
2380LDA£15	2920BNE LOOP	3460.100p2	4000.53 4010LDA(&84),Y
2390LDX£0 2400JSR&FFF4	2930ADC&80 2940STA&80	3470STA%89,X 3480INX	40205TA&C00,Y
2410RTS	2950LDA£0	3490INX	4030LDA(&8C),Y
2420.tb1	2960ADC%82 2970ADC%81	3500CPX£8 3510BCC loop2	4040BEQ 64 🔴
2430NOP:NOP:NOP:NOP 2440NOP:NOP:NOP	2980STA&81	3520LDY&78	4060.64 🔴
2450NOP:NOP:NOP	2990LDA£&80	3530INC&73	4070LDA(&86),Y 4080STA&C00,Y
2460.01V 2470NDP:NDP	3000CLC 3010ADC&80	3540LDX&73 3550.ml	4090TXA
2480.display	3020STA%82	3560TYA	4100BPL mle
2490LDY&78	3030LDA£2	3570BEQ CO	4110LDA(&8E),Y 4120BEQ mle
2500DEY 2510.replace	3040ADC%81 3050STA%83	3580AND£7 3590BNE mi	4130STA(&86),Y
2520LDA&COO,Y	3060LDA£&80	3600TXA	4140.mie
2530STA(&80),Y	3070ELC 3080ADC%82	3610BPL sa 3620LDX£6	41503MP m1 4160.co
2540.Rb1ock2 2550LDA&C00,Y	3090STA&84	3630.hi	4170RTS
2560STA (&82),Y	3100LDAE2	3640LDA&88,X	4180]
2570.Rb1ock3	3110ADC&83	3650CLC	4190NEXT 4200ENDPROC

-




See 'Take Command of the 8271 Chip', page 81

20 PR0Csetblock:PR0Csetup data%7(3/42);" size ";data%7(3/43) 25 F0R KX=0 TO 39;REM for 40 track dr 1/00 =0 40 PR0Csetk(0,KX):PR0Cseek(1,KX):IF F 1710 1/40(,KX) THEN 10 1800 DEF PR0Csettr(3X):REM change curre 60 PR0Cvalues 1810 block/275=2:block/276=%3A:block/276	Listing 1. Disc copying program by Richard Harris. It will man modification (see page 86) it can also be used to change pro-	tected discs
all 22001670 FDR J%=0 TD (s2-1)+4 STEP 415 MODE71680 PFRINT*track *;dataX?3/*4 STEP 420 PROEsetblock:PROEsetup1680 PFRINT*track *;dataX?3/*4 STEP 421 PROEsetblock:PROEsetup1690 NEXT40 PROEsetk(s/K2):PROEsek(1,K2):FF1700 =040 PROEsettr('dataX):PROEformat1690 NEXT50 PROEsettr('dataX):PROEformat1800 DEF PROEsettr('dX):PROEformat60 PROEsettr('dataX):PROEformat1800 DEF PROEsettr('dX):PROEformat60 PROEsettr('dataX):PROEformat1800 DEF PROEsettr('dX):PROEformat60 PROEsettr('dataX):PROEformat1800 DEF PROEsettr('dX):PROEformat60 PROEsettr('x,S):PREM Load from d1800 DEF PROEformat:REM formats with se70 DX=PNI odd (0, TX,SX):REM Load from d1800 DEF PROEformat:REM formats with se80 PROEsettr('X)1830 blockX?7=3tA:FECdisc('9)185 NEXT2000 DEF PROEformat:REM formats with se90 PROEsettr('X)1144110 NEXT2030 ENDPROE1000 DEF PROEsetblock:REM set up OSWORD2200 DEF PROEvalues1000 DEF PROEsek(driX,trX)2200 DEF PROEvalues1200 DEF PROEsek(driX,trX)2200 DEF PROEvalues1200 DEF PROEsek(driX,trX)2200 DEF PROEsek(driX,s':1200 DEF PROEsek(driX,trX)2200 DEF PROEsettr (ux)1201 DibockX?7=trX2200 DEF PROEsettr (ux)1202 DibockX?7=trX2200 DEF PROEsek(driX,trX)1202 DibockX?7=trX2200 DEF PROEsek(driX,trX)1202 DibockX?7=trX2200 DEF PROEsek(driX,trX)1204 DEPROE2200 DEF PROEsek(driX,trX)1204 DEPROE2200 DEF PROEsek(driX,trX) <td< th=""><th></th><th></th></td<>		
all 22001670 FOR 3/20 TO (s2-1):4 STEP 415 MODE71680 PENIN*track ";dataX73/3' sector ";25 FOR K2×0 TO 3/STEM for 40 track di1680 PENIN*track ";dataX73/3' sector ";40 PRODseek (0,KX):FRDDseek (1,KX):FF1700 =40 PRODseek (0,KX):FRDDseek (1,KX):FF1800 DEF FRODsettr (JX):FEM change curre50 FRODsettr (JataX):FRODformat1800 DEF FRODsettr (JX):FEM change curre60 PRODseek (0,KX):FRDDseek (1,KX):FF1800 DEF FRODsettr (JX):FEM change curre60 PRODsettr (JA:S):FREM for all sectors; may need changing for some disc1800 DEF FRODsettr (JX):FEM copy onto60 PRODsettr (X3)1800 DEF PRODsettr (JX):FEM copy onto70 PRODsettr (X3)1800 DEF PRODsettr (JX):FEM copy onto80 PRODsettr (X3)1800 DEF PRODsettr (JX):FEM copy onto90 PRODsettr (X3)1140 EXT90 PRODsettr (X3)2000 DEF PRODsettr (JX):FEM copy onto90 PRODsettr (X3)2000 DEF PRODsettr (JX):FEM copy onto90 PRODsettr (X3)2000 DEF PRODsettr (JX):FEM copy onto90 PRODsettr (X3)2000 DEF PRODsettr (JX):FEM copy onto1000 DEF PRODsettr (JX):FEM copy onto2000 DEF PRODsettr (JX):FEM copy onto1010 blockX/0+10/CX)2020 PROCisc (J2)110 NEAT2020 PROCisc (J2)120 blockX/2+Tx12020 FOR JC2: 10 (S-1)*442 STEP 4120 blockX/2+Tx12020 DEF PRODseek (JX):FEM col120 blockX/2+Tx12020 DEF PRODseek (S,SX,HX)220 blockX/2+Tx12020 DEF PROCsave(FX,GX,HX)220 blockX/2+Tx12020 DEF PRODseek (S,SX,HX)1210 blockX/2+Tx12220 DEF PRODseek (S,SX,HX)1220 bl	10 DIM SIZE%(4),gap%(4),block% 30,dat	1660 CLS:PROCdisc(10)
20PROCsethlock:PROCsetupdata%?(3%-2);" size ";data%?(3%-3);" size ";data%?(3%-3);"25FOR KX=0 TD 3% PRM for 40 track in 1600 DEF PROCsettr(3%):REM change currents1600 DEF PROCsettr(3%):REM change currents40PROCsettr(data%):PROCformat1800 DEF PROCsettr(3%):REM change currents50PROCsettr(data%):PROCformat1800 DEF PROCsettr(3%):REM change currents60PROCsettr(3%):REM for all sectors on track1800 DEF PROCsettr(3%):REM components60PROCsettr(3%,5%):REM load from disc1800 DEF PROContatREM formats with semsectors; may need changing for some disc1840 ENPROC70D%=PROCsettr(1%)1830 DEF PROContatREM formats with sem60PROCseve(1,T%,S%,D%):REM load from discmm D fields as read in from first disc70D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)11=1670D%=PROCsettr(1%)2200 DEF PROCvalues70D%=PROCsettr(1%)2200 DEF PROCvalues<	a% 2200	
25 FUR KX=0 TO 39:REM for 40 track dr1690 NEXT40 PROCseek (0,KX):PROESeek (1,KX):IF F170050 PROEsettr (2data%):PROEformat1800 DEF FROESettr (3X):REM change curre50 PROEsettr (2data%):PROEformat1810 block%27=51block%26=\$33tblock%27=\$50 PROEsettr (2data%):PROEformat1820 DEF PROESettr (3X):REM change curre60 PROEsettr (2data%):PROEformat1820 DEF PROEformat:REM formats with sa70 DX=FNLod(0,TX,5X):REM load from drive 11830 block%27=\$1A:PROEdisc(9)70 DX=FNLod(0,TX,5X):REM load from drive 12000 DEF PROEformat:REM formats with sa70 DX=FNLod(0,TX,5X):REM load from drive 12000 DEF PROEformat:REM formats with sa70 DX=FNLod(1,TX,5X,DX):REM copy onto1840 block%27=3data%block%278=\$3block%278		
ive1700 =040 FROCseek (0,K2): FROCseek (1,K2): IF F1710Nad (0,K2) THEN 1101800 DEF PROCsettr (32): REM change current50 FROCsettr (2data2): FROCformat1800 DEF PROCsettr (32): REM change current66 REM assumes consequetive numbered1820 FROCdisc (9)sectors on track1820 FROCformat: REM for all is60 FROCsave (1, FX, SX): REM load from d1820 FROCformat: REM formats with is70 DX=FNload (0, TX, SX): REM copy on the field as readed in from first disc1840 ENDFROC80 FROCsave (1, FX, SX, DX): REM copy on the field as readed in from first disc2000 DEF PROCformat: REM formats with is80 FROCsave (1, FX, SX, DX): REM copy on the field as readed in from first disc2000 DEF PROCformat: REM formats with is80 FROCsave (1, FX, SX, DX): REM copy on the field as readed in from first disc2000 DEF PROCformat: REM formats with is80 FROCsave (1, FX, SX, DX): REM copy on the field as readed in from first disc2000 DEF PROCformat: REM formats with is90 FROCsave (1, FX, SX, DX): REM copy on the field as readed in from first disc2000 DEF PROCformat: REM formats with is90 FROCsave (1, FX, SX, DX): REM copy on the field as readed in from first disc2000 DEF PROCformat: REM formats with is90 FROC2000 DEF PROCsettr (K2)2000 DEF PROCvalues100 DEF PROCsettr (K2)2000 DEF PROCvalues101 OblockX=0+blockX=11=data22200 DEF PROCvalues1020 DEF PROCseek(drix, trx)2200 DEF PROCvalues1210 OblockX=0+blockX=11=data22200 DEF1220 DEF PROCseek(drix, trx)2240 DEF1230 PROCdisc (12): REM call OSWDR2440 Flo	20 PROEsetblock:PROEsetup	
40 FR0Cseek (0,KX):FR0Cseek (1,KX):IF F171010 (0,KX) HEN 1001800 DEF FR0Csettr (3X):REM change currents50 FR0Csettr (7dataX):FR0Cformat1810 locKX?75=3541locKX?5=35541locKX?5=35541locKX?5=35541locKX?5=35541locKX?5=35541locKX?5=35541locKX?5=35541locKX?5=35541locKX?5=355541locKX?5=355541locKX?5=355555555555555555555555555555555555		
Naid(o,K2) THEN 1101800 DEF PROCester(7(dataX):FROCformat of FROCValues1800 DEF PROCester(3):FROCformat of FROCValues65 FRO SV=5X, TD SX+SX-1:REM for all s1810 block/275=2tblock/276=%3A:block/276=%66 REM assumes consequetive numbered sectors im ay need changing for some disc1820 PROCdisc(9)66 REM assumes consequetive numbered 		
50PROCesttr (?data%):PROCformatnt track registers60PROCvalues1810 block%75=2thlock%74=33.thlock%77=365FOR SX=SX TD SX+SZ-1:REM for all s121block%78=33.thlock%77=366REM assumes consequetive numbered1850 block%77=x14:PROCdisc(9)66REM assumes consequetive numbered1850 block%77=x14:PROCdisc(9)70D%=FN1oad(0,T%,S%):REM load from d2000 DEF PROCformat:REM formats with sa70D%=FN1oad(0,T%,S%):REM copy onto2010 block%70=thlock%76=5thlock%76=5gag% (size%2):et%70PROCsave(1,T%,S%,D%):REM copy onto2010 block%70=thlock%76=5thlock%76=5gag% (size%2):et%70PROCsave(1,T%,S%,D%):REM copy onto2010 block%70=thlock%76=5		
65 FDR SZ-SZ TD SX+SZ-1:REM for all s 12:block/28=3Z ectors on track 1830 block/27=\$1A:PR0Edisc(9) 66 REM assumes consequetive numbered 1830 block/27=\$1A:PR0Edisc(9) sectors: may need changing for some disc 1840 ENDFR0E sectors: may need changing for some disc 1840 ENDFR0E sectors: may need changing for some disc 1840 ENDFR0E 80 PR0Esave(1, TZ, SZ, DZ):REM copy onto 10 fields as read in from first disc 00 DEF PR0Esettr(K2) 11=16 100 JX=FNid(1, KZ) 2020 PR0Edisc(12) 110 NEXT 2020 PR0Evalues 100 DEF PR0Esetblock:REM set up OSWORD 2210 DEC x1:s2=255 parameters 2220 FOR JX=2 T0 (cy-1)*4+2 STEP 4 1010 Tblock%=0rix%H0D256:Y%=block%DIV256 2240 NEXT 1020 DEF PR0Esek(drix%,tr%) 2250 ENDPR0E 1210 Tblock%=drix%block%75=1:block%76=& 2260 1210 Tblock%=drix%block%75=1:block%76=& 2260 1220 DEF PR0Esek(drix%tr%) 2250 ENDPR0E 1220 block%=drix%block%75=1:block%76=& 2400 DEF PR0Estor 1220 block%=drix%block%75=1:block%76=& 2400 DEF PR0Estor 1240 ENDFR0E 12450 FN10cd(FX,6%,H%) 1250 FNDCdisc(0):REM call OSWORD 2440 Dick%27=%bl		nt track registers
ectors on track1820 PRDCdisc(9)66 REM assumes consequetive number1830 block/77=\$LlA:FRDCdisc(9)sectors: may need changing for some disc1840 ENDPRDC70 DZ=FNload(0,TX,SX):REM load from2000 DEF PRDCformat:REM formats with sarive 0me ID fields as read in from first disc80 PRDCsave(1,TX,SX):REM copy)onto10 block/77=7data/sblock/28=5sblock/28=splock/		
66 REM assumes consequative numbered 1830 block/27=klA:FROEdisc(9) sectors: may need changing for some disc 1850 70 DX=ENload(0,TX,SX):REM load from disc 2000 DEF PROEformat:REM formats with sa 1850 2000 DEF PROEformat:REM formats with sa 80 PROEsave(1,TX,SX,DX):REM copy'onto 000 DEF PROEformat:REM formats with sa 90 PROEsave(1,TX,SX,DX):REM copy'onto 000 DEF PROEformat:REM formats with sa 90 PROEsate(1,KX) 1116 100 JX=FNid(1,KX) 2020 PROEvalues 900 DEF PROEsetblock:REM set up DSWDRD 2210 TX=7dataX:SX=255 970 DisckX=0:blockX:1=dataX 2220 FOR JX=2 T0 (cs-1)*4+2 STEP 4 100 DEF PROEsek(driX,trX) 2220 FOR JX=2 T0 (cs-1)*4+2 STEP 4 100 DEF PROEsek(driX,trX) 2220 FOR JX=2 T0 (cs-1)*4+2 STEP 4 100 DEF PROEsek(driX,trX) 2240 NEXT 101 DiockX=0:blockX:fieldatX 2240 NEXT 1020 DEF PROEsek(driX,trX) 2250 ENDPROE 1210 PShockX=driX:blockX?f=1:blockX?f=4 2400 1220 blockX:77=tr,X 2410 DiockX=CS:blockX?f=4x51 1220 blockX:77=tr,X 2410 DiockX=CS:blockX?f=4x51 1240 ENDPROE 2420 FORGate(X,IX,IX) 1250 ENDPROE <		
Sectors: may need changing for some disc 1840 ENDFR0C 70 DX=FN1oad(0,TX,SX):REM load from d 2000 DEF PR0Cformat:REM formats with same lib rive 0 2000 DEF PR0Cformat:REM formats with same lib 80 PR0Csave(1,TX,SX,DX):REM copy onto 2010 blockX70=fiblockX75=fiblockX75=fiblockX70=fib		
1850 70 D2=FN10ad(0,TX,SX):REM load from d rive 0 80 PR0Esave(1,TX,SX):REM copy onto 90 PR0Esave(1,TX,SX,DX):REM copy onto 91 DickX279=fblockX75=55blockX75=5cbl	sectors: may need changing for some disc	
rive 0 me ID fields as read in from first disc B0 PROEsave(1,T%,S%,D%):REM copy onto drive 1 2010 block%70=1:block%76=%d3 block%77=?data%:block%78=gap%(size%):block%76=%d3 block%77=?data%:block%78=gap%(size%):block%7 90 PROEset(rK%) 11=16 2020 PROEset(12) 2110 NEXT 2020 PROEdisc(12) 2100 DEF PROEsetblock:REM set up OSWORD 990 DEF PROEsetblock:REM set up OSWORD 1000 DEF PROEsetblock%7EM set up OSWORD 1000 DEF PROEsetblock%7EM set up OSWORD 1010 Pbock%20:block%7:edata% 2200 FCR J%=2 T0 (5%-1)**+2 STEP 4 2100 7%-7data%:S%=255 2200 FCR J%=2 T0 (5%-1)**+2 STEP 4 2100 7%-block%70:block%7:edata% 2200 FCR J%=2 T0 (5%-1)**+2 STEP 4 2100 7%-block%70:block%75=1:block%76=% 2245 REM sets T% to logical track, 5% t 1040 DEF PROEsek(dri%,tr%) 2250 ENDPROE 2210 T%-7data%:S%=5thock%76=% 2245 REM sets T% to logical track, 5% t 1220 block%77=tr% 2260 EF FNIoad(F%,6%,H%) 2210 7%-block%78=1:block%76=% 2400 DEF FNIod(F%,6%,H%) 2230 FR DECk=70 block%77=6%:block%76=%57 2330 PROEdisc(3%):REM call DSWORD 2400 DEF PROEsek(dri%,tr%) 2450 eNOPCdisc(10) 2400 DEF PROEdisc(J%):REM call DSWORD 2400 DEF PROEsek(FF1 2430 PROEdisc(3%):REM call DSWORD 2440 F block%77=6%:block%78=H%:block%79=(1430 REFF1 1430 REFF1 1430 IF block%73% PRINTTAB(10,22) "eFro r number ";block%73% PRINTTAB(10,22) "eFro r 1430 DFF PROEsetup 1440 ENDPROE 1450 DEF FNId(dri%,tr%):REM reads one t 1450 block%74=55block%74 5000 DEF PROEsetup 1450 CAL% 846 PROEsetup 1450 PROEsetif % CAL% 846 PROEsetup 1450 PR		
80PR0Esave(1, T%, S%, D%): REM copy 'onto drive 12010block%?0=1:block%?5=5:block%?6=8:a tblock%?0=1:cblock%?6=8:a tblock%?0=1:cblock%?6=8:a tblock%?0=1:cblock%?6=8:a tblock%?0=0:block%?6=8:a tblock%?0=0:block%?6=8:a tblock%?0=0:block%?6=8:a tblock%?0=0:block%?6=8:a tblock%?0=0:block%?6=8:a tblock%?0=0:block%?6=8:a tblock%?0=0:block%?6=8:a tblock%?0=1:block%?6=8:a tblock%?0=1:block%?6=8:a tblock%?0=1:block%?6=8:a tblock%?0=1:block%?6=8:a tblock%?0=1:block%?6=8:a tblock%?0=1:block%?0=1:block%?6=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=8:a tblock%?0=8:a tblock%?0=1:block%?0=8:a tblock%?0=8:a		
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$		
85NEXTockX?99 (Size2*32) +5%:block?10=0:block?790PR0Csettr(KX)11=16100J%=FNid(1,k%)2020110NEXT2030980STOP20409902200DEF PR0Cvalues1000DEF PR0Esetblock:REM set up OSWORD221010107block%=0:block%?1=data%22201020X%=hlock%NDD256:Y%=blockD1V25622401030ENDPR0C22451040DEF PR0Eseek(dr1%,tr%)22501200DEF PR0Eseek(dr1%,tr%)225012017block%=dr1%:block%?5=1:block%?6=%22401202DEF PR0Eseek(dr1%,tr%)22501203DEF PR0Eseek(dr1%,tr%)22501204DEF PR0Eseek(dr1%,tr%)22501205DEF PR0Eseek(dr1%,tr%)22401206DEF PR0Eseek(dr1%,tr%)22501207DEF PR0Eseek(dr1%,tr%)22501208DEF PR0Edisc(30)24401209DEF PR0Edisc(30)24401200DEF PR0Edisc(30):REM call OSWORD24401400DEF PR0Edisc(1%):REM call OSWORD24401410A%=%7F24501430IF block%73% PRINITAB(10,22)*/eErro24501430IF block%73% PRINITAB(10,22)*/eErro24501430IF block%73% PRINITAB(10,22)*/eErro24501430FRMigore deleted data and track265014502640PR0Edisc(10)14502640PR0Eseekup1450264014502640		
90PROCsettr (KX)11=16100JX=FNid(1,KX)2020PRDCdisc(12)110NEXT2030ENDPROC980STOP20409902000DEFPROCvalues1000DEFPROCsetblock:REM set up DSWDRD210TX=?datAX:5X=255parameters2220FGR JX=2 TO (5X=1)*4+2 STEP 410107block%-0:blockX!1=dataX2230FdataX:JX:SX SX=dataX:JX1020XX=blockXMDD256:YX=blockXDIV2562240NEXT1030ENDPROC2245REM sets TX to logical track, SX t10400lowest logical sector number12107block%-driX;tblockX?5=1:blockX?6=2260692400DEFFNIoad (FX,6X,HX)1220block%?7=trX2410?block%?7=GX:blockX?6=&971230PROCdisc(8)2420lock%?7=GX:blockX?6=&971230PROCdisc(10)2430PROCdisc(10)1400DEFPRODdisc(JX):REM call DSWDRD24401410AX=&X72450eir momal data1430IF block%?37,RENTTAB(10,22)*erro2460r number";block%?37,RENTTAB(10,22)*erro2460r number";block%?37,RENTTAB(10,22)*erro2460r number";block%?37,RENTTAB(10,22)*erro2460r number";block%?37,RENTTAB(10,22)*erro2460r number";block%?47,RENTTAB(10,22)*erro2460r number";block%?47,RENTTAB(10,22)*erro2460r number";block%?47,RENTTAB(10,22)*erro2460 <td></td> <td></td>		
100 J%=FNid(1,K%) 2020 PRDCdisc(12) 110 NEXT 2030 ENDPROC 980 STOP 2040 990 2200 DEF PROCvalues 1000 DEF PROCsetblock:REM set up OSWORD 2210 T%=?data%:S%=255 1010 ?block%=0:block%!1=data% 2220 FGR J%=?data%:S%=255 1020 X%=block%=0:block%!1=data% 2230 IF data%?J% S%=data%?J% 1020 X%=block%200256:V%=block%DIV256 2245 REM sets T% to logical track, S% to 1030 ENDPRDC 2250 ENDPRDC 2245 1200 DEF PROCseek(dri%,tr%) 2250 ENDPRDC 1210 ?block%=dri%,tr% 2260 2260 659 Diock%?7=tr% 2410 DEF FNlod(F%,6%,H%) 1210 ?block%=dri%,tr% 2410 Deck%=7%:block%?5=3:block%?6=857 1220 Diock%?7=tr% 2410 Delock%?7=6%:block%?5=3:block%?6=857 1220 DEF PROCdisc(J%):REM call OSWORD 2440 IF Dlock%=7%:block%?5=3:block%?6=847 1440 DEF PROCdisc(J%):REM call OSWORD 2440 IF Dlock%=7%:block%?6=847		
980 STDP20409902200 DEF PROCvalues1000 DEF PROCsetblock:REM set up OSWORD2210 TX=?dataX:SX=255parameters2220 FOR JX=2 TD (sX-1)*4+2 STEP 41010 7blockX=0:blockX!1=dataX2220 FOR JX=2 TD (sX-1)*4+2 STEP 41020 XX=blockXMDDZ56:YX=blockXDIV2562240 NEXT1020 XX=blockXMDDZ56:YX=blockXDIV2562240 NEXT1020 DEF PROCseek(dr1X,trX)2250 ENDPROC1200 DEF PROCseek(dr1X,trX)2250 ENDPROC1210 7blockX=dr1X:blockX?5=1:blockX?6=82260692400 DEF FNload(FX,6X,HX)1220 blockX?7=trX2410 7blockX?7=6X:blockX?5=3:blockX?6=8571230 PRDCdisc(3)2420 blockX?7=6X:blockX?8=HX:blockX?5=(10)1400 DEF PROCbisc(JX):REM call OSWDRD2440 IF blockZ?10=820 =1:REM if deleted1410 AX=87F2450 =0:REM if normal data1430 IF blockZ?JX:PRINTTAB(10,22)"eErro2460r number ":blockZ?JX:PRINTTAB(10,22)"erro2460 DEF PROCsave(FX,6X,HZ,IX)255 SPACE":VDU7:REPEAT UNTIL GET=322610 7blockX=FX:blockX?8=1435 REM ignore deleted data and track2620 blockX=FX:blockX?8=1440 ENDERDC2630 IF IX blockX?4=84F ELSE blockX?8=1440 DDFRDC2640 PROCdisc(10)1640 DEF FNid(dr1X,trX):REM reads one t2650 ENDPROC1640 DEF FNid(dr1X,trX):REM reads one t26501640 DEF FNid(dr1X,trX):REM reads one t26501640 DEF CNid(dr1X,trX):REM reads one t26501640 DEF FNid(dr1X,trX):REM reads one t26501640 DEF FNid(dr1X,trX):REM reads one t26501640 DEF FNid(dr1X,trX):REM reads one t2650		
9902200 DEF PR0Cvalues1000 DEF PR0Csetblock:REM set up DSWDRD2210 TZ=?datA::5X=2551010 ?blockX=0:blockX!1=datA?2210 TZ=?datA::5X=2551010 ?blockX=0:blockX!1=datA?2230 FDR 3/2< 10 (cX=1)*4+2 STEP 4		
$\begin{array}{rcl} 1000 \ \mbox{DEF} \ \mbox{PRDCsetblock:REM set up DSWDRD} \\ 1010 \ \mbox{Dbock20block211edata2} \\ 1010 \ \mbox{Dbock20block211edata2} \\ 1020 \ \mbox{X=block20block21edata2} \\ 1020 \ \mbox{X=block20block21edata2} \\ 1020 \ \mbox{X=block20block21edata2} \\ 1020 \ \mbox{X=block20block21edata2} \\ 1020 \ \mbox{DEF} \ \mbox{PRDC} \\ 1200 \ \mbox{DEF} \ \mbox{PRDCseek(drix,trx)} \\ 1210 \ \mbox{Dbock2edrix,tblock275=1:block2764} \\ 1200 \ \mbox{DEF} \ \mbox{PRDC} \\ 1210 \ \mbox{Dbock2edrix,tblock275=1:block2764} \\ 2250 \ \mbox{ENDPROC} \\ 1220 \ \mbox{Dock2edrix,tblock275=1:block2764} \\ 2260 \ \mbox{DEF} \ \mbox{PRDC} \\ 2420 \ Deck279=6x:block276=3:b$		
parameters 2220 FOR JX=2 TO (sX=1)*4+2 STEP 4 1010 ?blockX=0:blockX!i=dataX 2230 FOR JX=2 TO (sX=1)*4+2 STEP 4 1020 XX=blockXMDD256:Y2=blockXDIV256 2240 NEXT 1030 ENDPROC 2245 REM sets TX to logical track, SX to 1040 DEF PROEseek(driX,trX) 2250 ENDPROC 1210 ?blockX=driX:blockX?5=1:blockX?6=% 2260 69 2400 DEF FNIDad(FX,6X,HX) 1220 blockX=7=trX 2410 ?blockX=7=6X:blockX?6=3:blockX?6=857 1230 PROEdisc(8) 2420 blockX=7=6X:blockX?8=857 1240 ENDPROC sizeX*321+1 1250 2430 PROEdisc(10) 1400 DEF PROEdisc(JX):REM call OSWORD 2440 IF blockX?10=820 =1:REM if deleted 1410 Ax=&x7F 2450 1420 CALL &FF1 2450 1430 IF blockX?JX PRINITAB(10,22) "èErro 2460 r number ";blockX?JX:PRINITAB(10,22) "èErro 2460 r number ";blockX?JX:PRINITAB(10,22) "èErro 2460 r sizeX*321+1 2620 blockX?7=6X:blockX?8=HX:blockX?9=(6X,6X,HX,1X) 1435 REM ignore deleted data and track 2620 blockX?7=6X:blockX?8=HX:blockX?9=(6X) 1440 ENDPROC 48 1450 2440 ROEdisc(10)		
1010 ?block%=0:block%!!=data% 2230 IF data%?J% <s% s%="data%?J%</td"> 1020 X%=block%M0D256:Y%=block%DIV256 2240 NEXT 1030 ENDPR0C 2240 NEXT 1040 block%=dri%:block%?5=1:block%?6=% 2250 ENDPR0C 2250 1210 ?block%=dri%:block%?5=1:block%?6=% 2260 2260 67 2400 DEF FNload(F%,6%,H%) 2250 1220 block%?7=tr% 2410 ?block%275=3:block%?6=% 1220 block%?7=tr% 2410 ?block%277=6%:block%?6=% 1240 ENDPR0C 5izeX*32)+1 250 1250 ENDPR0C 5izeX*32)+1 2430 PR0Cdisc(10) 1400 DEF PR0Edisc(J%):REM call DSWDRD 2440 IF block%?10=&20 =1:REM if deleted 1410 A%=X7F data found 4430 IF block%?10=%273:PRINTAB(10,22)"#Erro 2450 =0:REM if normal data 1430 IF block%?1X, PRINTAB(10,22)"#Erro 2450 >block%?7=6%:block?78=H%:block%?9=(1435 REM ignore deleted data and track 2620 block%?7=6%:block%?8=H%:block%?9=(1450 .sotock%?5=3:block%?6=&SB:b</s%>		
1020 X%=blockZM0D256:Y%=blockZDIV256 2240 NEXT 1030 ENDPRDC 2245 REM sets 7% to logical track, 5% to lowest logical sector number 1200 DEF PRDCseek(dri%,tr%) 2250 ENDPRDC 1210 Pblock%=fr%:block%75=1:block%768* 2260 ENDPRDC 1210 Pblock%=fr%:block%75=1:block%768* 2260 69 2400 DEF FNload(F%,6%,H%) 1220 block%?7=tr% 2410 Pblock%275=3:block%76=\$57 1230 PRDCdisc(3) 2420 block%271=6%:block%278=H%:block%26=\$57 1250 2430 PRDCdisc(10) 2420 block%271=6%:block%278=H%:block%26=\$57 1250 2430 PRDCdisc(10) 2430 FRDCdisc(10) 1400 DEF PRDCdisc(10) 2440 IF block%271=\$20 =1:REM if deleted 1410 A%=87F 2430 PRDCdisc(10) 2440 IF block%210=\$20 =1:REM if deleted 1430 IF block%27JX:PRINTTAB(10,22) "èFrro 2460 EX EX block%27=53 1435 REM ignore deleted data and track 2620 block%27		
1040 0 lowest logical sector number 1200 DEF PRDCseek(dri%,tr%) 2250 ENDPRDC 1210 ?block%=dri%:block%?5=1:block%?6=% 2400 DEF FNload(F%,G%,H%) 1220 block%?7=tr% 2410 ?block%=F%:block%?6=%:block%?6=%:5 1230 PROCdisc(8) 2420 block%?7=6%:block%?8=H%:block%?6=%:6 1240 ENDPROC size%*32)+1 1250 2430 PROCdisc(10) 1400 DEF PRDCdisc(J%):REM call DSWDRD 2440 IF block%?10=%20 =1:REM if deleted 1410 A%=%7F data found 1420 CALL &FFF1 2450 =0:REM if normal data 1430 IF block%?J% PRINTTAB(10,22)"eErro 2460 r number ";block%?J% PRINTTAB(10,24)";PR 2600 DEF PR0Csave(F%,6%,H%,I%) 2ES SPACE":VDU7:REPEAT UNTIL GET=32 2610 ?block%=F%:block%?8=H%:block%?9=(1435 IF block%?J% PRINTTAB(10,24)";PR 2600 DEF PR0Csave(F%,6%,H%,I%) 1455 SENACE":VDU7:REPEAT UNTIL GET=32 2610 ?block%=F%:block%?9=H%:block%?9=(1440 ENDPROC 48 1450 10 fields on track 2640 1400 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPROC 48 1400 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPROC 48 1400 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPROC 48		2240 NEXT
1200 DEF PR0Eseek(dri%,tr%) 2250 ENDPR0E 1210 ?block%=dri%:block%?5=1:block%?6=% 2400 DEF FN1oad(F%,6%,H%) 1220 block%??=tr% 2410 ?block%=F%:block%?5=3:block%?6=%57 1230 PR0Edisc(8) 2420 block%?7=G%:block%?8=H%:block%?6=%57 1240 ENDPR0E 2430 PR0Edisc(10) 1400 DEF PR0Edisc(J%):REM call OSWDRD 2440 IF block%?10=%20 =1:REM if deleted 1410 A%=%7F data found 1420 CALL %FFF1 2450 1430 IF block%?J%:PRINTTAB(10,22)"*EFr 2460 r number ";block%?J%:PRINTTAB(10,24)";PR 2600 DEF PR0Esave(F%,6%,H%,I%) 2620 block%?7=6%:block%?5=3 2610 ?block%?F*:block%?5=3 1435 REM ignore deleted data and track 2620 block%?7=6%:block%?5=3 1440 ENDPR0E 2630 IF 1% block%?6=%4F ELSE block%?6=% 1440 ENDPR0E 2640 PR0Edisc(10) 1600 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPR0E 1450 2640 PR0Edisc(10) 1610 block%?5=3:block%?6=%5B:block%?7=1 5010 DEF PR0Esetup 1620 ?block%?e=0:block%?9=1 5010 DEF PR0Esetup 1620 ?block%?e=0:block%?0<=1:RE		
1210 ?block%=dri%:block%?5=1:block%?6=% 2260 69 2400 DEF FNload(F%,6%,H%) 1220 block%?7=tr% 2410 ?block%=F%:block%?5=3:block%?6=&\$57 1230 PRDCdisc(8) 2420 block%?7=6%:block%?8=H%:block%?6=&\$57 1240 ENDPROC size%*32)+1 size%*32)+1 1250 2430 PROEdisc(10) 1400 DEF PROEdisc(10) ataf found 1420 CALL &FFF1 2450 =0:REM if normal data 1430 IF block%?10=&20 =1:REM if deleted 1430 IF block%?1% PROEdisc(10,22) "\$Erro 2460 r number ";block%?3% PRINITAB(10,22) "\$Erro 2460 2600 DEF PROEsave(F%,6%,H%,H%) ES SPACE":VDU7:REPEAT UNTIL GET=32 2610 ?block%?F*30ck%?8=H%:block%?9=(size%*32)+1 Esce size%*32)+1 cors probably fatal 2630 IF 1% block%?6=&&HF ELSE block%?6=&&HF size%*32)+1 cors probably fatal 2640 PROEdisc(10) size%*32)+1 size%*32)+1 size%*32)+1 size%*32)+1 size%		
69 2400 DEF FNIoad (FX,GX,HX) 1220 block%?7=trX 2410 7block%=FX:block%?5=3:block%?6=&57 1230 PRDCdisc(8) 2420 block%?7=GX:block%?8=HX:block%?6=&57 1240 ENDPROC size%*32)+1 1250 2430 PRDCdisc(10) 1400 DEF PRDCdisc(JX):REM call OSWDRD 2440 IF block%?10=&20 =1:REM if deleted 1410 AX=&7F data found 1420 CALL &FFF1 2450 =0:REM if normal data 1430 IF block%?JX:PRINTTAB(10,22)"&Erro 2460 r number ";block%?JX:PRINTTAB(10,24)";PR 2600 DEF PROCsave(F%,G%,H%,I%) ESS SPACE":VDU7:REPEAT UNTIL GET=32 2610 ?block%?7=6%:block%?5=3 1435 REM ignore deleted data and track 2620 block%?7=6%:block%?8=HX:block%?9=(not found (may not be on disc): other er size%*32)+1 rors probably fatal 2630 IF 1% block%?6=&4F ELSE block%?6=& 1440 ENDPROC 4B 1450 2640 PROCdisc(10) 1600 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPROC 1640 block%?5=3:block%?6=&5B:block%?7=t 5000 DEF PROCsetup r%:block%?8=0:block%?9=1 5010 FGR J%=0 TO 4 1620 ?block%=dri% 5020 READ SIZE%(J%), gap%(J%) 1630 PROCdisc(10):IF block%?10<>> =1:RE 5040 DATA 18,11,10,21,5,		
1220block%?7=tr%2410 $Pblock%=F%:block%?5=3:block%?6=857$ 1230PRDCdisc(8)2420 $block%?7=6%:block%?8=H%:block%?6=857$ 1240ENDPRDC2430PRDCdisc(10)1400DEFPRDCdisc(J%):REMcall DSWDRD1410AX=87F2430PRDCdisc(10)1420CALL &FFF12450=0:REM1430IFblock%?10=820=1:REM1430IFblock%?10=820=1:REM1430IFblock%?10=820=1:REM1430IFblock%?10=820=1:REM1430IFblock%?10=820=1:REM1430IFblock%?10=820=1:REM1430IFblock%?10=820=1:REM1430IFblock%?10=820=1:REM1430IFblock%?25=3224602650SPACE":VDU7:REPEATUNTIL GET=321435REMignoredeleted1435REMignoredeleted1435REMignoredeleted1435REMignore26401440ENDPRDC4B14502640PROEdisc(10)1640block%?5=3:block%?6=%5B:block%?7=t50001610block%?5=3:block%?6=%5B:block%?7=t50001640block%?5=3:block%?9=150101640FROEdisc(10):IFblock%?10<>01640size%=dat%73:s%=SIZE%(size%)50501640size%=dat%73:s%=SIZE%(size%)50501640size%=dat%73:s%=SIZE%(size%) <td></td> <td></td>		
1240 ENDPROCsize $%32$)+112502430 PROCdisc(10)1400 DEF PROCdisc(J%):REM call OSWDRD2440 IF block%?10=&20 =1:REM if deleted1410 A%=&%F2450 =0:REM if normal data1420 CALL &FFF12450 =0:REM if normal data1430 IF block%?J% PRINTTAB(10,22)"&Erro2460r number ";block%?J% PRINTTAB(10,24)";PR2600 DEF PROCsave(F%,6%,H%,I%)ESS SPACE":VDU7:REPEAT UNTIL GET=322610 ?block%=F%:block%?8=H%:block%?9=(1435 REM ignore deleted data and track2620 block%?7=6%:block%?8=H%:block%?9=(not found (may not be on disc): other er2640 PROCdisc(10)1440 ENDPROC2640 PROCdisc(10)1600 DEF FNid(dri%,tr%):REM reads one t2650 ENDPROC1610 block%?2=3:block%?9=12000 DEF PROCsetup1620 ?block%?9=0:block%?9=15010 FGR J%=0 TD 41620 ?block%=dri%5020 READ SIZE%(J%), gap%(J%)1630 PROCdisc(10):IF block%?10<>0 =1:RE5040 DATA 18,11,10,21,5,74,2,255,1,01640 size%=ata%?3:s%=SIZE%(size%)5050 ENDPROC	1220 block%?7=tr%	
12502430 PRDCdisc(10)1400 DEF PRDCdisc(J%):REM call DSWDRD2440 IF block%?10=&20 =1:REM if deleted1410 A%=&7F2450 =0:REM if normal data1420 CALL &FFF12450 =0:REM if normal data1430 IF block%?J% PRINTTAB(10,22) "èErro2460r number ";block%?J% PRINTTAB(10,24) "iPR2600 DEF PROEsave(F%,G%,H%,I%)ESS SPACE":VDU7:REPEAT UNTIL GET=322610 ?block%?F%:block%?5=31435 REM ignore deleted data and track2620 block%?7=6%:block%?8=H%:block%?9=(not found (may not be on disc): other ersize%*32)+1rors probably fatal2630 IF 1% block%?6=&4F ELSE block%?6=&1440 ENDPROE4B14502640 PROEdisc(10)1600 DEF FNid(dri%,tr%):REM reads one t2650 ENDPROC1610 block%?5=3:block%?6=&5B:block%?7=t5000 DEF PROEsetup7%:block%?8=0:block%?6=&5B:block%?7=t5000 DEF PROEsetup7%:block%?8=0:block%?6=a5020 READ SIZE%(J%),gap%(J%)1620 ?block%=dri%5030 NEXTM escape if track not present5040 DATA 18,11,10,21,5,74,2,255,1,01640 size%=data%?3:s%=SIZE%(size%)5050 ENDPROE		
1400 DEF PRDEdisc(J%):REM call DSWDRD2440 IF block%?10=&20 =1:REM if deleted data found1410 A%=&7F2450 =0:REM if normal data1420 EALL &FFF12450 =0:REM if normal data1430 IF block%?J% PRINTTAB(10,22)"èErro2600 DEF PROEsave(F%,G%,H%,I%)rnumber ";block%?J% PRINTTAB(10,24)"iPR2600 DEF PROEsave(F%,G%,H%,I%)ESS SPACE":VDU7:REPEAT UNTIL GET=322610 ?block%?F%:block%?5=31435 REM ignore deleted data and track2620 block%?7=6%:block%?8=H%:block%?9=(not found (may not be on disc): other er5020 IF 1% block%?6=&4F ELSE block%?6=&1440 ENDPROE4B14502640 PROEdisc(10)1600 DEF FNid(dri%,tr%):REM reads one t2650 ENDPROEhen all ID fields on track26601610 block%?9=3:block%?6=&5B:block%?7=t5000 DEF PROEsetup7%:block%?8=0:block%?9=15010 FOR J%=0 TD 41620 ?block%=dri%5020 READ SIZE%(J%),gap%(J%)1630 PROEdisc(10):IF block%?10<>0 =1:RE5030 NEXTM escape if track not present5040 DATA 18,11,10,21,5,74,2,255,1,01640 size%=data%?3:s%=SIZE%(size%)5050 ENDPROE		
1410 AX=&7Fdata found1420 CALL &FFF12450 =0:REM if normal data1430 IF block%?J% PRINTTAB(10,22)"èErro2460r number ";block%?J%:PRINTTAB(10,24)"iPR2600 DEF PRODsave(F%,G%,H%,I%)ESS SPACE":VDU7:REPEAT UNTIL GET=322610 ?block%=F%:block%?5=31435 REM ignore deleted data and track2620 block%=F%:block%?8=H%:block%?9=(not found (may not be on disc): other er2630 IF 1% block%?6=&4F ELSE block%?6=&rors probably fatal2630 IF 1% block%?6=&4F ELSE block%?6=&14502640 PRODcdisc(10)1600 DEF FNid(dri%,tr%):REM reads one t2650 ENDPRODhen all ID fields on track26601610 block%?5=3:block%?6=&SB:block%?7=t5000 DEF PRODsetup7%:block%?8=0:block%?9=15010 FOR J%=0 TB 41620 ?block%=dri%5020 READ SIZE%(J%),gap%(J%)1640 size%=data%?3:s%=SIZE%(size%)5050 ENDPROD		
1420 EALL &FFF12450 =0:REM if normal data1430 IF block%?J% PRINTTAB(10,22) "èErro2460r number ";block%?J%:PRINTTAB(10,24) "èPR2600 DEF PRODsave(F%,6%,H%,I%)ESS SPACE":VDU7:REPEAT UNTIL GET=322610 ?block%=F%:block%?5=31435 REM ignore deleted data and track2620 block%?7=6%:block%?8=H%:block%?9=(not found (may not be on disc): other ersize%*32)+1rors probably fatal2630 IF 1% block%?6=&4F ELSE block%?6=&1440 ENDPROE4B14502640 PROEdisc(10)1600 DEF FNid(dri%,tr%):REM reads one t2650 ENDPROChen all ID fields on track26601610 block%?5=3:block%?6=&5B:block%?7=t5000 DEF PROEsetupr%:block%?8=0:block%?9=15010 FOR J%=0 TO 41620 ?block%=dri%5020 READ SIZE%(J%),gap%(J%)1640 size%=data%?3:s%=SIZE%(size%)5050 ENDPROE		
1430 IF block%?J% PRINTTAB(10,22)"eErro2460r number ";block%?J%:PRINTTAB(10,24)"iPR2600 DEF PRODsave(F%,6%,H%,I%)ESS SPACE":VDU7:REPEAT UNTIL GET=322610 ?block%=F%:block%?5=31435 REM ignore deleted data and track2620 block%?7=6%:block%?8=H%:block%?9=(not found (may not be on disc): other er2630 IF 1% block%?6=&4F ELSE block%?6=&rors probably fatal2630 IF 1% block%?6=&4F ELSE block%?6=&1440 ENDPROC4B14502640 PROCdisc(10)1600 DEF FNid(dri%,tr%):REM reads one t2650 ENDPROChen all ID fields on track26601610 block%?5=3:block%?6=&5B:block%?7=t5000 DEF PRODsetup7%:block%?8=0:block%?9=15010 FOR J%=0 TO 41620 ?block%=dri%5020 READ SIZE%(J%),gap%(J%)1640 size%=data%?3:s%=SIZE%(size%)5050 ENDPROC		
<pre>r number ";block%?J%:PRINTTAB(10,24)"iPR 2600 DEF PRODsave(F%,G%,H%,I%) ESS SPACE":VDU7:REPEAT UNTIL GET=32 2610 ?block%=F%:block%?5=3 1435 REM ignore deleted data and track not found (may not be on disc): other er rors probably fatal 2630 IF 1% block%?6=&4F ELSE block%?6=& 1440 ENDPROE 4B 1450 2640 PROCdisc(10) 1600 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPROC hen all ID fields on track 2660 1610 block%?5=3:block%?6=&5B:block%?7=t 5000 DEF PRODsetup r%:block%?8=0:block%?9=1 5010 FOR J%=0 TO 4 1620 ?block%=dri% 5020 READ SIZE%(J%),gap%(J%) 1630 PRODsize(10):IF block%?10<>0 =1:RE 5030 NEXT M escape if track not present 5040 DATA 18,11,10,21,5,74,2,255,1,0 1640 size%=data%?3:s%=SIZE%(size%)</pre>	1430 IF block%?J% PRINTTAB(10,22) "eErro	2460
1435 REM ignore deleted data and track not found (may not be on disc): other er rors probably fatal2620 block%?7=6%:block%?8=H%:block%?9=(size%*32)+11440 ENDPROE 14502630 IF 1% block%?6=&4F ELSE block%?6=& 4B1450 1600 DEF FNid(dri%,tr%):REM reads one t hen all ID fields on track 1610 block%?5=3:block%?6=&5B:block%?7=t 5010 FOR J%=0 TD 4 5020 READ SIZE%(J%),gap%(J%)1630 PROEdisc(10):IF block%?10<>0 =1:RE 1640 size%=data%?3:s%=SIZE%(size%)	r number ";block%?J%:PRINTTAB(10,24)";PR	
not found (may not be on disc): other er size%*32)+1 rors probably fatal 2630 IF 1% block%?6=&4F ELSE block%?6=& 1440 ENDPROC 4B 1450 2640 PROCdisc(10) 1600 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPROC 1610 block%?5=3:block%?6=&5B:block%?7=t 5000 DEF PROCsetup 7%:block%?8=0:block%?9=1 5010 FOR J%=0 TD 4 1620 ?block%=dri% 5020 READ SIZE%(J%),gap%(J%) 1630 PROCdisc(10):IF block%?10<>0 =1:RE 5030 NEXT 1640 size%=data%?3:s%=SIZE%(size%) 5050 ENDPROC		
rors probably fatal 2630 IF 1% block%?6=&4F ELSE block%?6=& 1440 ENDPROE 4B 1450 2640 PROCdisc(10) 1600 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPROC 1600 DEF FNid(dri%,tr%):REM reads one t 2660 1610 block%?5=3:block%?6=&5B:block%?7=t 5000 DEF PROCsetup 7%:block%?8=0:block%?9=1 5010 FOR J%=0 TD 4 1620 ?block%=dri% 5020 READ SIZE%(J%),gap%(J%) 1630 PROCdisc(10):IF block%?10<>0 =1:RE 5030 NEXT 1640 size%=data%?3:s%=SIZE%(size%) 5050 ENDPROC		
1440 ENDPROC 48 1450 2640 PROCdisc(10) 1600 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPROC hen all ID fields on track 2660 1610 block%?5=3:block%?6=&5B:block%?7=t 5000 DEF PROCsetup r%:block%?8=0:block%?9=1 5010 FOR J%=0 TD 4 1620 ?block%=dri% 5020 READ SIZE%(J%),gap%(J%) 1630 PROCdisc(10):IF block%?10<>0 =1:RE 5030 NEXT 1640 size%=data%?3:s%=SIZE%(size%) 5050 ENDPROC		
1600 DEF FNid(dri%,tr%):REM reads one t 2650 ENDPROC hen all ID fields on track 2660 1610 block%?5=3:block%?6=%5B:block%?7=t 5000 DEF PROCsetup r%:block%?8=0:block%?9=1 5010 FOR J%=0 TB 4 1620 ?block%=dri% 5020 READ SIZE%(J%),gap%(J%) 1630 PROCdisc(10):IF block%?10<>0 =1:RE 5030 NEXT 1640 size%=data%?3:s%=SIZE%(size%) 5050 ENDPROC		
hen all ID fields on track 2660 1610 block%?5=3:block%?6=&5B:block%?7=t 5000 DEF PR0Csetup r%:block%?8=0:block%?9=1 5010 FOR J%=0 TO 4 1620 ?block%=dri% 5020 READ SIZE%(J%),gap%(J%) 1630 PR0Cdisc(10):IF block%?10<>0 =1:RE 5030 NEXT M escape if track not present 5040 DATA 18,11,10,21,5,74,2,255,1,0 1640 size%=data%?3:s%=SIZE%(size%) 5050 ENDPR0C		
1610 block%?5=3:block%?6=&5B:block%?7=t 5000 DEF PR0Csetup r%:block%?8=0:block%?9=1 5010 FOR J%=0 T0 4 1620 ?block%=dri% 5020 READ SIZE%(J%), gap%(J%) 5030 NEXT 1630 PR0Cdisc(10):IF block%?10<>0 =1:RE 5030 NEXT 1640 size%=data%?3:s%=SIZE%(size%) 5050 ENDPROC		
r%:block%?8=0:block%?9=1 5010 FGR J%=0 T0 4 1620 ?block%=dri% 5020 READ SIZE%(J%),gap%(J%) 1630 PR0Cdisc(10):IF block%?10<>0 =1:RE 5030 NEXT 1escape if track not present 5040 DATA 18,11,10,21,5,74,2,255,1,0 1640 size%=data%?3:s%=SIZE%(size%) 5050 ENDPROC		
1620 ?block%=dri% 5020 READ SIZE%(J%),gap%(J%) 1630 PRDCdisc(10):IF block%?10<>0 =1:RE 5030 NEXT 1640 size%=data%?3:s%=SIZE%(size%) 5040 DATA 18,11,10,21,5,74,2,255,1,0 5050 ENDPROC 5050 ENDPROC		
1630 PRDCdisc(10):IF block%?10<>0 =1:RE 5030 NEXT M escape if track not present 5040 DATA 18,11,10,21,5,74,2,255,1,0 1640 size%=data%?3:s%=SIZE%(size%) 5050 ENDPRGC	1620 ?block%=dri%	
M escape if track not present 5040 DATA 18,11,10,21,5,74,2,255,1,0 1640 size%=data%?3:s%=SIZE%(size%) 5050 ENDPRGC	1630 PROCdisc(10):IF block%?10<>0 =1:RE	5030 NEXT
	M escape if track not present	
1630 Brock& (7-52		
	1800 DIOCK%/9=5%	3000

10.

BEEB FORUM

See page 114



TECHNIQUES

See 'See How They Sort', page 117

Prog	ram 1. Select a sort from the menu and watch the sorting	process, colour-coded to make it easy to follow
	10 REM *** ALLSORT ***	780 VDU26,12:PRINTTAB(d,2);CHR\$cyan;CHR\$141;d\$;C
	20 REM G.B.HILL 1984	HR\$yellow;"SORT"
	30 REM version 6 40 ON ERROR GOTO 340	<pre>790 PRINTTAB(d,3);CHR\$cyan;CHR\$141;d\$;CHR\$yellow ;"SORT"</pre>
5	50 MODE 7	800 VDU28,0,23,39,4
	50 REM*** MAIN PROGRAM *** 70	810 ENDPROC 820
	30 PROCsetup	830 DEFPROCwait
	70 REPEAT	840 PROCsection(1, max, white)
	00 FOR I=1 TO max:dest\$(I)=source\$(I):NEXT 10 PROCmenu	850 PRINTTAB(0,19);CHR\$133;"Press SPACE bar to c ontinue.";:REPEAT:UNTIL GET=32
	20 IF choice=1 THEN PROCbubble	860 ENDPROC
	30 IF choice=2 THEN PROCshuttle 40 IF choice=3 THEN PROCinsertion	870 880 DEFFNchoose(M\$)
15	50 IF choice=4 THEN PROCselection	B90 REPEAT
	60 IF choice=5 THEN PROCshell 70 IF choice=6 THEN PROCquick(1.max)	900 PRINT" "::VDU13
	BO IF choice=7 THEN PROCIPE	910 PRINT"Type ":M\$;" then <return> ":</return>
19	70 IF choice<>num_of_sorts THEN PROEwait	920 INPUT""n\$
	00 UNTIL choice=num_of_sorts 10 VDU26,12,23,1,1;0;0;0;	930 1n=VAL(LEFT\$(M\$,1)) 940 IF VAL(RIGHT\$(M\$,3))=0 THEN rn=VAL(RIGHT\$(M\$
2	20 PRINT' "RETURNED TO"'' "BASIC"'	<pre>,2)) ELSE rn=VAL(RIGHT\$(M\$,3))</pre>
	30 END 40	950 ok=ASCn\$<58 AND VALn\$>=1n AND VALn\$<=rn AND VALn\$=INT(VALn\$)
2	50 REM *** DATA ***	960 IF NOT ok THEN VDU7, 11, 13: FOR I=1 TO 39: VDU3
	60 70 DATA BURDIE SHUTTLE INCEPTION SELECTION SHE	2:NEXT:VDU13 970 UNTIL ok
L.0	70 DATA BUBBLE.SHUTTLE.INSERTION.SELECTION, SHEL UICK, TREE.END.	970 UNTIL OK 980 =VALn\$
21	80	990
	90 DATA FRED, GEORGE, ALEX, JDE, BERT, BERNARD, HARRY BIDEE, PETER	1000 DEFPROCswap(i,j) 1010 sorted=FALSE
3	00 DATA JEREMY, GEORGE, PETER, JIM, SIMON, TONY, JOHN	1020 spare\$=dest\$(i)
. **		1030 dest\$(i)=dest\$(j)
	10 20 REM *** PROCEDURES ***	1040 dest\$(j)=spare\$ 1050 PRINTTAB(21,i+1);dest\$(i);" "
3	30	1060 PRINTTAB(21, j+1);dest\$(j);" "
	40 REM ERROR ROUTINE 50 IF ERR=17 THEN RUN	1070 PROCmark(i,j,cyan,T) 1080 ENDPROC
	60 REPORT	1090
	70 PRINT" at line ":ERL'	1100 DEFPROClist
	BO END 90	1110 LOCAL II 1120 FOR II=1 TO max
4	00 DEFPROCsetup	1130 PRINTTAB(21, II+1); dest\$(II); " "
	10 waittime=100 20 T=TRUE:F=FALSE	1140 NEXT 1150 ENDPROC
	30 nothing=128:red=129:green=130:yellow=131:blu	1160
	32:magenta=133:cyan=134:white=135	1170 DEFPROCmark(i,j,colour,pause)
	40 DIM source\$(100),dest\$(100),sort\$(20) 50 RESTORE 270	1180 PRINTTAB(20,i+1); CHR\$colour; TAB(20,j+1); CHR\$ colour
	60 I=0	1190 IF pause THEN PROCpause: PROCmark(i, j, nothing
	70 REPEAT B0 I=I+1	,F) 1200 ENDPROC
4	90 READ sort\$(I)	1210
	00 UNTIL sort\$(I)="END." 10 num_of_sorts=I	1220 DEFPROCpause 1230 Z=INKEY(waittime)
	20 RESTORE 290	1240 \$FX15,1
	30 I=0	1250 ENDPROC
	40 REPEAT 50 I=I+1	1260 1270 DEFPROCsection(i,j,colour)
5	60 READ source\$(I)	1280 FOR II=i TO j
	70 UNTIL source\$(I)="###" B0 max=I-1	1290 PRINTTAB(18, II+1); CHR*colour; CHR*colour; CHR* colour
	90 max=1-1 90 ENDPRDC	1300 NEXT
6	00	1310 ENDPROC
	10 DEFPROCmenu 20 PROCdouble("MENU for")	1320 1330 DEFPROCbubble
6	30 FDR I=1 TO num_of_sorts	1340 FDR I=1 TO max-1
6	40 PRINTTAB(4, I+2); STR\$I; " "; sort\$(I)	1350 sorted=TRUE
	50 NEXT 60 VDU23,1,1;0;0;0;10,13	1360 FDR J=max TD I+1 STEP -1 1370 PROCmark(J-1,J,green,T)
6	70 choice=FNchoose("1 to "+STR\$num_of_sorts)	1380 IF dest\$(J-1)>dest\$(J) THEN PROCswap(J,J-1)
	80 IF choice=num_of_sorts THEN ENDPROC	1390 NEXT 1400 IF sorted THEN I=max-1 ELSE PROCpause
	90 VDU23,1,0;0;0;0; 00 PROCdouble(sort\$(choice))	1400 IF SOFTED THEN I=max-1 ELSE FRUCPAUSE 1410 NEXT
	10 FORI=1 TO max: PRINTTAB(8, I+1); source\$(I):NEX.	1420 ENDPROC
1 7	20 PROClist	1430 1440 DEFPRDCshuttle
7	30 ENDPROC	1450 I=0
	40	1460 top=0:bottom=max:inc=1:sorted=TRUE
	50 DEFPROCdouble(d\$) 60 LOCAL d	1470 REPEAT 1480 sorted=TRUE
	70 d=(40-LENd\$-9) DIV 2	1490 REPEAT

.....

TECHNIQUES

0 -0 0 0 6 2270 L=i:R=j 1500 I=I+inc 1500 I=I+inc 1510 PROCmark(I,I+1,green,T) 1520 IF dest\$(I)>dest\$(I+1) THEN PROCswap(I,I+1) 1530 IF I+inc=top THEN top=top+1:inc=1 1540 IF I+inc=bottom THEN bottom=bottom-1:inc=-1 1550 UNTIL I=top DR I=bottom 1540 UNTIL bottom<=top+1 OR sorted 1540 Expense 2280 REPEAT 0 2290 PROCswap (L, R) 0 2300 PRDEmark(0,L,yellow,F):PRDEmark(0,R,green,F) : PROCoause . 2310 IF dest\$(L)<pivot\$ THEN PROCmark(0,L,nothing ,F):L=L+1:PROCmark(0,L,yellow,F):PROCpause:60T0 23 10 1570 ENDPROC 10 2320 IF L=R THEN 2340 2330 IF dest\$(R)>=pivot\$ THEN PROCmark(0,R,nothin g,F):R=R-1:PROCmark(0,R,green,F):PROCpause:IF R>L THEN 2330 1580 0 590 DEFPROCinsertion 1600 FOR I=2 TO max 1600 FDR 1=2 TD max 1610 PROCpause 1620 PRINTTAB(19,I);" ";TAB(19,I+1);"]" 1630 FOR J=I TD 2 STEP -1 1640 PROCmark(J-1,J,green,T) 1650 IF dest\$(J-1)>dest\$(J) THEN PROCswap(J,J-1) 0 2340 UNTIL L>=R 2350 =L . 2360 2370 DEFPROCtree 0 2380 PROCcolour_tree 2390 FOR I=2 TO max ELSE J=2 1660 NEXT 0 2400 PRINTTAB(18,I);" ";TAB(18,I+1);"]":PROCpause 1670 NEXT 2410 PROChackup(I) 1680 ENDPROC 2420 NEXT 2430 PROCcolour_tree 2440 FOR I=max TO 2 STEP -1 2450 PROCpause 1690 1700 DEFPROCselection 1710 FOR I=1 TO max-1 1720 lowindex=I 2460 test\$=dest\$(I) 1730 PRINTTAB(19, I): "; TAB(19, I+1); "]"; CHR\$yello 0 2470 PROCmove(I) 2480 dest\$(I)=" ***" 14: 1740 FOR J=I+1 TO max 1740 FOR J=1+1 10 max 1750 PROCmark(0,J,green,T) 1760 IF dest\$(1)<dest\$(lowindex) THEN PROCmark(0, lowindex,white,F):lowindex=J 1770 PROCmark(0,lowindex,yellow,F) 2490 PROCswap(1,I) 2500 PROCsection(I,max,white) 6 2510 PROCpause 2520 PROCputback(1) 2530 NEXT 1780 NEXT 2540 ENDPROC 1790 IF lowindex<>I THEN PROCswap(I,lowindex) ELS 2550 E PROCmark(0, I, white, F) 1800 NEXT 2560 DEFPRDCbackup(J) 2570 REPEAT 1810 ENDPROC 2570 REPEAT 2580 PROCmark(J,J DIV 2.green,T) 2590 IF dest\$(J)>dest\$(J DIV 2) THEN PROCswap(J,J 1820 1830 DEFPROCshell DIV 2) 1840 inc=max DIV 2 1850 REPEAT 2600 J=J DIV 2 2610 UNTIL J=1 1860 IF inc<=0 THEN 1920 2620 ENDPROC 1870 PROCpause 1880 FOR I=inc+1 TO max 2630 2640 DEFPROCputback(J) 1890 PROCpair (I, I-inc) 2650 LOCAL swapindex 2660 swapindex=2*J 2670 IF swapindex>=I THEN PROCswap_test:ENDPROC 2680 IF dest\$(swapindex)<dest\$(swapindex+1) THEN 1900 NEXT 1910 inc=inc DIV 2 1920 UNTIL inc<=0 1930 ENDPROC 2680 IF dest\$(swapindex)</dest\$(swapindex=t) THEN swapindex=swapindex+1 2690 IF swapindex>=I THEN PROCswap_test:ENDPROC 2700 IF test\$>=dest\$(swapindex) OR swapindex>=I T HEN PROCswap_test ELSE PROCmark(J,swapindex,green .T):PROCswap(J,swapindex):PROCputback(swapindex) 2710 ENDPROC 2720 2720 DEEEECC 1940 1950 DEFPROCpair(i,j) 1960 DEFFRUEDAT(1,) 1960 IF j<=0 THEN ENDPROC 1970 PROCmark(i,j,green,T) 1980 IF dest\$(i)<dest\$(j) THEN PROCswap(i,j):PROC pair(i,j,j=inc) 1990 ENDPROC 2730 DEFPROCswap_test 2000 2740 dest\$(J)=test\$
2750 PROCmark(0,J,cyan,F)
2760 PRINTTAB(30,I+1);CHR\$cyan;
2770 PRINTTAB(20,J+1);CHR\$cyan;dest\$(J);"
" 2010 DEFPRDCquick(i,j) 2010 DEFPRUCquick(1,))
2020 LOCAL pivotindex,partitionpoint,I
2030 pivotindex=FNfindpivot(i,j)
2040 PR0Csection(1,max,white)
2050 PR0Csection(i,j,blue)
2060 PRINTTAB(30,2);CHR\$red;dest\$(pivotindex);" 2780 PRINTTAB(31, I+1);" *** 2790 PROCpause 2800 PRINTTAB(20,J+1);CHR\$nothing; 2810 PRINTTAB(31,I+1);"" 2070 PROCoause 2820 ENDPROC 2080 IF pivotindex=0 THEN ENDPROC 2090 partitionpoint=FNpartition(i,j,pivotindex) 2830 2100 PRDEquick(i,partitionpoint-1)
2110 PRDEquick(partitionpoint,j)
2120 PRINTTAB(30,2);" " 2840 DEFPROCmove(i) 2850 LOCAL II 2860 FOR II=20 TO 31 2870 PRINTTAB(20,i+1); CHR\$nothing; * ***"; TAB(II,i 2130 PROCsection(1,max,white) 2140 ENDPROC +1);CHR\$nothing;test\$ 2880 Z=INKEY(10) 2150 2890 NEXT 2160 DEFFNfindpivot(i,j) 2900 PRINTTAB(II.i+1); CHR\$white; test\$ 2170 LOCAL I 2910 PROCpause 2180 I=i 2190 IF I=j THEN =0 2920 ENDPROC 2190 IF I=3 IMEN =0 2200 IF dest\$(I)>dest\$(I+1) THEN =I 2210 IF I+1=3 THEN =0 2220 IF dest\$(I)<dest\$(I+1) THEN =I+1 2230 I=I+1:60T0 2190 2930 2930 DEFPROCcolour_tree 2940 DEFPROCcolour_tree 2950 PROCsection(1,1,magenta) 2940 PROCsection(2,3,red) 2970 PROCsection(4,7,yellow) 2980 PROCsection(8,15,blue) 2240 2250 DEFFNpartition(i,j,K) 2260 pivot\$=dest\$(K) 0 0

0

6

105

0

0

0

.

0

6

-

0

0

0

0

0

0

0

0

0

0

0

0

0 0 .

> 0

0

6

0

0

0

0

0 0

0

0

0

TECHNIQUES

See 'See How They Sort', page 117

<pre>10 DEFPRDCswap(i,j) 20 sorted=FALSE 30 spare\$=dest\$(i) 40 dest\$(i)=dest\$(j) 50 dest\$(j)=spare\$ 60 ENDPROC 70</pre>	<pre>(i,j):PROCpair(j,j-inc)</pre>
30 spare\$=dest\$(i) 40 dest\$(i)=dest\$(j) 50 dest\$(j)=spare\$ 60 ENDPROC	
40 dest\$(i)=dest\$(j) 50 dest\$(j)=spare\$ 60 ENDPROC	650
50 dest\$(j)=spare\$ 60 ENDPROC	
60 ENDPROC	660 DEFPROCquick(i,j)
	670 LOCAL pivotindex, partitionpo
70	680 pivotindex=FNfindpivot(i,j)
	690 IF pivotindex=0 THEN ENDPROC
80 DEFPROCbubble	700 partitionpoint=FNpartition(i
90 FOR I=1 TO max-1	otindex)
100 sorted=TRUE	710 PROCquick(i,partitionpoint-1
110 FOR J=max TO I+1 STEP -1	720 PROCquick(partitionpoint,j)
120 IF dest\$(J-1)>dest\$(J) THEN PF	CSw 730 ENDPROC
up (J, J-1)	740
130 NEXT	750 DEFFNfindpivot(i,j)
140 IF sorted THEN I=max-1	760 LOCAL I
150 NEXT	770 I=i
160 ENDPROC	780 IF I=j THEN =0
170	790 IF dest\$(I)>dest\$(I+1) THEN
180 DEFPROCshuttle	800 IF I+1=j THEN =0
190 I=0	810 IF dest\$(I) <dest\$(i+1) td="" then<=""></dest\$(i+1)>
200 top=0:bottom=max:inc=1	820 I=I+1:GOTO 780
210 REPEAT	830
220 sorted=TRUE	840 DEFFNpartition(i,j,K)
230 REPEAT	850 pivot\$=dest\$(K)
240 I=I+inc	860 L=i:R=j
250 IF dest\$(I)>dest\$(I+1) THEN PF	
250 if desta(1)/desta(1+1) then fr ap(I,I+1)	880 PRDCswap (L, R)
260 UNTIL I+inc=top DR I+inc=botto	
270 IF I+inc=top THEN top=top+1:ir	
280 IF I+inc=bottom THEN bottom=bo	
-1:inc=-1	910 IF dest\$(R)>=pivot\$ THEN R=F
290 UNTIL bottom<=top+1 OR sorted	
300 ENDPROC	920 UNTIL L>=R
310	930 =L
	940
320 DEFPROCinsertion	
330 FOR I=2 TO max	950 DEFPROCtree
340 FOR J=I TO 2 STEP -1	960 FDR I=2 TO max
350 IF dest\$(J-1)>dest\$(J) THEN PF	
ap(J,J-1) ELSE J=2 360 NEXT	980 NEXT
	990 FOR I=max TO 2 STEP -1
370 NEXT	1000 test\$=dest\$(I)
380 ENDPROC	1010 dest\$(I)=""
390	1020 PRDCswap(1,1)
400 DEFPROCselection	1030 PRDCputback(1)
410 FDR I=1 TO max-1	1040 NEXT
420 lowindex=I	1050 ENDPROC
430 FOR J=I+1 TO max	1060
440 IF dest\$(J) <dest\$(lowindex) td="" th<=""><td></td></dest\$(lowindex)>	
owindex=J	1080 REPEAT
450 NEXT	1090 IF dest\$(J)>dest\$(J DIV 2)
460 IF lowindex<>I THEN PROCswap()	
index)	1100 J=J DIV 2
470 NEXT	1110 UNTIL J=1
480 ENDPROC	1120 ENDPROC
490	1130
500 DEFPROCshell	1140 DEFPROCputback(J)
510 inc=max DIV 2	1150 LOCAL swapindex
520 REPEAT	1160 swapindex=J#2
530 IF inc<=0 THEN 580	1170 IF swapindex>=I THEN dest\$(
540 FOR I=inc+1 TO max	\$: ENDPROC
550 PROCpair(I, I-inc)	1180 IF dest\$(swapindex) <dest\$(s< td=""></dest\$(s<>
560 NEXT	x+1) THEN swapindex=swapindex+1
570 inc=inc DIV 2	1190 IF swapindex>=I THEN dest\$(
580 UNTIL inc<=0	\$: ENDPROC
590 ENDPROC	1200 IF test\$>=dest\$(swapindex)
600	st\$(J)=test\$ ELSE PROCswap(J,swap
610 DEFPROCpair(i,j)	PROCputback(swapindex)
620 IF j<=0 THEN ENDPROC	1210 ENDPROC
OLO IN JICO THEN ENDERUL	1210 CRUPINOS

. •

0 0 .

0

0

.

0

0 . .

0

0 0 • 0 •

0 .

0 . . 0 0 . 0 . 0 0

. . . . 0

0 0

.

.

.

106

.

HARDWARE

See 'Internal Examination', page 123

_				
9	Pau	I Beverley's program for the signature analysis unit		
Ð				
9	10	CLS	540	REPORT
9		PROCinitialise		PRINT" at "ERL
		REPEAT		ENDPROC
	40	PROCmenu	590	DEF PROCinitialise
9	50	UNTIL X%=0 END		REM ***************
9	70		620	
Ð		DEF PROCmenu		ON ERROR PROCerr_handle:END
	90 100	REM *******		?%FE6B=8 : REM S.R. to input ?%FE62=%81 : REM PB0 & PB7 as output
		VDU26,12	660	
9		INPUT TAB(0,2) "Test number? "X%	670	FOR opt% = Ø TO 2 STEP 2
9		VDU28,0,24,30,5	680	
		IF X%=0 ENDPROC N%=32	690	
0	160		710	
		REPEAT	720	
0	180	IF N%=13 OR N%=-1 N%=INKEY(5) IF N%=32 PROCprompt	730	
	200	IF N%>32 UNTIL TRUE:ENDPROC	740	
	210	*FX19	760	
		CALL test	770	
		PROCprint UNTIL N%>32	780	
		ENDPROC	790	
)	260		810	
		DEF PROCprompt REM ********	820	
	290	NET ARARARA	830	
		PRINT	850	
,		N%=GET	860	LDX #&01 \ Disable clock input.
)		IF N%=13 ENDPROC IF N%=47 ENDPROC	870	
)	340		880	
		REPEAT	900	
	360	PRINT CHR≉(N%); N%=GET	910	
)		UNTIL N%=13	920	
)	390	N%=32	93Ø 94Ø	
)		ENDPROC	950	
,	410	DEF PROCprint	960	
		REM *******	97Ø 98Ø	
	440		980	
)		@%=1 PRINT TAB(8)~(A% AND &F000)	1000	.again%
)	400	DIV &1000;	1010	
)	470	PRINT~ (A% AND & F00) DIV & 100;	1020	
		PRINT~(A% AND &FØ) DIV &10;	1040	
		PRINT~A% AND &F ENDPROC	1050	
	510		1060	
)	520	DEF PROCerr_handle	1070	
		REM **********	1090	
	540	VDU26,12	1100	
1	000			
0				

Continued ►

ACORN USER OCTOBER 1984

HARDWARE

108

.

1110 RTS 1640 ****** 1130 .testXX 1660 CPX #6 1140 ****** 1670 DES test6X 1150 .test1X 1660 .next6Z 1170 DES test2X 1700 LDA &FE41 \Internal VIA 1170 DES test2X 1700 LDA &FE41 \Internal VIA 1170 DES test2X 1700 DEY Iff 1170 LDA &FE41 \Internal VIA 1170 DEY 1730 NE next6X 1200 ***** 1730 NE next6X 1210 DEY 1740 RTS 1740 1220 STA &GAAAA,Y \Low RDM 1730 .test6X 1740 1220 NTS 1780 .test6X .test6X 1220 RTS 1780 .next7X \Disc Controll 1300 CPX #3 1830 LDA &FE61 .test6X 1300 DA &FE63,Y \ High RDM 1870 PY .test7X 1300 DEY #4 1950 .test7X .t	< Cor	ntinued			
1120 1650 1130 .testXX 1660 1140 ****** 1670 1150 1680 1160 CPX #2 1690 1170 BCS testZX 1700 LDA &FE40 \ Internal VIA 1180 .test1X 1720 DEY 100 1190 .test1X 1720 DEY 100 1200 ****** 1730 BNE next6X 1210 .test1X 1720 DEY 1220 STA &BAAA,Y \ Low RDM 1750 1230 DEY 1760 .test6X 1240 BNE test1X 1770 ****** 1250 RTS 1790 CPX #7 1250 Lest2X 1960 DES test7X 1260 ****** 1810 1055 Control1 1310 DCS test2X 1960 DA &FE60 Disc Control1 1320 .next2X 1860 DA &FE62 175 1330 .next2X 1960 Est3X 126 1330 .next2X <					
1120 1650 1130 .testXX 1660 1140 ****** 1670 1150 1680 1160 CPX #2 1690 1170 BCS testZX 1700 LDA &FE40 \ Internal VIA 1180 .test1X 1720 DEY 100 1190 .test1X 1720 DEY 100 1200 ****** 1730 BNE next6X 1210 .test1X 1720 DEY 1220 STA &BAAA,Y \ Low RDM 1750 1230 DEY 1760 .test6X 1240 BNE test1X 1770 ****** 1250 RTS 1790 CPX #7 1250 Lest2X 1960 DES test7X 1260 ****** 1810 1055 Control1 1310 DCS test2X 1960 DA &FE60 Disc Control1 1320 .next2X 1860 DA &FE62 175 1330 .next2X 1960 Est3X 126 1330 .next2X <		DIC			
1130 .testXX 1660 CPX #6 1140 ****** 1670 BCS test6X 1150 CPX #2 1690 .next6X 1170 BCS test2X 1690 .next6X 1170 BCS test2X 1700 LDA &FE41 1180 T120 DPY 1720 1190 .test1X 1720 DEY 1200 ****** 1730 BNE next6X 1210 X****** 1740 RTS 1220 STA & 88AAA,Y \ Low RDM 1750 .test1X 1770 1230 DEY 1760 .test6X .test6X 1240 NE test1X 1770 ****** 1810 1250 RTS 1780 .test7X 1260 ****** 1810 Dex test7X 1300 CPX #3 1830 LDA &FE81 .test7X 1300 .next7X 1800 Dex test7X .test7X 1300 Next7X 1860 Noisc Controll 1310 BCS test3X 1940 LDA &FE81 .test7X <td></td> <td>RT5</td> <td></td> <td>/*****</td> <td></td>		RT5		/*****	
1140 ****** 1670 BCS test6% 1150 1680 1680 1170 BCS test2% 1700 LDA &FE40 \ Internal VIA 1180 1710 LDA &FE41 \ Internal VIA 1190 .test1% 1720 DEY 1200 ****** 1730 BNE next6% 1210 .test1% 1720 DEY 1220 STA &BAAA,Y \ Low ROM 1753 1220 DEY 1760 .test6% 1230 DEY 1760 .test6% 1240 BNE test1% 1770 ****** 1250 RTS 1780 .test6% 1260 .test2% 1800 BES test7% 1280 ****** 1810 .next7% 1280 .ext2% 1800 LDA &FE80 \ Disc Controll 1310 BCS test3% 1940 LDA &FE82 .test3% 1320 .next2% 1860 BME next7% .test7% 1330 .lest3% 1970 .test7% .test7% 1340		.testX%		CPX #6	
1150 1660 1160 .next6% 1170 BCS test2% 1700 LDA %FE40 \ Internal VIA 1180 .120 LDA %FE41 \ Internal VIA 1190 .test1% 1730 BNE next6% 1200 ****** 1730 BNE next6% 1210 .test1% 1730 BNE next6% 1220 STA &80AA,Y \ Low ROM 1750 .test6% 1230 DEY 1760 .test6% 1230 DEY 1760 .test6% 1240 BNE test1% 1770 ****** 1250 RTS 1780 .test6% 1260 .test2% 1800 BCS test7% 1280 .next7% 1800 DCS test7% 1300 CPX #3 1830 LDA %FE80 \ Disc Controll 1310 BCS test3% 1840 LDA %FE84 \ Disc 1320 .next2% 1860 BNE next7% 1860 NE next7% 1350 DEY 1860 DEY 1860 DEY 1860					
1140 CFX #2 1690 .next6% 1170 BCS test2% 1700 LDA &FE40 \Internal VIA 1180 1710 LDA &FE41 Internal VIA 1190 .test1% 1720 DEY 1200 X***** 1730 ENE next6% 1210 1740 RTS 1220 STA &GAAA,Y \ Low ROM 1760 .test6% 1230 DEY 1760 .test6% 1240 RTS 1770 .test6% 1240 DNE test1% 1770 .test6% 1240 DNE test1% 1770 .test6% 1250 RTS 1770 .test7% 1260 .test2% 1830 LDA &FE80 \ Disc Controll 1310 DES test3% 1840 LDA &FE81 .test7% 1350 DFY 1860 BNE next7% .test7% 1360 DA &FE81 1730 .test7% 1370 RTS 1960 .test7% 1360 DNE next2% 1960 .test7% 1370 RTS	1150			Dob ceston	
1180 170 LDA &FE41 1700 LDA &FE41 1190 .test1% 1720 DEY 1200 ****** 1730 BNE next6% 1210 1740 RTS 1220 STA &BAAA,Y \ Low RDM 1750 1230 DEY 1760 .test6% 1240 SNE test1% 1770 ****** 1250 RTS 1780 rest6% 1260 .test2% 1800 BCS test7% 1280 ****** 1810 .next7% 1280 ****** 1810 .next7% 1300 CPX #3 1850 LDA &FE80 \ Disc Controll 1311 BCS test3% 1840 LDA &FE81 1860 1330 .next2% 1860 BNE next7% 1870 1330 .next2% 1860 BNE next7% 1870 1350 DFY 1860 BNE next7% 1870 1360 Netrest3% 1970 .test7% 1370 RTS 1970 .test7% 1380 DF	1160			.next6%	
1190 .test1% 1720 DEV 1200 ****** 1730 DNE next6% 1210 1740 RTS 1220 STA &BAAA,Y \ Low RDM 1750 1220 STA &BAAA,Y \ Low RDM 1750 1230 DEY 1760 1240 DNE test1% 1770 1250 RTS 1780 1260 1770 ****** 1250 RTS 1780 1260 1770 ****** 1260 1770 CFX #7 1270 .test2% 1800 BCS test7% 1280 ****** 1810 1820 .next7% 1300 CFX #3 1850 LDA &FE80 \Disc Controll 1310 BCS test3% 1850 LDA &FE80 \Disc Controll 1330 .next2% 1860 BNE next7% 1850 EStest3% 1350 DFY 1880 BNE next7% 1850 EStest3% 1970 .next7% 1360 Stest3% 1970 .next7% 1960 EStest3%		BCS test2%	1700	LDA &FE40	\ Internal VIA
1200 ****** 1730 BNE next6Z 1210 1740 RTS 1220 STA &BAAA,Y \ Low RDM 1750 1230 DEV 1760 .test6Z 1230 DEV 1760 .test6Z 1240 BNE test1X 1770 ****** 1250 RTS 1760 .test6Z 1260 .test2Z 1800 BCS test7Z 1280 ****** 1810 .next7X 1280 ****** 1810 .next7Z 1370 BCS test3Z 1840 LDA &FEB2 1330 .next2Z 1860 LDA &FEB2 1330 .next2Z 1860 BNE next7Z 1350 DEV 1860 BNE next7Z 1350 DEV 1860 BNE next7Z 1360 .next2Z 1870 RTS 1370 test33 1970 .test7Z 1380 .101 .test7Z 1970 1440 .test33 1970 .test7Z 1440 .test33 1970			1710		
1210 1740 RTS 1220 STA &BAA,Y \ Low RDM 1750 1230 DEY 1760 1240 BNE test1% 1770 ****** 1250 T790 CPX #7 1260 1770 ****** 1260 1770 CPX #7 1260 1790 CPX #7 1260 1790 CPX #7 1280 Next*** 1810 1290 .test2% 1800 BCS test7% 1280 V****** 1810 Visc Controll 1310 BCS test3% 1830 LDA &FE81 1320 .next2% 1860 LDA &FE82 1330 .next2% 1860 DEY TS 1350 DEY 1880 BNE next7% 1900 1350 ISY 1970 .test7% 1960 1360 LDA &CPA #FE 1970 .test7% 1370 RTS 1970 .test7% 1960 1380 .test3% 1970 .test7% 1960 1400					
1220 STA & GAAA, Y \ Low RDM 1750 1230 DEY 1760 1240 BNE test1% 1770 1250 RTS 1780 1250 RTS 1780 1260 .test2% 1800 1270 .test2% 1800 1280 \test2% 1800 1280 \test2% 1800 1280 \test2% 1810 1290 .test2% 1820 .next7% 1300 CPX #3 1820 .next7% 1300 CPX #3 1820 LDA &FE80 \ Disc Controll 1310 BCS test3% 1840 LDA &FE81 1810 1320 .next2% 1860 LDA &FE81 1810 1350 DEY 1830 RTS 1900 1350 DEY 1830 Next*** 1910 .test7% 1360 .test3% 1920 .test7% 1960 1380 .test3% 1920 .next7% 1960 1440 1940 CPX #8 1920		*****			
1230 DEY 1760 .test6% 1240 BNE test1% 1770 ****** 1250 RTS 1790 1260 1770 CPX #7 1270 .test2% 1800 BCS test7% 1280 ****** 1810 1270 .test2% 1800 BCS test7% 1300 CPX #3 1830 LDA &FE80 \ Disc Controll 1310 BCS test3% 1840 LDA &FE81 starts 1320 .next2% 1850 LDA &FE82 \text{starts 1330 DFY 1860 ND isc Controll 1350 DA &FE81 \text{starts \text{starts 1330 next2% 1860 NET next7% 1350 DFY 1880 NET next7% 1350 BNE next2% 1970 .test7% 1350 SCS test3% 1920 ****** 1400 ****** 1930 Lest7% 1440 .next3% 1970 .next7% 1440 .next3% 19		STA \$9000 Y > Law BOM		RTS	
1240 BNE test12 1770 ****** 1250 RTS 1780 1250 1770 CPX #7 1260 1770 CPX #7 1270 .test22 1800 BCS test72 1280 ****** 1810 .next77 1280 .test22 1800 BCS test72 1280 ****** 1810 .next77 1280 .next77 1800 LDA &FE80 \ Disc Controll 1310 BCS test32 1840 LDA &FE80 \ Disc Controll 1330 .next27 1860 LDA &FE81 .next77 1360 DEY 1860 DA &FE81 .next77 1370 .test37 1970 .test77 .next77 1360 1910 .test77 .next77 .next77 1370 .test37 1920 .test77 1370 .test37 .next77 .next77 1400 .test37 .next77 .next77 1400 .test37 .next77 .next77 1420 .n				h	
1250 RTS 1780 1260 1790 CPX #7 1280 ****** 1810 1290 1820 .next7% 1300 CPX #3 1830 LDA &FE80 1300 CPX #3 1830 LDA &FE80 \ Disc Controll 1310 BCS test3% 1840 LDA &FE81 1320 .next2% 1850 LDA &FE82 1330 DA &CFA5,Y \ High RDM 1870 DEY 1350 DA &FE83 1970 FE84 1340 LDA &CFA5,Y \ High RDM 1870 DEY 1350 DEY 1880 RNE next7% 1350 DEY 1890 RTS 1370 RTS 1970 .test7% 1370 RTS 1970 .test7% 1380 .test3% 1970 .test7% 1400 ****** 1970 .test7% 1400 .test3% 1970 .next7% 1440 .next3% 1980 LDA &FE20 \ Video ULA 1440 .next3% 198					
1260 1770 CPX #7 1270 .test2% 1800 BCS test7% 1280 ****** 1810 1290 .next7% 1820 .next7% 1300 CPX #3 1830 LDA &FE81 1320 .next2% 1860 LDA &FE81 1320 .next2% 1860 LDA &FE81 1330 .next2% 1860 LDA &FE81 1340 LDA &GFA5,Y \ High RDM 1870 DEY 1350 DEY 1860 NDE next7% 1350 DEY 1890 RTS 1370 RTS 1900 .test7% 1380 SNE next7% 1920 ****** 1400 ****** 1920 ****** 1400 ****** 1930 .test7% 14400 ****** 1920 ****** 14400 ****** 1920 .test7% 1450 .next3% 1920 LDA &FE21 \Video ULA 1440 .next3% 1920 .test8% .dest8% 144				(A A A A A A	
1270 .test2% 1800 BCS test7% 1280 ****** 1810 1290 .next7% 1300 CPX #3 1830 LDA &FE80 \ Disc Controll 1310 BCS test3% 1840 LDA &FE81 1320 1850 LDA &FE82 1330 .next2% 1860 LDA &FE82 1330 .next2% 1860 LDA &FE82 1330 .next2% 1860 BNE next7% 1350 DEY 1870 DEY 1360 BNE next2% 1890 RTS 1370 RTS 1900 .test7% 1380 1910 .test7% 1400 1400 ****** 1930 1410 1940 CPX #8 1420 CPX #4 1950 BCS test8% 1430 BCS test4% 1960 1Aeeed 1440 .next3% 1980 LDA &FE20 \ Video ULA 1440 LA & SC00, Y \ Low RAM 1990 DA &FE20 \ Video ULA 1440 LA & SC00, Y \ Low RAM				CFX #7	
1280 ****** 1810 1290 .next7% 1300 CPX #3 1930 LDA &FE80 \ Disc Controll 1310 BCS test3% 1840 LDA &FE80 \ Disc Controll 1320 .next2% 1850 LDA &FE82 1330 .next2% 1860 LDA &FE82 1340 LDA &CFA5,Y \ High RDM 1870 DEY 1350 DEY 1880 BNE next7% 1350 DEY 1890 RTS 1370 RTS 1900 .test7% 1370 RTS 1920 .test7% 1370 RTS 1920 .test7% 1380 BCS test3% 1920 .test7% 1400 ****** 1930 .test7% 1410 .next3% 1920 .test7% 1420 CPX #4 1950 BCS test8% 1430 .next3% 1980 LDA &FE20 Video ULA 1440 .next3% 1980 LDA &FE21 Video ULA 1450 .next3% 2020 RTS <td></td> <td>.test2%</td> <td></td> <td></td> <td></td>		.test2%			
1300 CPX #3 1930 LDA &FE80 \ Disc Controll 1310 BCS test3% 1840 LDA &FE81 1320 .next2% 1860 LDA &FE82 1330 .next2% 1860 LDA &FE82 1340 LDA &CFAS,Y \ High ROM 1870 DEY 1350 DA &CFAS,Y \ High ROM 1870 DEY 1350 DA &CFAS,Y \ High ROM 1870 DEY 1350 DA &CFAS,Y \ High ROM 1870 DEY 1350 DEY 1880 BNE next7% 1350 NTS 1900 1900 1370 RTS 1900 1910 1380 .test3% 1920 ****** 1400 ****** 1930 1410 1420 LDA &FE37 1920 1 1410 1940 CPX #8 1420 1440 1940 DA &FE20 Video ULA 1440 1970 .next7% 1440 1440 LDA &CO0,Y & Low RAM 1970 LDA &FE20 Video ULA 1460 LDA &C000	1280	*****	1810		
1310 BCS test3% 1840 LDA &FE81 1320 1850 LDA &FE82 1330 .next2% 1860 LDA &FE84 1340 LDA &CFA5,Y \ High RDM 1870 DEY 1350 DEY 1880 BNE next7% 1360 BNE next2% 1890 RTS 1370 RTS 1900 - 1380 1910 .test7% - 1400 ****** 1970 .test7% 1400 ******* 1970 .test7% 1410 1940 CPX #8 - 1410 1940 CPX #8 - 1420 CPX #4 1950 BCS test8% 1430 BCS test4% 1970 .next7% 1440 1970 .next7% 1980 LDA &FE20 Video ULA 1440 .next3%			1820		
1320 1850 LDA &FE82 1330 .next2% 1860 LDA &FE84 1340 LDA &CFA5,Y \ High RDM 1870 DEY 1350 DEY 1880 BNE next7% 1360 BNE next2% 1890 RTS 1370 RTS 1900 .test7% 1380 910 .test7% 1890 1380 1910 .test7% 1900 1380 1910 .test7% 1900 1410 1920 ******* 1920 1410 1970 .test7% 1970 1410 1970 .next7% 1960 1440 1970 .next7% 1960 1440 .next3% 1960 LDA &FE20 \ Video ULA 1440 .next3% 1970 .next7% 1450 .next3% 1970 .test8% 1440 .next3% 2000 DEY .test8% .test8% .test8% 1460 LDA &C00, Y \ Low RAM 1990 LDA &FE08 .ACIA 1500 .test4% 2030<					\ Disc Controlle
1330 .next2% 1860 LDA &FE84 1340 LDA &CFA5,Y \ High RDM 1870 DEY 1350 DEY 1880 BNE next7% 1360 BNE next2% 1890 RTS 1370 RTS 1900 1380 1910 .test7% 1390 test3% 1920 1410 1920 ****** 1400 ****** 1930 1410 1940 CPX #8 1420 CPX #4 1950 1430 next3% 1980 1440 DA &C000,Y & Low RAM 1990 1440 BNE next3% 2010 1440 BNE next3% 2020 1510 .te		BCS test3%			
1340 LDA &CFA5,Y \ High RDM 1870 DEV 1350 DEY 1880 BNE next7% 1360 BNE next2% 1890 RTS 1370 RTS 1900 1380 1910 .test7% 1370 rts 1920 1380 1920 ****** 1400 ****** 1930 1410 .test3% 1920 1410 .test3% 1920 1410 .test3% 1950 1420 CPX #4 1950 1420 CPX #4 1950 1440 .next3% 1960 1440 .next3% 2010 1440 .next3% 2000 <td></td> <td></td> <td></td> <td></td> <td></td>					
1350 DEY 1880 BNE next7% 1360 BNE next2% 1890 RTS 1370 RTS 1900 1380 1910 .test7% 1390 .test3% 1920 1400 ****** 1930 1410 .test3% 1920 14400 ****** 1930 14400 ****** 1930 14400 ****** 1930 14400 ****** 1930 14400 ****** 1950 14400 ****** 1950 1450 .next3% 1960 1440 1970 .next7% 1450 .next3% 1980 LDA &FE20 1440 1970 .next7% 1440 LDA &C000,Y & Low RAM 1970 .next7% 1440 LDA &C000,Y & Low RAM 1970 LDA &FE20 Video ULA 1440 LDA &C000,Y & Low RAM 1970 .test7% 1480 BNE next3% 2010 BNE next7% 2020 RTS 1500					
1360 BNE next2% 1890 RTS 1370 RTS 1900 1380 1910 .test7% 1390 .test3% 1920 1400 ****** 1930 1410 1940 CPX #8 1420 CPX #4 1950 1410 1940 CPX #8 1420 CPX #4 1950 1440 1970 .next7% 1450 .next3% 1980 1440 1970 .next7% 1450 .next3% 1980 1440 1970 .next7% 1450 .next3% 1980 1440 DA &FE20 Video ULA 1440 .next3% 2000 1440 DEY 2000 DEY 1440 .next3% 2010 BNE next7% 1440 ENE next3% 2020 RTS 1500 .test4% 2030 .test8% 1520 V****** 2050 ****** 1530 BCS test5% 2070 LDA &FE08					
1370 RTS 1900 1380 1910 .test7% 1390 .test3% 1920 1400 ****** 1930 1410 ****** 1930 1410 ****** 1930 1410 ****** 1930 1410 1940 CPX #8 1420 CPX #4 1950 1430 BCS test4% 1960 1440 .next7% 1960 1440 .next7% 1960 1440 .next3% 1960 1440 .next7% 1960 1440 .next3% 1960 1440 .next3% 1960 1440 .next3% 1960 1440 .next3% 1980 1440 .next3% 1980 1470 DEY 2000 DEY 1470 DEY 2000 DEY 1480 BNE next3% 2010 BNE next7% 1500 .test4% 2030 1 1510 .test4% 2060					
1380 1910 .test7% 1370 .test3% 1920 ****** 1400 ****** 1930 1410 1940 CPX #8 1420 CPX #4 1950 BCS test8% 1430 BCS test4% 1960 1970 .next7% 1440 .next3% 1980 LDA &FE20 \Video ULA 1440 .next3% 1980 LDA &FE21 \Video ULA 1440 .next3% 2000 DEY 1480 BNE next3% 2000 EY 1480 BNE next3% 2010 BNE next7% 2020 RTS 1500 .test4% 2030 .test8% .te				KIS	
1390 .test3% 1920 ****** 1400 ****** 1930 1410 1940 CPX #8 1420 CPX #4 1950 BCS test8% 1420 CPX #4 1950 BCS test8% 1430 BCS test4% 1960	1380			.test7%	
1410 1940 CPX #8 1420 CPX #4 1950 BCS test8% 1430 BCS test4% 1960 1440 1970 .next7% 1450 .next3% 1980 LDA &FE20 \ Video ULA 1460 LDA &C00,Y \ Low RAM 1970 .next7% 1440 .next3% 1980 LDA &FE21 \ Video ULA 1460 DA &C00,Y \ Low RAM 1970 .next7% 1440 .next3% 2000 DEY \ 1440 BNE next3% 2010 BNE next7% 2010 1470 RTS 2020 RTS	1390	.test3%			
1420 CPX #4 1950 BCS test8% 1430 BCS test4% 1960 1440 1970 .next7% 1450 .next3% 1980 LDA &FE20 \ Video ULA 1440 1970 .next7% 1450 .next3% 1980 LDA &FE20 \ Video ULA 1440 LDA &C00,Y \ Low RAM 1990 LDA &FE21 1440 BNE next3% 2010 BNE next7% 1480 1480 BNE next3% 2010 BNE next7% 1490 1490 RTS 2020 RTS 1500 1500 .test4% 2050 ****** 1520 1510 .test4% 2050 ****** 1520 .****** 2050 ****** 1530 .test5% 2060 LDA &FE08 \ ACIA 1550 BCS test5% 2080 LDA &FE09 1560 1560 .next4% 2100 BNE test8% 1580 1570 .next4% 2120 1600 BNE next4% 110 1560 <td></td> <td>*****</td> <td>1930</td> <td></td> <td></td>		*****	1930		
1430 BCS test4% 1960 1440 1970 .next7% 1450 .next3% 1980 LDA &FE20 \ Video Video ULA 1460 LDA &C00,Y \ Low RAM 1990 LDA &FE21 \Video ULA 1460 LDA &C00,Y \ Low RAM 1990 LDA &FE21 \Video ULA 1470 DEY 2000 DEY \Video ULA 1480 BNE next3% 2010 BNE next7% 2020 RTS 1500 .test4% 2040 .test8% \Video \Video ULA 1510 .test4% 2050 ****** \Video					
1440 1970 .next7% 1450 .next3% 1980 LDA &FE20 \ Video ULA 1460 LDA &C00,Y \ Low RAM 1970 LDA &FE21 1470 DEY 2000 DEY 1480 BNE next3% 2010 BNE next7% 1490 RTS 2020 RTS 1500 2030 1510 .test4% 1520 .test4% 2060 .test8% 1520 ***** 2060 .test8% 1520 .test4% 2060 .test8% 1530 .test5% 2060 .test8% 1550 BCS test5% 2080 LDA &FE08 \ ACIA 1550 BCS test5% 2080 LDA &FE09 .test8% 1560 .next4% 2100 BNE test8% .test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 .test8% .test8% 1600 BNE next4% 2130 .test8% .test8% 1610 RTS 2140 NEXT				BCS test8%	
1450 .next3% 1980 LDA &FE20 \ Video ULA 1440 LDA &C00,Y \ Low RAM 1990 LDA &FE21 1470 DEY 2000 DEY 1480 BNE next3% 2010 BNE next7% 1490 RTS 2020 RTS 1500 2030 2030 1510 .test4% 2040 .test8% 1520 ****** 2050 ****** 1530 2060 2060 1540 CPX #5 2070 LDA &FE08 \ ACIA 1550 BCS test5% 2080 LDA &FE09 \ 1560 .next4% 2100 BNE test8% \ 1570 .next4% 2100 BNE test8% \ 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 \ \ 1600 BNE next4% 2130 J \ 1610 RTS 2140 NEXT \ 1620 2150 ENDPROC \ \		BCS test4%			
1460 LDA &C00,Y \ Low RAM 1990 LDA &FE21 1470 DEY 2000 DEY 1480 BNE next3% 2010 BNE next7% 1490 RTS 2020 RTS 1500 2030 2030 1510 .test4% 2040 .test8% 1520 ****** 2050 ****** 1530 .test4% 2060 2060 1540 CPX #5 2070 LDA &FE08 \ ACIA 1550 BCS test5% 2080 LDA &FE09 1560 .next4% 2100 BNE test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 1600 1610 RTS 2140 NEXT 1620 2150 ENDPROC 2150		nov+7%			N 115 des 110 0
1470 DEY 2000 DEY 1480 BNE next3% 2010 BNE next7% 1490 RTS 2020 RTS 1500 2030 2030 1510 .test4% 2040 .test8% 1520 ****** 2050 ****** 1530 .test4% 2060 .test8% 1530 .test5% 2060 .test8% 1550 BCS test5% 2070 LDA &FE08 \ACIA 1550 BCS test5% 2080 LDA &FE09 .test8% 1560 .next4% 2100 BNE test8% .test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY .test4% .test8% .test8% 1590 DEY .test4% .test8% .test8% 1590 DEY .test4% .test8% .test8% 1600 BNE next4% .test8% .test8% .test8% 1610 RTS .test8% .test8% .test8% 1620 .test4% .test8%					VIDEO ULA
1480 BNE next3% 2010 BNE next7% 1490 RTS 2020 RTS 1500 2030 2030 1510 .test4% 2040 .test8% 1520 ****** 2050 ***** 1530 2060 2060 1540 CPX #5 2070 LDA &FE08 \ ACIA 1550 BCS test5% 2080 LDA &FE09 1 1560 2090 DEY 1 1 1570 .next4% 2100 BNE test8% 1 1580 STA &7800,Y \ High RAM 2110 RTS 1 1590 DEY 2120 1 1 1 1 1600 BNE next4% 2130 1					
1490 RTS 2020 RTS 1500 2030 1510 .test4% 2040 .test8% 1520 ****** 2050 ****** 1530 2060 2060 2060 1540 CPX #5 2070 LDA &FE08 \ACIA 1550 BCS test5% 2080 LDA &FE09 1560 1560 2090 DEY 1570 .next4% 2100 BNE test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 1590 1590 DEY 2120 1 1600 BNE next4% 2130 1 1610 RTS 2140 NEXT 1620 1					
1500 2030 1510 .test4% 2040 .test8% 1520 ***** 2050 ***** 1530 2060 1540 CPX #5 2070 LDA &FE08 \ ACIA 1550 BCS test5% 2080 LDA &FE09 1560 2090 DEY 1570 .next4% 2100 BNE test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 1600 BNE next4% 2130 J 1610 RTS 2140 NEXT 1620 2150 ENDPROC					
1520 ****** 2050 ****** 1530 2060 2060 1540 CPX #5 2070 LDA &FE08 \ ACIA 1550 BCS test5% 2080 LDA &FE07 1560 2090 DEY 1570 .next4% 2100 BNE test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 1 1600 BNE next4% 2130 J 1610 RTS 2140 NEXT 1620 UPPROC 2150 ENDPROC					
1530 2060 1540 CPX #5 2070 LDA &FE08 \ ACIA 1550 BCS test5% 2080 LDA &FE09 1560 2090 DEY 1570 .next4% 2100 BNE test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 1 1600 BNE next4% 2130 J 1610 RTS 2140 NEXT 1620 V 2150 ENDPROC					
1540 CPX #5 2070 LDA &FE08 \ACIA 1550 BCS test5% 2080 LDA &FE09 \ACIA 1560 2090 DEY \ACIA \ACIA 1570 .next4% 2100 BNE test8% \ACIA 1580 STA &7800,Y \ High RAM 2110 RTS \ACIA 1590 DEY 2120 \ACIA \ACIA 1600 BNE next4% 2130 J \ACIA 1610 RTS 2140 NEXT \ACIA 1620 \ACIA \ACIA \ACIA \ACIA		/*****		/*****	
1550 BCS test5% 2080 LDA &FE09 1560 2090 DEY 1570 .next4% 2100 BNE test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 1600 BNE next4% 2130 J 1610 RTS 2140 NEXT 1620 2150 ENDPROC		ODV HE			
1560 2090 DEY 1570 .next4% 2100 BNE test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 1600 BNE next4% 2130 J 1610 RTS 2140 NEXT 1620 2150 ENDPROC					(ACTA
1570 .next4% 2100 BNE test8% 1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 1600 BNE next4% 2130 J 1610 RTS 2140 NEXT 1620 2150 ENDPROC		DLS TESTO/			
1580 STA &7800,Y \ High RAM 2110 RTS 1590 DEY 2120 1600 BNE next4% 2130 3 1610 RTS 2140 NEXT 1620 2150 ENDPROC		nevt47			
1590 DEY 2120 1600 BNE next4% 2130 1 1610 RTS 2140 NEXT 1620 2150 ENDPROC					
1600 BNE next4% 2130 3 1610 RTS 2140 NEXT 1620 2150 ENDPROC					
1610 RTS 2140 NEXT 1620 2150 ENDPROC				3	
1620 2150 ENDPROC					
1630 .test5%				ENDPROC	
	1630	.test5%			

......

0

....

.

ATOM

See 'Atomic Text', page 143

0	
	Alex Wilson's 'Wordprint' wordprocessing program for the Atom with Star Gemini X10 printer connected
0	
	10 6.2
0	17 REM SAVE
	20sF.I=0 T09;I?#2984=32;N.;IN."FILENAME"\$D;L=LEND 22 I=0;D0;I?#2984=I?D;I=I+1;U.(I=L ORI=9)
	22 I=0;D0;I?#2984=I?D;I=I+1;U.(I=L ORI=9)
0	26 *SAVE"1234567890"8200 8202 8200
-	DT C-#0202.T-I#00.E-FOUT"".WATT.BELTE #44.WATT.PLITE T.E N=S TOT
	28 BPUTF, ?N:N.
	30 R.
	39 REM LOAD
	401P."LOAD DATA TAPE PRESS CTRL WHEN NAME SHOWS"
	41 *CAT
-	44 S=#8202;F=FIN";DD;U.BGE1F=#AA;F.N=S 10(GE1F);/N=BGE1F;N.
0	46 ?#80=?#8202; ?#81=?#8203
0	50 R. 5250=0.IN "0 K "#D.IF2D-70.0-1
	52bQ=0;IN."O.K."\$D;IF?D=78;Q=1
•	55 REM WRITE TEXT
	55 REM WRITE TEXT 56aS=#8204; P.\$12"TEXT"?
	58dIN.\$B;GOS.b;K=LENB;IF?B=90;IFB?1=90;G.62
0	59 IFQ=0; I=0; D0; S?I=B?I; I=I+1; U. I=K; S=S+K; ?S=13
	LO TERNARTON IN WIEYT REACE FULL MAD. 6 42
	61 G.d
	62 R.
	71 P.\$17; P.\$3; G.y
	72 999 aNYSTREET, *aNYTOWN, *aNYCOUNTY, *aNYCODE*01 999 9999*
0	73 REM REMOVE ALLSPACES AND REMS UP TO LINE 71
	BOcI=0;DD;B?I=S?I;I=I+1;U.I=29
	82 B?29=13;F." "\$B';L=LENB;S=S+L;J=J+1
	86 IFS>=!#80;E=0
	88 R.
	89 REM INSERT CONTROLS
	92 B?X=45: X=X+1: B?X=1: R.
	93 B2X=53-B
	94 B?X=87;X=X+1;B?X=1;Y=2;?#86=1;R.
0	123 B?X=83;X=X+1;B?X=0;R.
	124 B?X=45;X=X+1;B?X=0;R.
•	125 B?X=83;X=X+1;B?X=1;R.
	126 B?X=84;R.
	127eS=#8204;U=S;REM EDIT
•	128nJ=0;T=5;P.\$12" 1 2"'
	129 P." 01234567890123456789012345678"';E=1
	130 @=0; P. J; 60S. c; U=T
	131 IFE=1;IFJ>9;6.133 132 IFE=1:6.130
	132 IN. "A.B.D. I.N. Z"\$D; F=?D; IFF=90; R.
	134 IFF<65 ORF>90; P. \$11; G. 133
	135 IFF<>66;6.138
0	136 IFU>#8204;U=U-290;S=U;T=U;G.n;REM BACK
	137 P. "CAN'T GO BACK"'\$11\$11;6.133
0	138 IFF<>78;G.m
	140 IFE=0; P. "END OF TEXT "'\$11\$11; G.133
	141 U=1;6.n
•	142mIN. "WHICH LINE"\$D;C=VALD;IFC<0 ORC>9;F.\$11;G.m
	1440IN. "WHICH COLUMN"\$D;A=VALD;IFA<0 ORA>28;P.\$11;5.0
	146 S=T+29*C+A;R=!#80 148 IFF=68:6.160
•	148 IFF=88;6.180 149 P. "TEXT"; REM INSERT, AMEND
0	150 IN.\$B;L=LENB;GOS.b;IFU=1;G.150
-	151 IFF=65:6.154
•	
0	Continued >



1		Continued
	0	
1	0	152 V=R+L; !#80=V; DD; ?V=?R; V=V-1; R=R-1; U.R=S-1
		154 I=0;D0;S?I=B?I;I=I+1;U.I=L;S=T;G.n
1	0	160 IN. "DELETE HOW MANY"\$D;G=VALD;IFG<0;P.\$11\$11;G.160
1		
		162 DD; ?S=S?G; S=S+1; U. (S+G) =R; ?S=13; !#80=S
		164 S=T;6.n
1		189 REM SINGLE/DOUBLE STRIKE, EMPHASISED
		190u?#8D=0;?#92=0;P."OUTPUT TO PRINTER"''1 SINGLE"'
1		192 IN. "2 DBLE.STRIKE"' "3 EMPHASISED"\$D;R=VALD;IFR<1 ORR>3;Q=1
	0	194 IFR=2;?#8D=1
		195 IFR=3: ?#92=1
	100	196 R.
		199 REM PRINT STYLE
1	•	200p?#85=0;?#88=0;?#8B=1;Q=0;GOS.u;IFQ;G.p
		210 IN. "1 10CPI"' "2 12 CPI"' "3 17CPI"*D; P=VALD; IFP<1 ORP>3; 6.210
	C	212 ?#90=P; IFP=1; ?#87=80; 5.r
		214 IFP=2;?#87=96;6.r
1		216 ?#87=136
	-	230rIN."LEFT HAND MARGIN"\$D;M=VALD;IFM<0 ORM>20;6.r
		232 IFM=10;M=9
		240 ?#8A=M;P."DEFAULT IS 60 LINES"?
	•	242 IN. "MAX.NO.OF LINES PER PAGE"\$D;L=VALD;IFL=0;L=60
		244 ?#89=L
		250 P. "MAX.ND.OF LETTERS PER LINE IS"? ?#87-2*M?
	-	252 IN. "NO.OF LETTERS PER LINE"\$D:C=VALD:IFC=0:C=?#87-2*M
		254 IN. "DOUBLE SPACED Y/N"\$D: IF?D=89: ?#8B=2
		260 ?#8C=C; IN. "DATE REQUIRED Y/N"\$D; IF?D=89; ?#88=1
1	-	270 IN. "DO YOU WANT ADDRESSED HEADING Y/N"\$D; IF?D=78; R.
	-	
		272 IF?D=13;6.270
		280 ?#85=C-M;GOS.f;R.
	0.9	299 REM PRINT TEXT
		300qL=?#89;M=?#8A;K=?#8B;C=?#8C
		302 IN."SET UP PAPER"?"PRESS RETURN TO START"\$D;IF?D<>13;6.q
		310 P.\$2;60S.x;U=0
	0	314 IF?#85=0; 6.321
1		316 Z=9; P. \$9; U=0; S=#2B63; GOS.g; U=U+4*K
		321 IF?#88=0; 6.330
		322 S=#97E0; GOS. v
	-	330 Z=0; IF?#85=0; 6.h
	A	332 S=#28A0; 605.g: P.'''; U=U+3*K
		350hS=#8204; T=?#80+?#81*256; C=C+1
		360jIFUKL;6.k
		364 P.\$19\$3; IN. "END OF PAGE"' "ADJUST PAPER"\$D; U=0
	0	366 P.\$2\$17
1		370kIFS>=T;G.400
1	0	380 GOS.v;S=S+V+2
1		390 G.j
		400 P.\$19\$3\$12;IN."ANY MORE COPIES WANTED Y/N"\$D
1		410 IF?D=78;R.
	•	420 605.u;6.q
1	0	430 60S.f
	-	434 IN. "INSERT ENVELOPE, PRESS RETURN"\$D;?#93=M;?#92=1:K=1:M=20
	0	436 P.\$2;605.x;S=#28A0;C=20;605.g;M=?#93;F.\$27\$70\$19\$3;R.
		449 REM DUTPUT STRING
1	(A)	450vV=0; X=0; Y=1; W=0; IF?#86=1; Y=2
1	-	452 DD:E=S?V:IFE<64:G.w
	•	
1		
	0	
	0	
1	•	
1		
1	0	

ATOM

•

•••••

•

• • • • • 0 • • • • . 0 0 0 • • • • • • • • • • • • • 0 0 0 0 0

•	
•	
•	453 IFE>64; IFE<91; E=E: #20; 6.w
•	454 IFE>96; IFE<123; E=E: #20; G. w
•	456 IFE>90; IFE<95; B?X=27; X=X+1; GOS.E; G.i 457 IFE>120; IFE<127; B?X=27; X=X+1; GOS.E; G.i
	458 IFE=96; B?X=27; X=X+1; B?X=87; X=X+1; B?X=0; Y=1; ?#86=0; 6. i
•	460w B?X=E;W=W+Y
•	461i V=V+1;X=X+1 462 U.(W>=C OR E=42 OR E=13)
•	463 IFE=42; X=X-1; V=V-1
	464 IFW>=C;DD;V=V-1;U.V?S=32;DD;X=X-1;U.B?X=32
•	465 B?X=13; IFZ>0; P. \$9
•	466 F=B;DD;A=?F;LINK#FF10;F=F+1;U.A=13 467 U=U+K;IFK>1;P.'
•	468 V=V-1;R.
•	469 REM SET UP PRINTER
	470xP.\$17\$27\$64;IF?#85>0;T=?#85;P.\$27\$68\$(T)\$0 472 IF?#8D=1;P.\$27\$71;REM DBLE. STRIKE
•	474 P.\$27\$77\$(M); IF?#92=1; P.\$27\$69; ?#90=1; REM MARGIN, EMPHASISED
•	476 F. I=#8E TO#91; A=?I; LINK#FF10; N.
•	478 P.'\$27\$55\$0\$27\$61;R.;REM USA, MSB=0 479 REM ENVELOPE
	480fIN. "NEW ADDRESS Y/N"\$D; IF?D=78; R.
•	482 S=#28A0; P. "TYPE NAME AND ADDRESS"'; GOS.d; S=S+1
•	484 ?S=13;R. 490g605.v;S=S+V;IF?S=13;R.
•	492 S=S+2;6.g
	499 REM START
•	500zD=#2800;S=#8204;!#80=S;?#8200=13;?#8201=-1;B=#2810 505 ?16=#51;?17=#2B;P=100;!#8E=#1421B
•	510 F=#97E0; IN. "DATE"\$F
•	520yP.\$12"1 WRITE TEXT"'"2 EDIT TEXT"'"3 PRINT TEXT"'
	522 P."4 SAVE TEXT"'"5 LOAD TEXT"'"6 REVIEW TEXT"' 523 P."7 ENVELOPE"'"8 END"'
	524 IN.\$D;C=VALD;IFC<1 ORC>8;G.y
•	526 G. (530+20%C)
•	550 IN."1 NEW TEXT"'"2 ADDITIONAL TEXT"\$D;C=VALD 552 IFC<1 ORC>2;6.550
	554 G. (556+C)
	557 GOS.a;!#80=S;G.y
•	558 S=!#80;60S.d;!#80=S;6.y
•	570 GOS.e;G.y 590 IFP=100;GOS.p
•	592 IN. "CHANGE PRINT STYLE Y/N"\$D; IF?D=89; GOS.p
	594 GOS.q;G.y; 610 GOS.s;G.y
	630 GDS.1;G.y
•	650 S=#8204;E=1
•	651 J=0;P.\$12
	652 GOS.c; IFE=1; IFJ>9; GOS.680; IFE=1; G.651 656 IFE=1; G.652
	660 605.680
•	664 G. y
•	670 GDS.430;G.γ 680 IN.\$D;IF?D=90;E=0;R.
	682 IF?D=67;U=S;GOS.n
	684 R.
	690 E.
•	
•	
•	

.

0

•

•

111

•

FIRMWARE REVIEWS

See 'Toolkits on Trial', page 157

.

	Chine code REM *** SPACE REMOVER
20	before=&70
	after=%72
	Count=&74 FOR pass=0 TO 3 STEP3
	P%=&900
	COPT pass
	LDA #O
	STA after STA before
	STA count
	STA count+1
	LDA &18 STA after+1
	STA before+1
	.outer
170	LDY #1
	JSR transfer CMP #&FF
	BEQ all_done
210	JSR transfer
	JSR transfer
230	.inner LDA (before),Y
	CMP #ASC" "
260	BEQ space
	JSR transfer
	BEQ end_of_line CMP #%22
300	BEQ inside_quote
310	BNE inner
	.space INC before
	BNE update
350	INC before+1
	.update
	INC count BNE inner
390	INC count+1
	BNE inner
	.end_of_line DEY
	TYA
440	PHA
	CPY #3
450	BEQ clear LDY #3
	STA (after),Y
490	CLC
	ADC after
	STA after BCC clear
530	
	.clear
550	
	CLC ADC before
	STA before
	BCC outer
	INC before+1
	BNE outer .inside_quote
	JSR transfer
	BEQ end_of_line
650	CMP #822


870 .zero 880 LDA count

Listing 1. Utility in Basi the resident integer var hexadecimal	c to list the values assigned to all riables in decimal and
	NTEGER DUMP **) Acorn User **
30 FDR 100p=	
40 !1000=RND 50 NEXT	
60 PROCvar_d	ump
70 END 80 :	
500 DEF PROCV	ar_dump
510 CLS	(131);SPC(5);"Integer Var
iable Dump"	(131);SFC(D); Integer var
530 PRINT' "Va	r Hex Deci
mal" 540 VDU 28,0,	24,39,3
550 ascii=ASC	"A"
	&404 TC &468 STEP4 (ascii);"% ";
580 PRINT~!10	op;"";
590 PRINT!loo 600 ascii=asc	
610 NEXT	
620 VDU 26	
630 ENDPROC	
Contraction of the second s	CARLES AND
660 BNE inside_quote	890 JSR hexout
670 BEQ inner	900 BRK
680 .transfer	910 EQUW &OBOB
690 LDA (before),Y	920 EQUD &09090909 930 EQUS" spaces removed
700 STA (after),Y 710 INY	940 EQUB 13
720 CMP #13	950 BRK
730 RTS	960 RTS
740 .all_done	970 .hexout
750 LDA after 760 CLC	980 PHA 990 LSR A: LSR A
770 ADC #2	1000 LSR A: LSR A
780 STA &12	1010 JSR digit
790 LDA after+1	1020 PLA
800 ADE #0	1030 .digit
810 STA &13 820 LDA #ASC"&"	1040 AND #15 1050 CMP#10
830 JSR &FFEE	1060 BCC over
840 LDA count+1	1070 ADC #6
850 BEQ zero	1080 .over
860 JSR hexout 870 .zero	1090 ADC #48 1100 JMP &FFEE
870 JDA count	1110 J:NEXT

1110 3:NEXT

ACORN USER OCTOBER 1984





Update on the NFS chip, better security for data files, testing the RS423 port, finding the file length – presented by Bruce Smith

The NFS chip:

more differences

SINCE writing the DNFS review (Beeb Forum, August), Robin Newman brings to our attention two further unpublished differences from the existing DFS and NFS chips. He writes...

The first concerns the use of the *DESTROY and *BACKUP commands. When using DFS 0.9 these have to be preceded immediately with a *ENABLE command, due to their potentially drastic effects. With DNFS this *ENABLE can be omitted, in which case the promp GO (Y/N) ?' follows the issuing of the command. A 'Y' sends it on its merry way, and any other key aborts the command. This is particularly useful with the *BACKUP command because the information 'copying from :0 to :2' (or whatever the relevant drives are) is printed before the prompt 'GO (Y/N) ?' is issued. This gives a chance for the command to be aborted if the source and destination drives have been typed in the wrong order.

The second difference concerns the NFS half of the chip. Recently I have written a Network version of the *BUILD fname' command contained in the DFS chip. This is useful for forming BOOT files etc for use on the network. To extract the filename 'fname' from the end of the command line, I have used OSARGS with A=1 (see my example in Beeb Forum, May 1984, listing 1). The 'old' NFS 3.34 incorrectly returns the address of the START of the command line, ie the byte containing the B of BUILD in this case. NFS360 (contained in DNFS) correctly returns the address of the f of fname.

The problem is that one has to accommodate both protocols. Listing 1 shows how I have done this. It is not very elegant, requiring a direct peek at the NFS ROM to determine which version it is. Does anybody know a call that returns the NFS version running in the local machine?

I hope this information will be of use to DNFS users, and that the second one

10 REM excerpt from Net #BUILD command utility by R.Newman 20 osargs=&FFDA:pb%=&70 113


80 .start LDA#1:LDY#0:LDX#pb%:JSR osargs \ get command line pointer 90 LDA &B004:CMP#&AF:BNE not334 \ check if NFS3.34 100 LDY#0 \ NFS3.34 so search for first space after BUILD 110 .nextchar LDA(pb%),Y:CMP#13:BEQ error \ error if end of line found 120 CMP#32:BEQ nextchar2 \ branch if space found

130 INC pb%:BNE nextchar \ increment pointer and force branch back 140 .nextchar2 LDA(pb%),Y:CMP#32:BNE not334 \ now search for first non-space character; branch if found

150 INC pb%:BNE nextchar2 \ increment pointer and force branch back 160 .not334 \ rest of program follows. pb% now points to f of fname

Listing 1. Code showing how both protocols can be accommodated when it is entered at start by typing *BUILD fname

will prevent others wasting time finding a bug not of their own making. It is good that Acorn has made the new NFS and DFS versions compatible as far as this OSARGS call is concerned. It would have been even better had they let everyone know about it!



ELLIS THOMAS's ideas on cursor editing from within a running program (Beeb Forum, August) stimulated some thought. Adrian Robson of Hexham, Northumberland, writes...

The method described could be very useful for some applications but, in the case of file copying, it has a major failing in that it does not obtain the true file name. Let me explain . . .

A method of providing your programs and data files with greater security is to use non-alphanumeric ASCII codes in the file name. For example 240, which is 'p' in mode 7. To

do this you must use an OSFILE call to create the file. Anyone subsequently using LOAD or *LOAD on the file will find that the file name prints on the screen with '?' for the non-alphanumeric ASCII codes. They will be unable to save the file using SAVE or *SAVE, with the correct file name. Even if they knew the file name, they would be unable to enter it directly from the keyboard.

In operation two methods are available for providing the required security: the program could be executed by using CHAIN"", thus avoiding the non-ASCII characters in the file name. The program checks that bytes &3B2-&3BD contain the expected file name and refuses to run correctly if it does not. OSBYTE &A0 can, of course, be used to access the name.

The second method, applicable to data and machine code files, is to load the file via an OSFILE call using the correct name in the control block. However, the former method is recommended as it causes greater confusion to the illicit copier.

This technique can also, of course,

Beeb Forum is a platform for ideas, tips and applications relating to the BBC micro and the Electron, intended for experienced programmers to share their thoughts. For every reader's tip published we pay $\Sigma5-$ or more for something special. Contributions should be typed or printed, with substantial listings on cassette. WRITE TO Beeb Forum, Acorn User, Redwood Publishing, London WC2E 9JH.

BEEB FORUM


be used for data or machine code files.

Now we obviously require a method of taking legitimate back-ups of our protected files and it is equally obvious that the cursor editing method will not work in this case. The only method available involves access to page three and using an OSFILE call to save the file. This has the additional advantage of simplicity compared with the cursor editing method.

The comment that cursor editing will minimise problems with new OS releases is valid. However, it is more likely that the screen format of the *OPT 1,2 load message will change on future releases rather than the internal header block format or location. Anyway, the risk and consequences of either is so minimal that they can be only a minor consideration when deciding on the best method for arranging for automatic file backup for your own programs and data.


114

In conclusion, the cursor editing method is a sophisticated means of arranging file copying, but sophistication is not an end in itself, no matter how well it is justified. To coin a phrase, the cursor editing method when applied to file copying is equivalent to using a hammer to crack a nut and then missing the nut!



ONE aspect of the Beeb not often touched on is the RS423 serial port. Perhaps this is because the pin-out diagram in the User Guide is incorrect, as John Gallagher of Carlow, Ireland, points out...

The diagram of the five-way DIN plug on page 406 of the *User Guide* is incorrect in that the indentation representing the plug case earth should be at the top of the diagram. The connections are otherwise correct...



in the User Guide. The indentation should be at the top

Alan Crabb's disc catalogue reader program is printed on yellow page 103

John also offers testing techniques...

A simple test of the operation of the RS423 output is the following. Connect pins A and B together and pins D and E together (Data out to Data in and CTS to RTS). Type in the following series of commands.


*FX2,1 < CR >

Now press any letter on the keyboard and if the serial port is operating properly the screen will print 'Syntax Error' continuously at a slow rate. The screen will also display multiple prompts. If the DIN plug is removed the screen display will halt. The test is crude but effective . . .

Finally, John provides serial connections for an Epson printer . . .

- a) Connect data out line to pin 3 of the printer.
- b) Connect data in line to pin 2 of the printer.
- c) Connect ground to pin 7 of the printer.
- d) Connect RTS to CTS.

The printer will now print in the serial mode in response to the printer-type command *FX5,2 and the switch-on command Control B or VDU2. Note that the baud transmission and reception rates may require setting using *FX8,n and *FX7,n if the default values do not match.



ALAN CRABB of Shaftesbury took up the challenge to write a program that will read a disc's catalogue and return the length of each file on it (Beeb Forum, August). Alan wins the promised £10 note. Let him explain...

The program (listing 2) as it stands will print all the files and their load/ exec/length values on the disc in drive 0. The program is completely Tube compatible and uses only 'legal' methods (routines can be written legally, not accessing the DFS catalogue directly).

The listing is fairly well documented but a few extra notes might help.

The OSWORD call with A = 7D returns the disc's 'cycle number' (the number of times the disc contents have been altered). X and Y point to a single

byte which contains the drive number and returns the cycle number.

The checks in line 370 for illegal directories test for '"' and '.'. The Acorn DFS seems to interpret the '"' in a funny way and the colon is used for drive selection.

The OSGBPB (get block, put block) may be new to most readers. It is documented on page 339-42 of the Advanced User Guide (I do not have an Acorn DFS manual – anyone got one for sale?). The call with A = 8 is used to 'read file names from the current directory' – hence the loop through all normal directories at line 340. The parameter block pointed to by XY is set up as follows:

- 0 Cycle number
- 1-4 Pointer to block for return of names
- 5-8 No. of files to be read decremented by DFS
- 9–C Initially 0, incremented in eights by DFS

The data is returned in the format: length of filename1

- filename 1
- length of filename2
- filename2...

The length is always 7 and filenames end in spaces if they are shorter.

Finally, lines 800-860 print all the information using functions returning the load, exec and length of each file. The functions may be extracted but be sure to define some workspace for them.



RĚADERS may be interested to see the assembler routine in the Beeb Forum suggestion for August, 'Printer on, printer off', page 65, reduced from 67 to 14 bytes, writes Robin Tracy of Sutton, Surrey.

10	REM Printe	2t	Fog	pler - Utility
20	P% = 8400			
30	L OPT 0			
40	LDA #126	1	JSR	8.FFF4
50	LDA &70		EDR	#1 : STA &70
60	JMP SFFEE		1	
70	78.220=5.0	3	REM	Interrupt Address
80	78.221=8A			
99	78.70=3	4	REM	Frinter Off
00	*FX14 6	2	REM	Enable ESC event

In general, Exclusive OR (EOR) does not seem to be as widely applied as it might be. EOR can be used to toggle between any two integer values. There is usually a saving in space too.

Suppose you wish to toggle between 'n' (ASCII 110) and 'y' (ASCII 121) then Exclusive OR does it neatly.

105 X = 110 110 REPEAT

110 KE-EX 20 x = X EOR 23 : REM Will toggle X between 121 and 110 130 VDU X 140 UNTIL FALSE

To discover '23' enter the line

P. 121 EOR 110.



HIGH RESOLUTION THAT COMES HIGHLY RECOMMENDED.

"There is no doubt that the JVC range of ECM colour monitors is excellent value for money ... here is no loss in quality of picture after long periods ... and remember, as more and more resolution is available with new micros, the need for a better display will be that much greater."

High recommendation indeed from Personal Computer News. Meanwhile Acorn User said:

"It seems that all 'normal' and 'medium' resolution monitors, including the Sanyo, are simply inadequate to deal with the Beeb's graphics and text output . . . The JVC was excellent, giving clear, legible results . . . Was the JVC better than the Microvitec?* Would I buy one? Yes to both questions."

Our RGB high resolution colour monitor (580 × 470 pixels) sells for &229.95 (excluding VAT) – that's a saving of over £100 compared with other leading monitors of similar specifications.

The unit has a 14" screen and is suitable for the BBC Micro, Electron, Sinclair QL, Lynx, Oric, Apple, IBM and most other leading micros.

MODEL REFERENCE	1302-2 High Resolution
RESOLUTION	580×470 Pixels
C.R.T.	14"
SUPPLY	220/240x 50/60Hz.
EHT	Minimum 19.5kv Maximum 22.5kv
VIDEO BAND WIDTH	IOMHz.
DISPLAY	80 characters by 25 lines
SLOT PITCH	0.41mm
INPUT: VIDEO	R.G.B. Analogue/TTL Input
SYNC	Separate Sync on R.G.B. Positive or Negative
EXTERNAL CONTROLS	On/off switch and brightness control

And naturally there's a year's full guarantee. If you order your monitor by post, you'll receive it within ten days by courier service.

Simply post the coupon below to: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Or telephone 01-701 8668 quoting your credit card number. Or, of course, you can buy at our showroom between 9.00–5.30pm, Monday–Friday, 9.00–1.00pm, Saturday. *Microvitec Cub 14" monitor.

To: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Please send me: High Resolution Colour Monitor(s) at

£229.95 each (ex. VAT). ___Medium Resolution Colour Monitor(s) at £179.95 each (ex. VAT).

AC28

Connection lead(s) at £6.00 each.

I understand carriage per monitor will cost an extra £7.00. (N.B.A High Resolution Monitor including VAT, lead, and carriage costs £279.39. A Medium Resolution Monitor including VAT, lead and carriage costs £221.89).

I enclose a cheque for £	Or please debit my credit card
11 1	Mr. Annen /Darolaround

account with the amount of &_____

Please state the make of your computer_

Name___

(please tick) no. is_

Address.

Telephone



To Gaddesden Place, Hemel Hempstead, Herts HP2 6EX Telephone: (0442) 63933 On the 1st August 1984

Computer Concepts are still expanding and require more machine code programmers with experience of Z80/6502 processors. For further details of vacancies write to:

> The Manager Computer Concepts Gaddesden Place Hemel Hempstead HERTS HP2 6EX





shows how data is put in order

NE OF the most frequently performed tasks in computing is sorting, but there are many different methods, as the accompanying programs illustrate. This article will assess their advantages and disadvantages, and compare their performance in various situations.

What items are to be sorted? The example programs use lists of boys and girls names, stored in an array. The sorting algorithms, however, can be applied to virtually any data which can be put in order – integers, floatingpoint numbers, strings, records with a key, for example.

Two words there need explaining. First, what is an algorithm? It is difficult to define precisely, but if you describe your method for doing something without recourse to any specific computer language, then you have probably stated the alogrithm.

Second, what is a record? It is a collection of pieces of information, all of which 'belong' to a single item – for example, a person's name, address, telephone number, age, sex, etc. Basic does not recognise records, but they are a fundamental concept in languages that deal conveniently with data processing. Most important sorting methods must be able to deal with records, and some must be able to sort records from disc or tape files.

There are two programs. Program 1 allows the various sorts to be operated by selection from a menu. Sixteen assorted names will be sorted slowly, with colour coding to help you follow the sorting process as it occurs. Program 2 consists of the sorting procedures only. They are shorn of all the frills of program 1 that allow the sorts to be watched in action. It serves two purposes: first, to allow you to see how the sorting algorithms are translated into Basic; second, to allow you to copy and adapt them for your own use, should you need to sort some data in a program of your own.

Bubble sort

The first and most commonly understood and used sort is the 'bubble' sort. There are many variations of it, but the simplest and most obviously 'bubbling' algorithm is as follows:

The starting list has n items.

Compare the bottom two items (n and n-1).

If, the lower one is smaller, swap them, otherwise do nothing.

Now compare the next two items (n-1) and n-2.

Swap, or don't swap as before, so that the smaller item ends up higher. Repeat the process until the smallest item in the list reaches the top.

Now start at the bottom again, and repeat the swapping procedure until the next smallest item is in position 2. Go on until the list is in order.

The procedures required for this are PROCbubble and PROCswap(i,j). PROCswap simply swaps the array items dest\$(i) and dest\$(j), and sets the flag 'sorted' to FALSE. This latter is a simple way of avoiding retesting already sorted items. If no swaps take place in any pass up the list, then the items must already be in order, so we should exit from the procedure.

Program 1 uses a number of conventions. Items being compared are indicated in green. When they are swapped they are shown in cyan (pale blue). When the program is run and 'bubble' is selected you will see the source list of names on the left and the destination list on the right. The items will be bubbled up from the bottom and will reach their appointed places as described above.

There are pauses generated by INKEY(waittime). These stop the program running so fast that you cannot follow it. If you still find it too fast, 'waittime' is set in PROCsetup. Increase it to 200 for a two-second pause, 300 for three seconds, and so on. If you want to 'single-step' the program, set it to

100,000 (or higher), then you will get the next step on hitting any key.

This seems an appropriate moment for a quick skim through program 1.

The main program is very simple. A number of variables and arrays are set up (PROCsetup), and a sorting method chosen from the menu. The sort then takes place, and you are returned to the menu after pressing any key. The last choice terminates the program. Any sort can be aborted by pressing the ESCAPE key, which returns you to the menu.

The sort names ('BUBBLE', etc) and the names to be sorted are in data statements and can be added to simply by adding items to the data statements. The number of sorts is limited to 20, and the last one must be 'END'. The number of items in the arrays is limited to 128 though this could easily be increased and the last one must be '***'. If you increase the number of names beyond 18 it will not be possible to use the 'before your very eyes' element of the program. An adaptation of the program, using the sorting procedures of program 2 but no display, was used with various numbers of data items to produce the timings in table 2, of which more anon.

The display is in mode 7 and the teletext colour characters are defined as variables (eg, red = 129) in PROCsetup. This makes the subsequent colouring easier to follow. The total number of items in the array is 'max', while the number of sorts is 'num_of_sorts'. The unsorted array is source\$() while dest\$() is the array that is sorted by the various procedures.

PROCmenu is straightforward.

FNchoose(M\$) is a useful generalpurpose function that allows you to pass a string of the form '1 to 20' or '1,2,3,4 or 5' to it, and to select only valid numbers in the stated range. Its limitations are that the left number must be between 0 and 9, and the right number must be between 1 and 999.

PROCdouble produces a heading and sets the text window.

PROCwait clears any residual colours on the destination list, and waits while you check that the sort has worked.

PROClist simply lists the destination array.

PROCsection(i,j,colour) colours a section of the array in the chosen colour.

George Hill's colour-coded sort demo and procedures are listed on pages 104–106

ACORN USER OCTOBER 1984


UNIT 14, PEERGLOW INDUSTRIAL ESTATE, OLD'S APPROACH, TOLPITS LANE, RICKMANSWORTH, HERTS. TELEPHONE: 0923 777155 🕿 01 950 0195

CARE ELECTRONICS presents: CPX2 "X" SWITCHER

- Changing leads becomes a thing of the past!!!

- ★ 26pin (As BBC) 2 Micros driving 2 Printers at the same time.
 ★ Can be used as a 'T' Switcher.
 ★ All outputs BUFFERED enabling longer leads between units.
 ★ No strain on your BBC power supply, as the 'CPX2'' comes complete with its own interval enumeration. A floostrant on your back power supply.
 * Easy to install and operate.
 * Colour Finished to match BBC.
 * Supplied with moulded mains plug.

- 12 Months Guarantee. *
 - "ONLY" £97.75 Inc VAT.



1114 + 4 515 + 4 ó ó ó

DON'T BUY A COLOUR MONITOR!!

HAVE YOUR PHILIPS 14" COLOUR TV CONVERTED TO A TV/MONITOR

"ONLY" £49.95 each inc VAT.

- * Image clarity comparable to leading monitors.
- * Includes RGB lead for connecting with BBC.
- ★ Conversions carried out at our workshops within 2/3 days.
- ★ 12 Months Guarantee.

"VIGLEN" ROM CARTRIDGE SYST Complete Set Spare Cartridge 5 Cartridges 10 Cartridges	EM BBC B: (a) 18.95 inc VAT (a) 6.75 inc VAT (a) 26.75 inc VAT (a) 47.25 inc VAT	RS232 "T" SWITCHER : @ 55. 25pin "D" 'type Connectors RS232 "X" SWITCHER : @ 65. 25pin "D" type Connectors LEADS "READY-MADE":		
"VIGLEN" TEAC 55 SLIMLINE DRIVES. SINGLE DRIVES CASED: 40/80 Track 200K Switchable 40/80 Track 400K Switchable DUAL DRIVES CASED: 40/80 Track 400K Switchable 40/80 Track 800K Switchable INTEGRAL POWER SUPPLY: Fitted to any of the above drives FLOPPY DISCS: (Boxes of Ten) Fuji D/Sided D/Density 5.25"	Inc VAT @ 165.00 @ 199.95 @ 330.00 @ 399.90 @ 28.75 25.00 @ 27.50 23.95	LEADS "READY-MADE": 6 pin DIN to 6 pin DIN plug (RGB) 1.5mt 6 pin DIN to 6 pin DIN plug (RGB) 2mt 6 pin DIN to 6 pin DIN plug (RGB) coiled 6 pin DIN plug to 6 pin DIN skt (RGB) exit BBC Power 6 way to Disc Drive 4 way 1.5 BBC Power 6 way to Disc Drive 4 way 1.7 BBC Power 6 way to Disc Drive 4 way 1.7 Monitor lead BNC to PHONO 1.2mt RIBBON LEADS: Disc Drive single Disc Drive dual Printer Parallel 26–26 pin Parallel 26–26 pin Parallel 26–26 pin Parallel 25 pin D type plug each end Serial 25 plug each end Serial 25 plug type plug type plug each end Serial 25 plug type	ension 5mt nt	Inc VAT @ 2.95 ea @ 3.40 ea @ 6.85 ea @ 3.40 ea @ 3.40 ea @ 3.40 ea @ 4.00 ea @ 4.50 ea @ 1.25 ea @ 10.30 ea @ 11.25 ea @ 11.25 ea @ 15.25 ea @ 15.25 ea @ 15.25 ea 0.40 ea
"VIGLEN" PRINTER STAND Full Twelve Months Guarantee	@ 12.95 11.26	BBC Crimp Terminals Disc Drive 4 way housing Disc Drive Crimp Terminals Various Din Connectors DISC INTERFACE PARTS: E'Prom HITACHI HN482764G Low power Schottky 74LS10 Low power Schottky 74LS38	@ 0.08 @ 0.29 @ 0.10 @ 0.40	0.09 ea 0.24 ea 0.09 ea
CAR		Low power Schottky 74LS123 Low power Schottky 74LS393 C'Mos 4013BCP C'Mos 4020BCP		@ 1.21 ea @ 1.43 ea @ 0.70 ea @ 1.00 ea
TEL: 0923 777155 01 950 0195 Or us	se your ACCES	HOW TO ORDER: r Cheque/P.O. made payal S. Allow 7 days for deliver Disc Drives and CPX2 Switcher (y. Please ad	Electronics. d carriage.
Apologies to	all our customers This prob	All other items @ 3.00 who have experienced problems lem has now been rectified by Br	s in contacting u itish Telecom.	is via the telephone.

ACORN USER OCTOBER 1984

TECHNIQUES

PROCmark(i,j,colour,pause) marks two items in the chosen colour, and if pause is TRUE (T is TRUE, F is FALSE), a pause is generated by PROCpause for 'waittime' hundredths of a second.

PROCswap(i,j) swaps two items of the destination array, and adjusts the display.

Shuttle sort

The second sort, called 'shuttle', is a variation of the bubble sort. It pushes the biggest item down to the bottom, bubbles the smallest up to the top, then pushes down the next biggest and bubbles up the next smallest. It is attractive in concept but takes the same number of passes as the bubble sort and, due to the cumbersome coding necessary, is much slower.

Insertion sort

The third sort is an 'insertion' sort, whose algorithm is as follows:

- Start with the top two items and swap them if necessary to get them in order.
- Now take the third item and *insert* it (by bubbling it up) into its correct place among the items already sorted.
- Now take the next item, and insert it in its correct place.
- Repeat till you get to the bottom item in the list.

Selection sort

The fourth sort is a selection sort. Many sorting algorithms can be adapted to be a selection sort. The principle of selection is as follows:

Do all the comparisons necessary to decide where an item goes *before* actually doing any swapping. Swap only when you know the item's destination.

This has enormous advantages in large-scale sorting operations, where the items to be sorted are complicated records and moving them is timeconsuming.

Taking this principle to its extreme, we can often avoid moving the items. We could have a set of 'pointers' to the records and carry out comparisons on the 'key' field - eg the surnames. Instead of moving the records, we move the pointers. We finish with a sorted set of pointers, which in many cases is just as good as a sorted set of records. We can recall them in alphabetical order, for example, and if it is necessary to sort the records themselves, we know where they have to go before we start moving them about - an obvious advantage which lets us minimise the number of moves necessary.

The selection sort here uses the same basic method as the bubble sort. It works as follows:

Start at the top, and 'remember' item one.

Compare it in turn with each of the items below it.

If an item is smaller, then 'remember' it instead.

Go on comparing and 'remembering' until the bottom of the list is reached. The 'remembered' item is now the smallest.

Swap it with item one (unless it was already there).

Repeat this with item two, three, etc until the items are sorted.

The program marks the position for replacement in red, and the remembered item in yellow. The countdown is followed by a green marker.

The disadvantage of these methods is that items tend to move up the list rather slowly. The bubble sort operates much faster on a partially sorted list than on a random one, and has its 'worst case' when the items are in reverse order. (Every time a comparison is made a swap has to be carried out, and the 'sorted' getout flag never gets set.) If only one item is out of order, then only one pass will be necessary to place it, and the 'sorted' flag is set on the next pass. The Shell sort is a brilliant method of making the items move more rapidly, and cutting down drastically on the time needed.

Shell sort

In the shell sort items are first compared which are separated by half the list.

For an array with 16 members we compare (and swap as necessary) items 1 and 9, 2 and 10 etc.

119

Return to the top of the list, and halve the comparison interval, ie, compare items 1 and 5, 2 and 6 etc. If an item is swapped, it must be swapped up as far as it will go at this interval. (Thus if we have to swap items 13 and 9, we must compare the new 9 with 5, and then (if swapped) 5 with 1, otherwise an item might get 'stuck' in the bottom half.)

Now compare items 1 and 3, 2 and 4, etc. Items must be 'back compared' if swapped as before.

A single pass down the list will eventually produce the sorted order.




Figure 1. Graph of sorting times for bubble, shell and quick sorts

TECHNIQUES

METHOD OF	NUMBER OF ITEMS, timed in seconds										
SORTING	16	32	48	64	80	96	112	128			
Bubble	0.83	4.21	9.83	17.87	26.67	38.23	52.32	69.2			
Shuttle	1.08	5.8	12.63	23.36	33.69	47.13	63.69	86.01			
Insertion	0.68	3.43	7.92	14.4	20.68	29.44	40.4	53.83			
Selection	0.61	2.06	4.31	7.43	11.29	15.91	21.38	27.66			
Shell	0.67	2.21	4.0	6.12	8.26	9.88	12.12	16.75			
Quick	1.43	3.04	4.96	7.1	8.78	11.73	13.69	15.57			
Tree	1.56	3.93	6.91	9.95	13.29	16.91	20.42	24.18			

120

Table 1. Time trial results for each sort

The mathematical reasons for the efficiency of this method are not clearly understood, but it produces remarkably consistent results, and is the method I would recommend if you want to sort medium amounts of data (50 to 500 items, say).

The last two methods in this brief survey are the most difficult to understand, and are valuable if large amounts of data must be sorted (from 200 to many millions of items).

Quick sort

The quick sort algorithm is as follows:

Look at the list and choose a 'pivot' value. Don't be too fussy, but it will be better if the pivot is somewhere near the middle of the list.

Now sort the list so that a 'partition' appears, above which all items are smaller than the pivot, and below which all items are less than or equal to the pivot. (It is not implied at this point that the items in either half are in order, nor is it implied that the pivot value is at the partition point.) Now look at the top section (above the partition) and find a pivot. Divide it around a partition as above. Repeat this sequence until the section partitioned is in order. Go on until each sub-section left is similarly sorted.

Horrible, isn't it?

Actually it is an ideal algorithm for recursion, which accounts for my rather awkward explanation. Recursion is hard to explain at the best of times.

Let's look at one bit of quick sort to get the idea. We are trying to sort the numbers 4,2,9,7,1,3. Choose a pivot. I choose 4. (At least it is not the smallest, as the next number (2) is less, so it is somewhere near the middle.)

Let's call the first item 'left', and the last the 'right'. Imagine pointers (L and R respectively) pointing at each. Swap the L and R values. This ensures that there is one item in the bottom half

k-1e 3,2,9,7,1,4 L B

So the order now is:

Move the left pointer along until it hits a value greater than or equal to the pivot (4):

which is less than or equal to the pivot.

3,2,9,7,1,4 L R

Now move the right pointer until it either coincides with the left, or hits a value less than the pivot (4 – remember?):

3,2,9,7,1,4

Swap the values at L and R:

3,2,1,7,9,4

LR

Move L right until it hits a value > = pivot:

3,2,1,7,9,4 L B

Move R left until it meets L, or a value < pivot:

The section is now partitioned. L points to the first number in the bottom half. All numbers to the left of L are < 4, all to the right are > = 4.

You now repeat the process on 3,2,1and 7,9,4 until the section is sorted. A section is sorted when you cannot find a pivot – all values are equal – or there is only one item in the section.

When you follow it using program 1, I recommend a long 'waittime'! The section being partitioned is turned blue. Cyan again marks items being swapped. The left pointer is yellow, and the right green. The pivot value appears in red to the top right of the list to remind you of its value. Don't feel inadequate if you don't follow it first time. I didn't, and I wrote it! Check each time that, at the end of each section, the values above the yellow or green marked value are less than the pivot, and those below are greater or equal.

Tree sort

The final sort is the tree sort or heap sort. The values are treated as a binary tree. This may become clearer if you look at the examples below. The algorithm is as follows:

Sort the tree out so that the biggest value is at the top (or root – computing trees are upside-down) of the tree, and so that all 'children' are smaller than their 'parents'. This is called a 'partially ordered tree'. Now extract the value at the bottom of the tree (its rightmost 'leaf' –

upside-down tree, remember). Replace it by the 'root', which must

have been the biggest value, and so belongs at the bottom.

Now find the right place to replace the removed leaf by swapping the larger values up towards the root, until the leaf slots in.

Repeat with the next leaf, and continue until sorted.

Confused? Let's watch it in action for the same six numbers as before, 4,2,9,7,1,3.

As a tree they are:

Start at the 2, and follow it up to the root 2,4. For the partially ordered tree every parent must be bigger than its children: 4 is bigger than 2, so leave them.

Move on to 9, and follow it up - 9, 4 - 9 is greater. Swap them. Move on to 7 - 7,2,9. Needs changing to 2,7,9, and the tree is now

Move on to 1 and follow it up - 1,7,9. No change needed.

Move on to 3 and follow it up - 3,4,9. No change needed. Note that 9 is bigger than 7 or 4, 7 is bigger than 2 and 1, 4 is bigger than 3.

To sort the tree, extract the 3, and put the 9 to the bottom:

7 4 2 1 9

Where does the 3 go? Look for the larger child of the empty root. This is the 7. Compare it with the 3. If it is bigger, move it up to the root, and look

TECHNIQUES

at its children:

۲ * 4

21 9

Look at the larger child (2). It is smaller than 3, so replace 3 where the * is:

The subsequent stages in the sort are:

and the tree is now sorted!

In program 1 the tree's 'generations' are coloured. The root is magenta, first generation is red, second generation yellow, third generation blue, fourth generation (one item only) magenta again. Items being compared are green, and items being swapped are cyan. When an item reaches its correct slot it is white.

Pros and cons

What are the advantages and disadvantages of these methods? Let's ignore the shuttle sort, which seems to have no advantages. The bubble, insertion and selection sorts are all reasonably easy to code, and for small amounts of data there is little to choose between them, though the selection method is clearly faster, as it avoids unnecessary swapping – comparisons are much quicker than swaps.

The shell sort becomes more efficient in the medium range, though it takes a little more careful coding.

The quick sort and tree sort come into their own only on larger amounts of data. Even with 128 items the quick sort has caught up and overtaken the other methods, but the tree sort is still behind shell. On larger amounts quick and tree get well ahead. The great and unreadable authority Knuth suggests that the quick sort should be used to partition down to about nine items, and then the final sort should be done with one of the simpler algorithms. The tree sort has one advantage over the other methods. It always takes the same number of comparisons to carry out the sort whatever order the data was in initially. It has no 'best' and 'worst' case, except for minor variations in the number of

swaps necessary, which could be got over by the selection method suggested above. Its disadvantage is that it has to sort the data twice.

Timings of the various methods on varying numbers of random names are summarised in table 1. This clearly illustrates the folly of trying to stick to the simpler algorithms for large numbers of data items, and the equal folly of writing complex recursive procedures to sort small numbers of data items.

Notice how the time taken by the simple algorithms is proportional to $n \wedge 2$. (If the number of data items double, the time taken is multiplied by 4). The quick sort is an O(nlogn) method, while the tree sort is an O(2nlogn) method. Their times increase much less rapidly as the number of data items increase (for further information I refer you to Stan Froco's article in the February 1984 issue).

121

One more type of sort needs to be discussed. These are sorts that can be applied to large files. The problems arise when the data cannot all be held in memory at once. Two important sorts which can deal with this situation are the merge sort and the tournament sort, or a combination of the two. These will be illustrated in a later article.

DATA MINDER THE DATABASE MANAGER FOR YOU WILL USE ALL DRIVES AS A SINGLE UNIT

Dealer inquiries welcomed.

DATAMINDER is a powerful and flexible truly disk based database management system. It is designed to minimise the thought and effort required to set-up, maintain, organise and use large collections of data.

Three screen editors are included. The first provides for easy definition of new files or restructuring of existing files. The second functions like a worksheet for the writing and recall of records. A wide variety of record display formats are available some allowing immediate editing of disk contents. A third screen editor opens-up a wide variety of possibilities for producing customised reports containing information selectively drawn from a file and mail merged letters or circulars. Reports can be structured in standard essay format with the bulk of the text sandwiched between an introduction and conclusion.

For rapid access any or all of the fields can be indexed with a balanced B-Tree structure ensuring optimal record searching and retrieval times. These are typically 3-4 seconds to locate one record from a 1000. Search requests can be specific and include as many fields as you wish. Selection can even be made on the results of commands temporarily manipulating field data.

ADDITIONAL FEATURES INCLUDE

 \Rightarrow Up to 26600 records in each file, disk capacity and record size allowing. \Rightarrow Maximum of 150 fields per record, containing in total a maximum of 1200 bytes of text. \Rightarrow Sup-

port for string, numeric, integer and date fields. \Rightarrow 5 date formats and strings of up to 150 characters long allowed. \Rightarrow Automatic allocation of disk space for files and extension of this as and when necessary. \Rightarrow Rapid switching between use of separate files. \Rightarrow Batch updating and deleting of records. \Rightarrow Optional program monitor enabling, among other things automatic checking to warn you beforehand of duplicated record entry. \Rightarrow Fields can be inserted, deleted, moved or renamed, indexed or de-indexed. \Rightarrow Field types and entry lengths are also alterable. \Rightarrow Up to 10 files each with any or all of the fields redefined in any of the above variety of ways can be processed in a single batch operation.


The package includes a comprehensive manual introducing you to the system and furnishing dedicated users with all detailed information they could wish for.

ONLY £ 29.50 + £ 2 p&p ex.VAT

Send now for our information leaflet, or order direct by writing to Access welcome

COMPUTERWISE DAMBRUGGESTRAAT 60 2008 ANTWERPEN BELGIUM or phone (except sundays (010-323) 234 31 54





INTERNAL EXAMINATION The Beeb can be programmed to self-diagnose its own ills. Paul Beverley wields the stethoscope

HAT do you do if you suspect your computer has a hardware fault? If you have a dealer near at hand and your machine is still under warranty there's no doubt as to the best course of action. But if your machine is out of warranty and if you don't have a good dealer nearby, you have a problem

Now, assuming you have some idea about electronics-for example, you know one end of a soldering iron from the other and you are bold enough to tinker with your machine - where do you start? The problem is that it's a complex piece of hardware and most of the test techniques available involve expensive pieces of equipment. Suppose you haven't even got an oscilloscope. Is there anything you can do? Well, in this article I hope to show you a technique that is used in industry for fault-finding microprocessor systems.

The commercial test units are not cheap, but we can take advantage of the versatility of the BBC microcomputer and use the technique with minimal external hardware that can be made up fairly cheaply on an old bit of Veroboard.


The technique, 'signature analysis', involves actually running a program in the computer under test to check whether the computer is functioning properly. This means that it cannot be used for testing a totally dead machine, but despite this it is a useful technique with the major advantage that it can be done cheaply.

The basic principle

While the test program is running a probe is used to pick up a data stream from one point in the circuit. The hardware compresses this data stream into a 16-bit number, which is read into the computer itself. The number produced by testing any given point (referred to | Figure 1. Hardware of the self-test signature analysis system

as its 'signature') doesn't have any particular significance in itself, but it will be characteristic of the data stream that produced it. Thus, by comparing it with the expected signature for that point, you can tell whether or not that part of the computer hardware is working properly.

The test routines are tried out on a known working system and the signatures obtained at various test points, such as address and data lines, are noted. These can then be compared with the signatures obtained on a suspect system and, when false signatures appear, it becomes clear that there is a fault. It is important, however, that no interrupts are allowed to occur during the test period as these don't happen at the same time in any given test run and will thus give a different signature each time the test is tried.



If the test routine is changed in any way all the signatures will be different, so the routines, once set up, must not be changed. If you want to use the test routines they must be copied faithfully from the listing, then you can use the signature values given in tables 1 and 2. If you want to use different routines, they need to be tried out first on a computer known to be working properly and the signatures recorded. By using different routines you can 'exercise' different parts of the circuit such as the keyboard, display and printer interface.


HARDWARE

A number of faults occur commonly in digital systems, and many can be detected by the signature they produce. For example, if a line is permanently low the signature will be 0000, and if the line is permanently high the signature will have a particular value depending on the duration of the test. This value can be found by putting the data probe on the +5v line. If two lines come up with the same, but incorrect, signature the chances are there is a short-circuit somewhere between those two lines.

Hardware

The circuit used is shown in figure 1, and if you read last month's article, which dealt with hardware random number generators, you will probably recognise part of the circuit. The hardware of the analyser consists of a 16-bit shift register connected to form what is known as a 'ring counter' or 'chaincode generator'. This generator is used as a data-compressor to produce the signature of the incoming data. The data, as it comes in, is Exclusive ORed with the other feedback lines of the ring-counter. There is a reset line so that the counter can be made to start at zero at the beginning of each test.

This is all that is required at the heart of a signature analyser, but commercial units are self-contained in that they have their own display to indicate the



123

It's a British product, it's versatile, it's powerful and it's

Cutting the cost of business software in half.



An easy to use, all-in-one software package for businesses for an incredible



plus VAT

Please Note: While Microstyle will endeavour to maintain sufficient stocks of items currently or previously advertised we regret that all items are offered for sale subject of availability from manufacturers.

If you've delayed making the change to a business computer system on the grounds of cost or complexity THINK AGAIN ... THINK EASY!

'Easy junior' is a complete, accounts management package designed for use with the top selling BBC microcomputer and TORCH Z80 disk drive package* award winning. Developed wholly in the UK. The 'Easy junior' system has been created to fulfil the needs of users with little or no computer experience and to grow and develop in time with your business needs. *Also available for APRICOT Written in CIS Cobol


'Easy junior' has been designed with the user in mind. Even the 'Easy'junior' manual is the result of careful and far reaching research into the needs of individuals and businesses who will be using the sytem. 'Easy junior' allows you to control your accounts, your stock and your invoicing and to provide up to the minute management information from a choice of over 20 printed reports and screen enquiry facilities. Even those with no computer experience will quickly be able to provide a valuable and cost effective accounts management service.


'Easy junior' is not only powerful, and simple to use but is flexible too! As your business grows you accounting facilities need to expand and 'Easy junior' is designed to grow with you. All the central programs featured in the 'Easy junior' package are the same as those featured in the 'Easy' or 'EASYplus' systems for larger businesses. If you outgrow 'EASY junior' all you have to do is advance to the next EASY system with almost no retraining and no loss of fixed data.

EASY junior: Truly professional business software at a truly business like price.

Designed to conform to the accepted standards demanded by sales taxation authorities in most countries and your auditors.

Featuring:







SALES LEDGER

Add, Amend and delete sales accounts. Post Invoices, Credit Notes, Payments and Adjustments, Analyse your sales by 99 stock groups and 99 customer groups Automatically record your VAT.

Print: Customer List * Aged Debt Analysis * Output VAT Analysis * Sales Analysis Report * Customer Analysis Report * Customer Statements * Audit Trail * Screen Enquiry Facility

NOMINAL LEDGER

Add, amend and delete Nominal accounts Post journals

Print: Chart of Accounts * Trail Balance * Nominal Ledger * Audit Trail * Screen Enquiry Facility

STOCK CONTROL

Add, amend, delete item records. Receive, issue, and adjust stock levels. Value stock by standard cost, average, and last cost

Print: Stock Report * Item Usage Report * Recorder Report * Item List * Stock Valuation Report * Cost of Sales by Product * Audit Trail * Screen Enquiry Facility

INVOICING

voices linked to stock and Sales Ledger. Record purchase invoices and price stock Price: Invoices

PURCASE LEDGER Add, amend, and delete supplier accounts Post invoices, credit notes, payments and adjustments. Analyse your purchase by 99 codes. Automatically record your VAT.

Print: Suppliers List * Aged Credit Analysis * Input VAT Analysis * Purchase Analysis Report * Supplier Statements * Audit Trial * Screen Enquiry Facility

CONTACT YOUR NEAREST MICROSTYLE BRANCH FOR FURTHER INFORMATION

ACORN USER OCTOBER 1984



Dealer Information update

Microstyle have been appointed as an official, regional distributor for EASYJUNIOR business software.

'BUSINESS SOFTWARE AT ITS BEST' contact us now for more information and DEALER DEMONSTRATION PACKS. Easyjunior software available for BBC + TORCH DISK PACK and Apricot

The network is spreading ...

Every month more and more retailers countrywide are discovering Microstyle value and service. So contact us now and find out more about what you could gain from joining the Microstyle dealer network!



DEALER HOTLINE

Trade Enquiries Only



The Aylesbury Computer Centre 52 Friar's Sq., Aylesbury. Telephone: Aylesbury (0296) 5124

The Bath Computer Centre 29 Belvedere, Lansdown Road, Bath. Telephone: Bath (0225) 334659

The Newbury Computer Centre 47 Cheap Street, Newbury. Telephone: Newbury (0635) 41929




Figure 2. The wire link on the keyboard PCB that carries the 1MHzE signal

signature obtained – usually a modified seven-segment display. In our case, to cut the cost down, we use the computer itself to read and display the signature. The number held in the two eight-bit registers is read into the micro by using the shift register on the 6522 VIA. To do this, the PB7 line is used to disable the normal clock pulses and allow the pulses coming out of CB1 to clock the registers as the data is read into the VIA on CB2. PB0 is used to reset the registers.

Care should be taken to keep leads as short as possible and adequate decoupling should be provided as suggested on the circuit diagram. The clock signal used during the analysis is the 1MHzE line, which is easily available on the keyboard PCB as shown in figure 2. This line is used in preference to the 2MHz line because much of the

input/output, both internal and external, takes place at 1MHz. Thus if a 2MHz clock is used it is difficult to obtain a stable signature.

HARDWARE

Even when the 1MHz clock is used problems are caused by the dualspeed clock that the Beeb uses (1MHz/ 2MHz). You will find there is an occasional variation in the signatures produced on the data lines, usually only of 2 or 4 in the least significant hexadecimal digit – ie, there's some variation in one of the last three bits of the data stream. This takes place as the 6502 is reading the value held by the VIA. Such variation should not, of course, be taken as an indication of a fault in the circuit.

Apart from having the test leads as short as possible, it is a good idea to screen them. If they are not screened and the lead carrying the 1MHz clock

TEST	1	2	3	4	5	6	7	8
+5V	EDC7	B752	DB66	C7A2	8593	B4B8	29DD	B279
AØ	515C	B4ØC	5180	B747	FD31	D453	ASDB	FØ71
A1	5329	6159	A24B	B1B2	CFDA	7A18	92B2	1287
A2	3373	30D2	3857	4289	57DC	E8E4	SEØE	64CF
A3	7E20	2C72	FEFE	Ø51F	95A3	3000	68D8	CØ3C
A4	ACA5	EF96	4A33	273E	0205	5284	2E19	Ø4D8
A5	ECEB	2B91	155F	BAA9	738F	135E	788C	5851
A6	8F3A	3A25	Ø185	E74A	4FB8	FDB4	A110	339B
A7	9463	516C	ØD83	9ØB4	A3ED	8068	FØ3D	505B
AB	ØDF2	AC41	1BØA	9279	A3ED	3732	5EF9	75E2
A9	B5E1	9A5E	0002	0006	4F6F	B7E4	E81C	EB2C
A1Ø	55D6	814F	CØ6C	EØ38	267E	838A	7724	C79B
A11	EØ35	814F	CØ6C	55DB	267E	838A	7724	C79B
A12	0002	0002	0002	BSE5	4F6F	B7E4	E81C	EB2C
A13	0002	0002	0002	BSES	4F6F	B7E4	E81C	EB2C
A14	0002	9A5E	0002	B5E5	4F6F	B7E4	E81C	EB2C
A15	B5E1	9A5E	0002	0006	4F6F	B7E4	E81C	EB2C
DØ	2AB5	2074	75DA	CFDØ	769A	B935	AD51	FC97
D1	2BAB	1EF3	5898	9214	BB14	107A	4082	9D34
D2	F41B	A219	B515	DBC2	6135	FØØ4	7B1A	E4CF
D3	EEE4	FB7F	7216	BC38	1300	6E42	771D	BF7E
D4	9856	Ø6CC	A26E	B6ØB	CC6F	788C	7BE7	466E
D5	3C1E	7DBB	6EØA	E417	83DØ	C230	EØEA	8006
D6	131F	3A15	1FC6	8329	78E8	CAD3	C6EB	9116
D7	EABC	857D	7Ø8C	1337	83D4	9A2C	ØA67	15DC
R/NW	EØ57	812D	CØØE	EØ7E	2638	83CC	7746	C7DD
sync	B710	8A46	DBAD	2790	7048	Ø56C	D7BE	DCD9

Table 1. Signatures on the main processor bus lines for each of the eight tests

HARDWARE

<u>Test 5</u> VIAA (IC 3)	pin	23	CAFA
Test 6			
8271 (IC78)			9EFA 0007 035A
Test 7			
Video ULA (IC 6)	pin pin pin pin pin pin pin	19 20 21 22 23 24	AB9C
Test 8			
ACIA (IC 4)	pin	9	Ø8D7

Table 2. Signatures for various test points on specific ICs

signal is brought anywhere near the data input lead, you may find the signature becoming unstable.

Software

The operating program (yellow page 107) is written in a reasonably structured way and should be more or less self-explanatory. The display it produces is a line of text asking for the number of the test to be carried out. This information remains on the screen, while the results are shown in a text window underneath. After selecting the test required and pressing return, you can either have that test running repeatedly, displaying the results on a scrolling screen, or do the test once at each test point. For a continuous output, press Return again.

If any other text is typed in it will be displayed on the screen and then, when you press return, the test is carried out once and the result displayed opposite the text that you entered. This enables you to type in the name of the test point and then do the test. For example, you could put the test probe on the first address line, type in A0 and then Return, and the signature for the A0 line would then be displayed. You can use CTRL-B to switch on the printer and CTRL-C to switch it off, so you can produce a printout of the signatures for the various test-points on each of the tests.

If you want to change to a different test, press Return followed by N (for Next) and it will go back to displaying the prompt, which asks for the test number. If you are using a printer, switch it off before you do this. The sequence is 'CTRL-C, return, return, N'.

As it stands, the program offers eight different tests covering the lower half of the RAM, the upper half of the RAM, the upper and lower halves of the ROM, the internal VIA (VIA-A, IC 3), the disc controller chip (IC 78), the video ULA (IC 6) and the ACIA (IC 4). Any further tests can be added to the end of the existing tests, simply using the same format. The signatures resulting from these eight tests are given in Table 1, and some of the signatures at particular points on the ICs in Table 2.

These signatures should be the same whatever machine you are using as except that, as already mentioned, you tend to find that the signatures on the data lines are different by either 4 or 2 in the least significant hex digit. Having said that, you may find certain variations and, considering the amount of data in table 1, there's more than likely to be one mistake or more.

Ideally you should make up this unit before your computer goes wrong. You can test out the routines on your machine and make any necessary changes to the list of signatures.

Why buy two when one will do? The INFRASCOPE COMMUNICATOR II is an electronic typewriter AND a computer printer

ALL IN ONE

- ★ RS 232 Compatible KSR and Parallel RO interface.
- * Approved interface for the SCM 1100 Typewriter.
- ★ Interface cables available for BBC/B, Commodore 64, Sinclair QL, Spectrum, or virtually any other micro computer with an RS232 or Centronics interface.
- ★ Choice of 2 or 8K character buffer.

ALL THIS FOR ONLY £458 Incl. VAT and Delivery (Interface Cable Extra) VISA/ACCESS Accepted

The new KSR COMMUNICATOR II is now available for immediate despatch. Using the popular Smith Corona EC 1100 typewriter we have created a high quality computer printer by fitting our new INFRASCOPE interface.

But don't take out word for it, write or phone for our free comprehensive data sheet.

INFRASCOPE LIMITED Longbeck Road, Marske, REDCAR, Cleveland. TS11 6HQ. Telephone 0642 470121

126

OUR DOUBLE-SIDED 3 DISC DRIVE. DISC DRIVE. ATRIPLE OFFER of 3" disc drives for and correspondent to the second sec

Opus have a triple offer of 3" disc drives for those who wish to improve their micros.

The disc drive is compatible with the BBC Micro, has a direct drive mechanism, is doublesided and comes with a comprehensive manual.

And with every purchase, a 3" utilities cartridge will come free.


Our offer also includes VAT, all necessary leads

and carriage along with a two year guarantee–which is a year more than any other company can offer.

You can order by posting off the coupon below or calling at Opus Supplies Ltd., 158, Camberwell Road, London SE5 0EE.

01-701 8668 or 01-703 6155.

We are open 9–5.30 Monday to Friday and 9.00–1.00 p.m., Saturdays.





Join the Electron User Group

Members receive 10 copies of the magazine ELBUG each year. ELBUG is devoted EXCLUSIVELY to the ELECTRON MICRO. It is packed with News, Reviews, Hints, Tips, Programming ideas, Major articles, plus Regular program features including games and useful utilities.

ELBUG is produced by **BEEBUG** Publications Ltd., publishers of BEEBUG, the magazine of the National User Group for the BBC Micro. BEEBUG now has some 20,000 members and has achieved a high reputation both in this country and abroad.

The formula which makes BEEBUG an invaluable companion for users of the BBC micro, has been applied to ELBUG.

By subscribing to ELBUG you gain all the advantages of a single-micro magazine, with

> SPECIAL OFFER **8 FREE PROGRAMS**

no space wasted on programs and articles for other computers.

BENEFITS OF MEMBERSHIP

ELBUG MAGAZINE

Ten copies a year mailed free of charge.

DISCOUNT SCHEME

Extensive discount scheme with major retailers.

SOFTWARE LIBRARY

A growing range of software titles at budget prices for members.

SOFTWARE CLUB

Substantial discounts on software from major software houses.

LOCAL USER GROUPS

Lists of local affiliated user groups.



patterns 6. KEY SET ROUTINE. A program to set up the user function keys

- 7. MEMORY DISPLAY. An efficiently written utility to display the contents of memory (ROM and RAM)
- 8. CHARACTER DEFINER. Define individual graphics characters with this useful utility for use in your own programs.



HOW TO JOIN

the city


ELECTRON on a 4x4x4 board

obstacles on the track

To subscribe for one year, and get your FREE CASSETTE send £9.90 (payable to Orbit) plus a strong stamped addressed envelope (for the cassette)

SUBSCRIPTIONS TO: ELBUG, DEPT 13, PO BOX 109, HIGH WYCOMBE, BUCKS

Six months trial subscription (5 issues) UK only £5.90—FREE CASSETTE OFFER STILL STANDS. Membership outside UK (one year only): Eire and Europe £16.00. Middle East £19.00, Americas and Africa £21.00, other countries £23.00. Editorial Address: ORBIT, PO BOX 50, St Albans, Herts.



Take the mountain to Mohammed for less than £300

Your Computer	Wyvern Personality Modules	Wyvern Manager Buffer & Slot Select		Expansio	n Formats	
ВВС			>		A.C. mains	
СВМ				edge conr 5V, 1A por	breakout + 5 off 40 way hectors wer supply off DIN 41612	
ORIC			1	optional o	01 014 41012	
APPLE		a 31-	/			
DRAGON		IEEE-488 Full Control		2) DIN 41612 in En motherboard Up to 48 off 64	way A & B row	
TANDY			1	Up to 24 off 64	way A & C row	
SPECTRUM						
AMSTRAD				3) VME/STE adaptor	9 slot multilayer backplane & termination	
80-BUS					boards	
MSX						

TRANSPORTABLE GENERAL PURPOSE INTERFACE plus IEEE—488 FULL CONTROLLER


Memory Expansion? I/O and Peripheral Expansion? CPU Development? Instrumentation/Process Control? Industrial, Educational Commercial, Personal applications across all common microcomputers

Full range of supporting P.C.B.'s for DIN 41612 and edge connectors plus limited stocks of low cost pre-production boards and wyvern units.

WESSEX MICROCOMPUTERS

9 Hopkins Court, Bennetts Field Trading Estate, Wincanton, Somerset BA9 9DT Telephone: 0963-33509





•BOMS FOR THE BBC MICROCOMPUTER•


The complete program development package for assembly language programmers. ADE is the de facto industry standard for professional software writers using the BBC microcomputer. The 16k ROM contains a full 6502 MACRO assembler, a dynamic text editor, a front panel debugging monitor and disassembler. ADE comes complete with a 160 page comprehensive reference manual and a utility/macro library disc. ADE can also be used with tape based machines.

The ASSEMBLER features macros with library facilities; nestable conditional assembly; flexible listing options (with or without macro expansion); hex, decimal, binary and ASCII data formats; dummy section; full range of arithmetic and logical operators; symbol table sort and dump; file chaining and 29 powerful pseudo ops. Source and object files are kept on disc so there is no limit on program size or location.

The EDITOR is designed with the programmer in mind for writing both programs and documentation. The editor includes a very powerful command language (including macros) that enables much editing to be done on a semi-automatic basis. It features full screen editing and deferred edit modes; no limit to document size; edit with backup facilities and a versatile text formatter.

The DEBUGGER is instantly accessible for inspecting, modifying and disassembling machine code programs. Features include full 64 byte display in hex, ASCII and disassembled format; registers; stack; single step; breakpoints; memory search and much more.

Price £60 inc vat. Please specify 40 or 80T utility disc.



ASM provides all the superb features of the ADE macro assembler on its own ROM.

The program source file may be written using any editor (even Wordwise or Viewl). Complete with reference manual and utility/macro library disc. Use the assembler that professional software writers use.

Price £35 inc vat. Please specify 40 or 80T utility disc.

SPY2 is a front panel debugging monitor, disassembler and disc utility ROM. SPY2 is instantly accessible to the programmer for inspecting, modifying, debugging and disassembling machine code programs. SPY2 also features a relocator and program trace facilities. SPY2 will access any ROM either in the sideways ROM sockets or on an extension board. ROM memory may be displayed, single-stepped through or disassembled.

SPY2 includes a set of powerful disc recovery commands for interrogating, editing and retrieving data stored on a floppy disc. SPY2 also includes a disc formatter as well as a non-destructive single track reformatter.

In all SPY2 has a comprehensive set of 23 utility commands. These are supported by an excellent Reference Manual.

The SPY2 front panel encompasses all the superb, easy-to-use facilities of the renowned SPY debugging monitor PLUS additional commands for toggling and finding breakpoints; relocating machine code programs; single stepping through subroutines in one go and facilities for accessing the front panel from programs in RAM or ROM with breakpoints, OSBYTE or CTR-F.

SPY2 features a versatile disassembler with hex dump, full and intelligent disassembly. This identifies data areas in the program; these being displayed as a hex/ASCII dump. Operating system calls are labelled creating very readable code. The powerful trace facilities enable program instructions and register contents to be traced to printer whilst the program is running. Indispensable for graphics programs as they can be stepped through whilst observing the effects on the screen.

SPY2 features a disc sector editor displaying the contents of a whole sector, disc search facilities for finding byte patterns or strings and free disc space. Files may be recovered by creating a directory entry with all the data concerning the deleted file. Directory entries can be easily amended using the *AMEND command. The *FORMAT command formats discs with any number of tracks. A verify command checks discs. The *REFORMAT command is extremely useful for recovering information from a bad track, reformatting it and restoring the data. Commands are included for loading files at &1900 and automatically downloading (and running) them.


The most comprehensive of all debugging/disc utility ROMs.

Price £30 inc vat.



Dept. A 12 Collegiate Crescent, Sheffield S10 2BA

For little Acorns Mighty SHARDS Grow



If you want well written and presented software for your Acorn computer then take a look at Shards. Shards can offer you entertainment and educational software that really is a cut above the rest.

Take a look at Shards.

Adventure and Strategy Games

Pettigrews Diary – A massive 90K graphic/text adventure with a difference. Can you solve it? (BBC & Electron) "Complete original and highly intriguing ... (it will give your grey matter a thorough workout)". Your Computer \$7.95 Empire – A superb graphic strategy game against the computer. 8 levels of difficulty. Played on a world map. Win at level 7 or 8 and you deserve a pat on the back! "I thoroughly enjoyed this game ... graphics are excellent (100% rating)". Home Computing Weekly \$6.95

"I thoroughly enjoyed this game ... graphics are excellent (100% rating)". Home Computing Weekly £6.95 Mystery of the Java Star – A graphic adventure for all the family. Utilises 100K of memory. Gripping stuff: "Exceptional value for money ... well done Shards (100% rating). Home Computing Weekly (BBC & Electron) £7.95

Educational

Fun to Learn, the definitive educational series – written by teachers and used in schools nationwide. All programs are menu based and make superb use of graphics. 100% user friendly and error trapped.

"This is how educational software should		lome Computing We	ekly
Fun to Learn - A comprehensiv	e program for 6-12 year olds.	(B)	BC)
"This is how educational software shou	Id be written". Home Computing Weekly	£6	5.95
Monster Maths - Helps develop	p basic maths and logical skills for 6-14 year olds.	(B)	BC)
"A sound program that will maintain c	hildren's attention, for £6.95 it's cheap too". Educational Comp	outing £6	.95
Laser Letters - Educational wor	d games for 6 year olds to teenagers. Three separate 500 word	vocabularies. (B)	BC)
"You get a lot for your money" Educ	cational Computing		5.95
Frac Attack - Fun with fractions		(B)	BC)
"A real winner lots of colourful scre	en action". Popular Computing Weekly		.95
Science 1 - Science education for	or 11-16 year olds. Covers the use of lenses, meters, thermo	meters and balan	ces.
Super graphics.		(BBC & Electr	on)
"For fundamentals of balances, meters	or lenses, this program is a must". Popular Computing Weekly	£6	5.95

Selected titles available at larger branches of Boots and W. H. Smith and all good stockists or by sending a cheque/P.O. direct to us at:- Suite G, Roycraft House, Linton Road, Barking, Essex. Tel:- 01-591 7666 (4 lines)

by of:- (please tick)
Fun to Learn
Monster Maths
Laser Letters
Frac Attack

SHARDS

software

Please indicate which version required:-BBC B Acorn Electron

			•										
A/C No.				 		.,	 		÷		 		
I enclose													
(Sigr	ned).											

All cheques/P.O. to be made payable to **Shards Software**

* All orders despatched within 24 hours of receipt.



COULD DO BETTER Despite the government's micros scheme progress is

patchy in primary schools, argues Geoff Nairn

N A BLAZE of publicity Prime Minister Margaret Thatcher announced the Micros in Primary Schools Scheme in July 1982. By the end of this year every primary school in the country-should have a microcomputer, which should be making a valuable contribution to all areas of the primary curriculum. Well, that's the theory. With just three months to go, it's worth examining how successful the scheme has been to date and whether the Government is on target.

Under the scheme, a school can buy a single micro for half price, with the Department of Trade and Industry footing the rest of the bill. The machine has to be British, hence the choice of a Sinclair Spectrum, a Research Machines 480Z or the BBC model B. To date 20,000 of the 27,000 primary schools in England and Wales have taken up the offer, and 80 per cent of these have plumped for the Beeb. The Electron arrived too late for the scheme.

As a comparison, the earlier Micros in Schools scheme for secondary schools boasted a take-up figure of 100 per cent when it closed in 1983. In fact their pound-for-pound subsidy has been extended so secondary schools can upgrade their Beeb with a disc and Econet interface, and buy both a Walters dot-matrix printer and a Microvitec monitor – all British makes again. For the more ambitious schools, a BBC Buggy and a Vela instrumentation kit can also be bought for half price.

For the primary school the situation is rather different. Once you've bought your Beeb, apart from a monitor and cassette recorder, that's your lot. No follow up scheme is planned – in the words of Kenneth Baker, the Minister



Kenneth Baker: 'DTI yet to decide on further schemes'



One computer per school is unlikely to make much impact but it is all government funding allows. For extra machines, school must rely on their LEA or on parents

for Information Technology: 'The DTI is yet to decide whether further schemes of support are necessary.' If no further support is forthcoming, then it is difficult not to see the primary scheme as anything more than political propaganda.

That may seem a rather harsh view, but one solitary micro in a school of 350 children is unlikely to make much impact, especially if precious time has to be wasted loading programs in on cassette. Just from talking to teachers around the country, the one thing they really want is a disc drive. And although some local education authorities (LEAs) have set up their own disc drive subsidy schemes - Nottinghamshire and Walsall for example - there is clearly a case for a nationwide initiative. The one argument that there are no British drives available no longer applies, for a company, Dual Track Technology, now make such a thing.


The Department of Education and Science (DES) oversees the primary scheme through the Microelectronics Education Programme (MEP). The MEP, to quote the blurb, 'aims to help schools to prepare children for a life in society where computers are commonplace.' But the MEP has less than two years to finish the job; the group is due to be wound up in March 1986. Of

course, the MEP sees itself very much in a 'pump-priming' role, the idea being to provide the initial hardware, software and training, and after that the LEAs should take over. The trouble with that argument is that different LEAs have different priorities: the much-publicised 'league table' of LEA spending shows that on something as mundane as textbooks the 'top' authority spends six times as much per pupil as the one at the 'bottom'. It is difficult to make a case for more computers if the schools in your county do not have enough money for textbooks. With the current financial restraints facing all LEAs, what may seem like pump-priming to Sir Keith Joseph to others can seem like an abdication of responsibility.

In fact, this theme of self-reliance and 'hoping' that LEAs take up the challenge seems to permeate the whole primary scheme. With training, for example, the DES makes it a requirement of the subsidy scheme that two teachers go on a two-day course on using their micro. In two days, a teacher who has never used a computer before can just about get the hang of operating the Beeb – plugging it in, using the cassette recorder etc. To expect that teacher to then start using the computer in a challenging way, or 133

THE OLYMPIA RANGE OF DAISYWHEEL PRINTERS A RANGE OF DAISYWHEEL PRINTERS DESIGNED BY OFFICE EQUIPMENT LEADERS

DOLYMPIA INTERNATIONAL



OLYMPIA 103 SERIES

Method of printing: Dypewheel, exchangeable, 96 characters Print speed: 17 characters per second, Bidirectional. Form width: 17" (431.8mm) Width of printline: 14.2" (360.6mm) Tabulation: Variable, 60 positions/inch, Bidirectional Pitch: 10, 12, 15 characters/ inch proportional spacing Line length: 141 characters with 10 pitch

141 characters with 10 pitch 169 characters with 12 pitch 212 characters with 15 pitch **Paper feed:** Variable, 96 positions/inch, Bidirectional, indexing one half space up/ down. Printing: Automatic bold, (1/ 120"), expand and double print. Automatic bidirectional printing with shortest path seeking Automatically skips over blank fields. Buffer: 4 k byte Keyboard option. Qume control code. Option for Wordstar Function controls led: 102 ON/OFF-Line. Error. 103 ON/OFF-Line, Error. Bold print. Expand print. Double print. Interfaces: RS232, Centronics IEEE

OLYMPIA 3000 SERIES


Method of printing: Dypewheel interchangeable 100 characters. Print speed: 50 cps maximum. (40 cps Shannon) Form width: 17" Width of printline: 15". Tabulation: Variable, 60 positions/inch (optional 120) bidirectional, horizontal tabulation direct to column address, halfspace forward.


Pitch: 10, 12, 15 characters per inch and proportional spacing. **Line length:** 150 characters with 10 pitch. 180 characters with 12 pitch. 225 characters with 15 pitch. **Method of printing:** Automatic bi-directional printing with

Method of printing: Automatic bi-directional printing with shortest path seeking logic. Automatically skips over blank fields. Paper feed: Variable, 96 positions/inch, bi-directional. Buffer: 4 K Buffer. Keyboard option. Qume/Diablo. Code option. Function control led: ON/OFF-Line. Paper out. Ribbon out. Cover open. Error.

Printing mode: Bold printing (1/120"). Expanded printing. Double strike.

Interface: RS232 IEEE, Centronics.





OLYMPIA COMPACT SERIES

Method of Printing: Daisywheel 100 characters. Interchangeable. Print Speed: 14 cps From Width: 14.3" Width of Printing: 11.5" Pitch: 10, 12, 15 characters per inch. Line length: 10 pitch – 115 char. 12 pitch – 138 char. 15 pitch – 172 char. Instruction code: Diablo compatable (compact R0) Built in Tractorfeed – Compact R0

Built in Tractorieed – Compact R0 Built in Keyboard – Compact 2. RS232 or Centronics Interface (Compact 2) Both interfaces as standard (Compact R0)

ACCESSORIES

Olympia Single Bin Sheet Feed £398. Double Bin Sheetfeed £598. Olympia Tractor Feed £150. (All Prices exclude VAT) A full range of Daisywheels and ribbon types are available.

Distributor: Intelligent 43B Wood Street, Stratford upon Avon, Warwickshire CV37. Interfaces Tel. 0789 296879 London 01-311 7981 TL. 312242.




even to pass on precious knowledge to other teachers, is a mite ambitious. Many education authorities do go beyond this minimum level and set up excellent in-service training courses – Walsall, for example, runs 25 different computing courses for teachers. But many do not.

One criticism levelled at the MEP by the NUT (the teachers' union) especially is that they have tended to concentrate on developing software rather than training courses. There is little point in producing educational software if there aren't the teachers who know how to use it, says the NUT. To meet such criticism, the MEP set up a small primary project team in September 1983, to assess the needs of primary schools in both teacher training and resources. They still don't actually train teachers though, rather they train computing advisors who then go out into the regions and train the teachers.

On the question of training, you would naturally imagine that the colleges of education, who after all are responsible for training tomorrow's teachers, would be at the forefront in this area. Again, a few colleges do run courses in educational computing for all their potential teachers, but sad to say they are the exception rather than the rule. Two primary school teachers I talked to, who had both graduated within the last two years, emphasised this point. One said that computers had not figured on the syllabus of her college at all, while for the other his computing experience was confined to one afternoon's demonstration of arcadetype games.

And so we come to the all-important software. In 1982, when the scheme first started, BBC micros were a bit thin on the ground, as was educational software to run on them. The MEP helped to spawn several software groups such as Netherall, Five Ways, the Chelsea Science Project and ITMA who did and still do - come up with some sound educational software, although most of it is for secondary school subjects. Since that time a variety of software houses have started producing Beeb software for primary schools. Now, the problem is not one of a lack of software, but rather how does a teacher find out what's available and whether it's any good? Still worse, where does the money come from to buy software educational software invariably costs more than the average 'arcade' game.

Talking of software, the MEP is the body responsible for the Microprimer pack, which comes with every Beeb bought under the DTI subsidy scheme. It aims to be an introductory 'self study' course for teachers, so that they can at least get started using the Beeb in their



There's plenty of educational software available now but most is for secondary schools. Educational programs cost more than 'arcade' games and there's no government money to buy software

classroom. Unfortunately it is often the only software a school has – apart from the Beeb's Welcome tape that is. As the MEP is the first to admit, the Microprimer pack was developed in a hurry and to meet a specific need. It would be a shame if teachers judged all primary software on the basis of one package.

Is the primary scheme a success? Well, I do not doubt that by the end of this year pretty well every primary school will have its very own micro – and most of them will be Beebs. Quite a few will be locked away in store cupboards because no one in the school knows how to use them. On the other hand others will be in use every day, with children of all ages and abilities feverishly tapping away. And a good few more will be wheeled out on Friday afternoons for the 'computer lesson', which consists of teacher typing and children watching.

And so, what for the future? Number one priority: every teacher should at least know how to use their Beeb. A disc drive would be nice as well. Oh, and a few more Beebs wouldn't go amiss. A tall order? Not if the Government is serious in preparing children for the future. As a spokesperson for the DES said, 'It's very easy to criticise the scheme, but no other country has done anything similar.' It's also very easy to be complacent and make political capital.



More Hard Disk Developments for BBC Micro



Hard Disk Drives Range from 5 – 232 M.Bytes 5 M.Bytes removable cartridge drives

Tape Streamer

Efficient backup of Winchester units (standard tape backup of 45 MBytes in 9 mins.).

WFS

Comprehensive Winchester filing system Rom – stand alone use.

Networking

Amcom's E-Net provides a simple to use, yet flexible system for linking up to 255 BBC microstoa Winchester file server. *Large Capacity Winchester Drives *Removable Cartridge

*TapeStreamer Backup GSL Hard Disk Systems have been well proven in educational, factory and office environments, for stand alone or networking applications.

Other GSL products include:-Printer Buffer LCD Display Floppy Disk Drives Monitors Printers

(We are also an Acorn dealer).

For further information on any of our products contact:-Lea Wyatt at GSCL



Geophysical Systems Computers Limited West Portway, Andover, Hampshire SP10 3SG. Tel: (0264) 59633 Telex: 47166 GSLG.



FRAMING THE ? ? RIGHT QUESTIONS ?

Ian Birnbaum reviews Acornsoft's Microtext system, a powerful aid in programming instructional modules

MICROTEXT is an authoring system. It was designed by the National Physical Laboratory, implemented on the BBC micro by Ariadne Software, and is published by Acornsoft in cassette and disc form. My comments are based on the disc version.

An authoring language aims to allow the programmer to implement training and instructional programs easily and efficiently by providing special facilities for dealing with common situations. For example, scanning a student's answer for one or more keywords and then branching if they are present is complicated in Basic, but easy in an authoring language. Indeed, Microtext claims to be so easy to use that, for some cases at least, the designer and encoder of the module need only have a cursory knowledge of programming.

Microtext has its origins in a computer system called Mickie, a medical interviewing computer, developed in the 1970s. It used a language called Questext which allowed doctors to set up modules without extensive programming knowledge. Questext was extended to cater for more varied training on (non-micro) computers, and became Edutext. However, Edutext in Basic was slow and bulky, so it was rewritten in assembly language and implemented on micros; this is Microtext.

Advantages

The easiest way to describe Microtext is by considering the advantages it offers over Basic. This gives the correct context because the system stands or falls on its ease of use for the purpose of creating instructional programs.

There are many advantages to the system in this respect. First, Microtext is **frame-oriented**, ie the essential unit is a screenful of information, a frame. In this sense it is very like viewdata systems. However, it is more sophisticated in that control information is part of the frame itself. It therefore combines the ease of use of viewdata with the flexibility of a programming language.

In Basic, the relationship between a screenful of information and the instructions required to produce that frame and to branch to another is exceedingly opaque. The programmer has to project from language to screen to provide the link: Basic offers no real assistance in itself. As a consequence, debugging by frame - the natural approach - is not easy. In Microtext, it is simple because the programmer creates one frame at a time by placing characters on the screen in the position they are to appear when the program is executed. In the frame, control information is included that instructs the computer which frames to branch to next and on what criteria.

Microtext allows simple **debugging** as it is simple to switch from running or testing to editing a module. If the frame layout is not correct, or an unexpected branch is made, pressing the escape key followed by S (for Stop) switches to a full-screen editor. The system offers single-stepping through the frames if required.

When most instructional programs are run – in Basic or any other language – errors that occur are usually observed at the frame level or at the link between frames. In Basic, this does not assist debugging, but in Microtext the link is absolutely clear, so errors are easily remedied.

Microtext offers exceptional facilities for accepting **user responses.** The programmer can specify whether spaces are to be ignored between words; whether an exact match is required or whether a response should contain, begin with, or end with a set of characters. The programmer can combine separate criteria using 'or', 'not' and 'and' (ordered or unordered) to produce complex branching decisions. Both textual and non-textual data are supported, and with the latter numericrange tests are available (eg, less than and greater than).

There is no need to compare these

facilities with Basic: there is no contest! A programmer can **design a form** on

the screen with headings, and when the frame is run the cursor will move from heading to heading as the user responds. In this way complicated forms can be set up with minimum trouble.

Microtext allows a **complete summary** of the user's responses to be created. In instructional programs, it is very useful to store these for later analysis. This might be used to give the student or teacher a record of achievement, or to record in variables information required for future modules (a module is a collection of frames, all loaded into memory at one time, which constitute the file being run). Microtext implements both these approaches, the first simply, although the latter is rather more complicated.

In Basic none of these facilities is provided, and the programmer must save the relevant information, and generate appropriate screen displays.

If the user types **Help** (or even just?) in Microtext when responding to a prompt, the system automatically branches to a help routine, if one exists. Typically, the first help frame will be a menu with a variety of choices (eg, start again; get help on this topic or on this question). Each frame can contain a different destination frame if required: this is achieved by putting HELP followed by the frame required.

In Basic, it is possible to create a similar system by using a common input routine which always branches when Help is entered. However, this is by no means a trivial task.

There are two sorts of **variables** in Microtext: system variables and userdefined variables, ie reserved words which hold specific information. These

The Microtext system (including manual) costs £49.85 for the cassette version and £59.80 for the disc, available from Vector Marketing, Dennington Industrial Estate, Wellingborough, Northants NN8 2RL. Tel: 0933 79300. (Acornsoft is on 0223-316039).



MUUUU

BEEBPEN DRAWING PROGRAM A comprehensive Mode 2 colour drawing program allowing plot commands, painting, circles, text, character defining, saving and loading to tape or disc, all to be selected and used with the lightpen. PRICE £11.95 Introductory Offer £9.95



Allows the busy programmer to quickly create Mode 7 colour graphics and test screens for combination into his or her own programs. Movable on screen menu allows use of complete screen for graphics. Full instructions and a discussion on teletext features are provided. **PRICE £9.95 Introductory Offer £7.95**

Datapen

DRITAIN The first in a series of educational Geography and Geology programs. Britain comes complete with three sets of tests, and these may be very easily changed by adding DATA statements in the Basic program. Full instructions and grid map supplied. PRICE £6.95 Introductory Offer £5.95

RRITAIN

The Datapen Lightpen itself comes complete with handbook, software on tape including two drawing programs and a printed listing showing useful routines.

PRICE £25.00

Two drawing programs, SKETCH and SHAPE-CREATE are included with the lightpen and the programs shown above may be ordered additionally, or separately as required.

All prices above include VAT, postage and packing.

Please send your cheque/P.O. to:-

Dept. AU3, Datapen Microtechnology Ltd., Kingsclere Road, Overton, Hants. RG25 3JB

138

- Insensitive to ambient lighting
- Responds to different colours
- Program accessible LED lampreadout
- Switch for program control

Tape storage of your work Good documentation

SUPERIOR PROGRAMS

User routines provided on tape and on printout

ACORN USER OCTOBER 1984

EDUCATION

are ANS (holds the last answer given), TIME (contains the elapsed time since last initiated) and RANDOM (generates and holds a random number). Userdefined variables are similar to Basic's, but it is not necessary to differentiate between string and numeric variables. The contents of a variable may be displayed by use of angled brackets; for example, if NAME contains the user's name, then:

Are you ready, < NAME >?

will give a personalised question. Moreover, a list of variables can be created using something like = PLAYER < NUMBER >, where NUM-BER is a variable incremented elsewhere, giving separate variables PLAYER 1, PLAYER 2 etc. This powerful feature is not available in Basic.

All * commands in the BBC's operating systems (and so all *FX commands)



Figure 1. Student's view of first frame in example module testing knowledge of plug wiring



Figure 2. The whole of the first frame showing the hidden commands and branching to further frames

and some VDU commands (including sound and graphics) are available directly within Microtext. (Although not documented, the cursor can be turned off and on with \$CH1,0,0,0,0,0,0,0,0 and \$CH1,1,0,0,0,0,0,0,0 respectively.)

Microtext offers easy control of input/ output at the **user port**. The programmer can set a specific line high or low, or wait for the line to go high or low: particularly useful for slide and video control.

Microtext modules (eg, a self-contained lesson) are **portable** both between packages on the BBC micro and between machines. In the former case, a wordprocessor could be used to set up a frame: each frame is stored in ASCII (although text compression is used). In the latter case, it is important only to use graphics commands which exist in all systems (eg for Commodore systems there is no point using teletext colour and graphics).

Microtext contains **error checks** to ensure material is not overwritten. Thus, if you edit a module and then attempt to load another without saving the first, a message appears. A simple safeguard, but important.

Disadvantages

No system is perfect, and there are some disadvantages to Microtext when compared to Basic, but they by no means overshadow the advantages. Let us consider them briefly.

Microtext supports only integer arithmetic. This clearly presents some restrictions, which is a pity with, for example, maths.

Microtext is not structured. All control in a program is achieved via conditional or unconditional branches (ie the equivalent in Basic of GOTO, or IF...THEN statements. I don't regard this as a handicap because, as a frameorientated system, the structure is already incorporated.


Memory is rather short with cassette and disc versions: about 14k and 11k left for mode 7 programs respectively. This leaves room, just, for a 30-frame module in the disc version and 40 frame with cassette (lots of variables will cut these down). On a disc version this is not problematic, since one module can call another.

The memory problem can be solved by a second processor or the ROM. These options are essential in a graphics mode: mode 4, for example, allows just six frames. Modes 0, 1 and 3 are impossible without the second processor or the ROM (modes 2 and 5 are never supported).

At present, the Microtext package is needed to run any module. However, a delivery system (without the editing facility) will be available which sits securely with the module and is loaded with it. This is produced by a publishing system, and will be very valuable for, say, education authorities that wish to produce packages in a resource centre for schools. Questions of copyright have yet to be fully resolved.

There is no simple access to the contents of the analogue port from Microtext, except by using *FX128 and getting the values of the X and Y registers. Nor is there access to a printer from within a module (ie no VDU2 or VDU3). The only access is at command level to print copies of frames, or to dump the summary (these may be activated at RUN time by preceding them by \$). However, I'm sure someone will find a solution.

The COPY key is not available for normal use in edit mode; instead it



139

Figure 3. Pressing 'N' at figure 1 takes us to this, frame number 51. NB This is NOT the correct way to wire up a plug




Figure 4. This next frame is where the problems begin with free range of response. NB This is NOT the correct way to wire up a plug

pushes a space into a line and moves the rest of the text to the right by one character without wrap-around. This is a pity, especially when one considers the eighth disadvantage-there is no teletext graphics editor. This makes creation of double-height characters tricky, and mode 7 graphics laborious. All teletext control codes need two function key presses to make them active (in other modes these produce foreign characters eg ê): this is also tedious. However, inclusion of a full teletext graphics editor would have left less space for modules. There are two solutions: use a graphics editor on a chip which can be used via a * command, or a separate package to create a frame and then load it in ASCII into Microtext. However, to do this it will be necessary to incorporate it within the existing module in some way, because Microtext does not allow subsets of modules to be loaded. Again, someone is bound to find a way round this.

Microtext in use

Microtext comes with a 120-page manual, a reference card and a demonstration package. The manual is comprehensive, though not that easy for beginners. I think Microtext is accessible to newcomers, but I suspect a

New available now!



Z80 second processor for BBC Microcomputer with SAGE integrated accounts program



Trade and local authority enquiries welcome Prices correct at time of going to press.





GCC (Cambridge) Limited 66 High Street, Sawston, Cambridge CB2 4BG Telephone: Cambridge (0223) 835330/834641 Telex: 81594 SAWCOM



course may be necessary to help them.

As an example of Microtext in use, let us look at the PLU.STA module supplied which tests the student's knowledge of 13 amp plug wiring. It is an interesting attempt to allow a very free range of response, and I think it almost succeeds.

The module is loaded from Microtext by typing RUN PLU.STA. After the title, the student's name is asked, and he/ she is then asked to rate their knowledge of plugs (figure 1). Let us see what set of program instructions produce this page. We press Escape and then S (for Stop) - we get figure 2. The ! indicates that only a single key press (with no carriage return) is allowed. On pressing N, the program will continue from frame 51, and the statement 'Novice user' will be saved to the summary; similarly for A or E. If any other letter is pressed, the statement 'Not understood-try again' is displayed in red. We could generate our own response on another frame (say on frame 55) by putting \rightarrow 55 at the end. Notice finally the use of <NAME> to display the contents of the variable NAME (in this case IAN).

Frame 51 sets up appropriate text, initialises a variable which limits the number of wrong answers allowed, and then, after a few prompts, directs the student to a picture of the plug with a question (figure 3). Typing 'earth wrong' produces the response 'I would like a more specific answer. Precisely what is wrong?' If, on the other hand I type 'Wires crossed' I get 'Yes, two of the wires have been crossed but I would like to know which ones. Which wires have been crossed?'. If, now, I type 'Earth and neutral' I am judged correct. This is a nice sequence, and easily implemented.

We continue now to plug B (figure 4). I type '3 amp too small' and get the response 'It seems that you don't know what is wrong with the plug...'. If instead I type 'Fuse too small' I get 'What is wrong with the fuse?'. But if I had put 'Fuse wrong' as my answer, it would have marked it correct and said 'Well done'. Clearly there is something wrong! Let's edit the program.

The relevant frame for our purpose is 210 (figure 5). This says that any combination of the word fuse and one or more of blown, low or wrong are accepted as correct: the word fuse with any other words goes to a prompt at frame 270; otherwise we are told we are not correct and allowed to try again. (Incidentally, the system does not differentiate between upper and lower case.)

We shall change the first line to:

(<FUSE>) & BLOWN/LOW/SMALL/ 13 AMP > 280

| and the second to

<FUSE> >270

At *210 we define the variable FUSE by (FUSE = ''FUSE/3 AMP'').

This solves our problems, and also allows 'Fuse should be 13 amp' and similar answers. Moreover, it treats 'Fuse is wrong' as only partly right and responds with 'What is wrong with the fuse?'. Notice, finally, that Microtext will treat both 3 amp and 3amp as the same.

We see from this how easy it is to edit, but we haven't perfected the program. We need to edit other frames to be consistent with the changes we've made, and more crucially, we still



Figure 5. Looking behind the scenes shows responses that are allowed, and the prompts given

haven't caught all the right answers. The moral from this is that even the simplest module that uses free format responses will need considerable testing and editing.

Microtext makes editing easy, but there is no substitute for careful educational design and thorough testing: indeed, the powerful facilities of Microtext make this even more important.

In this example, we have been examining the program in RUN mode. When editing, we momentarily entered COMMAND mode and directed the system into EDIT mode. Then back through COMMAND mode to RUN mode again. This process is adequate for testing and debugging, but Microtext provides one further mode precisely for testing: TEST mode. Without too much detail the essential differences are that it is more difficult in TEST to delete or overwrite an edited module without saving it, also the Escape key always fully interrupts a program.

Most of the other facilities are available in RUN or COMMAND modes, though some are slightly more convenient to use in TEST mode. It may seem then that TEST adds virtually nothing new, but this is not so. Most programs will consist of a whole series of modules and it will often happen that one module will call another. When testing a system, we don't want to lose our edited module in this way-hence the need for TEST.

On balance, the introductory package of modules is well-thought-out and reasonably varied. The average user will gain much from working through the modules, examining how they were programmed and – most importantly – altering the modules as we have done here.

Educational implications

Used with the right application, Microtext is very valuable. I believe it is possible to teach relative beginners how to program with the system, thus opening the way to program designers implementing their own code. However, more advanced uses (eg, creative uses of variables) and the implementation of complex teletext screens will require a more professional approach. There is no doubt, though, that the use of Microtext will make the professional programmer far more efficient, given the right application.

141

The great danger with Microtext, however, is that its very ease of use will encourage teachers and LEAs to program with it, and thus restrict the types of program available. Microtext can only be used to implement programs which are susceptible to frame-byframe analysis. This is a wider range, certainly, than straightforward instructional and training packages-for example, adventure games are possible, although there would be severe memory constraints - but it is a distinct subset of educational software. Packages that use animation will not be viable, as far as I can tell; and, of course, no more than four colours will be available; moreover, as we have seen, only integer arithmetic is possible. And, more generally, not all educational design intentions can be accommodated by a frame-oriented language.

However, this said, Microtext clearly points the way, and with Microtext Plus on the horizon, which should allow floating point arithmetic, a full interactive graphics editor and some expert system techniques incorporating generative rules, I think we will see the decline of Basic as a language for computer-assisted material in education and training.

Microtext is a superb technical achievement for a 32k machine, and I look forward to seeing what creative educators can do with it. I regard it as a tremendously important development, and quite possibly the shape of things to come in the construction of instructional and training packages, especially in conjunction with video disc technology.

HIGH QUALITY COMPUTER DESKS AT HIGHLY COMPETITIVE PRICES.

THE ORGANISER DESK.

- Top shelf for monitor/printer.
- Large desk top area.
- Lower shelf for paper/book storage.
- Teak finish On castors.
 - •Self assembly.
 - Ample room in front of the shelf for you to sit comfortably.
 - Assembled Dimensions: H.31" W.40¼" D.26"



Opus Supplie

THE APOLLO RANGE OF BUSINESS DESKS.


- 10 models available to suit leading computer systems.
 Immediate delivery.
- Sturdy steel underframes.
- Scratch resistant surfaces.
- Lockable castors. Prices from **£100**.

All are on display in our showroom and are available from us or dealers throughout the U.K. All prices include VAT and delivery.

For further details contact us at: 158 Camberwell Road, London SE5 0EE. Telephone: 01-701 8668.

Draw with the BBC micro and show the true potential of your machine

Fill shapes in one of 23 colours (Mode I) Draw points, lines, rectangles ellipses and circles Smooth curves Wire frame diagrams Hidden line removal Draw in perspective Measure scaled distances Ekta sketch lines, Half tone facility Mirror images Repeat images, SS, enlarged, reduced, stretched Actual colour displayed Store up to 10 ellipses or circles in memory Redraw any one of these at cursor position Change any actual colour for one of 8 others Clear screen, load screen, save screen Print characters or numbers at any pixel point Error messages for incorrect input Fully comprehensive manual





This programme has been purpose designed by professional Graphic Designers for simplicity and ease of use, and is undoubtedly the most versatile drawing programme on the market at this time. There is no need to input any numerical data, as all judgements are made visually. The BBC Micro is the finest drawing machine in its price range. Find out what it can do.

The A. B. Designs drawing programme costs only £36 for over 70 functions (model B). New AB2 Program, available on disc (price £61) and cassette (price £51). When ordering send Cheque/PO and VAT at 15%. Please include phone no. with all correspondence. For further information send SAE and phone no. to A. B. Designs, 81 Sutton Common Road, Sutton, Surrey. 01.644 6643 (closed all day Thursday).

ATOM

ATOMIC TEXT

Let's underline,

italies, var character

numbers

OFTRATIN

Alex Wilson cures writer's cramp with 'Wordprint'

change to

Dear Sir

concerning

ordprint


ogram

ELDOM is the inexperienced owner of a printer offered help in the manual that comes with the peripheral. It's no longer a matter of attaching a cable and off you go there's a lot more to a printer than an electric typewriter. For a start, different type-styles are available at the press of a few keys. Yet working from the manual produced the following comment from one newcomer to printing: 'I eventually worked out how to use the printer in text mode from the single example of how to enter control codes given in the

Epson booklet.' Try the Star Gemini 10X booklet (reputed to be better written than previous ones)! It doesn't even have one example. Many users are therefore unlikely to get value from the machines they buy.

My program will, I hope, tender a guiding hand to frustrated beginners. *Wordprint* is a wordprocessor program written for domestic use on a 12k RAM Atom driving a Gemini 10X printer, and it should cause little trouble with a Beeb (the cable is the same as on an Atom) or an Epson (if George Hill is right about the control codes). It is offered for those who do not have the money to spend on a commercial wordprocessor.

So how do you get at all those extras you've paid for – italics, variable characters per inch, underlining, subscripts and so on? (Forget about screen dumps and downloading characters – time enough for them when you find out how to include the others in your programs.) Master the control codes first then it must be easier. These are shown as CHR\$(27) CHR\$(n)..., or ESC n... but how do you get them into your program? You can't stop and press Escape-this or that, so it's as well to understand what is required. Those



The printer expects items in binary form from the computer. Some in ASCII will be numbers and some letters. Then there will be control codes, which will not be printed. The escape code is the most frequently needed and on receipt of a byte containing 27 the printer interprets this as a change of instruction.

The difficult codes are \$2 and \$3 or CHR\$(2) and CHR\$(3), as these enable and disable the printer, in particular \$27\$66\$2 and \$27\$66\$3, which set 12 characters per inch and 17 CPI.

Try entering

PRINT \$2; PRINT \$27\$66\$1; PRINT "HELLO" ';

Your printer should print HELLO as you expected it. Now change it to read PRINT \$27\$66\$2 and then \$27\$66\$3. In theory these ought to change the print to 12 and 17 characters per inch respectively. Instead it is probable that HELLO was printed out exactly as before and then nothing at all for the instruction with \$3 in it. These can be dealt with successfully by putting the value into A then applying LINK #FF10, for this enters the printer driver after the switch.

Other controls can be sent directly with say, PRINT \$27\$61, which sets bit eight to 0, or as part of a string. For example, if a string is ABCDEF, sent to the printer as /27/ 53/A/B/C/27/52/D/E/ 27/87/1/F, then the first control sets standard ASCII, and ABC would be printed in normal print, the second control sets italics and DE would be italics. The in further control sets enlarged mode so that F will be enlarged italics. Note /N/ is to indicate that we are talking about a single byte number. not to be confused with 27 which would

143

normally be sent and printed as 2 followed by 7, i.e. ASCII 50 and 55. If you are unsure of this try

B = 2800; ?B = 27; B?1 = 66; B?2 = 3; I = 0; DO; A = B?I; LINK#FF10; I = I + 1; UNTIL I = 3; PRINT'' HELLO'''.

This should get HELLO printed at 17 CPI. Alternatively, start a new program at #2900 with

10 REM31221;

This will list just as you typed it. Now type 10 REM and three spaces and return. Poke 0 into each of the spaces (#2906-#2908) and LIST. This will appear to be 10 REM and little else. Follow this with

?#2906 = 3; ?#2907 = 12;

These are Atom control codes. Listing will switch off output to the printer and will clear the screen. You have just done PRINT \$3 \$12. Alter the last 0 with ?#2908 = 21; then you have the equivalent of PRINT \$3\$12\$21 which also

page 146 ►

The 'Wordprint' program is listed in the yellow pages section on pages 109–111 Put an end to inefficient, { slow cassette tape storage

r data access 0 ee Comprehensive

53 page manual including techniques of loading from cassettee to disc. Not available elsewhere

SWITCH

40 🔊 80

Track

switch on rear panel

Layout A or B*

AUTON

Replacing your cassette with a disk drive means data access in seconds! VIGLEN TEACS unlike others have been specially modified to operate successfully with ACORN and other filing systems, over coming RANDOM accessing problems normally experienced with these disk drives. Prices include VAT, Formating Disk, User Manual, Case and Leads.

TEAC 55 Slimline	Drives	5	DUAL DRIVES	Inc.	Excl.
SINGLE DRIVES	Inc.	Excl.	CASED	VAT	VAT
CASED	VAT	VAT	400 TRACK 200K	£240.00	£208.69
40 TRACK 100K	£119.00	£103.48	40/80 TRACK	£280.00	£243.48
40 TRACK 200K	£160.00	£139.13	SWITCHABLE 400K		
40/80 TRACK	£140.00	£121.74	40/80 TRACK	£378.00	£328.70
SWITCHABLE 200K			SWITCHABLE 800K		
40/80 TRACK	£189.00	£164.35	Integral power supply		
SWITCHABLE 400K	£25.00	£21.74	for dual drives	£45.00	£39.13
Integral power supply			Power supply in dual		
for single drives	£25.00	£21.74	case	£45.00	£39.13
All prices correct at time of g	oing to pres	s and all off	ers subject to availability.		

• Utilities disk includes 13 useful utilities

including: formatting verifying screen dump disassembler generating 62

Please telephone 01-843 9903 for latest prices welcomed from Educational Establishments and Government Departments

How to order


and insurance on all items. By telephone: Ring (01) 843 9903. Credit Card holders (Access/

Barclaycard only) can purchase by telephone. Please give Card No., Name, Address and the items required.

By post: To purchase any of the items simply fill in the coupon with your requirements. Enclose your Cheque/P.O. or use your Access/ Barclaycard. Please make cheques payable to: VIGLEN COMPUTER SUPPLIES and post to

above address. Allow seven days for delivery and add £8.00 carriage, package

files, etc Orders BOSTON VIGLEN **Full Twelve Months Guarantee**



ACORN USER OCTOBER 1984

Switchable 40/80 Track 200K Disk **Drive & Acorn DFS**



20A

THE TEC DISK (AS USED BY CUMANA)

VIGLEN

 Package assumes you own a BBC Model B with switched mode power supply plus 1.2 operating system.

OFFER INCLUDES:

SWITCHABLE

DISK DRIVE

- Disk Interface (call at factory for free fitting)
 200K 40/80 track single sided TEC FB502 Slimline Disk Drive including case and all leads
- User Guide
- Utilities Disk including formatting, verifying, BASIC program comparator, disassembler, Epson screen dump, dual Aces concertaining of going operations of the subject to availability why the man of the subject to availability why the man of the subject to availability catalogue (giving 62 files), large printing and others . næde out o VICIEN COMPUTER auf en tot carriade

Prices context and a context of a context of

COMPUTER SUPPLIES Unit 7 Trumpers Way Hanwell W7 2OA Telephone: (01) 843 9903 AMPLE ON-THE-SPOT CAR PARKING-AND IT'S FREE!

ATOM

◀ page 143

146

switches off the screen. Compare this with the results from the first REM, and you have the difference between printing a number and a control code.

To show this in a working program is the best way to make the point. Written in Basic, Wordprint is slow in parts but more understandable than assembler. It is a restricted wordprocessor that uses #2800 as working storage and #2900 for the program. It stores the text from #8200, in the graphic space. It is not excessively user-friendly so an explanation of the program as well as the controls is needed to make it accessible. A sheet of instruction was orginally written as an aide-memoire for the program and this is included below. With the exception of lines 27, 28 and 44, which were taken from Atomic Theory and Practice, the program is original material.

Starting with the printer controls, these are in lines 91-126, 456-458, 470-478 and odd lines between 300 and 440. Several control characters can be embedded in the text and these are searched for in lines 456-458. Lines 91-126 are combined with these to insert the controls into the string B(\$B), using X as the index. \$B has the code 27 entered in the first lines and has the rest dealt with in 91-126. (These line numbers are taken from the ASCII values of the embedded control characters.) After this B is free for further text input. The codes are to set up italics, underline, enlarged, super and subscript and to cancel them.

The routine at line 470 is entered every time a print request is made so that it is immaterial if the printer is switched off in the meantime. A routine such as this is needed in any program that requires printed output, to initialise the printer and to set some print style. It starts by putting the printer 'on line' with PRINT \$17, and follows by initialising it, PRINT \$27\$64. If a headed address is wanted, T takes a value near the right-hand side and inserts it in the tab instruction PRINT \$27\$68\$(T)\$0 as the only tab. The default is that tabs are set at 10, 20 and so on up to 60.

Line 472 sets double-strike printing, if required.

Line 474 uses M to set the left-hand margin at the Mth position. M = 10 causes a tab to 10 and then a margin of 10, thus line 232 to avoid this. The right-hand margin is not used, though there is an instruction for it.

Line 476 reads the values from locations #8E to #91. These are put there in line 505 and #8E holds 27, #8F has 66, and #90 has 1. Lines 200–220 can alter the value of #90 to give 12 characters per inch or 17 CPI instead of 10 CPI.



Line 478 ensures that the eighth bit (most significant bit) is 0. The printer sets this randomly which can be frustrating.

PRINT #27\$55\$0 is to obtain the US set so that the hexadecimal sign is shown as #. This can be altered to give foreign language types. The lines between 300 and 440 have PRINT statements: PRINT \$2 and \$3 are Atom commands. PRINT \$17 and \$19 are Star commands. These enable and disable the printer driver and put it 'on line' and 'off line'. (Both sets are included to show the order of use.) PRINT statements do not have to be separate; PRINT \$2\$27\$66\$1\$27\$61 is acceptable to the Atom and the printer instead of PRINT \$2, PRINT \$27\$66\$1, PRINT \$27\$61.

Now for the operating instructions.

The screen shows DATE. Type date or return. Anything input here will be kept as date.

The screen shows Options 1-8:

1 WRITE TEXT subdivides into 1-New

01234567890123456789012345678 Ō THIS IS AN EXAMPLE OF HOW THE TEXT EDIT ROUTINE LOOKS ON TH E atom SCREEN. tYPING IS DONE IN REVERSE, WITH LOWER CASE B EING USED AS CAPITALS AND REV 4 5 ERSING THEM IN LINES 453 AND 454 BY EXCLUSIVE OR-ING WITH 6 #20. this stops the screen F ROM BECOMING WHITE AND GLARIN 8 9 G. A, B, D, I, N, Z?

low the Text Edit routine a

How the Text Edit routine appears on the screen

Text and 2-Additional Text. New Text will start again and all previous text will be lost. Additional Text adds text at the end of current text. ZZ will return to option point. Text can only be added in the middle using EDIT.

2 *EDIT* displays text in lines 0-9; in columns 0–28. Available options are A, B, D, I, N, Z.

A – Amend , change letters one for one

- B Back, moves back to previous screen
- D Delete, deletes a stated number of letters starting from a given point

 I – Insert, inserts a piece of text and moves up the remainder

N-Next, displays the next screen

Z-end of edit

Edit errors

'CAN'T GO BACK' – BACK requested but screen showing start of text.

'END OF TEXT' – NEXT requested at end of text.

Print control characters

Left square bracket (ASCII 91) - Italics

Backslash (92) - Underline

Right square bracket (93) - Cancel italics

Up arrow (94) – Enlarged print

Shifted (SH) At (96) - Cancel enlarged

SH left square bracket (123) -Superscript

SH backslash (124) - Cancel underline

SH right square bracket (125) - Subscript

SH up-arrow (126) - Cancel super/ subscript

Star (42) - Linefeed

Place PCC immediately before the first letter to be changed. Cancel PCC just after the last letter – ie, before the blank. Include a space after commas and stops. The program automatically left-justifies and looks for the final space in the line.

3 *PRINT TEXT* (sub-option CHANGE PRINT STYLE). Three print styles can be selected: 10 CPI, 12 CPI and 17 CPI. Left-hand margin, lines per page, letters per line, and letter-heading are included in print style routine.

4 SAVE TEXT A name up to ten letters is asked for, two Record Tape messages are printed and there's a 10-second delay before the second.

5 LOAD TEXT Start tape before the recording. Each file name will be displayed. Press CTRL when the correct one shows.

6 *REVIEW TEXT* shows text as in the edit mode but without line and column numbers.

7 ENVELOPE to address envelope. 8 END of run.

At the end of each text input 'O.K.' is printed. If 'N' is typed in, the line is not accepted. The screen editing facility is still available in the usual way.

An asterisk during text input will be translated as a new-line indicator. Starspace-star will linefeed twice.

If it is necessary to end the run or ESC or BREAK is used, restart with G.y. Unless this method is used, there may be a loss of data. page 148 ►

UNBEATABLE VALUE! CANON 200K DOUBLE SIDED Model No. MDD210

40k track 200k DOUBLE SIDED

* low power consumption (unlike full height drives)

All disc drives come complete with Professional Case – Ribbon cable to connect to BBC Micro – Power cable to connect to BBC Micro – Comprehensive Manual – Formatting and utilities disc.



VIGLEN COMPUTER SUPPLIES, UNIT 7 TRUMPERS WAY, HANWELL, LONDON W7 28A. Telephone 01-843 9903. Personal Callers Welcome.

Post to: VIGLEN COMPUTER SUPPLIES, UNIT 7, TRUMPERS WAY, HANWELL, LONDON W7 2QA

Please send me ____(qty.) CANON MDD210 DRIVES at £115 each + £8 carriage. I enclose Cheque/P.O. for £ _____ made out to

Signature.

VIGLEN COMPUTER SUPPLIES or debit my ACCESS/BARCLAYCARD No.

Name.

Address

A PRINTER STAND rom COMPUTER SUPPLIES For dot matrix printers Raises printer high enough to put continuous stationery underneath Beautifully finished in clear perspex
 Viglen quality every time • Will accept paper up to 121/2" wide • Non slip rubber pads Dimensions: 15" (380mm) wide 121/2" (320mm) deep 4" (90mm) high **Printer Stand COME TO VIGLEN FOR A FAST, FRIENDLY, PERSONAL SERVICE** £12.95 INC. VAT DEALER ENQUIRIES WELCOME Carriage & Packing £3.00 Post to: VIGLEN COMPUTER SUPPLIES, UNIT 7, TRUMPERS WAY, HANWELL, LONDON W7 2QA. Please send me _____ (qty) PRINTER STANDS at £15.95 each. I enclose Cheque/P.O. for £ ____ __ made out to VIGLEN COMPUTER SUPPLIES or debit my ACCESS/BARCLAYCARD No. Signature. Name_

Address_

AU10/3b

AU10/3a



Text input uses the normal Atom input so that strings are restricted to 64 characters. The request for a headed. address in line 270 uses the WRITE TEXT routine and must also be ended with the string "ZZ". All text input is in upper case. The output to the printer reverses this with: #20 (Exclusive OR 32). This arrangement has been found to be better than locking into lower case and shifting for upper case, because it avoids filling the screen with whitebackground letters.

Edit falls into two parts: the edit options and the print control characters (PCC). Having edited the English, it is possible to operate on the PCCs using the same options. Each PCC can be entered immediately before or after any other, giving say, italics, enlarged and underlined until each is cancelled. If none is entered then printing is done in standard print. There are about 40 options for the Gemini, some duplicated, but these were selected as being the most useful. If some machine code is introduced to speed up the program then twice as many PCCs can be used by recording the first occurrence as 'on' and the second as 'off', instead of using different signs for each.




The program up to line 71 should be typed without the leading space or REMs. Line 71 is then at #2B57 as required in line 505, which sets the error-handler. The text in line 72 should be re-written to show your address. One leading space is required here, for line 316 needs this to start at #2B69. In line 26 the address of the first character after the quotation mark has to be #298A to make lines 20 and 22 work correctly.

Within each main option, all variables are local. To list all the variables would take too much space. The print options set in lines 200–282 are held in locations #85–#8D. They are unpacked when required in line 300.

S and T are used throughout as string pointers for text. B is the text string and D is used as a general-purpose string.

#8200 holds 13 and #8201 has -1, for use in the dummy file in the Save routine. The text starts at #8204 and each file carries its end address in #8202,#8203.

The strings can be dimensioned if you prefer and BBC converters can carry the print options forward in suitably named variables. They may also find the articles on Beeb to Atom conversion (*Acorn User*, from April 1984) a help. The hardest parts to recognise are the abbreviated statements F., N., IN., G., GOS., U., R. These stand for FOR, NEXT, INPUT, GOTO, GOSUB, UNTIL, RETURN. It woud be nice to see this program followed up shortly with a BBC version. Meanwhile, try your luck with the *Wordprint* editor.




148

Buy from the specialists. VIGLEN offer of TEC drives (As used by Cumana) beats all comers

Replacing cassettes with disc drives means programme loaded and data accessed in seconds not minutes.

Our guaranteed disc drives are supplied with a comprehensive fact-filled 53 page manual, exclusive to Viglen, which shows loading from cassette to disc and other information for the **BBC** Model B.



TEC 55 SLIMLIN

Single Drives	Incl VAT	Excl VAT
40 Track 100K 5 ¹ /4" Single sided 40/80	£119.00	\$103.48
track 200K switchable 5 ¹ /4" Double sided 40/80	£139.00	£120.87
track 400K switchable 5 ¹ /4"	£179.00	£155.65
Integral Power supply for single drive	£25.00	£21.74





Unit 7 Trumpers Way Hanwell W7 2OA Telephone: (01) 843 9903

Orders welcomed from Educational Establishments and Government Departments How to order

0 BOSTON VIGI EN Full Twelve **Months Guarantee**

Dual Drives	Incl VAT	Excl VAT
40 Track 200K 40/80 Track	£238.00	£206.96
Switchable 400K 40/80 Track	£278.00	£241.74
Switchable 800K Integral Power supply	£358.00	£311.30
for dual drive ACORN Disc Filing	£45.00	£39.13
System	£105.00	£91.30

TROMBERS WALTANNELINT 29A Constant and the constant of t All prices correct at time of going to press and all offers subject to availability. All disk drives are supplied complete with Professional Screened Case – Ribbon Cable to connect to BBC Micro – Power Cable to connect to BBC Micro - Comprehensive Manual - Formatting and utilities disc, which includes 13 ADDER CREATE DAY ACTES ARE IN SEAMOR CREATE AND ADDER OF THE ADDER OF useful utilities including * formatting * verifying * screen dump * disassembler * gener ating 62 files, etc

AUTOS

100 appliable

What the competition hasn't been waiting for.

Latest version of Forth for the BBC (Is not rehashed Forth 79 Code)

Unique Stack Display Utility -



. 16k Eprom type 27128

Multi-tasking operating system for Real-Time use.

Here's the Forth Eprom for the BBC Micro that makes all others out of date.


It's Multi-Forth 83 from David Husband who has built his reputation for Quality Forth products with his ZX81-Forth ROM, Spectrum Forth-I/O Cartridge and now New Multi-Forth 83 for the BBC Micro. This is not rehashed Forth 79 Code, but a completely new version of the Forth 83 Standard. It's unique in that it Multi-tasks, and therefore the user can have a number of Forth programs executing simultaneously and transparently of each other.

Multi-Forth 83 sits in the sideways ROM area of the BBC along with any other ROMs in use. It is compatible with the MOS, and specially vectored to enable a system to be reconfigured. It contains a Standard 6502 Assembler, a Standard Screen Editor, and a Unique Stack Display Utility.

With this Forth, David Husband has provided the BBC Micro with capabilities never before realised. And being 16K rather than 8K is twice the size of other versions. Multi-Forth 83 is supplied with an

extensive Manual (170 pages plus) and at £45+VAT it is superb value. Order it using the coupon adding £2:30 p&p (£5 for Europe, £10 outside) or if you want more information, tick that box instead. Either way, it will put you one step ahead of the competition.

		Please send me more informatic Multi-Forth 83
Name		ZX81-Forth ROM
Audress		Spectrum Forth-I/O Cartridge
	Post code	Skywave
Send to Skywave Soft	IILITY, FOR I.O.O.S ONWARDS, ware, 73 Curzon Road, Bournemouth, gland. Tel: (0202) 302385	





Juki 6100 £375 (inc VAT) SAN PLE 2000 £229 (inc VAT)

Shinwa CP80 £119 (inc VAT)

£289 (inc VAT)

ADLOG COROLO POLO PARTIN COROLO PARTIN PARTI Please Ring AMOLEON THE SPOT CARE PRODUCTION OF AND THE OPPORTUNITY OF AND THE O

Please add £8 for $1\frac{1}{2}$ mm printer lead for the **BBC** Micro

near letter quality printing from dot

matrix printer. Friction and tractor feeds. 160 cps. Highly recommended.

Daisywheel Printers

Please add £8.00 for carriage.

We also stock other computer peripherals, accessories and complete work processor systems at unbelievable prices. Please call for our latest offers. You may also purchase these items direct by calling at

our factory/showroom in Hanwell, London. Prices correct at time of going to press and offers subject to availability.

A J SOFTWARE for BBC



'The Record Changer' 32K £19.95 Cass. £24.95 Disc. for indexing, membership lists, directories, inventories, budgeting, etc, etc.

> don't buy a database in the darkcheck the spec!

'The Wordsmith' 32K for Centronics 737/739 AND NOW FOR EPSON FX80:

£19.95 Cass. £24.95 Disc.

Options Timetable 32K £14.95 Cass. £19.95 Disc.

Simple Word Processor 32K £9.95 Cass. £14.95 Disc.

Picture Maths £9.95 Cass. £12.95 Disc. An arithmetic practice program for primary schools.

Character Definer £9.95 Cass. Enlarge, reduce, etc, etc.

Tape Catalogue £5.95 Cass.Catalogue all your tapes using this program and never loseone again

Copy Disc £9.95 Copy disc to tape, tape to disc, M/C, Data or Basic.

ROM Read £8.95 Cass. £11.95 Disc. A machine code program to read the contents of any ROM socket and copy to RAM, tape or disc. Not to be used for illegal copying.

Machine code Disassembler £5.95 Cass. £7.95 Disc.

Open Evening Timetable 32K £14.95 Cass. £19.95 Disc.

Utility Eprom £19.95 for basic programmers

Mitsubishi Disc Drives Dual 80 Track 800K £380 + VAT

Single Track Drives Dual Sided 200K £199 + VAT

Double Density Disc Interface £85 + VAT The best there is.

Epson Printers FX80 £370 + VAT RX80 £270 + VAT BBC Epson Cable £15 + VAT

Normende Not only the cheapest, but the best Switchable 14" RGB Monitor/Colour TV £250 inc. VAT and cable, £8.00 carr. Royalties for quality software All prices VAT inclusive except where shown

AJ Vision Service Ltd, 61 Jeddo Road London W12 9ED

SCOTLAND

	I INC VAI
ACORN ELECTRON	£199.00
BBC MODEL B	£399.00
BBC MODEL B + DISK INTERFACE	£469.00
Z80 2nd PROCESSOR	£299.00
CUMANA DISK DRIVES FROM	£160.00
EPSON FX80 PRINTER	£420.00
EPSON RX80 F/T PRINTER	£295.00

Cine VAT

ALSO WIDE RANGE OF SOFTWARE AND ADD-ONS FOR BBC AND ACORN ELECTRON.

> All prices Include VAT. CARRIAGE **£8.00** per unit.

WEST COAST PERSONAL COMPUTERS 47 Kyle Street, Ayr KA7 1RS Telephone (0292) 285082

BBC MICRO REPAIRS by MICROFIX

ACORN AUTHORISED SERVICE CENTRE

 "Cumana Disc Drive and Acorn DFS supplied and fitted at low prices"
 We will repair your faulty BBC micro, disc drive or monitor quickly and at a reasonable charge. Most repairs cost between £10 and £20.
 We can also offer extended warranties on all your equipment. Send S.A.E. for full price list.


> Phone 01-968 9214 or call in at

191 Freston Road, (Latimer Road Tube) London W10

and ask for Mark Duffill or Derek Mullings.

ACORN USER OCTOBER 1984







ADVANCED SPECIFICATIONS include:

PRINTER FEATURES

Compatible with any Centronics-type printer. Uses BBC Microcomputer operating commands – VDU 2, *FX5.1.

TOS, I. Built-in command (*SCREENDUMP) allows colour graphics to be copied to any Epson-compatible printer.

JOYSTICK FEATURES

Provides connections for two Atari-type joysticks, allowing the use of two-player games. Compatible with 99% of Electron software.

Built-in command (*DEFINEKEYS) allows joysticks to be used even with programs not normally providing joysticks options!

ADDITIONAL FEATURES

Only Acorn-approved memory addresses are used, ensuring compatibility with all current and future expansion devices. All operating software is held internally in a 'sideways' ROM. There is no need to load any additional software from cassette, unlike inferior interfaces. Housed in a slimline plastic case.

ELECTRON ROM/RAM EXPANSION UNIT PRICE £59.95

Provides 12 extra sockets which support a variety of ROM and RAM configurations up to a max. of 192K for ROM and 16K for RAM.

ROM and RAM is normally paged in 16K blocks but is easily switchable to 2K, 4K or 8K blocks.

Easy to install - just plugs in.

Professional styled casing bolts to rear of computer.

Fully buffered design.

Permits use of most BBC ROM-based software including utility ROMs, wordprocessors & languages.

THE SIR ELECTRON ADC/PRINTER UNIT PRICE £64.95

NOT JUST ANOTHER JOYSTICK PORT – FULL ANALOGUE-TO-DIGITAL CONVERTER provides fully proportional control, essential for use with graphics packages, digitizers, etc; ideal for scientific & educational applications; usable with a wide variety of BBC Micro-compatible analogue and switched Joysticks/Paddles. No need to load software from tape.

CENTRONICS PRINTER INTERFACE – allows use of a wide variety of parallel printers including entire Epson range; complete firmware support included. **HIGH-QUALITY MOULDED CASE** – attractively styled plastic unit bolts securely to the back of the computer.

EASY TO FIT – no soldering, simply plugs straight into computer's rear edgeconnector and is held in place by twin bolts; edge-connector on back of unit provides for further modular expansion if necessary.

NEW

COMBINE SPECIAL PRICE £99.00

BOTH THE ABOVE UNITS (ROM/RAM Expansion Board and Printer/ADC Interface) IN ONE CASE! A complete and comprehensive Electron expansion – ideal for word-processing applications among many other uses.

-ALL PRICES THIS PAGE INCLUDE VAT-PLEASE ADD £1 P&P PER ITEM ORDERED

SIR COMPUTERS LTD 91 WHITCHURCH ROAD, CARDIFF CF4 3JP Tel: Cardiff (0222) 621813



SOFTWARE CHART

		TITLE	PUBLISHER	PRICE	MICRO	REVIEWED
1	()	Frak!	Aardvark	£7.50	В	September '84
2	(2)	Fortress	Amcom	£8.95	В	September '84
3	(3)	Blagger	Alligata	£7.95	B/E	October '84
4	(5)	Twin-Kingdom Valley	Bug-Byte	£9.50	В	180.00
5	(9)	Football Manager	Addictive	£7.95	В	
6	(13)	Chukkie Egg	A&F	£7.95	B/E	September '84
7	(—)	Micro Olympics	Database	£6.95	В	
8	(1)	Aviator	Acornsoft	£14.95 (£17.95)	В	May '84
9	(17)	The Hobbit	Melbourne House	£14.95	В	
10	(8)	737 Flight Simulator	Salamander	£9.95	B/E	December '83
11	(10)	Overdrive	Superior	£7.95	В	September '84
12	()	Spitfire	Alligata	£7.95	В	an and a hope of
13	()	Felix and the Fruit Monsters	Micro Power	£7.95	В	
14	(—)	Hopper	Acornsoft	£9.95	B/E	August '84
15	(4)	Battletank	Superior	£7.95	В	September '84
16	(20)	Ghouls	Micro Power	£7.95	B/E	June '84
17	(15)	Hunchback	Superior	£7.95 (£11.95)	В	September '84
18	()	Countdown to Doom	Acornsoft	£9.95	B/E	
19	()	Snowball	Level 9	£9.90	В	
20	(7)	Mr Wimpey	Ocean	£6.90	В	
B=E	BBC E=	Electron Prices in brackets are for disc ve	rsion			and the second se

B=BBC E=Electron Prices in brackets are for disc version

BUBBLING UNDER

Quick Thinking (Mirrorsoft) Brainstorm (Virgin) Java Star (Shards) Sea Adventure (Virgin) Compiled by RAM/Computer Jet-power Jack (Micro Power) Lords of Time (Level 9) System 15000 (Ferranti) Nifty Lifty (Visions)

FRAK! has done it. Straight into pole position. Visitors to the AU Exhibition will have seen why it's up there, and what happens when you get to the later stages. Our Editor (who's appalling at games) barely managed to scroll past the first screen, but the real players can get to the end of the trail when the screen is repeated, upside-down!

Aviator has stalled after its No 1 entry last month, but Acornsoft's fortunes will no doubt be revived by the newcomer *Elite*, reviewed in this issue.

Other releases to look out for are Micro

Power's *Dune* and a Grand Prix racing game from Software Invasion (complete with bends) to rival Atari's *Pole Position* and Superior's *Overdrive*. Quicksilva also has a racing game under way produced with Atari's blessing.

Football Manager's progress can expect to be given a helpful boot upwards by the start of the new season, probably from Everton fans hoping to repeat their team's success over awe-inspiring Liverpool in the Charity Shield. *Micro Olympics* will no doubt continue going for gold but will have a job Cosmic Cruiser (Beau Jolly) Hulk (Adventure International) Eagle Empire (Alligata)

OP 20

155

overhauling the yo-yoing *Frak!* No doubt the Olympic game will be boycotted by our Eastern-bloc readers because of its commercialism in featuring advertising on background hoardings.

Adventure fans are making their presence felt with four placings, two of them, *TKV* and *The Hobbit*, showing a lot of staying power in the chart.

Our tip for next month's top match? Still *Frak!* But watch out for *Elite* jumping in and a major campaign from Software Invasion with its *3D Grand Prix*.

micro FAST LATEST BARGAIN PRICES

colour MONITORS	DISK DRIVES	mono MONITORS	DOT MATRIX
Microvitec 1451 £239.13			500 Marcine (201 70
+ VAT = £275 inc VAT	100K40T £86.09 + VAT = £99'	ISL 18 + VAT = £62 inc VAT	Epson RX80 F/T £221.73 + VAT = £255
Amstrad CTM640 £169 Microvitec 1431 £195 1431 (RGB/PAL/AUDIO) £225 Taxan Vision EX £215 JVC 1302-1 (QL/BBC) £195 Microvitec 1451/QL £255 Microvitec 1451 £275 1451 (RGB/PAL/AUDIO) £340 Taxan Vision II £270 JVC 1302-2 (QL/BBC) £253	Single inc VAT 100K ALPS 40T £99* 100K Chinon 40T £145 200K Sankyo 3" 40T £185 400K Mitsubishi 40/80T £199 400K Cumana 80T £215 Double inc VAT 400K Sankyo 3" 40T £369*	Amstrad GT64 £69 Sanyo DM2112 (15 MHz) £75 Sanyo DM8112CX (18 MHz) £103 ISL 18 (18 MHz) £62 ISL 20 (Swivel 80 col) £73 Teco with Zoom £105	inc VAT Star Gemini 10 £249 Star Delta 10 £365 KDC FT-5001 £234 Epson RX80 £219 Epson RX80 F/T £255 Epson FX80 £379 Epson FX100 £588 Mannesman £225
Microvitec 1441 £499 Taxan Vision III £370 PROCESSORS	800K Cumana 80T £419 800K Mitsubishi 40/80T £439 800K Cumana 40/80T £499	Torch Ext. Processorinc VAT+ Software£299Torch Ext. Processor+ software+ twin drives£749Computer Concepts ROMsfrom£32	DAISYWHEEL
BBC Model B BC Model B E320.87 + VAT = £369* inc VAT	Phone for quotation on bespoke Accounting Software Invoicing/ Ledgers/Payroll	Acorn Business Software £24 Acorn Data Recorder £32 Computer Work Station £57 Holds Micro *, Monitor, Printer with Storage Space. Printer Stands £17 Desk Stacking Unit £23 (Lockable version available)	Juki 6100 £326.08
BBC 'B' + Recorder & s/ware £369"BBC 'B' with DFS£459Acorn Z80 Ext. Processor£299Torch Unicorn PackageP.O.A.Amstrad CPC464£1606v power + UHF£28ISL 8083 (IBM Comp)£1350DEC 11/23 + 40 MB£7000DEC 11/73 + 170 MB£1200LVL DD/DOS£119	★ SPECIAL OFFER W. Cold St Underground Fire Station Street	HILE STOCKS LAST	+ VAT = £375 inc VAT JUKI 6100 £375 Daisy Step 2000 £249 Plus JUKI Sheet Feeder £239 JUKI Tractor Feed £109 Serial Interface Conversions 8143—Epson £30
DISK INTERFACES	Road	57 Hoxton Square London N1	8148—Epson (2k buffer XON/XOFF protocol) £65 JUKI £55 Plus cables from £12
	ALL PRICES II		BUSINESS SYSTEMS
inc VAT Kenda Mighty Oak £90 Kenda Professional (double density £130 Opus Double Density £130 Acorn DFS Kit £97	Prices shown are for cash & ca time of going to p Export price li Mail order and cred OPEN 9–6 Monda 57 Hoxton Squa Tel: 01-72	ress in August. ist available lit cards accepted ay to Saturday re, London N1	A.C.T. Apricot Processors and Business Systems assembled to your specification. Price dependent on
MODEMS Selection of Acoustic Couplers and Mini Modems in stock. Minor Miracle WS2000 £145 inc VAT		PERTS	equipment supplied. Call us to discuss your requirement.

FIRMWARE REVIEWS

TOOLKITS ON TRIAL

Bruce Smith finds firm favourites among five utility ROMs

THE ability of the BBC micro to accept a variety of extra ROMbased software that can be used concurrently with Basic or even replace Basic has always been an important aspect of its design, and it goes some way to compensating for the small amount of user memory available, especially in the high-resolution graphics modes. (With extra hardware, of course, the Electron has similar potential.)

Independent suppliers have been quick to jump onto the bandwagon of ROM-based software (normally termed firmware), producing a variety of programming goodies. As many of you are aware, the choice is confusing. What exactly does the firmware do? Is it as good as the others? If not, which one is the best? And so on.

In an effort to help you through this firmware jungle a comparative review of groups of firmware will be appearing in future issues of *Acorn User*. This month I start the ball rolling with a look at ROMs containing Basic programming aids or utilities. Future issues will focus on machine-code monitors, databases and wordprocessors.

The Jargon

Rom-based software for the Beeb is often called a 'utility'. This word really means an aid to programming, a program that will allow you to perform a certain task with minimum fuss. Consider what would happen if you had a longish program in which you wanted to replace all occurrences of one variable name with another. No problem if the variable has been used only a few times. You simply edit it in using the cursor control and Copy keys. But what if there were ten, 20 or even 30 occurrences of the variable? To edit each one by hand would be laborious. The best answer is a utility program that would do the whole job for you. Enter the name to be replaced, the new name and the utility does the rest! Because of the usefulness of these types of commands a collection of them is generally termed a 'toolbox' or 'toolkit', as they are thought of as supplying a collection of tools for the programmer.

A usable utility

The most obvious way to write a utility program is in Basic, and listing 1 provides an example that lists the values

assigned to all the resident integer variables in decimal and hexadecimal. Trouble is, writing a utility in this way has many drawbacks. First, where do you put it? The most obvious way is to incorporate it in the main program as a procedure, as demonstrated in the program. A library of utility procedures could be stored on tape or disc as ASCII files and simply spooled in as required. However, this eats up memory and means that the final program will need editing to remove the utility when it is complete – shades of Catch 22!

An alternative method would be to place the utility in a different part of

SUPPLIERS

ADDCOMM

Vine Micros, Marshborough, Sandwich, Kent. Tel: (0304) 812276

CARETAKER

Computer Concepts, Gadderden Place, Hemel Hemsptead, Herts HP3 6EX. Tel: (0442) 63933

Tel: (0442) 03933

TOOLKIT

Beebugsoft, PO Box 109, High Wycombe, Bucks HP10 8HQ.

TOOLSTAR

Pace Software Supplies, 92 New Cross Street, Bradford BD5 8BS. Tel: (0274) 729306

U-TOOLS

Intersoft, 26 Netherfield Road, Sandiacre, Nottingham NG10 5LN. Tel: (0602) 399974

memory by adjusting the value of PAGE. The program still uses up memory, assuming there's enough to put it there in the first place. To run the program you have to alter PAGE and change it back to its original setting to get back to the main program.

Another approach is to write the utility in machine code. The main disadvantage here is that you need a knowledge of assembler to do this yourself, unless the software is being bought. Machine code is more versatile than Basic and usually much less demanding of memory and so can be placed out of the way in a backwater of memory. The user-defined character space from &C00 to &CFF is a favourite location. Executing machine code doesn't involve the complicated rigmarole of changing PAGE etc. – a simple CALL to the start address will suffice. Machine code also operates much faster than an interpretative language such as Basic.

Listing 2 provides a simple program compactor. Type it in, run it, and save the machine code to tape or disc using:

*SAVE "SPACE" C00 + FF C00

Using the program simply involves *RUNing it or, if already present, CALL &C00. The effect of the program is to remove all spaces, except those within quotes, from the program at PAGE so that it requires less memory space. This utility needs to be used with care. For example, the line:

500 DEFPROCdemo BYTE% = 0

is legitimate, but after deleting the space the line will be:

500 DEFPROCdemoBYTE% = 0


which will cause an error at run time. The way around this is to place a colon between the procedural name and the variable, thus:

500 DEFPROCdemo : BYTE% = 0

Similar care should be exercised when using the assembler to differentiate, between a label name and the opcode to prevent them from turning into one long label name!

Using machine code in this way has its disadvantages - it still uses up memory. This may not be a problem if only one utility is required, but finding space for two or more useful utilities well out of the way is not easy. Also, once a machine code program has been assembled into a particular area of memory it can normally only be loaded back and used correctly in that same area, unless some fancy coding techniques have been employed to make it relocatable. Thus a program assembled to run in the soft character buffer is not much good if your program makes use of the definable character facility! A way round this would be to assemble code into several areas and load the required one in, but this is

Bruce Smith's example utilities in Basic and machine code (listings 1 and 2) are on yellow page 112





Features include...

- PROVIDES 20K OF USABLE RAM
- ALLOWS THE RUNNING OF PROGRAMS UP TO 28K LONG IN ANY SCREEN MODE
- RAVEN 20 IS COMPATABLE WITH ALL
 CORRECTLY WRITTEN SOFTWARE
- SIMPLE PLUG IN AND GO DESIGN
- SPECIAL COMMANDS FOR SOFTWARE WRITERS

- COMPLETELY TRANSPARENT TO BBC OPERATING SYSTEM
- NO SOLDERING OR CUTTING OF TRACKS
- USES ONLY DOCUMENTED MOS CALLS
- LOW POWER DYNAMIC RAM DESIGN + MANUAL
- SELF TEST FACILITY
- COMPLETE WITH ROM BASED SOFTWARE
- CAN BE FITTED TO BBC MODEL B FITTED WITH OS 1.2



fiddly and time-consuming, especially for tape users.

Inside track

Home-brewed utilities therefore have their disadvantages - they have to be written, they use up precious memory and they are not always easy to use. The best compromise is to use machine code stored within EPROMs using the sideways ROM facility of the Beeb. The advantages are many. The utilities are always on hand because they form part of the micro itself, and that also makes them 'portable'; you are not dependent on disc drives or cassette recorders to get at them. Virtually all the commands implemented as commands are because the ROM itself contains an interpreter that recognises them. Thus our compacting program, if found in a toolbox, might be executed just by typing *PACK or *CRUNCH. Because ROMs occupy the same area as Basic they are transparent to the user, thanks to some clever electronics, and do not normally require any user memory.

There are disadvantages, of course. For a start, outlay – most items of firmware normally cost at least $\pounds 22$ and they need to be fitted into the machine. A dealer will often do this if you buy from him, but the mail order buyer is on his own.

What's around

Toolbox The only serious item of tapebased utility software I have encountered is BBCSoft's Toolbox. This is a neatly packaged book with accompanying cassette of programs. It obviously suffers from all the aforementioned problems and at £21 is not cheap. However, for anyone wishing to learn about the techniques involved in utility programming it is a useful introduction. Twenty-five utilities are provided, 13 of which are written in Basic and 12 in assembler. A good range of programs are provided and these include sorting routines, a variable dump, a REM stripper and program formatter. Each program is discussed in the accompanying text

It has to be said, however, that EPROM-based software is really a must for the serious utility user.

Addcomm The Addcomm from Vine Micros is probably the best value for money out of the toolkits. Although it does not come out on top in table 2, the overall command content is undoubtedly the best. In addition to the 31 Basic programming utilities the EPROM provides some useful enhanced graphics facilities, including circle and ellipse drawing commands, colour fills and commands to scale and rotate your creations. A simple implementation of Logo graphics is also included providing turtle graphics commands such as PEN, LMOVE, ROTATE, ANGLE and so on.

The commands are implemented not as operating system commands (ie, commands prefixed by asterisk) but instead they are entered directly as they are. This is because the Addcomm interpreter traps the errors that Basic would normally throw up and then tries to interpret the command that caused the error as an Addcomm command. This is good in theory but it can lead to confusion as it sometimes interprets Basic errors as Addcomm errors and displays the wrong error message.

Finally, Addcomm offers 40 commands to the user, though I consider only 37 of these usable. The other three allow the user to jump out of loops – naughty! They should be ignored by the user as they are not good programming practice. My plea to Vine Micros would be to delete these computer nasties from the instruction set and replace them with better error-handling.

Caretaker I'm a little disappointed with *Caretaker*. Over the past couple of years Computer Concepts has produced some of the best firmware for the BBC micro, but *Caretaker* falls some way short of the company's high standards. Of its 18 commands, I consider three to be space-fillers, although they are useful sometimes. CURSOR allows

the cursor to be turned on and off, while TABSTOPS and NOTAB allow the user to determine the new position of the cursor on the screen.

FIRMWARE REVIEWS

What disappoints is that it is rather run-of-the-mill, and shows none of the originality we've come to expect from CC. Useful enhancements, however, are those of single key command entry, emulating the Electron, as is the ability to save specified sections of program such as important procedures. *Caretaker* also scores on its EXCHANGE facility, which allows a good degree of control in selecting global or selective search and replace.

Toolkit Beebugsoft's *Toolkit* scores well in the five standard ratings section of table 2. The variable dump commands are extensive and include listing of procedure names and arrays in addition to integer and real variables. The enhanced line editor is useful, allowing program scrolling in any direction and listing of any erroneous line, highlighting the error at run time.

A couple of commands seem somewhat dubious, however. The ability to be able to perform OLD within a program would be needed on very few occasions, and I can think of no occasion when it has been necessary to perform NEW from within a program.

Toolstar This is not essentially a Basic toolkit but a general utilities aid, as it includes machine code and disc utili-

I						
l	ITEM	ADDCOMM	CARETAKER	TOOLKIT	TOOLSTAR	U-TOOLS
I	PRICE	£28	£33.35	£27.00	£34.00	£26.95
I	No. Basic commands	31	18	26	8	26
I	Total No. commands	40	18	26	22	26
I						
I	Bad program cure	•	•	•	•	•
I	Compact		•			•
I	Error-handling			•		•
I	Find	•		•		•
	FKeys lister	•				•
I	Format listings	•				
1	Global search/Replace				•	
1	Graphics Enhancement					
1	Help page	•				
1	Insert program lines PACK					
	Program status					
	Renumber					
	ROM command identity					
	Save/Load function keys		•			
	Save part program		•			
	Screen dump					•
	Single key commands		•			
	Shift program		•	•		•
	Turn off ROM	•				
1	Variable dumps	•	•	•		
	Verify			•		
1						

Table 1. Facilities at your command

FIRMWARE REVIEWS

ties. As table 1 shows, only eight of its 22 commands are Basic-orientated and this should be borne in mind when it comes to your decision. In essence, *Toolstar* is suited to the advanced programmer who dabbles in machine code and Basic and uses discs.

The global search and replace facility is a good implementation and the tookit's built-in software allows you to add your own RAM-based commands. A very interesting feature.

The *Toolstar* manual is excellent – by far the best I have seen produced for an item of commercial software; indeed it is much better than many computer user guides. Its 156 spiral bound pages are colour-coded, and copious use of examples makes it a joy to read.

U-Tools The *U-Tools* box offers a good, steady variety of utilities. One of the more interesting features is a command that will not only save a program but also lock it so that it can *RUN, though it is a shame that it can be used efficiently only with machine code programs. A variety of program-crunching commands are on offer, plus an error-trapping wedge that lists an erroneous line before printing the error message.

ADDCOMM	CARETAKER	TOOLKIT	TOOLSTAR	U-TOOLS	
8	7	7	7	7	
8	7	6	5	7	
8	5	5	10	5	
5	6	9	6	6	
7	7	8	8	7	
8	N/A*(5)	9	7	8	
8	9	8	9	7	
9	9	7	N/A	9	
7	8	10	N/A	8	
68	63	69	52	64	
	7 8 8 9 7	8 7 8 7 8 5 5 6 7 7 8 N/A*(5) 8 9 9 9 7 8	8 7 7 8 7 6 8 5 5 5 6 9 7 7 8 8 N/A*(5) 9 8 9 8 9 9 7 7 8 10	8 7 7 7 8 7 6 5 8 5 5 10 5 6 9 6 7 7 8 8 8 N/A*(5) 9 7 8 9 8 9 9 9 7 N/A 7 8 10 N/A	8 7 7 7 7 8 7 6 5 7 8 5 5 10 5 5 6 9 6 6 7 7 8 8 7 8 N/A*(5) 9 7 8 8 9 8 9 7 9 9 7 N/A 9 7 8 10 N/A 8

N/A = Not available.

*FIND not directly available but can be implemented using global search and replace facility and specifying same search and replace strings.

Table 2. How they score on a scale of 1 to 10


U-Tools is the only toolbox to provide an intelligent screen dump of any of the graphics modes to an Epson or Epsoncompatible printer such as Star. The dump provided is large -23×16.5 cm and it is produced *down* the paper.

Which one?

Before choosing which Basic toolbox you want to buy it is worth making out a list of items that you feel it should contain – in other words, the commands that would be most useful to you.

My own preference is the Addcomm, followed by Toolkit, finances allowing. From table 1 it would seem that the best combination would be Addcomm and Caretaker, as they cover the entire range of utilities. However, these two ROMs seem to be incompatible as some Addcomm commands will not function with Caretaker present.

At the end of the day, however, it should be a personal choice.









EXPANDABLE CONSOLE FOR BBC MICRO As supplied to Universities, Colleges, Schools, business & home users

A professional console to house

Torch version available

NEWARK VIDEO CENTRE LTD.

108 London Road, Balderton, Newark, Notts. 0636 71475 to order by Access or Visa Mon–Sat/9 am–6pm



We're the Experts.

(TRADE ONLY: Interface Publications are distributed exclusively in the UK and Eire by W H S Distributors. Export trade handled by Interface Publications.)

162

TOP QUALITY SOFTWARE FOR THE ACORN ELECTRON

ACORN ELECTRON





The best version available for the Electron micro. Percu is trapped in an ice maze which is populated by the deadly Snobees. His only hope of survival is to squash them by hurling ice cubes at them. Unfortunately, whenever it seems that he has won, a deadlier breed appears. Hi-score. rankings, excellent graphics and sound. NEW RELEASE

£7.95

2888



From the author of Percy Penguin, Mr. Wiz is a fast-action multi-scene game. Guide Mr. Wiz around the garden to eat the cherries whilst around the garden to eat the cherries whilst avoiding the evil gremlins. The gremlins can be killed by dropping apples on them or by throwing the crystal ball. Extra points can be gained by eating the magic mushroom, but beware...this is the home of the gremlins and makes them permanently furious! Sound effects and tunes, hi-score, rankings. Superb arrade-stille action arcade-style action. NEW RELEASE



An adventure game using hi-resolution full-colour graphics. You are stranded on a strange planet, and your mission is to return to civilisation and home. Many of the locations are of bound applicable under the are shown graphically, including the spaceship, the cliffs, the mountains, and (if you succeed) your home. You must carefully environment searching for explore uour hidden clues to help you in your quest. NEW RELEASE



A highly versatile implementation of Chess A highly versatile implementation of Chess. Play black or white against the computer or a human apponent. The skill level of the computer's play can be varied widely, and moves are entered either by co-ordinates, cursor control, or joystick control. Moves can be cursor control, or joystick control. Moves can be taken back if an error has been made, and the board can be modified at any time. Games can be "saved" or "loaded", and the last game con be "realouged The computer will if can be replayed. The computer will, requested, suggest your moves. NELLIBELEASE



WORLD GEOGRAPHY 57.95 This program covers 166 countries which are divided into 8 categories of difficulty. Each country is pinpointed on an accurate hi-resolution screen map of the world, and the user is asked the capital and/or population. At the end of the test, the percentage of correct answers is given, so that the student can monitor his geographical knowledge.

The centibug descends from the top of the screen weaving intimidatingly between the mushrooms. Your objective is to shoot all the

segments of the centibug before it reaches the bottom of the screen. Features include: spiders, snails, flies, à skill levels, hi-score, rankings, and increasing

difficultu

ALSO AVAILABLE:

INVADERS FRUIT MACHINE CONSTELLATION £7.95 DISASSEMBLER £7.95 DRAUGHTS £7.95 REVERSI

£7.95 £6.95 £6.95 DEALERS - Our software is now available at all good dealers including: selected branches of W. H. Smith and Boots; all major computer dealers -Microstyle, Electronequip, 3D Computers, Computerama, GTM Computers, etc.; and our software is also available through all the major distributors, and directly from us.

WE PRY UP TO 20% ROYALTIES FOR HIGH QUALITY BBC MICRO AND ELECTRON PROGRAMS.

SUPERIOR SOFTWARE LTD.

Dept. AUIO, Regent House, Skinnerlane, Leeds 7 Tel: 0532 459453


OUR GUARANTEE

- All our software is available before we advertise
- (2) All our software is despatched within 48 hours by first-class post.
- (3) In the unlikely event that any of our software fails to load, return your cassette to us and we will immediately send a replacement.



RUEN DROPOUT 57.95 A novel and unusual program. Arcade-action with this exciting multi-stage shooting game. The objective of the game is to shoot the aliens out of their "boxes" before the "boxes" fill up. Once full, the aliens fly down relentlessly, exploding as they hit the ground. The game features include: 6 skill levels, rankings, hi-score, increasing difficulty.





Energise your Electron

- A thorough grounding in BASIC.
 Structured programming
- * Provide the programming techniques.
 * Packed with lots of
- examples.

Develop your graphic skills to the full

All you need to know to produce:

- Graphs * diagrams * pictures * 'three-dimensional' displays * plus many other designs.
- * Crammed with practical and challenging exercises.
- * Backed by thought-provoking examples.

MAKE THE MOST OF YOUR MICRO – PUT YOURSELF IN THE PICTURE! WITH THREE NEW BOOKS BY JIM McGREGOR AND ALAN WATT, AUTHORS WHO STAND "HEAD AND SHOULDERS ABOVE THE REST." (MICRO USER)

All these books are available at your bookshop, though should you find any difficulty in obtaining them, they can be ordered direct from the publisher. Simply fill in the form below. (IN BLOCK CAPITALS PLEASE) Please send me	-				
An threese books are available at your bookshop, though should you find any difficulty in obtaining them, they can be ordered direct from the publisher. Simply fill in the form below. Signed Please send me Name 99103 1 Better Basic for Your Electron at £4.95 (192 pages) Address 99104 X Graphics Programming for Your BBC Micro at £4.95 (192 pages) Address 99104 X Graphics Programming for Your BBC Micro at £4.95 (192 pages)		TOGE	THER,		
An threese books are available at your bookshop, though should you find any difficulty in obtaining them, they can be ordered direct from the publisher. Simply fill in the form below. Signed Please send me Name 99103 1 Better Basic for Your Electron at £4.95 (192 pages) Address 99104 X Graphics Programming for Your BBC Micro at £4.95 (192 pages) Address 99104 X Graphics Programming for Your BBC Micro at £4.95 (192 pages)					01
direct from the publisher. Simply fill in the form below. Signed Date Please send me Name 99103 1 Better Basic for Your Electron at £4.95 (192 pages) Address 99102 3 Graphics Programming for Your Electron at £4.95 (176 pages) Address 99104 X Graphics Programming for Your BBC Micro at £4.95 (192 pages) Address			(IN BLOCK CAPITALS PLEASE)	~	0
 99103 1 Better Basic for Your Electron at £4.95 (192 pages) 99102 3 Graphics Programming for Your Electron at £4.95 (176 pages) 99104 X Graphics Programming for Your BBC Micro at £4.95 (192 pages) Please allow cost of book(s) plus 30p for one book plus 15p for each additional book for postage and packing. I enclose my cheque/postal order for £ Now send to CORGI/ADDISON-WESLEY BOOKS, 			SignedDa	ate	
99102 3 Graphics Programming for Your Electron at £4.95 (176 pages) 99104 X Graphics Programming for Your BBC Micro at £4.95 (192 pages) Please allow cost of book(s) plus 30p for one book plus 15p for each additional book for postage and packing. I enclose my cheque/postal order for £ Now send to CORGI/ADDISON-WESLEY BOOKS,		Please send me	Name		
each additional book for postage and packing. I enclose my cheque/postal order for £ Now send to CORGI/ADDISON-WESLEY BOOKS,		99102 3 Graphics Programming for Your Electron at £4.95 (176 pages)	Address		
				A	

SOFTWARE REVIEW

STAR STATUS

Tony Quinn goes boldly to Cambridge on an Elite mission

'Elite', Acornsoft, BBC B, £14.95 (disc £17.95), Electron, £14.95

SPACE is the final frontier as far as Acornsoft is concerned, and the company reckons to have cracked it with the new release, *Elite*.

This game has been the subject of the biggest security operation the company has ever mounted, to ensure no details leaked out before the launch this month. It is still so secret that even I don't have a copy!

Acornsoft spirited half a dozen journalists up to Cambridge and locked them in a room to review the game. So, this is not a full review, but my impressions after bashing away for a couple of hours. However, having written my escape clause, I must say *Elite*

looks superb.


Imagine a subtle blending of Aviator and Starship Command, a sprinkling of the Star Wars films, shaken with a trading adventure, served up with some secret ingredients and you have Elite.

It sounds ambitious but it's all there, wrapped in a short science fiction novel that sets the scene, a substantial training manual, a poster identifying the foes and friends you are likely to encounter and a postcard giving entry to the competitions that Acornsoft plans to base around the game. Not bad for £15. Plus, the disc is filled out with some special bits and pieces. You'll have to play to find out what they are – I've no idea!

The idea of the game is to start off with a simple space ship and build it and your reputation up to 'Elite' status.

Budding Han Solo's start the game with a sparsely equipped space ship and a small supply of money. The ship is docked in a station orbiting a planet. Pressing various function keys gives information on the planet and enables the raw pilot to buy various goods from food and drink to drugs. Having stocked up, the ship is launched into space and the course set for another planet.

Once a destination has been fixed, the ship goes into hyperspace and after a few seconds emerges near the



chosen planet. Then it's a dash to reach the orbiting space station before the pirates pounce. The ship has then to be docked by plotting a flightpath along a line leading from the centre of the planet into the station. The entrance is a slit, and the station is rotating, so the ship has to match rotation, otherwise it just won't fit.

Your wares can then be traded, preferably for a profit. Any credits earned can be used to fund the next flight and buy better equipment for the ship.

As you trade and equip the ship until it's bristling with weaponry and everything money can buy, it becomes tempting to play naughty. Illicit cargoes such as slaves and drugs can be bought. You could be in trouble with the law but it's a good way of making a fast buck. Then you can attack space stations for the fun of it, and even try trading with one of the deadlier planets. The risks are high, but so are the profits.

That's the theory, now for the action. The colour screen shot shows a typical view of space, except there are a lot of nasties around. (This shot was specially set up and you are unlikely to meet so many different types of enemy at once.) Views to the front, rear and both side of the ship can be called up.

Instruments at the bottom of the screen give compass, a three-

dimensional map of space and other ships within range, and the status of energy banks and weaponry.

Controlling the ship takes some getting used to, as it's difficult to know where you are and which way to go, especially when someone's shooting at you. The keys are a bit awkward: there are a lot of them, and some are in strange places.

165

Elite apparently uses up just about every spare byte there is in the Beeb's memory (and some it shouldn't). The graphics impressed even the Cambridge gurus when *Elite*'s two student authors showed them off. Circles and elipses are drawn in full in real time with hidden line removal. The 3D effects are astounding, and the suns have to be


seen to be believed. Screen graphics modes 4 and 5 are used at the same time to give accurate plotting and colour for the display. Screen width is reduced to speed up plotting and save memory. The reason for the strange keys? Simply because they are next to each other in the operating system's look-up table.

How much work the BBC is doing when plotting the suns and planets is shown as you fly towards them. If you look straight ahead, the game is slowed down! To get there quicker look to the side or behind.

So how do we sum this one up? Well, it's the best game of its type and all *Meteors/Starship Command/Defender/ Aviator* freaks will love it. Players who like adventuring might well be hooked by the trading aspects. And then on the disc version there are these things called 'missions' where a task is set. Finally, there's the unknown: no-one has yet reached the ultimate Elite status, and there's even a ship out there that no-one has yet come across. Apparently it eats spaceships, so watch out.

'The 3D effects are astounding'

Simple, reliable, and still the most popular word processor for the BBC Micro.



Available from all good BBC Computer Dealers. Available by Mail Order from Computer Concepts, Gaddesden Place, Hemel Hempstead, Herts HP2 6EX. Or by 'phoning with your credit card number on (0442) 63933.

VISA

COMMUNICATIONS



ULLETIN boards have been set up by enthusiasts motivated by an interest in microcomputer communications, rather than by commercial gain. True, some BBs are associated with, or sponsored by, small micro businesses, but this aspect is secondary to their main function of providing a way to exchange information. With this aim, the Association of Free Public Access Systems (AFPAS) was founded, and each system operator (SYSOP), with one exception at the time of writing, is a member, under the chairmanship of Fred Brown, SYSOP of Forum 80 in Hull. Incidentally, this was the first microcomputer bulletin board set up in Britain - just look what he started!

Under the umbrella of AFPAS, BB operators have adopted as their standard the V21 transmission protocol of the CCITT (Consultative Committee for International Telegraph and Telephone), which specifies receive and send rates of 300 bits/second, or 300 baud.

Let's assume you're sitting comfortably with your micro, telephone, a V21 modem and some suitable software. You are free to make whatever use you choose of the bulletin boards, from electronic pen pals to serious information exchange. But where are these boards? And which are the best?

Well, the table on page 169 should answer most of your questions. It lists bulletin board systems with their telephone numbers and operating hours and brief comments regarding special interest groups (SIGs) catered for and other points of note. You will notice a few boards with the comment 'ringback system'. To access these, call the number, allow the telephone to ring once (ie one double ring), replace the receiver and call again. On the recall, the modem will respond with its highpitched tone. Then, as with the others, switch your modem to 'on line' or 'data' and replace the handset fairly quickly.

As to what makes a 'good' bulletin board, the answer must be subjective to a degree, but I suggest the following criteria:

 BBC-related information and software.

Other special interest material.

On line 24 hours daily.

• Within local call range of your phone.

The last condition cannot always be fulfilled, but should become more and more possible as BBs proliferate. The systems listed are sprinkled from Cumbria to Southampton. I've never heard of any in Scotland, Ireland or Wales, but it's difficult to believe there are none. I've also included a Swedish board specialising in BBC matters.

Systems are coming on line all the time. If anyone knows of, or operates, a board that does not appear in the table, please let me know, either via *Acorn User* or by leaving a message on Liverpool Mailbox.

Roughly half the boards are on line 24 hours per day. The others operate in specific time bands on particular days, which can be restrictive. It is, however, understandable that system operators (and their families) need their telephone line for other uses. Clearly the best solution for BBs is to install a second, dedicated phone line. Even with 24-hour access, however, the better boards are more often than not engaged, with some SYSOPs reporting around 50 calls on a typical day. You must expect a sore dialling finger! 167

After logging on with your name and home town, you will find that bulletin boards operate invariably on a 'layered menu' principle. The main menu will allow you to read or enter messages of general interest, but it will also offer access to SIGs, software for downloading and often features such as news, prices of peripherals, electronic mail and information about the system. Electronic mail consists of messages addressed to individuals by name, and is readable only by the recipient (although you can't prevent the SYSOP from having a look).

Software

Communication – questions and answers, information, mutual help – can be achieved using so-called 'dumb terminal' software, that is to say a program which simply outputs characters from your keyboard and displays incoming characters on the screen. Such a routine, by Paul Beverley, was published in *Acorn User* of November 1982. I have also used 'VDUPROG' from Mike James' book *The BBC Micro – An Expert Guide*.

To download the free software available, however, you will require a 'smart' program. The best of these are available as communications ROMs, and are advertised regularly. A good example is Pace's *Commstar*. Using sophisticated firmware of this type it is possible to select the receive and send rates, the word length and parity (see July's issue), and to both upload and download files reliably. A suitable modem enables access to bulletin



AID has now established itself as the finest machine code monitor ROM for the BEEB. With its unique DUALSCREEN operation so far in advance of the competition, AID puts unprecedented debugging power into your hands. No other monitor can begin to tackle machine code graphics – something AID takes effortlessly in its stride! Beginner or expert, you cannot afford to be without DUALSCREEN AID.

Read what "The Micro User" thinks .

If My immediate impression of AID was that it was a very professional product . . . AID offers additional features far in advance of other monitors . . . I found it easy to use, particularly as the user guide is very thorough and accurate . . I wish I had something like this when I first started dabbling in machine code . . . The last facet I explored was the DUALSCREEN facility, which is perhaps the pearl of the system . . . In conclusion, AID seems a must for the serious machine code programmer and a very useful learning aid for the novice. It is a highly professional product in every way and could prove to be the standard by which others are compared. **??** *"The Micro User" January 1984*

The most advanced machine code AID for the BBC Micro LINCOLN Microsystems P.O. Box 74 Bradford, W.Yorks. BD6 3RN ROM PLON BOX 74 PLON BOX 74 PLON BOX 74 Bradford, W.Yorks. BD6 3RN ROM PLON BOX 74 Bradford, PLON BOX 74 Bradford, W.Yorks. BD6 3RN ROM PLON BOX 74 Bradford, PLON BOX 7

crease vour fire t

More than just a joystick – a system

- Nylon encased Steel shafted joystick with ball and socket joint.
- Fast sprung return to centre.
- Graphite wiper linear potentiometers. `
- 12 Months Guarantee.
- 7 day Money back Guarantee (on Hardware).

DELTA 14b HANDSET £14.95 DELTA 14b/1 A/D/USER PORT INTERFACE £14.85 DELTA DRIVER CASSETTE £5.95 or DISC £9.95 Prices include VAT and P&P. SAE for more detailed information.

VOLTMACE LTD PARK DRIVE BALDOCK HERTS SG7 6EZ Tel: (0462) 894410 Numerous stockists nationwide or direct from us.

factory-Monday to Friday.

from us.
Callers welcome at the

RARCI AVCAR

VISA

Complete control at your fingertips

EX C

A superb joystick and a keypad for the price of either one. Plus the software to integrate it into the computer's system.

One handset will work on it's own in the A/D port as a joystick and two fire buttons. Joystick is immediately compatible with ACORNSOFT and similar software. The interface joins together the analogue and the user ports to use the full keypads giving a total of 24 user definable keys. The interface can also be used as a splitter for the A/D port to take two items at the same time, e.g. joystick and lightpen.

DELTA DRIVER on cassette or disc: Two programs on each cassette or disc. One converts machine code programs from the keyboard to the joystick or keypad, with adjustable sensitivity on the joystick and will run on any O.S. The second program (needs O.S. 1.0 or later and an interface) duplicates any keyboard keys on the keypads, in the operating system, so that it can become a numeric keypad or will take on the function keys.



ACORN USER OCTOBER 1984


COMMUNICATIONS

INTERESTING BULLETIN BOARDS FOR BBC USERS

NAME	NUMBER	HOURS	COMMENTS
BASUG BUG	(0742) 667983 010 468 463	24 hours daily	Apple user group BB. Ring-back system Swedish-based English language board for
200	528		BBC users. (Watch the bills on this one!)
CABB	01-631 3076	24 hours daily	Acorn, Commodore and Sinclair SIGs
CBBS Cumbria	(06992) 314	Daily 1800-2200	Ring-back system. Multi-standard: V21, V23 and Bell 103. Downloading and CP/M SIG
CBBS London	01-399 2136	Sun 1700-2200	
CBBS Surrey	(04862) 25174		Temporarily off line after lightning strike
CBBS SW	(0626) 890014		User friendly CBBS board. Popular – usually engaged
Centbull	01-606 4194	24 hours daily	Wednesday 1200/75 protocol. Sirius and Tandy SIGs
Distel	01-679 1888	24 hours daily	Display Electronics board. Very user friendly. News and Product information, including BBC interest section
Estelle	(0279) 443511	Office hours only	STC Electronic Services BB. Also other pro- tocols: ring (0279) 441188 for V22 (1200/1200) or (0279) 441222 for V23 (1200/75)
Forum 80 Hull	(0482) 859169	Mon-Fri 1900-2230; Sat/Sun 1300-2230. Daily 0000-0700	US Bell 103 standard. The first British BB
Forum 80 London	01-902 2546	Evenings and weekends	Telephone and ask for Forum 80
HAM-NET	(0482) 497150		New Hull-based BB specialising in information exchange for radio amateurs
Liverpool Mailbox	051-428 8924	24 hours daily	BBC SIG and download section. Other SIGs include Microwave for radio amateurs. Britain's first 24-hour BB
Mailbox 80 W Midlands	(0384) 635336	1730-0830 Also all day Sun	BBC SIG: Download planned on receipt of sufficient software
Manchester BB	061-427 3711	Sun-Thurs 2230- 0000; Fri 2330-0200; Sat 2230-0200	BB under development running on BBC
Maptel	(0702) 552941	Out of office hours	Maplin Electronics board: product infor- mation
Microweb	061-456 4157	24 hours daily	BB dedicated to Acorn/BBC matters
NBBBS	(0827) 288810	24 hours daily	N Birmingham. Ring-back system
Rewtel	(0277) 232628		Run by Radio and Electronics World maga- zine
Southern BBS	(0243) 511077	Daily 2000-0200	Helpful general interest board
Stoke ITEC	(0782) 265078		CP/M BB, ie when logged on, CP/M com- mands can be entered directly
TBBS Blandford	(0258) 54494	24 hours daily	BB SIG. Hopes to have full menu of BBC related items at future date
TBBS London	01-348 9400	24 hours daily	BBC SIG and download section
TBBS Nottingham	(0602) 289783	See comments	To start in near future, with V21 (300/300) and V23 (1200/75) protocols and Prestel-type graphics
TBBS Southamptor	n (0703) 437200	24 hours daily	9

169

COMMUNICATIONS



boards, Prestel or even allows your micro to emulate a specific mainframe terminal. Smart software also allows you to compose messages in advance, dial the BB number, upload to the board, download any messages and log off. Messages can then be studied at leisure, or saved to tape or disc, without running up a phone bill.

Once you've logged on, selecting 'SIG' from the main menu will produce a sub-menu of special interest groups, such as BBC, Commodore, Tandy, etc. This is where you will find questions, answers and information on the specific topic selected. BBC owners seem to be quite widely catered for, but remember, the success of a SIG, and of the board in general, depends upon the input. So write. Ask a question. Leave a message. Questions produce answers which, in turn, generate further comments. The more you put in, the more you get out.

Hardware

Looking at modems, several manufacturers are now marketing products built around the AM7910 chip, which offer the facility of switching between not only CCITT V21 (300/300) and V23 (1200/75) standards but also the US Bell 103 standard. The Bell standard specifies 300 bits/second transmission but at different frequencies to V21. These switchable modems are really superior to single standard devices, and obviate the need to place oneself in one camp or the other, bulletin boards or Prestel, when buying. As yet there is a price premium, but I expect costs to fall.

The future

To date, most of the successful software packages to run bulletin board systems, including TBBS, CBBS and Forum 80, have been written for Tandy machines. Historically, this is because the BB idea was imported from the US, and the Tandy micros have proved to be popular American workhorses.

Now, however, people are developing BB programs to run on the Beeb, and some of these should find their way to the market place, either as software offerings or software/hardware packages. Torch is already moving in this direction with a modem and software combination giving access to Prestel (August issue).

The last hurdles are now falling, and the field should soon be wide open, in terms of choice, to individuals and organisations who want to operate a BBC-based host system. Incidentally, further information on AFPAS can be obtained from Fred Brown at 421 Endike Lane, Hull HU6 8AG – but *please* don't forget a sae.

Under the auspices of the govern-

ment's Micro-electronics Education Programme (MEP), consideration is being given to a BB system for schools – Joe Telford, in July's issue, mentioned CECCTEL, the experimental service for schools in Cleveland. This system is hosted by a BBC micro.

The concept of a board with a specific aim gives, I think, a pointer to the way the bulletin board phenomenon will develop, ie with an increasing amount of specialisation. At present we have two dozen boards in the UK, all broadly aimed at the serious hobbyist. Given many times that number, I expect to see some systems carrying information relating to specific interest groups. Probably the first example of this is the new HAM-NET board in Hull (see table). In the US, with several thousand systems, there is even a bulletin board details and telephone carrying numbers of bulletin boards!

In conclusion, I must say to new and prospective modem owners that I hope you find as much satisfaction in communications as I do. Old hands will know what I'm talking about already. Bulletin boards occupy a special place in this expanding dimension of microcomputing. Yes, we need viewdata for share prices, flight times, weather forecasts and the rest, but to exchange information with real people is a much more rewarding idea.

FOUR AFFORDABLE CHRISTMAS PRESENTS FROM DRG ... AND WHERE TO GET THEM.

If you want a really outstanding deal on a graphics printer, get along to your local DRG dealer or contact us direct today.

Because right now our dealers can show you four Seikosha dot-matrix, centronics parallel printers whose speed, features, ruggedness and affordability are quite exceptional.

They include the amazing GP700A: the first full-colour matrix printer ever. offered at under £350.

They're compatible with most makes of micro - including the BBC and the Spectrum.

And with 34 dealers nationwide, you shouldn't have to go too far to find them. If you're not near a dealer you can

order direct from us - just contact Pat Kelly on 0934 416392.




SEIKOSHA DEALERS:

ENGLAND BEDFORDSHIRE Bedford: Bedford Computers. (0234) 215015. BUCKINGHAMSHIRE High Wycombe: Kingsley Computers. (0494) 449749. CHESHIRE Frodsham: Northern Computers. (0928) 35110.

CUMBRIA Carlisle: The Computer Shop. (Carlisle) Ltd. (0228) 27710.

DEVON Exeter: Devon Computers Ltd. (0392) 218401. DORSET Poole: Densham Computers

Ltd. (0202) 737493.



DURHAM Darlington: Darlington Computer Shop. (0325) 487478. ESSEX Harlow: Akhter Instruments. (0279) 443521.

GLOUCESTERSHIRE Cheltenham: The Screen Scene. (0242) 528979. HAMPSHIRE Portsmouth: Advanced

HAMPSHIKE Portsmouth: Advanced Digital Services. (0705) 823825.

HERTFORDSHIRE Watford: Computer Plus. (0923) 33927.

HUMBERSIDE Hull: The Computer Centre. (Humberside) Ltd. (0482) 26297.

LANCASHIRE Burnley: IMO Computer Centre. (0282) 57411/54299. Lancaster: Castle Computers. (0524) 61133.



LONDON W.1: Specialist Computer Centre Ltd. 01-935 4150. Eltham: The Advanced Technology Centre. 01-859 7696.

LINCOLNSHIRE Grantham: Oakleaf Computers. (0476) 76994.

MANCHESTER Sumlock Electronics Services Ltd. 061-834 4233.

MERSEYSIDE Liverpool: Specialist Computer Centre Ltd. 051-236 3499.

NORFOLK Norwich: Sumlock Bondain. (0603) 617083.

NOTTINGHAMSHIRE Nottingham: Computer Market. (0602) 586454. SALOP Telford: Computer Village.

- (0952) 506771. STAFFORDSHIRE Stoke-on-Trent:
- **STAFFORDSHIKE** Stoke-on-Trent Computer Cabin. (0782) 636911.
- SURREY Croydon: Visionstore Ltd. 01-681 7539.

Kingston-upon-Thames: Visionstore Ltd. 01-546 8974.

SEIKOSHA GP550A Multi-mode printing (including correspondence-quality) at up to 50 cps. Takes pin-fed or friction fed paper up to 10" wide. £229.95



SEIKOSHA GP50A

Takes paper up to 5" wide. 40 cps print speed. A separate version, the CP508 **£99.95** is available for the Spectrum. **£99.95**

SUSSEX Worthing: Worthing Computer Centre. (0903) 210861.

TYNE AND WEAR Gateshead: H.C.C.S. Associates Ltd. (0632) 821924.

WEST MIDLANDS Birmingham: Specialist Computer Centre Ltd. 021-643 4743. Coventry: Coventry Micros. (0203) 58942.


WEST YORKSHIRE Bradford: Eltec Computers. (0274) 722512. Leeds: Microcell. (0532) 449722.

WILTSHIRE Trowbridge: Trowbridge Computer Shack. (02214) 57299.

SCOTLAND GLASGOW Exchange Computers Ltd. 041-424 4242

WALES

CLWYD Abergele: Abergele Computer Centre. (0745) 826234.



SEIKOSHA GP700A

Gives excellent colour printout in 7 colours and 30 shades in one pass, on pin or frictionfed paper up to 10" wide. Prints text at up to 50 cps. £349.95

Please send me more information a	nd an
order form for:	
$GP50A \Box 50S \Box 500A \Box 550A \Box$	700A 🗆

Address

Name

_____Postcode_

AUS

DRG Business Systems, Dealer Division, 13/14 Lynx Crescent, Winterstoke Rd, Weston-Super-Mare BS24 9DN. Tel: 0934 416392. Telex: 444761.


If you're studying... Study our Software


We've been producing educational software for the BBC micro ever since it was launched, and our programs are in use in schools and colleges all over the country. Now, some of these programs have been specially adapted for you to use at home.

With our **Understanding Science** programs you can get to grips with subjects in Biology, Physics or Chemistry that you didn't understand, or supplement your practical work by doing simulated experiments on the computer. These programs are suitable for age 13+ and are ideal if you are studying for those all-important exams. The emphasis is on **understanding** the subject and the programs come with a detailed explanatory booklet. The first programs are ready now — with many more to follow.

Chemistry — Symbols, Formulae and Valency **Chemistry** — Chemical Equations **Chemistry** — Inorganic Analysis and Identification of Gases **Physics** — The Oscilloscope and Waveform Analysis **The Human Body** — Heart and Kidney

Each package costs £12.95 (cassette) or £13.50 (disc).





For younger pupils age 9+, our **Learning Maths** programs use simple games and animations to illustrate important principles of elementary Maths. There are nine titles each containing three or more programs covering a particular concept. The programs are great fun to use — as well as providing real educational value. JM3 Fractions JM4 Co-ordinates and Lines

- JM5 Symmetry
- JM6 Motion Geometry
- JM7 Sets
- JM8 Elementary Statistics JM9 Ratio

Each cassette costs £7.00. Disc collections also available (JM1-6, £30.00; JM7-9 £18.00) "Electron versions of programs JM1-9 and Dragon versions of JM1-6 also available.

Nine cassettes are available*

Available by direct mail order, or from selected software dealers. Prices include VAT and P&P (in UK).

Please send for our full catalogue of over Fifty Educational Programs arland Computing 35 Dean Hill, Plymouth PL9 BAF. Tel: (0752) 41287

SOFTWARE REVIEWS

ROUTE OF


ALL EVIL

'Blagger', Alligata Software, 178 West Street, Sheffield S1 4ET, £7.95

FOR too long the air at computer clubs has been filled with the insane rantings of the owners of certain other (48k) micros about the Beeb's incapacity to play M---c M---r and J-t S-t W---y. Well, now we have at least a first layer of defence in the form of *Blagger*.

The scene is set with a red-haired robber, a 'blagger', working his way through a number of different shops, collecting five keys in each (left in increasingly awkward corners) and taking them to open a safe. At the end of 20 screens – if he ever gets that far – he finally escapes.

The game uses the top half of a mode



2 screen to show the shop interiors, which contain an assortment of platforms, walls, conveyors, and disappearing ledges. Each screen is a complex arrangement of these features and a good deal of thought is required to work out a successful route. At each level, a number of well-animated sprites parade up and down or to and fro. These are fatal to the touch, as are the bushes which are dotted around the place. The bottom half of the screen shows your score, level, number of men etc.

The sound effects are fairly basic and can't be turned off, but they didn't prove too grating during play.

A rather more annoying oversight is the lack of an option to start the game at any level. I suppose this should mean that the game will last longer before being solved, but it is aggravating to have to complete the easy levels on each attempt before getting to the one you're working on. A practice mode would be very useful.

Nevertheless, Blagger is an entertaining game with smoothly animated graphics and plenty of variety. I confess to not having proceeded very far, but then there's no history of blagging in the family and I've been trying to go straight, honest guv! **Simon Williams**

JOCKEYING

FOR POSITION

'Horse Race', Dynabyte Software, BBC B (32k) and Electron, £6.95

YOU are given £1,000 which you must bet on up to six horses to try to bust the bookies. The computer gives you named horses and their odds, and you may put up to £999 on each one. You then see the six horses raced across the screen.

The graphics in *Horse Race* are superb – the animals are drawn in detail and their movement depicted correctly. You can see their tails move, and all the detail on the jockeys. Two stands are displayed and a commentary board shows which horses have been bet on and which one is in the lead. The game displays people near the ropes waving, flags flapping on the stands, and a very detailed camera car driving alongside the runners.

The sound too is superb. It plays a different tune while loading, before betting, and before and after each race. You can even hear the hooves of the horses and the thud of jockeys falling off.


You select a game for between one and six players, and the number of races to be run. There's no sound on or off option, but surely nobody would want to turn off such good sound effects.

Horse Race is user-friendly and supplied with excellent instructions.

It's repetitive in that it's the same thing every race, only the names and odds change, and it's also boring playing by yourself because there's no skill to it: you place your bet, sit back and the computer does the rest.

When playing with many people, though, it can become quite exciting.

Ian Brettell



HUSTLER AT

THE KEYBOARD

'Pool', Dynabyte Software, BBC B (32k) and Electron, £7.95

THIS version follows the same rules as real pool, except that there are only three balls of each type. There are versions for the BBC and the Electron and they differ in that the latter doesn't play a tune while loading and the music at the start is played on only one channel instead of the Beeb's three. The Electron version also lacks the extra effects obtained in mode 7.

The sound is good on the Beeb. As well as the 'loading' tune, the computer plays *The Entertainer* at the start of the game and at the completion of each frame.

During play, however, sound is scarce, just short beeps when balls collide and two low beeps for a foul shot. It would have been nice to have an effect for potting, and perhaps a tune playing in the background.

The graphics are reasonable. There are eight large balls on the table: one



cue ball, one black, three red and three outlined red balls, which move very smoothly.

You are offered the options of sound on or off and the number of frames to be played. It would have been an advantage to have a joystick option as well.

The control of *Pool* is easy and responsive. Each player has four direction keys and a shoot key. The length of the cue determines the strength of the shot.

Would it be asking too much to have a topspin and backspin option as well as the ordinary shot included?

Overall, *Pool* is a good game, with acceptable graphics and good sound effects (apart from during play), and it is supplied with excellent instructions. A nice feature is that it displays what you did wrong, eg, 'White ball down'. A drawback is that for people using TVs the red outlined balls and the cue don't show up on the green table. **Ian Brettell**

A World Of Information Available to you with Nightingale, the new multi-function modern from Pace.

Nightingale is by far the most versatile modem available, at the price, for either home or business use. It offers Prestel/Viewdata baud rates (1200/75 & 75/1200) alongside 300/300 baud full duplex for communication between the BBC and other computers, including bulletin boards.

Nightingale will operate at both European and Bell frequencies for com-patibility with CCITT and American systems.

The state-of-the-art modem chip technology employed in Nightingale requires minimal support circuitry resulting in low power consumption, low cost, high quality and extreme reliability.

Nightingale being 'hard wired' is not subject to the noise interference errors common to outdated acoustically coupled devices. In addition Nightingale features a simple self test facility for easy installation.

Nightingale utilises a fully buffered RS 423/232 serial interface and is supplied complete with a lead suitable for connection to the BBC micro, other leads are available on request.

However, in order to use such a versatile modem to its fullest potential, you will require equally sophisticated software. This is where Pace can offer you a total solution - Commstar, unquestionably the most comprehensive communications software available for the BBC.

Supplied on Eprom, Commstar is instantly accessible, simple to use and extremely flexible. Just look at the possibilities:- access Prestel, Micronet, Viewfax, Homelink and Telecom Gold, rummage through bulletin boards and chat to literally thousands of other computer users, but there's more. Commstar can be used to emulate specific terminal types such as VT 100 by means of a configuration disc, thus providing the opportunity to use the BBC as an inexpensive work station for a main frame or mini-computer.

The complete Nightingale/Commstar package for the BBC micro including the modem, cabling and the Commstar Eprom and manual is just £139 plus V.A.T. Nightingale is available separately for the BBC and other computers at £119 plus V.A.T. and Commstar is £29.57 plus V.A.T. Further details are available, please telephone or write for comprehensive fact sheets.



PACE SOFTWARE LTD. 92 NEW CROSS STREET, **BRADFORD BD5 8BS.** Tel. (0274) 729306 Telex 51564

This modem communication not yet B.A.B.T 300 Baud 📕

CCITT (Euro)

(USA)



LAYING THE

FOUNDATIONS


'Chickaroo' by John Cassar, Screenplay, BBC B, £7.95

THIS is an educational game for up to four players, designed to improve a child's word recognition.

A word is displayed at the top of the screen with one letter missing. A chicken then hops along the screen laying six eggs, which begin to move about. The child must shoot an egg, which reveals a letter. If the child thinks the letter fits into the gap in the incomplete word he presses return. Otherwise he continues shooting.

If the child gets the letter correct, a small bird flies up and takes the letter down.

Chickaroo comes with two files, each



containing 50 words, and a parent or teacher may enter up to 50 of his/her own words, which may be saved.

The graphics are reasonable and do their job (they don't need to be too elaborate) and are smooth, though for some reason the small bird is flickery.


Some kind of sound effect is to be heard all the time except during the instruction session at the beginning: when the eggs are moving, on reaching 200 points, firing, successfully shooting an egg, little bird flying, Chickaroo hopping, and getting an answer right and wrong.

Up to four players can play, and you are allowed to load and save files. The game is controlled from three keys and

I found they were occasionally slow to respond. A joystick option would have helped the younger child, who might well get the keys mixed up.

Chickaroo is a good educational program. It's a bit like space invaders, making the learning process fun. Good graphics and sound add to its quality.

Ian Brettell



TRADING POST

'Star Trader', First Byte Software, BBC (32k), £7.95

THE object of *Star Trader* is for you, as commander of an expedition starship, to explore the five star systems and their planets, trade with the inhabitants, and mine the area. If any planet is inhabited, you must persuade the population to join the Empire.

You must seek out the Ultimate Computer, as your planet needs its resources.

A corner of the screen displays the five 'single character' star systems. You must move your 'block' or space ship over the system, then press 'V' for visit. The screen flashes, and you then have the system's many planets to orbit, explore, mine, and do trade with. These are just different-sized dots.

The rest of the screen is divided into three sections. One of these shows your status, fuel, time, food, water and air; another is your inventory, showing your trade; and the third displays details of the planet you're currently orbiting, its temperature, atmosphere, population type, attitude, water, food,

Star Trader BBC

FIRST BYTE SOFTWARE


fuel and minerals.

SOFTWARE REVIEWS

Sound is scarce. Beeps accompany the movement of your ship, and there's an effect for visiting and leaving planets.

Star Trader seems similar to Startrek and Galaxy. It's slow and boring with hardly any variation – the process is the same for each planet.

You may load and save games, and you are given very clear instructions, demonstrating each part of the display. Ian Brettell



175

WITH SUCCESS

'Corporate Climber', Dynabyte Software, BBC and Electron, £7.95

IN THIS game you're an office tea boy whose aim in life is to rise through power and become company president, having a key to the washroom. On your way you have to watch out for taxmen in the lifts, and make sure the strain and stress doesn't raise your blood pressure too high, resulting in a heart attack.

Various objects are scattered about on your way.

You are represented as a little man with a cap, and it looks as though he is carrying a tray. You can see the office building, marked off in stages, with a toilet at the top, marked vacant.

There are lifts going up and down, with taxmen aboard – and they kill you! Bonus objects include telephones, cups of tea, acorns, keys, chairs and suitcases, all shown in good detail, with colour well-used. The lifts move very quickly and can sometimes be a bit flickery.

A pleasant tune plays all through the game, and the only other sound effect is a ping, for when you rise up a level, and for collecting objects. There's an option for sound on or off, three levels of difficulty, but no joystick option.

Corporate Climber is a good, original game, with good sound and visuals, and it comes with adequate instructions.

I reviewed an Electron version on a BBC and found it fast and a little too hard. The speed probably accounts for the flickering graphics. On an Electron the game is much slower and I cleared the first screen first time, whereas I've never managed this on a BBC.

Ian Brettell

More games reviews on pages 179 and 182

PRICES SENSATION Canon 110: Case/Cables all INCL £99 Canon 220: 400K (40/80 switching) Case/Cables all INCL £169

N.B. These are state of the Art Disc Drives; Direct Drive 40 track 6mms Access/80 track 3ms Access.

.....

:::::

DFS Kits available ex stock all inclusive price £109

SIDED 40 TRACK 100k 210 D/SIDED 40 TRACK 200K 220 D/SIDED 80 TRACK 400K 40/80 TRACK SWITCHING

All CANON 40/80 switchable disc drives feature an on-board dual-colour LED on the front panel to show track mode selected. This is coupled with our own unique two-stage illumination, to give a clear operating status, as follows:

40 TRACK MODE: _____ LED GREEN 80 TRACK MODE: _____ POWER ON: DRIVE SELECTED

LED RED

HALF-ILLUMINATION (GREEN OR RED) ____ FULL-ILLUMINATION (GREEN OR RED)

Super-slim CANON drives, models 211 and 221 and the SANYO model 596D, are available with their own custom-built secondary switching power supply. This is safe, low in heat generation and excellent value for money.

The SANYO disc drive is our latest acquisition in quality Japanese products. This is a "half-height" unit of standard dimensions.



All inclusive price list:

This means: disc drive + case + all power & data cables + U.K. carriage + utilities disc & manual + V.A.T.

MODEL:	CANON					SANYO
	110	210	220	211	221	596D
Formatted Capacity per drive on BBC Micro:	100k	200k	400k	200k	400k	400K
Single Drive & Case:	£99	£139	£169	£179	£236	£182
Single Drive & Case/P. Supply:	£124	£164	£194	£209	£266	£212
Dual Drive & Case:	£204	£274	£314	£329	£437	£368
Dual Drive & Case/P. Supply:	£229	£299	£339	£359	£467	£398

Support:

Warranty: All disc drives sold by Chase Data Ltd. come with a full one-year warranty on parts & labour.

Non-warranty service: As THE experts in our field we can offer service on most makes of floppy disc drive.

Recalibration & Alignment ... £25 per unit inc. VAT. (parts extra). Phone for details: (Tel: 0784 38487)



Payment By Post: Send your remittance (cheques only please) with your order to:

ED/ P.O. Box 6, Woking, Surrey, GU21 4PB. By Phone: (Tel: 0784 38487).

Home Computers can Cater for Cooks

NEW! " COMP-u-CATER "

-takes the calculating out of cooking

SIX ITEM MENU SELECTIONS plus QUANTITIES FOR REQUIRED SERVINGS 400 INGREDIENT DATABASE plus

COMPREHENSIVE USER MANUAL

COLLATED SHOPPING LIST plus AMENDMENT BEFORE PRINTING **RECIPE MODIFICATION** plus

EASY ENTRY OF YOUR OWN

PRINTED TABLE MENUS plus PRINTED SCALED RECIPES **OVER 200 RECIPES plus INGREDIENT QUANTITIES RANDOM ACCESS FILES**

"COMP-u-CATER" full menu planner 40T disc £24.95* "WHAT'S TO EAT?" simple menu planner cass. £9.95* "WHAT'S TO EAT?" teaching pack 40T disc £17.45*

also NEW I

"PRINTER DRIVER" JUKI 6100 with view 40T disc £10.00*

*ADD 50p p. & p. (overseas deduct 15% VAT add £1 p. & p.)

SHUMWARI ASSOCIATES (Dept. B) 12 Marlin Court, Marlow, Bucks. SL7 2AJ

DUCKWORTH HOME COMPUTING

EXPLORING ADVENTURES ON THE BBC MODEL B by Peter Gerrard £6.95

This is a complete look at the fabulous world of Adventure Games for the BBC Computer. Starting with an introduction to adventures, and their early history, it takes you gently through the basic programming necessary on the BBC before you can start writing your own games.

Inputting information, room mapping, movement, vocabulary – everything required to write an adventure game is explored in detail. There follow a number of adventure scenarios, just to get you started, and finally three complete listings written specially for the BBC, which will send you off into wonderful worlds where almost anything can happen. The three games listed in this book are available on one cassette

EXPLORING ADVENTURES ON THE ELECTRON As above but for the Electron. £6.95

BBC PROGRAMS 1 Edited by Nick Hampshire

This book provides you with a range of useful and exciting programs for the BBC Micro. Games, utilities, graphics and functional programs are covered. The games include an exciting version of Star Trek, a full length adventure game, Space Invaders, Battleships, Space Blaster, Brick Basher, and many others. Among the functional programs is a personal information retrieval package which enables you to create and manipulate up to 365 records. This is a basic book for every user of the BBC Micro.

Written by Carl Graham and edited by Nick Hampshire, publisher of Commodore Computing International. £6.95





DUCKWORTH The Old Piano Factory, 43 Gloucester Crescent, London NW1 7DY Tel: 01-485 3484

Programmers make learning entertaining

ACORNSEFT

We at Acornsoft have developed a wide range of educational programs for the BBC Microcomputer and the softwarecompatible Acorn Electron.

This opportunity, in our home education team, demands excellent, proven experience using BBC BASIC and machine code over a wide range of applications. A background in education or a talent with graphics would be especially relevant as initial projects to be tackled include adventure games, animated graphics/text work.

If you would like to join one of the leaders in microcomputer technology, where flexibility and novel techniques ensure total involvement and real job satisfaction, write today giving brief personal and career details to:

Peter Charlton Personnel Officer Acorn Computers Limited Fulbourn Road Cherry Hinton Cambridge CB1 4JN

ACORN USER OCTOBER 1984

SOFTWARE REVIEWS

SEVENTH


HEAVEN

'SUPER-7' compendium, DACC, BBC, £8.95

SEVEN games on one tape? They can't be any good!

That was my initial reaction. But they can be good. None of them is of the standard of the real bestsellers, but they are good value if you want a change, and two of them seem pretty original.

I had never seen anything quite like Fire Chief, in which you rescue people from tall buildings, and put out fires. The aim is to deal with as many fires as you can without running out of fuel or water. A really good game requiring



speed of thought and reaction, and forward planning.

Creatures of the Deep has you sitting in a boat fishing. Simple controls allow you only to raise and lower your line. The aim is to catch fish by reeling them into the boat. You must avoid the various monsters, or if you catch them by mistake you must remove them from your line by the appropriate method. You fish against the clock, and your catch is given in kilograms.

The other games are less original but still attractive, all with good graphics. They are:

Space Rescue – a two-screen game, with an easy first screen, and then a second screen in which you have to pick up men from the planet surface and return them to the spacecraft.

Bouncer – a bat 'n' ball game with a twist which rendered me totally incapable of hitting the ball!

Chopper Chase – a nice little anti-tank warfare game.

Space Pilot Test-a Defender-type game but without a corridor. All the action takes place on a single screen. Guns of Navarone-a gunnery simulation game, needing judgment of elevation and power to hit the attacking

helicopters and destroyers.

The picture is of *Creatures of the Deep* in action. The tape transferred to disc with little trouble, as none of the games has voracious memory requirements. I ran them all successfully at PAGE = &1200, needing no shifting.

George Hill

INSECT

INFESTATION


'Bugblaster', Alligata Software, BBC and Electron, £7.95

A CENTIPEDE comes down from the top of the screen, and you play the title role in *Bugblaster* – you must shoot it. There are mushrooms scattered around, which get in the way of both of you and the centipede. There are bonuses for shooting Brian, the mushroom-poisoning scorpion, and spiders. You are a small base at the bottom of the screen that moves left, right and about five lines up and down.

Bugblaster uses four direction keys and a shoot key, and includes a hall of fame.

The objects and characters are well drawn, showing good detail, and colour is well used. All mobile objects move smoothly and without flicker.

There are sound effects for the centipede's movement, firing, spiders and snails appearing, and for a bonus man every 10,000 points, but a tune before



and during play might have brightened things up.

Sadly, there are no options in *Bugblaster*. It is the sort of game that would be nice to play with a joystick, and Alligata could have added a difficulty level and a sound on or off option.

Good sound and graphics make Bugblaster a fair game, though it seems to be a plushed-up version of Space Invaders set in different surroundings. It becomes boring, as the action is the same on each screen –

only the colours change and the speed increases. More variation in screens and attention to detail in game options would have made it very good. Ian Brettell

BOUNCING

TO SAFETY

'Lemming Syndrome', Dynabyte Software, BBC (32k) and Electron, £7.95

MAD Marco is on the rampage and has blown up the bridge to the mainland. The people are panicking, jumping into the shark-infested waters rather than facing him. You are lifeboat Lennie, and using your raft, must bounce the people to the other side, avoiding sharks and Mad Marco with his dynamite.

The scenery in Lemming Syndrome



is well drawn, though motionless, and includes a blown-up bridge over a river, and hills. The movable objects – your lifeboat, people, sharks, and dynamite – travel smoothly.

You can alter the speed of the game and thus degree of difficulty, have sound on or off, and you can choose to control your raft in proportional or absolute mode. In proportional mode the raft moves left or right a pixel at a time; in absolute there are three set positions to which the raft may move – left, middle and right. Using the absolute method is much easier. The only option *Lemming Syndrome* lacks is a joystick.

Lemming Syndrome has excellent graphics, good sound, is very flexible with its many options, and is supplied with good instructions. Underneath the fancy graphics, and a well thought out background around Mad Marco blowing up the bridge, Lemming Syndrome is just a variation on the Breakout theme. It's the same all the way through and, though quite a testing game, it becomes boring. In Brettell

Introducing BEEBUGSOFT

Until recently a very special range of applications and utility packages for the BBC micro has been unavailable to the general public.

This software has been produced by the BBC user group BEEBUG for its members. BEEBUG members tend to be a demanding and discerning group of individuals; and the range of software produced has been kept to a SPELLCHECK The disc based spelling consistently high standard through checker for text created on their constant vigilance. Wordwise or View.

As a result, BEEBUG software is highly acclaimed amongst BEEBUG's 25,000 members. Independent reviews from the major computing magazines seem to take a similar view of the software, as you can see from their comments

. invaluable . . . fast and reliable . . . a worthwhile investment Disc £19.00

SPELLCHECK from BEEBUGSOFT DICTION TENT DRIVE O UNPOLITSE Spelling ch B = Dictionary utilitie = Continue check Select Drive End Progr d Text

ve Text

TOOLKIT 27 new commands in eprom to speed up Basic program development and debugging. an indispensible aid" EDUCATIONAL COMPUTING March 1984

worth every penny highly recommended" COMPUTING TODAY June 1984 ". . its range of utilities is excellent " MICRONET May 1984 Eprom £27.00

5 to 1420

1 String search 2 Search and replace 3 Nove interplace 4 List procedures and functions 5 List A2 to 22 4 List string variables 6 List string variables 6 List rags numeric variables string variables arrays ge edit range program ESCAPE to exit

Enter option: 1 Search string: XX

540 DEFPROCEVAL(UX, VX, MX, XX, YX) 670 IFBX(XX AX=UX+2:ENDPROC 1450 LOCAL XX , YX 1460 Sourtx=cmands: XX =bufX:YX=bufXDIV2

SPRITE UTILITIES

A game writers utility pack enabling high speed arcade games to be quickly written in Basic.

". . definitely recommended excellent" ELECTRONICS AND COMPUTING May 1984

> ". . Sprite Utilities wins through" ACORN USER May 1984 Cassette £10.00 Disc £12.00





PAINTBOX

Probably the ultimate joystick drawing package on the BBC Micro, great fun and highly educational.

". . amazingly versatile easy to use . . . (one of the most feature laden picture creating programs around) . tremendous potential" EDUCATIONAL COMPUTING Jan 1984

". . a very sophisticated and versatile utility" ELECTRONICS AND COMPUTIN May 1984 Cassette £10.00

Disc £ 12.00



- - × PRINT-BOX ADOR



to Play

TELETEXT PACK

A powerful screen editor for quickly creating Teletext Mode 7 screens.

provides teletext editing facilities in a well thought out manner" ELECTRONICS AND COMPUTING

. a very neat utility" MICRONET April 1984 Cassette £10.00 Disc £12.00

A X Y S P fla stack

Cassette £10.00 Eprom £27.00

Projected Revenue 1985

gging Commands

JUE

HONEST

EXMON

An extremely powerful machine code monitor on cassette or eprom, offering 35 new commands for debugging machine-code. . exceptionally comprehensive . . . would be hard to improve upon" YOUR COMPUTER August 1983

".. using EXMON is a delight" MICRONET May 1984

Cassette £10.00

Disc £19.00

If you would like to know more about BEEBUGSOFT products, see the advertisers' index of this magazine, or telephone us for a full software brochure.

DESIGN

A Computer Aided Design package to allow screens to be quickly created for display, demonstration, handouts etc. processor . . . immense value to schools and colleges" EDUCATIONAL COMPUTING April 1984

BEEBUGSOFT products may now be obtained from major dealers including selected branches of W.H. Smith.

W Unit Trusts & Securities Investment Income

DESIGN From BEEBUGSOFT

BEEBUG MASTERFILE

description alter a record length file ile file Clear file h data or search) file r/append files(tape/disc) the file field calculation re program

OFT

lities

MASTERFILE A flexible general purpose database on cassette or disc; the disc version using random access files works well and offers an efficient database N Novembr Cassette £10.00

OM BEEBUGSOFT

Disc £19.00

Alternatively all products are available from us on mail order from our despatch department in High Wycombe.

BEEBUGSOFT dept 13 PO BOX 109 HIGH WYCOMBE BUCKS HP10 8HQ

TEL: ST. ALBANS (0727) 60263



SOFTWARE REVIEWS

TRENCH

WARFARE

'Trench', Virgin Games, BBC B, £7.95

YOU have been chosen to destroy the invincible Termination Planet, which threatens the universe. Only one weak spot has been found, an exhaust vent, and you are given only one chance. You must steer your X-winged fighter along the trench, avoiding the alien ships and lasers. When you get close to the vent, your attack computer is engaged, and you must position the sights over the small hole, fire, and retreat.

182

The graphics are nothing special in *Trench* (written by Phil Wilkes), though they do the job sufficiently. You can see the eponymous trench – which scrolls quite nicely – your X-winged fighter, alien ships and firing lasers. At the bottom of the screen is a message centre which tells you how many miles to go and, after the game, what happened, eg, 'Hit by laser'.

You can hear an engine noise all the time, the pitch of which varies with your altitude. There are other sound effects for when alien ships close in, lasers fire, for being killed, and for the run-up to the end of the trench before missilerelease.

There's a joystick option, Clares or BBC but once you've selected keyboard or joystick you can't change, so if you enter Clares joystick when you have BBC you have to reload the game. There are nine levels of play. Increasing the difficulty level, makes the trench longer. There's no sound on or off option, or game pause.

The first few times I played *Trench* I found it much too hard, being hit by lasers all the time. I stuck with it, though, and now I can place a missile, though I usually get blown up along with the Termination Planet. Success seems to be random, depending on whether a laser hits you or not.

Trench is nothing special, with standard graphics, though quite good sound, and I feel it is too difficult.

lan Brettell



SHAPING UP

FOR THE COUNT

'One to Nine', Acornsoft, 4a Market Hill, Cambridge CB2 3NJ, £9.95

THE number of computer-assisted learning programs for the pre-school child is not large. ICL, under the guide of Acornsoft, has tried to do something about this one with *One to Nine*, a program designed to foster appreciation of simple numbers.

A different shape is used for each of the nine numbers, so the child will see ducks, teddy bears, trains, houses and a number of other familiar shapes, depending on the figure being illustrated. A stencil is supplied with the pack so that the shapes depicted on the screen can be drawn on paper to strengthen the connection between the two media. Instructions to this effect are displayed on the screen. The numeral associated with the number of objects is also shown, and a stencil shape is again supplied.

The child is asked to press the red function keys the same number of times as the number given. Different red keys give different shapes, in an attempt to remove any association that may be built up between the number and a specific shape. If the right number of keys is pressed before RETURN, a reward is provided in the shape of a yellow train, chuffing across the screen with the appropriate number of trucks. Options are offered to change the level of sound effects and to start with any of the numbers.

While the idea is sound and the images chosen are easily recognised and of a good size, the program is heavily over-priced. If it was included in a combined package or offered at about half the cost it would give reasonable value. As it is, a good beginner's book on basic numbers might be of more use.

I don't like the instructions on screen, which are neither clear nor of value to the child. This kind of instruction should have been included in the packaging. Also, the numerals are rather small, only about twice the height of a normal mode 5 character. The whole package suggests that its inspiration came from a programmer and not a teacher.

Simon Williams



SCROLLING INTO OTHER-WORLDLY DANGER

'A Maze in Space', Opus Software, BBC (32k), £9.95

HERE's yet another version of *Scramble*, though with a few changes and extra facilities. You must first fly up to the planet, avoiding its moons, meteors and defences. You then go down to the planet and seek and destroy your target, the alien command space station, shooting daleks, fuel dumps, rockets, and planet defence. *A Maze in Space* goes a step further with vertical scrolling, so you can go up and down into caverns.

You are told which state your target

is in, but that can be quite a large area. You have only one life, as the game uses shields, which decrease if you bump into an object, and once they are at zero you're finished. Sometimes you get caught in a space warp, which returns you to your starting point.

Before loading the game itself, the game objects and full instructions are presented.

The graphics are fair, the objects being quite detailed and good use made of colour, though the planet's moons are only in block graphics and the maze drawing is flickery, especially going upwards. At the top of the display is your score, present stage, and state of shields, and during play the computer warns of failures to your guns, low shields, and lack of fuel.

A nice tune plays while the instructions are displayed and other effects during the game are similar to those of *Rocket Raid*. You can select sound on or off, joysticks, fast or slow game, fixed or random start position, and there's a freeze-game option.

A Maze in Space is a good attempt to improve on Scramble and if the flicker from the scrolling could be reduced it would much improve the quality of the program. Ian Brettell

ACORN USER OCTOBER 1984

A little bit of magic from MERLIN COMPUTER PRODUCTS AN UNBEATABLE COMBINATION! A WORD PROCESSOR AND DATABASE WHICH CAN BE INTEGRATED.

SCRIBE

MERLIN SCRIBE The first professional

word processor for the BBC disc system.

Scribe is a screen-oriented, integrated word processing system specifically designed for non-technical personnel. Text and command functions are fully prompted.

The program comes in a chip with five minute fitting instructions, a 5¹/₄ floppy disc containing the printer driver and a comprehensive instruction manual.

Among the many features available are:

- Create up to 255 pages in a single document.
- Screen user selectable 40 or 80 column with choice of back ground and text colours.

Insert text at any page on the document whether currently in memory or not.

Powerful editing commands:

Move, copy and delete with affected text displayed in reverse video. Will move or copy within a page or to any other page in the document.

- Word search and replace item by item or globally throughout the document.
- "Go to page" next and previous using up and down . cursor keys or go directly to page numbers
- On screen underlining.
- Format line controls document width and allows setting of right and left margins.
- Tabs set on format line as required. .
- Automatic centre and decimal tab.
- Text reformatting. .
- Split page and dynamic page break display.
- Word count and display of cursor position by column & line . number.
- Will use disc surfaces 0 to 3 as allowed by the BBC system.

All disc filing operations menu driven, eg. re-name, copy, . delete document, compact and catalogue disc, etc. No

knowledge of the disc system required.

Exec document — allows conversion of BASIC programs for editing by word processor and then re-conversion back to either text or program files.

File merge - one or more documents or other text files may be merged in sequence from any disc drive between 0 and 3.

Automatic page numbering with page number insertion . at any point on the page.

Headers and footers.

Total facility print module including selection of serial or parallel output, global printer control codes, page numbering offset, print from page to page, repeat print, etc.

Selection of up to nine user definable keys for insertion of printer control codes into text, with up to five codes allocated to each key.

Control number of page display lines for scroll speed increase.

The program comes attractively packaged in a simulated leather grain wallet which contains the manual, disc, chip & function key legend strip.

MERLIN DATA

CONTROLON Merlin Database is a database system designed exclusively for the BBC disc based computer. It provides DATABASE for the structural input of text and numerical data

which is stored permanently as a record on the computer. A group of records constitutes a database. Any number of databases may be created using Merlin Database.

Once created there are sophisticated facilities available for searching, selecting and drawing off information from the database by means of defining the search characteristics. This information can then be formatted for producing printed reports, lists etc.

Performance

Maximum records per database 4000
Maximum record size 1800 characters
Maximum no. of fields 32

- Maximum no. of characters for any single field 900
- Find any record in 2 seconds via key field access
- Search every character in a 100 kb database in 29 secs

Field Types

- Numeric up to 9 digits Date
- Sub fields for economic disc usage i.e. specify average

& maximum field size

Data Search

- Search results directory held with database on disc
- Data can be passed to mail merge and report writer
- 16 level conditional search
- Search conditions include 'not', >, <, =.
- Wild card
- Database automatically sorted by key field
- Databasse can be set to re-sort to any alternative set of

key fields

Report Writing

- Database will integrate with Merlin Scribe word processor
- Format printer output with simple forms editor
- High powered forms layout & editing using Scribe (alls. rt. . justify)
- Arithmetic calculations & accumulators .
- Conditional report writing .
- Semi programming facility for forms & report generation .

Other Facilities

- Mail merge using Scribe
 Conditional mail merge
- Automatic reformating of lines
 Capable of conditional
- transfer of information between databases.

Database comes in chip with manual, simple fitting instructions & systems disc. Also planned is the production of Database integrated with the Merlin Scribe word processor in a single chip although the database is designed to integrate easily with Scribe in a separate chip.

MERLIN DATABASE £49.00 **MERLIN SCRIBE £59.95** MERLIN SCRIBE/DATABASE £95.00



Prices include VAT. Price and specification subject to change without prior notice.

Credit card orders accepted. Special discounts for educational establishments and dealers.

MERLIN COMPUTER PRODUCTS (BUCON LTD) 35/36 SINGLETON STREET, SWANSEA SA1 3QN Tel: (0792) 467980 (3 lines)

Adventure into

by Miles ELLIS Computing Services University of Sheffield and David ELLIS

Miles Ellis and David Ellis

A book with a difference! This is far more than a conventional teach yourself programming book. By using a sophisticated and exciting adventure game Miles Ellis, with the aid of his twelve-year old son, has designed a program which will be enjoyable from the outset as well as teaching the beginner the basic principles of good programming style, the use of sound effects, colour, graphics, program editing, and the storage and reloading of tapes.

With its innovative approach this book is outstanding because it has dared to turn the basic concept of teach yourself books on its head. In this way it captures and retains the interest and overcomes the frustration of so many would-be programmers.

An accompanying cassette tape and disc of the Adventure Game are also available for the BBC Microcomputer Model B.

CONTENTS .

• What's it all about? • Some basic principles • Sounding off • Using the right procedures • Seeing is believing • Variety is the spice of life • Communication is the name of the game • Adding it all up • Some characters to play with • A bit more flexibility • Improve your graphics • Get animated • Another way of expressing yourself • Dealing with sets of data • Saving your results • More advanced sound • Some other useful features of BBC Basic • Appendices • Index

0471	901717	
0471	90531 3	
0471	90530 5	

Book 336 pages Book and Cassette Book and Disc

(paper) £6.95 £12.95 £14.95

Disc £14.

ORDER FORM to

Baffins Lane, CHICHESTER, West Sussex PO19 1YP	
Tel: Chichester (0243) 784531 Telex: 86290 (Reg. No. 641132 Englan Please send me: <i>Adventure into BBC BASIC</i>	d
0471 90171 7 Book £6.9 0471 90531 3 Book and Cassette £12.9 0471 90530 5 Book and Disc £14.9)5
□ I enclose cheque for made payable to John Wiley & Sons Lto □ Please charge my AMERICAN EXPRESS/DINERS CLUB/ BARCLAYCARD/VISA/ACCESS	d
Card No.	
Date of Expiry	
Telephone your credit card order —	
dial 100 and ask for FREEFONE 3477 (UK only)	
Name	
Address	

Signature 🔳



HARDWARE REVIEWS

RONS ON THE SIDE Chris Drage compares ROM socket systems from NMC and Viglen that provide plug-in Beeb expansion on a budget

NE OF the most important peripherals to follow in the wake of the BBC micro is the sideways ROM socket board. A number of multisocket boards have been available for a while now: ATPL, Sir Computers and Watford Electronics have all produced 12-socket boards. A problem associated with some of them is power drain on the host micro, for the Beeb wasn't designed to house such equipment. Another problem is that the physical limit to the number of ROMs available is 16. 'Sideways RAM' has been one answer to the problem, but this means an outlay of up to £45.

For those on a budget there's now another alternative. Both National Micro Centres and Viglen Computer Supplies have stepped in to provide a single exterior sideways socket into which ROMs/EPROMs are simply and quickly inserted. The former has opted for a zero insertion (ZIF) socket, while the latter has taken a more novel approach.

The Viglen socket is really a cartridge ROM edge-connector that is connected via a ribbon cable to an internal ROM socket. Each ROM/EPROM is housed within its own cartridge and simply slotted in when required.

I wanted to see how each system stood up in general use, so I put each in a primary school computer for a fortnight and allowed the children to use *Edword, Disc Doctor* and *Printmaster* for various tasks.

The ROM extension socket from National Micro Centres comprises an extension cable with sockets, a ZIF socket, two pieces of double-sided sticky tape and an 'ashtray' aperture cover (figure 1). The system is designed for ROMs/EPROMs to be effortlessly inserted without damage to their legs or to the socket connections. The system is a little more tricky to install but, following the simple yet adequate instruction sheet, it took only 10 minutes.

At the Beeb end a 28-pin socket fits into 1C 52, where Basic usually resides. The socket uses round pins, which are both strong and safe for the main board socket. I was very pleased to note that NMC had not opted for the large, square-pinned plugs that do so




Figure 1. National Micro Centres' ROM extension socket system, consisting of extension cable with socket, ZIF socket, 'ashtray' aperture cover and sticky tape




Figure 2. The NMC sideways socket installed. The board is attached to the underside of the keyboard cover with the sticky tape




Figure 3. The Viglen cartridge ROM system, showing extension cable with socket and cartridge

much damage (remember the old OS 1.00 EPROM board!) To this a double ribbon cable is soldered and passes over the recessed area beside the power supply to the 'ashtray'. At this end a small board contains another 28pin socket into which the ZIF socket will plug. Here the whole operation became rather amateurish.

The board is attached to the underside of the keyboard cover by double-

sided sticky tape. It worked, but I found that after a while it became weak either due to rough treatment or the warm working environment. With the keyboard cover replaced the ZIF socket is plugged in and all is ready (figure 2).


185

Unlike the Viglen cartridge, the ZIF socket is not clearly marked as to which way the ROMs are to be inserted. The rule is implicit: keep the ROM's notch away from you. However, one teacher got it wrong and one 2764 EPROM was ruined. A clearly labelled socket would have avoided this.

In use the system did not always function with all firmware. It appeared to work with some EPROMs and not others. Unfortunately, the Edword ROM would not function at all, even after calling it with *FX 142,12, which should initialise any firmware in this socket. This problem is probably due to the fact that no additional circuitry is included to provide for data loss over the length of cable. Unfortunately, the computer must be switched off before a chip can be inserted/removed. Apart from the inconvenience it is yet another easily forgotten operation that could lead to the loss of an EPROM/ROM.

My overall impression of this system is not one of confidence. I was disappointed with quality of the ZIF socket and the presentation of the system.

The Viglen sideways ROM cartridge system comes solidly packed in a plastic case and comprises a ROM extension cable and socket, an empty cartridge, a cartridge storage tray and various covers for the socket, edge connector and the Beeb's 'ashtray' (figure 3). Following the simple instruction sheet Viglen provides, installation was easy and non-traumatic. The computer end of the ribbon cable is provided with a specially tooled 28-pin plug that is simplicity itself to insert, thanks to the excellent cable connection and its strong rounded pins. The ribbon cable proved long enough to run just under the keyboard edge and emerge by the loudspeaker and it didn't foul any components. The edge connector is provided with two flanges, each of which engages within the 'ashtray' slot to the left of the keyboard (figure 4). This results in a surprisingly strong and neat socket. Five minutes



THE BBC MICRO SOUND SYSTEM MICROVOC As supplied to Schools & Colleges

SYSTEM INCLUDES:

Speakers, Volume control, jack sockets and all connections (assembled). Buzzgo to eliminate the infernal B.B.C. Buzz additional £3.00 inclusive Special offer

Easily fitting with no drilling, soldering or

cabinet modifications £15.00 inc VAT and p & p

MICROVOC WITHOUT SPEAKERS £10 inclusive

Microvoc's external socket also allows you to connect directly to your hi-fi system – now you can rattle the windows with Planetoid etc...

MICROVOC IS IDEAL FOR SPEECH SYNTHESIS OR COMPUTER PRODUCED MUSIC

MICRO-ADVENT Ashlyn House, 113 Writtle Road, Chelmsford, Essex. Tel: 0245 59708



A book containing 23 fully explained machine code programmes for the Atom.

DATA SORTS MODE 4 CHARACTERS

GAMES POOLS PREDICTION TOOL KIT

Over 50K of programmes in 1 book for £5.75 inc. Book and Cassette (source code) £15.50. Book and Cassette (ready to run) £15.50. Cassette only £11.50.



20 useful programmes for the BBC on one cassette.

BAD PROGRAMME LIST BAD PROGRAMME FIX FIND PROCS FIND DEFPROCS BIGLETTERS FIND BYTE FIND VARIABLE AND MANY OTHERS.

£3.95 inc.

ECCE Productions, 3/73 Station Road, Sidcup, Kent. DA15 7DR. Tel: 01-302 1667. (Mail order only)

HARDWARE REVIEWS

and the job was complete.

Each ROM is now ready to be installed in its 60 × 20 × 30mm cartridge (figure 5). This is achieved by removing two screws from the cartridge top and pushing the ROM into a 28-pin socket mounted on a small printed circuit board. Correct orientation is aided by the suitable markings on the base-plate. Each cartridge includes additional components to allow for any losses across the data cable. This adds to the production costs but Viglen has made a wise decision to include this feature. As a result, the three cartridges used by my class of ten-vear-olds performed faultlessly over the two-week period, passing the standard 10-vear-old 'dropping', 'standing-on' and 'handling' tests.

Two features of the system I particularly like are the fact that it takes no additional power from the BBC micro in its operation and that cartridges may be inserted or removed with the micro switched on and working.

In case the owner wants to remove the socket from the computer, Viglen provides a blank plate to cover the aperture. This clips into the 'ashtray' and is unobtrusive. As the user's cartridges grow in number, each may be stacked in the storage tray.

Overall, this is a very successful system that met with the complete approval of children and staff.

Both the NMC and Viglen extension sockets provide a cost-effective alternative to multi-socket boards, if you don't mind swapping firmware in and out of the computer as required.

A problem of using a sideways socket system in a school environment is that cartridges/ROMs can get misplaced, and the possibility of theft must also be taken into account when using these systems in a 'public' environment. These problems however, must be weighed against the advantage of having expensive firmware quickly and easily available to swap among any number of suitably fitted computers.

Having used both systems over the month, I can recommend only the Viglen ROM cartridge system for

REVIEW SUMMARY CHART

FEATURE	VIGLEN CARTRIDGE ROM SYSTEM	NATIONAL MICRO CENTRE ZIF SOCKET
Design & construction	4	3
Installation	4	3
Performance & reliability	5	2-3
Insertion & removal of ROMs	5	3
Documentation	4	4
Application	– education – home user – laboratory – small business	– home user – laboratory
Other peripherals	 cartridge storage system – none switchable 4 × cartridge (board planned) 	
Value for money	4	3

KEY: 5... Excellent 4... Good 3... Satisfactory 2... Poor 1... Very bad




Figure 4. Inserting a cartridge into the Viglen socket



Figure 5. Inserting a ROM into the cartridge

DATASHEET

school use. Each element is well designed, strongly built, and functions faultlessly. The risk of handling ROMs/ EPROMs is too great to be a viable proposition: the extra expense of each cartridge must be measured against this. Also, as the ZIF socket cannot be relied on to work with all ROMs/EPROMs, its application must be limited.

For the home user, each of these ROM sockets appears to be a useful answer to the problems posed by the plethora of ROM-based software now available. Obviously, the NMC ZIF socket means that ROMs/EPROMs may be quickly and conveniently inserted and removed. However, the onus is on the user to provide safe handling and storage for his/her firmware. The problem is not so acute with the Viglen system as each ROM is well and truly protected. Whether the cartridge system is worth the extra cost is up to the user to decide.

Sideways ROM cartridge socket Product Viglen Computer Supplies Manufacturer Edge connector Socket type **EPROMs** supported 2764 and 27128 EPROMs 470mm Cable length **ROM** cartridges **Special requirements** Socket: £19.95 inc. VAT Price Cartridges: £6.95 inc. VAT £4.95 each for 10 cartridges Viglen Computer Supplies, Unit 4, **Review copy from** Trumpers Way, Hanwell W7 2QA.

Product Manufacturer Socket type EPROMs supported Cable length Special requirements Price Review copy from Sideways ROM socket National Micro Centres Zero insertion force (ZIF) socket 2764 and 27128 EPROMs 420mm None Socket: £19.95 inc. VAT National Micro Centres, 36 St Peters Gate, Stockport SK1 1HL

ACORN USER OCTOBER 1984

187

Rebalance this sh

The BBC Micro can now give an astonishing new account of itself.

Because with Acornsoft's new 16K ViewSheet ROM, it develops a head for figures which can save you a vast amount of arduous brainwork.

Imagine, for instance, that you had to make several adjustments to a balance sheet.

If you made those adjustments on ViewSheet, it would revise the balance automatically in a split second.

Or imagine that you had to add 15% VAT to every figure on a price list containing 500 items.

ViewSheet can add the tax to each and every one of those items simultaneously. And once again, in virtually a second.

As simple as pencil and paper.

ViewSheet is a computer-based spreadsheet, the figure processing version of a word processor.

With 255 columns in width and 255 rows in depth, it's also one of the largest spreadsheets on the market.

Originating the sheet is as easy as originating an ordinary worksheet with pencil and paper.

Because ViewSheet comes with an easy-to-follow reference card.

It enables even the most inexperienced users to feed all the data they need to use, and store on disc or cassette, into the BBC Micro.

You can nominate headings and subheadings. And you can create barcharts to display figures graphically.

Ten windows for perfect vision.

The sheer size of ViewSheet makes it impossible for the whole sheet to be visible on the monitor at once.

That's why ViewSheet has ten windows, enabling you to see up to ten different sections of the sheet at any one time.

You can summon the windows onto



neet in one second.

the screen at the press of a key.

You can cross-reference sections, or even reposition them on the sheet, whenever you need to.

And you can print them out individually, as well as all together.

The possibilities are virtually endless.

By creating special disc files from ViewSheet, you can link two or more spreadsheets together. This means you can build models much bigger than the BBC Micro's considerable memory.

ViewSheet is also compatible with Acornsoft's View word-processing package. This enables you to produce reports and documents which combine text and figures.

In addition, you can use ViewSheet in any screen mode, making the most of the BBC Micro's potential. And if you use it with the 6502 second processor, you'll have no less than 30K of workspace in any mode.

<u>For only £59.80</u>, <u>you too can have figures like this.</u> The ViewSheet ROM can be fitted by your BBC Micro dealer in less than three minutes. And with its straightforward user guide, function

> key card and reference card, it'll soon have you juggling figures at lightning speed.

Indeed, at only £59.80, it's an invaluable asset for anyone involved in professional or personal finance,



forecasts, formulae and analysis.

ViewSheet's operations and functions in brief.

The operations supported by ViewSheet are: addition, subtraction, multiplication, division, exponentation and bracketed operations.

And the functions supported are: ABS, ACS, ASN, SIN, SGN, RAD, ATN, COS, DEG, EXP, INT, LN, LOG, PI, SQR, TAN, MIN, AVERAGE, MAX, CHOOSE, LOOKUP, COL, IF, READ, ROW and WRITE.



REVIEWS

WRITER'S WP

FOR THE ATOM

'Editor' ROM Bearsoft (Bear Hardware, 68 Harmondsworth Lane, Harmondsworth, Middlesex UB7 0AA, tel: 01-897 3059), £35 plus VAT

NEW FOR the Atom is the *Editor* ROM from Bearsoft. A 4k EPROM, addressing at #A000, it is a refinement of, and replacement for, Acornsoft's *Wordpack* ROM. It comes with a full instruction manual, very well written, and a new keytop to replace the backslash key.

190

The Editor is a wordprocessing utility and stores text in a file from #3000 onwards, displaying it in upper and lower case on a mode 4 screen. By dispensing with several duplicate commands in the old *Wordpack* and omitting the TEXT function, a number of new facilities have been enabled. The most obvious thing is the new keytop. This is in white plastic and engraved with the symbols C/P. As in *Wordpack*, control codes can be put at the start of any line to serve various functions. These are now preceded by an inverse C, plus an inverse P if they are to be sent to the printer. This makes them very easy to see in the text display.

Many of the old functions have been retained. New commands are:

(K)ILL-deletes text from cursor to end of file (Q)UIT-run a basic file at the specified address

(L)EN - address of first free byte

(W)ORD – displays word count, followed by L (I)NFO – does a dummy print run then displays format information (page number, number of lines left; word count; first free byte)

Pressing COPY (to store text) displays the address of the first free byte.

The new commands might not seem much, but the difference they make is remarkable. They turn the *Editor* into a real writer's wordprocessor. Doing a dummy print run can save an awful lot of draft copies and the ability to use Basic to add extra functions is a real treat. In my work, the ability to write very large files in sections then call and print them sequentially from disc using the Basic program given in the manual is a real time-saver. I set it going and leave it to run itself.

The Bearsoft *Editor* is well thought out and lifts the old *Wordpack* to new heights. **Barry Pickles**

BUFFER MAKES ROM VALUE FOR MONEY

Buffer and Backup ROM, Watford Electronics, £18 plus VAT.

THIS ROM is one of the latest to be offered from Watford, and comes with an eight-page manual explaining its functions. The ROM can be !BOOTed using SHIFT LOCK-SHIFT and BREAK. A menu is displayed on the screen that offers three alternatives: 'ROMLOOK', 'D-TAPE' and 'TCOPY'.

ROMLOOK allows the user to examine the contents of any other ROM. It will list the contents of any ROM in a similar format to the disc *DUMP command, but unfortunately where the ASCII code is a single digit, the program does not compensate by inserting a space or a 0, so the printout is very ragged.

D-TAPE allows programs to be selectively transferred from a disc (or a series of discs) onto a tape. It will, if required, put a menu at the start of the tape for easier program selection. This menu program was very basic and would have benefited from attention to layout. The user is able to select the files to be listed on the menu. This means that data files need not appear on the menu.

TCOPY is a program to transfer tape files to tape, disc or Hobbit. I could not get this to work at all. It simply came up with the 'Header?' message and would not load tape files that I know will easily load from tape. I suspect the problem is connected with the sideways ROM board slowing down the timing.

The ROM contains two more utilities, *VAR and *BUFFER. *VAR will list all the variables and their values. Array variables are listed, but only the number of elements and dimensions are shown.

BUFFER for me is what makes this ROM value for money. It makes use of any RAM on the sideways ROM board as a printer buffer, if required. When the computer is switched on a message appears at the top of the screen displaying the free memory in RAM, if RAM is present on the ROM board. The printer buffer is activated using *FX5.3 when all data destined for the parallel printer port (it does not work with the serial port) is first routed through this memory space. Once all the data has been accommodated on the RAM, control of the computer returns to the user, while the data is sent out bit by bit from the RAM to the printer.

To make use of this facility one needs not only the ROM chip, but either one or two 8k RAM chips (at £40 each) as well as a ROM board. This is still cheaper than buying an 8k or 16k printer buffer, and one then also has use of the extra RAM for other purposes. Some ROM boards will accept RAM only as two 8k chips, whereas others will accept 1 8k RAM. Martin Phillips

AMPERSAND ADDS

COLOUR BOARD

Ampersand Colour Module, Atom, £13.75 (kit). Ampersand Computers, 86 Neal Road, West Kingsdown, Kent TN45 6DQ.

OBSERVANT readers may have noticed in the small ads section two gentlemen, Messrs White and Worrall, offering construction details for a cheap colour module for the Atom. It can now be revealed that these gentlemen are known collectively as Ampersand Computers (another *Acorn User* scoop!) and their board has now been put through its paces.

It is offered in four packages, to suit every level of competence. The one tested was a ready-built board, but we also built one ourselves, using the notes provided. Construction is reasonably straightforward for anyone with any experience and the parts used are all standard components, readily available from any decent supplier ours cost £8 to build, excluding the Veroboard. (The ready-assembled unit costs £21.50). A PCB foil pattern and overlay is provided and the notes are well written.

The board takes the signals from the 6847 VDG and converts these, using a series of TTL components to the correct signals necessary for PAL receivers (the 6847 was designed for the American NTSC standard). All the necessary signals are present on PL4 (now you know what it's for) and the board plugs into this, allowing it to be mounted inside or outside the case. Anyone who has ever tried to remove the Acorn colour card will know what a blessing this is! One capacitor is removed from the Atom PCB and a single wire inserted-this is the input to the Astec modulator. After that, it's a matter of setting up and adjusting a trimmer, until the colour is satisfactory - this is a five-minute job.

The construction notes come with demonstration listings. There is a superb pattern generator, a lovely (and extremely fast) flag drawing program and an absolutely awful 'fruit machine' game.

What about the colour? Well, it was found to vary, according to the make of TV used. However, the colour register was as good as the Acorn board, if set properly, but with none of the problems associated with that board.

All in all, a nice design and one to be recommended. Even if you buy the ready-built version, it is still excellent value.

GRIFFIN Computers

SOFTWARE

Acornsoft (C)	£7.95
Micro power (C)	£6.95
Micro power (D)	Please ring.
Wordwise (R)	£36.00
Graphics (R)	£27.50
Disc doctor (R)	£27.50
Caretaker (R)	£27.50
Printmaster (R)	£27.50
HARDV	VARE

BBC B

Acorn electron Disk drives 100K

1.1

Please ring for

latest offers.


£195.00

£99.00

A full range of peripherals is available, prices on application. Printers— $\pounds_{172.00}$. Monitors— $\pounds_{199.00}$. Discs from only $\pounds_{12.00}$.


All the above prices include V.A.T. @ 15% (C)—Cassette (D)— Disk (R)—ROM

> GRIFFIN COMPUTERS 8, RAINSFORD ROAD, STANSTEAD ESSEX CM24 8DU Tel. 0279 812295



Harold Rules..OK?

When you call please don't disturb Harold — he broke 1000 on Snapper last week and hopes to crack 2000 soon. Mind you, there are other machines in the store that you can use to try out the software from our extensive range. Printers, disc drives and monitors too.





Electronic News

Programming the Electron

A must for Acorn Electron users – a book to teach you how to make the most of the sophisticated features of this microcomputer.

After a short introduction to the machine and how to get it started, some general points on programming techniques are presented followed by more specific features of Electron BASIC including graphics facilities, string handling, mathematical functions, random numbers and sound. Subsequent chapters introduce bits and bytes, hexadecimal numbers and assembly language programming, interfacing features and file handling. Appendices cover technical specification, error messages, ASCII codes and the 6502 instruction set.

Softcover

£6.95 approx.

Order now from your Bookseller or direct from

176 pages





- USER SUPPORT -



• 10 ISSUES OF BEEBUG MAGAZINE

MAILED FREE TO MEMBERS

- 30 EXCITING GAMES AND VISUAL PROGRAMS
- 43 SOFTWARE REVIEWS
- 33 HARDWARE REVIEWS
- 16 BOOK REVIEWS
- 150 HINTS AND TIPS
- 25 APPLICATION PROGRAMS
- SERIES OF ARTICLES FOR BEGINNERS
- MANY ADVANCED TECHNICAL ARTICLES
- NEWS AND PRODUCT INFORMATION
- PLUS SPECIAL OFFERS
- BIG DISCOUNTS ON A WIDE RANGE OF PRODUCTS
- EVENTS
- BRAIN TEASERS
- LOCAL CLUBS
- FULL MAGAZINE INDEX

A YEARS SUBSCRIPTION WOULD HAVE BOUGHT YOU ALL THIS

Figures based on the 10 issues of BEEBUG Volume 2.

BUT IT'S NOT TOO LATE TO JOIN FOR VOLUME THREE

BEEBUG PUBLICATIONS LTD. PO BOX 109, HIGH WYCOMBE, BUCKS

PLEASE ENROL ME FOR VOLUME 3 OF BEEBUG AT £11.90 (10 ISSUES)	
NAME	
ADDRESS	
AMOUNT ENCLOSED PLEASE MAKE CHEQUES PAYABLE TO BEEBUG PUBLICATIONS LTD. AND SEND TO:- DEPT 13, PO BOX 109 HIGH WYCOMBE, BUCKS. (DISTRIBUTION AGENTS FOR BEEBUG)	

BEEBUG HAS BEEN ESTABLISHED FOR TWO YEARS AND NOW HAS OVER 25,000 MEMBERS. IT OFFERS TOTAL USER SUPPORT TO ALL BBC MICRO USERS.



See what the experts have to say...

"At last we have an adventure worthy of the BBC Micro... This game must now become a yardstick by which future adventures should be measured." MICRO ADVENTURER "This has to be the adventure of 1984. It really is superb."

MICRONET 800

"Technically, this game surpasses any I have seen for the **BBC** Micro.' H.C.W.

"The definitive adventure. Highly recommended."

ELECTRON USER

widely regarded as the best available for the BBC Micro	aty THE WHEEL OF FORTUNE £9.95 £11.95 BBC/
This game is a classic puzzle adventure with all the features you'd expect from EPIC • HALF SCREEN FULL-COLOUR GRAPHICS FOR EACH OF THE 250 LOCATIONS • INTELLIGENT MOVING CHARACTERS	
INTELLIGET TIME ACTING IN REAL TIME MULTI STATEMENT LANGUAGE AND SPEECH INTERPRETERS	ADDRESS POST CODE All programs available for immediate despatch. Dealer enquiries welcome. Help Service.

ACORN USER OCTOBER 1984

ADVENTURES

NEW GRAPH

We proudly present our

B-BASE: £25—8 Great Features

WHAT IS A DATABASE?

It is a FILE which contains RECORDS. Records consist of a number of FIELDS containing the information—an analogy can be drawn with a card index in which a box of cards is the file. Each card is a record and each line on the card is a field.

SPECIFICATION

1) Random Access—disc based, single or dual drives

2) File Size—99K (40 track), 199K (80 track) —65,000 + records

3) Record Size—up to 2048 characters and 200 fields 4) Field Size—up to 254 characters with

complete line scanning

5) Access any record using Primary Key in 2 seconds

6) Holds—1200 NAMES AND ADDRESS records on 100K disk

7) Search—500 records on 5 fields in 60 seconds

8) Sort—500 records on 8 fields in 60 seconds

SYSTEM FEATURES

SEARCH PARAMETERS =, \langle , \rangle , \rangle =, $\langle =$, $\langle \rangle$, INSTR

CALCULATE — Global or local totals and functions using any valid BBC expression POWERFUL PRINTOUT OPTION— Eliminates need for separate mailing program, Parallel/Serial Printout allows setting of printer control codes, line spacing, tabulation, Headings etc, plus label printing with horizontal and vertical tab control. REDEFINE—Titles, field widths, number of fields etc.

TRANSFER—Records from one file to another

Databases within main Database but without having to save data again. DATE FORMATS—6 formats for printout

All timings and sizes are relative to ACORN DFS. Compatible with ACORN DFS, WATFORD 1.3 and latest AMCOM DFS.

> All Disc Software now available on 3" disc add £3 to printed prices

Send S.A.E. for detailed data sheet

REPLICA II: £12.00.

The original REPLICA set a very high standard so the specification we set our chief programmer included some impossible features. In fact ACORN state that some of the things that we have done are impossible, it just took us longer that's all. REPLICA II transfers most cassette based programs to disk, even more than REPLICA. When you buy disk drives you do not have to throw away expensive cassette based programs.

REPLICA II transfers 'LOCKED' programs, programs loading as files, programs that load below &EOO, those with up to 6 sections and those up to &6E in length eg adventure programs. No waiting for 6 minutes whilst adventure programs load.

REPLICA II is very easy to use. The user enters a name, how many sections and whether CHAIN, RUN or *LOAD to load the first section. Press play and let the program do the rest, even a menu. Think how much it will cost you to buy just 1 disk version of your favourite program— REPLICA II which will hold up to 16 programs, limited only by the disc capacity.

CLARES Nº1 INUTILITY SOFTWARE!

BEEBSYNTH: disk £11.00 cassette £8.00

A very powerful, easy to use sound generating program for expert and novice. Up to 16 envelopes can be defined and saved. The envelope definer is easy to use, control is through the cursor keys and the effects of changes can be heard immediately. When you have defined your envelopes press 'K' for Keyboard and the keyboard is transformed into a musical instrument, but you control which instrument. Plays chords, not just single notes, change pitch and duration etc. A superb program that you can use immediately. Unlimited sounds at your disposal. Recommended by MICRO USER, PCN, HCW etc.

GRAFKEY/GRAFDISK: disk £12.95 cassette £9.00

The 'GRAF' series of programs are, to our knowledge, the cheapest entry to the CAD (Computer Aided Design) field on the BBC micro. Input is either joystick or keyboard. All graphics modes can be used and altered whilst running, the functions provided are: Line, rectangle, triangle, circle, text (upper and lower case), paint and colour pallet (8 colours and flashing). Drawing aids-include: Alignment grid, circle copy, delete, free memory, purge memory, variable cursor speed, clear screen and redraw. Save drawings to tape in about 20 seconds or to disk in about 2 seconds. Rubber Band is a very flexible line drawing facility. Pictures can be saved and included in your own programs, very easily. GRAFDISK also provides a screen save facility. Recommended by BBC MICRO USER, PCN, ELECTRONICS & COMPUTING,

USER, PCN, ELECTRONICS & COMPUTING LASERBUG etc, used by universities, colleges and business, as well as the enthusiast.

SINGLE KEY: (requires 1.2 0.S) £5.00

SINGLE KEY ENTRY provides the user with single key entry of all 66 keywords on the BBC micro. Speeds up your program input, it's just like having 66 function keys and it only occupies 256 bytes. Compatible with BASIC 1 & Basic 2.

VIEWpoint: £12.00

VIEW PRINTER DRIVER FOR EPSON FX80 Multi-page drive with print menu allowing the setting of global (document wide) printer functions at printer initialisation.

1) Multiple choice of highlight options including underline, italics, bold, enlarged,

proportional, condensed, superscript, subscript.

2) Choice of any one of the nine language character sets held in the printer ROM.

- 3) Choice of PICA or ELITE type face. 4) Print intensity: normal or dark.
- 5) Single sheet or continuous printing.
- 6) Slow (accurate line feed) or fast print speed.

7) Choice of "PAD character. Selection of "" as the PAD character switches off the backslash trap to allow full implementation of the foreign language character sets.

User Defined Character Definition

The print menu program also contains a sophisticated character generator which allows the construction of 95 user defined characters which are then accessible from VIEW via a highlight option. The characters are displayed in an 8x11 grid

The characters are displayed in an 8x 11 grid and can be printed (singly or as a set), stored, examined or changed at will.

Supplied on disc with comprehensive user manual.




All prices inclusive of VAT & Carriage— NO EXTRAS!

We're not shor ®

MICRO SUPPLIES

Dept AU10 98 Middlewich Rd., Northwich, Cheshire CW9 7DA Tel: 0606 48511 Open 9—5 pm Monday—Friday



HIGH QUALITY DRIVES **AT EVEN LOWER PRICES.**

Opus disc drives are the best buys on the market.

We have reduced our prices, but the quality still remains as high as ever.

All our 51/4" drives have been tested to their limits, running for 8,000 hours that's a year of constant use.

And when you look at our prices, you'll find that VAT, all necessary leads and carriage are included along with a two year guarantee - a year more than any other company can offer.

You can order by posting the coupon below or calling at our showroom.

3" MICRODRIVE.

 Twice the capacity on line of other available drives. • 200K Single Density -

400K Double Density.



- Easy to connect to the BBC Micro. 3ms. Access time.
- Low power consumption direct drive.
- Manual and free disc cartridge provided.

Double sided 40 Track Drive Single drive.

£199.95 Dual drive £399.95

51/4" SINGLE DISC DRIVES.

- All ½ height.
- Low power consumption.
- Comprehensive manual. Free utilities disc.
- Direct drive mechanism. • Fast access time.

5401 100K Single sided 40 Track

£149.95 5402 200K Double sided 40 Track £169.95

5802 400K Double sided hardware switchable 80/40 Track. £199.95

5¹/₄" DUAL DISC DRIVES.

• Metal cased and all necessary leads.

Separate power supply



 Utilities disc and manual 5401D 200K/400K on line S/sided 40 Track_


£349.95 5402D 400K/800K on line D/sided 40 Track_\$399.95 5802D 800K/1.6 Megabyte on line D/sided hardware switchable 80/40 Track. £499.95

FLOPPY DISCS.

3" cartridge £5.75 each or £25.95 for 5. 51/4" Discs - with full 5 year warranty and free library S/SS/D £17.95 for 10. case. S/SD/D £19.95 for 10. D/SD/D £21.95 for 10. S/S 80 Track £25.95 for 10. D/S80 Track £27.95 for 10.

DOUBLE DENSITY

DISC INTERFACE. The ultimate double density disc interface for your BBC Micro, compatible with 6502 2nd Processor.



• Utilities on ROM including: Format and verify, tape to disc transfer, automatic 40/80 Track selection, automatic density selection, unique mass copy routine, powerful machine code operating system giving up to 248 files, 80% faster than single density. Easy to install. Free user manual supplied. £129.95

GENEROUS EDUCATION AND DEALER DISCOUNTS GIVEN. ALL ITEMS ARE GUARANTEED FOR TWO YEARS AND ARE SUITABLE FOR USE WITH THE BBC MICRO.


OPUS SUPPLIES LTD.

158 Camberwell Road, London SE5 OEE. Opening hours: 9.00-5.30 Monday-Friday, 9.00-1.00pm Saturday.

01-7018668 01-703 6155

OPUS PRODUCTS ARE AVAILABLE FROM BOOTS. W.H. SMITHS, SPECTRUM, JOHN MENZIES, ALLDERS AND **OTHER GOOD COMPUTER STORES NATIONWIDE.**

Quantity	Description	Price
the amount of £_	rotal. y credit card account with ycard (please tick) No. is	
Name		AC3
Address		



USER GROUPS

This indicates clubs that have responded to our circular asking for confirmation of details and continued existence. Would those clubs who have not responded please do so, otherwise they will be deleted from our list.

Wakefield BBC Micro User Group 116 Pinderfields Road Wakefield West Yorkshire WF1 3PL

Colin Price Keighley Computer Club Red Holt Hainsworth Wood Keighley W. Yorks Tel: Keighley 603133

Jennifer Woeller Sutton Library Computer Club Sutton Central Library St Nicholas Way Sutton, Surrey Tel: 01-661 5031

Mr C. Rutter Medway Atom Users Club St John Fisher School Ordnance Street Chatham Kent

Mr J. Ashurst Acorn Computer Abraham Moss Centre Crescent Road Manchester 8

BBC Adventure Club 18 Weardale House Woodberry Down London N4 1QN

Atom Users' Group of Canada 812 Cabot Trail Milton Ontario L9T 3M8 Canada

Austin Vaughan Computer Club 35 Monastery Drive Clondalkin Dublin 22 Eire

Miss J. Lines South East Essex BBC User Group (SEEBUG) 97 Oakhurst Drive Wickford Essex SS12 0NW Tel: 03744 63396

Tel: (01) 593112 (evenings)

D. Donaldson, Secretary Bracknell Primary Schools Computer Users' Group Wildridings County Junior School Netherton Bracknell Berks RG12 4DX

Stuart Mallinson Huddersfield BBC Micro User Group 34 Ryefields Scholes Huddersfield West Yorks HD7 1XF

J. Smith, Secretary Brighton, Hove & District Computer Club 30 Leicester Villas Hove E. Sussex BN3 5SQ

Mr Ric Keyworth Micro Users Group 4b Kilburn High Road London NW6 5UL Tel: 01-734 9235 (7am-3pm Mon-Fri)

West Midlands Computer Group 12 Apsley Road Oldbury West Midlands B68 0QZ Mr J. Price Bedford House 27-28 St George's Road Brighton Sussex

Mr P. Beverley Norwich Area Acorn User Group Room 12a Norwich City College Ipswich Road Norwich NR2 2LJ

Keith Mitchell Edinburgh ZX Computer Club 19 Meadowplace Road Edinburgh Tel: 031-334 8483

Robin Bradbeer Computer Clubs Polytechnic of North London Holloway London N7 8DB

Andy Purkiss North & Mid-Essex User Group (NAMEBUG) 12 Palm Close Witham, Essex Tel: 0376 515609 Prestel: 376515609

M. A. Cowley, President Beebnet PO Box 262 Kingswood South Australia 5062

Mr D. L. Evans 23 Hitchin Road Henlow Camp Bedfordshire

R. Welch Harpenden Microcomputer Group 7 Tylers Harpenden Herts AL5 5RT

Mr P. Frost Atom Users Group 3 Leyland Road Bulkington Warks CV12 9LW

Ray Mitcham Southport BBC Micro Group 5 Easedale Avenue Ainsdale Southport Tel: 79936

The Secretary Radio Amateur Micro User Group (G4KCS) c/o R. A. Webb 39 Aldworth Road Stratford London E15 4DN

Malbeeb **BBC Users Club** 'Micar St Monica Street Guardamangia Pieta Malta John Hannon Tasbeeb (BBC Users' Group) Box 25 PO North Hobart 7002 Tasmania Australia Tel: (002) 342704

A. F. Powell The Daventry and District Computer Club c/o The Daventry Ex-Servicemans Club Market Square Daventry Northants

BBC INFO Horten Ingeniorhogskole Skippergt. 6 3190 Horten Norway

E. R. Piper Bognor Computer Group (BUG) 2 Ely Gardens Aldwick Park Bognor Regis Sussex PO21 3RY

Andrew Pike Peterborough Personal Computer Club 920 Bourges Boulevard Peterborough PE1 2AN Tel: 0733 44342 (after 5pm)

John Farris Mid-Cheshire Computer Club 75 Swanlow Lane Winsford Cheshire CW7 1JD Winsford 53339

Liverpool BBC Microgroup c/o Fred Shaw 14 Albany Avenue Eccleston Park Prescot Merseyside L34 2QW

■ John Harris Bottisham Acorn User Group 1 Rowan Close Bottisham Cambridge CB5 9BN Tel: (0223) 811487

Herian Pain BEEBACC 40a High Street Stony Stratford Milton Keynes Tel: (0908) 564271

Duncan Coulter Preston BBC User Group 8 Briar Grove Ingol Preston PR2 3UR

Acorn Users Group of Sweden c/o Janne Soderberg Frihetsvagen 32 S-175 33 Jarfalla Sweden

Anders Wickman BBC User Group (BUG) Folkungagatan 58 116 22 Stockholm Sweden

Peter Wilson Universal Micro Club 26 North Cape Walk Corby Northants NN18 9DQ Tel: Great Oakley 742622

John Haigh Iver Computer Society (IC's) 11 Colliston Walk Fords Farm Calcot, Reading Berks RG3 5ZJ Tel: 0734-417534

John Eary Kinder Peak Computer Club 36 Parkway New Mills Tel: New Mills 43870

C. Verrier Wandsworth Computer Club Earlsfield Library Magdalen Road London SW18

Mr J. Craig National BBC User Group 40 Mount Pleasant Avenue Wells Somerset BA5 2JQ

Mr R. Luff Kingbee 54 Arlington Close Kingswinford West Midlands

Caterham Leisure Centre Godstone Road Caterham Surrey CR3 6RE Tel: Caterham 48304/43316

Ted Ryan Eastwood Town Microcomputer Club 15 Queens Square Eastwood Nottingham NG16 3BJ

Mr T. A. Kayani SOBAT Computer Club (East London) 12 Calderon Road London E11 4EU Tel: 01-556 5423

Mr M. G. Forster Potbug BBC Users Group 8 St George's Avenue High Lane Tunstall Stoke-on-Trent Tel: 818499

BBC Users Group Canberra 5 Hatfield Street Evatt A. C. T. 2617 Australia Tel: (062) 587719

A. H. Fowler Tonbridge School Computer Society 44 Birling Road Tunbridge Wells Kent TN2 5LY

J. Assies, Secretary Big Ben Club PO Box 177 4670 AD Zevenbergen The Netherlands

H. W. H. Fisher Sunningdale BBC User Group 82 Cedar Dive Sunningdale Berks SL5 0UB Tel: Ascot 25030

Peter Hughes Format 40/80 Club BBC Disc User Group 5 Marsh Street Bristol BS1 4AA

Dave Davies 229 Manley Road Chorlton-cum-Hardy Manchester M21 1RB Tel: 061-881 0382

Tony Latham Computer Users Club 69 Hadlow Road Welling, Kent DA16 1AX

Tony Pickard Newcastle & Washington BBC User Group (NEWBUG) c/o Washington Town Centre Library Library The Galleries Washington, Tyne & Wear Tel: Houghton (927) 849342 after 6pm

John Fryer, Treasurer 17 Edgedale Road Sheffield S7 2BQ

Chris Parry, Secretary Stratford Computer Club 15 Kipling Road Stratford-on-Avon Tel: 0789 68080

Robert Watt Inverciyde BBC Micro Users' Club 9 St John's Road Gourock Renfrewshire PA19 1PL Tel: Gourock 39967

Antony Hurden West Suffolk BBC Micro Users' Club 14 Plovers Way Bury St Edmunds Suffolk IP33 2NJ

Forum 80 421 Endike Lane Hull HU6 8AG

Simon Ward Porchester & Fareham Computer Club 9a East Cams Close Downend Fareham Hants PO16 8RP

D. Davidson Central Scotland BBC User Group 1 Roxburgh Place

Larbert Stirlingshire FK5 4UE Linda Yeomans,

Secretary Beeb Users Group (Bug Club) 13 Regent Street

Church Gresley Burton-on-Trent Staffs DE11 9PL Arjen Raateland Hopeatie 10A21

00440 Helsinki 44 Finland Tel: 90-5625027

RAF Personal Computer Association Man S (ADP) HQ RAFSC RAF Brampton Huntingdon PE18 8QL

Harrow Computer Group 16 St. Peter's Close Bushey Heath Watford WD2 3LG Tel: 01-950 7068

PO Box 43 231/2 Friary Chambers Whitefriargate Hull HU1 2HD Tel: 0482 20268

Nik Kelly Mersey BBC User Group 56 Queen's Drive Liverpool L4 6SH

R. V. Souter, Secretary 4 Risby Garth Skidby Cottingham, Hull HU16 5UE Tel: 0482 845326

PO Box 1297 Santa Cruz de Tenerife Canary Islands (Spain) Tel: (922) 216546

Association of Computer Clubs 17 Lawrie Park Crescent London SE26 6HH

Andy Leeder Amateur Computer Club Church Farm Stratton St. Michael Norwich NR15 2QB

Bob Hindle South Yorks Personal Computer Group (SYPCG) 139 Penrhyn Road Sheffield S11 8UP

J. G. Dowling Acorn Atom Users Group 27 Oribi Avenue Van Riebeeck Park Kempton Park 1620 South Africa



Computer Concepts

Print master

The printer utility ROM for the BBC micro

Gener

General:

All common printer facilities are made available with easyto-use commands including:

* UNDERLINE * ITALICS * STYLE * LINESPACE * PAGELEN and others

Other Facilities:


- Character definition utility.
- Send files to printer at the same time as running BASIC programs etc.
- Interactive window setup, for choosing area of screen to be dumped.
- Save/load character font.
- Large character printing.
- Commands can be included in wordwise text (version 1.2 onward)

Computer Concepts

Gaddesden Place Hemel Hempstead Herts HP2 6 E X (0442) 63933 Now available: PRINTMASTER (EPSON) PRINTMASTER (STAR) price £33.35 incl.

master

PITTUE



SOCIAL SCIENCE SOFTWARE

A NEW RANGE OF COMPUTER PROGRAMMES DEVELOPED AND TESTED IN AN EDUCATIONAL ENVIRONMENT AND DESIGNED AS TEACHING AIDS FOR SOCIAL SCIENCES TAPE OR DISC

SUITABLE FOR ANY B.B.C. MICRO B, 40/80 TRACK

THE ELECTION PROGRAMME - SOPHISTICATED AND VERSATILE ANALYSIS OF ELECTION RESULTS NOW WITH SCREEN MAPS OF LONDON / ENGLAND & WALES/SCOTLAND & N. IRELAND, LINKED TO DATA (DISC ONLY: DATA DISC & PROGRAMME DISCS £24
FOR A VARIETY OF LOCAL/REGIONAL ANALYSIS. Already used by Politicians, Universities, Polytechnics, DATA/PROGRAMME/MAP DISCS £39.50) Schools and Colleges.
THE ENERGY CRISIS A SIMULATION OF INVESTMENT AND PRODUCTION OF ENERGY. "A well-designed simulation" "it has a particular relevance to 'A' Level Economics and 6th Form General Studies" "will- stretch the brightest students". John Simkin, 'The Teacher'
DISCOUNTED CASH FLOW - DEMONSTRATES THE USE OF D.C.F. IN COST-BENEFIT ANALYSIS AND INVESTMENT APPRAISAL (TAPE-17; DISC-19.50)
B/TEC RECORD KEEPER - FOR STORING, UP-DATING AND PRINTING STUDENT REPORTS AND RESULTS (TAPE - £15; DISC £17.50)
MULTIPLE CHOICE TEST DESIGNER - ALLOWS YOU TO DESIGN/EDIT/RUN MULTIPLE CHOICE TESTS USING A VARIETY OF FACILITIES (TAPE - £8.50; DISC-£11)
ALL PROGRAMMES INCLUDE A COMPREHENSIVE MANUAL DISCOUNTS: ORDERS OVER 550, 10% REDUCTION

ALL ORDERS POST FREE FURTHER INFORMATION SUPPLIED ON REQUEST: ORDERS (WITH REMITTANCE OR YOUR OFFICIAL ORDER FORM, SPECIFYING TAPE OR 40/80 TRACK DISC) AVAILABLE FROM: RICHARD S. BALL, FREEPOST, DEPT. (B). BIRKENHEAD, MERSEYSIDE L42 2AB. DEALER ENQUIRIES WELCOME

ALSO FROM OLD KENT ROAD TO MAYFAIR "THE FAMOUS BOARD GAME FOR THE B.B.C. MICRO"

FEATURES INCLUDE :

UP TO 5 PLAYERS PLUS THE COMPUTER IN THE COMPUTER CONSIDERS DEALS AND OFFERS EXCHANGES SHORT AND STANDARD VERSIONS III GAME - SAVE FACILITY

THE COMPUTER IS AN ACTIVE AND INTELLIGENT PLAYER IN THIS COMPUTERISED VERSION OF THE WORLD FAMOUS BOARD GAME. AND IS HARD TO BEAT. AN IDEAL CHRISTMAS GIFT. TAPE <u>£8.00</u> DISC (SPECIFY 40 or 80 TRACK) <u>£10.50</u> POST FREE AVAILABLE FROM THE ABOVE FREEPOST ADDRESS

PUBLISHED BY SOCIAL SCIENCE SOFTWARE

DEALER ENQUIRIES WELCOME



WITH MORE BRANCHES THAN ANY OTHER ACORN DEALER WE OFFER

ONE-STOP SHOPPING

FOR YOUR

BBC MICRO

AND

ELECTRON

SPECIAL ELECTRON PACKAGE INCLUDES ELECTRON WITH PLUS 1 FOR £229

SEE US AT THE SHOW

ON STAND 61

THE HOME COMPUTER **SPECIALISTS**

SOFTWARE

PROGRAM POWER BUG-BYTE SUPERIOR SOFTWARE ASF SIMON HESSEL MOLIMERX ALLIGATA ACORNSOFT

PERIPHERALS

DISCS SINGLE/DUAL TORCH Z80 DISCS MIDWICH DISCS PRINTERS JOYSTICKS MONITORS B & W/COLOUR LIGHT PENS **BBC BUGGY**

large range of books, diskettes, cassettes & printer paper always in stock

Easy parking at all branches

TOLWORTH 230 Tolworth Rise South, Tolworth, Surbiton, Surrey KT5 9NB. Tel: 01-337 4317

SUTTON 30 Station Road, Belmont, Sutton, Surrey SM2 6BS Tel: 01-642 2534

FALING 114 Gunnersbury Avenue, Ealing, London W5 4HB. Tel: 01-992 5855

NEWBURY 26, Stanley Road, Newbury Berks RG14 7PB Tel: (0635) 30047

RICKMANSWORTH

Grey Stone Works, The Green, Croxley Green, Rickmansworth, Herts WO3 3AJ Tel: 0923 779250

LUTON Manor Road, Caddington, Luton, Beds LU1 4EE Tel: (0582) 458575



* * **COMPUTERS** **

PRICOT Point 7 from £2950.0 PRICOT PORTABLE from £1445.00 PRICOT 256K 735K×2 MONITOR £1445.00 PRICOT 256K 735K×2 MONITOR £1395.00 PRICOT 256K 720K×2 MONITOR £1395.00 PRICOT 256K 720K×2 MONITOR £1395.00 PRICOT 256K 720K×2 MONITOR £1395.00 PRICOT X1256K 10MB MONITOR £1395.00 DMMODORE 8290 £695.00 DMMODORE 8296 £695.00 DMMODORE 64 £156.5 DMMODORE 1530 C2N CASSETTE £320.00 MMADORE 1530 C2N CASSETTE £329.00 VPRO I £945.00 MMODORE 1530 C2N CASSETTE £329.00 VPRO I £945.00 VPRO I £945.00 VPRO I £945.00 IVETTI M20 160KB 2×320KB Drives £1295.00 IVETTI M24 128KB 10MB Hard Disk \$315.00 GE I & IV PO			EX VAT
PRICOT Point 7 from £2950.0 PRICOT PORTABLE from £145.0 PRICOT 256K 315Kx2 MONITOR £1395.0 PRICOT 256K 720Kx2 MONITOR £1395.0 PRICOT 256K 720Kx2 MONITOR £1395.0 PRICOT 256K 720Kx2 MONITOR £145.0 PRICOT 256K 720Kx2 MONITOR £1545.0 DMMODORE 8250 DISK DRIVE £785.0 DMMODORE 8296 £995.0 DMMODORE 8246 PORTABLE £675.00 DMMODORE 1530 C2N CASSETTE £320.0 MMODORE 1530 C2N CASSETTE £325.0 MMODORE 1530 C2N CASSETTE £325.0 MMODORE 1530 C2N CASSETTE £325.0 MMPAQ £1795.00 £1795.00 IVPRO 1 £945.00 IVPTI M20 160KB 2x320KB Drives £1295.00 IVETTI M24 128KB 10MB Hard Disk \$315.00 GE II & IV PO NYO MBC555 128K 2x160K Drives £2850.00 RUS 256K 10MB £2950.	RICOT	F1-from	£675.00
PRICOT 256K 315K 2 MONITOR E1385 0 PRICOT 256K 730K 2 MONITOR £1385 0 PRICOT 256K 720K 2 MONITOR £145.00 PRICOT X1256K 10MB MONITOR £145.00 PRICOT X1256K 10MB MONITOR £195.00 DMMODORE 8250 015K DRIVE £785.00 DMMODORE 8296 £695.00 DMMODORE 530 44 PORTABLE £875.00 DMMODORE 105K 1541 £165.5' MMODORE 105K 1541 £165.5' MMODORE 105K 1541 £165.5' JYPRO 10MB £195.00' IVETTI M20 160KB 2x320KB Dri	RICOT	Point 7 from	£2950.00
PRICOT 256K 720Kx2 MONITOR £1545.00 PRICOT X1256K 10MB MONITOR £195.00 PRICOT X1256K 10MB MONITOR £2195.00 PRICOT X1256K 10MB MONITOR £2195.00 DMMODORE 8250 DISK DRIVE £785.00 DMMODORE 8296 £695.00 DMMODORE 8296 £695.00 DMMODORE BLK 541 £165.27 DMMODORE DISK 1541 £165.27 DMMODORE 1530 C2N CASSETTE £32.00 MMODORE 165K 2750.00 £1795.00 VPRO 10MB £9195.00 IVETTI M20160KB 2x320KB Drives £1568.00 IVETTI M24128KB 10MB Hard Disk £3315.00 GE I & W PO NYO MBC 555 128K 2x160K Drives £795.00 RUS 256K 10MB £22650.00 RUS 256K 2.4MB £2265.00 RUS 128K 1.2MB £1545.00 RUS 128K 1.2MB £2265.00 RUS 128K 1.2MB £2265.00 <t< td=""><td>RICOT</td><td>PORTABLE from</td><td>£1445.00</td></t<>	RICOT	PORTABLE from	£1445.00
RICOT XI 256k 10MB MONITOR £2195.00 FER 9000 Multi User 21MB £5095.00 MMODORE 8250 DISK DRIVE £785.00 MMODORE 8250 DISK DRIVE £785.00 MMODORE 8296 £695.00 MMODORE 8246 PORTABLE £675.00 MMODORE 64 £156.52 MMODORE DISK 1541 £165.22 MMODORE DISK 1541 £165.22 MMODORE DISK 1541 £165.22 MMODORE DISK 1541 £195.00 MMPAQ £1795.00 £1795.00 IVPRO II £945.00 IVPRO 10MB £1955.00 IVETTI M20 160KB 2x320KB Drives £1285.00 IVETTI M24 128KB 10MB Hard Disk 52315.00 GE IVETTI M24 128KB 10MB Hard Disk 5215.05 S105.00 NYO MBC555 128K 2x160K Drives £195.00 RIUS 256K 10MB £2850.00 S280.00 RIUS 256K 10MB £22850.00 RIUS 126K	RICOT	256K 315Kx2 MONITOR	£1395.00
FER 9000 Multi User 21MB £5095.01 MMODORE 8250 DISK DRIVE £785.01 MMODORE 8250 DISK DRIVE £785.01 MMODORE 8296 £695.01 MMODORE 8296 £675.01 MMODORE DISK 1541 £165.21 MMODORE DISK 1541 £165.21 MMODORE 1050 C2N CASSETTE \$232.01 MMPAQ £1795.00 £1995.01 VPRO 10MB £1995.01 IVETTI M20 160KB 2x320KB Drives £1995.01 IVETTI M24 128KB 10MB Hard Disk £3315.00 GE II & IV PO/ NYO MBC555 128K 2x160K Drives £195.01 RUS 256K 10MB £22850.01 RUS 256K 2.4MB £2095.01 RUS 128K 1.2MB £1545.01 RUS 128K 1.2MB		256K720Kx2 MONITOR	£1545.00
DMMODORE 8250 DISK DRIVE £785.00 DMMODORE 8296 £6995.00 DMMODORE 8296 £6995.00 DMMODORE SX-64 PORTABLE £675.00 DMMODORE 64 £156.57 DMMODORE DISK 1541 £165.27 DMMODORE DISK 1541 £1785.00 DMMODORE DISK 1541 £1795.00 MMODORE 1530 C2N CASSETTE £32.00 MMAQ £1795.00 £1795.00 IVPRO I £945.00 IVPRO 10MB £1995.00 IVETTI M20 160KB 2x320KB Drives £1658.00 IVETTI M24 128KB 120MB Hard Disk £3315.00 GE GE II & IV PO NYO MBC555 128K 2x160K Drives £795.00 RIUS RIUS 256K 10MB £2685.00 RIUS 256K 10MB £2685.00 RIUS 128K 1.2MB £1645.01 RIUS 128K 1.2MB £2685.00 RIUS Express Accelerator Boards F0205.00 </td <td></td> <td></td> <td>£2195.00</td>			£2195.00
DMMODORE 8296 £695.00 DMMODORE 82.64 PORTABLE £675.00 DMMODORE 64 £156.5 DMMODORE DISK 1541 £165.5 DMMODORE DISK 1541 £165.5 DMMODORE DISK 1541 £165.5 DMMODORE DISK 1541 £165.5 DMMODORE IS30 C2N CASSETTE £32.00 MMPAQ £1795.00 £1995.00 IVETTI M20 160KB 2x320KB Drives £1295.00 IVETTI M24 128KB 2x330KB Drives £1955.00 IVETTI M24 128KB 10MB Hard Disk £3315.00 GE II & 1 PO4 NYO MBC 555 128K 2x160K Drives £295.00 RUS 256K 10MB £2285.00 RUS 256K 10MB £2285.00 RUS 256K 2.4MB £2095.01 RUS 128K 1.2MB £1545.00 RUS 128K 1.2MB £1545.00 RUS Express Accelerator Boards F0205.00			£5095.00
IMMODORE SX.64 PORTABLE 2675.07 DIMMODORE 64 £156.57 DIMMODORE DISK 1541 £165.27 DIMMODORE DISK 1541 £165.27 DIMMODORE DISK 1541 £165.27 DIMMODORE DISK 1541 £165.27 DIMMODORE 1050 C2N CASSETTE £32.01 JMPADO £1795.00 £1795.00 IVPRO 10MB £245.00 IVETTI M20 160KB 2x320KB Drives £1295.00 IVETTI M24 128KB 2x360KB Drives £1658.00 IVETTI M24 128KB 2x360KB Drives £1658.00 IVETTI M24 128KB 2x360KB Drives £1658.00 IVETTI M24 128KB 2x360K Drives £295.00 RUS 256K 10MB £22650.00 RUS 256K 10MB £22650.00 RUS 256K 2.4MB £2095.00 RUS 128K 1.2MB £1545.00 RUS 128K 1.2MB £2265.00 RUS Express Accelerator Boards F00			£785.00
IMMODORE 64 £156.3 DIMMODORE DISK 1541 £165.2 DIMMODORE IBEK PARALLEL INTERFACE £59.5 IBEK PARALLEL INTERFACE £59.5 IMMODORE 1530 C2N CASSETTE £32.00 IMMODORE 1530 C2N CASSETTE £32.00 IMPAQ £1795.00 £1795.00 IVPRO I £945.00 IVETTI M20 160KB 2x320KB Drives £1295.00 IVETTI M24 128KB 10MB Hard Disk £315.00 GE II & IV PO NVETTI M24 128KB 10MB Hard Disk £795.00 RIUS 256K 10MB £228500 RIUS 256K 10MB £22850.00 RIUS 256K 1.2MB £1454.00 RIUS 128K 1.2MB £1545.01 RIUS 128K 1.2MB £1545.01 RIUS 128K 1.2MB £1545.01 RIUS 128K 1.2MB £1545.01 RIUS Express Accelerator Boards £222.01			£695.00
DMMODORE DISK 1541 £165.2' MMODORE IBEK PARALLEL INTERFACE £59.5' MMODORE IBEK PARALLEL INTERFACE £59.5' MMODORE 1530 C2N CASSETTE £32.0' MPAQ £1795.0' £1795.0' VPRO I £945.0' IVETTI M20 160KB 2x320KB Drives £1658.0' £1995.0' IVETTI M24 128KB 10MB Hard Disk £3315.0' £3315.0' IVETTI M24 128KB 10MB Hard Disk £3315.0' £1995.0' RUS 256K 10MB £2250.0' £04 RUS 256K 2.4 MB £2095.0' £1045.0' RUS 126K 1.2MB £1545.0' £1245.0' RUS 128K 1.2MB £1545.0' £1045.0' RUS 128K 1.2MB £1545.0' £1045.0' RUS 128K 1.2MB £1545.0' £1045.0' RUS 128K 1.2MB £245.0' £1045.0'			£675.00
IMMODORE IBEK PARALLEL INTERFACE 253-50 IMMODORE IBEK PARALLEL INTERFACE 253-50 IMMODORE IB30 C2N CASSETTE £32.00 IMPAQ £1795.00 £1795.00 IVPRO II £945.00 IVPTTI M20 160 KB 2x320 KB Drives £1295.00 £1795.00 IVETTI M24 128 KB 2x360 KB Drives £1658.00 IVETTI M24 128 KB 10MB Hard Disk £3315.00 GE II & V PO IVETTI M24 128 KB 120 KB 2x160 KD rives £795.00 RUS 22650.00 RIUS 256 K 10 MB £2250.00 RUS 128 K 1.2MB £1645.00 RIUS 126 K 1.2MB £1645.00 RUS 128 K 1.2MB £1645.00 RIUS 128 K 1.2MB £1645.00 RUS £227.00 RIUS 128 K 1.2MB £1645.00 RUS £227.00			£156.51
Image 1530 C2N CASSETTE £32.00 OMPAQ £1795.00 £1795.00 VPRO II £945.00 IVETTI M20 160KB 2x320KB Drives £1995.00 IVETTI M24 128KB 2x360KB Drives £1658.00 IVETTI M24 128KB 10MB Hard Disk £3315.00 IVETTI M24 128KB 10MB Hard Disk £3315.00 IVETTI M24 128KB 10MB Hard Disk £2315.00 IVETTI M24 128KB 10MB Hard Disk £2315.00 RUS 256K 10MB £2285.00 RUS 256K 2.4MB £2095.00 RUS 128K 1.2MB £1545.00 RUS 256K 2.4MB £2295.00 RUS 256K 2.4MB £2095.00 RUS 256K 2.4MB £2095.00 RUS 128K 1.2MB £1545.00 RUS Express Accelerator Boards £22.00			
Impage £1795.00 (YPRO) II £945.00 (YPRO) 10MB £945.00 (VPRO) 10MB £945.00 IVETTI M20 160KB 2x320KB Drives £1295.00 1295.00 IVETTI M24 128KB 2x360KB Drives £1658.00 1295.00 IVETTI M24 128KB 2x360KB Drives £1658.00 PD0 IVETTI M24 128KB 10MB Hard Disk £3315.00 PD0 GE II & IV PD0 RUS 256K 10MB £2850.00 RUS 256K 10MB £28595.00 RUS 256K 2.4MB £2095.00 RUS 128K 1.2MB £1545.00 RUS 128K 2.5KB Accelerator Boards F004.00 RUS Express Accelerator Boards F004.00			
KYPRO II £2945.00 KYPRO 10MB £1995.00 IVETTI M20 160KB 2x320KB Drives £1295.00 IVETTI M24 128KB 2x360KB Drives £1295.00 IVETTI M24 128KB 10MB Hard Disk 5315.00 GE II & IV PO NYO MBC 555 128K 2x160K Drives £795.00 RUS 256K 10MB £28500 RUS 256K 1.2MB £2095.00 RUS 126K 1.2MB £2095.00 RUS 256K 2.4MB £2095.00 RUS Express Accelerator Boards F0245.00		1530 C2N CASSETTE	
YPRÖ 10MB £1995.00 IVETTI M20 160KB 2x320KB Drives £1295.00 IVETTI M24 128KB 2x360KB Drives £1658.00 IVETTI M24 128KB 10MB Hard Disk £3315.00 IVETTI M24 128KB 10MB Hard Disk £3315.00 IVETTI M24 128KB 10MB Hard Disk £3315.00 RIE II & IV PO4 NYO MBC 555 128K 2x160K Drives £795.00 RIUS 256K 10MB 256K 2.4MB £2095.00 RIUS 128K 1.2MB £1545.00 RIUS 128K 1.2MB £1545.00 RIUS Express Accelerator Boards FOA			
IVETTI M20 160 KB 2x320 KB Drives £1295,00 IVETTI M24 128 KB 2x360 KB Drives £1658,00 IVETTI M24 128 KB 2x360 KB Drives £1658,00 IVETTI M24 128 KB 10 MB Hard Disk £3315,00 GE II & IV PO NYO MBC 555 128 K 2x160 K Drives £795,00 RIUS 256 K 10 MB £2250,00 RIUS 256 K 2.4 MB £2095,00 RIUS 128 K 1.2 MB £1545,00 RIUS 128 K 1.2 MB £2280,00 RIUS 128 K 5.2 MB £228,00 RIUS 128 K 5.2 MB £1545,00 RIUS 128 K 5.2 MB £228,00 RIUS 128 K 5.2 MB £228,00 RIUS K 5.2 MB £228,00			
IVETTI M24 128KB 2x360KB Drives £1658.00 IVETTI M24 128KB 10MB Hard Disk £3315.00 GE II & IV POO INYO MBC 555 128K 2x160K Drives £795.00 RIUS 256K 10MB £2850.00 RIUS 256K 10MB £2850.00 RIUS 256K 2.4MB £2095.00 RIUS 128K 1.2MB £1545.00 RIUS 128K 1.2MB £1262.00 RIUS Express Accelerator Boards FOA			
IVETTI M24 128KB 10MB Hard Disk £3315.00 GE II & IV PDO. NYO MBC 555 128K 2x160K Drives £795.00 RIUS 256K 10MB £2850.00 RIUS 256K 10MB £22850.00 RIUS 256K 2.4MB £2095.00 RIUS 128K 1.2MB £1545.00 RIUS 128K 1.2MB £1545.00 RIUS 128K 5.200 F.00 £222.00 RIUS 128K 5.00 £222.00			
GE II & IV POA NYO MBC 555 128K 2x160K Drives £795.00 R105 256K 10MB £2850.00 RIUS 256K 10MB £2095.00 R1US 256K 1.2MB £2095.00 RIUS 256K 1.2MB £2095.00 R1US 128K 1.2MB £1545.00 RIUS 128K 1.2MB £222.00 R1US Express Accelerator Boards POA			
INYO MBC 555 128K 2x160K Drives £795.00 RIUS 256K 10MB £2850.00 RIUS 256K 2.4MB £2095.00 RIUS 256K 1.2MB £1545.00 RIUS 128K 1.2MB £1545.00 RIUS Memory Expansions from £222.00 RIUS Express Accelerator Boards PO/			
RIUS 256K 10MB £2850.00 RIUS 256K 2.4MB £2095.00 RIUS 126K 1.2MB £1545.00 RIUS 128K 1.2MB £1242.00 RIUS 128K 1.2MB £222.00 RIUS Express Accelerator Boards POA			
RIUS 256K 2.4MB £2095.00 RIUS 128K 1.2MB £1545.00 RIUS Memory Expansions from £2222.00 RIUS Express Accelerator Boards POA			
RIUS 128K 1.2MB £1545.00 RIUS Memory Expansions from £222.00 RIUS Express Accelerator Boards POA			
RIUS Memory Expansions from £222.00 RIUS Express Accelerator Boards POA			
RIUS Express Accelerator Boards POA			
			POA
AL OOFTIMADE AL			104

** SOFTWARE **

ALL MAJOR SOFTWARE PROGRAMS SUPPLIED AT LOW COST

WORDSTAR	£195.00
OPEN ACCESS	£360.00
LOTUS 123	£295.00
SYMPHONY	£490.00
MULTIMATE	£240.00
D BASE II	£280.00
DMS DELTA	£395.00
FRIDAY	£135.00
FRAMEWORK	£345.00
Not only do we offer top quality product	

prices. We also support and develop Software with the assistance of our long established software dept.

UNBELIEVABLE SAVIN ** MATRIX PRINTERS **

£324.00

£285.00

£449.00 £549.00

£465.00

EX VAT DP-6500 500cps £2019.00 DP-6500 500cps WP-6000 EP44 HR5 PW1080A 160cps (NLQ) PW1156A 160cps (NLQ) RX 80T 100cps RX 80F/T 100cps EX 80 160cps £1808.00 BROTHER BROTHER CANON CANON £199.00 £129.00 £279.00 £339.00 £195.00 £220.00 FX 80 160cps FX 80 160cps FX 100F/T 160cps LQ 1500 200cps (NLQ) EPSON EPSON HONEYWELL MANNESMANN MANNESMAN £324.00 £430.00 £895.00 £375.00 £199.00 From MT8080cps MT180160cps (NLQ) PINWRITER P2(P) £590.00 £535.00 PINWHITER P2(P) DRE 8850 3001pm DRE 8925 240cps 82A 120cps 84A 200cps OKI 92P 160cps OKI 92P 160cps OKI 2410P 350cps GP100A CP80 Model III ET NEWBURY £2095.00 NEWBURY OKI OKI £1385.00 £255.00 £630.00 £379.00 £1535.00 SEIKOSHA GP100A CP80 Model II FT DELTA 10 160cps DELTA 15 160cps GEMINI 10X 120cps GEMINI 15X 120cps RADIX 10200cps (NLQ) RADIX 15200cps (NLQ) 1550 120cps £165.00 £175.00 SHINWA STAR STAR STAR STAR STAR STAR TEC TOSHIBA TREND £319.00 £435.00 £189.00 1550 120cps TH2100H 192cps 930 200cps NLQ 80cps £1275 00 £1350.00

MAYFAIR MICROS



ANADEX

ANADEX

EPSON EPSON EPSON

NEC

OKI

SHINWA

TREND

TEL: 01-870 3255

We accept official orders from UK Government and Educational Establishments. Mail Order and Export Enquiries welcome. Callers by appointment.

** DAISYWHEEL ** ** PRINTERS ** EX VAT

BROTHER BROTHER BROTHER BROTHER BROTHER BROTHER DAISYSTEP DIABLO DIABLO JUKI NEC NEC NEC NEC QUME QUME QUME QUME QUME RICOH RI	HR1 HR15 HR15 Keyboard HR15 Sheetfeeder HR15 Tractor Feed HR25 2000 20cps 630 API Sheet Feeder 6100 18cps 2010 Serial 20cps 2030 Parallel 20cps 3510 Serial 25cps 3510 Serial 25cps 3530 Parallel 35cps 7710 Serial 55cps 7710 Serial 55cps 7710 Serial 55cps 11/40 RO 11/55 RO 9/45 RO 9/45 RO 9/55 RO RP1600S RP1600S FLOWRITER 8k RP1600S FLOWRITER 8k IBM PC RP1600S Sheet Feeder RP1600S Sheet Feeder	£1235.00 £459.00
TEC	Tractor	£138.00
	's & TERMINAL	

CIFER HAZELTINE QUME TELEVIDEO	T4 ESPRIT Fixed Keyboard QVT 103 (VT100 VT131) 910	£760.00 £395.00 £695.00 £489.00
**	PLOTTERS **	
MANNESMANN	PIXY PLOTTER PLOTTER	£495.00 POA

SIF

We've been absolutely inundated with Free ads — something like four times as many as we can carry. This has led to long delays in publication and disappointment for readers. The free ads are carried in the magazine as space permits, so please allow up to four months for yours to appear.

ACORN ATOM for sale. 12K RAM, 16K ROM, A&F Utilikit, games, programs and notes. One key damaged. Sell for £100 ono. Tel: (061) 491 2669.

ACORN ATOM fully expanded 12k + 12k + psu and manuals also VIA interface and printer and bus interface plus 2 EPROMs. It's jampacked! Any offers? Or swop for any BBC micro equipment. Tel: (0632) 737654.

ATARI CX-2600 with four joysticks and two cartridge plus adjustable adaptor. Will accept £30. Ring (021) 503 0101 on Monday or Tuesday between 10 am and 2 pm. Ask for David.

ACORN DFS kit, unused, in original packaging, cost £95. For sale at £70. Acorn twin joysticks in box. Cost £13, for sale at £8. Telephone Bristol (0272) 653827.

ATARI 800 48k & tape recorder, software includes cartridges and tapes, good condition. Worth £400, will sell for £220. Tel: 031 336 3390, evenings. Edinburgh.

ATARI 400 with Basic cartridge. Atari 410 programme recorder, self teaching guide and reference manual, two games, pair of joystick controllers, excellent condition. All for £220 ono. Tel: Abingdon (0235) 31866 after 6 pm.

ATOM Acorn Wordpack in original case with manual. £16 ono. Tel: 051 652 9376 after 6 pm.

ATOM disc interface pcb with sockets, 64 way connector. Crystal, (No IC's) complete psu in lower half of case. All Acorn parts. Ideal for DIY drive at £15. Phone Andy. 01-646 1607 evenings (London).

ATOM progs wanted, money for best, starting users club. Martin, 11 Courtfield Road, Ashford, Middx. Membership £6. Free tape, bug free, magazines, tested software. Please send long progs on tape, else listing.

ATOM software; 180+ titles for straight swop. Also wanted; 40 column VDU; 8k RAM card; AtomTel ROM; books; information and/or chat. Steve Allen, 54 Warwick Ave, Plymouth PL5 4BE. Tel: 0752 776082.

ATOM software wanted. Also books, Eurocards, etc. Will pay up to £5 for anything except Eurocards (up to £10). Anything for the Atom! Send list and prices to Kevin Ferguson, 19 Lamplough Rd, Exmouth EX8 3BT.

ATOM software. 180 titles for straight swop. Also wanted: Wordpack 3000; 40 column VDU; 8k RAM card; books; ROMs; information and/or chat. Steve Allen, 54 Warwick Ave, Plymouth PL5 4BE. Phone 776082.

ATOM WANTS: 40 column VDU; RAM card; 8271; Wordpack 3000; Atomtel; Super Basic ROMs, 39 tested programs; 6502 machine code (beginners) practical programs – BBC, Atom; or just information on above. Steve 0752 776082.

AP100A printer £150 ono. Watford ROM socket board, unused, £25. Bognor Regis (0243) 552176 or 551117.

APPLE Europlus 48k, 2 drives, 80 columns Z80 CP/M printer card, 12inch monitor, numerous office programs and games. £850 for a quick sale. Please ring 01-992 3768.

BASIC2 and 8271P disc controller wanted for BBC computer. Gregory, 75 Station Rd South, Belton, Gt. Yarmouth, Norfolk. NR31 9LZ. Tel: 0493 781035.

BBC compatible Seikosha GP100 dot matrix printer with centronics, serial, 8-bit and 7-bit outputs, plus paper £100. Tel: Nottingham 0602 733676.

BBC 32k 1-2OS, printer port, Wordwise, Graphics, Printmaster ROM's, Database, Spreadsheet, Draw and other software. Tape recorder, Prestel modem, Acorn User and Beebug magazines, £350. Phone Leeds 0532 755100.

BBC B computer, complete with data recorder, leads, joystick and interface. Also 50 cassettes. All in excellent condition, only nine months old. This is a bargain at £600. Tel: 061 231 1895.

BBC B + disc drive, tape recorder, monitor stand, dustcovers, toolkit ROM, and £450 of top quality software all in mint condition. Cost £1350 6 months ago, yours for £870. Phone Lincoln 730421 ext 338 8 till 5 pm, Ask for Mr Long.

BBC B 1-20S plus 12" green screen hi-res monitor and stand, all in excellent condition, monitor still under warranty, also software, books and magazines. All for only £395 ono. Tel: 0920-66972 after 6 pm.

6

BBC B OS1:2 boxed with all leads, manual and software. Three Acornsoft games and one utility plus some mags. £325 the lot. Tel Medway 668397 after 6 pm.

BBC B (1-2OS), disc interface, Z80 disc pack (Torch), Shinwa CP80 printer, Hantarex colour high res. monitor and £500 worth software. Total cost £2500, selling for £1800. Tel: 01-452 0343 eve.

BBC B 1-2OS, disc interface, 400k drive, green monitor, joysticks, view, most software, relevant books, magazines, Beebug, *Acorn User* etc. 14 discs, covers, stand – £700 or closest offer. Phone (0252) 872253.

BBC B 1·2OS + ROM board +RX80F/T + printer ROM + Disc Doctor + Graphics ROM + Wordwise + disc interface + speech synthesis + disc drive + games cassettes + discs + more. The lot for £950. Tel: 01-226 0590 before 6 pm.

BBC B 1-20S, Acorn DFS, Wordwise, software worth £700, 400K double sided switchable disc drive, 34 floppies, green screen monitor. Worth £1600, the lot for £1055 ono. Telephone 047 283 378 after 7pm. Kevin Bramhill.

BBC B computer, OS 1.2, light pen, pair of joysticks, two cassette recorders, Graphics Extension and Toolkit ROMs, printer lead plus loads of software. C399 ono. Phone Byfleet 43931 after 6 pm.

BBC model B, 1-200S, as new, plus joysticks, leads, books (including Advanced User Guide), and £100 worth of software (games). Bargain at £340 (ono). Tel: Bradford (0274) 634035, after 6.30 pm.

Acorn User has been alerted to the abuse of the free ad service and, regrettably, can no longer accept entries selling or swapping software.

REE ADS

BBC model B, 40T Cumana drive, Epson FX80, 8 ROMs on board (Forth, View, etc.), software, literature, £990 (cost £1600 +). Will partly separate. David Loach, Abingdon (0235) 20005 evenings.

BBC model B, DFS, £375 ono. ATPL ROM board £30. Wordwise original, manual £25. Acorn Teletext adaptor £175 ono. Disc Doctor, manual £20. Graphics Extension, manual £20. Disc interface upgrade £80. Phone evenings: 0227 750600.

BBC B wanted. £250 paid. 6502 second processor wanted, £150 paid or exchange for 48K Spectrum with hardware/software. BBC teletext adaptor also wanted, £150 paid. Phone (05827) 69152.

BBC disc interface kit, £80. Intel 8271 disc controller, £50. Wordwise ROM, + manual, original, boxed, £30. ATPL sidewise board, as new £35. 10 operating system on carrier £20. Ring Canterbury (0227) 750600. BBC model A 32K with Graphics ROM and Basic 2 with two joysticks. About 70 programs. Good cassette recorder, cover and manual for computer and Graphics ROM. Offers? Ring 0924 404507 after 7 pm. BBC model B with joysticks and over £150 of software. All top games. £150 or swop with CBM 64 and cash. Tel: Northampton 410859.

BBC model B with disc interface, 1:20S and Basic II plus lots of software: £390. Also 80 track double sided drive (uncased) with 40/80 switch. Offers? Phone Martin on Malmesbury 4285.

BBC model B, DFS & sidewise, £425 ono. Teletext adaptor, as new, £175 ono. Cumana dual 100k drives (¹/₂height) with PSU £295 ono. Original ROMs; Disc Doctor and Graphics ROM, £20 each, Wordwise. £25. Electron £165 ono. Canterbury 750600.

FREE PERSONAL AD SERVICE

Sell your old hardware or pass on information. Fill in the form below to a maximum of 32 words (one in each box) and send it to Acorn User Free Ads, 68 Long Acre, London WC2E 9JH. Use capital letters, and remember your name, address or telephone number. This is a service to readers – no companies please. One entry per form only, and we cannot guarantee any issue.

A second second second		

0

QUIXLEARN

The System That's An Education In Itself

COMPUTER BASED AUTHORING

If you are involved in teaching, whether in school or industry whatever your subject then QUIXLEARN will interest you. No need to search for ready-made educational software. QUIXLEARN now enables you the

teacher to design and write teaching material. You need have no programming experience. QUIXLEARN

is easy to master but with powerful facilities.

Construct lessons containing text and pictures in colour using TELETEXT characters or your own set of 128 graphics characters. Include questions for the student to answer you decide how the lesson proceeds. Link a lesson to cassette tape for simultaneous audio instruction. Set up your own libraries of text and pictures for use in different lessons. Ideal for preparing lectures, training courses, advertising material and demonstrations. Designed to be used with the

BBC Model 'B' (OSI.O) and disks. (51/4")

QUIXLEARN is supplied on disk, with audio cassette, and instructional material included. The disk and cassette contain a lesson which will teach you how to use the system. Price £75 (incl. VAT + P&P)

State 40 or 80-track DISK DRIVE Payment with order to:

QUIXTOR LIMITED, 7 HASLEMERE AVENUE, HALE BARNS, WA15 OAU.

QUIXLEARN was developed as part of an Open Tech project.

Disc Drive Multiplexer

- No switches
- No software
- No extra cables or connectors

This is a very simple low cost alternative to buying a disc drive for every BBC machine. This unit allows up to 4 BBC computers to access the same single or dual disc drive using the standard DFS commands. The unit operates by electronically switching the disc interface signals. The multiplexer copes with simultaneous access and will run with one or more BBCs disconnected or turned off. The unit is ideal for use in schools and offices and saves having to purchase several drives for up to £500 each.

The unit is complete with 5ft. cables as standard but cables up to 10ft. can be supplied. The multiplexer has it's own power supply. Prices:

£75.00 for a dual unit with 2 x 5ft. cables £135.00 for a quad unit with 4 x 5ft. cables Plus 15% V.A.T.

Postage & packaging £1.50

Extra cable at 60 pence per foot.

VIA Board

This extension board gives the user 3 extra VIAs (equivalent to 6 user ports). The connection is made to the 1MHtz Bus and the VIAs can be decoded to appear in pages & FC & FD. Up to 4 boards can be daisy chained to give 12 VIAs.

The board can be powered from +5v, +12v DC or 9v AC. Price £60.00 each plus 15% V.A.T.

All products will be supplied on a Sale or Return basis to Schools, Colleges and Government Departments.

For further details contact: BENWICK ELECTRONICS 5 Church Street, Wimblington, Nr, March, Cambs.

PE15 0QS

Tel: March (0354) 740508

Migro Resources Limited

Southfield House, 11 Liverpool Gardens, Worthing, Sussex BN11 1RY Telephone: Worthing (0903) 213174

BBC Model B	£399.00
BBC Model B Disc Interface	£469.00
BBC Model B Econet	£446.00
BBC Model B Econet & Disc	
Acorn Electron	£516.00
Acom Liectron	£199.00

Acorn 6502 2nd Processor

£199.00

This allows the BBC Model B to run faster with greatly increased memory especially in high resolution graphics modes, the package includes Tube software, the latest version of the DFS & NFS called DNFS, a Rom containing Hi-Basic and a comprehensive User Guide.

Acorn Z80 2nd Processor

£299.00

If you have wondered how to make the best use of your BBC for Business, then the Z80 2nd Processor and CP/M must be the answer. This package comes with a suite of business programs, including Memoplan, Fileplan, Graphplan, Accountant, BBC Basic (Z80 Version), Cobal, Neculeus (Programming Aid), Professional Basic. This software alone is worth hundreds of pounds and with CP/M you can buy any of the programs written for this operating system.

Dual 800K Disc Drive

£359 00

Superb British made disc drive unit ideal for use with the 280 2nd processor.

Acorn Teletext Adaptor

£225.00

Allows the downloading, storing and running of programs via Ceefax, transmitted free of charge, pages can also be saved and printed from all 4 channels.

Acorn Bitsik

£375.00 This superb menu driven graphics package allows high quality CAD at a modest price. Needs 6502 2nd Processor and dual 80 track dics drives, a must for all design teams.

Acorn IEEE 488 Interface

£325.00 Provides computer control of compatible scientific and technical equipment. Useful in experimental work in industry and education.

Acorn Word Processor View

£59.00 This Rom based word processor has many advanced features including macros, still one of the best available on the market.

Acorn Spreadsheet Viewsheet

£59.00 A new spreadsheet from Acornsoft comes in a 16K Rom with a comprehensive manual, it is compatible with view and the 6502 2nd processor.

Mass Marco Assembler

£35.00

A superb machine code assemble in Rom, includes comprehensive manual where the user is introduced to Mass and given step-bystep guide to writing source code and assembling it using Mass. Also includes a ulitity disc with many useful routines.

All prices include VAT and delivery



PROGRAMMER'S REVENGE

The Programmer used to play the adventure games found on mainframe computers. He thought he could do better. He tried. His friends urged him to publish.

Not for thugs whose idea of intellectual recreation is to go around beating up hapless trolls, Revenge is a puzzle adventure game set in a strange but beautiful landscape closer to home than you think. Some problems require hard lateral thinking, some are merely whimsical: all are deeply satisfying to solve.

Text compression is used to fit a novelette-length game into your micro. The program understands commands of up to four words, with a large vocabulary. Over 300 locations, save and restore facility. Characters you will meet on your travels include the Programmer himself.

A superior quality adult adventure game. Spend your winter evenings exploring!

Order form:

COLISOFT, PO Box 195, 53 Carlton Road, Oxford OX2 7SQ

Enclose cheque/PO for £8 incl., made payable to COLISOFT, plus your name and address.

FOR THE BBC 32K ONLY – CASSETTE (Further enquiries to C. Jack, 53 Carlton Road, Oxford OX2 7SB)

BBC VOLUME CONTROL

At last turn your sound UP/DOWN or OFF with this variable volume control. Fitted discreetly to the back of your Beeb. Easy to fit. Some soldering necessary.

Kit of parts and step by step instructions. Only £2.80 inc.

RACEY DESIGNS 47 TWYCROSS RD, BURBAGE LEICS LE10 2SF



WITH 11,000 MATCH DATABASE

Now in its 3rd successful season, Mayday Software's Pools Predictor has been made even more powerful with a new and unique 11,000 match database. Seven separate forecasting techniques have been combined to give you the best forecasts yet. And, just as easy to use, is our new Racing Analyser. This uses the racecard from your daily paper to analyse any horse race—and it's yours for no extra charge!

----- Also available for the Spectrum-----

MAYDAY SOFTWARE



BOTH PROGRAMS FOR ONLY



181, PORTLAND CRESCENT

STANMORE, MIDDX HA7 1LR

BBC model B 1·2OS, 9 months old, plus cassette and software. All as new £300 ono. Tel: St. Albans 63981 evenings.

BBC model B 1·2OS, Basic II plus joysticks, cassette recorder, leads. Lots of software, magazines and books. Hardly used. All for £340. Write to D Francis, 12 Exeter House, Hallfield Estate, London W2.

BBC model B, 1-2OS, DFS, Wordwise, Disc Doctor ROMs, software including Spellcheck, Acorn Graphs and Charts, Gemini Database. 100k Cumana CS50A disc drive. VGC \$500 ono. Owner emigrating to Canada. Berkhamsted 5518.

BBC model B, Acorn DFS and speech chips, brand new. Software, books and joystick included. Only £475 ono. Phone Taunton 490901 evenings.

BBC model B OS1·2, Basic II, recorder, joysticks, books, mags and software. Cost £530 new. Bartain at £370. Telephone Mansfield (0623) 810982.

BBC model B with 1.2 operating system. Absolutely unused and in perfect condition. £330. Write to Mr D Leach, 104 St. George's Square, Pimlico, London SW1 for immediate response.

BBC micro books, all in mint condition, for sale or exchange for BBC graphics and assembly books. Telephone Mathew on Lisburn 79066 – evenings.

BYTE back issues wanted: Jan to Dec 1980; Jan, May to Dec 1982; Jan to Dec 1983. Plenty of American magazines available to exchange. Smith, 84 Edenfield Gardens, Worcester Park, Surrey KT4 7DY.

£400 cash paid for BBC B with disc $I/F + drive + OS 1 \cdot 2 + Basic II.$ £325 for above without d/drive. £250 paid for Beeb only. Prices open to negotiation. Tel: (0522) 694961 after 6 pm.

CASIO FX602 wanted by degree student. Phone 01-330-1554.

CANON 2 \times 100K disc drives with Tandy interface, parallel printer interface, integral psu, special BBC cable LDOS 5-1-4, £325. TRS-80 model 1/L2 48K, no reasonable offer refused. New Kaga monitor £75. Tel: 0438 811082, Hertfordshire.

CANON PJ1080A ink-jet colour printer for sale. Absolutely as new. £450. No offers. Deliver around south Essex for price of petrol. Phone Chris 01-836 8651, working hours only.

COMMODORE 64, C2N cassette recorder, joystick, Introduction to Basic parts 1 and 2, Maths 1, 7 games. New value £330, will sell for £210. Will sell software at £50 seperately. Phone Meifod 224.

CONTACTS. Jonathon Reynolds, c/o Australian Embassy Rome, 215 Via Alessandria, 00198 Rome, Italy would like BBC users to swap info, pass on tips, etc. Please write.

CUMANA disc drive for sale. 400k double sided, double density, 80 track, own power supply and lead. Including manual and formatting disc. £250 ono. Also for sale: Wordwise, £22. Tel: (0222) 758897.

CUMANA 40trk drive for quick sale, with cable for BBC B, perfect working condition. £100. Ring 831 7411 Ex 282, day.

CUMANA 100k disc drive, used four times only. Could deliver around Bristol. Tel: 0272 565149.

DAISYBAND printer. Plugs into serial interface socket. Upper and lower case. Works perfectly with BBC computer. £85 ono. Ruislip 30344.

400K disc drive for sale. Microware ZL242 dual double sided 40 track disc system, with leads utilities, mains powered. £299 ono. Tel: 0202 885166 evenings.

203

100K disc drive, Cumana, with PSU, 6 months old, boxed, with cables and 10 disks – £90. Tel: Winchester (0962) 883965.

DISC drive £50. Acorn/Olivetti 40 track SS uncased. In working order but needs mechanical adjustment. Workshop manual available. North Herts. Area. Aries, tel: 058-283-3937.

DISC drives. Dual 800k Mitsubishi's. Own PSU and metal case: £400. Grafpad with full CAD software, as new: £100. Morphy Encore Chess computer including Ni-cad battery pack: £80. Tel: 01-743-1579 (evenings).

DISC drives and interface: dual d/s 40 track drives with Kenda double density interface. As new, cased with cables, utilities. Capacity 800k. 2390 or offers. Phone Tunbridge Wells (Kent) 0892-33434 anytime.

8271 disc interface chip wanted for cash. Telephone Broadstone (0202) 602660 after 7 pm.

DRAGON 32, joysticks, cassette, software worth £320+. Swap for printer, monitor, or teletext adaptor for BBC B. D Barker, 38 St. Aidans Ave, Grangetown, Sunderland SR2 9SF, Tyne and Wear.

DISC interface, complete with AMCOM DFS, utilities disc and manual; allows Page to be set to &1500 and 63 files per disc. £60 ono. Tel: 090 567488, evenings.

DRAGON 32, joysticks, cassette and software worth £320 + . Offers? 38 St Aidans Ave, Grangetown, Sunderland SR2 9SF, Tyne and Wear. D. Barker.

DRAGON micro plus Delta DOS, joysticks, cover and all cables. VGC. Also disc and cassette software (business and games). £200. May consider split. Tel: (0254) 396033.

DUAL single sided 40 track disc drive with Acorn disc upgrade, £300 ono. Also Torch Z80 card £150. 0252 710566, Farnham, Surrey.

EARLY copies of computer magazines for sale in perfect condition. Some bound. Sae for list. Burton, 37 Green Road, Southsea, Hants. Tel: (0705) 811760.

ELECTRON joystick interface made by Signpoint. Brand new and with instructions. £15 ono. Tel: 856 8790.

EPSON RX80 F/T, few months old, hardly used. No longer needed. In original packaging, as new. Quick sale, hence £250. Phone Luton (0582) 20691.

ARIADNE SOFTWARE I TO

COMPUTER SOFTWARE CONSULTANTS 275 Kensal Road, London W10, Tel: 01-969 6488



Ariadne Software I td

have vacancies for **ASSEMBLER CODE** PROGRAMMERS

to work on BBC BITSTIK. Microtext, Compunet

Pleasant informal work environment. considerable responsibility, and the opportunity to work on advanced systems software. Salary negotiable depending on experience.

For further information write to Personnel.

Ariadne Software Ltd. 275 Kensal Road, London W10, or phone 01-969 6488





*AIRBRUSH

A Graphics tool for the **BBC** micro B

Check these features:-

- * Amazing Airbrush effect on Screen.
- * Operates in Modes 0 and 1.
- * Screen LOAD and SAVE options.
- * Variable 'spray' area.
- Example Mode 0 picture on disc.

(The Orion Nebula) 40-Track Disc Only. Send cheque or p.o. for £7.95 to:-

P. Sharpe,

Llwydfan, Minffordd Road, Penrhyndeudraeth, Gwynedd LL48 6AU

HIGHLIGHT SOFTWARE

B.B.C. + ELECTRON READ - RIGHT-AWAY

"....I suspect these are the sort of programs children will enjoy taking home in days to come for learning with these really is fun, and mums and dads will play with them after children are tucked up in bed just for the pleasure of the graphics...." A & B COMPUTING.

Reading Pack 1. SPLASHDOWN

Building 3 letter words

Reading Pack 2. Age 6-9 PYRAMIDS

th-,ch-,sh-,wh-.

Reading Pack 3. Age 7-10 MAGIC E

"Magic e" spelling rule.

Reading Pack 4. Age 8-11

SORTOUT Alphabetical sorting.

00-,ee-,ea-,oi-,ou-,oa-,ai-.

Age 5-8

FIREFIGHT

SPLOOSH

sl-,sm-,sn-,sp-,bl- etc.

BREAK-IN Soft "c"/soft "g" sounds.

LETTERBUGS Unscrambling hidden words.

Available now from MICROPOWER DEALERS,selected branches of JOHN MENZIES and by mail order (please state whether you require B.B.C. or ELECTRON version). Telephone or write for our new catalogue with details of our full range of programs.

PRICE PER READING PACK: CASSETTE: £7.95 40 TRACK DISC £11.95 All prices include V.A.T.

light Software, Sherbourne Close, Barry, S. Glar phone: (0446) 745482



Micro Power are an official service and information centre, and we are major suppliers to Government and educational establishments. We stock the complete range of Acornsoft and Micro Power software as well as a wide range of B.B.C. Micro and general computing books. Our expert staff are always on hand to provide advice and assistance in the relaxed atmosphere of our showroom.

COMPUTERS

SUMMER SPECIALS

B.B.C. Micro + Cassette Recorder AND Five Micro Power or selected	
Acomsoft Tapes	99.00
B.B.C. Model B plus DFS + 4 tapes4 B.B.C. Model B plus Econet + 4 tapes4 B.B.C. Model B plus DFS and Econet5	46.00
Acorn Electron + Cassette Recorder OR Five Micro Power Tapes1	

MONITORS

Kaga 12" Green Screen	123.05
Ferguson TX Monitor/TV	335.95
Sanyo DM2112 12" Green Screen	. 74.95
Vicrovitec 14" RGB/PAL and audio output	258.75
Vicrovitec monitor (plastic)	286.85
Microvitec monitor (metal)	228.85
Plinth for above	5.75

DISK DRIVES

Pace 40 track 100K	156.40
Pace 40 track double sided 200K	
Pace 40/80 track double sided 200/400K	241.50
Pace 40 track dual drive 200K	310.50
Pace 40 track double sided dual drive 400K	434.70
Mitsubishi 40/80 track double sided dual driv	e
400/800K	567.85
Torch Z80 Disk Pack 80 track double sided	
dual drive (including Perfect software)	803.85
AMS HFD 3055 3" 100K	

ALL PRICES INCLUSIVE OF V.A.T. We provide free fitting for all firmware.



PRINTERS Epson FX80 416.40 Epson RX80 F/T 268.90 Juki 6100 Daisywheel ... 375.00 Smith Corona TP-I daisywheel 270.20 Cannon PW1080 332.58

ACCESSORIES

ACCECCONIEC	
Acorn B.B.C. cassette recorder (inc. leads)	35.00
Morwood B.B.C. cassette recorder (inc. leads)	29.95
Sureshot self-centering arcade joystick	18.22
Micro Power potentiometer joystick	12.95
Acorn Disk Interface (Free 1.2 ROM if req.)	97.00
1.2 ROM upgrade	11.50
Speech synthesiser plus cartridge socket	
(Free 1.2 ROM if required)	55.00
View wordprocessor ROM	
Wordwise wordprocessor ROM	45.42
Electron Plus 1 printer/joystick interface	59.90
First Byte Electron joystick interface	00.00
(including cassette)	24.95
ATPL sideways RAM board	45.00
Teletext adapter (Free 1.2 ROM if req.) 2	
Softlight EPROM programmer	75.90
Printer cables (parallel or serial)	15.50
System Sac (B.B.C. canvas carrying case)	19.95
3M unlabelled disks (ten)	15.00
Scotch D/S D/D disks (Box of ten)	32.50
Maxell 3" disk	
Disk storage case	19.95
Vinyl dust cover for computers, disk drives,	4 50
monitors and printers	4.50
Stack light pen	20.75
Tutor Mate Monitor stands	10.50
Wide selection of computer leads and printer	

Free parking

ices correct at

All pr

CARRIAGE FREE for ALL hardware

0




BEAM DESIGN

- For architects, engineers, surveyors, builders, etc.
- Analysis of simply supported beam with any combination of multiple point loads, u.d. loads and triangular loads.
- Steel beam design to BS.449 with selection of suitable single and double sections from standard range of RSJs, Channels, UBs and UCs.
- Timber design to CP.112 permits choice of species/grade and single, double or triple built-up members.
- Allows user to instantly switch between steel and timber modes and browse through the entire range of suitable sections.
- Output to printer for L.A. checking includes all loading data, reactions, max. bending moment, deflection and full details of chosen section(s).
- Separate graphics version displays BM and SF diagrams (but not steel or timber sections).
- Available for BBC model B. Cassette £40, disc £45. Send large SAE for specification showing printout. BEAMSCAN, 20 Vaughan Avenue, Hendon, London NW4 4HU

ACORN USER OCTOBER 1984

206



■ Advanced User Guide binders. Stiff plastic backed, titled, open flat, ring binders, £3.50 inc. p&p. Hepworth & Co., Waulkmill Farm, Ingersley Vale, Bollington, Cheshire SK10 5BP.

■ Backup valuable discs including dual format 40/80 types. Disk Duplicator II, personal use only, requires Acorn DFS, 40/80 track disc, £8.95. H. Spurr, 13 The Avenue, Trimley St Mary, Ipswich IP10 0TT.

■ Beeb cheat sheet for only £1. You can cheat on 10 of your favourite games. Cheque/PO and SAE to L Dawson, 3 The Meadows, Rainhill, Merseyside.

■ BBC Morse code trainer. 5-20 wpm. Exercise tapes available. Heliography. Learn to read flashing light at 5 wpm. £4.50 each. Mr Cassell, 96 Oakdale Close, Ovenden, Halifax, W. Yorks.

■ BBC/Electron. Image – ultimate tape back-up copier. Copes with locks, any length, files, 300 + 1200 baud, ?'s in filename, false addresses. Locks/unlocks programs. 100% M/C. £3.80. P. Donn, 33 Little Gaynes Lane, Upminster, Essex RM14 2JR.

Compact BBC disk drives. Group purchasing dual D/D $5\frac{1}{4}^{\prime\prime}$ 40/80, guarantee VAT, carriage included. Unboxed: s/s £262.50, d/s £320.00. Boxed: s/s £286.65, d/s £351.05 including utility disk, manual (+ power £30). Baldock 895405.

■ Copier. Back-up copier for BBC B OS1:2/Electron. 100% m/c. Copies almost anything. £3.50. Cannibal Software, 145 Woodville Road, Cathays, Cardiff.

■ Copycat copies most protected discs. Supplied with manual. Please specify 40 or 80 track disc. £8.95 from Integral Software, 11 Grove Park, Bangor, Co. Down, N. Ireland BT20 5QG.

■ Dictionary for View: check your spellings with this fast menu-driven program. Single/dual disc system, fully expandable from the 6000 words supplied. £10. Polarsoft, 9 Grayshot Drive, Blackwater, Surrey GU17 0EW.

■ Discounts on computers and peripherals, most makes, large and small, hardware only. Some used equipment bought and sold. Tel: Ascot 26875 or Crawley 883853.

■ Disc drive. Cumana CD800S dual double sided 40/80 track, switchable, with manual and formatting disc. As new. Cost £465, selling for only £300. Tel: Maidenhead 73769.

■ EPROMers utilities. ROM writer writes initialisation code, *help, *command routines for you. R.F.S. program formatter. ROM copier. £6.50. D. Lister, 37 Powicke Drive, Romiley SK6 3EG.

■ EPROM programming service. Send your programs on tape/disk and create your sideways ROMs. 8k - £15, 16k - £28. Ms C. Gouyon, 51 Codenham Straight, Kingswood, Basildon, Essex SS16 5DJ.

Epson RX80F/T and Teac SS 80trk disc drive. Together £350 ono, will sell separately. Ring 555-9586 after 6 pm. ■ Floppy disks (5¼" with five year warranty). SSSD 40 track £1.19, SSDD 40 track £1.49, SSDD 80 track £2.19, DSDD 80 track £2.49, 500 pack mailing labels 4" × 17/16" £4.95, 500 sheet 11" × 9½" listing paper £4.95, BBC printer cable (1 metre) £8.95. All prices inclusive. Send SAE for list to Mistry Micro Services, 75 St. Margaret's Road, Bradford BD72BY.

■ Games. Frogger arcade game (cross the river + road). One-armed bandit with hold, nudge + gamble. Both in mode 2, full sound + colour graphics. Both for £3.99. Cheque/PO to S. Houghton, Greenbank, Broseley Lane, Kenyon, Nr Warrington, Lancashire. Tel: 092-576 3522.

■ Geography UK. Draws full map, three magnifications, blow up any section, full on-screen editing, save, load, screen dump, £5. SAE for examples and manual. BHL Software, 310 Darley Avenue, Chorlton, Manchester M21 2HS.

■ Hijacker II Ultimate disc back-up utility. £5 inc. Also 'Cypher', gives password protection to discs. £4 inc. SAE for details, other programs. Aggressive Software, 14 Elmore Road, Sheffield S10.

■ Home Accounts BBC B. Extensive and user friendly. Up to 300 transactions. Automatic standing orders. £3.95 inc. R. Brookes, 6 Thirlmere Avenue, Elland, Halifax, West Yorkshire.

■ "How-To" move software from tape to disc. Utilities + extensive text, hints, tools. Recommended to frustrated disk-owners. £5. R-Soft. 22 Marriotts Close, Felmersham MK43 7HD, Beds. 0234-781730.

■ Journal index system for BBC 'B' plus disc-drive. Create then Search your journal article database. Holds journal name, month/year, author(s), title and comment for up to 700 articles. Search by author, journal and/or user-defined keyword dictionary of 250 words. A truly professional program already used in Universities and other educational institutions. 40 track disk-state single/double sided. Single/double drive, £20 including manual, from K. A. Spencer, 74 Dovers Park, Bathford, nr Bath, Avon.

■ Joysticks – top quality at amazing low price. Only £10.95 a pair. Easier to handle and faster than others costing twice as much. Cheque/PO to Peritron, 21 Woodhouse Road, London N12 9EN.

■ Metal BBC micro car badges (owl design), 2 colour. Also Spectrum car badges, 6 colour. £4.25 each including p&p from: Hawthorn, 90 Victoria Street, Hyde, Cheshire_

■ Money, Money, Money. Proven programs for all horse racing or football pools forecasting. Send £12 to The Butronics Co., Penjerrick House, Budock, Falmouth, Cornwall.

■ Music teachers/students. Three big programs, full graphics, CSE & O level dictation, exam format, many levels. TDK46 cassette £7.90, disc (40/80) (state) £8.90. Tried & Tested. R & I Music, 14 Chaloners Hill, Steeple Claydon, Buckingham MK18 2PE.

■ 'Nutcrackers': Tape 2 Tape + Tape 2 Disc + Disc 2 Disc + Disc 2 Tape: £5. Rompull + Tapedump: £5. Super disc menu: £5. ROM-filing system generator: £5. R-Soft, 22 Marriotts Close, Felmersham MK43 7HD, Beds. 0234-781730.

■ Pools BBC 32k. Enter the Pools with the most successful program available. £7.50 complete with manual and up-to-date database. E. Crosby, 10 Lodge Avenue, Manchester M31 1LL.

■ Printwise adds power to Wordwise/Epson. Simple commands replace messy control codes. Also Greek (FX only), macros, autonumbering! £12.50 (disc) or SAE details. Astrosoft, 39 Latimer Way, North Pickenham PE37 8JY.

■ Programs wanted for new software company. Good rates paid for your own original material. Cottage Software, 3 Conrad Drive, Worcester Park, Surrey 01-330 1554.

■ ROMboards??? Fit a ROM Extension Socket to your BBC keyboard instead. Use any number of ROMs. Rapid change over. Easily fitted. £17.95 inclusive. Steelappeal, 3 Hambleton Close, Blandford, Dorset. (0258) 53742.

■ Search complete Acorn User index for that valuable hint/program/article/etc in only 5 seconds. Create/edit your own index of mags/ photos/records etc. 40 trk disc with Tracer program and A.U. index, £10. Woodsoft, 12 Copsewood Ave, Nuneaton CV11 4TQ. ■ Single-sheet printing on a tractoronly printer (eg Epson RX80T)? Use Letter-Trac, the unique carrierwallet. Up to A4 size, £2.30 or £3.95 for two (incl.). Cheques: Letter-Trac, PO Box 272, Compton Martin, Bristol BS18 6PY. Tel. (0761) 62445.

■ Small company? Good product? Need professional marketing? Hardware, software, non-technical, anything for microcomputer market considered. David Winrow Marketing, PO Box 9, Northwich, Cheshire CW9 7TP.

■ Sprites in mode 2 for BBC, Large 16 × 24 sprites fully compatible with discs. Generator program and manual supplied for only £5.99 + 70p p&p. I. Cornes, 3 Knowsley Park Lane, Prescot, Merseyside L34 3NA. Tel: 426 1202.

207

■ Stripper II. New version, ultimate tape back-up utility. Many new features. For BBC, Electron. Only £4 inc. Sae for details, other programs. Aggressive Software, 14 Elmore Road, Sheffield S10.

■ Timetabling: 40/80 disk-based formatting and analysis. Friendly, sophisticated, avoids errors. £25. Yorke House Software, 33 West Street, Oundle, Peterborough PE8 4EJ. Tel: 0832/72362.

■ Torch Z80 disc pack plus software, BBC B plus disc interface, BBC green monitor. Total value £1400.5 months young. Selling price £990. H. Heuschmidt, London 730 1931 after 7 pm.

■ Torch Z80 card plus BBC Basic spreadsheet, Wordpro Filer. Unwanted gift, £275 – unused: original ROM software also unwanted gifts. Offers? Telephone West Drayton 441582, evenings only.


■ Unwanted prize – must spend £1800 on personal computer. Will buy to your required specification and sell to you unused for £1600. 0734 474985 evenings.

■ Wordprocessing (View, Wordwise), printing, listings: dot-matrix/ daisy wheel (various styles). Cheap, accurate and fast. Collect/deliver in London area. Phone Mr Davies on 01-833 4040

£10 SMALL AD SERVICE Please include your cheque for £10 made payable to Redwood Publishing. This is the standard fee. Don't forget your name, address or phone number. Send cheque plus form to Acorn User Small Ads, 68 Long Acre, London WC2E 9JH.

1,	· · · · · · · · · · · · · · · · · · ·		
Xo			
-			





Astounding action by Amstrad

IT IS unusual for Acorn Abuser to benchtest machines from other manufacturers, but this month we make an exception for the Amstrad H1f1. This machine is so different from conventional micros that Hermann Hauser was heard to comment 'Was ist es?'

Imagine a machine with no monitor or qwerty keyboard, but physical icons, in-built radiowave interface and three-speed disc drive and you'll realise why Kai Gooney will describe it as 'the shape of things to come' next year.

The principle behind the machine is distributed computing. Whereas current home micros have a central microprocessor driving the memory chips and peripherals, the H1f1 has peripherals which drive themselves. The central board merely focuses the current input device to the current output device. Amstrad calls this central board the 'amplifier', a term soon to become a household word.

The input devices are a three-speed disc drive, cassette recorder and switches and dials on the amplifier. Of these the disc is the most notable. It is an internal Amstrad design and the company has made a surprising choice.

According to a spokesman the 'turntable' (Amstrad name for disc drive) will take either 7in or 11in discs at any of three speeds-33, 45 and 78rpm. With most makers going for 3in or 3.5in drives, this may seem



H1f1: icons, radiowave interface? three-speed disc drive

is hedging its bets, as the spokesman mentioned the possibility of a 'compact' disc, presumably 3.5in.

Even more amazing is that the discs are read-only serial access, surely the biggest quantum leap backwards since Sinclair microdrives. The large surface area does however give a massive storage capacity and, at 78rpm, performance should be better than the aforementioned microdrives.

Rather than going for boring colour monitors as output devices, the H1f1 has a pair of 50-watt loudspeakers with optional earphones. This results in astounding sound effects for a new range of games, although arcade experts believe colour graphics could be difficult. Amstrad do sell colour monitors, but these only receive BBC programmes, so there is obviously an Acorn link-up here

Software authors will have to learn new skills, as the H1f1 has a non-standard Basic. We'll describe it later on when we have worked out how to use it.

Amstrad makes it clear that most conventional programming languages are no good because they have no structure comparable to the basic of the H1f1. Whilst it is incredibly simple to program the H1f1 to produce sounds identical to the human voice or musical instruments, it will take time to

generate any numbers.

The system software design is brilliant. Amstrad has reassuringly continued the policy of releasing products when they are finished. Consequently the operating system is not 0.1; it doesn't hang off the back of the machine, in fact it doesn't exist at all. A look inside the amplifier proved there are no standard microprocessors, ROMs, or RAMs, but cheaper, less sophisticated circuits.

detailed analysis After Acorn Abuser found that the work of a processor and the obligatory 64k of RAM was all being done by a single transistor Damn clever

Amstrad has recognised the need for machines that will communicate with each other and has provided an ingenious solution. Rather than opting for network interfaces which are slow and localised, H1f1 has a radio interface called a 'tuner' (something of a misnomer because it can do nothing with tunes). Software is input via the tuner and processed directly without the need for storage on cassette. However, software can be saved onto cassette and Amstrad claims this could cut costs by 90%, so software houses should rush to support the H1f1. Hmmmm. The tuner shares the same irritating limitation as the disc drive in being read-only, but we are sure an enterprising company will produce a cheap writable tuner.

ALL

these business machine rumours! According to the rags it's an Advanced Business Machine, it's an Acorn Business Machine, it's a Personal Workstation Range, it's based on the 6502, it hasn't got a Z80, it has got a Z80, the big one's a 68020, it's a 16032, it's an 80286. Of course, prediction is a little difficult when Acorn are so secretive But if you read Acorn User, it's as easy as ABC.

DOES Oric Muser know something we don't? We're just hearing reports from the Palace that as well as Prince Andrew being an Aviator addict, Prince Charles is dating a girl called Diana...

MARKETING man Tom Hairbrush has received an apology from Computer Weekly over an article they published naming him 'Tom Hamburg'. Uncle Tom, as he's known to his friends, described the article as 'the pits of journalism'

SPEAKING of pits, it's a trifle embarassing for Auntie Acorn when the Acorn-sponsored car crashes on Acorn race days. R&D are said to be releasing the 1.0 engine 'within a month'. (That's just longer than 28 days).

MESSAGE to an Acorn director. Our Editor wants his £5 loan back - or he'll spill the beans about his guitar playing.

ANOTHER Acorn director in trouble is Peter Winalot for blowing the engine on a Ford Caterham racing car on a practice circuit at Silverstone.

HAD anyone heard of MSX before Chris Curry started being paranoid about it?

IT WAS so nice to receive a postcard from Barry Woodentop on his holidays. He goes to Silicon Valley each year 'to get away from it all'. Oh Barry, if you're reading, there are two r's in 'squirrel'.

WHY does Acornsoft's new marketing manager Jeremy Piston-Engine wear such outlandish bow-ties? Is he one of the elite?

ASTOUNDING fact 1001: Computer Concepts boss Chas Moir is a carrot fanatic.

TRIED typing the command 'daytona' in on View?

Envelope of the month Ms. Cherry Hinton

Acorn Computers, Ltd. Fulbourn Road Cambridge, CB1 4JN ENGLAND

surprising. However, Amstrad | Envelope as addressed to Acorn from Microscape-84, Texas

TWO SENSATIONAL NEW RELEASES FROM SUPERIOR SOFTWARE





BCOBE







HESU






STAR STRIKER (32K)

A multi-stage arcade-style game in which you take control of a 3-stage rocket equipped with 4 side lasers and a central laser cannon. Not only must you defend the rocket against the 6 types of circling alien, and avoid the asteroids and fireballs, but you must also attempt to dock the separate stages of the rocket together. Stunning graphics, sound effects, introductory tunes, hi-score and rankings. Another excellent program from Superior Software. (KEYBOARD or JOYSTICKS)

AVAILABLE FROM OVER 1000 OUTLETS THROUGHOUT THE UK AND OVERSEAS.





From the author of Percy Penguin, Mr. Wiz is a fast-action multi-scene game. Guide Mr. Wiz around the garden to eat the cherries whilst avoiding the evil gremlins. The gremlins can be killed by dropping apples on them or by throwing the crystal ball. Extra points can be gained by eating the magic mushroom, but beware ... this is the home of the gremlins and makes them permanently furious! Sound effects and tunes, hi-score, rankings. Superb arcade-style action. (KEYBOARDS or JOYSTICKS).

WE PAY UP TO 20% ROYALTIES FOR HIGH QUALITY BBC MICRO AND ELECTRON PROGRAMS



SUPERIOR SOFTWARE LTD.

Dept. AU10, Regent House, Skinnerlane, Leeds 7 Tel: 0532 459453

OUR GUARANTEE

- All our software is available before we advertise. (1)(2)
- All our software is despatched within 48 hours by first-class post. In the unlikely event that any of our software fails to load, return your (3)
- cassette to us and we will immediately send a replacement.

Clamber up the pipes, dodging the cascading ball bearings to despatch the Weevils and Superweevils using your spray can. Features oxygen cylinders, bonus letters, belt lever and panic button. NEW PRICE! B.B.C. and Electron cassette: £6.95. B.B.C. disk version: £9.95. BERGEMICRO VERSION)

T

ele B.B.C

W

P

WERMECROPOWERM

R N

ш

W

17

E

6

1



M

C R O P O W

20

R

0

R O P O

(

R

E

MICRO POWER LTD., NORTHWOOD HOUSE, NORTH STREET, LEEDS LS7 2AA TEL: (0532) 458800

M

P

AUTHORS! WE PAY 20% ROYALTIES!