Reflections Of A Game Designer: Author Michael Crichton

\$2.95 GOMPUTE February 1985 Issue 57 Vol. 7, No. 2 The Leading Magazine Of Home, Educational, And Recreational Computing


Special Games Issue

Ready-To-Use Software For Commodore 64, VIC-20, Atari, Apple, IBM

Advanced Sound Effects On The Commodore 64

Plus/Term **Modem Program** For 64 & VIC-20

Adding Sound Effects



IT MAKES THE RIGHT

Super impressive performance. Super impressive reliability. The Riteman R64 is the portable dot matrix impact printer for people who want to make the right impression!

Plug and software compatible with the Commodore 64* — it's ready to run without any set-up hassles. It even has a second parallel port and comes with Epson** software so it can be used with many other

personal computer systems.

And the R64 prints at a healthy 120 cps with true descenders...on cut paper or continuous computer paper. Compact, hard-working, and backed by a full one-year warranty. The Riteman R64. Call toll free for the dealer or department store nearest you: Toll Free number (800) 824-3044 (outside Calif.), (800) 421-2551 (in Calif.).

Ready to work IN METIFI with your Commodore* computers! :PITEMAN:

RITEMAN R64

Check out these impressive specs

		6 1000000000000000000000000000000000000	
PRINT METHOD	. Impact Dot Matrix	* NUMBER OF COLUMNS	Normal RO
SOFTWARE COMPATIBILITY	. (1) Commodore MPS-801, 803,VIC 1826		Compressed 132
	(see printing mode 4)		Expanded 40
学和对自己的 经基本公司 法国际	(2) RITEMAN PLUS, EPSON MX-80		Compressed Expanded 66
医克里克斯氏 医二氏性神经炎	Type 3 G+	LINE SPACING	SIGN STON TOTAL PLANT (1950)
	(see printing mode 2)	PAPER FEED	Eviation Food
PRINTING MODE		T 1 PO ELL I CED	
	(2) Normal, Expanded, Compressed,	- PADED WIDTU	Sprocket Feed
克里曼学院建立是加克斯人民主席	Italics, Double Strike, Emphasized,	PAPER WIDTH	
经验证的 在 2000年	Underline, Super/Subscripts and	The second secon	Roll Paper 4 - 9"
	combination		Fanfold Paper 9½"
CHARACTER MATRIX		RIBBON LIFE	. 1 million characters 4 · 10" (option)
CHARACTER TYPES		INKED RIBBON	. Exclusive Cassette Ribbon (Black)
	Italics 96	HEAD LIFE	
	Semi-graphics 32	INTERFACE	
	Commodore Graphic 64		Parallel (Centronics)
PRINT SPEED		SIZE	2 7/8" (H) v 10 0/16" (D) v 14" (M)
LINEFEED SPEED	100 mg	WEIGHT	11 lbe
THROUGH PUT SPEED	69 I DM	WARRANTY	Jugar (Parte and Lahor)
		ACCESSORY	Printer Cable (Commodora)
• COPY	. Original + Z	• OPTION	Tractor Unit



*Commodore and Commodore 64, MPS-801, 803, VIC 1525, are registered trademarks of Commodore Business Machines, Inc.

**Epson and Epson MX-80 are registered trademarks of Epson America Corp.

Educational Software That Works:

Spell.

Spell It!

Spell <u>expertly</u> 1000 of the most misspelled words. Learn the spelling rules. Improve with 4 exciting activities, including a captivating arcade game! Add your own spelling words.

ages 10 - adult / 2 disks: \$49.95



Math.

Math Blaster!

Master addition, subtraction, multiplication, division, fractions, decimals and percentages — by solving over 600 problems. Learn your math facts with 4 motivating activities, including a fast-action arcade game! Add your own problems.

ages 6 - 12 / 2 disks: \$49.95



Word.

Word Attack!

Add 675 <u>new</u> words to your vocabulary — with precise definitions and sentences demonstrating usage. Build your skills with 4 fun-filled activities, including an arcade game! Add your own words.

ages 8 - adult / 2 disks: \$49.95



Read.

Speed Reader II

Increase your reading speed <u>and</u> improve comprehension! Six exercises designed by reading specialists vastly improve your reading skills. Chart your own progress with 35 reading selections and comprehension quizzes. Add your own reading materials.

high school, college & adult / 2 disks: \$69.95




The Davidson Best Seller Tradition.

For your Apple, IBM or Commodore 64. Ask your dealer today.

For more information call: (800) 556-6141 In California call: (213) 373-9473

Davidson & Associates 6069 Groveoak Place #12 Rancho Palos Verdes, CA 90274







Diskettes

Double Sided • Double Density 48 TPI • Soft Sectored 10 • 5¼ inch diskettes

CERTIFIED ERROR FREE



ANEW IEGEND BEGINS.

INTRODUCING NEW KODAK DISKETTES.

For as long as anyone can remember, the world has trusted Kodak film to capture its memories. Now the world can trust legendary Kodak quality to capture its computer data.

Introducing Kodak diskettes. And the beginning of a new legend.

We know you expect nothing less than extraordinary performance from a Kodak product. We didn't disappoint you.

These remarkable new diskettes are so thoroughly tested, they're certified error-free.

Every Kodak diskette has a highly burnished head surface for optimum read-write accuracy. And every standard diskette is made to

withstand 4½ million passes before significant wear occurs.

With accuracy and durability like that, we can offer this no-questions-asked replacement policy:

This KODAK Diskette will be free from manufacturing defects, or we will replace it.

Kodak diskettes for home and business PC use are available in standard 8- and 5¹/₄-inch formats, high-density 5¹/₄-inch diskettes, and

3½-inch micro diskettes in our HD 600 Series.

New Kodak diskettes. Because the only thing that can follow a legend is another legend.



KODAK.
The name says it all.

A Printer For All Reasons

Search For The Best High Quality Graphic Printer

If you have been looking very long, you have probably discovered that there are just too many claims and counterclaims in the printer market today. There are printers that have some of the features you want, but do not have others. Some features you probably don't care about; others are vitally important to you. We understand. In fact, not long ago, we were in the same position. Deluged by claims and counterclaims. Overburdened by rows and rows of specifications, we decided to separate all the facts — prove or disprove all the claims to our own satisfaction. So we bought printers. We bought samples of all major brands and tested them.

Our Objective Was Simple

We wanted to find that printer which had all the features you could want and yet be sold directly to you at the lowest price. We wanted to give our customers the best printer on the market today at a bargain price.

The Results Are In

The search is over. We hae reduced the field to a single printer that meets all our goals (and more). The printer is the GP-550 from Seikosha, a division of Seiko. We ran this printer through our battery of tests and it came out shining. This printer can do it all. Standard draft printing up to a respectable (and honest) 86 characters per second, and with a very readable 9 (horizontal) by 8 (vertical) character matrix. At this rate, you will get an average 30 line letter printed in only 28 seconds.

"NLQ" Mode

One of our highest concerns was about print quality and readability. The GP-550 has a print mode termed Near Letter Quality printing (NLQ mode). This is where the GP-550 outshines all the competition. Hands down! The character matrix in NLQ mode is a very dense 9 (horizontal) by 16 (vertical). This equates to 14,400 addressable dots per square inch. Now we're talking quality printing. You can even do graphics in the high resolution mode. The results are the best we've ever seen. The only other printers currently available having resolution this high go for \$500 and more without the interface or cable needed to hook up to your computer.

Features That Won't Quit

With the GP-550 your computer can now print 40, 48, 68, 80, 96, or 136 characters per line. You can print in ANY of 18 font styles. You not only have the standard Pica, Elite, Condensed and Italics, but also true Superscripts and Subscripts. Never again will you have to worry about how to print $\rm H_2O$ or $\rm X^2$. This fantastic machine will do it automatically, through easy software commands right from your keyboard. All fonts have true descenders.

One of the fonts we like best is "Proportional" because it looks most like typesetting. The spacing for thin characters like "i" and "I" are given less space which "tightens" the word making reading easier and faster. This is only one example of the careful planning put into the GP-550.



Do you sometimes want to emphasize a word? It's easy, just use **bold** (double strike) to make the words stand out. Or, if you wish to be even more emphatic, underline the words. Or do **both.** You may also wish to "headline" a title. Each basic font has a corresponding elongated (double-wide) version. You can combine any of these modes to make the variation almost endless. Do you wnat to express something that you can't do with words? Use graphics with your text — even on the same line.

You can now do virtually any line spacing you want. You may select 6, 8, 7½ or 12 lines per inch. PLUS you have variable line spacing of 1.2 lines per inch to infinity (no space at all) and 97 other software selectable settings in between. You control line spacing on a dot-by-dot basis. If you've ever had a letter or other document that was just a few lines too long to fit a page, you can see how handy this feature is. Simply reduce the line spacing slightly and ... VOILA! The letter now fits on one page.

Forms? Yes! Your Letterhead? Of Course!

Do you print forms? No problem. This unit will do them all. Any form up to 10 inches wide. The tractors are adjustable from $4V_2$ to 10 inches. Yes, you can also use single sheets. Plain typing paper, your letterhed, short memo forms, anything you choose. Any size under 10" in width. Multiple copies? Absolutely! Put forms or individual sheets with carbons (up to 3 deep), and the last copy will be as readable as the first. Spread sheets with many columns? Of course! Just go to condensed mode printing and print a full 136 columns wide. Forget expensive wide-carriage printers and changing to wide carriage paper. You can no do it all on a standard $8V_2$ " page.

Consistent Print Quality

Most printers have a continuous loop ribbon cartridge or a single spool ribbon which gives nice dark printing when new, but quickly starts to fade after a while. To keep the printers' output looking consistently dark, the ribbons must be changed more often than is healthy for the pocketbok. The GP-550 solves this problem completely by using a replaceable, inexpensive ink cassette which is separately replaceable from the actual ribbon. It keeps

the ribbon loaded with ink at all times. You only replace the ribbon when it truly wears out, not when it starts to run low on ink. Just another example of the superb engineering applied to the GP-550. (When you finally do wear out your ribbon, replacement cost is only \$10.95. Ink cassette replacement cost is only \$5.95, both postpaid.)

The Best Part

When shopping for a quality printer with all these features, you could expect to pay around \$500 or more. Not any more! We have done our homework. You don't have to worry about interfaces or cables. Everything is included. You need absolutely nothing else to start printing — just add paper.

No Risk Offer

We give you a 15-day satisfaction guarantee. If you are not completely satisfied for any reason we will refund the full purchase price. A 1-year warranty is included with your printer.

The Bottom Dollar

GP-550A	Standard Parallel (No Cable)\$249.	95
GP-550CD	Commodore (Direct Connect)\$259.	95
GP-550AT	Atari (Direct Connect)\$259.	95
GP-550AP	Apple II or Ile (Direct Connect)\$299.	95
GP-550PC	IBM PC & Compatables (No Cable)\$259.5	95
GP-550TI	TI 99 / 4A (Direct Connect)\$299.5	95

"Prices & Availability Subject to Change. CALL!"

.Shipping is \$8.00 — UPS within the continental USA. If you are in a hurry, UPS Blue (second day air) is \$18.00. Canada, Alaska, Mexico are \$25.00 (air). Other foreign is \$60.00 (air). California residents add 6% tax. These are cash prices — VISA and MC add 3% to total. We ship the next business day on money orders, cashiers' checks, and charge cards. A 14-day clearing period is required for checks.

TO ORDER CALL TOLL FREE 1-(800) 962-5800 USA OR 1-(800) 962-3800 CALIF.

or send payment to:

APROPOS TECHNOLOGY

1071-A Avenida Acaso Camarillo, CA 93010

Technical Info: 1-(805) 482-3604

©1984 APROPOS TECHNOLOGY

148 MLX Machine Language Entry Program For Commodore 64 And VIC-20

151 CAPUTE! Modifications Or Corrections To Previous Articles

152 News & Products

160 Advertisers Index

TOLL FREE Subscription Order Line 800-334-0868 (in NC 919-275-9809) AT Atari, V VIC-20, 64
Commodore 64, +4 Commodore Plus/4, 16 Commodore 16, P PET/CBM, TI
Texas instruments, PC IBM
PC, PCjr IBM PCjr, CC Radio

Shack Color Computer.
*All or several of the above.

COMPUTE! Publications, Inc.

One of the ABC Publishing Companies: ABC Publishing, President, Robert G. Burton 1330 Avenue of the Americas, New York, New York 10019 COMPUTE! The Journal for Progressive Computing (USPS: 537250) is published monthly by COMPUTE! Publications, Inc., P.O. Box 5406, Greensboro, NC 27403 USA. Phone: (919) 275-9809. Editorial Offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, \$24. Send subscription orders or change of address (P.O. form 3579) to COMPUTE! Magazine, P.O. Box 914, Farmingdale, NY 11737. Second class postage paid at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright ⊚ 1984 by COMPUTE! Publications, Inc. All rights reserved, ISSN 0194-357X.

EDITOR'S NOTES

Senior Editor Richard Mansfield speculates on the perfect computer in this month's guest editorial.

—Robert Lock, Editor in Chief.

Configure, in your mind, the ideal computer. Forget about cost or the limitations of current technology. What would the ultimate thinking machine be able to do? What would it be like?

For example, everyone seems to agree that a perfect automobile would combine the safety of trains with the speed and ease of planes and the freedom and low cost of cars.

In fact, ideal things are generally safe, fast, easy to use, versatile, and cheap. On our planet, many things already qualify: light, water, electricity, TV, some kinds of love, to name a few. Not, however, computers. Not yet, anyway.

If we imagine the qualities of the perfect computer, the first thing that comes to mind is that it should be easy to use, but we have to be careful with this one. What you might find easy to use might perplex or annoy me.

For example, "user-friendly" is a selling point, a current fad, among computer manufacturers. Ads are filled with pop-up menus, windowing, icons, and mouse devices—all ways to make computing possible for nontypists and seductive to noncomputerists. For those of us who have learned to type or

to program, however, things like this can sometimes just get in the way. It's far easier, for many people, to simply type LOAD "PROGRAM" than it is to move a mouse to a menu, pull down the disk menu, move to the program name, move the mouse up to the word LOAD, etc.

Perhaps all these features are efforts to make computing easier to learn as distinct from easier to use. But as more people find themselves comfortable working with computers, maybe icons and such won't be as desirable as they now seem.

But what would be the easiest computer to use? Probably one which could communicate in English.

The second quality, safety, is related to ease of use. In computing, a safe environment prevents you from making serious mistakes like erasing an entire disk by accident. Current computers are fairly safe in this respect. But, again, some software goes too far. You can get very frustrated with a program which says ARE YOU SURE?, and then, after you type YES, responds with ARE YOU REALLY SURE?

The safest computer would be able to grasp the context and intent of your actions. If you have been reformatting a number of new disks, it should realize that and dispense with ARE YOU SURE? for each one. Such a computer would have, in effect, common sense. Speed, in computing, also means more than it first appears to. In many ways, even the most limited computers are now far faster than humans. But a truly quick computer would have the same qualities as a quick person: a fast brain with a large memory. Speed, in this sense, promotes versatility and power.

In some ways, the current trend toward integrated software is an effort in this direction. The larger, faster personal computers are combining word processing, data base management, telecommunications, spreadsheets, etc., into one huge program. It's quite impressive when you can ask your word processor to look over a letter, spend a couple of seconds verifying all the spelling, and then mail the letter for you over a modem.

So, the perfect computer would speak English, have common sense, and be brilliant and versatile. Depending on your personal predilections, such an entity might be indistinguishable from Einstein or Agatha Christie: It would have all of their good qualities and none of the bad; it would be honest, patient, always there. An ideal intellectual companion, a silicon and plastic angel.

MEET THE MIGHTY SPIKEMASTER, PROTECTOR OF COMPUTERS. The mighty SpikeMaster Surge Suppressor comes to the rescue of your computer, helping to protect against power line surges that can create havoc with your hardware and your programs. Lightning can ruin your entire computer system. Smaller unexpected power disturbances (even from hair dryers, for instance) can create errors, erase memory, damage sensitive electronic devices. Your computer needs the

Your computer needs the mighty SpikeMaster, to provide the protection that built-in safeguards seldom offer.

SPIKEMASTER IS TOP-RATED.

In high voltage tests conducted by an independent testing laboratory. SpikeMaster beat the other leading brands. While the others exploded, SpikeMaster stood up to repeated surges of up to 6000 volts.

It's the best insurance for your computer investment, and the tests prove it.

There's a UL listed model, reasonably priced, that's exactly right for your computer. See your computer dealer for SpikeMaster Surge Suppressors by Discwasher.

*Test data available upon request



SpikeMaster FP-1000 (with RF filter)



SpikeMaster P-500 (with capacitive filtering)



SpikeMaster P-1000 (with capacitive filtering)

SpikeMaster.

Surge Suppressor

1407 North Providence Road Columbia, MO 65205 (314) 449-0941 Publisher Editor In Chie Director of Administration Gary R. Ingersoll Robert C. Lock Alice S. Wolfe

Richard Mansfield Managing Editor Editor, COMPUTE! Kathleen Martinek Tom R. Halfhill Production Director Tony Roberts Production Editor Gall Cowper Editor, COMPUTEI'S GAZETTE Lance Elko Ottis R. Cowper Technical Editor Assistant Technical Editors John Krause, George Miller Program Editor Charles Brannon Features Editor Selby Bateman Assistant Editors Todd Heimarck, Philip Nelson Kathy Yakal

Feature Writer Research Assistant Sharon Darling Programming Supervisor Patrick Parrish Assistant Programming Supervisor Gregg Peele **Editorial Programmers**

Tim Victor, Kevin Mykytyn, Kevin Martin, Rob Terrell Mark Tuttle ubmissions Review David Florance, David Hensley, **Programming Assistants** Susan Doss Copy Editors Juanita Lewis, Joan Rouleau,

Ann Davies Ethel Silver, Dwight Smith, Marty Selby Proofreaders Susan Young **Executive Assistant**

Administrative Assistants Vicki Jennings, Julia Fleming, Iris Brooks, Jan Kretlow Associate Editors Jim Butterfield, Toronto, Canada Harvey Herman, Greensboro, NC

Fred D'Ignazio, 2117 Carter Road, S.W., Roanoke, VA 24015 David Thornburg, P.O. Box 1317, Los Altos, CA 94022

Contributing Editor Bill Wilkinson

COMPUTEI's Book Division Editor Assistant Editors Assistant Managing Editor Administrative Assistant Artists Director, Books Sales & Marketing

Assistant

Stephen Levy Gregg Keizer, J. Blake Lambert Randall Fosner Laura MacFadden Janice Fary, Debbie Bray

Steve Voyatzis Carol Dickerson Irma Swain

Janice Fary

Production Manager Art & Design Director Assistant Editor, Art & Design Mechanical Art Supervisor Typesetting

Lee Noel De Potter Leslie Jessup, Larry Sullivan Terry Cash, Carole Dunton Harry Blair

Director of Advertising Sales Assistant Advertising Manage Production Coordinator **Production Assistant**

Ken Woodard Bonnie Valentino Patti Stokes Jovce Marao

Mindy K. Kutchei

Promotion Assistant Circulation Manager Assistant Circulation Manager

Caroline Dark Charles Post Patty Jones Fran Lyons

Jill Pope

Single Copy Sales Supervisor Fulfillment Subscription Supervisor Customer Service Manager

Dealer Sales Superviso Assistants Individual Order Supervisor Assistants

Philippa King Gail Jones Debi Goforth, Rhonda Savage Dorothy Bogan Betty Atkins, Gayle Benbow, Rosemarie Davis, Chris Gordon, Mary Hunt, Liz Krusenstjerna, Jenna Nash, Chris Patty, Judy Taylor

Mail Room Coordinator Warehouse Manager Staff

Mary Sprague Lonnie Arden Jim Coward, John McConnell, Larry O'Connor, Sam Parker, Eric Staley

Leon Stokes Data Processing Manager Chris Cain

Vice President, Finance & Planning Director, Finance & Planning Accountant

Paul J. Megliola R. Steven Vetter Robert L. Bean Karen K. Rogalski Jane Wiggs, Dale Roberts

Credit Manager

Financial Analysi

Barry L. Beck Linda Miller, Doris Hall, Anne Ferguson, Pat Fuller, Susan Booth, Sybil Agee, Mary Waddell

Purchasing Manager Assistant

Greg L. Smith

Robert C. Lock, Chief Executive Officer Gary R. Ingersoll, President

Paul J. Megliola, Vice President, Finance and Planning Debi Nash, Executive Assistant Anita Roop, Assistant

TO BEEN



Coming In Future Issues

SpeedScript 3.0 For Commodore 64, VIC-20, Atari, And Apple

What's New In Computer Video

VIC Compactor: Squeeze Big Programs Into A Little VIC

Bearmath For IBM PC/PCir

The New Computers At The Winter Consumer **Electronics Show**

Tiny BASIC Compiler

COMPUTE! Publications, Inc. publishes:

COMPUTE! COMPUTE!'s GAZETTE

COMPUTE! Books COMPUTE'S GAZETTE DISK

Corporate Office: 324 West Wendover Ave., Suite 200 Greensboro, NC 27408 USA

Mailing address: COMPUTE! Post Office Box 5406 Greensboro, NC 27403 USA Telephone: 919-275-9809

Subscription Orders **COMPUTE!** Circulation Dept. P.O. Box 914 Farmingdale, NY 11737

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

COMPUTE! Subscription Rates (12 Issue Year):

(one yr.) \$24 Air (two yrs.) \$45 (three yrs.) \$65

Canada and Foreign Surface Mail

Europe, Australia \$42 Middle East, Central America and North

Africa \$52 South America, South Africa, Far East \$72

Advertising Sales



2. Mid Atlantic

John Saval Eastern Regional Manager 5. Northwest/ 212-315-1665 Andy Meehan Marsha A. Gittelman 215-646-5700 212-567-6717 (NY)

3. Southeast & Foreign

Harry Blair 919-275-9809

Gordon Benson 312-362-1821

Mountain/Texas Phoebe Thompson (408) 345-5553 Jerry Thompson 415-348-8222

6. Southwest Ed Winchell 213-378-8361

Director of Advertising Sales Ken Woodard

COMPUTE! Home Office 919-275-9809.

Address all advertising materials to:


Patti Stokes Advertising Production Coordinator COMPUTEI Magazine 324 West Wendover Avenue Greensboro, NC 27408

The COMPUTEI subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTEI, P.O. Box 914, Farmingdale, NY 11737. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTEI are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTEI, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of COMPUTEI Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright 10 1984, COMPUTEI Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication in COMPUTEI will be returned if author provides a self-addressed, stamped envelope. Programs (on tape or disk) must accompany each submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper- and lowercase, please) with double spacing. Each page of your article should bear the tittle of the article, date and name of the author. COMPUTEI assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTEI.

PET: CBM VIC-20 and Commodore 64 are trademarks of Commodore Business Machines. Inc., and/or Commodore Electronics Limited. Apple is a trademark of Apple Computer Company.

ATARI is a trademark of Atari, Inc. TI99/4A is a trademark of Texas Instruments, Inc. Radio Shack Color Computer is a trademark of Tandy, Inc.



You bought a computer to cultivate your kids'minds. Make sure it's bearing fruit, not growing vegetables.

Introducing a whole crop of Learning Adventure games from Spinnaker.

When it comes to cultivating adventurous young minds, the computer's potential is endless.

Unfortunately, the search for software that makes the most of that potential has been endless, too.

That is, until Spinnaker created the Learning Adventure Series. A unique collection of games that reward curiosity with



It's new! PRESIDENT'S CHOICE.™

Welcome to the White House – you're the President of the United States! Make the right decisions and you'll win re-election. Ages 13-Adult.

hours of adventure and learning. So the time kids spend with our games will help them develop valuable skills. Instead of just tired thumbs.

But what really makes our Learning
Adventure games unique — educational value
aside — is how much fun they are. Which isn't
too surprising when you consider you can
do things like bargain with aliens, search a
haunted house, or build your own railroad
empire.



It's new!

ROCK 'N' RHYTHM. ™
It's your own recording studio,
complete with instruments and
equipment. Play and record
existing music, or experiment
with your own melodies and
rhythms. Ages 10-Adult.

In fact, our games are so much fun, kids will really enjoy developing some very important skills. Deductive reasoning, note taking, and problem solving, for instance.

So, if you're in the market for software that will truly cultivate young minds, pick the Spinnaker Learning Adventure Series.

It's the best way to be sure your search will be fruitful.

Spinnaker Learning Adventure games are available for Apple,® Atari,® IBM® and Commodore 64™ home computers.



It's new! TRAINS.™

You're in charge of an old-time railroad — and whether it turns into a bonanza or a bust depends on how well you run it. But either way you'll find that working on this railroad is a challenge — and a lot of fun! Ages 10-Adult.



Disks for: IBM (PRESIDENT'S CHOICE), Atari and Commodore 64 (ROCK 'N' RHYTHM and TRAINS).

READERS' FEEDBACK

The Editors and Readers of COMPUTE

Do You Need Two Disk Drives?

I have a TI-99/4A and an Amdek color monitor. I'm planning to buy a second computer, but I'm confused about the advertising for two disk drives. Why do you need two disk drives?

Natalia Macedo

For many home computer users, one disk drive is sufficient. Two drives are, however, useful in several ways. For example, if you do a lot of disk copying you won't have to keep swapping the disks back and forth.

Some software packages, particularly business programs, require two disk drives. An example would be a data base manager which holds the program disk in one drive and the data disk in the other. Similarly, if you do a lot of programming, you can use two drives to hold your system disk and utilities. Some compilers and assemblers also require or work much faster with two drives.

Many writers prefer dual-disk systems for word processing because they can periodically save backups on separate disks for safety. In general you can live with one and live very well with two.

What Is DOS?

I'm going to buy a disk drive, and different brands of drives have a different DOS. What exactly is DOS?

Ricky Gibbs

DOS (usually pronounced to rhyme with "moss") stands for Disk Operating System. Basically, this is a program which allows the computer to work with a disk drive. On most computers, DOS lets you save and load files, view disk directories (lists of files stored on disks), rename files, erase files, copy files from one disk to another, copy entire disks, format blank disks (prepare them for use), and other functions.

There are many different types of DOS for different computers, and they're usually incompatible with each other. It's important that you use the proper DOS for your computer, disk drive, and system configuration. Fortunately, most disk drives (or computers with built-in disk drives) already include the proper DOS.

Usually DOS comes on a disk that must be inserted in the disk drive before you turn on the computer. It loads automatically when the power is switched on. This process is called booting up. An exception is Commodore DOS, which is stored in Read Only Memory (ROM) chips within the disk drive itself. Commodore DOS is available whenever the computer and disk drive are powered up.

There are many versions of DOS even for the same computer. As revisions, corrections, and updates are made, new versions of DOS are released, usually denoted by different numbers. Examples are Atari DOS 1 (the original version), DOS 2.05 (improved single-density), and DOS 3 (enhanced density); PC-DOS 1.1 (the original version), DOS 2.0 (with improvements added for hard disks), and DOS 2.1 (modified for the PCjr); Apple DOS 3.3 (originally intended for the Apple II and II+) and ProDOS (introduced with the Apple IIe and IIc); and so on. Commodore DOS is harder to modify since it's embedded in ROM chips, but unofficial updates are usually made when new models of disk drives are introduced.

In addition to the DOS versions released by computer manufacturers, there are also custom versions of DOS sold by independent companies for certain computers. Examples are OS/A+ DOS for Atari computers, CP/M-86 for IBM computers, and CP/M-80 for numerous personal computers. Sometimes a custom DOS is compatible with the manufacturer's DOS, and sometimes it requires extra hardware (such as a CP/M board).

The disk drive you buy for your computer will probably come with the right DOS for your system. If it doesn't, the dealer can recommend the proper DOS or a compatible custom DOS.


The Great Commodore Save/Replace Debate

I have a Commodore 64 and a 1541 disk drive. Recently I saved a program on a disk and later saved another program on the same disk. When I



Smart move, buying a computer. To be sure your computer doesn't underachieve, put it on the Gold Standard. Maxell. An industry leader in error-free performance. There's a Maxell Gold Standard floppy disk for virtually every computer made. Each comes backed by a lifetime warranty. Maxell. To keep your computing at the top of the class.





tried to load the first program, I was surprised to get the second instead! What happened? How can I get my first program back?

Jason Stearns

Assuming there's no mysterious hardware error, it's possible that you saved the second program with the save/replace command (SAVE "@0:filename",8). When you precede a filename with the at sign (@), the computer first saves the new file with the same filename before erasing the old file. The purpose of save/replace is to make it easier to update files on a disk in one step. (Some computers do this automatically.)

The save/replace command is a controversial subject among some Commodore users. For years it's been rumored that save/replace contains a bug which can scramble programs and disks, but it's unpredictable and therefore very difficult to confirm. Usually it seems to happen when you are using a disk with less than 100 blocks free. We recently lost a file after using save/replace and spent hours trying unsuccessfully to duplicate the error.

One programmer, convinced that save/replace works, has offered a reward to anyone who can prove otherwise. COMPUTE!, however, has concluded that where there's smoke, there might be fire; mangled disks can be so frustrating, lost files can be so difficult to replace, we don't think the added convenience of save/replace is worth the risk.

To be safe, avoid using save/replace. Instead, save the program with a different filename, maybe with a .V2 extender (for version 2). The next file can be .V3, etc. Then rename the file after you have a final debugged version and delete all the early versions.

Your first program was probably still recorded on the disk after it seemed to disappear, but to recover it you would need a disk editor utility. Such a utility lets you read the directory map and change the byte which signifies a deleted file. However, even this works only when you haven't saved any other files on the disk in the meantime. It's also easy to destroy other files if you aren't sure how to use the utility.

It's a good practice to always save copies of important programs and data files on backup disks which are stored away from your main disks. If you upgraded to disk from tape, you can also save backups on your old cassettes.

BASIC Translations

I recently bought a Timex Sinclair 2068 computer and was disappointed when I could not find any software. I even tried typing in Atari and Commodore programs from COMPUTE!, but was unsuccessful. What should I do?

Wagih Mando

You'll have to stick to relatively generic BASIC programs—those that have few or no PEEKs, POKEs, graphics, or sound commands (which are nearly always machine-specific). You could, of course, translate the sound and graphics commands of other computers into the corresponding Sinclair BASIC statements, but this can be difficult, especially if you're not familiar with the other program and computer.

Programs written for earlier models of Sinclair computers should translate fairly easily for the 2068—but again, avoid programs with many PEEKs, POKEs, and machine language subroutines. Naturally, these programs won't take advantage of the 2068's new features, including color graphics.

COMPUTE! has not published any programs for Sinclair computers for quite a while, but copies of Creating Arcade Games on the Timex Sinclair are still available from COMPUTE! Books. Although it's aimed primarily at users of the Sinclair ZX-81 and TS-1000, some of it would apply to your 2068.

Atari Amnesia

I recently bought an Atari 800XL which claims to have 64K, but which seems to have only 48K user memory. The other 16K supposedly is available only with certain software programs. Which ones? I am also having trouble with the memory test. The other day I bought a game requiring at least 48K. I tried to load it on my 1050 disk drive, but the picture is distorted. I tried again, but got the same results. So I tried the memory test by holding down the OPTION key while turning on the computer. The ROM checks green. So does all my RAM, up to 44K. I checked it again, still 44K. What do I do?


Steve Whitlow

It sounds like your computer is behaving normally, but the software may not be compatible with the 800XL. Check with the dealer who sold you the program or with the software publisher. Some programs designed for the older Atari computers have trouble running on the newer XL machines because of changes in the computer's operating system. The fault still lies with the software, though, because from the beginning Atari made it clear that programmers should follow certain rules to insure compatibility with future models.

One solution might be to obtain a translation disk which, in effect, temporarily converts your XL into an older-model Atari 800. The disks are available from Atari for a nominal fee and from some independent companies.

The memory discrepancies you discovered are unrelated to the software problem. The Atari 800XL does indeed have 64K of Random Access Memory (RAM), but as with the Commodore 64 and 64K Apple

IF YOU CAN FIND A BETTER WORD PROCESSOR OR DATA BASE SYSTEM WE'LL BUY IT FOR YOU.



Outrageous offer? Not really. For your Commodore 64, we're putting our money where our mouth is, because the Timeworks Word Writer and Timeworks Data Manager 2 are so complete—so extremely easy to use, we think nothing beats them at any price. (Our suggested retail prices are: \$49.95 for Word Writer. \$49.95 for Data Manager 2.)

Word Writer

This menu-driven system includes:

A program which can be used by itself (standalone), or interfaced with Timeworks' Data Manager or Data Manager 2, enabling you to maintain and print out name and address lists, create individualized form letters automatically, and produce customized reports up to 20 columns wide, which can be incorporated into any text produced by the Word Writer.

Two plastic keyboard overlays which place the word processing commands directly onto the keyboard.

A full screen format (up to 80 characters) which simplifies your text entry and editing.

All the essential features—plus some exclusive Timeworks extras—making this system completely functional for most home & business requirements.

Data Manager 2

This system includes:

A menu-driven program that easily lets you store information on a wide variety of subjects—from general name and address lists, to research data. This program will also calculate and store any corresponding numerical data.

Quick access to important information. Items can be easily retrieved and printed by category, name, index code, date range, amount range, or any category of information stored in the system. Timeworks exclusive X-Search,™ X-Sort™ and X-Chart™ features allow you to easily cross-search any of the categories. Or arrange your stored items in increasing or decreasing order, alphabetically, numerically or by date. Break down statistical information by up to ten indexed categories of your

choice—and graphically review your results.

Arithmetic calculation of your mathematical data is possible, allowing you to perform Payroll calculation, cost estimates and more. Data Manager 2 also produces the Sum, Average and Standard Deviation of statistical data entered into the system, along with Frequency Charts.



When interfaced together, these programs:

Generate customized data reports, which can be incorporated into any written text produced.

Individually address and print form letters automatically.

Print your name and address file onto standard mailing labels.

Transfer and print text information onto labels and tags.

Calculated numerical data from column to column, giving these programs spread-sheet capabilities.

So, if you can find anything better, simply send us your Word Writer or your Data Manager 2, your paid receipt, and the name of the program you want, along with your check or money order for any price difference. If it's available, we'll buy it for you.**

Now at your favorite dealer. Or contact Timeworks, Inc., P.O. Box 321, Deerfield, IL 60015. Phone 312-948-9200.



SOFTWARE WITH SUBSTANCE.



















If you want to be in pictures,



it's more fun in color.



Follow the yellow brick road. It sounds easy enough. But try "painting" on most computers and you'll have to settle for black-and-white pavement.

That's why IBM has just introduced PCir ColorPaint—a \$99* cartridge program that lets you paint with PCjr.

In living, sparkling color.

It's sophisticated, PCir ColorPaint works with vet extremely a mouset, so the power to draw incredible color easy to use. pictures is right in the (It works with palm of your hand. a friendly little mouse.†) So you can sit right down and paint just about anything you can think. Whether you're an artist or an accountant.

With PCjr ColorPaint, you can work with 16 colors—4 at a time—over 2,700 combinations of colors altogether. And there are all kinds of shortcuts to help you put together lines, shapes, patterns, even different size and style lettering.

Which makes it easy to draw and paint illustrations, charts, graphs, diagrams, whatever. For serious business. Or just a bit of funny business.

and bounds.

Of course, PCjr ColorPaint is only one program in a library of software that's growing by leaps

PCjr now runs over a thousand of the best diskette programs that run on the IBM PC. Plus powerful new cartridge programs, like Lotus[™]1-2-3[™] and Managing Your Money[™] by financial

expert Andrew Tobias.

And for all of its power, it costs less than \$1.000.* without monitor.

PCjr and PCjr ColorPaint are both available now at authorized IBM PCjr dealers and IBM Product Centers.

More computer for your money.

See how PC/r compares with other computers at its price.

Memory Software
User Memory (RAM): Runs over 1,000 128KB (expand-able to 512KB) Permanent Memory

(ROM): 64KB **Diskette Drive**

Double-sided, double density Capacity: 360KB

Processor 16-bit 8088

Keyboard Typewriter-style Detached: cordless

Warranty 1-year limited warranty

Software programs written for the IBM PC Runs both diskette and cartridge programs

Display 40- and 80-column Resolution 4-color: 640h x 200v

16-color: 320h x 200v

Expandability Open architecture Optional 128KB

Memory Expansion
Attachment(s)

13 ports for add-ons,

including built-in

Go see how well they work together. And draw your own conclusions.

For the name of the store nearest you. call 1-800-IBM-PC, IR. In Alaska and Hawaii, call 1-800-447-0890.



†Available from manufacturers other than IBM. 1-2-3 and Lotus are trademarks of Lotus Development Corporation. Managing Your Money is a trademark of MECA.
Little Tramp character licensed by Bubbles Inc., s.a.

IIe, not all of this RAM is immediately accessible. All these computers use 6502-family chips for their Central Processing Units (CPUs). The 6502 is limited to accessing, or addressing, a total of 64K of memory at a time. Part of this 64K must be allocated for internal programs necessary to operate the computer. This includes the operating system and BASIC language.

The Atari operating system, stored in Read Only Memory (ROM), requires 10K of space. Additional ROM space is used for the international character set and self-test routines. BASIC, when selected, uses a little over 8K of space. The input/output chips need 2K of address space, since they are controlled as if they were memory locations. This leaves less than 40K of RAM when using BASIC. Roughly the same amount of memory is available for BASIC on a Commodore 64 or 64K Apple IIe.

If you switch off BASIC in your 800XL (equivalent to unplugging the BASIC cartridge on the older Atari 400, 800, and 1200XL computers), 48K of RAM is directly addressable. To switch off BASIC, hold down the OPTION button when powering up.

Don't think you're being misled by the 64K RAM claim; it's there, but it takes some special programming to access it. Not many commercial programs take advantage of this extra memory, though, because they would not be compatible with the large number of older 800s still in use.

If you have some programming experience, you can reach this additional memory with your own programs. The PIA chip in your Atari, used for the two joystick ports, also helps control memory mapping and other special XL functions. These functions are controlled with memory location 54017 (PORTB, \$D301), formerly used on the 400/800 to read joystick ports 3 and 4, which are omitted on the XL models. (Incidentally, if you try to read the shadow registers for joysticks 3 and 4, or use STICK(2) or

Bit Position	Bit Value	Decimal Equivale	
0	0	0	Disable operating system ROM, enable RAM from \$C000 to \$FFFF.
0	1	1	Enable OS ROM (default).
1	0	0	Disable built-in BASIC ROM.
1	1	2	BASIC off, RAM on at \$A000-\$BFFF.
2	0	0	Turn on LED #1.
2	1	4	Turn off LED #1.
3	0	0	Turn on LED #2.
3	1	8	Turn off LED #2.
4-6			Not presently used.
7	0		Enable self-test ROM.
7	1		Disable self-test ROM, enable RAM at \$5000-\$57FF (default after power-up complete).

STICK(3) in BASIC, the values returned will be those of joystick ports 1 and 2.) The eight bits at \$D301 control eight functions (see chart).

Add up the decimal values of the functions you want to enable or disable, then store the sum into location 54017. Of course, you would not want to turn off BASIC or the operating system with a POKE from BASIC (without a language, operating system, or controlling program, the computer would be reduced to a prism of pure memory with nothing to remember). Feel free to flicker the LEDs (found only on the 1200XL) from BASIC, but memory mapping should always be done with a machine language program.

With both BASIC and the operating system disabled, there is free RAM from \$A000 to \$FFFF, 16K of additional RAM space. Well, almost 16K. The computer is pretty useless without its video and input/output chips, so they are kept active from \$D000 to \$D7FF, leaving this 2K of RAM inaccessible.

If you're going to tackle the job of accessing all of the Atari's hidden RAM, there's another consideration, too. The video chip generates a nonmaskable interrupt (NMI) every 1/60 second so that the operating system can update screen variables. This NMI cannot be disabled, so if the operating system is out to lunch when the interrupt happens, the 6502 tries to make an indirect jump through the NMI vector at \$FFFA, finds nothing of value there, and crashes. So before you switch out the RAM, write the address of a nominally functional NMI routine into \$FFFA and \$FFFB. This can simply point to an RTI (return from interrupt) so that NMIs will be ignored.

Remember also that with the operating system and interrupts disabled, you cannot make use of any of the shadow registers for input/output. You must store directly into the hardware locations. And naturally, you have to reenable the operating system to call routines like CIO (Central Input/Output).

Using The Commodore Wedge In Your Programs

Many people incorrectly state that DOS 5.1 commands don't work in program mode. The commands not only work, but can be used to do some things which would be difficult or impossible to do from BASIC. It's only necessary to enclose the operand in quotes. For instance:

10@"IO" 20@"\$"

This will initialize the disk drive and list the disk directory without disturbing the program in memory. Other possible uses for the Wedge in program mode exist.

Dave Palmer



Get the jump on the weatherman by accurately forecasting the local weather yourself!



A scientifically proven way to develop an awesome memory.



You are trapped in a fivestory, 125-room structure made entirely of ice. Find the exit before you freeze!



Take control of your personal finances in less than one hour a month.



The beautiful princess is held captive by deadly dragons. Only a knight in shining armor can save her now!



Cut your energy costs by monitoring your phone, electric and gas bills.



Computerize car maintenance to improve auto performance, economy and resale value.



Create multi-colored bar graphs with a surprisingly small amount of memory.



A time-saving organizer for coupons, receipts and more.



School-age and pre-school children are rewarded for right answers, corrected on their wrong ones.



A real brainflexer. Deflect random balls into targets on a constantly changing playfield.



A fun way to dramatically increase typing speed and accuracy.

Get up to 30 new programs and games for less than 15 cents each— every month in COMPUTE!

Every month, COMPUTE! readers enjoy up to 30 brand-new, ready-to-run computer programs, even arcade-quality games.

And when you subscribe to COMPUTE!, you'll get them all for less than 15 cents each!

You'll find programs to help you conserve time, energy and money. Programs like Cash Flow Manager, Retirement Planner, Coupon Filer, Dynamic Bookkeeping.

You'll enjoy games like Air Defense, Boggler, Slalom, and High Speed Mazer.

Your children will find learning fast and fun with First Math, Guess That Animal, and Mystery Spell.

Looking for a challenge? You can write your own games. Customize BASIC programs. Even make beautiful computer music and pictures.

It's all in COMPUTE!. All ready to type in and run on your Atari, Apple, Commodore, PET/CBM, TI-99/4A, Radio Shack Color Computer, IBM PC or IBM PCjr.

What's more, you get information-packed articles, product reviews, ideas and advice that add power and excitement to all your home computing.

And when it's time to shop for peripherals or hardware, check COMPUTE! first. Our product evaluations can save you money and costly mistakes. We'll even help you decide what to buy: Dot-matrix or daisy-wheel printer? Tape storage or disk drive? What about modems? Memory expansion kits? What's new in joysticks, paddles and track balls?

Order now! Mail the postpaid card attached to this ad and start receiving every issue of COMPUTE!.



Thanks for sharing the information. It's also helpful to begin your program with a loader routine that installs DOS 5.1 so you don't have to remember to load the Wedge each time. In addition, this keeps other people who may use your program from complaining about the inexplicable crashes they may encounter otherwise. Make sure DOS 5.1 is on the same disk as your loader routine.

TI POKE?

I own a TI-99/4A and would like to know if there is an equivalent for POKE in TI BASIC or TI Extended BASIC.

Paul Parks

There is no equivalent for POKE or PEEK in standard TI BASIC. This is one example of how TI BASIC differs considerably from other personal computer BASICs. The language designers may have felt that PEEK and POKE commands—which allow programmers to examine and modify individual memory locations—were somehow risky tools to put in the hands of inexperienced programmers. Of course, many inexperienced programmers progress beyond that stage and would find uses for these commands. Constructing a blockade between the programmer and the lower levels of the machine can severely limit a user's control.

Fortunately, TI's Extended BASIC does provide an equivalent for POKE, the CALL LOAD statement. For example, to place the value 100 in location 20000, you'd use CALL LOAD(20000,100). The equivalent to PEEK is CALL PEEK. To place the value from location 20000 into the variable X, you'd use CALL PEEK(200000,X).

Remember that memory for the video display is maintained separately from the microprocessor (and, without expansion, BASIC programs are actually stored in the video memory area), so CALL LOAD and CALL PEEK give you access only to the processor memory or to any attached expansion memory. The ROM in the Mini Memory cartridge also provides for CALL LOAD and CALL PEEK, and in addition provides CALL POKEV and CALL PEEKV, which allow you to store and retrieve data from video memory.

TI also supplies an impressive library of builtin subroutines that accomplish many of the things that PEEK and POKE are used for on other computers. For example, to read the TI joysticks, you can type:

100 CALL JOYST(1,X,Y)

Other valuable features are CALL CHAR, RESEQUENCE, and NUMBER. These provide built-in character redefinition, renumbering, and automatic line-numbering utilities.

Apple Shape Tables


I have an Apple II+ and have been trying to figure out shape tables. How do the data numbers affect a shape? How do the numbers in the DRAW and XDRAW commands make a shape?

Tony Steele

Shape tables can appear very confusing, but they are extremely useful, though in some cases it may be easier to draw complicated figures with HPLOT.

Basically, a shape table contains plotting vectors to draw a figure. Each vector describes the movement necessary to draw the object.

Let's try constructing a shape table to draw a square to see how it all gets done. The first step is to draw the shape on a piece of paper.



Now you must convert the figure to coded plotting vectors. Vector codes are numbers between 0 and 7 which correspond to a direction of movement, and each byte of a shape definition can hold as many as three vectors. The task now is to reduce the shape to a series of vectors, then place these vectors into memory, where they can be used to draw shapes.

Pick a starting point on the figure you want to code. For our square, we'll start at the bottom-left corner. Make a list of the directions required to draw the shape. Be sure you include all movements necessary, even those not actually drawn on the screen.


Starting at the bottom-left corner, we need these vectors to draw our square:

Vector	Plo
up	yes
right	yes
down	yes
left	yes

Now use this table to write the proper binary code next to each vector:

Action	Binary Code	Decimal Code
move up without plotting	000	0
move right without plotting	001	1
move down without plotting	010	2
move left without plotting	011	3
move up with plotting	100	4
move right with plotting	101	5
move down with plotting	110	6
move left with plotting	111	7

The OKIMATE 10 Personal Color Printer's got it for \$238.



The first affordable color printer.

Atari® and Commodore® computer owners, meet the one and only. The new OKIMATE 10 Personal Color Printer. The first personal printer that lets you print in a rainbow of 36 dazzling colors.



Now your Atari or Commodore personal computer has new meaning. Because the OKIMATE 10 can bring the information on your screen to life. Printing on plain paper. In brilliant color. For very little green.

Fully equipped for reading, writing and rithmetic.

The OKIMATE 10's word processing capability delivers crisp, clean term papers, school reports and homework. At 240 words per minute. So now you can print an assignment in minutes, instead of typing it in hours. And OKIMATE 10 lets you highlight words, headlines, paragraphs and charts

with wide, bold, or fine print. So you and your information really stand out.

If you use your personal computer to keep track of mortgage payments, tuition payments, your checkbook or beat Dow Jones to the punch, here's good news: the OKIMATE 10 gets down to business quickly. And easily.

Easy to learn, easy to use.

"Learn-to-Print" software comes with OKIMATE 10 to show you how to start printing. And the OKIMATE 10

Handbook will teach you how to get your wildest ideas and images down on paper. Now you're set.

OKIMATE 10 makes it easy to get color from the screen to paper because it comes with its own "Color Screen Print" program.

Just plug the OKIMATE 10 into your Atari or Commodore personal computer with the PLUG 'N

PRINT package.* And print. It's that easy.

Everything Included.

For \$238 you get both the printer and the PLUG 'N PRINT package plus



everything you need to print: black ribbon, color ribbon, data cable, PLUG 'N PRINT control cartridge, "Learn-to-Print" program, "Color Screen Print" software package, computer paper, and an easy to read handbook.



OKIDATA an OKI AMERICA company

Mt. Laurel, NJ 08054

Available at retailers everywhere.

Atari is a registered trademark of Atari Inc.

Commodore is a registered trademark of Commodore Business Machines, Inc.

*PLUG 'N PRINT packages for Atari or Commodore computers sold separately. The 64 and PLUS 4 require disk drive.

Atari requires disk drive and 48K memory.

You should now have a table that looks like

Vector	Plot	Code
up	yes	100
right	yes	101
down	yes	110
left	yes	111

The Apple stores information in memory in bytes of eight-bit binary numbers. Usually two, and sometimes three, plotting vectors can be stored in a specific memory address. A memory byte can be thought of as:

There are a few rules to follow when packing binary codes into memory:

1. All bytes are read from right to left.

2. When all remaining sections of a byte contain zeros, the rest of the byte will be ignored.

3. Only a move instruction may be placed in section

A of a byte.

Now refer to your table and place the binary code for the first vector into section C of the first byte, and place the binary code of the second vector into section B of the byte.

In section A of each byte, a zero always means no movement and no plotting, and a zero value will be ignored by BASIC. The only legal vectors in section A are right, left, and down without plotting. No other plotting vectors are allowed in section A.

The byte should now look like this:

Notice that the vector for move right with plotting was not placed into section A. Start filling in the next byte with the remaining values.

This is the table for drawing the square. After each byte has been filled in, set the last byte to zero. This signals BASIC that the end of the shape table has been reached.

Divide the byte into two four-bit portions

(nybbles) and convert the nybbles to hexadecimal numbers:

Bin	ary	/						He	X
0	0	1	0	1	1	0	0	2	C
0	0	1	1	1	1	1	0	3	E
0	0	0	0	0	0	0	0	0	0

The only information needed to complete the shape table is the Shape Table Directory, which contains the number of shape definitions in the table and which points to a starting location for each shape.

The first byte of the shape table contains the number of shape definitions. The second byte is unused, and starting with the third byte, a table of indices to the starting addresses of each shape definition is stored. This value is the offset that must be added to the starting address of the table to obtain the starting address of a specific shape.

Using the example of our square, we'll store the shape table starting at \$1F00. The completed shape

table looks like this:

1	F	000	1	0 0	1 0 4	Directory
1	F	0	3	0	0	
1	F	0	4	2	C	Chana Daffaillian
1	F	0	5	3	E	Shape Definition
1	F	0	6	0	0	

This shape table may be stored in memory using the monitor, or by POKEing the values from a table of DATA. The starting address of the shape table must be stored in memory location \$E8. Again, you can place it there with the monitor, or by entering the following in immediate mode:

POKE 232,0 POKE 233,31

That completes the shape table, and you're ready to save the table and DRAW, XDRAW, ROT, or SCALE to your heart's content.

Atari Self-Loading Tapes

I have tried to load a machine language cassette tape by holding down the START button while turning the machine on, waiting for the beep, and hitting RETURN. The program starts loading into the machine, but I get a BOOT ERROR message. Why? What is the proper way to do this?

Geoffrey C. Bennett

Two possibilities exist. The most obvious explanation is that your tape is defective. But it is more likely that you have a disk drive attached and turned on. After the tape is successfully loaded, the Atari then tries to boot the disk drive. With no disk in the drive, you get the BOOT ERROR. Turn off

"THOROUGHLY IMPRESSED!"

"THE CONSULTANT is capable of very large and complicated searches. It Overall rating: 9/10"

"... you should definitely try out THE CONSULTANT ... powerful and very well designed."

- EVERYTHING YOU CAN DO WITH YOUR COMMODORE, 1984 EDITION

"For a truly professional data management program, you will have to look a long time before you find a better one than THE CONSULTANT.

PROFESSIONAL DATA BASE MANAGEMENT SYSTEM FOR COMMODORE COMPUTERS BATTERIES INCLUDED

Store and sort large amounts of information, and then instantly find the item you need, with THE CONSULTANT for your Commodore 64. A database manager of extreme power, speed and simplicity.

Key features include:

- flexible, expandable file structure; up to 9 pages (7000 characters) per record
- total number and size of files limited only by disk space; virtually unlimited file layout possibilities
- sophisticated sorting and sub-sort functions, using up to 9 criteria
- built-in mail list and mail label printing routines
- full arithmetic functions, allowing page sub-totals, report totals and statistical
 - interfaces with PaperClip word-processor to produce letters, complex reports and other valuable output

Like a smart, computerized filing cabinet, THE CONSULTANT controls your information for you. You choose the file size and format - THE CONSULTANT's flexible file structure adapts to almost any application you can think of. And you can change the structure of your files without having to re-enter any data - a great time saver. Easy to learn and simple to use. Big system speed and sophisticated sorting functions, all for an exceptionally low price. No wonder THE CONSULTANT comes highly recommended! AVAILABLE NOW FOR THE COMMODORE 64. COMING SOON FOR THE IBM PC.

186 Queen St. West Toronto, Ontario, M5V 1Z1 Canada (416) 596-1405

"The Energized Software Company!"

17875 Sky Park North, Suite P, Irvine, California USA 92714

























AND NOW FOR SOMETHING INCOMPLETELY DIFFERENT!

Incomplete, yes. But it's not just because we're always bringing out new stories in the Infocom interactive fiction collection. Nor is it simply due to the fact that with all the writing and re-writing, honing and perfecting that we put into every one of our stories, our work is seemingly never done.

The real reason is: an Infocom work of fiction can never be complete until you become a part of it.

You see, as hard as we work at perfecting our stories, we always leave out one essential element—the main character. And that's where you enter in.

Once you've got Infocom's interactive fiction in your computer, you experience something akin to waking up inside a novel. You find yourself at the center of an exciting plot that continually challenges you



In CUTTHROATS,™ the plot involves a motley band of hardbitten salts who get wind of a shipwreck laden with sunken treasure near the remote island where you live. In exchange for your diving skills, they offer you a piece of the action. Your challenge: survive them, the perils of the deep, and escape with the treasure and your life. Good luck!



THE HITCHHIKER'S GUIDE TO THE GALAXY™ by Douglas Adams is the most mind-boggling story we've ever published. In the person of Arthur Dent, you'll chortle as your planet is demolished. You'll yelp with laughter as your life is threatened by a galaxy of horrors. Your sides will positively split as you search the universe for . . . well, you'll find out. Maybe.



In SUSPECT," our newest mystery thriller, you're a reporter who gets the scoop on the society event of the year—the murder of a Maryland Blue Blood at a fancy costume ball. Great! Except you're the prime suspect. And if you can't find the real killer, your next by-line could be in the obituaries.

you have hundreds, even thousands of alternatives at every step. In fact, an Infocom interactive story is roughly the length of a short novel in content, but because you're actively engaged in the plot, your adventure can last for weeks and months.

In other words, only you can complete the works of Infocom, Inc.

Because they're stories that grow out of your imagination.

Find out what it's like to get inside a story. Get one from Infocom. Because with Infocom's interactive fiction, there's room for you on every disk.

INFOCOM

Infocom, Inc., 55 Wheeler Street, Cambridge, MA 02138

For your: Apple II, Atari, Commodore 64, CP/M8", DECmate, DEC Rainbow, DEC RT-11, IBM PC" and PCjr, KAYPRO II, MS-DOS 2.0, NEC APC, NEC PC-8000, Osborne, Tandy 2000, TI Professional, TI 99/4A, TRS-80 Models I and III.

*Use the IBM PC version for your Compaq, and the MS-DOS 2.0 version for your Wang or Mindset.

CUTTHROATS and SUSPECT are trademarks of Infocom, Inc. THE HITCHHIKER'S GUIDE TO THE GALAXY is a trademark of Douglas Adams.

with surprising twists, unique characters (many of whom possess extraordinarily developed personalities), and original, logical, often hilarious puzzles. Communication is carried on in the same way as it is in a novel—in prose. And interaction is easy—you type in full English sentences.

But there is this key difference between our tales and conventional novels: Infocom's interactive fiction is active, not passive. The course of events is shaped by the actions you choose to take. And you enjoy enormous freedom in your choice of actions—

the drive or disconnect it when you load a boot tape.

Also, many machine language programs on boot tapes won't work with the BASIC cartridge plugged in. Try removing BASIC before loading the tape into Atari 400, 800, and 1200XL computers. On a 600XL or 800XL, you can disable the built-in BASIC by holding down the OPTION button. (Therefore, to auto-boot with a 600XL or 800XL, you would simultaneously hold down OPTION and START while switching on the computer.)

Simultaneous Commodore Graphics And Text

I'm writing an adventure game and would like to mix text with graphics. Is there any way I can divide the screen to leave four lines at the bottom for text?

Peter Goldstein

You didn't mention which computer you're writing your game on, but we'll assume it's the Commodore 64. The Apple, Atari, IBM, and TI have this capability built into BASIC and require no special programming.

On the 64, the best way to divide the screen into two (or more) parts is to use a programming technique called a raster interrupt. Raster interrupts take advantage of the sequential nature of a video image. The image is painted on the screen by a cathode-ray beam which always begins at the top-left corner and sweeps across the screen left to right. When the beam reaches the right edge of the screen, it's turned off for a split second and returned to the left side of the screen. Then the beam is dropped down one line and the process is repeated. When it finally reaches the bottom-right corner of the screen, it's switched off again and returned to the starting position at the upper-left corner. The entire cycle repeats 60 times a second.

On the Commodore 64, you can determine which horizontal line the beam is currently scanning by reading the raster register at location \$D012 (53266). With this information in hand, you can write a program to interrupt the process so you can insert a few lines of text or change screen colors.

However, this takes some advanced programming. The raster interrupt can't be accessed directly from BASIC, because BASIC must be turned off to insert a vector to your interrupt routine.

Here's a demonstration program which loads a machine language routine into memory and allows you to change screen colors and split the screen. To use this routine in your own programs, simply change lines 20 through 50 to define the variables to suit your needs.

10 GOSUB130 :rem 117
20 INPUT"SELECT TOP SCREEN COLOR: "; A
:rem 222
3Ø INPUT"SELECT BOTTOM SCREEN COLOR: ";B
:rem 194 4Ø PRINT"WHAT ROW FOR SCREEN DIVISION?"
:rem 172
5Ø INPUTC: IFC < 1 ORC > 23 THENPRINT "VALID RANG
E IS Ø-23{2 SPACES}RE-ENTER":GOTO4Ø
:rem 140
60 SYS49152 :rem 106
70 POKE829,A:REM SET TOP SCREEN COLOR :rem 226
80 POKE830, B: REM SET BOTTOM SCREEN COLOR
:rem 190
90 POKE831,21: REM TOP SCREEN UPPERCASE/G
RAPHICS :rem 188
100 POKE832,23:REM BOTTOM SCREEN LOWER CA
SE :rem 70
110 POKE828,50+C*8:REM SET DIVIDING POINT
:rem 166 120 STOP :rem 217
130 CK=0:FORI=49152TO49247:READA:CK=CK+A:
POKEI, A: NEXT: IFCK=10244THENRETURN
:rem 180
140 PRINT" (RVS) ERROR IN DATA STATEMENTS":
STOP :rem 59
150 DATA120,169,127,141,13,220 :rem 231
160 DATA169,1,141,26,208,173 :rem 145 170 DATA60,3,141,18,208,169 :rem 96
180 DATA27,141,17,208,169,34 :rem 151
190 DATA141,20,3,169,192,141 :rem 141
200 DATA21,3,88,96,173,18 :rem 1
210 DATA208,205,60,3,208,28 :rem 87
22Ø DATA169,0,141,18,208,173 :rem 142
230 DATA64,3,141,24,208,173 :rem 89
24Ø DATA62,3,141,33,208,169 :rem 93 25Ø DATA1,141,25,208,104,168 :rem 137
250 DATA1,141,25,208,104,168 :rem 137 260 DATA104,170,104,64,173,60 :rem 187
270 DATA3,141,18,208,173,61 :rem 93
280 DATA3,141,33,208,173,63 :rem 93
290 DATA3,141,24,208,169,1 :rem 43
300 DATA141,25,208,76,49,234 :rem 147


For a thorough discussion on using raster interrupts, see "Split Screens" and "Son of Split Screens" by Jim Butterfield in COMPUTE!'s First Book of Commodore 64.

Atari Modem Update

Your reply to Paul S. Reyes in the November 1984 "Readers' Feedback" column does not appear to be very timely or accurate. The modem currently offered by Atari is the model 1030 direct-connect, autodial, autoanswer modem. If your statement "the Atari modem comes with its own software, but is not compatible with other modem software" is about the 1030, you are incorrect.

Versions of Jim Steinbrecher's AMODEM 4.8, a public domain program, have been specifically written for use with the Atari 835 and 1030 modems, as well as modems connected through the Atari 850 Interface Module. The version I have is called RMODEM and is available on many bulletin boards and from the CompuServe

Only one program lets you create your own crossword, instead of filling in someone elses.



Compatible with Apple," Commodore," IBM" and Atari."

Crossword Magic is just like the crossword puzzles you see in the newspaper. It has the same crossword format. And the same crossword clues.

Yet, it's totally unique. (After all, does it make sense to spend \$49.99 for something you get in your newspaper for a few cents?)

Here's the twist.

Crossword Magic lets you create your own puzzles from scratch. Not only is this fun, but it's also educational. You can use it to test yourself and others on any subject. For example, will they remember that a "protozoan with pseudopodia" is an

Now that's worth \$49.99.

Crossword Magic from Mindscape

amoeba?

Information Service. RMODEM can be compiled, and it provides a 22K buffer that can be dumped to your disk drive or printer.

The Atari 1030 modem has been advertised by a national chain store on sale at \$69.96. At

that price it is certainly a best buy.

Note that the Atari 1030 modem uses the T: handler as opposed to the R: handler for the 850 Interface Module. Both handlers are supported by RMODEM.

Howard Stebbins

Thanks for this additional information. COMPUTE! stands by its answer, though, since many Atari owners may lack the programming skill to modify modem programs using the R: device that were written before the introduction of the 1030. In fact, the JTERM Atari terminal program published in last month's issue of COMPUTE! was written for modems which use the R: device, not the T: device.

Apple Joystick To Keys Conversion

I use an Apple II+ for games and educational programming, and would like to change games which require a paddle to keyboard input. How can I do this?

Michael Weaver

Applesoft BASIC has a very handy statement (PDL) for reading the value of the game controller, and you can also read the keyboard buffer to see which key is being pressed (although it's not as handy). The GET statement can read the keyboard, too, but it halts the program while waiting for input.

To convert a program from using a game controller to the keyboard, find all the routines which read PDL, then change those routines to read the keyboard buffer instead. Try using this

subroutine:

This checks for the ASCII values of the A, D, W, X, and space bar, and ignores all other keys. Line 10 reads the keyboard and line 20 resets the keyboard to await the next keypress. Line 40 evaluates A to see if a key was pressed. If bit 7 is set (the value of A is greater that 128), then a key was pressed. Line 50 translates the value of A to an ASCII value, and lines 60 through 110 evaluate the key pressed. Of course, these lines could be changed to read any keys, and values could be included to

check for diagonal movement (the Q, E, C, and Z keys).

Be advised, however, that Apple paddles are resistive, so they return numeric variables that do not correspond directly to directions. The keyboard routine presented above provides for reading directions and is thus not a perfect replacement for an Apple paddle.

Faulty Math?

I have a Commodore 64, and there seems to be an error of some kind in the math logic. If you raise the number 5 to the power of 7 (PRINT 5[†]7), you get the result of 78125.0001, which is incorrect.

I have found this error with other numbers, and although these amounts are small, I'm afraid there are others which I haven't found yet which are causing errors in math programs. Could you tell me what causes this?

Bill Briggs


You have come across the phenomenon known as rounding error. Most home computers use the binary system for mathematical calculations. While some fractional numbers translate easily to binary, some do not. The same is true of decimal numbering, the system we're used to. The fraction 1/3 translates into 33 percent (after rounding off all those extra threes). And three times 33 percent comes to 99 percent. The result is off by 1 percent.

You will never be able to translate 1/3 into a perfect percentage in decimal. And your computer will never be exactly accurate when it uses certain functions in binary. But how do fractions occur when raising one whole number to the power of another whole number?

PRINT EXP(7 * LOG(5))

Notice that this gives the same answer as PRINT 5[†]7. It's the fractions involved in evaluating the logarithm (LOG) and exponential (EXP) functions that lead to the rounding error. Other functions that suffer the same problem for a similar reason are SIN, COS, TAN, ATN, and SQR.

For a thorough discussion on rounding errors, see "De-Bugging BASIC, Part 2," in the February 1985 issue of our sister publication, COMPUTE!'s GAZETTE.



ALL AIRLINES DEPART FROM THIS TERMINAL.

Presenting Travelshopper ... new from CompuServe and TWA.

Now you can save time and money by getting information and reservations on virtually any flight on any airline worldwide—from one source. It's TWA's new Travelshopper, available now through CompuServe's Information Service.

With Travelshopper, you can scan flight availabilities, discover airfare bargains and order tickets...on your own personal computer...at home or in the office.

You also receive automatic membership in TWA's Frequent Flight Bonus[™] program. And you can build bonus points by staying at Marriott and Hilton hotels and by using Hertz Rent-A-Car.

Besides Travelshopper, CompuServe offers an ever-growing list of other travel-oriented on-line services.

The Official Airline Guide Electronic Edition lists direct and connecting flight schedules for over 700 airlines worldwide plus over 500,000 North American fares.

Firstworld Travel offers worldwide travel advice and service.

Discover Orlando provides complete prices, hours and features on all of Central Florida's attractions and accommodations.

West Coast Travel offers travel information for the western states.

Pan Am's Travel Guide contains up-to-date information on immigration

and health requirements for most foreign countries.

And TravelVision® provides complete automotive information, including road maps and an expert, personalized routing service.

Let your travel plans really take off. Use Travelshopper and lots, lots more from CompuServe.

To buy a CompuServe Starter Kit, see your nearest computer dealer. To receive our informative brochure, or to order direct, call or write:

CompuServe

P.O. Box 20212, 5000 Arlington Centre Blvd., Columbus, Ohio 43220

1-800-848-8199

In Ohio, Call 1-614-457-0802

An H&R Block Company

Travelshopper and Frequent Flight Bonus are Service marks of TWA

Apple Emulator For Commodore 64?

I have heard of an add-on system for the Commodore 64 that will allow you to use any of the Apple hardware and software on the 64. What is

Jason Meudt

When the 64 was first introduced, there wasn't very much software available for it, but Apple had thousands of programs available on just about every subject imaginable. It wasn't long before rumors began circulating about an Apple emulator which plugged into the 64 and turned it into an instant Apple. Some companies even advertised them and took orders. As far as we know, none was actually delivered.

The problem of one computer emulating another is complex. Besides having to duplicate the functions of the operating system of the computer being emulated, you must also have a disk drive which can read the other system's disks. Commodore's 1541 normally can read only those disks formatted on disk drives compatible with the 1541, not Apple disks. Hence, you'd need an Applecompatible disk drive. Even though both the Apple and Commodore use a 6502-family microprocessor, you must still have Apple DOS and a different operating system. All that remains of your original 64 is the keyboard, some RAM chips, and the

Program Your Own EPROMS

VIC 20 C 64

PLUGS INTO USER PORT. NOTHING ELSE NEEDED. EASY TO USE. VERSATILE.

Read or Program. One byte or 32K bytes!

OR Use like a disk drive. LOAD, SAVE, GET, INPUT, PRINT, CMD, OPEN, CLOSE-EPROM FILES!

Our software lets you use familiar BASIC commands to create, modify, scratch files on readily available EPROM chips. Adds a new dimension to your computing capability. Works with most ML Monitors too.

- Make Auto-Start Cartridges of your programs.
- The promenade™ C1 gives you 4 programming voltages, 2 EPROM supply voltages, 3 intelligent programming algorithms, 15 bit chip addressing, 3 LED's and NO switches. Your computer controls everything from software!
- Textool socket. Anti-static aluminum housing
- EPROMS, cartridge PC boards, etc. at extra charge.
- Some EPROM types you can use with the promenade™ 462732P 2564 2764 27C64 2532 2732 27C32 2732A 5133 5143 2815* 2816* X2816A* 52813* 48016P*

▶ "Commodore Business Machines

*Denotes electrically eraseabl types

promenade

JASON-RANHEIM

Call Toll Free: 800-421-7731 In California: 800-421-7748



romenad

JASON-RANHEIM 580 Parrott St., San Jose, CA 95112



microprocessor. Therefore, an Apple emulator for the 64 would end up costing almost as much as an Apple purchased outright.

There's also a possible legal complication. Apple has been very aggressive in bringing lawsuits against vendors who market products with ROMs that Apple feels are close copies of its own operating system. For example, Apple successfully fought a long legal battle with the makers of the Franklin Ace computer. Since the emulator would have to provide an operating system that closely resembled Apple's, it's quite possible that the manufacturer would end up in court.

Moreover, new programs for the 64 have been published or released commercially on almost a daily basis since the 64 was introduced. By now most of the original Apple library has been translated for the 64, with enhancements to take advantage of the 64's more advanced sound and graphics capabilities. Thus, much of the original impetus for the development of an emulator has dwindled. In fact, with the booming library of original software for the 64, a 64 emulator for the Apple might prove more popular.

Nevertheless, one Apple emulator is currently being advertised in COMPUTE!, though at this writing it is not yet available. Mimic Systems Inc., 1112 Fort St., Fl. 6M, Victoria, B.C., Canada V8V 4V2, has announced an Apple emulator and plans to have it ready for the Winter Consumer Electronics Show in January, with sales to begin early in 1985. Mimic's current price estimate is around \$600. For comparison, the Apple IIe is presently available for about \$800.

TI Rounding Routine

Here's a routine for TI-99/4A users that will round off decimal points to any desired place. Bill Gardella

```
100 N=0
11Ø D$=STR$(C)
12Ø N=N+1
13Ø E$=SEG$ (D$, N, 1)
140 IF E$="" THEN 250
150 IF E$<>"." THEN 120
16Ø E$=SEG$ (D$, 1, N+2)
17Ø F$=SEG$(D$, N+3, 1)
18Ø IF F$="" THEN 200
19Ø G=VAL (F$)
200 H=VAL (E$)
210 IF G<5 THEN 230
22Ø H=H+.Ø1
23Ø C=H
24Ø GOTO 27Ø
25Ø H=VAL (D$)
260
    C=H
270 REM Rest of program from here o
```

Presenting a new strategy arcade game — where the dark dungeon-maze of the Netherworld holds nightmarish adventure, nonstop action and heart-pounding excitement for you,

GENSCONE CLARRIOR

FOR THE APPLE® & COMMODORE 64™

Finely-honed combat skills may defeat the hordes of hellish monsters, but sharp wits are needed to map the torturous passages if you are to succeed in your quest for the Gemstone!



On 64K disk for the Apple II with Applesoft ROM II+ IIe, and Iic. On 64K disk for the Commodore 64C Uses keyboard/joystick controls. Find and store treasures and magic items to help you along the way. Learn well the properties of each magic item: You may have only seconds to use one to save your life!



Search for this game at your local software/computer or game store today!

252

Strategic simulations. Inc.

If there are no convenient stores near you, VISA & Mastercard holders can order this \$34.95 game direct by calling 800-227-1617, ext. 335 (toll free). In California, call 800-772-3545, ext. 335. Please add \$2.00 for shipping and handling.

To order by mail, send your check to: STRATEGIC SIMULATIONS, INC. 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043. (California residents, add 6.5% sales tax.) All our games carry a "14-day satisfaction or your money back" guarantee.

WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES.

QSA

The New Atari

With Sigmund Hartmann President Of Atari Software

Tom R. Halfhill, Editor, and Selby Bateman, Features Editor



Sigmund Hartmann

Sigmund Hartmann was born in Germany, educated in Belgium and the United States, and is one of the few people who have worked for the volatile Jack Tramiel three times-twice at Commodore, and now at Atari. Before joining Commodore for the first time, Hartmann worked at TRW, a major high-technology corporation. His first stint at Commodore as general manager didn't gel, so he returned to TRW. In all, he spent 18 years at TRW, working as an engineering manager for NASA space projects and running a division which

included hundreds of engineers and programmers. In 1983, Hartmann rejoined Commodore to head Tramiel's newly formed software division. But in early 1984, after a management dispute, Tramiel shocked the industry by leaving the company he had founded in the 1950s and buying Atari—ironically, a firm he had nearly destroyed in the home computer price war of 1982–83. Several top executives and engineers loyal to Tramiel left Commodore in the months afterward and followed their former boss to Atari. In late 1984, Hartmann crossed over, too, taking command of the remnants of Atari's software division.


COMPUTE! caught up with Hartmann in November at the COMDEX/Fall computer show in Las Vegas soon after his move. Hartmann was accompanied by two of Tramiel's sons, who now hold top positions at Atari. Although Hartmann had just begun to immerse himself in the herculean task of rebuilding Atari, he agreed to discuss the company's future plans and the new computers it hopes to introduce at the Winter Consumer Electronics Show (CES) in January. It was almost two months before CES, and Hartmann had few technical details, but he was willing to sit down for 20 minutes and sketch out the most important points in his heavy European accent.

Atari is pegging its comeback on the release of three new machines in the first half of 1985: a 128K RAM, upward-compatible version of the existing 800XL; a powerful 16/32-bit computer built around the Motorola 68000 microprocessor found in the Apple Macintosh; and a superpowerful, full 32-bit machine with perhaps as much as 1000K of RAM (one megabyte). All will be massmarketed, and the latter two are

COMPUTE! Books' NEW RELEASES

for your Macintosh, Atari, and IBM PC and PCjr

You can always count on COMPUTE! Books to provide you with the newest and most up-to-date titles for your computing use.



Becoming a MacArtist


by Vahe Guzelimian

This illustrated guide to Macintosh graphics shows the power and flexibility of MacDraw, MacPaint, and MacWrite. With this book, you can produce sophisticated advertisements, designs, layouts, reports, presentations, and business correspondence. Hundreds of illustrations detail just how to construct impressive graphics. Shortcuts, tips, and advanced features are also documented to make the Macintosh even more productive. And you'll learn how to duplicate originals, manage files and disks, and create camera-ready copy. Includes a gallery of professional artists' Macintosh creations. \$17.95

COMPUTE!'s Atari Collection, Volume 1

Edited

COMPUTEI's Atari Collection, Volume 1 is packed with 30 original programs, including the exciting and challenging games of "Nessie" and "Reversi"; applications such as "Investment Tracker" and "Disk Catalog Utility"; and tutorials like "An Introduction to Atari PEEKs and POKEs." There's something for every Atari user in this latest Atari volume from COMPUTE! Publications. \$12.95





COMPUTEI's Beginner's Guide to Machine Language on the IBM PC and PCjr

by Marc Sugiyama and Chris Metcalf

Here's everything an IBM owner needs to know to begin programming in 8088 machine language on an IBM PC or a PC-compatible computer. The book includes complete instructions for the use of EDLIN, DEBUG, and the IBM Assembler. Via numerous programming examples, you'll learn to write complete machine language programs. Topics covered include BIOS and DOS function interrupts, string interrupts, string instructions, the stack, and addressing modes. This book is a complete guide for the beginner as well as an excellent reference for the experienced programmer. \$14.95

Enjoy these latest releases from COMPUTE! Books designed especially for your Macintosh, Atari, or IBM PC and PCjr. Visit your local bookstore or computer store, or order directly from COMPUTE! Books.

Call Toll Free **800-334-0868** or mail your check or money order (including \$2,00 per book for shipping) to COMPUTE! Books, P.O. Box 5406, Greensboro, NC 27403



targeted to cost less than \$1,000.

At least one of the advanced computers also will feature a new operating system licensed from Digital Research—CP/M-86K—and Digital Research's GEM (Graphics Environment Manager). GEM shields users from the operating system with icons, pull-down menus, and a mouse controller, as on the Macintosh. (COMPUTE! will have more details on the new computers and operating systems after CES.)

One week before this interview, Atari had slashed prices on its existing hardware and software to boost Christmas sales and raise much needed cash. List prices (before dealer discounts) were cut to about \$120 for the 64K 800XL and \$199 for the 1050 disk drive. Prices of other peripherals and software were substantially re-

duced, too.

Although this interview was conducted in a limited amount of time, Hartmann's comments reveal much about his own plans and Jack Tramiel's new direction for Atari.

OSA-

Hartmann: Can I give you a preview of why I joined the company? The major reason I joined Atari is because, knowing Jack, working for him—this is my third time with Jack—and knowing the type of individual he is—that he is a successful individual—I joined a team of people which I worked with previously. And those people are the ones who took Commodore to one billion dollars. So if you are a smart guy, what you do is you join that team, the winning team, and now you take the new company up to a billion-plus. We learned a few things and we should do better than a billion dollars, for certain. So that is one of the major reasons, and Jack and I were always close. Plus the timing was right. And that's why I took the

Since I am heading software worldwide for Atari, which includes AtariSoft, the strategy is to continue to sell software for non-Atari products. So we want to continue to sell all types of software packages for the PC, for the Apple, for the Commodore, for every machine. In addition to that, we will also sell, under AtariSoft, peripherals which are non-Atari peripherals. So we are going to be totally in the business of selling software products but also peripheral products and accessories for non-Atari machines.

C!: What kind of peripherals might that include?

Hartmann: Printers, disk drives, etc. OK? So that is the strategy which we are going to follow. In addition to that, if you look in the past of the Atari Corporation, the old Atari, the main emphasis was to be recognized as a game company. We definitely want to change that. We are definitely going to be and will be a microcomputer company. And if you look up microcomputer, it says you've got to have the computer technology, you've got to have software with it, and you've got to have peripherals. We are going to concentrate on all those three

In terms of the existing machine, we have an 800XL machine which you've heard about. That 800XL was costreduced. Because of the way we cost-reduced it and eliminated some of the components, we had an opportunity to increase the reliability of it, so we costreduced it and maintained compatibility. And as you know, when you reduce parts in a piece of equipment, the reliability goes up. What we did is we took some of the components and made them a gate array. Gate arrays are more reliable types of devices, OK? So we reduced the price to below \$120-I think you know that. But in

addition to that, we geared up our manufacturing to produce a few hundred thousand or more a month. So it's going into high production. And there is no intention of phasing that machine out. It's going to be going on for quite a long period of time. So it's going to be huge for the after-market.

From what I can see, with our new pricing structure, we are already seeing a trend that people are buying it. They're buying our disk drives, which we reduced the price also now, which is below some other company which we are competing with. So Jack did what he said he would do. He started the trend of moving the company to where it is going to be a superprofitable company.

C!: Those are very attractive prices and you've answered a lot of questions for people.

Hartmann: But in addition to that, we are also coming out with another 800 machine which will have 128K of RAM, which is really what you need, OK?

C!: Will that be compatible with the older Atari computers?


Hartmann: It's going to be upward-compatible totally with the 800XL machines. We're going to stick with a consistent capability in terms of compatibility. We do not want to lose that software base out there.

C!: What other improvements will this machine have?

Hartmann: There are other ones but I cannot tell you now. . . . The big thing is to give you more memory.

C!: What is the price going to be?

Hartmann: It will be probably just a little higher, but I do not know now. It's like the philosophy of Jack Tramiel is to make certain that the end-user gets tremendous value for his money. So the price is going to



\$9.95 trade paperback ISBN 0-942386-78-7

COMPUTE! Publications, the leading home computer publisher, brings you the exciting story of the home computer industry. This book takes the reader into a vivid, dramatic world where a powerful, brilliant businessman almost single-handedly fashions the American consumer computer industry.

A survivor of the Nazi Holocaust, Jack Tramiel took a tiny typewriter parts company and built it into a major American corporation. In the process, he became a modern corporate legend. Some of his vice presidents thought he was a saint, some thought he had the world's hardest heart. But few deny the brilliance of this complex entrepreneur.

For the past four years, Michael Tomczyk has been Tramiel's right hand man. Throughout Commodore's explosive rise to leadership in the computer field, Tomczyk was a close insider. And, most importantly, Tomczyk is a keen observer and takes you where the action

To order your copy, send the attached card, with your payment, to COMPUTE! Books, P.O. Box 5406, Greensboro, NC 27403 or call toll-free 1-800-334-0868.

Add \$3.00 shipping and handling to hardback copy; add \$2.00 shipping and handling to trade paperback.

be way low in comparison to our competition, for example.

C!: Is there going to be a different name for this?

Hartmann: Yeah, we'll have a name for it, but right now we don't have anything. At CES we'll have a name to identify it.

So much for what I call the low-end machine, except for one other thing. In terms of the software for the 800XL, what I'm looking for—and I did discuss a lot of this with thirdparty software developers-I'm hoping we are going to come out with a whole slew of thirdparty software pieces, but the major emphasis being placed not on recreational or game software, but productivity software and educational software. Because as I pointed out before, if you look at Atari in the old days, it was mainly recognized as a game [company] and they had some excellent game software. I'm pushing the pendulum that other way—education, productivity software. And still do games and recreational software. But the best we can buy we can get. I'd rather have less and have quality.

Another very important emphasis which Jack is placing on all of his guys is quality. He feels that quality comes first for a very simple reason. We didn't start this company to be there for one year, go public, and then get out. We are here for the long haul, and in order to take it up to the billions which we want to take it, you need to establish yourself as a quality house. So Jack is really tough on everyone. He wants to make sure we do not ship a product which does not meet the highest quality standard. Very important. And that goes true with software, peripherals, and so on. And that is so much for the 800-series machines.

Now, let's go up to new products. Jack announced that we would have two machines



"We are gearing ourselves to produce half a million computers a month."

coming out and we'll probably demonstrate at least one of them during CES. That is our 16-bit machine. Now again, everyone says "16-bit" and starts to look at what processor we'll be using. The processor which we're using is really a 68000 Motorola processor, which is really—if you look at the advertising by Macintosh, by Apple—a 32-bit machine. But we don't want to play games, so we say that it is truly a 16-bit machine. From a viewpoint of what you can do with it, it isn't a full-blown 32-bit, so we call it a 16-bit machine.

Now, that machine is going to use as its foundation the GEM hookup. Digital Research came out with GEM. You've heard of Crystal, it's like the Macintosh type. It's a graphical representation of what I call an extension of an operating system. It gives you icons, it gives you graphic representations, pull-down menus, and everything, with a mouse—you use a mouse with it. It's like the Macintosh. Now, we signed a deal with Digital Research, and worked with Digital Research for quite a while. We're using, actually, their operating system, the CP/M-86K, that's the operating system which we're using, OK? And we're using their GEM program. And we're working very closely with Digital Research to get that product completed so that we can demonstrate it at CES.

C!: But CP/M-86, isn't that an operating system for the eightbit Z80 chip?

Hartmann: That's K, CP/M-86K. That's what they call a Macintosh-type operating system. . . . In my opinion it's just fantastic.

C!: GEM isn't running on any computer right now, is it?

Hartmann: Oh, yes, you could see it, they have it at Tandy . . . pull-down menus, mouse, everything, like the Macintosh, basically. [Editor's note: This is the MS-DOS, IBM-compatible version of GEM.] We believe if you look at the machine in terms of resolution, graphics, it's going to be very powerful. It's going to have features which in my opinion are going to be better than what the Macintosh features are. So that machine will be available, and we'll demonstrate it in January, and within a few months we'll start to ship it. When I say "a few months," it's tough to predict exactly. I would say within three months or so we'll ship it, I would say not later than that.

C!: But you'll be demonstrating it at CES?

Hartmann: Yes, I would say we'll be demonstrating it at CES. OK, then the next question would be, How are you going to sell it? All of our 16- and 32-bit machines will be sold through the mass merchants. The price structure is going to be below \$1,000. It is going to be so significant in terms of reduction, that we believe that we will really get a big share of the marketplace. If you look at it, really, with the introduction of the 16-bit machine, we are gearing ourselves to produce a half a million computers a month. That's what Jack Tramiel, what

YOUR COMMODORE 64 CAN NOW USE STANDA PIE II+HARDWA

UTEK (AN RAN

WITH THIS

At Mimic we believe that you and your computer should dictate the choices of hardware and software you can use.

The Spartan[™] was developed to allow you to choose the hardware and software that best suits your needs.

Our goal in designing the Spartan™ was simple. To take what you already have and give you more.

Mimic Systems is proud to give you the Spartan™ The Apple™II + emulator for the Commodore 64™

Spartan™ Suggested Retail Prices:

The Spartan™ (includes BUSS, CPU, and DOS cards) \$599.00 BUSS card \$299.00

CPU card (requires BUSS card) \$199.00

DOS card (requires BUSS and CPU card) \$199.00 (All prices in U.S. Funds, Freight not included.)
American Express, Visa and MasterCard accepted.

American Express, visa and mastercurar accept commodore 64 and Commodore logo are trademarks of Commodore Electronics (Id. and Commodore Business Machines, Inc. Applet III+ is a trademark of Apple Computer. In Sportan * is a trademark of Mimic Systems inc., and nos no association with Commodore Electronics or Apple Computer, Inc. The Sportan is manufactured by Mimic Systems inc. under license granted by ATG Electronics Inc. of Victoria. B.C. Canada.



MIMIC SYSTEMS INC. 1112 FORT ST., FL. 6N VICTORIA, B.C. CANADAV8V4V2

To Order Call: 1-800-MODULAR (663-8527)

Atari is doing, gearing ourselves to produce that many. And as far as we are concerned, price performance is going to be there, the quality of the product is going to be assured, the software will be available on the 16-bit machine. I've been talking in the last few days to thirdparty software developers, trying to get them to be partners with us. But more important, our philosophy is to give them the development tools, give them all the help possible so they can develop software and they can sell it themselves if they want to. So it's an open system. A similar philosophy with the Macintosh, really, which Apple followed. Different than what I used to do at Commodore. OK? And it makes sense, you have to look at time. When you bring out a 16/32-bit machine, you have no other choice, you have to operate that way.

C!: Are you getting many takers on this third-party software?

Hartmann: The guys I talked to felt that it sounded very interesting. They also recognize when Jack makes up his mind to do something. So they all said they want to continue talking to us. Some of them will definitely port over the system to our machine, 'cause they've got it running on the Macintosh and they will do it for us. And then we'll decide if they want to sell it to us, or give us a license, or if they're going to sell it themselves. But we do have companies which will do it for us. I can't tell you who yet, because I just talked with them in the last couple of days. And when I get back to my office, we'll continue and get all the data, the specifications, and turn it over to the people.

C!: There are supposed to be two new computers out for Atari next year, a 16-bit machine and also a 32-bit. What's the next machine out?

Hartmann: The 32-bit machine, we don't want to tell you yet what the processor is on it. It's going to be coming out about two or three months later, after CES, and you can guess what kind of processor you'll have to put in it. There are many fullblown 32-bit processors. I'll give you a couple of choices which I have in my mind. One is the 68020, which is the Motorola. Another one you can look at is the National, which is the 32032. And then you have Intel and I don't know how many more. But there are a couple of them, and I'm sure you can add a couple of more to them. And we will make our software and write our system in such a way that we can pick either of the two architectures and still make it work. So we have a little time to think about which system to use. We'll make that decision probably within the next four to six weeks.

C!: If we could come down to Atari sometime in December before CES and take a look at these, because we have a very loyal Atari following and I think they're looking for what's going to come. Plus a loyal Commodore following which is interested, too. . . . Now, the two new computers—these are very powerful computers, more powerful, obviously, than an IBM PC. Will they be marketed as home computers or business computers or something in between?

Hartmann: I'll tell you what Jack says. He doesn't care. He says he sells them. If a guy wants to buy them for home uses, wants to buy them for personal business, wants to buy them to run his business, that's fine. But we'll have the proper support there, we'll have the right software there.

C!: So the 32-bit machine also will be at the mass merchants?

Hartmann: All mass merchants. I'm telling you, below \$1,000.

C!: For both machines? How much memory will the 32-bit machine have?

Hartmann: I can't tell you that, but it has to be sufficient for people to use it.

C!: OK, now you'll massmerchandise them, but if it's available in K marts and places like that—

Hartmann: But you have to look at K mart. How about if I tell you K mart may have a computer store?

C!: Like Sears, OK. But will people take seriously for business purposes a computer that's mass-merchandised?

Hartmann: But we are not saying that it should only be for business. Only that a guy can buy a 32-bit machine.


C!: You're saying an under-\$1,000 computer for anyone who wants to buy it, massmerchandised.

Hartmann: And he can either use it for business, either use it for his home—have fun, do anything—it's up to him. We don't want to tell the guy, "Hey, this is only a business machine."

C!: Right, but at the same time, you can also use a 64 or an Atari 800XL for some businesses, but no one takes them seriously because they're sold as home computers.

Hartmann: That's why the software. That's why if you look at GEM, and you look at the application software which we'll have with the machine, it's going to be so friendly and so wonderful to use, it's going to make a lot attractive. You don't need all the jillion pieces of support, you don't need a thick manual, like this thick. It'll be a lot simpler.

TAKE A BREAK! & Commodore Gy.



WITH NIGHT MISSION PRBALL

You deserve the best. You've earned it. Now reward yourself with a session of Night Mission PINBALL, the most realistic and challenging arcade simulation ever conceived! ■ Stunning graphics and dazzling




sound effects put Night Mission PINBALL in a class by itself. Game features: multiball and multi-player capabilities, ten different professionally designed levels of play, and an editor that lets you create *your own* custom modes. ■ So take a break with Night Mission PINBALL from SubLOGIC. Winner of *Electronic Games* magazine's 1983 Arcade Award for Best Computer Audio/Visual Effects.

See your dealer . . . SUD

Order Line: 800 / 637-4983

Corporation
713 Edgebrook Drive
Champaign IL 61820
(217) 359-8482 Telex: 206995



Though some authors and stars are lending only their names to entertainment software, others are actively contributing to the game's design. Here's a look at what's happening.


You see it practically every time you flip through a magazine or turn on the television. Fame lending its name to the cause of advertising. Tennis players and movie stars and race-car drivers hawking shampoo and sports equipment and clothing lines.

We've seen the same thing happen with microcomputers, famous faces and voices telling us which one to buy. Some entertainment software publishers are taking it a step farther;

instead of promoting a package, the personality is a major part of the software, either as one of the game's characters, or even its designer.

he Trillium series, produced by a division of Spinnaker Software, is one of the best examples of this trend. It's a series of interactive adventure games for the Commodore 64 and Apple II-series computers, based on novels by well-known science fiction authors.

In each of the games, the



uma

player takes the role of the novel's main character, encountering his or her problems and making decisions. Full-color graphics and a sophisticated parser that


0588.88

E8.81 80

understands several hundred words make the games easy to play. A hint book and word list are included in each package.


In late 1983, Spinnaker approached writer Michael Crichton, thinking that some of his works might lend themselves well to adventure games. He surprised them. He was just completing work on an adventure game of his own. "They came to acquire book rights and ended up taking a finished game," says Crichton.

Crichton, author of The Andromeda Strain and Congo, and writer/director of many science fiction films, was very interested in interactive fiction. He had been asked to do some creative work using laser disks but declined, believing that they couldn't be accessed in a sufficiently sophisticated fashion.



find a place in computer games. Pictured from left to right are

Fahrenheit 451, part of the Trillium series from Spinnaker; Creative Software's Break Street; Spy vs. Spy, First Star Software's adaptation of the comic strip from MAD magazine; Bruce Lee, from Datasoft; and the joint project of Infocom and author Douglas Adams, A Hitchhiker's Guide to the Galaxy.



He had hired programmer Steve Warrady in 1982 to help translate an original story into Apple assembly language. The result was *Amazon*, a graphics and text adventure in which the player is an agent for NSRT, a high-tech research firm. The player must travel to the Amazon and recover valuable emeralds hidden in the Lost City of Chak, with the help of a friendly (and often sarcastic) bird named Paco.

Fahrenheit 451, another game in the Trillium series, is a sequel to Ray Bradbury's book of the same name. As Guy Montag, the player lives in a future totalitarian society whose government is committed to controlling the populace by destroying all literature. Montag's mission is to restore to the world the freedom it once had.

Rendezvous With Rama is based on the Arthur C. Clarke novel. The player, as captain of a small scout spaceship which has just encountered an alien starship hurtling into the solar system, must explore it and try to make contact with alien intelligence. (Clarke wrote a new ending to be used in the game.)

The fantasy *Dragonworld*, by Byron Preiss and Michael Reaves, sends the player on a journey to rescue The Last Dragon from the Duke of Darkness.

And here's an interesting twist: Science fiction writer Alan Dean Foster wrote a novel based on the fantasy game *Shadowkeep*. The player's task is to recapture the Shadowkeep, with its mazes and monsters, and to free the good wizard Nacomedon. Up to nine characters may be chosen by the player while exploring the keep. Designed as an interactive adventure, the game incorporates many aspects of role-playing fantasy software.



Who ya gonna call?

Spinnaker's Trillium series, pictured from left to right, top row: Rendezvous With Rama, Amazon, Shadowkeep, and Dragonworld.

In this scene from Ghostbusters, a ghost is being sucked up by a ghost vacuum as the player drives from one building to another.

oftware designer David Crane, a cofounder of Activision, went to see the movie Ghostbusters on the recommendation of a friend. "I think I may have enjoyed it a lot more than some people because it was sprung on me," he says. "From the first special effect, you knew that there was something here that wasn't just stand-up comedy."

Two days after he saw the movie, someone at Activision asked if he'd like to write a computer game based on the movie. He took a day to think about it. "To do justice to any game takes no less than 500 hours of my time, and I was going to get married in six weeks."

His decision to do it was based partly on the fact that he had already been working on the game without knowing it. For a couple of months, Crane had been trying to develop a game that had something to do with equipping a car and driving it around city streets, but it was going nowhere. "It was a game concept in search of a theme," he says.

And the Ghostbusters theme

A SECOND CHANCE to GET the NEW WORLD RIGHT.

F COLUMBUS HAD LANDED IN NEW JERSEY; if Cortez had been nicer to Montezuma; if Pizarro had been a more generous soul, would the world today be any different?

If you've ever wondered about things like that, you'll like Seven Cities of Gold very much indeed.

It's a kind of adventure. An unusually rich and technically impressive one with new continents to explore, natives to encounter, resources to manage and trade routes to establish. But beyond all the neat stuff Seven Cities throws up on the screen, there's something else happening here.


It feels quite odd to look at the map and see nothing. Of course you have to explore the more than 2800 screen new world in order to map it. But the way the natives act, the way you get older,



This is Europe, in scrolling 3-D graphics. You outfit, visit the Crown, launch your ships, and if you're cut out for this, you return later to tell all sorts of wild stories about what it's like over there.



There are over 2800 screens to explore in the new world. As you scroll through them, seasons change.



Animated natives surround you. They have no reason to trust you. The drum beat quickens.



Trading with the Aztecs is tricky. You could wind up with enough gold to build an empire. Or as soup.



Home again you view your maps, pat yourself on the back, and consider your place in history.

the way seasons change and your men behave, and the way your reputation preceeds you gives you a sort of feeling that's unexpected in computer games. It's deeper. Maybe a little disquieting. It plays as much in your head as it does inside your computer.

Seven Cities does all this with the real world or, better still (since the "new" world really isn't anymore), it will construct any number of completely detailed hemispheres for you to try your hand with.

Designed by Ozark Softscape (the people who made M.U.L.E., Infoworld's "Strategy Game of 1983"), Seven Cities is about as near a recreation of history as has ever been accomplished, with or without a computer.

Find it. Stomp around in it. See if you can't do a better job than all the celebrated figures who got us into the mess we have to deal with today.

SEVEN CITIES of GOLD

from ELECTRONIC ARTS™



fit perfectly. The theme song from the movie plays throughout the game (you can sing along by following the bouncing ball at the game's opening) as you buy a car and outfit it with equipment like ghost bait (to trap the marshmallow man) and a ghost vacuum (to suck up ghosts as you drive through the streets of the city). Buildings flashing red are ghost-ridden, and it's your job to maneuver each ghost into a ghost trap before he "slimes" you. The game is won when you've captured enough ghosts to enter Zuul.

"It's an amazing coincidence that what I was doing followed the script of the movie. I was able to put the theme and game together in such a way that I could have what's really an original game concept that embodied the spirit of the movie."

here were no coincidences involved in the development of Infocom's computer game version of A Hitchhiker's Guide to the Galaxy, just a lot of mutual admiration. "Most people at Infocom were Hitchhiker's fans, and Douglas Adams [author of the book] was an Infocom game player," says Steve Meretzky.

A Hitchhiker's Guide to the

Galaxy is the story of Arthur Dent, an ordinary human being who is thrust into some rather extraordinary circumstances. After being told by Ford Prefect (an alien in disguise) that the earth is about to be destroyed, he hitches a ride on a Volgon spaceship, where he is tortured by having poetry read to him. Surviving that, he is ejected into contact via electronic mail as space, and is rescued by the Heart of Gold, another spaceship, and brought to the planet Magrathea. Improbable things continue to happen as the zany plot unfolds.

Meretzky, a program designer for Infocom, and Adams worked together to translate the book's themes, characters, and humor into a text adventure. "The game starts out following the book pretty closely, up to your arrival on the Volgon ship," he says. "From that point, until you get to the Heart of Gold, the general story line is pretty similar, but a lot of the more specific things that happen aren't the same things that happen in the book.

"By the time you get to the Heart of Gold, the story diverges almost completely from the story line of the book. But there are a number of things that are just sort of alluded to in the book that are gone into in much more detail in the game."

Adams, whose home is in England, visited Meretzky at Infocom for about a week to

game. They found that their creative styles differed. Meretzky, who had previously designed Planetfall and Sorcerer for Infocom, usually came up with an overall concept for a game, then went back and filled in details. Adams did it the opposite way-details first.

So they kept in constant Meretzky was programming, then met again in England for some intense final sessions ("We basically holed ourselves up in a country inn and didn't come out until we had finished").

Meretzky found a different kind of challenge in programming a game whose story line had basically been written by someone else. "In some ways it's easier, and in some ways it's harder," he says. "It's easier because you have some constraints on the universe you're going to be designing, and on the characters you're going to be using, and a lot of the situations, and you don't have to come up with as many ideas.


"But on the other hand, there's more of a challenge because you want to take advantage of the features of an interactive game, and you don't want it to be just a translation of the book, because the book is necessarily linear. You want to take advantage of the features and the power of the computer to do something different.



Datasoft's The Dallas Quest and four from Epyx: Barbie, 9 To 5 Typing, Breakdance, and GI Joe.



Compose music, even if you can't read a note.



With the Bank Street
MusicWriter by Glen Clancy,
you compose by computer.

It's so simple, people who don't know a pianissimo from a pizza can start composing in less than an hour.


All you do is match the sound that you hear in your head. And the MusicWriter writes it down.

But don't be fooled by the

simplicity. It's not a toy. It's a tool.

In fact, MusicWriter has everything you need to compose a serious symphony. It has repeat's, endings and triplets. It has articulation and transposition. It can shape tones, store 75 staffs, and play up to 4 voices.

But even if you don't know what all that means, it won't stand in your way. Because if you can hum a tune, you can write a tune.



Bank Street MusicWriter from Mindscape Mindsca

Compatible with Atan* and Commodore* Mindscape, Inc., 3444 Dundee Road, Northbrook, Illinois 50002.

For more information, call 1-800-221-9884. In Illinois, 1-800-942-7315.

Michael Crichton Reflections Of a

There are new ways of presenting information other than the traditional ways in which the viewer or reader is required to be passive. A few years ago, I realized that I didn't know about these things, and that I'd better find out about them. The only way I could learn was to actually go and do one. So I said, "Well, I'll just make a game and then I'll learn." And I certainly did.

Interactive fiction—the adventure game—is one of those new ways. And Michael Crichton is one of the newest authors in this genre.

Crichton is better known for his work in fiction and films. His novels include *The Andromeda Strain*, *The Terminal Man*, and *Congo*. As a filmmaker, he has been involved in the writing and directing of *Westworld*, *Coma*, *The Great Train Robbery*, *Looker*, and the recently released *Runaway*.

The rapid growth of technology—and the decisions it necessarily forces on societies—has been a major theme in much of Crichton's work. He's been interested in the artistic potential of microcomputers since the start, and owns several himself, including an Apple, a Commodore 64, a Radio Shack Model 100, and several IBM PCs.

Crichton has used his micros primarily for word processing and game playing, but was especially intrigued by the possibilities that lay in adventure gaming, and disappointed that games weren't being more cleverly designed.

I simply didn't understand the mentality that informed them. It was not until I began programming myself that I realized it was a debugger's mentality. They could make you sit outside a door until you said exactly the right words. Sometimes you had to say, "I quit," and then it would let you through.

Well, that's life in the programming world. It's not life in any other world. It's not an accepted dramatic convention in any other arena of entertainment. It's something you learn to do when you're trying to make the computer work.

So in 1982, eager to explore this partici-

patory art form, Crichton started to script his own adventure game. Since the only computer language he knew well was BASIC, he hired programmer Steve Warrady to help translate his story into graphics and text using Apple assembly language.

I wanted to make a game that tended to reflect my own prejudices. My prejudice is that I'm not a fantasist. I don't like magic spells to get me across the river and I don't like to meet trolls and dwarfs. I got tired of that when I was six.

So I wanted to have a more realistic world. In Amazon, when you get to the river and find the boat that has a hole in it, there are three ways to patch it. And they're all things that would work with a real boat. You just use your head and say, "What would I do with the material available to me in the real world—this tangible world we all know about—that would work?"

Another prejudice: In Amazon, you can't solve your problems with violence. In general, as you go along, you'd better be more clever than violent.

And another: The mazes in this game are only there for punitive reasons. I loathe mazes. I think they're a programmer's trick. They make the game slower and longer without being a very complicated programming task and not very interesting. If you make a mistake in Amazon—and it generally has to be a bad mistake—you get dumped in a maze.

Crichton discovered something surprising along the way: There wasn't much difference between writing an adventure game and scripting a movie.

Every consideration in making a movie is to try to see what the audience is thinking. Have I shown them this long enough? Did they get this point? Can they tell what this sound is?

In writing an adventure game, those considerations are merely formalized, since the audience will in fact be literally responding. So I have to think, "If they're outside this door, what will they think? Will they be afraid to go in? What would a person do in this situation?"

Here's what I found out early on: You can't have extremely varied choices that don't seem to matter. I can go north, south, east, or west, and who cares? You can only do that for a while, and then if you don't start to have an expectation of what will happen, you'll stop playing the game. You'd better get right going and you'd better start

to have something happen.

If I play a game for a half-hour and it doesn't make any sense to me, I'll just quit and never go back. Say I'm locked in this house and I don't know what the point of the house is and why I can't get out and there's no sort of hint to me about the mentality that would assist me in getting out—I don't know. I could say "Shazam!" or I could burn the house down or—give me a break. I just stop.

Crichton, a professional storyteller, took tremendous care with the plot, the actual story line of Amazon. I think about a plot as being a story where you can imagine the consequences as you go. It's like the little guy who yells at the screen, "Look behind you, Hoppy!" You must know something the character doesn't. The audience has an expectation—if you go in this room,

the bad guy will be there. That's plot.

At a certain point in the process of designing *Amazon*—after all the material was generated, all the possible plot twists, and settings and characters were either accepted or rejected—Crichton started treating the game like a movie. He and his programmer and graphic designer collaborated like the creative and technical forces of a film crew collaborate.

The game took 18 months from start to finish, perhaps a bit longer than most videogames, but as Crichton says, they were all learning. We're not a professional software company. We're just some people making a program.

Trillium approached Crichton to acquire book rights about the time he was polishing Amazon. They came to me and said they wanted to do a series of adventure games based on novels and I said, "Guess what? I just finished one." It was absolute coincidence.



Amazon has its share of bad guys, but they're generally human, unlike the high-tech villains in many of his other creations. Technology, though, is not the enemy. Crichton thinks that he may have been misunderstood in the past.

Everyone remembers the scene in Westworld where Yul Brynner is a robot that runs amok. But there is a very specific scene where people discuss whether or not to shut down the resort. I think the movie was as much about that decision as anything. They just didn't think it was really

going to happen.

I don't see technology as being out there, doing bad things to us people, like we're inside the circle of covered wagons and technology is out there firing arrows at us. We're making the technology and it is a manifestation of how we think. To the extent that we think egotistically and irrationally and paranoically and foolishly, then we have technology that will give us nuclear winters or cars that won't brake. But that's because people didn't design them right.

Software That Works For Generations

6 Types of Charts and Sheets **Indices** User Fields Notes, Footnotes and Sources No Limits Adapts to Your Hardware Comprehensive Easy to Use And Much, Much More

Send for brochure and sample printouts.

Family Roots includes detailed manual and 2 full diskettes of programs for your Apple II, IBM PC, Commodore 64 and CP/M.*

Other genealogy software also available.

Price \$185. Satisfaction Guaranteed.

American Express, Visa & Mastercard Accepted

* Trademarks for Apple Computer, Inc., International



Business Machines, CBM, Inc., & Digital Research.

OUINSEPT, INC. P.O. Box 216, Lexington, MA 02173 (617) 641-2930

Is your 64™ still doing 55?

SpeedWriter* Compiler

- Runs software up to 30 times faster
- Reduces program size up to 50%
- Decreases disk access time
- Compiles most basic programs without altering them

MenuWriter*

- Create professional auto-load & auto-run menu(s)
- Instant menu screens at the touch of a key stroke

For all major computers

Call now for details: 1-800-621-4109

In Illinois 312-470-0700

Speed

odeWriter

The world's leading supplier of program design software.

7847 N. Caldwell Ave., Niles, IL 60648

esides characters and stories from books and movies, other famous personalities and trends have been incorporated into entertainment software.

The recent awareness of breakdancing has spawned at least two computer games: Break Street, by Creative Software, and Breakdance, by Epyx. Both games feature breakdancers performing various steps, and allow you to choreograph your own dances or imitate routines already created.

Epyx has also released three other programs based on famous faces. In Barbie, you can do the same things that young girls have done with Barbie dolls for 25 years: shop for or design clothes, style and color Barbie's hair, and dress her up. G. I. Joe, taken from the familiar child's toy, lets you select a battle situation and outfit your soldier to fight. And everyone gets to try for revenge on Mr. Hart in 9 To 5 Typing, a typing tutorial using characters from the movie 9 To 5.

I.R. haters don't have to wait until Friday night to see their favorite villain. Datasoft's Dallas Quest, a text and graphics adventure, puts you in South Fork and pits you against the TV show's bad guys as you try to succeed in a dangerous task given to you by Sue Ellen. Datasoft has also recently released Conan, based on Arnold Schwartzenegger's musclebound hero, and Bruce Lee, based on the karate expert of film fame.

Commodore and Marvel Adventures, along with the programming talent of Scott Adams, have designed an adventure game based on the television show The Hulk. The player controls the intellect of both Bruce Banner and his alter ego, the big green guy, as he struggles to unlock the riddle of the Chief Examiner.

Cartoon characters continue to show up in games, too. Sierra On-Line, which brought you BC's Quest For Tires, has licensed some of Walt Disney's creations for use in educational software. Donald Duck's Playground helps develop moneyhandling skills, as well as shape, color, and letter-matching abilities. Mickey's Space Adventure promotes the development of mapping and problem-solving skills while teaching about the solar system. And Winnie The Pooh In The Hundred Acre Wood encourages good mapping and reading skills.

Spy vs. Spy, the cartoon strip series from the pages of MAD magazine, is now a computer game, published by First Star Software. In it, the White Spy and the Black Spy play tricks on each other and oppose each other in competitive, humorous, and dangerous

situations.

big name doesn't guarantee a superior game, but it may improve sales. And when a personality doesn't just endorse a product, but is actually involved in its design and production, you've probably got a better than average program—if the individual was working within his or her own area of expertise.

Filmmakers and play producers try to get "names" for their shows, not only because they'll draw bigger crowds, but because, generally, that person had to evidence some talent to become a name in the first

place.

Will people buy software if a superstar was involved in its making? Does Michael Crichton think that his name will influence people to buy Amazon?

"I don't know. What do you think?" he says. "I don't think it matters. I think what's important is that it's a good game."

SO YOU THINK YOU GOT THE BEST OF FROGGER AND ZAXXON? SORRY.







See, while you've been mastering them, we've been advancing them. Making them even more fun than before. So now we have two

new mindblasters.

Frogger II Threee-Deep, a three-screen nightmare. Starting with an undersea

battle against deadly creatures and the cruel undercurrent. If

you do make it to the surface, it just gets worse. The only hope is to leap into the sky where even more frog-eating monsters lurk.


And Super Zaxxon, taking you beyond the outer limits in

your space fighter.
Tunneling through
enemy attack, firing
at Zaxxon's forces,
dodging mine layers.
And beyond the last

electron barrier, the ultimate test. Zaxxon is now a killer dragon hurtling heat-seeking fireballs.

Hope we haven't scared you. But if Sega doesn't keep you ahead of the game, who will?

Atari 2600	Atari 5200	Atari Compu- ters Cartridge	Atari Compu- ters Diskette	Commodore 64 Cartridge	Commodore 64 Diskette	ColecoVision & ADAM	Apple II's	IBM PC	✓Sega Enterprises, Inc. ✓ParkerBrothers ✓HesWare
NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	FROGGER II
		NEW	NEW	NEW	NEW		NEW	NEW	SUPER ZAXXON







©1985 Sega Enterprises, Inc. FROGGER is a trademark of Sega Enterprises, Inc. THREEEDEEP is a trademark of Parker Brothers. ZAXXON is a trademark of Sega Enterprises, Inc. Game screens are illustrated.

BIRTH

OFA

COMPUTER GAME

Sharon Darling, Research Assistant

Five of the world's best computer game designers talk about how they create their games.

hris Crawford, Jon Freeman, Bill Budge, Bruce Carver, and Dan Bunten—some of the most famous names in computer game design—don't consider themselves master programmers. It might be more accurate to call them artists who also know how to program a computer.

"I wouldn't characterize myself as a brilliant programmer; I would characterize myself as a competent programmer, and that's about all," says Crawford, the designer behind such critically acclaimed games as Eastern Front and Excalibur. "Great games don't spring from brilliant programming," he adds. "Brilliant programming can only take you a very short distance. The first real trick is at the design stage."

Budge, who created Pinball Construction Set, an innovative,

seminal game, concurs. "It's important not to be just a programmer right now," he says, "and I think the most unique thing I do is in the area of designing, although I also think I'm lucky that I'm a good programmer, so I don't necessarily have to depend on other programmers."

Another vote for the importance of design comes from Bruce Carver, author of the games Beach Head and Raid Over Moscow. "A programmer has to be some kind of artist in addition to being just a raw programmer," he says. "If he can't sketch and draw pictures, he has to rely on an outsider to help him program the game if he wants it to look good.

"And the problem with that is that an artist just sees the picture in his mind, he doesn't really see things interacting from a programmer's point of view. So we feel that a good programmer has to be three or four different people at the same time if he wants to do this game and make it very cohesive."

hile the basic idea for a game may come from anywhere—the name Raid Over Moscow sprang up on a trip from Las Vegas to Carver's home in Utah—from that point on, the process becomes very detailed and takes months to complete. "Regardless of how it [an idea] starts, a premise has to be developed," Carver says. "So what we [the design team at Access Software do is sit down in a meeting, and we talk about this idea that we think has potential."

Moving from the talking stage to the completed game involves many steps, and the game may even be shelved at some point along the way because the original idea just didn't lend itself to a finished product.

"We're firm believers in the storyboard type of approach," says Bunten, whose software development firm, Ozark Softscape, turned out the hit games M.U.L.E. and Seven Cities of Gold. Using such a system means that "you've worked out

Your Personal Your Personal

Its only business is managing your home finances. No program does it more quickly, more easily, more directly.

Your Personal Net Worth systematizes the management of your household income, expenses, credit cards and check books using methods tested for accuracy by Touche Ross, one of the nation's leading accounting firms.

Your Personal Net Worth puts your computer to work, keeps your records straight, including your personal inventory of valuables and stock portfolio, tells you where and how you're spending your money or if you're making a shambles of your budget. And does it all

in less time than it takes you to balance your check book.

Nothing else — no other program at twice the price — makes handling your personal money matters simpler, faster and more direct than Your Personal Net Worth.

You'll find it at your favorite software retailer in the silver box with the real silver dollar on the front. It could be the single most valuable purchase you'll ever make.

Record all banking and any credit card transactions, reconcile bank statements instantly (up to 10 separate bank accounts can be handled), — print checks, too.

Set up a budget (as many as 350 categories) - and then compare your actual income and expenses to the budget.

Never forget a tax-deductible item. Today or at tax return time.

Display or print every financial report you'll ever need.

The Scarborough System CALL TO SERVICE OF THE PARTY OF The home money manager. The program that manages your important money matters; income, expenses, investments, per and budgets...quickly and easily It's all you'll ever need in a house of the program of IBM PC, XT, PCjr (128K, 80 column display); Apple II, II+, IIe, IIc (64K); Alari 800, 1200 and all XLs (48K); Commodore 64

Record stock, bond and other investment transactions. Inventory household valuables, collectibles and important papers for insurance and other purposes.

Your Personal Net Worth works fast because it's in machine language. Documentation in plain English is referenced for easy use. "Help" functions on screen at all times.

Available for:

IBM-PC/XT/PCjr (128K) Apple II + /IIe/IIc (64K) Commodore 64 Atari (48K) The Program comes with two disks, one of which has accounts already set up for entry. However, only one disk drive is necessary.

© 1984, Scarborough Systems, Inc., 25 N. Broadway, Tarrytown, NY 10591

at that point most of the key conceptual elements, and you work out what the driving motivation is that the player should experience when he's playing," Bunten says. "What's his goal—what is he after, what does he want to get out of this experience? That's one of the first things we want to get. Then we'll figure out, based on that, how the environment has to support the image."

Carver looks for a sweatypalm feeling. "There's a lot of thought given to what's going to be the most playable screen. You want to take that user to the point where his hands start getting sweaty, and he's always making decisions on what he's going to be firing at, or what


he's going to do.

"If you just always have the same thing for him, he's going to get bored really quickly, so you make his mind work, you give him options. . . . We try to very subtly put those all through the game, so it's not really apparent, but it retains the interest for a long time."

Freeman, whose credits include Archon, Archon II: Adept, and Murder on the Zinderneuf, says he starts with an idea "that has become sufficiently clear and sufficiently compelling or attractive—whichever project is nagging me the most." From there, an outline is developed to chart the game's direction.

"We have a good idea where the game is going and what it will look like at the beginning," Freeman says of his software team, Freefall Associates. "But there's a lot of finetuning that can only be done after the game has started to take concrete form.

"The design is not something cast in stone that has to be followed to the letter—it's more of a guideline. Many people who start have only a vague idea where they're going. We do have a pretty good idea where we're going, but that doesn't



Bruce Carver

mean we don't run into blockades. We kick out ideas and throw out the bad ones."

lso, some games contain hidden lessons. "Some of the games I've done have had goals of teaching people about nature or warfare—specifically, the goal of quantitative factors versus false factors," Crawford says. "The point of the game Excalibur is leadership. I didn't set out to do a King Arthur game—I set out to do a game about leadership. And once you've chosen your goal, you choose a topic that is a theme for expressing your goal."

With Eastern Front, he adds, the goal was "to teach people the difference between fire power and military effectiveness—it was something that was bothering me. A lot of Americans have this problem in thinking that the more weapons you have, the more powerful you are."

In Seven Cities of Gold,
Ozark Softscape embodied three
different ideas, Bunten says.
"One was that the world was
big and enormous, and these
people were really brave to
head off into the total unknown.

Second, interaction with the natives was a subtle kind of communication; there was always a language barrier. Third," he adds, "there was a moral dilemma built in. Just because you're big enough to take what you want, does that make it right to take it?"

At first, players who field tested the game would take all the goods and gold they could from natives. But soon the testers "began to discover that they didn't feel real good about themselves, so they would get to a point where they would build rules for themselves, like 'Well, I won't kill them unless


they kill me first."

Sometimes, the hidden messages can be as subtle as not using sexist terms, as in Archon and Murder on the Zinderneuf. "Our documentation is not sexist, not even vaguely," Freeman says. "There are both male and female characters on the board in Archon, and female characters are not weaker than the male characters as a group. In Murder on the Zinderneuf, there are an equal number of [male and female] suspects, and there is a mix of detectives. Anybody can get killed, and anybody could have done it.

"That's all secondary to the point of having fun," he adds. "But it's in there by design."

f a would-be game designer wants to get started in the field, there are basically two approaches to take, at least judging by these five aces: either try to come up with something that breaks the mold as far as computer games are concerned, or start out using what's been done before as a guide.

Budge found success by improving on what had come before. "The way I got started was by not trying to do anything original at all," he recalls. "I wanted to learn how to write





When we introduced Pitstop, we created action in the pits. Now, with PITSTOP II, EPYX introduces true competitive auto racing, both on the track and in the pits. Auto racing is not a one man sport. With PITSTOP II, you can now experience the thrill

of speed and competition as you battle your opponent in a race against the clock. Now, more than ever, the strategy of when you make a pit stop and your pit crew's speed and performance, combined with your skill on the track, will determine the winner.


A split screen shows you your position and that of your

opponent, a digital clock displays time and a lap counter gives you your race position as you race against each other in pursuit of the checkered flag. You can also play against the computer and take a practice lap or race against the computer controlled pace car as you prepare for real head-to-head competition. Step up to PITSTOP II because auto racing is not a solo sport.

One or two players: joystick controlled.



Strategy Games for the Action-Game Player





Bill Budge



Jon Freeman and Anne Westfall

videogames. I bought an Apple about five years ago and just went to arcades and copied the games that I saw." He adds that his main interest at the time was in creating "neat pictures and neat sounds."

A really good game, he says, would turn the player into a hacker. "You should provide environments where it's fun to put together things that are structured on a computer, but you don't have all the junk that you have when you're programming. You sort of restrict people to doing things that are like videogames, or pictures and sound, and take away all the busywork part."

Toward that end, a project he is working on now is a construction set to build construction sets. "That's a very difficult program to write, and I could never have written that before *Pinball*. After I did *Pinball*, it seems like there's some faint chance." He also adds that if he hadn't started out the way he did, "I wouldn't be qualified to take the next step."

The environment for that

project, which he says will take several years to complete, "is the sort where you can just play and not worry about the consequences of every single mistake. You can mix and match, you don't have to write something totally new, you can take something from *Pac-Man* and take a piece from *Donkey Kong* and make it work."

Dan Bunten

Oddly, Budge doesn't like to play arcade and videogames very much. In fact, he says it was "sheer torture" to play pinball steadily for months while working on his construction set. "There are other people who are into games and are better at it than I am, so I had to figure out ways to get around the gaming, but I still wanted to create things that were like videogames," he says.

Bunten also thinks taking a lesson from what's been done by others is useful for new designers. "Typically, my first game was a knock-off of someone else's game, and it was an enhancement of things that I thought were needed. You've got to build some experience

just with the medium and what is possible, before you can jump off into some new territory.

"As long as it doesn't violate any copyright, it's probably a good way to get started. Somebody said there's nothing new under the sun, and there probably isn't."

arver feels beginning designers need to realize that the process is not all fun and games. "It's not something that's as glamorous as it might sound," he says. "There are times when I want to leave so bad—I tend to get really grouchy—but I know if we're going to get it finished in, say, five months, then I have to stay and get the work done."

He agrees that "if you use other people's stuff, you'll get into a mold and you can't really get out. I find I have to consciously work on changing the things I do, otherwise I'll tend to do them the way I did them before, and the game will tend to have the same feel that it had before."

IMPOSSIBLE MISSION. YOUR MISSION-TO SAVE THE WORLD.



As a member of the exclusive Anti-Computer Terrorist Squad (ACT), your mission is to find and reach the infamous Elvin, who is holding the world's population hostage under threat of nuclear annihilation. You must negotiate a

path through the rooms and tunnels of his headquarters trying to avoid Elvin's robot protectors.

Should you try to outrun or jump over the next robot or play it safe and take the time to assemble the codes needed to deactivate the robots and then to

find and stop Elvin.

Use your camera to photograph as many clues as possible to find the password which will allow you to penetrate Elvin's control room.

Your Mission—To Save The World, But Hurry!

One player; joystick controlled.



Strategy Games for the Action-Game Player



Crawford feels the most important consideration in game design is something he calls "artistic honesty." Far too many people, he adds, are writing programs that are imitations of other games. "They say 'Well, I'm going to do games! Then they say, 'Well, what kind of games do I like right now? Well, I sure liked *Pac-Man*—let me do a variation on that.' And that is just the wrong way to do it.

"The right way to do it is to ask yourself what is an important interest around the world, and then try to capture that attraction," he asserts.

Freeman also feels that some game designers have fallen into a rut. "I think there are all sorts of subjects and lots of techniques and lots of approaches that are available, that haven't been done. I think, on the other hand, that many de-

signers are in a rut—they define their universe too narrowly, in my opinion," he says.

While these five designers may differ in their opinions on how best to approach game writing, there is one point on which they all agree: Right now, it's tough for anyone, no matter how good, to get a game published in today's volatile software market.

Perhaps Crawford says it most gently. "I will point out the sad truth. We have pretty much passed the period where hobbyists could put together a game that would have commercial prospect. It's much more difficult to break in, much less stay in. Right now, in November 1984, I would discourage anyone. If you want to do a game, do it for fun, but don't try to do game designs to make any money. The odds are so much



Chris Crawford

against the individual that I would hate to wish that heartbreak on anyone."

The genius in your Commodore depends on you...

Let it out with Wiley Computer Books.

COMMODORE 64™ BASICS A Self-Teaching Guide Ann Harris

Create animated characters, colorful graphics, and sophisticated sound on the Commodore 64°. This user-friendly guide shows you how, while it helps build the skills you need to write personalized programs for a variety of games, home management, and business applications. \$15.95

PROGRAMMING TIPS FOR THE COMMODORE 64"

David Highmore and Liz Page

This intermediate guide lets you master the special programming features and techniques of the C-64—everything from creating multicolor and "Sprite" graphics, to programming with a disc drive and using a graphic printer. \$14.95

SOUND AND GRAPHICS FOR THE COMMODORE 64TH

Herb Moore

\$14.95

WINNING STRATEGY GAMES ON THE COMMODORE 64™

Toby Matthews and Paul Smith

\$14.95


COMMODORE 64™ DATA FILE PROGRAMMING

Glenn Fisher, LeRoy Finkel and Jerald R. Brown

\$14.95

Book/Disk Set: \$39.90

Commodore 64" is a registered trademark of Commodore



WILEY PRESS

a division of John Wiley & Sons, Inc. 605 Third Avenue, New York, N.Y. 10158 Prices subject to change and higher in Canada.

5-1290

WILEY PRESS

INTRODUCING COMPUTER ACTIVITY TOYS...



...BECAUSE BUILDING YOUR CHILD'S IMAGINATION IS NOT A GAME.



We all know that you can't kid a kid. And younger kids are growing tired of arcade-type computer games that don't hold their interest, while learning programs frequently don't generate any interest at all.

Now, EPYX introduces Computer Activity Toys, featuring Barbie,™ Hot Wheels™ and G.I. Joe.® The perfect way for children ages 4–10 to engage in imaginative, non-structured, non-competitive play patterns either individually or with a friend.

Now on your computer screen, your little girl can dress a Barbie™ Doll and change her clothes and her hair styles. Your boy can move a Hot Wheels car around a Hot Wheels™ garage, after actually designing the car on the computer

screen. He can engage in a make-believe battlefield scenario with G.I. Joe® pitted against Cobra.™

The hours of time tested, imaginative free play generated by these well-known toys and dolls can now have added dimensions of control, versatility and realism through the magic of the home computer. They are disc-based products so you can be sure there are enough activities to keep your child occupied and entertained hour after hour.


EDYX

Computer Software

Computer Activity Toys...

Because building a child's imagination is not a game.

BARBIE and HOT WHEELS are trademarks owned by and used under license from Mattel, Inc. © 1984 Mattel, Inc. All Rights Reserved. G.I. JOE is a registered trademark and COBRA is a trademark owned by and used under license from Hasbro Industries, Inc. © 1984 Hasbro Industries, Inc. All Rights Reserved.



"Acrobat" is a realistic, fast-moving arcade-style game. You must guide your alter ego on a perilous journey through mountains, jungles, and underground caves, while avoiding numerous obstacles by jumping, flipping, or sliding under them. You can select any of three different speeds to start off with, but the action will get faster and harder with each new level you reach. Acrobat will challenge your sense of timing as well as your reflexes. Versions for Atari, Commodore 64, and VIC.

The playing field of "Acrobat" is divided into two sections. The top of the screen contains your man, the obstacles, and the background scenery. The scoreboard is located at the bottom of the screen. It contains your current score, the high score so far, and at the far right, the number of men you have left. You begin the game standing in the middle of a mountain valley, ready for your journey.

At the beginning of each game, you can choose between three levels of difficulty by pressing the corresponding number. Level 1 is the easiest. Level 3 is almost impossible.

After you have chosen the difficulty level, press the START button or push the joystick in any direction to start the game.

The Unstoppable Runner

After you have started the game, your man will begin to run. He runs forward automatically, and he cannot be stopped. You must maneuver past the various obstacles that come at you. You can push the joystick forward to jump, backward to slide, or press the joystick button to flip. If you manage to stay alive long enough, you will advance a level, and face new challenges. If you touch any of the obstacles, you will collapse in a heap and lose a man. Push the joystick in any direction to continue. You will receive a free man when you reach 2000 points, and at every 1000 points thereafter.

You receive points for everything you do. You get 20 points for a jump, 10 points for a slide, 10 points for a flip, and 2 points for every step you take forward. Your score is updated periodically throughout the game.

Special Features


You will advance a level after playing for a certain length of time. The screen is redrawn and you are placed into a new setting. Bonus points are also awarded depending on the number of men you have left. Push the joystick in any direction, or push START to begin running again.


You can also pause Acrobat while you are running. Simply press the space bar. Press CTRL-S or the joystick button to begin again.

AT LAST ... A TEACHER WHO IS JUST YOUR TYPE!

Turn your COMMODORE 64 into a personal typing tutor with KEYS TO TYPING software. Over 30 easy lessons, all based on proven teaching techniques that typing teachers have been using for years. Combined with the speed and flexibility of computerized instruction-it's the fastest and easiest way yet to learn typing.

- 32 step-by-step lessons
- learn at your own pace!
- lesson #1 will explain the program and show you how to get on-screen help
- each lesson has three parts: introduction of new keys, exercises, and reinforcement
- over 400 exercises, all based on successful typing manuals
- get immediate help or return to the main menu with a single keystroke
- no complex computer commands its user friendly and menu driven
- no knowledge of computers needed, just basic reading skills
- select the lesson you want through a simple menu control
- typing game included, to make learning fun!





are short on time. For people re-entering the workforce who need a fast refresher. Designed by educators and computer programmers working together, KEYS TO TYPING lets you learn quickly, easily and effortlessly. After 32 lessons, you'll be typing at speeds you never thought possible.

BATTERIES

30 Hural St. Richmond Hill, Ontario L4B 1B5 Canada

"The Energized Software Company!"

WRITE-FOR A FULL COLOR BROCHURE

17875 Sky Park North, Suite P, Irvine, California USA 92714 Press START to restart the entire game at any time except during a pause.

Programming Techniques

Acrobat uses several special features of the Atari computers. High speed player/missile graphics and horizontal scrolling create an effective illusion of movement. Vertical blank interrupts, custom display modes, machine language routines, and numerous sound effects are also used to enhance the game.

The routine at line 30000 appeared in the article "Extending Player Missile Graphics" (COMPUTE!, October 1981). This short but extremely powerful routine changes the shape of a player at machine language speed. This helps create smooth animation with just one player. I've used this method throughout the program to animate the acrobat and change the shapes of the obstacles. The data for the different shapes of the acrobat are stored in RAM, and their locations are placed into the array PI(). The data for the numerous obstacles are likewise tucked away in safe RAM, and their locations are placed in the array OB().

The second machine language routine in the program starts at line 30700. This is a slightly modified version of one that appeared in *ANTIC* (June 1982). This routine moves the obstacles horizontally during the Vertical Blank Interrupt, which occurs 60 times per second. Once this routine is set up and called, it will operate continu-

ously until told to stop.

Coarse horizontal scrolling occurs in the subroutine at line 90. Line 50 determines the address of screen memory, and stores it in the variable DL4. Then, in line 90, the value stored in DL4, PDL4, is increased and checked to see if it is too high. If it is, PDL4 is set equal to a much lower number. This causes a wraparound effect. Line 125 POKEs PDL4 into DL4, which causes the top half of the GRAPHICS 8 screen to scroll.

Be very careful typing in lines 27000 to 27070. This subroutine uses the Atari forced read mode to erase certain lines after they are not needed anymore. This increases the amount of memory available before going into GRAPHICS 8. If you have a full 40K–64K system, you can replace these lines with 27000 RETURN. If you need to type this section in, be sure to save the program before running it. If you forget to save, you will lose almost half of what you had typed in.

If you would rather not spend the time typing in Acrobat, I will make a copy (Atari version *only*) if you send me a blank tape or disk, a self-addressed, stamped mailer, and \$3.

Peter Rizzuto 9 Idlebrook Lane Aberdeen, NJ 07747

Program 1: Atari Acrobat

Refer to "COMPUTEI's Guide For Typing In Programs" article before typing this program in.

- JI 10 GOSUB 19000:GOSUB 20000:GOSUB 25000:GOSUB 20100:GOSUB 27000
- AG 11 D=USR(1536):GOSUB 21000:GOSUB 21220:GOSUB AD:POKE XP,X:GOSUB 19500:GOTO WT
- DI 12 D=USR(ML, MANY, PI(9)): GOSUB MO: RETURN
- AC 20 D=USR(ML,OB2,OB(QW1)):QW1=QW1+ O1:IF QW1>MAXQ THEN QW1=MINQ
- EH 25 RETURN
- AN 30 D=USR(ML,OB1,OB(QW)):QW=QW-O1: IF QW<MINQ THEN QW=MAXQ
- EE 31 RETURN
- 0 40 POKE C6,01:POKE C7,9:? SCORE:I F SCORE>ZIP THEN GOSUB 23500:R ETURN
- EF 41 RETURN
- 00 50 DL=PEEK(560)+256*PEEK(561):DL4 =DL+Z:PDL4=PEEK(DL4):POKE DL+1 31,13:POKE DL+132,J:POKE DC,U: POKE 708,44
- LA 55 GOSUB SY: RETURN
- GE 9Ø ST=STICK(O):PDL4=PDL4+J:IF PDL 4>12Ø THEN PDL4=81:SC=SC+O1
- DL 100 IF LEVEL<200 THEN IF PEEK(X1P)<25 THEN POKE X1P,220:GOSUB
- P 11Ø IF LEVEL>1ØØ THEN IF PEEK(X1P
)>22Ø THEN POKE X1P,25:GOSUB
 B2
- 00 120 IF PEEK(X2P)<30 THEN POKE X2P ,255:GOSUB 30
- OF 125 POKE DL4, PDL4: RETURN
- M 200 GOSUB MO:SOUND J,150-Y,8,Z:GO
 SUB 12:SCORE=SCORE+B2:YF=Y:FO
 R Q=O1 TO K:YF=YF-J:F=5:GOSUB
 JUM:NEXT Q
- N 205 SOUND J,150-YF,8,Z:FOR Q=01 T O K:YF=YF-J:F=6:GOSUB JUM:NEX T Q:SOUND J,150-YF,8,Z:GOSUB 40:FOR Q=01 TO 6
- JN 215 YF=YF+J:F=7:GOSUB JUM:NEXT Q: SOUND J,150-YF,8,Z:F=K:SOUND J,0,0,0:GOSUB JUM
- 6E 24Ø F=Z:IF PEEK(CO) THEN 10000
- AK 245 D=USR(ML, MANY, PI(F)): POKE RES , O: SOUND 1, O, O, O: RETURN
- FE 25Ø D=USR(ML,MAN+YF,PI(F)):GOSUB
 MO:SOUND 01,17Ø-YF,E,J:RETURN
- EN 300 GOSUB MO: GOSUB U: SOUND J, 170-Y, 8, Z: SCORE=SCORE+E: YF=Y
- 61 305 FOR A=01 TO J:FOR F=11 TO 14: YF=YF-J:GOSUB JUM:NEXT F:NEXT A:SOUND J.170-YF.8.Z:GOSUB 40
- EE 310 FOR A=01 TO J:FOR F=11 TO 14: YF=YF+J:GOSUB JUM:NEXT F:NEXT A:SOUND J,O,O,O:GOTO 240
- 61 315 GOTO 240
- PG 2000 GOSUB MO:D=USR(ML, MANY, PI(F)):IF PEEK(STA)=6 THEN 11100
- PL 2005 IF PEEK(KEY) = 33 THEN GOSUB 1 3000
- JF 2010 SOUND 01,231+F,E,E:SOUND 01, 0,0,0
- PP 2015 IF PEEK(CO) THEN GOSUB 10000 EC 2020 IF ST=13 THEN GOSUB 8000

Looks like a Ferrari. Drives like a Rolls. Parks like a Beetle.

Now Available For DORE



Ask your computer dealer to let you test drive the all new Indus GT.™

The most advanced, most handsome disk drive in the world.

Flip its power switch and ...
Turn your Atari into Ferrari.
Unleash your Apple.
And now turbocharge your Commodore.

Looks like a Ferrari.

The Indus GT is only 2.65" high. But under its front-loading front end is slimline engineering with a distinctive European-Gran flair.

Engaging its AccuTouch™ buttons lets you control the LED-lit CommandPost™ Marvel at how responsive it makes every Commodore, Apple and Atari personal computer.

Drives like a Rolls.

Nestled into its soundproofed chassis is the quietest and most powerful disk drive system money can buy. At top speed, it's virtually inaudible...whisper quiet.

Built into each Indus GT is a perfect combination of craftsmanship and advanced engineering. Luxurious styling reflects the personal tastes of each GT owner. And each GT comes with the exclusive GT DrivingSystem™ of software programs.* World-class word processing is a breeze with the GT Estate WordProcessor.™ Your dealer will describe the two additional programs that allow GT owners to accelerate their computer driving skills.

Also, the Indus GT is covered with the GT PortaCase. A stylish case that conveniently doubles as a 80-disk storage file.*

Parks like a Beetle.

The GT's small, sleek, condensed size makes it easy to park.

A WarrantyPlus™ package is included with every Indus GT, featuring full year parts and labor on the complete drive train.

Drive home a winner and park an Indus GT next to your personal computer.

The all-new Indus GT Disk Drive.

The most advanced, most handsome disk drive in the world.

^{*}Included as standard equipment.

For dealer information, call (818) 882-9600.

Notes For Commodore Versions

The Commodore versions of "Acrobat" have the same goal as the Atari version; you must slide, flip, and jump to avoid anything that

gets in your way.

Both the VIC-20 and Commodore 64 versions use the keyboard rather than the joystick. This permits a more sensitive response to the player. If you don't like the keys chosen, the 64 version allows you to make changes at the start of the program. This feature is not present in the VIC version, but changes can be made by altering the letters J, S, and F in lines 35-45 of Program 4.

The VIC and 64 versions are written primarily in BASIC, with a machine language subroutine used for scrolling and

placement of the obstacles.

The 64 version (Program 2) contains an interrupt-driven subroutine to scroll the playfield smoothly. A single sprite is used for the acrobat. Its movement is simulated by continually changing the sprite data pointer (using the FOR-NEXT loop beginning at line 21) to point to each of the acrobat's different positions.

The Night Runner

An interesting addition to the 64 version is a night mode. Here your acrobat runs through the darkness with only a flashlight to light his path. You may have seen this effect in arcade racing games. This was done by filling the color RAM with black (to turn everything invisible) then placing a white sprite in front of the acrobat. To insure that screen objects would be visible in the light, the sprite-to-background display priority register was set to give the background priority over the spotlight sprite.

The scoring of the 64 version is fairly straightforward. Each time the acrobat jumps over or slides under something, you are given 2 points. A flip, because it is much harder to control, is worth 5 points. Later in the game, a chicken will start flying on the screen. Every time you can avoid hitting the chicken, you are given an additional 10 points.

An extra acrobat is awarded for every 100 points; a quick change of border color will indicate that an extra man was earned. The score will be shown only when you lose an acrobat.

VIC Autoload

The VIC version of Acrobat requires no memory expansion. The program is written in two parts (Programs 3 and 4) and chained to make efficient use of the small amount of memory present. Program 3 will automatically load and run Program 4 from disk. To use the programs with tape, change the 8 to a 1 in line 15 of Program 3, and be sure to save Program 4 immediately following Program 3 on the tape. For either disk or tape, you must save Program 4 with the name AC for the autoload feature to work properly. To avoid an OUT OF MEMORY error, do not add any extra spaces to the program lines when typing Programs 3 and 4.

In this version, custom characters were used in place of sprites. Because of this, smooth horizontal scrolling was not possible.

The VIC rules are slightly different from the 64 version. To make the game more challenging, the acrobat now moves forward. There will be a slight flash of the border color to warn that the acrobat will soon move.

Scoring is as follows: For obstacles you jump over or slide under, you are given 2 points. Flips are worth 8 points, and for each block you move forward, you are given an additional bonus of 10 points.

```
00 2025 IF ST=14 THEN GOSUB 200
EL 2030 IF STPIG(0)=0 THEN GOSUB 300
LD 2035 IF SC>7 THEN MAXQ=MAXQ+01:MI
      NQ=MINQ+01:SC=0:IF MAXQ>LIMI
      T THEN 24000
BD 2Ø4Ø F=F+O1: IF F>Z THEN F=O1
KK 2045 SCORE=SCORE+J:GOTO 2000
EA 8000 SCORE-SCORE+E: D-USR (ML, MANY,
      PI (16)): GOSUB MO
CO BØ1Ø FOR T=O1 TO 7:D=USR(ML, MANY,
       PI(17)): GOSUB MO: NEXT T: GOSU
       B 40:D=USR(ML, MANY, PI(16)):F
       =01:RETURN
EN 9000 SOUND 01, INT(RND(0) *40), E, J:
       RETURN
OP 9100 POKE X1P, D: POKE X2P, 30: POKE
       G8,0:POKE G9,0:POKE 53249,0:
                                        JO 10010 D=USR(ML, MANY, EX(Z)):SOUND
```

```
POKE 53251,30:POKE 705,BACKC
       :POKE 707, BACKC: RETURN
CH 9200 POKE 705, U: POKE 707, 136: POKE
        G8,01:POKE G9,01:RETURN
60 9500 RETURN : READ A, I, R, L: IF A=-0
       1 THEN GOSUB 14000: RETURN
AN 9510 SOUND O, A, E, 6: SOUND O1, I, E, 6
       :SOUND J,R,E,Z:FOR I=O1 TO L
:NEXT I:GOTO 9500
AP 10000 GOSUB 14000: D=USR (ML, MANY, P
        I(E)):LI=LI-O1:GOSUB SY:D=U
        SR(ML, MANY, EX(O1))
KB 10005 FOR I=01 TO K:D=USR(ML, MANY
         ,EX(I)):FOR A=01 TO 8:NEXT
        A: NEXT I: FOR I=01 TO 65: NEX
```

A SPECIAL OFFER from COMPUTE! Books

for Owners and Users of Commodore Computers



An excellent resource for users of the 64, with something for everyone: BASIC programming techniques, a memory map, a machine language monitor, and information about writing games and using peripherals. This 264-page, spiral-bound book includes many ready-to-type-in programs and games. \$12.95

Continues in the tradition of the First Book of Commodore 64 in presenting some of the best programs and articles from COMPUTE! Publications, many revised or never before published. There's something for almost any Commodore 64 user in this 289-page book: arcade and text adventure games in BASIC and machine language, a commercial software-quality word processor, a program which adds 41 new commands to BASIC, an electronic

spreadsheet, tutorials about programming sound and graphics, and utilities for saving, copying, and retrieving files. \$12.95

e First Book
g some of a from revised or sevised or se something a user in this ext adventine lange-quality sich adds an electronic

COMPUTEI'S
THIRD
BOOK
OF
COMMODORE
64

The best games, applications, utilities, and BASC futarials from COMPUTE Publications of the a murder mystery, create on 80-column adaptary, perform disk surgery, point in hives, and improve programming style.

COMPUTEI Books Publication

\$12.95

A collection of outstanding games, applications, tutorials, and utilities from the most recent issues of COMPUTEI magazine and COMPUTEI's Gazette, including several programs never before published. Commodore 64 users of all ages and experience will find this book informative, entertaining, and educational. Create an 80-column display, play educational and arcade-quality games, compose music, move sprites easily and quickly, and see how to program more efficiently and effectively. \$12.95

Buy Now—This Offer Expires March 31, 1985.

COMPUTE!'s First E COMPUTE!'s Seco COMPUTE!'s Third All Orders Must Be Prepaid Payment Enclosed (chec	while I enjoy COMPUTE! Books. Book of Commodore 64, \$12.95 and Book of Commodore 64, \$12.95 Book of Commodore 64, \$12.95 k or money order) VISA American Express	To Order Call Toll Free 800-334-0868 (in NC call 919-275-9809) or mail this coupon with your payment to: COMPUTE! Books, P.O. Box 5406, Greensboro, NC 27403 Please send me:		
Acct. No	Exp. Date	☐ 1 Book for ☐ 2 Books for ☐ 3 Books for ☐ 3 Books for	\$12.95 \$22.00 \$29.00	
NameAddress		NC residents add 4.5% sales tax		
State	Zip	Please allow 4-6 weeks for delivery.	75264CC	

```
00 15Ø15 IF XC=-9 THEN 15ØØØ
        01,255,8,8:GOSUB SY:POKE CC
                                        PP 15020 DRAWTO XC, YC: IF XC>255 THEN
        ,K:POKE C7,36:POKE C6,01:?
        LI:SOUND 01,0,0,0:IF LI=0 T
                                                 XC=XC-255:SOUND O, XC, E, J:G
        HEN 11000
                                                OTO 15010
IM 10012 FOR I=01 TO 50:NEXT I:RESTO
                                        AJ 15025 SOUND O, XC, 10, J: GOTO 15010
        RE 31700:GOSUB 9500
                                        PL 16000 POKE XP, 0: POKE 53249, 0: POKE
#J 10015 IF PEEK (STA) = 6 THEN 11100
                                                 53250, 0: POKE 53251, 0
                                        MC 16005 POKE 559,62: POKE PC, BACKC: P
6J 10020 IF STICK(0)=15 THEN 10015
0A 10025 POKE RES, O: GOSUB GO: POKE CC
                                                OKE DC, BACKC: POKE BC, BACKC:
        ,K:ST=15:RETURN
                                                POKE 752,01:COLOR 01:RETURN
AD 11000 POKE C6, K: POKE C7, K:? "ERRERE
                                        EE 16010 A=PEEK(16): IF A=128 THEN RE
        ********GAME OVER!******
                                                TURN
        IK 16015 POKE 16, A-128: POKE 53774, A-
IK 11002 FOR I=01 TO 50:NEXT I:RESTO
                                                128: RETURN
                                        HC 17000 ? "{CLEAR}": IF LEV>9 THEN P
           31500:GOSUB 9500
IK 11005 IF STRIG(0)=0 OR PEEK(STA)=
                                                OKE C6, J: POKE C7, 9:? "You a
        6 THEN SOUND 01,0,0,0:POKE
                                                re too good for me!":POKE
        RES, 0: GOTO 11100
                                                C, U: LEVEL=200: GOTO 11000
                                        NI 17001 POSITION 01,01:? "(Q) (35 R)
KG 11010 GOSUB 9000:GOTO 11005
                                                (E)":POSITION 01, J:? ":
0L 11100 QW=01:QW1=01:F=E:MINQ=01:MA
        XQ=J:LI=K:SC=O:X=120:LIMIT=
                                                (6 SPACES) Now advancing to
        6: BACKC=96: LEV=01: SPED=197
                                                Level "; LEV;
JK 11105 POKE BC, BACKC: POKE PC. BACKC
                                        PJ 17002 ? "(5 SPACES)!"
        : GOSUB SY: POKE XP, O
                                        PA 17005 POSITION 01, K:? "(Z) (35 R)
                                                (C)":POKE C6,01:POKE C7,01:
18 11110 POKE DC, BACKC: POKE DL+131,1
        5: GOSUB SY: POKE XP. O: POKE 1
                                                RETURN
        552,198:POKE 1554.197:POKE
                                        KO 17500 A=100*LI/5:FOR I=01 TO 5:SC
        1565,198:POKE 1567,197
                                                ORE=SCORE+A:POKE C6.01:POKE
HC 11120 POKE DL4,80:GOSUB 21220:GOS
                                                 C7,9:? SCORE;:FOR R=01 TO
        UB 21038: IF SCORE > HI THEN H
                                                20: SOUND 0, 40-R*J, E, 8
        I=SCORE
                                        PN 175Ø5 NEXT R: NEXT I: POKE C6, 01: RE
LN 11125 POKE C6, 01: POKE C7, 26: ? HI:
                                                TURN
        SCORE=0: POKE DC. U: POKE DL+1
                                        IB 19000 GRAPHICS 0:GOSUB 16010:POKE
        31,13:IF LEVEL=0 THEN 11130
                                                 752, 1: DL=PEEK (560) +PEEK (56
ML11128 RESTORE 31000+LEVEL: COLOR O
                                                1) *256: DL=DL+4: POKE 709, 96:
        :GOSUB 15000:RESTORE 31000:
                                                POKE 710,96:POKE 712,96
        COLOR 01: GOSUB 15000
                                        JA 19005 POKE DL+16,6:POKE DL+17,6:P
IN 11130 LEVEL=O: POKE XP, X: GOSUB AD:
                                                OKE DL+28,65: POKE DL+29, PEE
        GOSUB 19500
                                                K(560): POKE DL+30, PEEK(561)
BH 12000
        IF STICK(O)<>15 OR PEEK(STA
                                                :? "{CLEAR}"
        )=6 THEN 12030
                                        E 19011 POSITION 11, 20:? "ONE MOMEN
U 12005 IF SCORE>O THEN 12025
                                                T PLEASE...'
IL 12010 IF PEEK (KEY) = 31 THEN POKE C
                                        BN 19015 POSITION 4,7:? "{Q}{2 R}
        6, K: POKE C7, 31: ? "1(UP)": TY
                                                (E) {Q}{2 R} {Q}{2 R}{E}
        P=01:POKE 1554,197:SPED=197
                                                (Q)(2 R)(E) (Q)(R)(E)
                                                                         {0}
FL 12015 IF PEEK (KEY) = 30 THEN POKE C
                                                (2 R)(E) (R)(W)(R)":POSITIO
        6, K: POKE C7, 31: ? "2(UP) ": TY
                                                N 4,8:? "! ! ! (3 SPACES)!
        P=J:POKE 1554,198:SPED=197
                                                      1 1 1
                                                                     1 "
                                                 : :
                                                              - 1
FP 12020
       IF PEEK (KEY) = 26 THEN POKE C
                                        A6 19020 POSITION 4,9:? "{A}{2 R}
        6, K: POKE C7, 31: ? "3(UP)": TY
                                                (D) | (3 SPACES) (A) (R) (W)
        P=K:POKE 1554,198:SPED=198
                                                (C) | | (A)(R)(X)(E) (A)
CP 12025 POKE RES, 0: GOSUB 9000: GOTO
                                                {2 R}{D} :":POSITION 4,10:
        WT
                                                ? "!
                                                     | | {3 SPACES} | {Z}
66 12030 SOUND 01,0,0,0:POKE KEY,255
                                                                     ; "
                                                (E)
                                                         1
                                                             1 1
                                                                  :
        :GOSUB 19505:RESTORE 31800:
                                        AN 19025 POSITION 4,11:? "{X}
                                                                        {X}
        GOSUB 9500:GOSUB GO:POKE CC
                                                (Z) (2 R) (X)
                                                               {X} {Z}{2 R}
        K:GOSUB 300:GOTO 2040
                                                (C) (Z)(2 R)(C) (X)
                                                                       { X }
KF 13000 POKE KEY, 255: D=USR (ML, MANY,
                                                {X}":POKE 709,10:RETURN
        PI(E)): GOSUB 14000: POKE G8,
                                        E0 19500 POKE C6,3:POKE C7,8:? "Sele
        0: POKE 69.0
                                                ct Difficulty ---> 1(UP)":T
IN 13005 IF PEEK(KEY) <>190 AND STRIG
                                                YP=1:RETURN
        (0) = 1 THEN 13005
                                       EF 195Ø5 POKE C6,3:POKE C7,8:? "
06 13Ø1Ø POKE RES, O: POKE KEY, 255: POK
                                                {24 SPACES} {UP} ": RETURN
        E G8,01:POKE G9.01:RETURN
                                        KK 20000 X=120:Y=141:F=10:QW=1:QW1=Q
AJ 14000 SOUND 0,0,0,0:SOUND 01,0,0,
                                                W:LI=3:HI=Ø:SCORE=HI:SC=HI:
        0:SOUND J, 0, 0, 0:SOUND K, 0, 0
                                                ML=1600:DIM PI(18), OB(17), E
        , O: RETURN
                                                X(4):C6=656:C7=657:Z=4
FB 15000 READ XC, YC: PLOT XC, YC
                                        AH 20005 XP=53248: X1P=206: X2P=207: MO
IC 15010 READ XC, YC: IF XC=-01 THEN G
                                                =90:SY=9100:G0=9200:0=0:01=
        OSUB 14000: RETURN
                                                1:PC=710:BC=712:DC=709:CO=5
```

62 COMPUTEI February 1985

COMPUTE! Books brings you the companion volume to the best seller, *Machine Language for Beginners*, about


which the critics have said:

"If you know BASIC and want to learn machine language, this is the place to start Building on your experience as a BASIC programmer, Mansfield very gently takes you through the fundamentals of machine language."—Whole Earth Software Catalog

"Understandable"-The New York Times

"Presents the machine language novice with a very good tutorial in simple, understandable terms."—Antic

"I highly recommend Machine Language for Beginners as your first introduction to the world of machine language."—Commodore Power/Play



The Second Book of Machine Language for the Commodore 64, VIC-20, Apple, Atari, and PET/CBM



15% Discount
Buy both books for \$25.00 and save
\$4.90! That's 15%
off the retail price!

Offer Expires March 15, 1985

The Second Book of Machine Language picks up where Machine Language for Beginners left off. This new book contains one of the most powerful machine language assemblers currently available. The LADS assembler is a full-featured, label-based programming language which can greatly assist you in writing machine language programs quickly and easily.

It's also a clear, detailed tutorial on how large, complex machine language programs can be constructed out of manageable subprograms.

There are powerful computer languages and there is good documentation, but rarely has a sophisticated language been so completely documented as it is in this book. When you finish with this book, you'll not only have a deeper understanding of machine language—you'll also have one of the most powerful machine language assemblers available. And since everything is thoroughly explained, you can even add custom features to the assembler to create a custom language that does just what you want it to (the book shows you precisely how to modify the assembler).

For Commodore 64, Apple (II, II+, IIe, and IIc, DOS 3.3), VIC-20 (8K RAM expansion required), Atari (including XL, 40K minimum), and PET/CBM (Upgrade and 4.0 BASIC). Disk drive recommended.

THE LADS DISK

LADS, the assembler used in *The Second Book of Machine Language*, is available on disk for only \$12.95. This is a great accompaniment to the book, saving you hours of typing time by providing the complete source and object modules for all versions of the assembler. And LADS disks are specific to your Apple, Atari, or Commodore computers.

To Order: Call Toll Free 800-334-0868 (in NC 919-275-9 ment to COMPUTE! Books, P.O. Box 5406, Greensboro, N		
The Second Book of Machine Language, \$14.95 Machine Language for Beginners, \$14.95 LADS Disk (Apple) \$12.95	1 Book for 2 Books for <i>LADS Disk</i> for	\$14.95 \$25.00 \$12.95
LADS Disk (Atari) \$12.95 LADS Disk (Commodore), \$12.95	NC residents add 4.5% sales tax	\$
□ Payment Enclosed (check or money order) □ Charge □ MasterCard □ Visa □ American Express Acct. No	Shipping and handling (\$2.00 per book \$1.00 per disk)	\$
Signature	Total Paid	\$
NameAddress	All orders must be prepaid. Please allow 4-6 weeks for delivery.	
City State Zip	COMPUTE! Publications	5,Inc. 660 752MLCC

IL ATAR Alphacom 40C Hayes Smart Baud.....Call w/Interface . . 99.95 Modem 300 .. Call MPP 1000 C Call Gemini 10X Alphacom 80C 249 Mark II 79.00 R-Verter Modern Gemini 15X 389 Atari Inc. has cut all hardware and w/Interface . 189.95 Mark VII/Auto Ans/ Adaptor 39.95 Delta 10X 369 Axiom AT-550 279.00 Auto Dial Call Prometheus Call software prices. Please call for latest Delta 15X 499 Epson Call Radix 10X Bring the trivia craze home with P.Q. The current prices. 549 Prowriter I..... Call Radix 15X 629 Party Quiz Game for the Atari and the CBM SUPERPRINTER PACKAGES Riteman......Call Gemini 10X and Apeface COMMODORE 64 E Silver Reed Call Toshiba 1351....Call Gemini 10X and Cardco + G 323 Toshiba 1340 ... Call COMMODORE 64 Prowriter and Cardco + G..... MOSIAC MODEM SPECIAL No additional ship, charges on printer packages in Continental USA Westridge Modem & 1541 Disk Drive Call 1650 AD/AA Modem . 89 48K RAM 94.00 DISK DRIVES VIP Terminal at \$119 64K RAM/400 149.00 1526 Printer . . Aid Interfast I Call COMMO RE 64 64 RAM/800 + Percom Call Ape Face Call R-Verter Modem ACCESS Astra 2001 Call Cable Kit # 169.00 Neutral Zone - D / T . . . 23.95 64K Expander for Spritemaster - D / T . . . 23.95 Beachhead - D / T . . . 23.95 Master Composer - D . . 27.95 Rald Over Moscow -MPP 1150 Call Hayes 300 & R-Verter . \$239 600 XL 99.95 TAR S 0 WARE INFOCOM (cont.) Starcross-D.......29.95 ACCESSORIES MISC. ATARI (cont.) Scrolls of Abadon - D / T23.95 Starcross - D . . . Suspended - D . Ape-Link 29.95 Gemini 10X 8K Upgrade Call Koala Pad-D 69.95 Koala Pad-Cart 74.95 ACTIVISION - Call for Items ... 29.95 Witness - D . . . Sea Stalker - D 29 95 Letter Perfect / Spell - D . 74.95 BATTERIES INCLUDED Harcourt/Bruce DISKETTES DISACTIES Dyson Verbatim Call Certron For Elephant 10 pak Maxell & Memorex Quantity Ultra Magnetics Pricing. BASF Cutthroats - D 24.95 Suspect - D 24.95 24.95 OPTIMIZED SYSTEMS Zork I-D......24.95 Zork II or III-D.....27.95 | Hother linversion | 23.95 | Recipe - D | 23.95 | Audio / Video Cat - D | 23.95 | Mail List - D | 23.95 | Stamps - D | 23.95 | B.I. 80 Card | Call MISCELLANEOUS ATARI Omnimon 82.95 MPP 64K Printer Buffer . Call U-Print 16K, 32K, or Codewriter - D 69.95 Star League Baseball -ACTION TOOL KIT - D DOS XL - D Action Ald - D C65 - D Handy-Writer - D Postal Tool - D 27.95 27.95 **ELECTRONIC ARTS** - See Atori TAC III Joystick 12.95 Starfighter Joystick . . . 9.95 CARDCO section for items and prices 59.95 EPYX - Call for items and prices. 89.95 HANDIC Castle Wolfenstein - D. 20.95 Compuserve Starter Kit 27.95 Print Tool-D..... | Long | RPODERRIND 37.95 Bank Street Writer - D . . . 49.95 Loderunner - D 23.95 Mask of the Sun - D . . . 27.95 Operation Whirtwind - D . 27.95 Carrier Force - D . 19 95 29.95 File Now - D 29.95 Graph Now-D...... 29.95 Spell Now-D...... 29.95 Spelunker - D 20.95 Stelth - D 20.95 Whistler's Brother - D 20.95 COMMODORE Print Shop - D Serpent's Star - D34.95 Assembler - D Easy Finance I, II, 39.95 Bomb Alley - D 41.95 Computer Ambush - D . 41.95 Galactic Adventures - D . 41.95 Computer Baseball - D 27.95 Easy Finance I, II, III, IV, V-D. 19.95 Easy Calc-D. 34.95 Easy Mall-D. 19.95 Easy Script-D. 44.95 Easy Spell-D. 19.95 Logo-D. 49.95 The Manager-D. 34.95 General Ledger-D. 34.95 Accts. Rec.-D. 34.95 Magic Desk-D. 39.95 Suspend-D. 39.95 DATASOFT 122 Reforger 88 - D 41.95 Objective Kursk - D . . . 27.95 Mancopter - D/T Letter Wizard + ... 23.95 Questron - D Montezuma's Rev-D. 29.95 Mr. Do's Castle-Cart . 34.95 54.95 Frogger II - Cart Net Worth - D 34.95 MISC. COMMODORE imperial Galactium - D 27.95 D/T ... 27.95 Mr. Do-D/T ... 27.95 Quick Brown Fox -D/Cart 34.95 Ultima III - D 41.95 SYNAPSE **DISKETTES** - See Commodore Suspend - D Synfile - D 29.95 section for items and prices. Omnitrend Universe - D. 69.95 Syncalc - D . Syntrend - D and prices. H.E.R.O. - Cart 29.95 Decatholon - Cart 29.95 ELECTRONIC ARTS Synchron - D. Magic Voice International Soccer-54.95 Decamolon-Card ... 29.95 Dark Crystal-D ... 27.95 F-15 Strike Eagle-D ... 23.95 Adventure Writer-D ... 41.95 MM6 Basic Compiler-D ... 69.95 Commer Games-D ... 27.95 Pitstop II-D ... 27.95 Gateway to ApshaiCard ... 27.95 prices. 27.95 27.95 Barron's Sat.-D......67.95 Telestar 64-Cart.....37.95 Cutthroats - D Star League Baseball - D / T ... 23.95 Castle Wolfenstein - D .20.95 Mastertype - D / Cart ... 27.95 Aztec - D ... 27.95 Strip Poker - D ... 23.95 Beyond Wolfenstein - D ... 23.95 Sam - D ... 41.95 The Suspect-D One on One-D 29.95 Cave / Word Wizards - D Archon II-D 29.95 Financial Cookbook-D .37.95 Music Construction-D . 29.95 T - Cassette D - Disk Cart - Cartridge To Order Call Toll Free Realm/Impossibility - D . 29.95 Carl 27.95 Dragon / Pern 27.95 Air Rescue - D 23.95 Adventure Master - D 34.95 Designer's Pencil - Cart 29.95 Space Shuttle - Cart 29.95 Get Rich Series - D 34.95 800-558-0003 EPYX-Call for items and prices. INFOCOM For Technical Info, Order Deadline - D Enchanter - D 23.95 Spelunker - D

PRINTERS

Inquiries, or for Wisc. Orders 414-351-2007

...279 RS 232 Interface ... Call Movie Maker -Millionaire - D Millionaire - D VIP Terminal - D 27.95 47.95 69.95 Designer's Pencil - D Ghost Busters - D . . . Space Shuttle - D . . . Koala Printer - D 24.95 24.95 19.95 Championship Loderunner - D . . . 23.95 Karateka - D...... Print Shop - D..... Music Shop - D..... 34.95 Get Rich Series - D . . 34.95 27.95 | 34.95 | 34.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.95 | 37.9 Dragonworld - D. 22.95
 Dragonword - D
 22.95

 Shadow Keep - D
 22.95

 Spy vs. Spy - D
 23.95

 Zaxxon - D / T
 27.95

 Stress Relax System - D 79.95
 Blue Max - D / T
 23.95
 PARKER BROS.-Call for Items and prices. Computer Football - D . 27.95 Germany 1985 - D . . . 41.95 Cosmic Balance - D . . . 27.95 Computer Baseball - D 27.95 SPINNAKER-Call for Items SYNAPSE - Call for Items and TIMEWORKS Data Manager II-D . . . 34.95 Word Writer-D 34.95 **TOUCH TABLETS**20.95 Koala Pad - D Koala Pad - Cart

Mark XII/1200

LOWERPRICES

Planetfall - D 24.95

..... 29.95

Beyond Wolfenstein - D . 23.95

Infidel - D

Sorcerer - D

NO SURCHARGE FOR MASTERCARD 🗪



tealth - D ...

Bungling Bay-D ... 20.95 Dr. Creep-D ... 20.95

MODEMS

VISA

Est. 1982

ORDERING INFORMATION. Please specify system. For fast delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order. Include 3% shipping on all Hardware orders, minimum \$3.00. Mastercard & Visa please include card # and expiration date. WI residents please add 5% sales tax. HI, AK, FPO, APO, Canadian orders — add 5% shipping, minimum \$5.00. All other foreign orders, please add 15% shipping, minimum \$1.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call 414-351-2007 to obtain an RA# or your return will NOT be accepted for replacement or repair. Prices and availability are subject to change without notice.

COMPUTABILITY P.O. Box 17882 Milwaukee, WI 53217

Animation Station - D . 59.95 Muppet Keys - D 54.95

PRODUCTS

ORDER LINES OPEN 11 AM - 7 PM CST 12 PM - 5 PM CST Mon-Fri

	3260:J=2:G8=208:G9=209		OSUB 21220
PF 20010	STA=53279:CC=53278:RES=77:K	AK 22Ø35	POKE C6,01:POKE C7,9:? SCOR
	EY=764: B2=2Ø: WT=12ØØØ: AD=5Ø		E;:POKE C7, 26:? HI;:POKE C7
	:JUM=25Ø:SPED=197:LEV=1:ZIP	DI 22040	,36:? LI POKE DL4,80:D=USR(ML,MANY,P
DEDGGIE	=2000:K=3:E=10:U=12	11 22040	I(E)):GOSUB SY:POKE XP,120:
FN ZUUIJ	FOR A=1600 TO 1624: READ I:P OKE A, I: NEXT A: FOR A=260 TO		POKE CC, K: POKE DC, U: GOSUB A
	419:READ I:POKE A, I:NEXT A		D:GOSUB 17500:GOTO WT
IF 20020	FOR A=1650 TO 1777: READ I:P	FD 22100	BACKC=0:GOSUB 16000:GOSUB S
	OKE A, I: NEXT A: FOR A=01 TO		Y:GOSUB 17000:POKE DC,U:COL
ALC: NO.	18:READ I:PI(A)=I:NEXT A		OR O:RESTORE 31100:GOSUB 15
AE 20025	A=PEEK(106)-40:POKE 54279,A	** 55446	ØØØ:COLOR O1
	:P=256*A:POKE 559,62:POKE 6		RESTORE 31200:GOSUB 15000 MINQ=13:MAXQ=14:QW=MINQ:QW1
	23,01:POKE 53277,3:POKE XP,	M 22120	=QW:SC=O:LIMIT=17:F=10:POKE
	0:POKE 704,30		1552,230: IF SPED=198 OR TY
EE 20030	MAN=P+1Ø24: MANY=MAN+Y: OB1=P		P=2 THEN POKE 1554,230
	+128Ø+141:0B2=P+1792+141:F0 R I=MAN TO P+1536:POKE I.O:	CM 22125	GOTO 22030
	NEXT I	BE 23500	POKE PC, 14: POKE BC, 14: LI=LI
KK 20035	FOR I=P+1792 TO P+2048:POKE		+01: ZIP=ZIP+1000: POKE C6, 01
	I, D: NEXT I: RETURN		:POKE C7,36:? LI;"{UP}":POK
NJ 20100	FOR A=P TO P+191:READ I:POK		E PC, BACKC: POKE BC, BACKC: RE
	E A, I:NEXT A		TURN
00 20105	C=01:FOR A=P TO P+159 STEP	10 24000	LEV=LEV+01:LEVEL=LEVEL+100:
	16:0B(C)=A:C=C+01:NEXT A:0B		IF LEVEL>200 THEN POKE DL+1 31,15:GOTO 24500
	(11) = OB(8) : OB(U) = OB(7)	BV 24616	POKE DL+131,15:GOTO 21900+L
EM 20110	FOR I=P+400 TO P+463: READ A	DR 2-1010	EVEL
	:POKE I, A:NEXT I:C=01:FOR I	DF 24500	BACKC=96:GOSUB 16000:GOSUB
	=P+400 TO P+463 STEP 16:EX(C)=I:C=C+O1:NEXT I		SY: GOSUB 17000: POKE DC, U
EL 20115	FOR I=P+200 TO P+247:READ A	LB 245Ø5	RESTORE 31000+LEVEL-100:COL
11 20113	:POKE I, A: NEXT I: OB(13) =P+2		OR O:GOSUB 15000:RESTORE 31
	32:0B(14)=0B(01):0B(15)=P+2		ØØØ:COLOR 01:GOSUB 15ØØØ:SP
	16:0B(16)=P+2ØØ:0B(17)=0B(0		ED=198
	1)	MM 2451Ø	LEVEL=0:BACKC=96:POKE 1552,
PI 20120	RESTORE 30700:FOR I=1536 TO		198:POKE 1554,198:MINQ=01:M
	1576: READ A: POKE I, A: NEXT		AXQ=J:QW=MINQ:QW1=QW:SC=O:L IMIT=Z:F=E:GOTO 22030
	I:POKE G8, O:POKE G9, O:POKE	PC 25000	FOR I=30 TO 108 STEP J:POKE
W 21 0 0 0	X1P, 0: POKE X2P, B2: RETURN GRAPHICS 8: GOSUB 16010: LEVE		XP, I: D=USR(ML, MANY, PI(F)):
M 21000	L=0:BACKC=96:GOSUB 16000:PO		F=F+01: IF F>Z THEN F=01
	KE DC, U	JB 25ØØ5	NEXT I:D=USR(ML, MANY, PI(9))
HA 21005	MINQ=01:MAXQ=J:SC=0:LIMIT=6		:FOR A=01 TO J:FOR F=11 TO
	:POKE 1552,198:RESTORE 3100		14:Y=Y-J:I=I+J:POKE XP, I
	Ø:GOSUB 15ØØØ	PJ 25Ø15	D=USR(ML, MAN+Y, PI(F)): NEXT
CA 21Ø1Ø	FOR I=01 TO 319 STEP J:PLOT		F:NEXT A:FOR A=01 TO J:FOR
	I,124: DRAWTO I,125: NEXT I:	10 25 42 4	F=11 TO 14:Y=Y+J:I=I+J
	FOR I=J TO 318 STEP J:PLOT	10 23020	POKE XP, I:D=USR(ML, MAN+Y, PI (F)):NEXT F:NEXT A:F=01
	I,132:DRAWTO I,149:NEXT I	KN 25025	FOR I=I+J TO 220 STEP J:POK
	POKE DC, BACKC	JIII ZOZZO	E 53248, I: D=USR(ML, MANY, PI(
10 21 938	? "{CLEAR}":POSITION 01,01: ? "{Q}{31 R}{W}{3 R}{E}":PO		F)):F=F+01:IF F>Z THEN F=01
	SITION 01, J:? ": FINITE: 0";	JO 25Ø3Ø	NEXT I:F=E:RETURN
68 21 040	? "{7 SPACES}HI SCORE: Ø	HD 27ØØØ	GRAPHICS 0:POKE 752,01:POKE
	(7 SPACES): 3 :":POSITION 0		710,96:POKE 712,96:POKE 70
	1, Z:? "(Z)(31 R)(X)(3 R)		9,96:POKE 842,13:GOSUB 16010
	(C)": RETURN	PI 27ØØ5	? "(CLEAR)":POSITION J,6:FO
LK 2122Ø	D=USR(ML,OB1,OB(QW)):D=USR(R I=30000 TO 30010:? I:NEXT
	ML, MANY, PI(F)): D=USR(ML, OB2		I:? "CONT":POSITION 0,0:ST
	, OB (QW)): RETURN	JE 27010	? "{CLEAR}":POSITION J,6:FO
KC 22ØØØ	BACKC=196:GOSUB 16000:GOSUB	00 2 / 2 1 2	R I=30080 TO 30098 STEP J:?
	SY:GOSUB 17000:POKE DC,U:C		I:NEXT I:? "CONT":POSITION
	THE PERMITTER OF MANAGEMENTS		

OLOR O: RESTORE 31000:GOSUB

W:SC=0:LIMIT=U:F=E:POKE 155

2,198:POKE 1567, SPED: IF LEV

15000: COLOR 01 LO 22010 RESTORE 31100:GOSUB 15000

=5 THEN LIMIT=E

6E 22020 MINQ=7: MAXQ=8: QW=MINQ: QW1=Q

I:NEXT I:? "CONT":POSITION 0,0:STOP LF 27Ø15 ? "{CLEAR}": POSITION J,6:FO R I=25000 TO 25030 STEP 5:? I:NEXT I:FOR I=19000 TO 19 Ø25 STEP 5:? I:NEXT I:? "CO NT" LK 27020 POSITION O, O:STOP J6 22030 POKE DC, BACKC: GOSUB 21038: G February 1985 COMPUTE! 65


```
J0 27025 ? "{CLEAR}": POSITION J, 6: FO
        R I=20000 TO 20035 STEP 5:?
         I: NEXT I: FOR I = 20100 TO 20
        120 STEP 5:? I:NEXT I:? "CO
        NT"
LL 27030 POSITION O, O: STOP
PE 27035 ? "{CLEAR}": POSÎTION J,6:FO
        R I=27000 TO 27035 STEP 5:?
         I:NEXT I:? "30700":? "3070
        2":? "GOTO 27070":POSITION
        O.O:STOP
HG 27070 POKE 842, 12: RETURN
DM 3ØØØØ
        DATA 104, 104, 133, 204, 104, 13
        3,203,104,133,209,104,133,2
        Ø8,160,0,177,208,145,203,20
        0,192,16,208,247,96
6N 3ØØØ1 DATA 12,12,8,56,9Ø,156,24,3
        0,18,36,72,132,128,0,0,0,12
        ,12,8,56,88,94,88,24,20,18,
        226,130,3,0,0,0
ML 30002 DATA 12,12,8,24,24,24,24,24
        ,216,56,20,4,4,4,6,0,12,12,
        8,24,56,56,60,56,30,18,20,1
        6,16,16,24,0
IM 30003 DATA 0,0,24,24,18,52,56,50,
        53,56,48,32,64,128,0,0,0,0,
        12, 12, 8, 24, 60, 91, 24, 24, 158,
        113,0,0,0,0
LP 30004 DATA 0,0,12,12,8,24,26,28,1
        52,88,56,28,2,1,0,0,0,0,12,
        12,8,24,26,28,24,24,120,12,
        4,4,4,0
HD 3ØØØ5 DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,
        0,0,0,0,0,12,12,8,24,24,24,
        24, 24, 24, 8, 8, 8, 8, 8, 12, Ø
BC 30006 DATA 0,0,0,192,200,132,204,
        248, 112, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
        ,24,4,2,102,108,16,0,0,0,0,
        Ø,Ø,Ø
PK 30007 DATA 0,0,0,14,31,51,33,19,1
        9,0,0,0,0,0,0,0,0,0,0,8,54,
        102,64,32,24,0,0,0,0,0,0,0
FJ 3ØØØB DATA 48, 48, 16, 28, 26, 122, 26,
        24, 40, 72, 71, 65, 192, 0, 0, 0, 0,
        0,96,96,64,100,56,48,48,58,
        29,24,15,0,0,0
6D 30009 DATA 0,0,0,0,0,0,0,0,0,0,19
        2,208,144,254,125,0,48,48,1
        6,24,28,28,60,28,120,72,40,
        8,8,8,24,0
JA 30010 DATA 260,276,292,308,324,34
        0,356,372,388,404,1650,1666
        ,1682,1698,1714,1730,1746,1
        762
HN 30080 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,
        8,28,62,127,0,0,0,0,0,0,0,0,0
        ,0,0,8,8,8,8,8,8,8
PF 3ØØ82 DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,32,64,25
        5,64,32,0,0,0,0,0,0,0,0,0,0
        ,0,8,8,8,8,8,8,8,8,0
BH 30084 DATA 0,0,0,0,32,64,255,64,3
        2,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,ø,255,255,255,255,255,255,
        255, 255, Ø
OM 3ØØ86 DATA Ø,Ø,Ø,Ø,Ø,Ø,64,255,64,
        0,0,0,0,0,0,0,0,0,0,0,0,0,0,4
        8,88,60,4,8,16,34,37,25,0
KN 3ØØ88 DATA Ø,Ø,Ø,Ø,96,1Ø9,255,28,
```

```
12,248,236,70,3,1,0,0,0,0,0
        , Ø
FM 30090 DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,
        30,247,255,66,0,0,0,0,0,24,
        60, 126, 219, 126, 0, 0, 0, 0, 0, 0, 0,
PO 30092
        DATA 12, 12, 24, 24, 24, 24, 24, 2
        4, 24, 24, 8, 44, 8, 16, 0, 0, 0, 0, 1
        2, 12, 8, 24, 24, 24, 24, 24, 24, 8,
        4,4,56,0
FD 30094 DATA 0,0,0,0,12,31,27,27,24
        ,24,24,8,4,4,56,0,0,0,0,0,0
         ,0,0,4,14,11,9,9,11,11,59,0
MN 30096 DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,25
        5, 255, 126, 126, 36, 0, 0, 0, 0, 0,
        0,0,36,126,219,129,0,0,0,0,
        Ø,Ø
DE 30098 DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,28,8,8
        ,28,28,28,28,Ø
MB 3Ø7ØØ DATA 1Ø4,16Ø,1Ø,162,6,169,7
        ,76,92,228,169,0,197,208,24
        0, 9, 198, 206, 197, 206, 166, 206
        ,142,3,208
DM 30702 DATA 197,209,240,9,198,207,
        197, 207, 166, 207, 142, 1, 208, 7
        6,98,228
ME 31000 DATA 1,93,56,55,62,55,100,9
        3,134,67,170,93,210,59,245,
        80,280,67,319,93,-1,-1
10 31 100 DATA 1,50,4,52,8,53,14,53,1
        9,57,23,58,29,57,39,60,45,6
        0,45,93,65,93,65,60,71,60,8
        1,57,87,58,91,57,96
AC 31102 DATA 53,104,53,108,52,111,5
        0,119,40,125,37,130,30,133,
        25, 132, 18, 131, 13, 131, 7, 128,
        3,124,1,-9,-9
        DATA 45,60,47,61,49,63,52,6
16 311 04
        2,56,63,58,61,60,59,63,61,6
5,60,-9,-9
MC 31106 DATA 115,45,120,48,125,49,1
        34,49,140,54,145,56,155,56,
        155,93
AC 31108 DATA 175,93,175,56,185,56,1
        90,54,196,49,206,49,211,48,
        220, 45, 223, 40, 227, 35, 226, 34
         -9,-9
OE 31110 DATA 155,56,159,57,165,56,1
        70,57,175,56,-9,-9
60 31112 DATA 220,45,225,50,234,51,2
        40,50,250,54,253,54,253,93,
        273,93,273,54,280,52
CJ 31114 DATA 286,51,294,52,300,54,3
        07,53,310,51,319,48,-9,-9
EF 31116 DATA 319, 48, 315, 46, 312, 44, 3
        10,40,308,36,305,35,300,28,
        298,24,299,20,300,17,302,12
        ,303,6,305,2,308,1,-9,-9
NF 31118 DATA 253,54,259,55,266,54,2
        70,55,274,54,-1,-1
KG 31200 DATA 1,1,10,10,30,10,38,18,
        43,30,50,54,60,65,65,52,70,
        72,72,75,74,80,85,80,90,72,
        94,66,123,66,123,55,140,40
10 31202 DATA 135, 24, 145, 15, 160, 24, 1
        80,12,170,40,191,82,200,62,
        206, 70, 213, 60, 200, 40, 207, 35
        ,213,43,230,24,240,50
```

OK 31204 DATA 256,50,260,55,273,30,2

12,6,0,0,0,0,0,0,0,0,0,0,48,1

THE VALUE LEADER **SINCE 1976**



Sanyo 550 & 555 PC's. Built-in software includes MDOS Version II, Wordstar, Calc-Star, Basic, more. Great Prices.

Computer	Ram	Drive	Price
550-1	128K*	180K (1 drive)	\$895.
550-2	128K*	360K (1 drive)	950.
555-1	128K*	360K (2 drives)	1075.
555-2	128K*	720K (2 drives)	1275.


'EXPANDABLE TO 256

ENITH data systems

All Zeniths fully software & hardware compatible with the PC and XT...superior keyboard:

Computer	Ram	Drive	Ports		Price
ZF-151-21	128K	360	1PL/2	SER.	CALL
ZF-151-52	320K	720 (2 drives)	1PL/2	SER.	CALL
		10.6 MB + 360			
ZF-161-21*	128K	360	1PL/2	SER.	CALL
ZF-161-52*	320K	720 (2 drives)	1PL/2	SER.	CALL
-	Portal	ble			

Panasonic



PANASONIC 1090 Friction & tractor. excellent correspondence mode, Epson code compatible \$239

PARTICIPATE CONTRACTOR OF THE PARTICIPATE OF THE PA
WC 6420 Auto Modem (also available for Atari &
Apple at slightly higher price)\$ 65.
Tech Sketch Light Pen & Micro
illustrator 44.
MSD Superdrives, single and dual CALL
CBC 4/12 Analog to Digital
4 Chan/12 Bit
Typing Tutor III w/Letter Invaders
(Also for Apple & IBM)
Paper Clip Word Processor
CBM/C64
80 Column Display Card
by "Batteries Included"149.
Oracle (Consultant) Data Base
by "Batteries Included"
BusCard II
by "Batteries Included"
Cable from BusCard to Parallel Printer 25.
All other "Batteries Included" items
in stock
FORTH for PET/C 64
FORTH for PET/C 64
FORTH for PET/C 64
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley
FORTH for PET/C 64 (Full Fig. Model) by Carglie/Riley
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley 50. Ditto Disk 64 (copy discs even if original is copy protected) 36. STAT for PET/CBW/C64 95. Comprehensive Statistical Analysis Routines
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley
FORTH for PET/C 64 (Full Fig. Model) by Carglie/Riley 50. Ditto Disk 64 (copy discs even if original is copy protected) 36. STAT for PET/CBM/C64 95. Comprehensive Statistical Analysis Routines * AB's C64 Upgrade Kit: Includes BusCard II, IEEE Cable & MSD Superdrive 319.
FORTH for PET/C 64 (Full Fig. Model) by Carglie/Riley
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley 50. Ditto Disk 64 (copy discs even if original is copy protected) 36. STAT for PET/CBM/C64 95. Comprehensive Statistical Analysis Routines * AB's C64 Upgrade Kit: Includes BusCard II, IEEE Cable & MSD Superdrive 319. KMMM PASCAL IV.1 (C64/PET) 95. NEW 64 + PASCAL CALL
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley 50. Ditto Disk 64 (copy discs even if original is copy protected) 36. STAT for PET/CBM/C64 95. Comprehensive Statistical Analysis Routines *AB's C64 Upgrade Kit: Includes BusCard II, IEEE Cable & MSD Superdrive 319. KMMM PASCAL IV.1 (C64/PET) 95. NEW 64+PASCAL CALL FLEX-FILE II User friendly. Set-up and
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley 50. Ditto Disk 64 (copy discs even if original is copy protected) 36. STAT for PET/CBM/C64 95. Comprehensive Statistical Analysis Routines * AB's C64 Upgrade Kit: Includes BusCard II, IEEE Cable & MSD Superdrive 319. KMMM PASCAL IV.1 (C64/PET) 95. NEW 64 + PASCAL CALL
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley 50. Ditto Disk 64 (copy discs even if original is copy protected) 36. STAT for PET/CBW/C64 95. Comprehensive Statistical Analysis Routines * AB's C64 Upgrade Kit: Includes BusCard II. IEEE Cable & MSD Superdrive 319. KMMM PASCAL IV.1 (C64/PET) 95. NEW 64+PASCAL CALL FLEX-FILE II User friendly. Set-up and maintain data base. Includes report writer & mail label routines 59. Petscan—Connect up to 37 CBM/PET compu-
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley 50. Ditto Disk 64 (copy discs even if original is copy protected) 36. STAT for PET/CBM/C64 95. Comprehensive Statistical Analysis Routines *AB's C64 Upgrade Kit: Includes BusCard II, IEEE Cable & MSD Superdrive 319. KMMM PASCAL IV.1 (C64/PET) 95. NEW 64 + PASCAL FLEX-FILE II User friendly. Set-up and maintain data base. Includes report writer & mail label routines 59. Petscan Connect up to 37 CBM/PET computers as networked cluster to shared drives
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley
FORTH for PET/C 64 (Full Fig. Model) by Cargile/Riley

OTHER COMPUTER SPECIALS

IBM PC and PC XT i available at special p	
ALSPA 8" CPM Com	puters. 64K
memory workhorse a	t super special
prices.	
1/SS	as low as \$500.
2/SS \$700 .	2/DS\$1,000.
Franklin Ace - not	many left.
super prices	
Commodore-full lin	eCALL

DISKS & ACCESSORIES

Price	per	51/4"	Disk

3M	230		SS		AT	
Qty.	SS/DD	DD/DD	96 TPI	96 TPI	H DENS	
200	\$1.55	2.14	3.16	3.49	CALL	
100	1.59	2.19	3.22	3.56	CALL	
10	1.62	2.23	3.29	3.63	CALL	
VER	BATIM		SS	DS	AT	
Qty.	SS/DD	DD/DD	96 TPI	96 TPI	H DENS	
200	\$1.61	2.17	3.29	3.63	CALL	
100	1.65	2.22	3.36	3.71	CALL	
10	1.68	2.26	3.43	3.78	CALL	
MAX	ELL		SS	DS	AT	
Qty.	SS/DD	DD/DD	96 TPI	96 TPI	H DENS	
200	\$1.93	2.56	2.74	3.43	5.04	
100	1.97	2.61	2.80	3.50	5.15	
10	2.01	2.66	2.86	3.57	5.25	

30 MacIntosh 31/2" diskettes in Amaray



'AB's OWN DISKETTES—top disk quality at a low, low price ... buy 100 (DS/DD) and pay only \$1.50 per disk.

Plus, before February 28, get a free Amaray Mediamate 5 disk file in the bargain!

AB carrys all major brands...3M, Verbatim, Maxell, Wabash, BASF, Sentinel, Dysan...in all popular sizes and configurations. CALL for super prices.

Company of the Compan	100
DISK STORAGE Mini Flip 'N File (50 5" disks)	\$17.45
Rolltop 100 (100 disks, 10 dividers)	28.99
Mini Kas-ette/10 (for 5" disks) 1/2.25 10/2.	05 ea.
* Amaray Mediamate 5	
Innovative Concepts—fold out style	
Flip 'N File/25 Flip 'N File/50	16.50
Smith & Bellows Wooden Storage Boxes for 5" disks. Natural or dark For 50 disks.	finish.
For 70 disks For 100 disks	21.
PLUS—"HEAD" disk cleaning kit	11.99

IBM drive analyzer (Verbatim)......

22.50

SOFTWARE HIT PARADE

Master Type (Scarborough)	\$22.	Symphony (Lotus)
Math Blaster! (Davidson)	35.	PFS:Report (Software Pbshg.)79.
Typing Tutor III (S&S)	35.	PFS:Write (Software Pbshg.)89.
Alphabet 200 (Spinnaker)	22.	dBase III (Ashton-Tate)489.
Success with Math (CBS)	18.	dBase II (Ashton-Tate)349.
Typing Tutor II (Microsoft)	18.	Framework (Ashton-Tate)489.
Algebra I (Peachtree)	22.	Multimate (Multimate)320.
Story Machine (Spinnaker)	22.	Chart (Microsoft)
Word Attack! (Davidson)	35.	Multiplan (Microsoft)
Get Organized! (Electronic Arts)	159.	Wordstar (Micropro)335.
Spotlight (Software Arts)	120.	*Personal Pearl (pearlsoft)-Database
Microsoft "Word" (w/Mouse)	325.	filing/reporting system for personal
	CALL	productivity. Manipulate database thru
Unix Operating System for PC		simple English sentence commands. Great
Copy PC	29.	for beginner or pro. Super business aid.
Flight Simulator II (Sub Logic)	39.	Includes functions for bookkeeping, general
1-2-3 (Lotus)	299.	ledger, billings management, mail list, sales
PFS:File (Software Pbshg.)	89.	analysis, budget planning, more \$235.
Ma carry full coffware lines	by Electr	ania Asta Cabalastia Casabasawah

for bookkeeping, general anagement, mail list, sales planning, more \$235. P We carry full software lines by Electronic Arts, Scholastic, Scarborough, PFS, Spinnaker, Batteries Included, Others. If you don't see it here, CALL.

MONITORS

ASVGSNUCF

USI-20					
resolution	n. Eas	ily cap	able of 8	30 cha	racter
display.					
* 1200G	(Pi-2)p12"	green	phosp	ohor
SPECIAL					
* 1200A					
SPECIAL					89.

AMDER			
	310A-12"		
TTL-I	ВМ	 	\$155.
ZENITH			

for IBM	
ZVM-135-High res. RGB+cor monitor	
ZVM-135-1-Cable for RGB monitor	23.
PANASONIC 12" Green 20 MHz (Sound) 12" Amber 20 MHz (Sound)	
ELECTROHOME ECM 1226-12" Green	\$95.

ECM 1302-1-13" Color RGB...... ECM 1302-2-13" Color (Hi Res.)

POWER DEVICES	
Datashield back-up power source	
200 PC-200 watt	.\$265.
300 XT-300 watt	390.
"BITS" Power back-up-250W True uninterruptable	695.
Brooks 6 Outlet-Surge Supres-	
sor/Noise Filter	54.
Computer Power Inc500 VA	1320.
Tripp Lite 425 VA	390.

Ordering Information: Order by check, MasterCard or VISA. Personal checks take 15 days to clear; no waiting on certified checks or money orders. Add 3% shipping and handling on all orders (minimum \$2.00). Mail, APOIFPO. Air may require additional to the control of the contr tional charges PA residents add 6% sales tax: MA residents add 5%. All items subject to availability. Prices subject to change. Additional discounts available to qualified educational institutions. Requests for bid on volume requirements invited.

OUTPUT DEVICES Drinters by Ctor Essen C Itah Amdel

Panasonic, Okidata, Diablo, Brother:
Star Micronics Gemini 10X
-10" carriage, F/T 120 CPS\$258.
Epson LQ-1500-NEW 24-pin
letter quality dot matrixCALL
F DY OO T I F I

Epson HX-80-Tractor Feed,	
Graftrax +	289.
Okidata 92	
Amdek Printers	
5025-25 CPS Daisywheel, 2K Buffer	CALL
5040-40 CPS Daisywheel, 2K Buffer	
5055-55 CPS Daisywheel, 2K Buffer	
Brother HR-35 Daisywheel-	
25 CPS Bi-Directional	889.
Brother HR-25 Daisywheel-	
23 CPS Bi-Directional	649.
Brother HR-15 Daisywheel-	
13 CPS Bi-Directional	389.
Star Radix 10	600.
Star Radix 15	
C. Itoh	
Prowriter I (Parallel)	CALL
Starwriter (40 CPS)	
Diablo 620 (Daisywheel)	
IBM Parallel Printer Cable	

COMMUNICATIONS

Mark X Auto Dial/Auto Answer	\$119
Anchor Mark XII Smart modem	265
Hayes Smartmodem 1200B	459
(includes Smartcom II software)	
Hayes SmartModem 1200/300	529
"Crosstalk" software	135

* Voad keyboard-phone software for IBM PC and compatibles. Features mail merge, call reporting, "Note Pad" and more...

FREE CATALOG!

This ad space can accommodate only a few of the exceptional values available from AB. Our latest catalog is packed with fantastic buys, top brands, thousands of items. For a free copy call or write.

printers /ETC.

Panasonic, Amdek, Hitachi & Other - 1/2
height, double side drivesfrom \$149.
* Data Technology TeamMate Drive-super
new system. Puts 3.3 MB on 5¼ * floppy Formats to 2.8. For PC XT owners, an alternative to hard disk.
4 disks back-up 10 megabytes
* Winchester Drives (10 MB)799.
Quadram Quadboard—Parallel port, serial port,
clock/calendar.
No RAM-\$299, w/64K-\$379, w/384K-\$499
*AMDEK MAI graphics card for
IBM PC
IBM PC 200. Hercules graphics board 359.
Votrax speech synthesizers—
Personal Speech System249.
AST-full line of IBM cards & boards .CALL
Keytronics 5150 keyboard179.
Hewlett Packard calculators, all models:
LOW, LOW PRICES
Koala Pad (w/software)
4164 Chip-Memory expansion for
IBM, 64K
popular connectors
(Dealer inquiries invited)
(Dealer inquiries invited)

ORDER LINE, 9 AM-6 PM EST 800-822-1211

(IN PA., 215-822-7727)

CUSTOMER SERVICE 215-822-7727





252 BETHLEHEM PIKE COLMAR, PA 18915

		80,44,275,60,290,50,295,55,		CORE"SC :rem	183
		300, 20, 319, 1, -1, -1	55	POKE198, Ø:LI=LI-1:IFLI=ØTHEN69:rem	255
16	31500	DATA 204,0,0,147,217,0,0,18	57	PRINT" {WHT} {DOWN} {11 SPACES}MEN REM	
		,204,0,0,91,173,0,0,95,182,		ING"LI :rem	
		0,0,90,204,0,0,70	58	FORTD=1TO2000:NEXT :rem PRINT"[HOME][20 DOWN][39 SPACES]"	56
AJ	31502	DATA 217,144,0,25,204,136,1	39	:rem	166
TA	31700	02,140,-1,0,0,0	61	PRINT"{DOWN}{36 SPACES}" :rem	
14	31/00	DATA 102,0,0,40,114,0,0,40, 128,0,0,40,136,0,0,40,0,0,0		PRINT" [HOME] [2 DOWN] "TAB(12) "HIT SP.	
		,40,162,108,0,40,153,102,76		BAR":WAIT198,1:PRINT" [HOME] [2 DOWN	}"T
		,80,-1,0,0,0		AB(12)"{13 SPACES}" :rem	
EL	31800	DATA 162, 121, 96, 70, 121, 96, 8	63	POKE 16404,0:POKE53265,PEEK(53265)A	
		1,35,162,121,96,70,121,96,8	65	27 :rem FORTD=1T0150:NEXT:Q=0:POKE53288,0:P	
		1,35,96,81,60,70,-1,0,0,0	03	832,0:POKE53251,0:POKE53278,0:rem	
-		OF SHORE	67	POKE53279, Ø: POKE53269, 7: GOTO 25	170
P	rogran	n 2: Commodore 64 Acrobat		:rem	177
R	efer to "C	COMPUTE!'s Guide For Typing In Programs''	69	PRINT" {2 DOWN } { WHT } { 4 SPACES } DO YOU	WA
		ore typing this program in.		NT TO PLAY AGAIN? (Y/N)" :rem	208
			71	GETA\$:IFA\$<>"Y"ANDA\$<>"N"THEN71	
1		,0:POKE51,0:POKE56,60:POKE52,60:C	73	IF A\$="Y"THEN11 :rem	
2	LR: POK	E828,0 :rem 155 2:FORV=LTOL+24:POKEV,0:NEXT:POKEL		POKE828, Ø:SYS828 :rem	
3		POKEL+24,143 :rem 128	77	R\$="F":J\$="J":S\$="S":PRINT"{CLR}{WH	
5		5,17:POKEL+6,0:SY=53253:POKE53252		{3 DOWN} {15 RIGHT}ACROBAT" :rem	
		OKE 2042,255:POKE53277,4 :rem 57	79	PRINT" [2 DOWN] [7 SPACES] [RVS] F [OFF]	
7		7:GOSUB365:SYS 16436:POKE53265,PE		{3 SPACES}MAKES THE ACROBAT FLIP"	
_		65)OR128 :rem 11	01	PRINT" [2 DOWN] [7 SPACES] [RVS] J[OFF]	198
9		55: POKE53281, Ø: POKE53275, 4: POKE53	01	{3 SPACES MAKES THE ACROBAT JUMP"	
1	288,0	:rem 188 6645,15:PRINT"{CLR}":SYS 16610:PO		:rem	212
		Ø: POKE53289, Ø: POKE53271, 4	83	PRINT" [2 DOWN] [7 SPACES] [RVS]S[OFF]	
	to great the	:rem 251		{3 SPACES}MAKES THE ACROBAT SLIDE"	
1:	3 POKE5	3269,7:POKE53248,150:Y=53249:POKE		:rem	
		:POKE53280,1 :rem 88	85	PRINT"{3 DOWN}{12 SPACES}HIT E TO E KEYS"	
1:	5 PRINT	"{HOME}{18 DOWN}{GRN}E40 £3"	87	REYS" :rem PRINT" [2 DOWN] [10 SPACES] ANY OTHER	
1.	7 T.T=3+0	:rem 218 C=24Ø:D=243:S=1:P=129:POKE828,Ø:D		TO STAPT"	
		OKE16404,0:POKE53279,0:SC=0:S1=0		GETA\$:IFA\$=""THEN89 :re	m 5
		:rem 1		IFA\$<>"E"THEN99 :re	
19		3265, PEEK (53265) AND 127: POKE 53278,	92	PRINT" (CLR) (2 DOWN) YOU MUST ENTER	
2	Ø:FM=		93	TERS BETWEEN A AND Z" :rem PRINT"{2 DOWN}{13 SPACES}KEY TO FLI	B8 "
		CTOD:POKEV1,A:POKEV2,P :rem 188 -PEEK(V4):IFPO <v5thenpo=v5< td=""><td>,,,</td><td>;:GOSUB600:R\$=A\$:rem</td><td></td></v5thenpo=v5<>	,,,	;:GOSUB600:R\$=A\$:rem	
-	3 10 13	:rem 188	95	PRINT" {2 DOWN } {13 SPACES } KEY TO JUM	P?"
25	5 POKEV	6, PO:GETA\$:IFA\$=R\$ANDQ<=.THENA=D:		;:GOSUB600:J\$=A\$:rem	61
		:D=250:Q=9:S=.9:P=33:S1=5 :rem 65	97	PRINT" {2 DOWN } {13 SPACES } KEY TO SLI	
2	7 IFAS=	J\$ANDQ <= . THENA=D:Q=18:S=3:S1=2	00	";:GOSUB600:S\$=A\$:rem PRINT"{2 DOWN}{13 SPACES}PLEASE WAI	125
20	TEAS=	:rem 31 S\$ANDQ<=.THENA=D:C=252:D=252:Q=.4	23	." :rem	
2.		7:P=128:S1=2 :rem 142	101	FORA=15360T016383:READB:POKEA,B:NEX	1000000000
3		EK(V7) <> V9) OR (PEEK(V8) <> V9) THENSC		:rem]	
	=SC+S	1:S1=. :rem 191	103	V1=2040:V2=54276:V3=15:V4=828:V5=7:	
33		2, VA: POKEY, VB-Q: POKESY, VC-Q: Q=Q-S		=16645:V7=1718:V8=1678:V9=32:VA=128	
	:IFQ<	=.THENC=240:D=243:Q=0:P=129	105	:rem	
31	TE(DE	EK(VD)ANDVF)THEN47 :rem 97	105	VB=173:VC=164:VD=53279:VE=3:VF=1:VC 1242:VH=49:VI=1000:RETURN :rem 2	
		K(V4)/VE:IFU=INT(U)THENPOKEVG,U+V	107	DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø :rem]	
	Н	:rem 247		DATAØ,Ø,Ø,Ø,Ø,28,Ø,Ø :rem 1	
		+PEEK(VI):POKEVI,. :rem 119		DATA28,0,0,248,0,3,112,0 :rem 1	
4]		FMTHENFM=FM+100:LI=LI+1:FORQQ=15T	113	DATA6,112,0,12,127,0,0,112 :rem 2	
		P-1:POKE5328Ø,QQ:NEXT :rem 44		DATAØ,Ø,112,Ø,Ø,112,Ø,Ø :rem	
4.		EK(V7)<>V9)OR(PEEK(V8)<>V9)THENSC 1:S1=. :rem 194		DATA072,0,0,132,0,0,130,0 :rem]	
4	=SC+S			DATAØ,13Ø,Ø,Ø,132,Ø,Ø,136 :rem DATAØ,1,4,Ø,Ø,128,Ø,111 :rem	
		3265, PEEK (53265) OR128: POKEL+6, 88:		DATAØ,0,0,0,0,0,0,0 :rem]	
	POKE 5	3269,3 :rem 5	125	DATAØ,Ø,Ø,Ø,Ø,28,Ø,Ø :rem]	
49		+4,33:FORZ=244TO246:POKE2040,Z:FO	127	DATA028,0,0,248,0,1,240,0 :rem]	
		TO75:POKEL+1,TD:NEXT:NEXT :rem 28		DATA1,240,0,1,255,0,0,112 :rem 1	
5]	POKE (2	2 SPACES L+4,32:POKEL+6,0 :rem 67 "{WHT} {HOME} {20 DOWN} {14 SPACES}S		DATAØ,Ø,112,Ø,Ø,112,Ø,Ø :rem	
5.	LIVINI	(MILL) (HOME) (20 DOWN) (14 SPACES)S	133	DATA72,0,0,132,0,0,130,0 :rem 1	104
10		Fabruary 1005			

```
135 DATA1, 2, Ø, 2, 4, Ø, 4, 8
                                   :rem 124
                                              279 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                 :rem 112
                                                                                  :rem 204
137 DATAØ, 2, 4, Ø, Ø, Ø, Ø, 111
                                              281 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,111
                                   :rem 210
139 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 107
                                               283 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                 :rem 107
                                              285 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
141 DATAØ,Ø,Ø,Ø,Ø,28,Ø,Ø
                                  :rem 158
                                                                                  :rem 109
143 DATA28,0,0,248,0,0,240,0
                                               287 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 116
                                                                                  :rem 111
                                              289 DATAØ, 63, Ø, 12, 127, 128, 6, 115
145 DATAØ, 252, Ø, Ø, 255, Ø, Ø, 112
                                                                                  :rem 31
                                   :rem 161
                                              291
                                                  DATA128,3,115,128,1,227,128,0:rem 129
147 DATAØ,Ø,112,Ø,Ø,112,Ø,Ø
                                   :rem 50
                                              293
                                                   DATA238,0,0,14,0,0,0,0
149
    DATA72,0,0,136,0,0,136,0
                                   :rem 121
                                                                                  :rem 14
                                              295
                                   :rem 132
                                                  DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                 :rem 110
151
    DATA1,8,0,2,8,0,4,8
                                              297
                                                   DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,111
                                                                                  :rem 211
153
    DATAØ, 2, 4, Ø, Ø, Ø, Ø, 111
                                   :rem 208
                                              299
                                                                                 :rem 114
                                                  DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
155 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 105
                                                                                  :rem 98
157
                                   :rem 165
                                              301 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
    DATAØ,Ø,Ø,Ø,Ø,28,Ø,Ø
159 DATA28, Ø, Ø, 248, Ø, 1, 112, Ø
                                   :rem 122
                                                  DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                  :rem 100
161 DATA2, 114, Ø, 4, 124, Ø, Ø, 112
                                               3Ø5
                                                  DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 157
                                                                                :rem 102
                                                   DATAØ, 96, Ø, Ø, 24Ø, Ø, Ø, 255
163
    DATAØ, Ø, 112, Ø, Ø, 112, Ø, Ø
                                   :rem 48
                                               307
                                                                                  :rem 121
                                              309 DATA248,0,31,254,0,8,133,0
165 DATA96,0,15,192,0,16,64,0
                                   :rem 188
                                                                                  :rem 230
                                                                                  :rem 73
167
    DATAØ, 64, Ø, Ø, 64, Ø, Ø, 64
                                    :rem 26
                                               311 DATA7,2,128,0,2,128,0,5
169 DATAØ,Ø,96,Ø,Ø,Ø,Ø,111
                                    :rem 16
                                                  DATAØ,Ø,1Ø,Ø,Ø,27,Ø,Ø
                                                                                  :rem 207
                                              313
                                                  DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,32,224,Ø,97,16,Ø,34
171
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 103
173
    DATAØ,Ø,Ø,Ø,Ø,28,Ø,Ø
                                                   ,8,0,34,8,0,34,8,0,34,8,0,34,8,0,33,1
                                   :rem 163
175
    DATA28,0,0,120,0,0,112,0
                                   :rem 108
                                                                                   :rem 11
                                   :rem 158
177
    DATAØ, 114, Ø, Ø, 124, Ø, Ø, 112
                                              317 DATAØ,112,224,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø
179 DATAØ,Ø,112,Ø,Ø,112,Ø,Ø
                                                                                   :rem 93
                                    :rem 55
                                   :rem 37
181 DATA96,0,0,96,0,0,96,0
                                              319 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                   :rem 35
183 DATAØ, 96, Ø, Ø, 96, Ø, Ø, 96
                                   :rem 39
                                              321 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                   :rem 28
                                   :rem 51
                                              323 DATAØ12,Ø,Ø,5Ø,7,128,9,8
185 DATAØ,Ø,112,Ø,Ø,Ø,Ø,111
                                                                                  :rem 129
                                              325 DATA64,6,243,128,2,0,128,1
                                                                                  :rem 234
187 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 110
                                              327 DATA3,0,0,132,0,0,120,0
                                                                                  :rem 54
189 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 112
191 DATAØ,Ø,Ø,Ø,Ø,Ø,63,128
                                    :rem 13
                                              329
                                                  DATAØ, 40, 0, 0, 40, 0, 0, 84
                                                                                   :rem 16
    DATAØ, 127, 192, Ø, 127, 248, Ø, 112: rem 125
193
                                              331 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                  :rem 101
195
    DATA56,0,112,56,0,112,0,0
                                  :rem 171
                                              333
                                                  DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                  :rem 103
197
    DATA96,0,0,96,0,0,96,0
                                    :rem 44
                                              335
                                                  DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                  :rem 105
199
                                              337
                                                  DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                  :rem 107
    DATAØ, 96, Ø, Ø, 96, Ø, Ø, 96
                                    :rem 46
                                    :rem 40
                                              339 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                  :rem 109
201
    DATAØ, Ø, 112, Ø, Ø, Ø, Ø, 111
                                              341 DATAØ, Ø, 3, 255, Ø, 63, 255, 1
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                    :rem 99
                                                                                  :rem 123
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                              343 DATA 255, 255, Ø15, 255, 255, 63, 255, 255
                                   :rem 101
207
    DATAØ,Ø,Ø,Ø,Ø,Ø,63,Ø
                                   :rem 160
                                                                                  :rem 143
209 DATA0,127,128,0,127,128,0,115:rem 122
                                              345 DATA255, 255, 255, 255, 255, 255, 63, 255
211
    DATA128,0,115,128,0,99,128,0 :rem 76
                                                                                  :rem 151
213
    DATA110,0,0,110,0,0,96,0
                                   :rem 103
                                              347 DATA 255, 15, 255, 255, 1, 255, 255, Ø
    DATAØ, 96, Ø, Ø, 96, Ø, Ø, 96
215
                                   :rem 35
                                                                                  :rem 191
                                    :rem 47
217
    DATAØ,Ø,112,Ø,Ø,Ø,Ø,111
                                              349 DATAØ63,255,Ø,3,255,Ø,Ø,Ø
                                                                                  :rem 178
219
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 106
                                              351 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                                                                  :rem 103
                                                                                  :rem 105
221
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                    :rem 99
                                              353 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
223 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 101
                                                                                   :rem 92
                                              355 REM MOUNTAIN MAKER
225 DATAØ, 63, Ø, 12, 127, 128, 6, 115
                                   :rem 21
                                              357 O=50688: FORA=1TO76: READB: IFB < 0THEN361
227 DATA128,3,115,128,1,227,128,0:rem 128
                                                                                  :rem 238
229 DATA238,0,0,14,0,0,0,0
                                    :rem 13
                                              359 O=O+1:POKEO, 78:FORC=1TOB-1:O=O-255:PO
231 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 100
                                                   KEO, 78:NEXT:NEXT:GOTO363
                                                                                  :rem 114
233
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,111
                                   :rem 201
                                              361 O=O+1:POKEO,77:FORC=1TOABS(B)-1:O=O+2
                                                   57: POKEO, 77: NEXT: NEXT
235
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 104
                                                                                  :rem 129
237
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 106
                                                  POKE51238, 4: POKE51239, 1: POKE51240, 25:
239
    DATAØ,Ø,Ø,Ø,Ø,1,Ø,Ø
                                   :rem 109
                                                   RETURN
                                                                                   :rem 10
241
    DATA1,143,0,0,223,128,0,115
                                     :rem 7
                                              365
                                                  FORA=16384T016891:READI:POKEA, I:NEXT:
                                    :rem 79
243
    DATA128,0,35,128,0,195,128,0
                                                   RETURN
                                                                                    :rem 6
245 DATA255,0,0,62,0,0,0,0
                                              367 DATA162,15,169,120,141,23,64,169
                                    :rem 13
                                                                                   :rem 37
247
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 107
249 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,111
                                   :rem 208
                                              369 DATA4, 141, 24, 64, 169, 192, 141, 21
251
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 102
                                                                                  :rem 191
253 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 104
                                              371 DATA64,160,39,185,0,0,153,0
                                                                                  :rem 29
   DATAØ,Ø,Ø,112,Ø,Ø,119,Ø
                                    :rem 57
255
                                              373 DATAØ, 136, 16, 247, 238, 21, 64, 173
257
    DATA1,199,128,1,206,192,1,206:rem 137
                                                                                  :rem 190
259
    DATA96,1,254,48,0,252,0,0
                                   :rem 190
                                              375 DATA23,64,24,105,40,141,23,64:rem 129
                                                  DATA173,24,64,105,0,141,24,64:rem 134
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
261
                                   :rem 103
263
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 105
                                                  DATA202,208,222,96,32,86,64,169:rem 1
265
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,111
                                   :rem 206
                                              381 DATA199,141,22,208,169,16,141,17
267
    DATAØ,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 109
                                                                                   :rem 38
269 DATAØ,Ø,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 111
                                              383 DATA208,169,255,141,15,212,169,128
271
    DATAØ,Ø,Ø,124,Ø,Ø,255,Ø
                                    :rem 59
                                                                                  :rem 142
273 DATA1,195,0,1,196,0,1,206
                                   :rem 180
                                              385 DATA141, 18, 212, 169, 192, 141, 21, 64
275 DATAØ,1,251,Ø,Ø,241,128,Ø
                                                                                   :rem 33
                                   :rem 167
277 DATAØ,128,Ø,Ø,Ø,Ø,Ø,Ø
                                   :rem 217
                                              387 DATA169,0,141,20,64,96,160,0
                                                                                   :rem 88
```

389	DATA169,32,153,0,192,200,208,250 :rem 31	475 DATA2,208,233,2,144,5,141,2 :rem 26 477 DATA208,208,30,173,30,208,169,255
391	DATA238,92,64,173,92,64,201,208 :rem 250	:rem 91 479 DATA141,2,208,173,16,208,208,12
393	DATA208,236,169,192,141,92,64,169 :rem 105	:rem 237 481 DATA169,0,141,2,208,169,0,141:rem 131
395	DATA160,141,18,208,169,27,141,17 :rem 38	483 DATA64,3,240,5,169,0,141,16 :rem 34 485 DATA208,201,145,208,19,173,30,208
397	DATA208,169,127,141,13,220,169,145 :rem 141	:rem 82 487 DATA41,3,201,3,240,10,169,253:rem 128
	DATA141,20,3,169,64,141,21,3 :rem 84 DATA169,129,141,13,220,141,26,208 :rem 69	489 DATA141,249,7,169,10,141,232,3 :rem 192
403	DATA96,234,173,25,208,41,1,240 :rem 181	491 DATA76,49,234,42,87,81,88,90 :rem 118 493 DATA83,65,160,255 :rem 71 495 DATA 4,-4,4,-4,4,-4,4,-4 :rem 49
4Ø5	DATA42,141,25,208,206,22,208,173 :rem 21	497 DATA 3,-3,4,-4,2,-2,3,-3,2,-2,4,-4,2, -2 :rem 253
407	DATA22,208,201,192,208,26,238,20 :rem 23	499 DATA 2,-2,4,-4,4,-3,3,-4,4,-4,3,-3 :rem 26
409	DATA64,173,20,64,201,216,208,8 :rem 186	501 DATA 3,-3,3,-3,2,-3,3,-2,2,-3,3,-2,4, -4 :rem 239
	DATA32,198,64,169,0,141,20,64:rem 135	503 DATA 4,-4,2,-4,4,-2,4,-4,4,-2,2,-4 :rem 12
	DATA32,0,64,169,199,141,22,208 :rem 188	505 DATA 4,-4,4,-4,4,-4,4,-4 :rem 41 507 DATA 4,-4,4,-4 :rem 100
	DATA76,188,254,76,109,65,238,60:rem 6	600 POKE198,0 :rem 195
	DATA3,173,60,3,74,74,144,18 :rem 41 DATA169,255,141,33,65,169,0,32	605 GETA\$: IFA\$<"A"ORA\$>"Z"THEN605:rem 123
413	:rem 196	61Ø PRINTA\$:RETURN :rem 163
421	DATA91,65,169,1,141,41,208,76:rem 141	Drogram 21 VIO Associat Book 1
	DATA241,64,169,7,32,91,65,169:rem 153	Program 3: VIC Acrobat, Part 1
	DATA192,141,33,65,169,0,141,41 :rem 183	Refer to "COMPUTEI's Guide For Typing In Programs" article before typing this program in.
	DATA208,32,77,65,160,0,169,41:rem 143	Whates a second
	DATA133,251,169,206,133,252,32,68 :rem 87	<pre>Ø POKE52,26:POKE56,26:POKE55,0:POKE51,0:P RINT"{CLR}{3 DOWN}{8 SPACES}ACROBAT"</pre>
431	DAMACE 04 101 001 100 10 100 001	
	DATA65,24,101,251,105,15,133,251 :rem 12	:rem 233 1 PRINT"[2 DOWN][5 SPACES]USE THESE KEYS"
		1 PRINT"{2 DOWN}{5 SPACES}USE THESE KEYS" :rem 198 2 PRINT"{2 DOWN}{7 SPACES}{RVS}J{OFF} TO
433 435	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212	1 PRINT"{2 DOWN}{5 SPACES}USE THESE KEYS" :rem 198 2 PRINT"{2 DOWN}{7 SPACES}{RVS}J{OFF} TO {SPACE}JUMP":PRINT"{DOWN}{7 SPACES} {RVS}S{OFF} TO SLIDE":PRINT"{DOWN}
433 435 437	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74	1 PRINT"{2 DOWN}{5 SPACES}USE THESE KEYS" :rem 198 2 PRINT"{2 DOWN}{7 SPACES}{RVS}J{OFF} TO {SPACE}JUMP":PRINT"{DOWN}{7 SPACES} {RVS}S{OFF} TO SLIDE":PRINT"{DOWN} {7 SPACES}{RVS}F{OFF} TO FLIP":rem 237 3 PRINT"{2 DOWN}{6 SPACES}PLEASE WAIT
433 435 437 439	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS" :rem 198 2 PRINT" [2 DOWN] [7 SPACES] [RVS] [OFF] TO [SPACE] [JUMP":PRINT" [DOWN] [7 SPACES] [RVS] [SOFF] TO SLIDE":PRINT" [DOWN] [7 SPACES] [RVS] [FOFF] TO FLIP" :rem 237 3 PRINT" [2 DOWN] [6 SPACES] PLEASE WAIT [WHT]" :rem 26 8 FORA=7168TO7679:POKEA, PEEK (A+25600):NEX
433 435 437 439 441	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS" :rem 198 2 PRINT" [2 DOWN] [7 SPACES] [RVS] [OFF] TO [SPACE] [JUMP":PRINT" [DOWN] [7 SPACES] [RVS] [SOFF] TO SLIDE":PRINT" [DOWN] [7 SPACES] [RVS] [FOFF] TO FLIP":rem 237 3 PRINT" [2 DOWN] [6 SPACES] PLEASE WAIT [WHT]":rem 26 8 FORA=7168TO7679:POKEA, PEEK (A+25600):NEX T:rem 33 10 READA:IFA=-1THEN12:rem 245
433 435 437 439 441 443	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS" :rem 198 2 PRINT" [2 DOWN] [7 SPACES] [RVS] [OFF] TO [SPACE] [JUMP":PRINT" [DOWN] [7 SPACES] [RVS] [SOFF] TO SLIDE":PRINT" [DOWN] [7 SPACES] [RVS] [FOFF] TO FLIP":rem 237 3 PRINT" [2 DOWN] [6 SPACES] PLEASE WAIT [WHT]":rem 26 8 FORA=7168T07679:POKEA, PEEK (A+25600):NEX T:rem 33 10 READA:IFA=-1THEN12:rem 245 11 FORB=7168+A*8T07175+A*8:READC:POKEB, C:
433 435 437 439 441 443	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169 :rem 115	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451 453	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169:rem 115 DATA32,157,0,206,157,0,205,232 :rem 173 DATA208,247,96,162,0,157,0,216 :rem 191	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 451 453 455	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169 :rem 115 DATA32,157,0,206,157,0,205,232 :rem 173 DATA208,247,96,162,0,157,0,216 :rem 191 DATA157,0,217,157,0,218,157,0:rem 136	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 451 453 455	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169 :rem 115 DATA32,157,0,206,157,0,205,232 :rem 173 DATA208,247,96,162,0,157,0,216 :rem 191 DATA157,0,217,157,0,218,157,0:rem 136 DATA219,232,208,241,96,173,64,3	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451 453 455 457	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169 :rem 115 DATA32,157,0,206,157,0,205,232 :rem 173 DATA208,247,96,162,0,157,0,216 :rem 191 DATA157,0,217,157,0,218,157,0:rem 136 DATA219,232,208,241,96,173,64,3 :rem 249	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451 453 455 457	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169 :rem 115 DATA32,157,0,206,157,0,205,232 :rem 173 DATA208,247,96,162,0,157,0,216 :rem 191 DATA157,0,217,157,0,218,157,0:rem 136 DATA219,232,208,241,96,173,64,3 :rem 249 DATA208,60,173,60,3,201,6,144:rem 134	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451 453 455 457	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169 :rem 115 DATA32,157,0,206,157,0,205,232 :rem 173 DATA208,247,96,162,0,157,0,216 :rem 191 DATA157,0,217,157,0,218,157,0:rem 136 DATA219,232,208,241,96,173,64,3 :rem 249 DATA208,60,173,60,3,201,6,144:rem 134 DATA96,74,74,176,92,173,27,212	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451 453 455 457	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169 :rem 115 DATA32,157,0,206,157,0,205,232 :rem 173 DATA208,247,96,162,0,157,0,216 :rem 191 DATA157,0,217,157,0,218,157,0:rem 136 DATA219,232,208,241,96,173,64,3 :rem 249 DATA208,60,173,60,3,201,6,144:rem 134 DATA96,74,74,176,92,173,27,212 :rem 208 DATA201,254,144,85,169,254,141,249	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451 453 455 457 461 463	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169 :rem 115 DATA32,157,0,206,157,0,205,232 :rem 173 DATA208,247,96,162,0,157,0,216 :rem 191 DATA157,0,217,157,0,218,157,0:rem 136 DATA219,232,208,241,96,173,64,3 :rem 249 DATA208,60,173,60,3,201,6,144:rem 134 DATA96,74,74,176,92,173,27,212 :rem 208 DATA201,254,144,85,169,254,141,249 :rem 143	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451 453 455 457 461 463 465	:rem 12 DATA165,251,201,208,144,1,96,173 :rem 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 :rem 93 DATA201,192,144,214,32,68,65,74 :rem 246 DATA101,251,133,251,32,68,65,170 :rem 22 DATA189,243,65,145,251,208,195,198 :rem 156 DATA252,32,68,65,170,189,243,65:rem 0 DATA145,251,208,182,173,27,212,74 :rem 88 DATA74,74,74,74,96,162,0,169 :rem 115 DATA32,157,0,206,157,0,205,232 :rem 173 DATA208,247,96,162,0,157,0,216 :rem 191 DATA157,0,217,157,0,218,157,0:rem 136 DATA219,232,208,241,96,173,64,3 :rem 249 DATA208,60,173,60,3,201,6,144:rem 134 DATA96,74,74,176,92,173,27,212 :rem 208 DATA201,254,144,85,169,254,141,249	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451 453 457 461 463 465 467	### 12 DATA165,251,201,208,144,1,96,173 ### 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 ### 246 DATA101,251,133,251,32,68,65,170 ### 22 DATA189,243,65,145,251,208,195,198 ### 156 DATA252,32,68,65,170,189,243,65:rem 0/ DATA145,251,208,182,173,27,212,74 ### ### ### ### ### ### ### ### ###	1 PRINT" [2 DOWN] [5 SPACES] USE THESE KEYS"
433 435 437 439 441 443 445 447 449 451 453 455 457 461 463 465 467	### 12 DATA165,251,201,208,144,1,96,173 ### 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 ### 246 DATA101,251,133,251,32,68,65,170 ### 22 DATA189,243,65,145,251,208,195,198 ### 156 DATA252,32,68,65,170,189,243,65:rem 0/ DATA145,251,208,182,173,27,212,74 ### ### ### ### ### ### ### ### ###	PRINT" 2 DOWN 5 SPACES USE THESE KEYS" :rem 198
433 435 437 439 441 443 445 447 451 453 455 457 461 463 465 467		PRINT" 2 DOWN 5 SPACES USE THESE KEYS" :rem 198
433 435 437 439 441 443 445 447 451 453 455 457 461 463 465 467	### 12 DATA165,251,201,208,144,1,96,173 ### 29 DATA27,212,16,35,32,68,65,170:rem 141 DATA189,243,65,145,251,173,27,212 ### 246 DATA101,251,133,251,32,68,65,170 ### 22 DATA189,243,65,145,251,208,195,198 ### 156 DATA252,32,68,65,170,189,243,65:rem 0/ DATA145,251,208,182,173,27,212,74 ### ### ### ### ### ### ### ### ###	PRINT" 2 DOWN 5 SPACES USE THESE KEYS" :rem 198

	:rem 200	5 P	OKE36879,8:POKE1008,9:POKE1009,47
	DATA37,192,192,124,62,3,2,4,8:rem 130	10	:rem 58 GOSUB160:POKE36878,15:POKE36869,255
121	DATA38,36,24,255,133,135,133,135,255 :rem 227	10	:rem 196
161	DATA39,60,124,205,255,252,207,125,60	15	C=1:D=4:T=240:D1=8041.1:D2=8063.1:Z=32
	:rem 222		:Y=37:LI=3:FL=-1:V1=36876:V2=36877
171	DATA40,63,71,253,133,133,133,134,252		:rem 204
101	:rem 216 DATA41,60,126,223,127,63,255,126,60		SC=Ø:GOSUB2 :rem 87
101	:rem 173		PRINT"{HOME}{2 DOWN}{3 SPACES}PRESS SPACE BAR":WAIT198,1:PRINT"{HOME}
191	DATA42,4,6,5,4,116,252,248,112		{2 DOWN}{19 SPACES}":GOSUB 165 :rem 58
	:rem 177		FORA=CTOD:OQ=Q:OW=W:IFA<5ORA>8THENR1=P
201	DATA43,195,231,126,60,60,126,231,195		EEK(D2+W-Q):POKED2-Q+W,L%(A,2):rem 236
211	:rem 220 DATA44,24,24,102,102,24,24,60,0		IFA<>B3THENR2=PEEK(D1+W-Q):POKED1+W-Q, L%(A.1) :rem 103
300 ,	:rem 202	35	L%(A,1) :rem 103 POKEV,T:GETA\$:IFA\$="J"ANDQ<=.THENA=D:Q
221	DATA45,0,60,126,126,126,126,60,0		=22:R=3:S1=2:T=0 :rem 241
221	:rem 8		IFG/B2=INT(G/B2)THEN:W=W+1:IFW>11THENW
	DATA46,1,2,4,8,16,32,64,128 :rem 26 DATA47,128,64,32,16,8,4,2,1 :rem 28		=11 :rem 219
	DATA58,127,251,192,192,192,192,192,22		POKEV,.:IFA\$="F"ANDQ<=.THENA=D:C=5:D=8 :Q=.1:S=.025:S1=8:V=V1 :rem 19
	4 :rem 85	45	IFA\$="S"ANDQ<=.THENA=D:C=9:D=9:Q=.1:S=
261	DATA59,120,252,204,196,220,220,192,22		.03:S1=2:T=0 :rem 126
	4,-1 :rem 201	50	IFPEEK(B4) <> ZORPEEK(B5) <> ZTHENSC=SC+S1
2/1	DATA169,30,133,252,169,44,133,251		:S1=0:GOSUB2 :rem 116
281	:rem 82 DATA162,16,160,1,177,251,136,145		IFR1>YORR2>YTHENA=D:FL=. :rem 243
201	:rem 28	65 (G=G+1:IFG/B1=INT(G/B1)THENPOKEB7,B3:rem 30
291	DATA251,200,200,192,22,208,245,189	75	Q=Q-S:IFQ<=.THENQ=.:C=1:D=4:T=245:V=V2
	:rem 125		:rem 12
301	DATA60,3,136,145,251,24,165,251 :rem 225		R=R-1:IFR=.THENQ=. :rem 24
311	DATA105,22,133,251,165,252,105,0		IFA<5ORA>8THENPOKED2-OQ+OW,Z :rem 254 IFA<>B3THENPOKED1+OW-OQ,Z :rem 31
	:rem 7		SYSB6:NEXT:POKEB7,8:IFFLGOTO25:rem 159
321	DATA133,252,202,208,221,96,169,32		POKE8040,32:POKE8062,32:FL=-1:POKE804
331	:rem 75 DATA160,16,153,60,3,136,16,250		Ø+W,32:POKE8Ø62+W,32:R1=Ø:R2=Ø:rem 55
331	:rem 173	105	POKE8Ø41+W,32:POKE8Ø63+W,58:FORU=18ØT OllØSTEP-1:POKEV1,U:IFU=145THENPOKE8Ø
341	DATA173,240,3,201,6,208,18,173		
	:rem 177		NEXT:LI=LI-1 :rem 208
351	DATA241,3,201,46,208,3,238,240 :rem 174	111	FORJ=388Ø5TO388Ø5++W:POKEJ,2:FORR=1TO
361	DATA3,169,46,141,241,3,76,113:rem 135		3:FORTD=250TO255:POKEV1,TD:NEXT:SC=SC +10 :rem 81
	DATA26,201,15,208,18,173,241,3	114	GOSUB2:NEXT:NEXT:POKEV1,0:IFLI=0THEN1
	:rem 178		20 :rem 19
381	DATA201,47,208,3,206,240,3,169		GOTO20 :rem 50
391	:rem 182 DATA47,141,241,3,76,113,26,32:rem 133		POKE36879,8:GOSUB2 :rem 35
	DATA148,224,165,141,16,231,76,63	130	PRINT" HOME 20 DOWN 6 SPACES GAME OVER": :rem 34
	:rem 29	135	PRINT" {DOWN} S TO START Q TO QUIT";
411	DATA26,173,241,3,172,240,3,153		:rem 113
421	:rem 173 DATA60,3,206,242,3,208,36,32 :rem 73	140	GETA\$:IFA\$<>"S"ANDA\$<>"Q"THEN140
	DATA148, 224, 165, 141, 74, 74, 74, 74	145	:rem 36 IFA\$="S"THENRUN :rem 134
	:rem 249		POKE828, Ø:SYS828 :rem 158
441	DATA74,168,24,109,243,3,141,242		FORA=1T09: READL% (A, 1), L% (A, 2): NEXT: RE
451	:rem 235 DATA3,74,144,9,185,167,26,141:rem 146	165	TURN : rem 223
	DATA61,3,76,163,26,185,167,26:rem 150	165	PRINT"{CLR}{18 DOWN}{GRN}((((((((((((((((((((((((((((((((((((
	DATA141,62,3,32,0,26,96,38 :rem 242	170	POKE1010, 30: FORA=1T022: SYS6702: NEXT: R
	DATA39,40,41,42,43,44,45,-1 :rem 28		ETURN :rem 138
Dro	gram 4: VIC Acrobat, Part 2	175	DATA23,24,25,26,27,28,29,30,33,32,34,
	THE RESERVE OF THE PROPERTY OF	500	32,35,32,36,32,32,37 :rem 223 POKE36869,240:POKE36879,8 :rem 116
	r to "COMPUTE!'s Guide For Typing In Programs"		PRINT"{CLR}{4 DOWN}{WHT}{2 SPACES}CHO
	le before typing this program in.		OSE DIFFICULTY":PRINT" [DOWN] (1-3) 1
	1=48:B2=50:B3=9:B4=8039:B5=8061:B6=670		{SPACE}IS THE MOST":PRINT"{DOWN} {2 SPACES}DIFFICULT" :rem 160
	:B7=36879 :rem 254 DSUB5ØØ:GOTO5 :rem 238	510	GETA\$:IFA\$<"1"ORA\$>"3"THEN510 :rem 58
	RINT" (HOME) (WHT) (2 SPACES) SCORE "SC"		PRINT"{CLR}":POKE1Ø11,VAL(A\$)+2:POKE3
	3 SPACES MEN"LI: RETURN : rem Ø		6869,255:RETURN :rem 164 ©

REVIEWS

Dinosaurs

M. C. Ware

Requirements: Apple II-series with at least 48K RAM and a disk drive, or a Commodore 64 with a disk drive.

Many computer programs targeted at preschoolers have been disappointing: They either teach alphabet letters or numbers, or merely "do something" for each keypress.

But *Dinosaurs* is different. It's a set of educational games designed for children 2½ to 5 years old which is significantly more interesting than many ear-

lier programs.

Dinosaurs comes in a slipcase containing a disk, an instruction booklet for parents, descriptions of the games, some suggestions for additional (noncomputer) activities for the children, and primary-level reading material about dinosaurs.

When Katherine, my tester, arrived, I had the disk booted and the colorful title screen showing on the monitor. Katherine appeared to enjoy the title page, which is complete with a large dinosaur. I advanced to the menu screen by pressing RETURN. The five choices are arranged by difficulty, and each is represented on the menu by a picture indicating what the game is about.

Identifying Dinosaurs

In the first game, there are five dinosaurs across the top of the screen and a simple scene (trees, land) below them. One dinosaur then appears in the bottom scene and rises to an area just below the silhouettes. The child's task is to line up the dinosaur with the matching picture (using left and right arrow keys) and then press RETURN.

When all five dinosaurs have been matched, dinosaurs parade across the bottom of the screen, accompanied by unusual music. If uninterrupted, the same game begins again. If you don't want the same game, a keypress returns you to the menu. To save time, I made all the menu selections in my trial with Katherine.

We went immediately to the second game (which became Katherine's favorite). In this one, the child must distinguish herbivores from carnivores. The screen shows a pile of bones and a pile of plants. When a dinosaur appears, the child must move it one step to the right (for bones) or one step to the left (for plants), then press RETURN. If the child selects correctly, the dinosaur gets a bite of dinner. This game has the best animation of all the games in the package.

Matching The Habitats

The third game reveals a scene with land, water, and air. After a dinosaur appears, the goal is to move it to its proper habitat. To move a dinosaur to another setting (that is, air for the pteranodon and water for the ichthyosaurus and brontosaurus), you press the left and right arrow keys. After each correct answer, the dinosaur briefly moves back and forth in its environment.

However, there are two

problems with this game. First, the dinosaur originally appears on land, but the scene looks more like an underground tunnel. In fact, Katherine often said "underground" when I asked her where something lived. Second, the creatures have all been designed facing to the right. They parade from left to right, in part to reinforce the child's reading patterns, but any child knows that when something swims or flies back and forth, it turns rather than just going forward and backing up.

The fourth game, though touted as more complex, does not actually seem so—at least not without adult intervention. Several rotating windows at the top of the screen randomly reveal dinosaurs (slot machinestyle) until each window stops. There will be one, two, or three windows with matching dinosaurs. A scene appears at the bottom, showing an opening to a cave or tunnel. The opening shows a random parade of dinosaurs moving by, one at a time. When the child sees a match, he or she is supposed to press the RETURN key. Then the dinosaur hops up and appears at the top of the screen. The child continues until all the windows are full. Then another parade of dinosaurs marches by as a reward.

With adult intervention, the child could be encouraged to count the windows, thus revealing how many matching dinosaurs are needed. When all are matched, the child could be asked to count them all, or count the pairs. Without such assistance, however, this is not significantly different from the first game.

72 COMPUTE! February 1985

The last game also involves trial and error, unless the child already knows something about dinosaurs and the alphabet. This time the child must position a bouncing ball above a dinosaur whose name is shown on the screen. If correct, the name and dinosaur move to the bottom of the screen. When all are matched, the reward is, once again, a dinosaur parade.

Extra Activities

As mentioned above, *Dinosaurs* includes a set of pictures to color, some easy-reading text about the dinosaurs, and a list of additional activities. It's hard to imagine many parents wanting to tackle some of these activities (for example, making mock fossils with plaster of Paris). However, they might be useful in a preschool setting.

Like most educational programs for the very young, Dino-

saurs requires an adult to get the program up and running. However, some children could probably learn to use it independently or semi-independently after an adult carefully introduces it.

As a home-educational package, *Dinosaurs* would serve families with children aged 4 to 7, and younger children may also want to try it. If you're buying it for home use, you should realize that (as with many educational programs for young children) you should spend some time encouraging the child, clarifying the games, and reinforcing the learning. Overall, *Dinosaurs* is a worthwhile package.

Dinosaurs Advanced Ideas, Inc. 2550 Ninth Street, Suite 104 Berkeley, CA 94710 \$34.95 Commodore \$39.95 Apple share the same data files. Also, the three application programs are compatible with *AtariWriter* so that data can be embedded within reports and cosmetically formatted. However, in the wake of Jack Tramiel's purchase of Atari, Synapse will be distributing the entire Syn Series after all

Let's take a closer look at these programs' strengths and weaknesses.

SynFile+

SynFile+ is an outgrowth of two previous Synapse data base programs. The original one, FileManager 800, has been around for several years. It was fairly easy to use but lacked sophisticated features such as field totaling. This problem was addressed by the improved program, FileManager+, which became quite popular.

SynFile+ shares many features with the earlier programs, but has been totally rewritten in Forth, resulting in faster sorting and record access. Also, it uses the full 48K of memory to add significant features (the new XL computers have 64K, but Synapse apparently wanted to keep the program compatible with older Ataris as well).

SynFile + is totally menudriven and memory-resident. It is very easy to use and does not require you to swap disks when accessing different functions of the program. One of the more useful new features is that your data file disk can be formatted in any of three disk densities: single density, Atari 1050 enhanced density, and true double density. Choosing enhanced or double density allows you to store more records on the disk than allowed by previous versions of the program. You can store your data on up to 16 disks—a lot of capacity, but also

There are other new and useful features in *SynFile*+. Mailing labels can now be

a lot of swapping.

The Syn Series For Atari: SynCalc, SynTrend, And SynFile+

Arthur Leyenberger

Requirements: Any Atari computer with at least 48K RAM and a disk drive. Part of SynTrend also requires Atari BASIC.

It was a year and a half ago that Synapse announced the Syn Series of software at the June 1983 Summer Consumer Electronics Show (CES). This very ambitious collection of software was going to include programs for word processing, data base management, spreadsheets, telecommunications, stock charting, graphics, and calendar-keeping. All of the programs were going to use similar file structures so they could share data. Prototypes of several of the programs

were shown, and they looked easy to use and full of features.

By January 1984, at the Winter CES in Las Vegas, Synapse had struck a deal with Atari for the three major programs in the series. SynCalc, SynTrend, and SynFile+ would be produced by Synapse and marketed exclusively by Atari. The word processor, SynText, was canceled to keep it from competing with Atari's AtariWriter, and Synapse was free to market the remainder of the Syn Series on its own.

After a long wait, the spreadsheet, graphics, and data base programs are finally available. As promised, *SynCalc*, *SynTrend*, and *SynFile* + can

OMMODORE 6

(with \$12.95 Bonus Pack Purchase)

- 170K Disk Drive \$199.00
- Tractor Friction Printer \$169.00 *
- 13" Hi-Res Color Monitor \$199.00 *

*less coupon discount

* COMMODORE 64 COMPUTER \$ 175.00

You pay only \$175.00 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your pat computer cost is \$75.00!! your net computer cost is \$75.00!!

* 170 DISK DRIVE \$199.00

You pay only \$199.00 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your disk drive that allows you to SAVE OVER \$100 off software sale prices!! With only \$500 of savings applied, your net disk drive cost is \$99.00.

*80 COLUMN 80CPS
TRACTION FRICTION PRINTER \$169.00
You pay only \$169.00 when you order the Comstar T/F
deluxe line printer that prints 81x11 full size, single sheet, roll or fan fold paper, labels etc. Impact dot matrix, bidirectional, LESS the value of the SPECIAL SOFTWARE COUPON we pack with your printer that allows you to SAVE OVER \$100 off software sale prices!! With only \$500 of saving applied your net printer cost is only

★ 13" HI-RES COLOR MONITOR \$199.00

You pay only \$199 when your order this 13" COLOR MONITOR with sharper and clearer resolution than any other color monitors we have tested! LESS value of the SPECIAL DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices With only \$100 of savings applied, your net color monitor cost is only \$99.00. (16 colors).

80 COLUMN BOARD \$99.00

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD! PLUS 4 slot expander! Can use with most existing software.

80 COLUMNS IN COLOR EXECUTIVE WORD PROCESSOR \$49.00

This EXECUTIVE WORD PROCESSOR is the finest available for the COMMODORE 64 computer! The ULTIMATE FOR PROFESSIONAL Word Processing DISPLAYS 40 or 80 COLUMNS IN COLOR or Black and White! Simple to operate, powerful text editing with 250 WORD DICTIONARY, complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! Includes a powerful mail merge.

List \$99.00 SALE \$49.00 Coupon \$39.00

COMPUTER AND SOFTWARE SALE

WE HAVE THE BEST SERVICE WE HAVE THE LOWEST **PRICES**

SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER DISK DRIVE-PRINTER-MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples) PROFESSIONAL SOFTWARE **COMMODORE 64**

Name	List	Sale	Coupon
Executive Word Processor	\$99.00	\$49.00	\$39.00
Executive Data Base	\$69.00	\$35.00	\$24.00
20,000 Word Dictionary	\$24.95	\$14.95	\$10.00
Electronic Spread Sheet	\$59 95	\$49.00	\$39.00
Accounting Pack	\$49.00	- \$39.00	\$29.00
Practicale	\$59.95	\$44 95	\$36 95
Programmers Reference			
Guide	\$20.95	\$16.95	\$12.50
Programmers Helper			
(Disk)	\$59.95	\$39.95	\$29.95
80 Column Screen (Disk)	\$59.95	\$39 95	\$29.95
Flip & File Disc Filer	\$39.95	\$16.95	\$14.95
Deluxe Tape Cassette	\$89 00	\$49 00	\$39.00
Pro Joy Stick	\$24.95	\$15.95	\$12.00
Light Pen	\$39.95	\$16.95	\$14.95
Dust cover	\$8.95	\$6.95	\$4.60
Pogo Joe	\$29.95	\$19.95	\$16.95
Pitstop II Epyx	\$39.95	\$29.95	\$26.00
		· Plus	One FREE
Music Calc	\$59 95	\$39 95	\$34 95
Filewriter	\$59.95	\$39 95	\$34 95

(See over 100 coupon items in our catalog)

Write or call for

Sample SPECIAL SOFTWARE COUPON!

EXECUTIVE QUALITY PROFESSIONAL BUSINESS SOFTWARE

The Cadillac of Business Programs for Commodore 64 Computers

Item	List	'SALE	Coupon
Inventory Management	\$99.00	\$49.00	\$35.00
Accounts Receivable	\$99.00	\$49.00	\$35.00
Accounts Payable	\$99.00	\$49 00	\$35.00
Payroll	\$99.00	\$49.00	\$35.00
General Ledger	\$99.00	\$49.00	\$35.00

SUPER AUTO DIAL MODEM

(Best communications package in USA)

- Computer Learning Pad \$49.00
- New Voice Synthesizer \$59.00
- Commodore 64 Power for Vic-20 \$69.00

SUPER AUTO DIAL MODEM \$79.00

Easy to use. Just plug into your Commodore 64 computer and you're ready to transmit and receive messages. Easier to use than dialing your telephone just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives. List \$129.00 SALE \$79.00.

NEW COMPUTER LEARNING PAD \$39.95

makes other graphics tablet obsolete. This new TECH SCETCH LEARNING PAD allows you to draw on your T.V. or Monitor and then you can print whatever you draw on the screen on your printers. FANTASTIC!!! List \$79.95 SALE \$39.95

NEW VOICE SYNTHESIZER \$59.00

For Com-64 or VIC-20 computers. Just plug it in and your can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! FOR ONLY \$19.95 you can add TEXT TO SPEECH, just type a word and hear your computer talk—ADD SOUND TO "ZORK", SCOTT ADAMS AND AARDVARK ADVENTURE GAMES!! (Disk or tape).

COM-64 POWER FOR VIC-20 \$69.00

Just plug in our 32K RAM MEMORY EXPANDER and you get as much usable programming power as the Commodore 64 computer!! Master control switches on cover. Gold Edge connectors, five year warranty (FREE \$29.95 CARTRIDGE GAME).

FLOPPY DISK SALE .98¢

Lowest prices in the U.S.A.!! Single sided, single density, with hub rings, quality guaranteed! (100 bulkpack .98¢ ea.) (Box of 10 \$12.00)

COM-64 4 SLOT EXPANSION BOARD \$39.95

Easy to use, switch selectable, reset button and LED indicator — saves your computer and cartridges. List \$79:00 Sale \$39.95 Coupon \$36.95

9" GREEN SCREEN MONITOR \$69.00

Excellent quality SANYO, easy to read, 80 columns x 24 lines. Green Phosphorous screen with anti-glare, metal cabinet! Saves your T.V. PLUS \$9.95 for connecting cable. Com-64 or VIC 20

12" GREEN OR AMBER MONITOR \$99.00

Your choice of green or amber screen monitor top quality, SANYO 80 columns x 24 lines, easy to read, antiglare, faster scanning! PLUS \$9.95 for connecting cable Com-64 or VIC-20

> PHONE ORDERS 8AM - 8PM Weekdays 9AM - 12N Saturdays

LOWEST PRICES
 15 DAY FREE TRIAL
 90 DAY FREE REPLACEMENT WARRANTY

• BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance, Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D.


PROTECT ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

NEW 128K — MEGA BYTE DUAL DISK DRIVE — 80 COLUMN

COMPUTER SYSTEM SALE!

HOME • BUSINESS • WORD PROCESSING



LOOK AT ALL YOU GET FOR ONLY \$ 795.	LIST PRICE
① B128 COMMODORE 128K 80 COLUMN COMPUTER	\$ 995.00
(2) 4023 - 100 CPS - 80 COLUMN BIDIRECTIONAL PRINTER	499.00
(3) 8050 DUAL DISK DRIVE (over 1 million bytes)	1795.00
4 12" HI RESOLUTION 80 COLUMN MONITOR	249.00
BOX OF 10 LORAN LIFETIME GUARANTEED DISKS	49.95
1100 SHEETS FANFOLD PAPER	19.95
ALL CABLES NEEDED FOR INTERFACING	102.05

TOTAL LIST PRICE \$3717.95

PLUS YOU CAN ORDER THESE BUSINESS PROGRAMS AT SALE PRICES

		LIST	SALE	SYSTEM		LIST	SALE
Programmers	Professional 80 Column			PRICE	Payroll	\$149.95	\$99.00
Reference	Word Processor	\$149.95	\$99.00	\$49.00	Inventory	\$149.95	\$99.00
Guide	Professional Data Base				General Ledger	\$149.95	\$99.00
List \$29.95	Accounts Receivable	\$149.95			Financial Spread Sheet	\$149.95	\$99.00
Sale \$24.95	Accounts Payable	\$149.95	\$99.00		Order Entry	\$149.95	\$99.00

PRINTER REPLACEMENT OPTIONS

(replace the 4023 with the following at these sale prices)

- Olympia Executive Letter Quality Printer Comstar Hi-Speed 160 CPS 151/2" Business Printer
- \$779.00 Telecommunications Deluxe Modem Package \$199.00 IEEE to Centronics Parallel Printer Interface \$179.00

15 DAY FREE TRIAL. We give you 15 days to try out this SUPER SYSTEM PACKAGE!! If it doesn't meet your expectations, just send it back

to us prepaid and we will refund your purchase price!!

90 DAY IMMEDIATE REPLACEMENT WARRANTY. If any of the SUPER SYSTEM PACKAGE equipment or programs fail due to faulty workmanship or material we will replace it IMMEDIATELY at no charge!!

Add \$50.00 for shipping and handling!!

WE DO NOT EXPORT TO OTHER COUNTRIES

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only.

PROTECT

LIST

\$699.00

SALE

\$379.00

\$469.00

\$139.00

\$139.00

ENTERPRIZES WELOVE OUR CUSTOMERS!


BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

DAISY WHEEL PRINTER SALE!

DELUXE LETTER QUALITY "DAISY WHEEL PRINTERS"







DELUXE COMPUTER PRINTER

List Price \$399

SALE \$249

- Superb "Daisy Wheel" Computer
- 100 Characters
- Bi-directional with special print enhancements-many type styles-\$18.95

 - Pitch 10, 12, 15 CPI Print Speed up to 12 CPS
- Print line width: 115, 138, 172 characters
- 13" Extra large carriage Drop in cassette ribbon
- (replacement \$8.95)
- Centronics parallel RS 232 Serial interface built in (specify)

DELUXE "COMBINATION" PRINTER/TYPEWRITER

List Price \$499 SALE \$299

- Superb Computer Business printer combined with world's finest electronic typewriter!
- Two machines in one-just a flick of the switch!
- Superb letter quality correspondence—home, office, word processing!
- 13" Extra large carriage
- Drop in cassette ribbonreplacement \$8.95
- Precision daisy wheel printingmany type styles! \$18.95 Pitch selector-10, 12, 15 CPS,
- Automatic relocate key!
- Automatic margin control and setting! Key in buffer!
- Centronics parallel of RS 232 Serial interface built-in (specify)

15 Day Free Trial - 90 Day Immediate Replacement Warranty

COMMODORE 64 COMPUTER INTERFACE ONLY \$49.00

- ATARIINTERFACE \$79.00


ADD \$10.00 for shipping and handling!!

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. VISA - MASTER CARD ACCEPTED. We ship C.O.D.

ENTERPRIZES WELOVE OUR CUSTOMERS

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

FANTASTIC COMPUTER PRINTER SALE!!!



COM-STAR T/F

Tractor Friction Printer

only \$ 69*

- · Lowest Priced, Best Quality, Tractor-Friction Printers in the U.S.A.
- Fast 80-120-160 Characters Per Second
 40, 46, 66, 80, 96, 132 Characters Per Line Spacing
 - Word Processing
 Print Labels, Letters, Graphs and Tables
 List Your Programs
- Print Out Data from Modern Services "The Most Important Accessory for Your Computer"

** DELUXE COMSTAR T/F 80 CPS Printer - \$169.00

This COMSTAR T/F (Tractor Friction) PRINTER is exceptionally versatile. It prints 8 11" standard size single sheet stationary or continuous feed computer paper. Bi-directional. impact dot matrix. 80 CPS, 224 characters. (Centronics Parellel Interface)

Premium Quality 120-140 CPS 10X COM-STAR PLUS+ Printer \$239.00

The COM-STAR PLUS+ gives you all the features of the COMSTAR T/F PRINTER plus a 10" carriage, 120-140 CPS, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin settings, true lower decenders with super and subscripts. prints standard, italic, block graphics and special characters. It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) (Better than Epson FX80). List \$499.00 SALE \$239.00

Premium Quality 120-140 CPS 151/2X COM-STAR PLUS+ Business Printer \$339.00

Has all the features of the 10" COM-STAR PLUS + PRINTER plus 151/2" carriage and more powerful electronics components to handle large ledger business forms! (Better than Epson FX 100). List \$599

SALE \$339.00

Superior Quality 10" COM-STAR+ H.S. HIGH SPEED 160-180 CPS Business Printer \$359.00

This Super High Speed Com-Star+ Business Printer has all the features of the 10" COM-STAR+ PRINTER with HIGH SPEED BUSINESS PRINTING 160-180 CPS, 100% duty cycle, 8K Buffer, diverse character fonts, special symbols and true decenders, vertical and horizontal tabs. A RED HOT BUSINESS PRINTER at an unbelievable low price (Serial or Centronics Parallel Interface) List \$699.00 Sale \$359.00

Superior Quality 151/2" COM-STAR PLUS+ H.S. High Speed 160 - 180 CPS Business Printer \$459.00

This Super High Speed COM-STAR+ 151/2" Business Printer has all the features of the 10" COM-STAR BUSINESS PRINTER witha 15%" Carriage and more powerful electronic components to handle larger ledger business forms! Exclusive bottom feed, (Sereal Centronics Parallel Interface) List \$799.00 Sale \$459.00

Olympia

Executive Letter Quality DAISY WHEEL PRINTER \$369.00

This is the worlds finest daisy wheel printer Fantastic Letter Quality, up to 20 CPS bidirectional, will handle 14.4" forms width! Has a 256 character print buffer. special print enhancements, built in tractor-feed (90 day warranty) centronics Parallel and RS232C Interface List \$699

SALE \$369.

15 Day Free Trial - 1 Year Immediate Replacement Warranty

PARALLEL INTERFACES -

For VIC-20 and COM-64 — \$49.00 For Apple computers — \$79.00 Atari Interface—\$79.00

B-128 Commodore \$139.00

Add \$14.50 for shipping, handling and insurance. Illinois residents pleasepdd 6% tax. Add \$29.00 for CANADA, PUERTO RICO, HAWAII, ALASKA. APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery. 2 to 7 days for phone orders, 1 day express mail! VISA-MASTER CARD-We Ship C.O.D to U.S. Addresses Only

ERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010

Print Example:

COM-STAR PLUS+ ABCDEFGHIJKLMNOPGRETUVWXYZ ABCDEFGHIJKLMNOPGRSTUWXYZ 1 234567890

printed from one to four labels across. When setting up labels or reports, the screen can be scrolled horizontally up to 232 characters. The print format line is a template for specifying the horizontal layout of your report. The location of field names under the print format line determines how the columns will be placed horizontally. You can use up to 40 field names.

Another worthwhile feature of *SynFile*+ is that it can read and write data files in DIF (data interchange format). This lets you pass your data base information to such programs as *SynCalc*, *SynTrend*, and *VisiCalc*. Also, you can bring DIF data into *SynFile*+. In addition, when creating a report or mailing list, you can direct the output to the screen, printer, or a text file on disk. This text file has a .TXT name extension and can be accessed by *AtariWriter*.

Versatile Field Types

SynFile+ contains quite a few new field types. In addition to the usual text, numeric, computed, and dollar fields, conditional and table lookup fields are allowed. Conditional fields contain a code that is crossreferenced to a text entry. Based upon the value of a previously specified relationship, one of several text entries will be printed in your report. Similarly, table lookup fields contain a code that is cross-referenced to a list of previously defined alternatives. At report time, the matching table entry is printed instead of the particular code.

Other new field types include record numbers initially assigned and incremented by the computer, counters (similar to record numbers except you specify the starting value and the increment), and the date. Once a date has been entered, it will automatically appear on succeeding records so you don't have to enter it for each record. A handy feature.



Retrieving a record with Synapse Software's SynFile+.

SynFile+ comes with a program disk, a tutorial disk, and a 121-page attractively packaged manual. The tutorial disk is a clearly presented, step-by-step introduction to all aspects of the program. The manual is well-written and contains such useful features as a quick reference card, glossary, and index.

SynFile+ does have some inadequacies, though. First, it cannot read previously created FileManager 800 and File-Manager+ files. If you're converting to SynFile+, you have to retype all of the data into the new program. Fortunately, Synapse is working on a utility that will convert the older format files into SynFile+ format and also provide backups. It's expected to be available late this year.

Another weakness is that SynFile+ has no report-writer function to let you generate multiple sublevels in a report, each with its own subtotal. Again, Synapse promises a utility/enhancement disk by the end of the year with a sophisticated report generator.

These few complaints aside, SynFile+ is an excellent data base program for the Atari computer. Its compatibility with the other Syn series software, ease of use, and number of new features make it definitely worthy of consideration for Atari users seeking a quality data base manager. SynFile+ also works automatically with the Axlon 128K Rampower and Mosaic 64K Select boards.

SynCalc

Of the three Syn Series programs reviewed here, *SynCalc* is clearly the best, offering excellent features and the best value. Compared to the existing spreadsheet programs for the Atari computer, *SynCalc* simply cannot be matched.

SynCalc lets you create various worksheets of text and data for such applications as income taxes, budgets, checkbook balancing, forecasting, and preparing tables.

The spreadsheet itself is a grid of 255 rows and 128 columns, forming over 32,000 cells for entering data. Each cell can contain text, numbers, or a formula. As numbers are entered, results are recalculated and displayed instantly.

Text and data can be easily manipulated throughout the grid. Formulas, numbers, and labels can be copied from one position to other positions. Two parts of the spreadsheet can be viewed simultaneously by using the vertical and horizontal split-screen feature.

What makes *SynCalc* especially attractive is its ease of use. Pop-up menus display the current mode and available functions. With experience, you can eventually issue direct commands without referring to the menus.

When using the menus, the commands are always displayed at the top of the screen. For example, to copy cells A1 through A5 to locations B1 through B5, you'd have to select a total of six menu entries. Alternatively, you can type /C A1:A5 B1:B5. You can type cell addresses directly or move the cursor to a cell and press RETURN.

Flexible Formatting

There are several features unique to this spreadsheet program for the Atari computer. Variable-width columns let you format and display your

worksheet more flexibly. If a particular cell's contents exceed the width of the column, you can still display the entire entry. This text overflow feature may be turned off if desired. Cells can be justified left, right, or centered. If you change column widths, the justifications are automatically readjusted.


Numeric cells can be displayed in a variety of formats: Fixed-point, floating-point, engineering, and scientific notation, each with up to ten decimal places displayed. A leading dollar sign can be added and commas inserted to make large numbers more readable. There are just too many format options to describe here.

A very powerful feature of SynCalc is the ability to sort data entries in alphabetic or numeric order. Sorts can be either ascending or descending. Once you define the block of cells to be sorted, you specify a column for sorting and the upper-left cell of the destination block. Although SynCalc can sort on only one column, you can perform multiple sorts by repeating the process.

SynCalc also lets you use one- or two-drive systems; select menus and filenames by pressing just the cursor key (without the CONTROL key); and perform table lookups, conditional tests, and statistical functions. Also, you can format disks from the main menu and save worksheets in either DIF format (for use with SynFile+ and SynTrend) or text format (for use with AtariWriter). I've used the AtariWriter output feature many times and think it is one of the best features of SynCalc.

The 148-page manual is divided into introductory, tutorial, reference, and index sections. Screen shots help clarify examples, and a quick-reference card is included.

Syncalc is an excellent product. It has many more features than VisiCalc and is much easier



Setting up a home budget spreadsheet with SynCalc.

to use. The ability to access VisiCalc files and to integrate with the other Syn products and AtariWriter makes SynCalc a "must-have" program for nearly mum of three) next to each everybody. Once you start using the program, you'll find more uses for it than you expected.

SynTrend 5 1 1

SynTrend is actually composed of two separate programs, SynGraph and SynStat. SynGraph is a high-resolution, color-graphing program, and SynStat is a statistical program for analyzing trends in your data. The package comes with two program disks and a twosection manual.

SynGraph can be used to create four different types of graphs: line plot, bar chart, scatter plot, and pie chart. It will accept data in SynStat, SynFile+, SynCalc, and VisiCalc file formats. Once generated, graphs can be saved to a disk and printed.

SynGraph requires BASIC and works with either one or two disk drives. Working with the program is essentially a twostep process. First, you compile the data files that will be used to create the graphs. Second, you choose the type of graph to make.

The line graph, scatter plot, and bar chart can each display up to three different factors (sets working on a fix. And finally, of data). Each factor must exist in a separate data file. The pie chart is created from a single data file, and compares the data points against others within the

same file. You can choose labels for titles, X-Y axes, factor names, and pie chart slices. X-Y coordinates may be displayed in either whole numbers or decimals.

Specific scales can be entered for all but the pie charts. When displaying line and scatter plots, autoscaling results in numbers in integer format and divisions of 5 and 10 for X and Y, respectively. Autoscaled bar graphs yield decimal format numbers, Y divisions of 10, and a cluster pattern. A cluster pattern places the factors (a maxiother along the X axis, whereas a stacked pattern places the factors atop each other. Any of the graphs can be rescaled at any

Labeled Pie Charts

Pie charts may contain up to 12 slices and are used for graphing one factor. Each slice is labeled (up to seven characters) with its percentage of the whole. If you don't name the slices, the program defaults to labeling them A, B, C, etc.

The strengths of SynGraph are the ease of entering and editing the data and creating the graphs, and the straightforward documentation. Also, the ability to save graphs for future use and a slide-show program that can recall the saved graphs in sequence are useful features.

Unfortunately, SynGraph has a few weaknesses. Files cannot be deleted, renamed, or catalogued without exiting to DOS. The only printers it supports are those from Epson, NEC, and C. Itoh. There is no support for Okidata printers, and problems have been reported using the C. Itoh 8510 Prowriter. Synapse is aware of these problems and is the program requires the BASIC cartridge but does not alert users of the older 800 and upgraded 400 computers if they forget to plug it in.

IT ALL ADDS UP

IBM SYSTEMS

Starting as low as

64K, 1-DS/DD DRIVE KEYBOARD

NEC PRINTERS

TANDON

VISICORP

IDEAdisk 5MB to 45MB Hard drives with

AST RESEARCH

Six Pak Plus....from.....\$249.00 Mega Plus....from....\$299.00

from

QUADRAM

New Quadboard...as low as...\$249.00

Quadlink 64K \$479.00 Quadboard II... as low as \$249.00 Quad 512 Plus. as low as \$259.00

64K RAM Chips Kit.....\$29.99

PARADISE

Multi-Display Card.....\$339.00

HARVARD

PFS

IBM/APPLE

ELECTRONIC ARTS

VERBATIM

53/4" SS/DD.....\$21.99

BIB

Get Organized \$139.00 Electronic Desk.

514" MD-2. \$29.99 Elephant 514" SS/DD.

\$39.99

Parallel Interface Board......

Modular Graphics Card

Harvard Project Manager..

\$1399.00

removable Cartridge back up R:Base 4000 as low as \$1299.00 MU

.....\$1749.00

\$169.00

.....\$139.00

.....\$89.99

\$79.99

\$319.00

\$159.00

NEC 2050...

NEC 8850.....

I/O Plus.....

Chronograph ..

Open Access

Graph.

Report

FD-1....

51/4" DS/DD......

8" FD-2.....

514" 320K Floppy



LOTUS

HAVES

General Ledger, Payroll, Inventory.

Accounts Payable/Receivable...CALL MICROPRO

MICROMIM

MULTIMATE INT

MICROSTUF

MICROSOFT

ASHTON-TATE

EasySpeller.....\$119.00

1st Class Mail/Form Letter \$79.99

PROFESSIONAL SOFTWARE

SYNAPSE

FOX & GELLER

ALPHA SOFTWARE

BORLAND

Dennison

DISK HOLDERS INNOVATIVE CONCEPTS

CONTINENTAL SOFTWARE

Please (Data Base)

Multi Mate.

MultiPlan

dBASE II.....

Friday!....

EasyFiler

\$339.00 Home Accounting Plus....

\$299.00 PC Plus/The Boss

\$89.99 dGraph

.\$89.99 Grafox ..

DISKETTES

File Manager.

\$79.99 Quick Code...... \$89.99 dUtil.....

\$19.99 Elephant 514" SS/SD......

.\$49.99 Elephant EMSP 54.

.....\$29.99 Flip-in-File 10.....

Flip-in-File 50..

Elephant 51/4" DS/DD...

Flip-in-File 50 w/lock..

EasyWriter II.....

dBASE III.

\$469.00

\$309.00

\$279 00

\$289.00

\$139.00

\$249.00

\$229 00

\$88.99

\$139.00

\$139.00

\$139.00

\$219.00

\$49.99

\$299.00 \$389.00

.....\$179.00

.\$639.00 Symphony.



PC COMPATIBLES

ZENITH			SANY	
PC-150 Desktop	CALL	MCB	550	\$699.00
PC-160 Portable	CALL	MBC	550-2	\$749.00
COLUMBIA			555	
Desktops		MBC	555-2	
Portables	CALL			
		Desk	tops	CALL
Real Additional property in		Porta	ables	CALL
a Sugnitude			THE RESERVE	

APPLE

APPLE IIeCALL
APPLE IIcCALL
MacINTOSHCALL

MONITORS 300 Green..... \$129.00 SC-100 Color..... \$249 00 \$139.00 300 Amber. .\$149.00 SG-1000 Green..... \$129 00 310 Amber IBM Plug..... \$169.00 SA-1000 Amber Color 300/audio \$259 00 Color 500 Composite/RGB/VCR\$389.00 100 12" Green..... \$125.00 Color 600 Hi-Res (640 x 240).\$439.00 121 IBM Green. \$149.00 Color 700 Hi-Res (720 x 240).\$499.00 100 12" Amber. Color 710 Long Phosphor.....\$579.00 122 IBM Amber.. \$159 00 210 Color RGB..... \$269.00 1201 Plus (12" Green Hi-Res).\$88.99 400 Med-Res RGB..... \$439.00 \$469.00 NAP USI NEC \$129.99 \$269.00 JB 1201 Green \$139.00 Pi 4, 9" Amber 1205 Amber \$149.00 1400 Color. \$249.99 \$59.99 JB 1215 Color..... .\$249.00 QUADRAM JC 1216 RGB..... \$379.00 Quadchrome 8400 Color \$489.00 JC 1460 Color..... \$269.00 ZENITH ZVM 122 Amber..... PRINCETON GRAPHICS \$89 99 MAX-12 Amber.....\$199.00 ZVM 123 Green.....\$84.99 HX-12 RGB..... \$489.00 ZVM 124-IBM Amber..... \$629.00 ZVM 135-RGB/Color ... SR-12 RGB

	WOD	EMS
	ANCHOR	NOVATION
	Volksmodem \$59.99	J-Cat\$99.99
	Mark IL Serial\$79.99	Cat\$139.00
	Mark VII (Auto Ans/Auto Dial)\$99.99	Smart Cat 103\$179.00
S		Smart Cat 103/212 \$399.00
		AutoCat\$219.00
	9 Volt Power Supply\$9.99	
	HAYES	Apple Cat II\$249.00
	Smartmodem 300\$199.00	
		Apple Cat 212 Upgrade\$259.00
	Smartmodem 1200B\$399.00	Smart Cat Plus\$339.00
	Micromodem IIe\$269.00	ZENITH
		ZT-1\$339.00
	Smart Com II\$75.99	ZT-10\$309.00
	01	

Flip-in-File (400/800 ROM). \$17.99 Chronograph... \$199.00 ZT-11

\$17.99

.....\$24.99

west V/SA* 800-648-3311 In NV call (702)588-5654

Order Status Number: 588-5654

P.O.Box 6689, Dept.105

Stateline, NV 89449

Ontario/Quebec 800-268-3974 Other Provinces800-268-4559 In Toronto call (416) 828-0866

Telex: 06-218960

canada

2505 Dunwin Drive, Unit 3B, Dept.105 Mississauga, Ontario, Canada L5L1Tl



east 800-233-8950

In PA call (717)327-9575

Order Status Number: 327-9576 Customer Service Number: 327-1450 477 E. 3rd St., Dept.105, Williamsport, PA 17701

Open purchase orders accepted with net 30 days terms, subject to credit approval. Next day shipping on all stock items. No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (minimum \$5) shipping and handling on all orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change. Call today for our catalog.

IE BEST PRICES



HOME COMPUTERS

PRIN	TER
AXIOM	
AT-100 Atari Interface Printer\$169.00	2010/1
AT-550 Atari Bidirectional\$259.00	3510/1
GP-100 Parallel Interface\$189.00	7710/1
GP-700 Atari Color Printer\$489.00	8027
GP-550 Parallel Printer\$269.00	
BMC	82, 83
401 Letter Quality\$589.00	Okima
BX-80 Dot Matrix\$239.00	Okima
BX-100 Dot Matrix\$259.00 C.ITOH	
C.ITOH	Compa
Prowriter 8510P\$339.00	Compa
Prowriter 1550P\$569.00	Needle
A10 (18 cps) Son of Starwriter\$479.00	BARRIES S
Hot Dot MatrixCALL	1090
F10-40 Starwriter\$949.00	
F10-55 Printmaster\$1099.00	1092
COMREX	1093
ComWriterII Letter Quality\$449.00	
DIABLO	TP-100
620 Letter Quality\$749.00	Tractor
630 API Letter Quality\$1549.00	
DAISYWRITER	400 Le
2000 \$949.00 EPSON	500 Le
RX-80, RX-80FT, RX-100CALL	550 Le
FX-80, FX-100	ALO Te
LQ 1500, JX80 ColorCALL	Gemini
JUKI	Gemini
6100 \$449.00	Radix
6300\$779.00	Radix
0000,0119.00	MILLIAM

N	TERS	
	NEC	
0	2010/15/30	\$719.00
0	3510/15/30	\$1299.00
0	7710/15/30	\$1699.00
0		
0	0KIDATA	
	82, 83, 84, 92, 93, 2350,	2410CALL
0	Okimate-64	\$209.00
0	Okimate-Atari	\$209.00
0	OLYMPIA	
	Compact 2	\$469.00
0	Compact RO	\$499.00
0	Needlepoint Dot Matrix	
0	PANASONIC	
L	1090	
0	1091	
0	1092	
	1093	\$649.00
0	SMITH CORON	
0	TP-1000	\$449.00
0	Tractor Feed	\$119.00
U	SILVER REE!	
0	500 Letter Quality	
0	550 Letter Quality	
L	770 Letter Quality	
L	STAR	
L	Gemini 10X	\$250.00
-	Gemini 15X	
0	Radix 10	
0	Radix 15	
	Powertype	
0	TOSHIBA	
0	1340	
0	1351	
D	TACTIC	

I	NTER	FACES
PRACTICAL PERIPHE	RALS	ORANGE MICRO
Graphcard	\$84.99	Grappler CD (C64)\$99.99
Seriall Card	\$109.00	Grappler + (Apple)\$109.00
Microbuffer II +	.\$179.00	Grappler 16K + (Apple)\$189.00
Microbuffer 32K	\$199.00	QUADRAM
		Microfazer - Printer Buffers starting at

\$589.00

\$749.00

\$259.00

\$139.00 We carry interfaces and cables for most computers on the market today. Call to determine your requirements.

M HEWLETT
PACKARD
41CV \$189.99
41CX \$249.99
HP 71B\$419.9
HP 11C\$62.9
HP 12C\$92.9
HP 15C\$92.9
HP 16C:\$92.9
HP 75D\$999.9
HPIL Module\$98.9
HPIL Cassette or Printer\$359.9
Card Reader\$143.9
Extended Function Module \$63.9
Time Module\$63.9
We stock the full line of
HP calculator products

MANNESMAN TALLY

160L..

Spirit 80 ..

	PC-8201-06 8K RAM Chips\$105.00	
	PC-8206A 32K RAM Cartridge\$329.00	
	SHARP	
)	PC-1350\$159.99	
	PC-1261\$159.99	
	PC-1260\$109.99	
	PC-1500A\$165.99	
	PC-1250A\$88.99	
	CE-125 Printer/Cassette\$128.99	
	CE-150 Color Printer Cassette\$171.99	
	CE-151 4K RAM\$29.99	
)	CE-155 8K RAM\$49.99	
	CE-161 16K RAM\$134.99	
	CE-500 ROM Library ea\$29.99	

NEC PC-8201 Portable Computer\$299.00

PC-8231 Disk Drive......\$619.00 PC-8221A Thermal Printers.\$149.00

		KOA	ALA	
Atari	(ROM)	\$79.99	IBM	\$99.99
C-64		\$79.99	Apple/Franklin	\$85.99



CALL WHILE SUPPLIES LAST 600XL & 800XL

850 Interface \$109.00	CX30Paddles\$11.99
1010 Recorder\$49.99	CX40 Joystick \$7.99
1020 Color Printer\$79.99	
1025 Dot Matrix Printer \$199.99	4022 Pac Man\$16.99
1027 Letter Quality Printer. \$269.99	
1030 Direct Connect Modem\$59.99	8026 Dig Dug\$32.99
1050 Disk Drive\$179.99	8031 Donkey Kong\$32.99
Touch Table/Software\$64.99	8034 Pole Position \$32.99
Light Pen/Software\$72.99	8040 Donkey Kong Jr\$32.99
CX22 Track Ball\$39.9	8043 Ms Pacman\$32.99
7097 Atari Logo\$74.99	
4018 Pilot (Home)\$57.99	8045 Pengo\$16.99
405 Pilot (Educ.)\$99.99	8052 Moon Patrol\$32.99
8036 Atari Writer\$49.99	
5049 VisiCalc\$59.99	8126 Microsoft Basic I or II\$64.99

MEMORY BOARDS Axlon 32K Axlon 48K. Axlon 128K Microbits 64K (600). \$109.0 SWP ATR-8000-16K Z80 CP/M. ATR-8000-64K Z80 CP/M......\$499.0

BIT 3

Full View 80.....

ARDS	DISK DRIVES		
\$44.99	Indus GT Drive (Atari)	\$279.00	
\$69.99	Rana 1000	\$249.00	
\$269.99	Trak AT-D2	\$389.00	
\$109.00	Trak AT-D4	\$539.00	
	MODEMS		
\$349.00	Micro Bits MB-1100	\$129.99	
\$499.00	INTERFACES		
	Microbits MB-1150	\$79.99	
\$239.00			

Ccommodore

CBM	8032	\$639.00	SX
CBM	8096	\$869.00	Co
	9000		CB
B128-	80	\$99.00	CIE
8032	to 9000 Upgrade	\$499.00	CIE
2031	LP Disk Drive	\$299.00	CIE
8050	Disk Drive	\$999.00	M-
8250	Disk Drive	\$1249.00	Cle
4023	Printer	\$329.00	C17
8023	Printer	\$589.00	CIE
6400	Printer	\$1449.00	Cle
Z-RA	M	\$369.00	Sin
	n Office		MC
	Manager		DP
	BATTERIES INCLUI	DED	7747

BATTERIES INCI	UDED
PaperClip w/Spell Pack	\$84.99
The Consultant DBMS	\$69.99
Bus Card II	\$149.00
80 Col Display	\$149.00
DISK DRIVE	s
MSD SD1	\$349.00
MSD SD2	\$599.00
Indus GT/C64	\$279.00
PERSONAL PERIP	HERALS
Super Sketch Graphics	Pad\$39.99

SX-64 Portable	.\$749.00
Commodore Plus 4	\$289.00
CBM 64	\$199.00
C1541 Disk Drive	\$249.00
C1530 Datasette	\$59.99
C1520 Color Printer Plotter.	\$129.00
M-801 Dot Matrix Printer	\$219.00
C1526 Dot Matrix/Serial	\$299.00
C1702 Color Monitor	\$259.00
C1600 VIC Modem	
C1650 Auto Modem	\$89.99
Simons Basic	\$29.99
MCS 801 Color Printer	\$499.00
DPS 1101 Daisy Printer	\$459.00
PFS	
File (64)	\$59.99

2 220 (0 2)	
Report (64)	\$59.99
PRECISION SOFTW	ARE
Superbase 64	\$59.99
PROFESSIONAL SOF	
Word Pro 2 Plus	\$159.00
Word Pro 3 Plus	\$189.00
Word Pro 4 Plus/5 Plus ea	ch.\$239.00
Info Pro	\$179.00
Administrator	\$399.00
Power	\$69.99
Word Pro 64 Plus	\$59.99
Fleet System II	
PERSONAL PROPERTY AND ADDRESS OF THE PERSON	

....\$619.00



west

Stateline, NV 89449




In NV call (702)588-5654 DINERS CLUB Order Status Number: 588-5654 P.O.Box 6689, Dept.105

canada Ontario/Quebec 800-268-3974 Other Provinces800-268-4559

In Toronto call (416) 828-0866 Telex: 06-218960

2505 Dunwin Drive, Unit 3B, Dept.105



800-233-8950 In PA call (717)327-9575



Order Status Number: 327-9576 Customer Service Number: 327-1450 477E.3rdSt., **Dept.105**, Williamsport, PA 17701

Mississauga, Ontario, Canada L6LlTl CANADIAN ORDERS: All prices are subject to shipping, tax and currency fluctuations. Call for exact pricing in Canada. INTERNATIONAL ORDERS: All orders placed with U.S. offices for delivery outside the Continental United States must be pre-paid by certified check only. Include 3% (minimum \$5) shipping and handling. EDUCATIONAL DISCOUNTS: Additional discounts are available to qualified Educational Institutions. APO & FPO: Add 3% (minimum \$5) shipping and handling.

Overall, SynGraph is a usable program for graphing data, assuming you have a compatible printer. Its ability to access SynCalc, SynFile+, and VisiCalc data make it more than just another graphics program.

SynStat


SynStat is a completely menudriven program for manipulating and analyzing data. You have a choice of descriptive analysis, or simple or multiple regression analysis. Up to four disk drives may be used.

Since SynStat can read or write DIF format files, you can analyze *VisiCalc* data and use *VisiCalc* to read files created with the SynStat data editor. Also, you can format disks directly from the main menu without going to DOS.

The data editor contains several useful commands for transforming columns. Data in one column may be added to data in a second column, with the results appearing in a third column. Likewise, columns of data may be subtracted, multiplied, or divided and the results placed in a third column. You can add or multiply columns by a constant, with the results replacing the original numbers. The natural logarithm of a column of data can also be obtained.

SynStat's descriptive analysis displays eight pieces of information: The number of observations, minimum and maximum values, the range of values, the average, standard deviation, variance, and the standard error.

Regression analysis is a common statistical technique to confirm or deny a hypothesis concerning the relationship between two or more variables. A separate file is used for the independent and dependent variables, and they must contain exactly the same number of observations. SynStat first displays a summary of the data. The coefficient and standard error of



A proportioned pie chart created with SynGraph.

the estimate are given for each of the variables. It also displays an overall r-squared (coefficient of determination), adjusted rsquared, and standard error.

If you use two independent variables, SynStat displays a screen of partial correlation coefficients. This information is used to determine how closely the two independent variables are related to each other. The final screen is called the residual analysis screen. Here the actual, predicted, and residual values are shown for the data being analyzed.

The documentation contains some tutorial information on regression analysis, but you should already be familiar with the topic before using the program. Any introductory statistics textbook should do.

The SynStat manual contains a glossary and index in addition to its tutorial and reference section. Since SynStat is part of the *SynTrend* package, careful thought should be given to its usefulness in meeting your needs.

Syn Series Quality

As a whole, SynFile+, SynCalc, and SynTrend represent quality software for the Atari computer. Each has useful features, such as rapid cursor movement and straightforward menu screens, and is easy to use. Their ability to share data with each other and to work with AtariWriter are valuable assets. The only feature one might wish for is 80-column capability with the Bit-3 and Austin-Franklin 80-column boards. According to Synapse, there will be new versions of the programs that will work with Atari's 80-column board in the 1090XL expansion box, when or if the box is released. These programs have taken a long time to finally arrive, but the wait has been worth it.

SynFile+ \$79.95 SynCalc \$79.95 SynTrend \$69.95 Synapse Software 5221 Central Avenue Richmond, CA 94804

PC-Write Word Processor For PC & PCjr

Sheldon Leemon

Requirements: IBM PC with at least 64K RAM, any DOS, and a disk drive (128K RAM and DOS 2.0 or higher recommended); or an Enhanced Model PCjr with DOS 2.1.

Although an IBM PC (and even a PCjr) cannot be considered an

inexpensive computer, sometimes the cost of the machine seems to be no more than a down payment after you buy the software needed to operate it. Word processing, for example, is one of the most popular applications for personal computers. But many of the most popular commercial word

Verbatim Datalife Diskettes



DISKETTES Holiday Special

FREE Head-Cleaning Kit, \$9.60 Value

FREE: Plastic Library Case with each box of 10 51/4 "soft sector Datalife Diskettes SS/DD \$1995 DS/DD \$2995

EPSON PRINTERS — SALE

Dot Matrix, Bidirectional with Logic Seeking, Paper Feed and Tractor Feed:

RX 80 100 CPS \$239.00 RX 80 F/T 100 CPS \$285.00

RX 100 100 CPS \$469.00 **FX 80** 160 CPS., 2 K Buffer \$395.00

FX 100 160 CPS, 2 K Buffer. \$585.00

LQ 1500 200 CPS Draft, 67

CPS Letter Quality, 2 K Buffer \$1075.00

Shipping and Handling \$3.00 for any size order of diskettes, \$9.00 for printers, C.O.D. orders add \$1.65. We accept credit cards at NO extra charge. Illinois residents please add 7% sales tax.



SMART DATA INC.

P.O. Box 297 Wilmette, IL 60091 (312) 256-4456



COMPUTE! Subscriber Services

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

COMPUTE! Magazine

P.O. Box 914 Farmingdale, NY 11737

or call the Toll Free number listed below.

Change Of Address. Please allow us 6-8 weeks to effect the change; send your current mailing label along with your new address.

Renewal. Should you wish to renew your **COMPUTE!** subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

New Subscription. A one year (12 month) US subscription to **COMPUTE!** is \$24.00 (2 years, \$45.00, 3 years, \$65.00. For subscription rates outside the US, see staff page). Send us your name and address or call the Toll Free number listed below.

Delivery Problems. If you receive duplicate issues of **COMPUTE!**, if you experience late delivery or if you have problems with your subscription, please call the Toll Free number listed below.

COMPUTE! 800-334-0868 in NC 919-275-9809

Only NRI teaches you to service and repair all computers as you build your own 16-bit IBM-compatible

As computers move into offices and homes by the millions, the demand for trained computer service technicians surges forward. The Department of Labor estimates that computer service jobs will actually double in the next ten years—a faster growth than any other occupation.

Total System Training

As an NRI student, you'll get

total hands-on training as you actually build your own Sanyo MBC-550-2 computer from the keyboard up. Only a person who knows all the underlying fundamentals can cope with all the significant brands of computers. And as an NRI graduate, you'll possess the up-to-theminute combination of theory and practical experience that will lead you to success on

the job.

Your NRI Course Includes a Sanyo MBC-550-2 Computer with 128K RAM, Monitor, Disk Drive, and "Intelligent" Keyboard; The NRI Discovery Labs, Teaching Circuit Design and Operations; a Digital Multimeter; Bundled Spread Sheet and Word Processing Software Worth \$1500 at Retail—and More.

You learn at your own convenience, in your own home, at your own comfortable pace. Without classroom pressures, without rigid night-school schedules, without wasted time. Your own personal NRI instructor and NRI's complete technical staff will answer your questions, give you guidance and special help whenever you may need it.

The Exciting Sanyo MBC-550-2— Yours To Keep

Critics hail the new Sanyo as the "most intriguing" of all the IBM-PC compatible computers. It uses the same 8088 microprocessor as the IBM-PC and the MS/DOS operating system. So, you'll be able to choose thousands of off-the-shelf software programs to run on your completed Sanyo.

As you build the Sanyo from the keyboard up, you'll perform demonstrations and experiments that



NRI is the only home study school that trains you as you assemble a top-brand computer. You'll install and check keyboard, power supply, disk drive and monitor, following step-by-step directions.

will give you a total mastery of computer operations and servicing techniques. You'll do programming in BASIC language. You'll prepare interfaces for peripherals such as printers and joysticks. Using utility programs, you'll check out 8088 functioning. And the entire system, including all the bundled software and extensive data manuals, is yours to keep as part of your training.

100-Page Free Catalog Tells More

Send the coupon today for NRI's big 100-page color catalog, which gives you all the facts about NRI training in Microcomputers, Robotics, Data Communications, TV/Video/Audio Servicing, and other growing high-tech career fields. If the coupon is missing write to NRI at 3939 Wisconsin Ave., NW, Washington, DC 20016.

SCHOOLS- McGraw-Hill Continuing Education Cent 3939 Wisconsin Avenue, Washington, Do We'll give you tomorrow. CHECK ONE FREE CATALOG ONLY		For Career courses approved under GI bill,
Computer Electronics with Microcomputers Data Communications Robotics & Industrial Controls Color TV, Audio, and Video System Servicing Electronic Design Technology Digital Electronics	Communications Electronics Industrial Electronics Basic Electronics Telephone Servicing Small Engine Servicing Appliance Servicing	Automotive Servicing Air Conditioning, Heating, Refrigeration, & Solar Technolog Building Construction Locksmithing & Electronic Security
Name (Please Print)	the trees of	Age
Street	word to receive	

processing programs for IBM computers cost \$400 or more. That's why it's so refreshing to find a program like *PC-Write*—a professionally designed, full-featured word processor that is practically free for the asking.

PC-Write is not commercial software in the usual sense. It is distributed via the shareware concept. You're allowed to copy and share the PC-Write disk, which contains both the programs and documentation. Indeed, such copying is encouraged, because it's the primary means of distributing the program.

If you don't know anyone who can share *PC-Write* with you, it is available from many user groups, bulletin board systems, and from the publisher, Quicksoft. Quicksoft charges a minimal \$10 fee to cover the cost of the disk, postage, and handling. That's a price that is hard to beat.

However, shareware—or user-supported software, as it is also known—is not just an exercise in altruism. Rather, it is a marketing approach that some software authors developed as an alternative to the more traditional channels of commercial software distribution. Its proponents like to compare it with public television. Under the shareware concept, quality software is made freely available to the public without obligation. You can make as many backup copies as you want and try out the program at your leisure. If, after using the program for a while, you decide that it's suitable, you're encouraged to support the efforts of the software developer by making a voluntary contribution. Though a specific amount is usually suggested, any contribution is appreciated.

Chain-Letter Software

PC-Write gives the shareware concept a special twist. If you're satisfied with PC-Write, you're asked to register your copy of

the program by sending \$75 to Quicksoft. This \$75 fee is rather modest compared to the price of comparable word processors, and it buys you more benefits than you usually get with commercial software. You receive not only a copy of PC-Write personalized with your registration number and a bound manual, but also a telephone number you can call with questions about the software, a copy of the Pascal and machine language source code, and the next major update of the program.

The personal registration number is the key to the most unusual benefit. Whenever you share your personalized copy of PC-Write with someone, their copy will bear your registration number. If that person subsequently registers PC-Write, Quicksoft mails you a \$25 commission. There's no limit to the number of commissions you can earn. Therefore, an aggressive registrant can actually make money by distributing the program to friends and associates, like the software equivalent of a (legal) chain letter.

As attractive as this innovative marketing concept sounds, it is bound to generate some skepticism about the quality and commercial value of the program. You get what you pay for, right? Well, not always.

First, PC-Write was programmed by a pro. Designer Bob Wallace has been writing text editors since 1969. He has a master's degree in computer science and worked for Microsoft for a number of years, where he wrote much of the MS-Pascal compiler and runtime package. (PC-Write and many other commercial programs are written in MS-Pascal.)

Second, a careful examination of *PC-Write* bears out Wallace's observation that in order to make money from voluntary contributions, a program must be very good indeed.

Separate Editor And Printer Driver

Like all word processing programs, PC-Write lets you enter, edit, and format text to print it exactly the way you want it. Unlike most word processors, however, PC-Write splits these functions between two separate programs to save memory. This requires you to save your file, exit the editor program, and then load the printer driver program before you can print your document. Fortunately, if you have more than 128K of memory and are using DOS 2.0 or higher, you can keep the editor and your text in memory while running the printer program.

The editor program does most of the real work. It lets you enter text and format the appearance of each line on the screen. All the usual capabilities are supported, such as adjustable margins, centering, and right-margin justification. The PC-Write printer driver is used only to divide these lines of text into pages and to properly place headers and footers. Except for special features such as boldfacing, underlining, and subscripts, your text is printed exactly as it looks on the screen. Any line length can be specified, but only 80 columns will appear on the screen at once. To see widths greater than 80 characters, you must scroll the text window right or left.

The editor portion of *PC-Write* is responsive and very powerful, boasting a wide range of features. You can enter text in either insert mode (new characters make room by pushing old characters to the right), or overstrike mode (new characters replace old characters). You toggle between the two modes with the Scroll Lock key on the *PC* or the Function-S combination on the *PCjr*.

The wide range of cursor control commands is very logically assigned to the special

keys on the IBM keyboard or to double-key combinations. For example, the left and right arrow keys by themselves move the cursor left or right one character; when pressed with a Shift key, they move the cursor to the left or right of the screen; and when pressed with Shift and Control, they move the cursor left or right one word. Other combinations let you move the cursor to the top or bottom of the screen, the beginning or end of the document, forward or backward one paragraph, and allow you to scroll the whole screen up or down one line or page at time. You can even mark the current cursor position so you can return there later by pressing another double-key combination. In addition, the program internally numbers each line of text. You can see the current line number by pressing Shift-F9 and jump directly to another line by entering its number.

For all of the editing commands, PC-Write makes special provisions for the PCjr keyboard so multiple keystrokes aren't required to emulate the full PC keyboard.

On-Line Help Screen

Since so many cursor commands may be a little hard to keep track of, pressing the F1 key brings up a help screen that details all of the special key assignments. You can customize the program, too-permanently assigning any command sequence to one of the Control key combinations. That way, if you are already used to another word processor, you can set up PC-Write to emulate it (the default assignments correspond to those used by WordStar).

PC-Write also lets you move the cursor to a specific word or series of words using the Search command. You merely designate a search string by pressing F9 and typing in the word or phrase. From then on, a single

keypress moves the cursor either forward or backward to the next occurrence of that string in the document. You can even use certain wild card characters in your search string. An F5 character will match any letter or digit, an F6 will match any character except a letter or number, an F7 will match any one character, and an F8 will match an end-of-line character. For example, the search string "comput[F5]" could be used to find both "computer" and "computing"

You can also designate a replacement string. Hitting the F10 key replaces the next occurrence of the search string with the replacement string, and Shift-F10 replaces all occurrences of the search string within the text. There is even an unreplace feature so you can switch them back in case you made a mistake!

PC-Write makes it easy to delete, move, and duplicate text. There are single-key commands for deleting a character, a word, or a line. For deleting or moving larger blocks of text, the F6 key lets you start defining sections of your document (this text appears in inverse video). You can use all of the program's powerful cursor movement keys to extend the defined area. For example, a whole paragraph can be marked by pressing F6 and Control-PgDn (next paragraph). When you've defined the paragraph, you can delete it by pressing a single key.

Whenever you delete more than one character at a time, the erased text is moved to a holding area so it can be inserted somewhere else. This feature can also be used to retrieve text that was removed by mistake. Defined blocks can be saved on disk or printed out, and text can be merged into a document from a disk file. You can also duplicate a defined block of text elsewhere in the document.

Copies of articles from this publication are now available from the **UMI** Article Clearinghouse. For more information about the Clearinghouse, please fill out and mail back the coupon below. Yes! I would like to know more about UMI Article Clearinghouse. I am interested in electronic ordering through the following system(s): ☐ DIALOG/Dialorder ☐ ITT Dialcom OCLC ILL ☐ OnTyme Subsystem Other (please specify). I am interested in sending my order by Please send me your current catalog and user instructions for the system(s) I checked above. Name Title_ Institution/Company_ Department_ Address ____State___Zip_ Phone (_____)_ Mail to: University Microfilms International 300 North Zeeb Road, Box 91 Ann Arbor, MI 48106

Convenience Features

In addition to its clean implementation of standard editing features, *PC-Write* contains many nice extras which are usually found, if at all, in only the most comprehensive (and expensive) word processors. There is a single keystroke combination which transposes two letters, rather than making you delete one letter, move the cursor, and type it in again. Likewise, the F8 key switches lowercase letters to uppercase and vice versa.

When loading a file, the program lets you choose whether you want an automatic backup file created. A keyboard macro feature lets you define any key or combination of keys as any series of characters. This means you can insert commonly used phrases, such as your name, with a single keystroke. It also means you can customize the program's command sequences to make them easier to remember, and frequently used combinations of these commands can be available by pressing one key. The keyboard macros can even be made a permanent part of the PC-Write editor by saving them in a disk file.

The level of customization possible with PC-Write is truly staggering. You can create special characters which will send any sequence of command codes to the printer, allowing you to create overstrike characters or even dot-matrix graphics characters. You can designate how special characters will appear on the screen, so that underlined text, for example, can be displayed in boldface, inverse, or blinking characters. If you're using a color monitor, you can set the foreground and background colors for regular text, marked text, text which appears between printer control characters, and the status line.

If you're a programmer, the

possibilities are endless. Because you can obtain the source code for *PC-Write* by registering your copy, virtually any modification can be made.

Excellent Support

The author's commitment of support is as important as the program's many fine features. One of the advantages of the shareware system is that it opens up dialogue between the software author and users. You can report bugs and suggest improvements, and the unconventional method of distribution frees the author to make changes as often as he wishes. PC-Write has undergone a number of revisions within a short period of time. Some of the more recent enhancements include the keyboard macros and the special font characters for turning on boldfacing and underlining.

Inevitably, there are still

some features of *PC-Write* that aren't perfect. Even if your computer has enough RAM (at least 128K) to hold both the editor program and printer driver in memory at once, you still can't switch back and forth. It's also inconvenient to have to exit the editor to DOS whenever you need to see a disk directory. And it would be nice if microspace justification were added to the printer driver.

These problems are less important, however, when viewed in context of the program's overall excellence. Moreover, because of the ongoing support of *PC-Write*, there is a pretty fair chance that even these flaws will be cleaned up in a future revision.

PC-Write Quicksoft 219 First Avenue North, #224 Seattle, WA 98109 \$10 (program disk) \$75 (registered copy)

0

Free Publications

Use the handy order form in the tax package to obtain free IRS publications on over 90 different tax topics.



A PUBLIC SERVICE MESSAGE FROM THE INTERNAL REVENUE SERVICE

You never know who you will meet or what will be said when you're on American People/Link.

AMERICAN PEOPLE/LINKTM users meet a lot of different people. That's because PEOPLE/LINK — the nation's first all entertainment videotex network — allows anyone with a word processor, personal computer or terminal, and a modem to communicate with other users throughout the country from the privacy of their own homes.

Sometimes these electronic conversations are serious...sometimes they're outrageous...but they will always keep your interest as you talk to friends and make new ones. PEOPLE/LINK's recreational programs include:

PARTYLINE — Meet people and talk live with other PEOPLE/LINK members throughout the country in groups or privately.

CLUB-LINK — Join or start a club or group devoted to a favorite hobby, rock group, lifestyle, etc.

WHO-IS-WHO — locate other users with similar interests.

And there's much more with programs like NETMAIL, our person-to-person electronic mail, PEOPLESCAN, the national bulletin board system, and play games such as poker, blackjack, checkers, chess, backgammon, and bridge (color graphics are available for most popular computers).

And the greatest thing is that you don't have to be a computer whiz or even know how to type to use PEOPLE/LINK...just be smart enough to subscribe now!

Talk live nationwide for \$2.95/hour* . . . an exciting and inexpensive way to meet new friends.



Plus/Term For VIC & 64

Gregg Peele, Assistant Programming Supervisor

Here's a top-notch terminal program that lets you access almost any computer or information service over the phone with your Commodore 64 or VIC-20. Its features include key redefinition, word wrapping, 1200 bps support, uploading, and downloading. Written in BASIC and machine language, the program works on any 64 or VIC with at least 16K RAM and a modem.

There's a lot more out there than you think.
Sure, you can use your home computer to play games, write letters, and balance your budget. But telecomputing—communicating with other computers over the phone lines—can let you do even more. "Plus/Term" and a modem turns your home computer into a full-fledged communications terminal. You can link up with the personal computers of your friends, the mainframe computer at work or at school, electronic bulletin boards, on-line data bases, and commercial information services such as Compu-Serve, The Source, and Dow Jones News/

Plus/Term is designed to make your computer emulate an asynchronous ASCII terminal. An asynchronous terminal does not require special timing (sync) characters, and doesn't require the receiving terminal to operate in step with your system. ASCII (American Standard Code for Information Interchange) is a standard character code that computers use to understand each other. Most microcomputer communications are asynchronous and in ASCII.

Typing Plus/Term

Plus/Term consists of two parts: a BASIC program that displays menu options, and a machine language routine that handles the actual communications. The BASIC program (Program 1) is the same for both the VIC and 64, but the machine

language programs are different.

First, type in the BASIC portion (Program 1) and save it on tape or disk. To type in the machine language portion, you must use the MLX machine language editor located elsewhere in this issue. Starting and ending addresses for Plus/Term are 50152 and 52561 for the Commodore 64 (Program 2), and 6144 and 8456 for the VIC-20 (Program 3). Before loading MLX to enter Program 3, VIC users must enter the following line in direct mode (without a line number) and press RETURN:

POKE 44,35:POKE 256*35,0:NEW

Save the machine language portion on tape or disk using the filename referenced in line 100 of the BASIC program (PLUS/TERM.ML).

To start Plus/Term, run the BASIC program. It automatically loads the machine language part from tape or disk using the filename in line 100. If you're using tape, change the ,8,1 listed after the filename to ,1,1.

Important: Before loading the BASIC portion into the VIC, enter this line without a line number and press RETURN:

POKE 44,35:POKE 256*35,0:NEW

You must enter this line every time you start the VIC version of Plus/Term.

Entering Terminal Mode

When you run Plus/Term, the program asks you to specify a *baud rate*. The baud rate, more properly known as *bps* (bits per second), is the speed at which a modem communicates. Inexpensive modems—including most of those sold for the Commodore 64 and VIC-20—can transmit and receive information at speeds ranging from 110 to 300 bps (about 10 to 30 characters per second). Modems costing \$400 or more can usually be switched to 1200 bps to speed up communications by a factor of four.

TURBO 64

Turbo 64 will turn your 1541 into a super fast and efficient disk drive. Loads programs five to eight times faster, works with 99% of your basic and machine language programs. The master disk allows you to put unlimited Turbo 64 boot copies on all your disks. This disk also includes:

Auto Run Boot Maker

Auto Run Boot Maker will load and auto run your basic or machine language programs.





\$19.95

DMS-Errors 20,21,22,23,27 & 29 Format Single Tracks Read Disk Errors

1/2 Track Reader-read and select 1/2 track.

1/2 Track Formatter-Format a disk with 1/2 tracks. This is where the next protection schemes are coming from.

Drive Mon-Disk Drive assembler / disassembler. For your 1541.

The Doc-Disk Doctor that reads code under errors.

Sync Maker-Place a sync mark on any track out to 41. Also used for protection.

Sync Reader-Check for Sync bits on any track out to 41.

Change Drive No.-Changes drive number (7-30).

Disk Logger-Finds starting track, sector; start and end addresses.

Disk Match-Compare any two diskettes. Byte for Byte.

New Wedge-Easier to use DOS wedge.

ID Check-Check ID's on any track.

Unscratch-Restore a scratched file.

View RAM-Visual display of the free and used sectors on a diskette.

Read/Write Test-1541 performance test.

Repair a track-Repair a track with checksum errors. Reads code under errors and restores track.

Fast Format-Format a disk in just 10 seconds (with verify!).

WAR GAMES AUTODIALER



- 1-Auto Dial will automatically dial a set of numbers you choose.
- 2–Review Numbers will review numbers that were answered by a computer.
- 3-Save Numbers will save numbers where a computer answered.
- 4-Hardcopy of Numbers will print out list of numbers where a computer answered.
- 5-LOAD Numbers will load in numbers to continue where it left off.
- 6-Continue will pick up dialing where it was interrupted.

\$29.95

GEMINI BIT COPIER

99.9% Effective!

- 3 Minute copy program
- · Copies Bit by Bit
- Eliminates worries of all Commodore DOS errors
- · Very simple to use
- · Half tracks
- 100% machine language
- Will not knock disk drive
- · Copies quickly
- Writes errors automatically 20,21,22,23,27&29
- Errors are automatically transferred to new disk

Copies identical syncs

- Supports use of two disk drives
- Unlocks disks to make your actual copies
 No peed to worry about
- No need to worry about extra sectors
- This program covers all the latest protection schemes.

\$29.95

PROTECTION >

This book uncovers the secrets of protected DISKS, CARTRIDGES, and TAPES for your own use only. Protection secrets are clearly explained along with essential information and procedures to follow for duplicating protected software, A kit of duplicating software is included with all listings, providing you with the tools needed! Programs include high speed error check/logging disk duplicator . . . disk picker . . . and more. Also, routine for checking and writing half-tracks, abnormal bit densities, as well as errors 20, 22, 23, 27 and 29. The tape duplicator has never been beaten! This manual is an invaluable reference aid including computer and disk maps, as well as useful tables and charts. (212 pages 11 programs). This manual does not condone piracy.

C64 Book only	\$19.95	US
Book & Disk of all programs	\$29.95	US
Vic 20 book Cart. & Tapes only	. \$9.95	US

THIS MANUAL DOES NOT CONDONE PIRACY
*SHIPPING: \$2.00

BULLETIN BOARD

Set up and operate your own bulletin board with a single 1541 disk drives. This one has all the features and you can customize it easily yourself.

- 1-RUN MEGASOFT BBS
- 2-CREATE MEGA FILES
- 3-ADD TO SYSOP'S CORNER
- 4-NEW SYSOP'S CORNER
- 5-READ MESSAGES
- 6-SCRATCH MESSAGE
- 7-CYCLE MESSAGES 8-READ SYSOP MESSAGES
- 9-WRITE OPENING MESSAGE 10-READ LOG 11-CYCLE LOG
- 11-CYCLE LOG
- 12-READ DOWNLOAD FILE
- 13-SCRATCH DOWNLOAD FILE
- 14-ADD TO OTHER SYSTEMS
- 15-CREATE OTHER SYSTEMS

\$39.95

Two Drive System: Includes everything listed above plus direct file transfer, dule passwords, for signon and updown load sections and many more options!

\$59.95

Enclose Cashiers Check, Money Order, or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders. Canada orders must be in U.S. Dollars. VISA — MASTER CARD — C.O.D.

Programs for C-64 \$2.00 S & H on Software Submissions invited.

\$2.00 S & H on all orders



MegaSoft Limited

P.O. Box 1080, Battle Ground, Washington 98604

Phone (206) 687-5116 • BBS 687-5205 After Hours Computer to Computer

Remember that the computer at the other end of the phone line must be transmitting and receiving at the same speed as yours. You can't send and receive at 1200 bps if the other computer has only a 300 bps modem. Many electronic bulletin boards and commercial information services are capable of communicating at both 300 and 1200 bps. Some even recognize your baud rate when you first sign on and adjust themselves accordingly. But you still have to set Plus/Term for the proper baud rate each time you run the program.

After you specify the baud rate, Plus/Term enters terminal mode. A cursor appears at the upper-left corner of the screen. The Commodore 64 version of Plus/Term has a blinking underline cursor, and the VIC version has a solid block

cursor.

To see how terminal mode works, try typing these two sentences:

This is a test of the Plus/Term software. It is designed to provide lots of options for use with many systems.

Notice how Plus/Term handles words that are typed at the end of a line. Rather than splitting words, Plus/Term moves the entire word to the next line. This feature, known as word wrap, makes text easier to read. It's found on most word processors.

You can turn word wrap on or off at any time by calling up a menu. All the main features in Plus/Term are controlled from a main menu and its submenus. When you're in terminal mode, you can flip the screen to the main menu whenever you want by pressing the f7 special function key.

Plus/Term Main Menu

Here's what it looks like:

PARAMETERS

- 1. WORD LENGTH
- 2. STOP BITS
- 3. BAUD RATE
- 4. PARITY
- 5. DUPLEX
- 6. DEFINE KEY
- 7. TERMINAL OPTIONS
- 8. RETURN TO TERMINAL
- 9. RETURN TO BASIC

The first five options control communications parameters. Plus/Term defaults to these settings:

8-bit word length 1 stop bit 300 baud No parity Half duplex

Always set your modem to full duplex while using Plus/Term. That way you can control the

duplex setting with the program. To change Plus/Term from half duplex to full duplex, press the numeral 5 key to select option 5 from the main menu. The menu goes away and a submenu appears. Again, press the appropriate key to select the option you want (half or full duplex); your choice will be highlighted in reverse video. Press RETURN to go back to the main menu.

All of the other options in Plus/Term work the same way. Just select an option from the main menu and usually another menu will

appear.

If you change baud rates from within Plus/Term, all other parameters revert to their default values. Usually you need to set the baud rate only when first running the program.

Never press RUN/STOP-RESTORE in the 64 version of Plus/Term when the menu is on the screen. If you do, the program halts. You can restore it by typing POKE 648,4 and pressing RETURN, but you'll have to type blindly because the operating system thinks the screen is at a different location.

Terminal Mode Commands

You can return to terminal mode from the main menu by selecting option 8 (option 9 exits Plus/Term to BASIC). Notice that the text you left on the screen is still there.

Other keys besides f7 execute commands in terminal mode. You must press three keys simultaneously: Hold down SHIFT and CTRL, then press the appropriate command key (this sequence makes it possible for you to send special control codes in terminal mode by pressing CTRL and a character key). Here are the terminal mode commands:

CTRL-SHIFT-B: Change background color. Change border color. CTRL-SHIFT-K: Change text color.

CTRL-SHIFT-O: Open buffer (start storing characters in memory).


CTRL-SHIFT-C: Close buffer (stop storing characters in memory).

CTRL-SHIFT-S: Save buffer contents on disk or tape.
CTRL-SHIFT-L: Load buffer contents from disk or tape.
CTRL-SHIFT-Z: Zero (erase) buffer.

Notice that some of these commands involve the manipulation of a *buffer*. A buffer is an area in memory set aside to store data. If the buffer is open (CTRL–SHIFT-O), all the characters sent and received by your computer are stored in memory. The contents of the buffer can then be saved on disk or tape or sent to a printer. This feature lets you *download* (receive) text files and programs from remote computers. You can also *upload* (send) files to other computers. We'll discuss these procedures in a moment.

The buffer is 30,720 bytes long (about 30K) on a Commodore 64, and 7860 bytes long (about

Required Reading for



TRICKS & TIPS FOR YOUR C-64

treasure chest of easy-to-use programming techniques. Advanced graphics, easy data input, enhanced BASIC, CP/M, character sets, transferring data between computers, more.

ISBN# 0-916439-03-8

275 pages \$19.95

ANATOMY OF 1541 DISK DRIVE -

bestselling handbook available on using the floppy disk. Clearly explains disk files with many examples and utilities. Includes complete commented 1541 ROM listings.

ISBN# 0-916439-01-1

320 pages \$19.95

PEEKS & POKES FOR THE C-64 -

programming quickies that will simply amaze you. This guide is packed full of techniques for the BASIC programmer.

ISBN# 0-916439-13-5

\$14.95 180 pages

GRAPHICS BOOK FOR C-64 -

fundamentals to advanced topics this is most complete reference available. Sprite animation, Hires, Multicolor, lightpen, IRQ, 3D graphics, projections. Dozens of samples.

ISBN# 0-916439-05-4

350 pages \$19.95

ANATOMY OF COMMODORE 64 insider's guide to the '64 internals. Describes graphics, sound synthesis, I/O, kernal routines,

more. Includes complete commented ROM listings. Fourth printing.

ISBN# 0-916439-003

300 pages

ADVANCED MACHINE LANGUAGE

FOR C-64 - covers topics such as video controller, timer and real time clock, serial and parallel I/O, extending BASIC commands, interrupts. Dozens of sample listings.

ISBN# 0-916439-06-2

210 pages

SCIENCE & ENGINEERING ON

THE C-64 - starts by discussing variable types, computational accuracy, sort algorithms, more. Topics from chemistry, physics, biology, astronomy, electronics. Many programs.

ISBN# 0-916439-09-7

250 pages \$19.95

IDEAS FOR USE ON YOUR C-64 -

Wonder what to do with your '64? Dozens of useful ideas including complete listings for auto expenses, electronic calculator, store window advertising, recipe file, more.

ISBN# 0-916439-07-0

200 pages \$12.95

ADVENTURE GAMEWRITER'S HANDBOOK - is a step-by-step guide to

designing and writing your own adventure games. Includes listing for an automated adventure game cenerator.

ISBN# 0-916439-14-3

200 pages \$14.95

Call today for the name of your nearest local dealer Phone: (616) 241-5510

Other titles are available, call or write for a complete free catalog.

For postage and handling include \$4.00 (\$6.00 foreign) per order. Money order and checks in U.S. dollars only. Mastercard. VISA and American Express accepted. Michigan residents include 4% sales tax. CANADA: Book Center, Montreal Phone: (514) 332-4154



P.O. Box 7211 Grand Rapids, MI 49510 - Telex 709-101 - Phone 616/241-5510

7.6K) on a VIC-20 with the 16K memory expander. The file you plan to upload or download must fit in the buffer, unless you handle it in pieces to be assembled later. If the buffer fills up when you're downloading, a screen prompt asks: SAVE BUFFER, YES OR NO? If you answer no, the contents of the buffer are erased. Press CTRL-Q to continue your conversation with the other system.

Terminal Options

Option 7 on the main menu, TERMINAL OPTIONS, controls some of the most useful features of Plus/Term. Here's what the terminal options submenu looks like:

- 1. DIRECTORY (DISK)
- 2. COMM TO COMM
- 3. COMM TO ASCII
- 4. WORD WRAP
- 5. NORMAL SCREEN
- 6. PRINT BUFFER
- 7. LINEFEED WITH RETURN

Option 1 (DIRECTORY) simply lets you call a disk directory without leaving Plus/Term.

Options 2 and 3 (COMM TO COMM and COMM TO ASCII) toggle between each other. Option 3 is the default setting. Plus/Term normally translates Commodore codes into ASCII and vice versa. If you select option 2, Plus/Term stops converting Commodore codes to ASCII. This is useful when communicating with other Commodore systems or when transferring files, as we'll see in a moment. Option 3 also lets you save or load key redefinitions with a tape or disk drive. After you've customized the keys as described below, select option 3 and follow the screen prompts.

Options 4 and 5 (WORD WRAP and NOR-MAL SCREEN) also toggle back and forth to turn

word wrap on or off.

Option 6 (PRINT BUFFER) lets you access the most powerful features of Plus/Term. You can print the contents of the buffer on the screen or a printer, or send it through the RS-232 port (which may be connected to your modem or a serial printer). Whenever you're printing the buffer, you can pause the action by pressing the SHIFT key, slow it by pressing CTRL, or stop it by pressing the space bar. Since some printers may enter graphics mode if certain character codes are sent, you may need to modify the OPEN statement in line 1900 to lock your printer into text mode.

Option 7 (LINEFEED WITH RETURN) lets you disable the linefeed character that normally accompanies the RETURN character. Normally when you press RETURN, two things happen: The cursor jumps to the left side of the screen and also moves down a line. The downward

cursor movement is a linefeed. Some remote computers automatically send a linefeed when they receive a RETURN, so the extra linefeed is unnecessary. If option 7 is highlighted, the RETURN character will include a linefeed. Selecting this option toggles linefeeds on and off.

Customizing Plus/Term

We've already mentioned key redefinition briefly. This is a feature usually found only on the better terminal programs, and it requires some explanation. Basically it lets you customize Plus/Term for communicating with a specific remote computer. To use this feature, select option 6 on the main menu.

Here's why it's important. When Plus/Term is in normal ASCII mode, all characters you type are translated into the standard ASCII codes before they are sent over the phone line. This assumes that the other computer also is sending and receiving the same ASCII codes. But some computers occasionally depart from ASCII. For instance, some systems use ASCII code 127 as a delete character, while pressing the INST/DEL key on a Commodore 64 generates ASCII code 20. The result will be a failure to communicate.

Plus/Term lets you redefine any key on the keyboard to send out any ASCII code you want. To redefine the INST/DEL key to send the ASCII code 127 that the other computer expects instead of the ASCII code 20, first you'd select option 6 from the main menu. The following submenu appears:

CHANGE VALUES

- 1. GOING OUT
- 2. COMING IN

Since you want to change the value you're sending out, select option 1. A screen prompt asks you to press the key you want to redefine; press INST/DEL. Plus/Term tells you that the key currently sends an ASCII 20 and asks you to type in the code you want. Type 127 and press RETURN. The main menu reappears.

It's that easy. Now the INST/DEL key sends an ASCII 127 instead of 20.

Two-Way Translating

You're only half done, though. When Plus/Term sends the 127 over the phone line, the other computer will accept it as a delete key, all right. But then the remote computer echoes the code back to *your* computer (we won't get into the technical reasons). Plus/Term knows that it's supposed to send a 127 instead of a 20, but it doesn't know how to translate the 127 coming back into the 20 that your computer recognizes as a delete key. Instead of deleting characters on your screen, pressing INST/DEL would make back-arrows appear.



VIDEO BASIC-64 - ADD 50+ graphic and sound commands to your programs with this super development package. You can distribute free RUNTIME version without paying royalties!

ISBN# 0-916439-26-7

\$59.95

BASIC COMPILER 64 - compiles the complete BASIC language into either fast 6510 machine language and/or compact speedcode. Get your programs into high gear and protect them by compiling.

ISBN# 0-916439-17-8

\$39.95

MASTER-64 - professional development package for serious applications. Indexed file system, full screen management, programmer's aid, BASIC extensions, 100 commands.

ISBN# 0-916439-21-6

\$39.95

PASCAL-64 - full Pascal with extensions for graphics, sprites, file management, more. Compiles to 6510 machine code and can link to Assembler/Monitor routines.

ISBN# 0-916439-10-0

\$39.95

ADA TRAINING COURSE - teaches you the language of the future. Comprehensive subset of the language, editor, syntax checker/compiler, assembler, disassembler, 120+page guide.

ISBN# 0-916439-15-1

\$59.95

FORTRAN-64 - based on Fortran 77. Common, Data, Dimension, Equivalence, External, Implicit, Goto, Else If, Do, Continue, Stop, Subroutine, Call, Write, Read, Format, more.

ISBN# 0-916439-29-1

\$39.95

C LANGUAGE COMPILER - a full C language compiler. Conforms to the Kernighan & Ritchie standard, but without bit fields. Package includes editor, compiler and linker.

ISBN# 0-916439-28-3

\$79.95

ASSEMBLER MONITOR-64 - a macro assembler and extended monitor package. Assembler supports floating point constants. Monitor supports bank switching, quick trace, single step, more.

ISBN# 0-916439-11-9

\$39.95

XREF-64 - indispensible tool for BASIC programmer cross-references all references to variable and line numbers.

ISBN# 0-916439-27-5

\$17.95

OTHER TITLES ALSO AVAIL-ABLE - WRITE OR CALL FOR A FREE COMPLETE CATALOG

Call today for the name and address of your nearest local dealer.

PHONE: (616) 241-5510

For postage and handling include \$4.00 (\$6.00 foreign) per order. Money order and checks in U.S. dollars only. Mastercard, VISA and American Express accepted. Michigan residents

incl 4% sales tax.

MasterCard V/SA'

FREE PEEKS & POKES WALL
POSTER INCLUDED WITH
EVERY SOFTWARE PURCHASE

You Can Count On



Software

P.O. Box 7211 Grand Rapids, MI 49510 - Telex 709-101 - Phone 616/241-5510

The solution, as you may have guessed, is to customize Plus/Term further so it translates the key in both directions. Select option 6 from the main menu again, then choose option 2 on the submenu (COMING IN). Now you can match the incoming code with the appropriate Commodore code. When the program asks you which code you want to change, type 127. When it asks you for the new value, type 20. Pressing RETURN brings you back to the main menu.

Don't forget that the function keys (except for f7, which calls the main menu) can also be redefined. If you want to save the new definitions so you don't have to repeat the process each time you run Plus/Term, select option 3 from the terminal options menu as described

above.

Uploading And Downloading

As we mentioned, one of Plus/Term's most powerful features is the ability to exchange files with other computers.

Downloading is as simple as opening the buffer (CTRL-SHIFT-O in terminal mode), clearing it out if necessary (CTRL-SHIFT-Z), and closing it when you've received everything you want (CTRL-SHIFT-C). Then you can save the buffer on tape or disk by pressing CTRL-SHIFT-S, or print it out from the terminal options menu.

Since the RS-232 routines share zero page locations with the tape input/output routines, tape users must be off-line to perform any type

of tape I/O.

To upload a file, reverse the process. Clear the buffer if necessary by pressing CTRL-SHIFT-Z; load the file you wish to transmit by pressing CTRL-SHIFT-L; go to the terminal options menu and select option 6 (PRINT BUFFER); and send the file to the RS-232 port, where your modem is connected.

However, there are some complications—imposed by the computer, not the program. Transferring text files is easy: Usually they're already stored in ASCII format by the word processor, and they can be loaded into another word processor after the transfer is complete. But BASIC program files present a problem.

Most computers, including Commodores, can store programs on tape or disk in two formats: ASCII and tokenized. Tokenized files are abbreviated versions of ASCII files. A program must be tokenized before it will run on a VIC or 64. Unfortunately, the VIC and 64 lack a command to load an ASCII file back into the computer and convert it to a tokenized file. After you transfer a program you won't be able to run it.

The Tokenizer Solution

To overcome this limitation, we've included a

short tokenizer utility (Program 4) which converts ASCII files to tokenized files. However, it only works if you have a disk drive. Therefore, if you're using a tape drive, you can upload BASIC programs with Plus/Term but not download them in a form your computer can execute.

To convert a tokenized BASIC program file into an ASCII file for uploading, use the following procedure. First, before running Plus/Term, load the program you wish to transfer into the computer. Then type the following and press RETURN:

OPEN 8,8,8,"0:FILENAME,P,W":CMD8:LIST [for disk] OPEN 8,1,8,"0:FILENAME,P,W":CMD8:LIST [for tape] (Replace *FILENAME* with your own filename, of

When the cursor returns, type the following and press RETURN:

PRINT#8:CLOSE8

The program has now been converted into a Commodore ASCII file which can be uploaded.

Sending A File

Now follow these steps:

- 1. Run Plus/Term and enter terminal mode.
- 2. Zero (erase) the buffer (press CTRL-SHIFT-Z).
- 3. Load your file into the buffer (press CTRL-SHIFT-L). A screen prompt will ask you to enter the filename, and another prompt asks if you want to load from tape or disk.
- 4. When the disk stops whirring (and the red busy light goes off), close the buffer (press CTRL-SHIFT-C).
- 5. Establish your communications link with the remote computer (you could have done this during step 1, if desired). Notify the person at the other end of the line that you're ready to send the program file. The other system must be set to receive Commodore ASCII. If the other person has Plus/Term, both of you should adjust your parameters for COMM TO COMM (selection 2 on the terminal options menu described above). The person at the other end should then open and zero his buffer (CTRL–SHIFT-O and CTRL–SHIFT-Z).
- 6. Now press the f7 key to exit terminal mode and reach the main menu. Select option 7 to call up the terminal options menu. Choose option 6 (PRINT BUFFER) and send the file through the RS-232 port (where your modem is connected). After a while, you'll be asked to press any key to continue. After you press a key, the transfer is complete.


As the file is transmitted, it is listed on the screen of the remote computer. When the word READY appears, the upload is finished. The

Make your 64 work full time

MAKE YOUR OWN CHARTS...

produces professional quality charts and graphs instantly from graphs instantly from the produced at a 8 chart for \$2000.

graphs instantly from the your data. 8 chart formats. Hardcopy in two sizes to popular dot matrix printers. \$39.95




Also Available CHARTPLOT-64 for unsurpassed quality charts on plotters. ISBN# 0-916439-20-8 \$84.95

DETAIL YOUR DESIGNS...

CADPAK-64 superb lightpen design

superb lightpen design tool. exact placement of object using our Accu-Point positioning. Has two complete screens. Draw LINEs, BOXes, CIRCLEs, ELLIPSEs; pattern FILLing; freehand DRAW; COPY sections



of screen; ZOOM in and do detail work. Hard copy in two sizes to popular dot matrix printers. ISBN# 0-916439-18-6 \$49.95

CREATE SPREA<u>DSHEETS & GRAPHS.</u>

POWER PLAN-64 not only a powerful

not only a powerful spreadsheet packages available, but with built in graphics too. The 275 page manual has tutorial section and HELP screens are always available. Features field protection; text formatting, windowing; row and column copy, sort; duplicate and delete. ISBN# 0-916439-22-4 \$49.95

Cont	dinate: C/10	POWER PLAN-64	
1:1	A	1	C
1	Sales	Jan	Feb
2	Distributors	47.2	54.2
2	Retailers	27.9	35.4
4	Mail Order	18.5	23.7
5			
6		93.6	113.3
7			
7 8	Expenses		
9	Materials	8.2	9.2
10	Office	2.0	7.8
11	Shipping	4.4	5.0
12	Advertising	12.9	13.8
13	Payroll	10.5	10.7
14			
15		38.0	41.5
16			
17	Profit	55.6	71.8

FREE PEEKS & POKES POSTER WITH SOFTWARE

For name & address of your nearest dealer call (616) 241-5510

CHART YOUR OWN STOCKS..

TAS.64

sophisticated technical analysis charting package for the serious stock market investor. Capture data from DJN/RS or Warner services or enter and edit data at keyboard. 7 mov-




ing averages, 3 oscillators, trading bands, least squares, 5 volume indicators, relative charts, much more. Hardcopy in two sizes, most printers. ISBN# 0-916439-24-0 \$84.95

DO YOUR OWN WORD PROCESSING

TEXTOMAT-64

flexible worprocessing package supporting 40 or 80 columns with horizontal scrolling. Commands are clearly displayed on the screen awaiting your choice. Quickly move from editing to formatting to merging to utilities. Will work with virtually any printer.




ISBN# 0-916439-12-7 \$39.95

ORGANIZE YOUR DATA...

DATAMAT-64

powerful, yet easy-touse data management package. Free form design of screen using up to 50 fields per record. Maximum of 2000 records per diskette. Complete and flexible reporting. Sort-




ing on multiple fields in any combination. Select records for printing in desired format. ISBN# 0-916439-16-X \$39.95

Other titles available. For FREE CATALOG and name of nearest dealer, write or call (616) 241-5510. For postage and handling, include \$4.00 (\$6.00 foreign) per order. Money Order and checks in U.S. dollars only. Mastercard, VISA and American Express accepted. Michigan residents include 4% sales tax.

CANADA: Book Center, Montreal (514) 332-4154



Abacus



Software

P.O. Box 7211 Grand Rapids, MI 49510 - Telex 709-101 - Phone 616/241-5510

buffer can then be closed (CTRL-SHIFT-C) and saved on tape or disk (CTRL-SHIFT-S). If the file is a BASIC program, remember to use the Tokenizer utility to convert it from ASCII to a tokenized file before running it.

Using The Tokenizer

Type in Program 4 with MLX. Use a starting address of 828 and ending address of 971.

To use the Tokenizer, load the file produced by MLX into memory. Type NEW, press RETURN, type the following line, and press RETURN:

SYS 828,"0:FILENAME"

(Substitute the filename for the file you wish to tokenize.)

The file should list on your screen and end with a syntax error. This is normal; ignore the error. If the uploading/downloading process has been successful, you will have a ready-to-run BASIC program in memory that you can save on disk or tape.

80-Column Compatibility

Many mainframe computers expect communications terminals to display 80 columns of text per line, so they format output in that fashion. If you want an 80-column display, Plus/Term is compatible with the "Screen-80" program published in the September 1984 issue of COMPUTE!'s GAZETTE.

There are only a few operating differences in 80-column mode: Word wrap doesn't work, any information on the screen is erased when you leave terminal mode to access the menu, and you must restart the computer to switch back to 40 columns. Otherwise, Plus/Term and Screen-80 make a good team.

Program 1: Plus/Term BASIC Portion For VIC & 64

Refer to "COMPUTE!'s Guide To Typing In Programs" before entering this listing.

```
100 CLOSE2:IF Q=0 THEN Q=1:LOAD"PLUS/TERM
110 POKE680,1:PRINT"{CLR}";:SYS 65517:IF
    {SPACE}PEEK(781)=22THEN LO=6144:QC=46
    Ø8:GOTO13Ø
                                     :rem 16
120 \text{ LO} = 50152 : QC = 52736
                                    :rem 122
130 \text{ FU} = 787
                                     :rem 18
140 NA = 831:RT$="{RVS}"
                                    :rem 148
150 WL$(1)="{RVS}":SB$(1)="{RVS}":PA$(1)=
    "{RVS}":DI$(2)="{RVS}":CA$(2)="{RVS}"
    :FS$(1)="{RVS}"
                                    :rem 131
160 POKE53281, 12: POKE53280, 12: PRINT" {CLR}
    {BLK}": POKE646, Ø: A$=CHR$(13)+"{DOWN}
    {10 RIGHT}"
                                     :rem 25
170 PRINTCHR$ (14); CHR$ (8)
                                    :rem 161
18Ø IF PEEK(185) <> 99THENFZ=1:GOTO200
                                    :rem 106
19Ø SYSLO+6
                                    :rem 149
   SYS65517:IF PEEK(781)=22THEN A$=CHR$(
    13)+"{DOWN}":GOTO220
                                     :rem 39
```

```
210 A$=CHR$(13)+"{DOWN}{10 RIGHT}"
                                     :rem 141
220 IF FZTHENFZ=0:GOTO540
                                      :rem 11
230 POKE53281,12:POKE53280,12:PRINT"{CLR}
     "; A$; "{2 RIGHT}PARAMETERS"
240 PRINTAS; "1. WORD LENGTH"; A$; "2. STOP
     {SPACE}BITS"; A$; "3. BAUD RATE";
                                      :rem 94
250 PRINTAS; "4. PARITY"; AS; "5. DUPLEX"; AS
     ; "6. DEFINE KEY";
                                     :rem 233
260 PRINTAS; "7. TERMINAL OPTIONS"; AS; "8.
     {SPACE} RETURN TO TERMINAL";
                                     :rem 149
270 PRINTAS; "9. RETURN TO BASIC"
                                      :rem 86
280 GET M1$:IF M1$=""THEN 280
                                     :rem 209
290 IF VAL(M1$) <1 OR VAL(M1$) >9 THEN 280
                                      :rem 36
300 ON VAL(M1$) GOTO 310,450,540,710,860,
    970,1230,1760,1800
                                     :rem 152
310 REM WORD LENGTH
                                     :rem 118
320 PRINT"{CLR}"; A$; "{3 RIGHT} [6 DOWN] WOR
    D LENGTH"
                                     :rem 211
330 PRINTAS; WLS(1); "{2 RIGHT}1. 8 DATA BI
    TS"
                                     :rem 168
340 PRINTAS; WLS(2); "{2 RIGHT}2. 7 DATA BI
    TS"
                                    :rem 170
350 PRINTAS; WLS(3); "{2 RIGHT}3. 6 DATA BI
    TS"
                                     :rem 172
360 PRINTAS; WL$(4); "{2 RIGHT}4. 5 DATA BI
    TS"
                                    :rem 174
370 POKE198,0
                                    :rem 199
380 GET MA$:IF MA$=""THEN 380
                                    :rem 243
390 IF MA$=CHR$(13)THEN200
                                    :rem 145
400 FOR T= 1 TO 4:WL$(T)="":NEXT:WL$(VAL(MA$))= "{RVS}" :rem 127
410 IF VAL(MA$)<1 OR VAL(MA$)>4 THEN 380
                                     :rem 58
420 POKE659, (PEEK(659) AND159) OR (VAL(MA$)*
    16)
                                    :rem 219
43Ø POKE198, Ø
                                    :rem 196
440 GOTO310
                                    :rem 101
450 PRINT"{CLR}"; A$; "{RIGHT}{11 DOWN}STOP
     BITS "; SB$(1); "1"; "{OFF} OR "; SB$(2)
    ;"2";"{OFF}?";
                                    :rem 247
460 POKE198,0
                                    :rem 199
470 GET MB$:IF MB$=""THEN470
                                    :rem 245
480 IF MB$=CHR$(13)THEN200
                                    :rem 146
490 FOR T= 1 TO 2:SB$(T)="":NEXT:SB$(VAL(MB$))= "{RVS}" :rem 107
500 IF VAL(MB$) < 10R VAL(MB$) > 2THEN470
                                      :rem 58
510 IF VAL(MB$)=1THENPOKE659, (PEEK(659)AN
    D127):GOTO 530
                                    :rem 139
520 POKE659, PEEK(659) OR128
                                    :rem 236
                                    :rem 209
530 POKE198,0:GOTO450
540 PRINT" {CLR}"; A$; "{UP}{RIGHT}BAUD RATE
    S"; A$; BR$(1); "1. 50 BAUD";
                                     :rem 20
550 PRINTAS; BR$(2); "2. 75 BAUD"; A$; BR$(3)
    ;"3. 110 BAUD"
                                     :rem 73
560 PRINTA$; BR$(4); "4. 134.5 BAUD"; A$; BR$
    (5);"5. 150 BAUD";
                                    :rem 229
570 PRINTAS; BR$(6); "6. 300 BAUD"; A$; BR$(7
    ); "7. 600 BAUD"
                                    :rem 134
580 PRINTA$; BR$(8); "8. 1200 BAUD"; A$; BR$(
    9); "9. 1800 BAUD";
                                    :rem 242
590 PRINTAS; BR$(10); "10. 2400 BAUD"; A$;
                                       :rem Ø
600 MC$="":INPUT"ENTER SELECTION"; MC$
                                    :rem 236
610 IF MC$=""THENMC$=STR$(PEEK(645))
                                     :rem 254
620 IF VAL(MC$) < 10R VAL(MC$) > 10THEN540
                                    :rem 108
```

```
1030 PRINT" [CLR] [8 DOWN]"; "PRESS THE KEY
63Ø SYS65517:IFPEEK(781)=22THEN POKE659,(
                                                     {SPACE}YOU WANT TO CHANGE": POKE198, Ø
    PEEK (659) AND 240 ORVAL (MC$)
                                    :rem 171
                                                                                    :rem 109
    TM(1)=50:TM(2)=75:TM(3)=110:TM(4)=134
                                               1040 GET KY$: IF KY$=""THEN1040
                                                                                    :rem 115
     .5:TM(5)=150:TM(6)=300:TM(7)=600
                                    :rem 200
                                               1050 \text{ KY} = \text{PEEK}(QC+256+ASC(KY\$))
                                                                                   :rem 148
                                               1060 PRINT" [4 DOWN] THAT SENDS A CHR$(";
650 TM(8)=1225:TM(9)=1800:TM(10)=2400
                                                                                    :rem 47
                                    :rem 199
                                               1070 PRINTRIGHT$(STR$(KY), LEN(STR$(KY))-1
660 NT=1022730/TM(VAL(MC$))*.5-100:POKE66
                                                     )+")"
                                                                                    :rem 190
    2,NT/256
                                    :rem 207
                                               1080 INPUT" {4 DOWN } REPLACE WITH"; RK$
    POKE661, (NT/256-INT(NT/256))*256:POKE
                                                                                     :rem 21
    645, VAL (MC$):CLOSE2
                                    :rem 240
                                               1090 IF VAL(RK$)>255THEN 1030
                                                                                    :rem 27
68Ø OPEN2,2,3,CHR$(PEEK(659))+CHR$(PEEK(6
                                               1100 POKEQC+256+ASC(KY$), VAL(RK$):rem 137
    60))+CHR$(PEEK(661))+CHR$(PEEK(662))
                                               1110 GOTO 200
                                                                                    :rem 142
                                      :rem 7
                                               1120 INPUT" [CLR] [8 DOWN] CODE TO CHANGE"; I
690 FOR T= 1 TO 10:BR$(T)="":NEXT:BR$(PEE
                                                                                           2
    K(645)) = "{RVS}"
                                                     CS
                                                                                      :rem
                                    :rem 200
                                               1130 IF IC$=""THEN970
                                                                                     :rem 84
700 GOTO110
                                     :rem 98
                                               1140 IF VAL(IC$)>2550RVAL(IC$)=0 THEN 112
710 PRINT"{CLR}"; A$; "{5 DOWN}PARITY"; A$; P
                                                                                    :rem 248
    A$(1);"1. NO PARITY";
                                    :rem 234
                                               1150 PRINT" {4 DOWN } NOW A CHR$(";
                                                                                   :rem 117
720 PRINTAS; PA$(2); "2. ODD PAR SNT/RCVD";
                                               1160 \text{ IC} = \text{PEEK}(\text{QC+VAL}(\text{IC}\$))
                                                                                    :rem 170
                                     :rem 37
                                               1170 PRINTRIGHT$(STR$(IC), LEN(STR$(IC))-1
                                                     )+")"
730 PRINTA$; PA$(3); "3. EVN PARITY";
                                                                                    :rem 143
                                    :rem 221
                                               1180 INPUT "{4 DOWN} CHANGE TO CHR$"; NK$
740 PRINTAS; PA$(4); "4. MRK PAR SNT/NO CHK
                                                                                    :rem 36
                                    :rem 130
                                               1190 IF NK$=""THEN970
                                                                                    :rem 103
750 PRINTAS; PA$(5); "5. SPC PAR SNT/NO CHK
                                                1200 IF VAL(NK$)>255THEN 1120
                                                                                    :rem 16
                                                                                    :rem 179
                                    :rem 129
                                                1210 POKE QC+VAL(IC$), VAL(NK$)
76Ø GET MD$:IF MD$=""THEN 76Ø
                                    :rem 253
                                               1220 GOTO200
                                                                                    :rem 144
                                               1230 PRINT "{CLR}"; A$; "{4 DOWN}{4 RIGHT}O
77Ø IF MD$=CHR$(13)THEN2ØØ
                                    :rem 150
    FOR T= 1 TO 5:PA$(T)="":NEXT:PA$(VAL(
                                                     PTIONS"; A$; "1. DIRECTORY (DISK)";
    MD$))= "{RVS}"
                                    :rem 106
                                                                                     :rem 23
790 IF VAL(MD$) < 1 OR VAL(MD$) > 5 THEN 760
                                               1240 PRINTAS; CAS(1); "2. COMM TO COMM";
                                     :rem 78
                                                                                     :rem 51
    ON VAL (MD$) GOTO 810,820,830,840
                                               1250 PRINTAS; CA$(2); "3. COMM TO ASCII";
                                     :rem 69
                                                                                    :rem 115
810 POKE660, (PEEK(660) AND31) OR32: GOTO850
                                               1260 PRINTA$; FS$(1); "4. WORD WRAP";
                                     :rem 64
                                                                                   :rem 199
820 POKE660, (PEEK(660) AND 31) OR 96: GOTO 850
                                               1270 PRINTAS; FS$(2); "5. NORMAL SCREEN";
                                     :rem 75
                                                                                   :rem 221
830 POKE660, (PEEK(660) AND31) OR160: GOTO850
                                               1280 PRINTAS; "6. PRINT BUFFER";
                                                                                    :rem 34
                                               1290? PRINTAS; RTS; "7. LINEFEED W/ RETURN"
                                    :rem 116
840
    POKE660, (PEEK(660) AND31) OR224: rem 102
                                                                                    :rem 73
850
    GOTO710
                                    :rem 110
                                               1300 GET OP$:IF OP$=""THEN 1300
                                                                                   :rem 103
    PRINT"{CLR}";A$;"{6 DOWN}{4 RIGHT}DUP
860
                                               1310 IF OP$=CHR$(13)THEN200
                                                                                   :rem 203
    LEX"; A$;
                                    :rem 168
                                               1320 IF VAL(OP$)=2THENCA$(1)="{RVS}":CA$(
                                                    2)=""
    IF PEEK(787)THENDI$(1)="{RVS}":DI$(2)
                                                                                   :rem 141
870
                                               1330 IF VAL(OP$)=3THENCA$(2)="{RVS}":CA$(
    ="":GOTO890
                                     :rem 66
                                                    1)=""
    DI$(1)="":DI$(2)="{RVS}"
880
                                     :rem 85
                                                                                   :rem 143
                                               1340 IF VAL(OP$)=4THENFS$(1)="{RVS}":FS$(
    PRINT DI$(1); "1. FULL DUPLEX"; A$; DI$(
                                                    2)=""
                                                                                   :rem 187
    2)"2. HALF DUPLEX"
                                    :rem 228
                                               1350 IF VAL(OP$)=5THENFS$(2)="{RVS}":FS$(
    GET ME$:IF ME$=""THEN900
900
                                    :rem 247
                                                    1)=""
                                                                                   :rem 189
910 IF ME$=CHR$(13)THEN200
                                    :rem 147
                                               1360 IF VAL(OP$)=7 THEN POKE 680,-(PEEK(6
920 FOR T= 1 TO 2:DI$(T)="":NEXT:DI$(VAL(
                                                    80) = 0)
    ME$))= "{RVS}"
                                                                                   :rem 235
                                     :rem 92
                                               1370 IF PEEK(680) THENRT$="{RVS}":GOTO1390
930 IF VAL(ME$) < 10R VAL(ME$) > 2THEN900
                                                                                    :rem 58
                                     :rem 69
                                               138Ø RT$=""
                                                                                    :rem 23
940 IF VAL(ME$)=1THENPOKE660, PEEK(660) AND
                                               1390 IF VAL(OP$) < 10R VAL(OP$) > 7THEN 1300
    239: POKEFU, 1: GOTO 960
                                    :rem 160
950 POKE660, PEEK(660) OR16: POKE FU, 0
                                                                                   :rem 192
                                               1400 ON VAL(OP$)GOTO 1410,1540,1550,1780,
                                     :rem 15
960 GOTO860
                                                    1790,1810,1230
                                    :rem 118
                                                                                    :rem 38
                                               1410 PRINT" {CLR}": OPEN1,8,0,"$0"
    PRINT" {CLR}"; A$" {6 DOWN} CHANGE VALUES
970
                                                                                    :rem 75
    "; A$;
                                               1420 GET #1, T$, T$
                                    :rem 159
                                                                                    :rem 67
980 PRINT"1. GOING OUT"; AS; "2. COMING IN"
                                               1430 GET #1, T$, T$
                                                                                    :rem 68
                                     :rem 75
                                               1440 S=ST:IF S<>0 THENCLOSE1:GOTO 1500
990 GET MF$:IF MF$=""THEN990
                                     :rem 11
                                                                                   :rem 213
1000 IF MF$=CHR$(13)THEN200
                                   :rem 187
                                               1450 GET #1, LU$, HI$:
                                                                                    :rem 10
1010 IF VAL(MF$) < 10RVAL(MF$) > 2THEN990
                                               1460 LU=ASC(LU$+CHR$(0)):HI=ASC(HI$+CHR$(
                                   :rem 118
                                                    Ø)):LN=LU+HI*256:LN$=MID$(STR$(LN),2
1020 ONVAL (MF$) GOTO 1030,1120
                                    :rem 56
```

	102	1000 IR PREMICES)-1 MUENI000 216
	PRINTLN\$+" "; :rem 193	1920 IF PEEK(653)=1 THEN1920 :rem 216
1480	GET#1,B\$:IF B\$="" THEN PRINT:GOTO143	1930 IF PEEK(197)=60THENFORT=0TO0:rem 192
	Ø :rem 58	1940 IF PEEK(653)=4 THEN FOR J= 1 TO 1000
1490	PRINTB\$;:GOTO1480 :rem 60	:NEXT :rem 141
	OPEN15,8,15:INPUT#15,EN,EM\$,ET,ES:CL	1950 IF ZE = 2 THENPRINT#2, CHR\$ (PEEK(T));
1300	OSE15:IF ENTHENPRINTEN; EM\$; ET; ES	:GOTO197Ø :rem 68
		1960 PRINT#5, CHR\$(PEEK(T)); :rem 56
	:rem 42	
1510	PRINT" (RVS) PRESS RETURN TO CONTINUE	1970 NEXT :rem 16
	{OFF}" :rem 177	1980 IF ZE<>2 THEN PRINT#5:CLOSE 5
1520	GET T\$:IF T\$<>CHR\$(13)THEN1520	:rem 165
	:rem 136	1990 POKE198, 0: PRINTAS; "PRESS ANY KEY TO
1530	GOTO1230 :rem 200	[SPACE]CONT" :rem 224
100 000 000 000		2000 GET J\$:IF J\$=""THEN2000 :rem 185
	POKENA,0 :rem 229	2010 GOTO 1230 :rem 194
1560	PRINT"{CLR}{6 DOWN}";A\$;"ASCII OPTIO	
	NS"; A\$; "1. LOAD CONFIG"; :rem 217	
1570	PRINTAS; "2. SAVE CONFIG"; AS; :rem 94	Program 2: Plus/Term ML Portion For 64
	PRINT"3. RETURN TO MENU" : rem 184	Refer to the "MLX" article before entering this listing.
	GET CN\$:IF CN\$=""THEN1590 :rem 97	Refer to the the there arises before entiring this listing.
		50152 :032,075,204,076,251,196,042
1600	IF VAL(CN\$) < 1 ORVAL(CN\$) > 3 THEN 1590	
	:rem 165	50158:169,000,141,100,196,141,217
1610	ON VAL(CN\$)GOTO1620,1630,1640:rem 61	50164 :103,196,141,084,205,133,082
	GOSUB 1650:SYS PEEK(764)+256*PEEK(76	50170 :002,141,191,002,141,063,022
1020	5):GOSUB1740:GOTO1230 :rem 46	50176 :003,169,231,141,252,002,030
1620		
1030	GOSUB 1650:SYS PEEK(766)+256*PEEK(76	50182 :169,204,141,253,002,169,176
	7):GOSUB1740:GOTO1230 :rem 51	50188 :008,141,254,002,169,205,023
	GOTO1230 :rem 202	50194 :141,255,002,169,001,141,215
1650	PRINT"{CLR}"; A\$; "{RVS}D{OFF}ISK OR	50200 :021,208,169,006,141,033,090
	[RVS]T[OFF]APE";A\$; :rem 104	50206 :208,173,038,003,201,210,095
1000		50200 :200,173,030,003,201,210,095
1000	GET DV\$:IF DV\$<>"T"ANDDV\$<>"D"THEN16	50212 :208,015,173,039,003,201,163
	60 :rem 147	50218 :002,208,008,169,001,141,059
1670	INPUT"FILENAME"; FI\$:rem 209	50224 : 094, 205, 076, 127, 196, 169, 147
1680	IF LEN(FI\$)>16THEN 1670 :rem 227	50230 :000,141,094,205,169,004,155
	IF LEFT\$ (DV\$,1)="D"THEN D=8:GOTO 171	50236 :141,136,002,169,023,141,160
	Ø :rem 3	50230 .141,130,002,103,023,141,100
1700		50242 :024,208,169,003,013,002,229
		50248 :221,141,002,221,169,003,061
1710	FOR T= 684 TO 684+LEN(FI\$)-1:POKET,A	50254 :013,000,221,141,000,221,162
	SC(MID\$(FI\$,T-683,1)):NEXT :rem 203	50260 :120,169,051,133,001,169,215
1720	POKE679, D: POKE763, D: POKE681, LEN(FI\$)	50266 :208,141,101,196,141,104,213
1/20	:POKE682,172:POKE683,2 :rem 214	50272 :196,160,000,185,255,255,123
1720		50272 :190,100,000,185,255,255,123
	TEL TOTAL	50278 :153,255,255,200,208,247,140
1740	OPEN15,8,15:INPUT#15,EN,EM\$,ET,ES:CL	50284 :238,101,196,238,104,196,157
	OSE15:PRINT:IFENTHENPRINTEN; EM\$; ET; E	50290 :173,104,196,201,224,208,196
	s :rem 247	50296 :234,169,055,133,001,088,032
1750	FOR T=1 TO 1500:NEXT:RETURN :rem 114	50302 :152,162,064,157,064,003,216
	PRINT"{CLR}":SYSLO :rem 6	
	GOTO200 :rem 154	50308 :202,016,250,169,255,141,141
		50314 :085,003,169,013,141,248,029
		50320 :007,032,168,196,169,000,204
	POKE703,1:GOTO1230 :rem 48	50326 :141,194,002,133,055,141,048
1800		50332 :019,003,169,038,133,056,062
1810	BY=PEEK(706)+256*PEEK(707)-(PEEK(55)	
The state of the s	+256*PEEK(56)):PRINT"{CLR}{DOWN}";A\$	50338 :141,195,002,076,008,197,013
	;BY; :rem 76	50344:160,255,152,192,219,176,042
1020	PRINT"BYTES IN BUFFER"; AS; :PRINT" TO	50350 :024,192,193,144,006,056,021
1020		50356 :233,128,076,201,196,192,182
	TAL BYTES"; :rem 160	50362 :065,144,012,192,096,176,103
1830	PRINT(PEEK(249)+256*PEEK(250))-(PEEK	50302 .003,144,012,132,030,170,103
	(55)+256*PEEK(56)) :rem 239	50368 :006,024,105,032,076,201,124
1840	PRINTA\$; "PRINT TO" :rem 110	50374 :196,169,000,153,000,207,155
	PRINTA\$; "1. RETURN"; A\$; "2. RS232 "; A	50380 :136,192,255,208,217,160,092
1000	\$;"3. SCREEN"; A\$;"4. PRINTER";	50386 :255,152,192,128,176,024,113
		50392 :192,096,144,006,056,233,175
2 2 2 2 2	:rem 89	
1860	GET ZE\$:ZE=VAL(ZE\$):IF ZE<1OR ZE>4 T	50398 :032,076,242,196,192,065,001
	HEN 1860 :rem 4	50404 :144,012,192,091,176,008,083
1870	PRINT"{CLR}":IF ZE=1 THEN1230	50410 :024,105,128,076,242,196,237
	:rem 255	50416 :169,000,153,000,206,136,136
1000		50422 :192,255,208,217,096,174,108
	IF ZE=2 THEN 1910 :rem 104	
	IF BY=ØTHEN199Ø :rem 107	50428 :094,205,240,008,169,147,091
	OPEN5,ZE :rem 252	50434 :141,085,205,032,248,201,146
1910	FOR $T = PEEK(55) + 256 * PEEK(56) TO (PEEK$	50440 :032,048,200,032,204,255,011
	(706)+256*PEEK(707))-1:POKE212,0	50446 :032,228,255,201,000,208,170
	:rem 187	50452 :003,076,202,197,141,107,234
	.1em 107	30132 .003,010,202,137,141,107,234

```
50878 :140,101,205,032,048,200,148
50458 : 205, 201, 136, 208, 006, 072, 086
                                            50884 :032,228,255,201,000,240,128
50464 :032,175,203,104,096,174,048
                                            50890 :246,201,013,240,048,201,127
50470 :141,002,224,005,208,115,221
                                            50896 :020,208,011,172,101,205,157
50476 :201,015,208,011,162,001,130
                                            50902 :240,233,206,101,205,076,251
50482 :142,098,205,032,248,197,204
                                            50908 :239,198,201,031,144,223,232
50488 :076,202,197,201,003,208,175
50494 :011,169,000,141,098,205,174
                                            50914 :201,091,176,219,172,101,162
50500 :032,028,198,076,202,197,033
                                            50920 :205,153,238,002,238,101,145
                                                  :205,141,085,205,032,248,130
50506 :201,026,208,016,169,000,182
                                                  :201,172,101,205,192,016,107
50512 :141,194,002,165,056,141,011
                                            50932
50518 :195,002,032,066,198,076,143
                                            50938 :240,197,076,193,198,172,046
50524 : 202, 197, 201, 019, 208, 006, 157
                                                  :101,205,140,099,205,160,142
                                            50944
50530 :032,124,198,076,202,197,159
                                                  :000,185,020,200,141,085,125
                                            50950
                                                  :205,140,100,205,032,248,174
50536 :201,012,208,006,032,185,236
                                            50956
50542 :199,076,202,197,201,002,219
                                            50962
                                                  :201,172,100,205,200,192,064
                                                  :014,208,236,032,228,255,229
50548 :208,006,238,033,208,076,117
                                            50968
                                                   :240,251,201,084,240,007,029
50554 :202,197,201,011,208,006,179
                                            50974
                                                  :201,068,240,008,076,027,144
50560 :238,134,002,076,202,197,209
                                            50980
                                            50986
                                                   :199,162,001,076,050,199,217
50566 :201,006,208,006,238,032,057
50572 :208,076,202,197,201,021,021
                                            50992
                                                   :162,008,169,010,160,000,045
50578 : 208,011,173,024,208,073,075
                                            50998 :032,186,255,173,099,205,236
50584
     :002,141,024,208,076,202,037
                                            51004 :162,238,160,002,032,189,075
                                            51010 :255,169,000,141,021,208,092
50590
     :197,162,002,032,201,255,239
     :173,107,205,072,168,174,039
50596
                                            51016 :169,147,032,210,255,169,030
      :063,003,208,006,185,000,123
                                                   :147,141,085,205,032,248,168
                                            51022
                                            51028 :201,174,095,205,208,029,228
50608
     :207,076,182,197,104,072,246
                                                   :169,000,141,021,208,174,035
50614 :032,210,255,104,172,019,206
                                             51034
50620 :003,208,011,141,085,205,073
                                             51040 :194,002,172,195,002,169,062
50626 :072,032,204,255,104,032,125
                                             51046 :055,032,216,255,165,055,112
50632
     :106,201,032,048,200,032,051
                                             51052 :141,194,002,165,056,141,039
50638
     :204,255,162,002,032,198,035
                                             51058 :195,002,076,142,199,169,129
50644 :255,032,228,255,201,000,159
                                             51064 :000,166,055,164,056,032,081
50650 :208,003,076,008,197,174,116
                                             51070 :213,255,142,194,002,140,048
     :063,003,208,006,041,127,160
                                             51076:195,002,162,000,134,055,168
50662 :168,185,000,206,141,085,247
                                                  :160,038,132,056,169,001,182
                                             51082
50668 :205,072,032,204,255,104,084
                                             51088 :141,021,208,169,000,162,077
50674
      :032,106,201,076,008,197,094
                                             51094 :064,157,064,003,202,016,144
50680
      :160,000,152,072,185,013,062
                                             51100 :250,169,255,141,085,003,035
     :198,141,085,205,032,248,139
50686
                                             51106:160,003,185,181,199,141,007
                                                  :085,205,152,072,032,248,194
      :201,104,168,200,192,015,116
                                             51112
     :208,238,096,013,091,066,210
50698
                                             51118 :201,104,168,136,016,240,015
50704
     :085,070,070,069,082,032,168
                                                   :096,013,075,079,013,160,104
                                             51124
50710
      :079,080,069,078,093,013,178
                                                  :000,140,101,205,185,034,083
                                             51130
50716
      :160,000,152,072,185,049,134
                                             51136 :200,141,085,205,032,248,079
      :198,141,085,205,032,248,175
50722
                                             51142 :201,238,101,205,172,101,192
      :201,104,168,200,192,017,154
50728
                                             51148 :205,192,014,208,234,032,065
50734
     :208,238,096,013,091,066,246
                                             51154 :228,255,201,000,240,249,103
50740 :085,070,070,069,082,032,204
                                             51160 :201,089,240,007,201,078,008
50746 : 067, 076, 079, 083, 069, 068, 244
                                             51166 :240,138,076,209,199,162,222
50752
     :093,013,160,000,152,072,042
                                             51172 :001,141,095,205,032,165,099
50758 :185,087,198,141,085,205,203
                                             51178 :198,096,013,091,066,085,015
50764 :032,248,201,104,168,200,005
                                             51184 :070,070,069,082,032,070,121
50770 :192,017,208,238,096,013,078
                                            51190 :085,076,076,093,013,013,090
50776 :091,066,085,070,070,069,027
                                            51196 :083,065,086,069,032,089,164
50782
      :082,032,090,069,082,079,016
                                            51202 :032,079,082,032,078,063,112
      :069,068,093,013,160,000,247
                                            51208 :013,013,070,073,076,069,066
     :152,072,185,236,199,141,067
                                            51214 :078,065,077,069,058,013,118
50800:085,205,032,248,201,104,219
                                            51220
                                                  :013,084,065,080,069,032,107
50806 :168,200,192,014,208,238,114
                                            51226 :079,082,032,068,073,083,187
50812
     :160,000,152,072,185,251,176
                                            51232 :075,013,013,076,079,065,097
50818 :199,141,085,205,032,248,016
                                            51238 :068,032,089,032,079,082,164
50824
     :201,104,168,200,192,013,246
                                            51244 :032,078,063,013,174,094,242
50830 :208,238,032,228,255,240,063
50836 :251,201,089,240,007,201,113
                                            51250 :205,240,006,162,000,141,036
                                            51256 :021,208,096,173,054,205,045
50842 :078,208,243,076,106,199,040
                                            51262 :048,015,201,040,144,024,022
50848 :169,000,141,095,205,160,162
                                            51268 :169,000,141,054,205,238,107
50854 :000,152,072,185,009,200,016
                                            51274 :055,205,076,092,200,238,172
50860 :141,085,205,032,248,201,060
                                            51280 :054,205,206,055,205,048,085
50866:104,168,200,192,011,208,037
                                            51286 :023,169,039,141,054,205,205
50872 :238,032,204,255,160,000,049
                                            51292 :173,055,205,048,013,201,019
```

51798		
31230	:025,144,012,206,055,205,233	51712 :162,000,142,021,208,201,222
51304	:032,234,232,076,113,200,223	51718 :013,240,008,162,001,142,060
51310	:238,055,205,169,000,141,150	51724 :244,173,076,043,202,162,144
51316	:051,205,173,054,205,010,046	51730 :001,142,244,173,072,120,002
51322	:010,141,050,205,014,050,080	51736 :162,054,134,001,032,210,105
51328	:205,046,051,205,024,173,064	51742 :164,032,068,168,032,125,107
51334		
	:050,205,105,024,141,000,147	51748 :164,162,055,134,001,088,128
51340	:208,173,051,205,105,000,114	51754 :104,174,102,205,134,251,244
51346	:141,016,208,173,055,205,176	51760 :174,103,205,134,252,032,180
51352	:010,010,010,141,086,205,102	51766 :210,002,166,251,142,102,159
51358	:024,173,086,205,105,050,033	51772 :205,166,252,142,103,205,109
51364	:141,001,208,165,162,201,018	51778 :162,000,142,244,173,096,115
51370	:014,144,013,133,162,173,041	51784 :173,085,205,201,032,144,144
51376	:033,208,041,015,141,039,141	51790 :091,201,127,144,007,201,081
51382	:208,076,192,200,173,134,141	51796 :160,176,003,076,170,202,103
	:002,141,039,208,165,162,137	51802 :032,065,203,172,055,205,054
51394	:201,028,144,004,169,000,228	51808 :185,240,236,133,209,185,004
	:133,162,172,055,205,185,088	
		51814 : 056, 205, 133, 210, 172, 054, 164
51406	:240,236,133,209,185,056,241	51820 :205,173,084,205,240,010,001
	:205,133,210,096,172,054,058	51826 :173,083,205,009,128,145,089
51418	:205,177,209,201,032,208,226	51832 :209,076,129,202,173,083,224
51424	:003,076,105,201,162,000,003	51838 : 205, 145, 209, 024, 165, 210, 060
	:177,209,157,169,003,072,249	51844 :105,212,133,210,173,134,075
51436	:024,165,210,105,212,133,061	51850 :002,145,209,056,165,210,157
	:210,177,209,157,129,003,103	51856 :233,212,133,210,173,054,135
51448	:056,165,210,233,212,133,233	51862 : 205, 201, 039, 208, 008, 174, 217
	:210,136,232,224,039,240,055	51868 :191,002,208,003,032,216,040
51460	:011,104,201,032,208,220,012	51874 : 200, 238, 054, 205, 032, 048, 171
51466	:142,053,205,076,020,201,195	51880 :200,096,173,085,205,201,104
E1472	104 076 105 001 174 052 017	
	:104,076,105,201,174,053,217	51886 :032,176,074,201,010,208,107
51478	:205,200,169,032,145,209,214	51892 :003,238,055,205,201,013,127
	:200,202,208,248,173,055,090	
51490	:205,201,024,208,006,032,198	51904:104,201,014,208,010,072,033
51496	:234,232,206,055,205,238,186	51910 :169,002,013,024,208,141,243
51502	:055,205,169,000,141,054,158	51916 :024,208,104,201,017,208,198
		51922 :003,238,055,205,201,018,162
	:205,174,053,205,168,202,035	51928 :208,005,162,001,142,084,050
51514	:202,189,169,003,141,083,077	
	:205,024,165,210,105,212,217	51934 :205,201,019,208,008,162,001
		51940 :000,142,054,205,142,055,058
51526	:133,210,189,129,003,141,107	
51532	134 882 872 152 872 138 134	
21332		51946 : 205, 201, 020, 208, 005, 072, 177
	:134,002,072,152,072,138,134	51946 : 205, 201, 020, 208, 005, 072, 177
	:072,032,093,202,104,170,243	51952 :032,085,203,104,201,029,126
51538	:072,032,093,202,104,170,243	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131
51538 51544	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127	51952 :032,085,203,104,201,029,126
51538 51544 51550	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097
51538 51544 51550	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102
51538 51544 51550 51556	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011
51538 51544 51550 51556 51562	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011
51538 51544 51550 51556 51562	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069
51538 51544 51550 51556 51562 51568	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130
51538 51544 51550 51556 51562 51568 51574	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069
51538 51544 51550 51556 51562 51568 51574 51580	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177
51538 51544 51550 51556 51562 51568 51574 51580	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125
51538 51544 5155Ø 51556 51562 51568 51574 5158Ø 51586	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096
51538 51544 51550 51556 51562 51568 51574 51580 51586 51592	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125
51538 51544 51550 51556 51562 51568 51574 51580 51586 51592 51598	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077
51538 51544 51550 51556 51562 51568 51574 51580 51586 51592 51598	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024
51538 51544 51550 51556 51562 51568 51574 51580 51586 51592 51598 51604	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252
51538 51544 51550 51556 51562 51568 51574 51580 51586 51592 51598 51604 51610	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252
51538 51544 51550 51556 51562 51568 51574 51580 51586 51592 51598 51604 51610	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622 51628	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622 51628 51634	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622 51628 51634 51640	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,104,198,032,066,198,046	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622 51628 51634 51640	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,104,198,032,066,198,046	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622 51628 51634 51640 51640	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622 51628 51634 51640 51640 51652	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622 51628 51634 51640 51640 51652	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622 51628 51634 51640 51640 51652 51658	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52078 :177,209,136,145,209,200,162
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51610 51616 51622 51628 51634 51640 51652 51658 51664	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52078 :177,209,136,145,209,200,162 52084 :024,165,210,105,212,133,197
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51610 51616 51622 51628 51634 51640 51640 51652 51658 51664 51670	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240 :229,055,141,088,205,173,081	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52078 :177,209,136,145,209,200,162 52084 :024,165,210,105,212,133,197
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51610 51616 51622 51628 51634 51640 51640 51652 51658 51664 51670	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240 :229,055,141,088,205,173,081	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52078 :177,209,136,145,209,200,162 52084 :024,165,210,105,212,133,197 52090 :210,177,209,136,145,209,184
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51604 51616 51622 51628 51634 51640 51652 51658 51658 51670 51676	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240 :229,055,141,088,205,173,081 :195,002,229,056,013,088,035	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52084 :024,165,210,105,212,133,197 52090 :210,177,209,136,145,209,184 52096 :056,165,210,233,212,133,113
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51610 51616 51622 51628 51640 51640 51652 51658 51670 51676 51682	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240 :229,055,141,088,205,173,081 :195,002,229,056,013,088,035 :205,240,019,072,056,173,223	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52084 :024,165,210,105,212,133,197 52090 :210,177,209,136,145,209,200,162 52084 :056,165,210,233,212,133,113 52102 :210,200,200,202,224,255,145
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51610 51616 51622 51628 51640 51640 51652 51658 51670 51676 51682	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240 :229,055,141,088,205,173,081 :195,002,229,056,013,088,035	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52084 :024,165,210,105,212,133,197 52090 :210,177,209,136,145,209,200,162 52084 :056,165,210,233,212,133,113 52102 :210,200,200,202,224,255,145
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51610 51616 51622 51628 51640 51640 51652 51658 51670 51676 51682 51688	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240 :229,055,141,088,205,173,081 :195,002,229,056,013,088,035 :205,240,019,072,056,173,223 :194,002,233,001,141,194,229	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52084 :024,165,210,105,212,133,197 52090 :210,177,209,136,145,209,204,184 52096 :056,165,210,233,212,133,113 52102 :210,200,200,202,224,255,145 52108 :208,224,169,032,160,039,204
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51610 51616 51622 51628 51634 51640 51645 51652 51658 51670 51676 51682 51688 51694	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240 :229,055,141,088,205,173,081 :195,002,229,056,013,088,035 :205,240,019,072,056,173,223 :194,002,233,001,141,194,229 :002,173,195,002,233,000,075	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52084 :024,165,210,105,212,133,197 52090 :210,177,209,136,145,209,200,162 52084 :024,165,210,105,212,133,113 52102 :210,200,200,202,224,255,145 52108 :208,224,169,032,160,039,204 52114 :145,209,206,054,205,032,229
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51610 51616 51622 51628 51634 51640 51652 51658 51670 51670 51676 51682 51688 51694 51700	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240 :229,055,141,088,205,173,081 :195,002,229,056,013,088,035 :205,240,019,072,056,173,223 :194,002,233,001,141,194,229 :002,173,195,002,233,000,075 :141,195,002,104,173,085,176	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52078 :177,209,136,145,209,200,162 52084 :024,165,210,105,212,133,113 52102 :210,200,200,202,224,255,145 52108 :208,224,169,032,160,039,204 52114 :145,209,206,054,205,032,229 52120 :048,200,096,174,168,002,072
51538 51544 51550 51556 51562 51568 51574 51580 51592 51598 51610 51616 51622 51628 51634 51640 51652 51658 51670 51670 51676 51682 51688 51694 51700	:072,032,093,202,104,170,243 :104,168,104,056,165,210,127 :233,212,133,210,200,202,004 :016,213,206,054,205,096,122 :174,098,205,208,003,076,102 :248,201,160,000,141,085,179 :205,166,251,142,096,205,159 :166,252,142,097,205,174,136 :194,002,134,251,174,195,056 :002,134,252,145,251,072,224 :174,096,205,134,251,174,152 :097,205,134,252,056,165,033 :249,237,194,002,141,088,041 :205,165,250,237,195,002,190 :013,088,205,208,021,162,095 :002,032,201,255,169,019,082 :032,210,255,032,204,255,142 :032,104,198,032,066,198,046 :104,096,104,201,020,240,187 :011,238,194,002,208,046,127 :238,195,002,076,248,201,138 :141,085,205,173,194,002,240 :229,055,141,088,205,173,081 :195,002,229,056,013,088,035 :205,240,019,072,056,173,223 :194,002,233,001,141,194,229 :002,173,195,002,233,000,075	51952 :032,085,203,104,201,029,126 51958 :208,003,238,054,205,201,131 51964 :141,208,005,072,032,155,097 51970 :203,104,201,142,208,010,102 51976 :072,173,024,208,041,253,011 51982 :141,024,208,104,201,145,069 51988 :208,003,206,055,205,201,130 51994 :146,208,005,162,000,142,177 52000 :084,205,201,147,208,016,125 52006 :072,032,068,229,169,000,096 52012 :141,054,205,141,055,205,077 52018 :032,048,200,104,201,157,024 52024 :208,003,206,054,205,032,252 52030 :048,200,096,173,085,205,101 52036 :072,041,128,074,141,087,099 52042 :205,104,041,063,013,087,075 52048 :205,141,083,205,096,172,214 52054 :055,205,185,240,236,133,116 52060 :209,185,056,205,133,210,066 52066 :172,054,205,240,051,056,108 52072 :169,039,237,054,205,170,210 52084 :024,165,210,105,212,133,197 52090 :210,177,209,136,145,209,200,162 52084 :024,165,210,105,212,133,113 52102 :210,200,200,202,224,255,145 52108 :208,224,169,032,160,039,204 52114 :145,209,206,054,205,032,229

52552 :006,006,006,006,007,007,110 52558 :007,007,007,013,013,013,138

Program 3: Plus/Term ML Portion For VIC

Refer to the "MLX" article before entering this listing.

```
6144 :032,023,032,076,200,024,131
6150 :169,016,141,136,002,169,127
6156 :194,141,005,144,169,140,037
6162 :141,252,002,169,032,141,243
6168 :253,002,169,171,141,254,246
6174 :002,169,032,141,255,002,119
6180 :169,001,141,102,033,032,002
6186 :120,028,169,147,141,093,228
6192 :033,032,252,029,169,000,051
6198 :141,091,033,133,055,169,164
6204:064,133,056,169,035,133,138
6210:044,169,000,141,191,002,101
6216:141,107,033,141,000,035,017
     :169,000,141,063,003,032,230
6222
     :117,024,169,000,141,092,115
6228
     :033,141,093,033,141,094,113
6234
6240 :033,169,000,141,019,003,205
6246 :165,055,141,194,002,165,056
6252 :056,141,195,002,076,200,010
6258 :024,006,016,160,255,152,215
6264 :192,219,176,024,192,193,092
6270 :144,006,056,233,128,076,001
6276 :150,024,192,065,144,012,207
6282 :192,096,176,006,024,105,225
6288 :032,076,150,024,169,000,083
6294 :153,000,019,136,192,255,137
6300 :208,217,160,255,152,192,060
6306 :128,176,024,192,096,144,154
6312 :006,056,233,032,076,191,250
6318 : 024, 192, 065, 144, 012, 192, 035
6324 :091,176,008,024,105,128,200
6330 :076,191,024,169,000,153,031
6336 :000,018,136,192,255,208,233
6342 :217,096,032,052,028,032,143
6348 :204,255,174,141,002,224,180
6354 :004,240,017,224,005,240,172
6360 :055,032,228,255,201,000,219
6366 : 240,003,076,197,025,076,071
6372 :243,025,164,197,192,128,153
6378 :176,226,185,094,236,056,183
6384 :233,064,048,218,240,216,235
6390 :160,000,162,000,136,208,144
6396 :253,202,208,250,076,197,158
     :025,160,000,162,000,136,229
    :208,253,202,208,250,076,181
     :243,025,166,197,224,041,142
6420
     :208,008,072,032,160,026,014
    :104,076,194,025,166,197,020
     :224,021,208,008,072,032,085
    :185,027,104,076,194,025,137
6444 :166,197,224,035,208,019,125
6450 :072,024,173,015,144,105,071
6456 :016,141,015,144,009,008,133
6462 :141,015,144,104,076,194,224
6468 :025,166,197,224,044,208,164
     :018,072,173,134,002,041,002
6480 :007,024,105,001,041,007,009
6486 :141,134,002,104,076,194,225
    :025,166,197,224,042,208,186
6498 :030,072,024,173,109,033,027
6504 :041,007,024,105,001,141,167
6510 :109,033,173,015,144,041,113
6516 :248,013,109,033,009,008,024
6522 :141,015,144,104,076,194,028
```

6528	:025,166,197,224,052,208,232	6948 :105,033,160,000,185,013,020
6534	:013,072,162,001,142,107,119	6954 :028,141,093,033,140,103,068
6540	:033,032,028,026,104,076,183	6960 :033,032,252,029,172,103,157
6546	:194,025,166,197,224,034,218	6966 :033,200,192,014,208,236,169
6552	:208,013,072,162,000,142,237	6972 :032,204,255,032,228,255,042
6558	:107,033,032,064,026,104,012	6978 : 240, 248, 201, 084, 240, 007, 062
6564	:076,194,025,166,197,224,022	6984 : 201, 068, 240, 008, 076, 060, 213
657Ø	:033,208,018,072,162,000,151	6990 :027,162,001,076,086,027,201
6576	:142,194,002,166,056,142,110	
		6996 :162,008,169,010,160,000,081
6582	:195,002,032,102,026,104,131	7002 :032,186,255,173,105,033,106
6588	:076,194,025,076,206,024,021	7008 :162,050,160,033,032,189,210
6594	:076,003,025,072,201,136,195	7014 :255,169,147,141,093,033,172
6600	:208,005,104,032,152,031,220	7020 :032,252,029,169,147,032,001
6606	:096,162,002,032,201,255,186	7026 :210,255,174,106,033,208,076
6612	:174,063,003,208,009,104,005	7032 :022,174,194,002,172,195,111
6618	:072,168,185,000,019,076,226	7038 :002,169,055,032,216,255,087
6624	:228,025,104,072,032,210,127	7044 :165,055,141,194,002,165,086
6630	:255,104,172,019,003,208,223	7050 :056,141,195,002,096,169,029
6636	:006,141,093,033,032,109,138	7056:000,166,055,164,056,032,105
6642	:029,032,052,028,032,204,107	7062 :213,255,142,194,002,140,072
6648	:255,162,002,032,198,255,128	7068 :195,002,162,000,134,055,192
6654	:032,228,255,201,000,208,154	
		7074 :160,063,132,056,160,003,224
6660	:003,076,200,024,174,063,032	7080 :185,236,027,141,093,033,115
6666	:003,208,006,041,127,168,051	7086 :152,072,032,252,029,104,047
6672	:185,000,018,141,093,033,230	
6678	:032,109,029,076,200,024,236	7098 :000,140,104,033,185,038,174
6684	:160,000,152,072,185,049,134	7104 :028,141,093,033,032,252,003
6690	:026,141,093,033,032,252,099	7110 :029,238,104,033,172,104,110
6696	:029,104,168,200,192,015,236	7116 :033,192,014,208,234,032,149
6702	:208,238,096,013,091,066,246	7122 :228,255,201,000,240,249,103
6708	:085,070,070,069,082,032,204	7128 :201,089,240,007,201,078,008
6714	:079,080,069,078,093,013,214	7134 : 240,011,076,209,027,162,179
6720	:160,000,152,072,185,085,206	7140 :001,141,106,033,032,201,230
6726	:026,141,093,033,032,252,135	7146:026,096,013,075,079,013,024
6732	:029,104,168,200,192,017,018	7152 :013,091,066,085,070,070,123
		7158 :069,082,032,070,085,076,148
6738	:208,238,096,013,091,066,026	
6744	:085,070,070,069,082,032,240	7164 :076,093,013,013,083,065,083
6750	:067,076,079,083,069,068,024	7170 :086,069,032,089,032,079,133
6756	:093,013,160,000,152,072,078	7176 :082,032,078,063,013,013,033
		7182 :084,065,080,069,032,079,167
6762	:185,123,026,141,093,033,195	
6/68	:032,252,029,104,168,200,129	7188 :082,032,068,073,083,075,177
6774	:192,017,208,238,096,013,114	7194 :013,013,070,073,076,069,084
	:091,066,085,070,070,069,063	7200 :078,065,077,069,058,013,136
		7206 :013,076,079,065,068,032,115
	:082,032,090,069,082,079,052	
6792	:069,068,093,013,160,000,027	7212 :089,032,079,082,032,078,180
6798	:152,072,185,240,027,141,191	7218 :063,013,173,214,032,048,081
6804		7224 :015,201,022,144,024,169,119
	160 200 102 014 200 238 150	7230 :000,141,214,032,238,215,134
6810	:168,200,192,014,208,238,150	
6816	:160,000,152,072,185,255,216	7236 :032,076,085,028,238,214,229
6822	:027,141,093,033,032,252,232	7242 :032,206,215,032,048,023,118
	:029,104,168,200,192,013,110	7248 :169,021,141,214,032,173,062
6828	000 000 000 000 000 000 000	7254 :215,032,048,013,201,023,106
6834	:208,238,032,228,255,240,099	
6840	:251,201,089,240,007,201,149	7260 :144,012,206,215,032,032,221
	:078,208,243,076,132,027,186	7266 :117,233,076,106,028,238,128
6846	:070,200,243,070,132,027,100	7272 :215,032,172,215,032,185,187
6852	:169,000,141,106,033,160,037	
6858	:000,152,072,185,027,028,154	7278 : 240,032,133,209,185,216,101
6864		7284 :032,133,210,096,172,214,205
	:141.093.033.032.252.029.020	
(070	:141,093,033,032,252,029,020	
6870	:104,168,200,192,011,208,073	7290 :032,177,209,073,128,145,118
6876	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205
6876 6882	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188
6876 6882	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006
6876 6882 6888	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006
6876 6882 6888 6894	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239
6876 6882 6888	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198 :172,104,033,240,236,206,211	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239 7320 :101,033,169,000,141,102,186
6876 6882 6888 6894	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198 :172,104,033,240,236,206,211	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239 7320 :101,033,169,000,141,102,186 7326 :033,173,134,002,041,015,044
6876 6882 6888 6894 6900 6906	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198 :172,104,033,240,236,206,211 :104,033,076,016,027,201,195	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239 7320 :101,033,169,000,141,102,186 7326 :033,173,134,002,041,015,044 7332 :145,209,076,179,028,173,206
6876 6882 6888 6894 6900 6906 6912	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198 :172,104,033,240,236,206,211 :104,033,076,016,027,201,195 :031,144,226,201,091,176,101	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239 7320 :101,033,169,000,141,102,186 7326 :033,173,134,002,041,015,044
6876 6882 6888 6894 6900 6906 6912 6918	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198 :172,104,033,240,236,206,211 :104,033,076,016,027,201,195 :031,144,226,201,091,176,101 :222,172,104,033,153,050,228	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239 7320 :101,033,169,000,141,102,186 7326 :033,173,134,002,041,015,044 7332 :145,209,076,179,028,173,206 7338 :101,033,145,209,169,001,060
6876 6882 6888 6894 6900 6906 6912	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198 :172,104,033,240,236,206,211 :104,033,076,016,027,201,195 :031,144,226,201,091,176,101 :222,172,104,033,153,050,228 :033,238,104,033,141,093,142	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239 7320 :101,033,169,000,141,102,186 7326 :033,173,134,002,041,015,044 7332 :145,209,076,179,028,173,206 7338 :101,033,145,209,169,001,060 7344 :141,102,033,056,165,210,115
6876 6882 6888 6894 6900 6906 6912 6918	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198 :172,104,033,240,236,206,211 :104,033,076,016,027,201,195 :031,144,226,201,091,176,101 :222,172,104,033,153,050,228 :033,238,104,033,141,093,142 :033,032,252,029,172,104,128	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239 7320 :101,033,169,000,141,102,186 7326 :033,173,134,002,041,015,044 7332 :145,209,076,179,028,173,206 7338 :101,033,145,209,169,001,060 7344 :141,102,033,056,165,210,115 7350 :233,132,133,210,233,000,099
6876 6882 6888 6894 6900 6906 6912 6918 6924 6930	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198 :172,104,033,240,236,206,211 :104,033,076,016,027,201,195 :031,144,226,201,091,176,101 :222,172,104,033,153,050,228 :033,238,104,033,141,093,142 :033,032,252,029,172,104,128	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239 7320 :101,033,169,000,141,102,186 7326 :033,173,134,002,041,015,044 7332 :145,209,076,179,028,173,206 7338 :101,033,145,209,169,001,060 7344 :141,102,033,056,165,210,115 7350 :233,132,133,210,233,000,099 7356 :133,209,032,052,028,096,226
6876 6882 6888 6894 6900 6906 6912 6918 6924	:104,168,200,192,011,208,073 :238,032,204,255,160,000,085 :140,104,033,032,228,255,250 :201,000,240,249,201,013,112 :240,048,201,020,208,011,198 :172,104,033,240,236,206,211 :104,033,076,016,027,201,195 :031,144,226,201,091,176,101 :222,172,104,033,153,050,228 :033,238,104,033,141,093,142 :033,032,252,029,172,104,128 :033,192,016,240,200,076,013	7290 :032,177,209,073,128,145,118 7296 :209,024,165,210,105,132,205 7302 :133,210,165,209,105,000,188 7308 :133,209,173,102,033,240,006 7314 :022,177,209,041,015,141,239 7320 :101,033,169,000,141,102,186 7326 :033,173,134,002,041,015,044 7332 :145,209,076,179,028,173,206 7338 :101,033,145,209,169,001,060 7344 :141,102,033,056,165,210,115 7350 :233,132,133,210,233,000,099

```
7368 :032,208,012,238,214,032,168
7374 :032,052,028,032,120,028,242
7380 :104,104,096,162,000,177,087
7386 :209,157,010,033,072,024,211
7392 :165,210,105,132,133,210,155
7398 :177,209,157,050,033,056,144
7404 :165,210,233,132,133,210,039
    :136,232,224,022,240,011,083
    :104,201,032,208,220,142,131
7422
    :213,032,076,016,029,104,212
7428
    :238,214,032,032,052,028,088
7434 :032,120,028,104,104,096,238
7440 :174,213,032,200,169,032,068
7446 :145,209,200,202,208,248,210
7452 :173,215,032,201,023,208,112
7458 :006,032,117,233,206,215,075
7464 :032,238,215,032,169,000,214
7470 :141,214,032,032,052,028,033
7476 :174,213,032,160,000,202,065
7482 :202,189,010,033,141,090,211
7488 :033,024,165,210,105,132,221
7494 :133,210,189,050,033,141,058
7500 :134,002,056,165,210,233,108
7506 :132,133,210,072,152,072.085
7512 :138,072,032,017,030,104,225
7518:170,104,168,104,200,202,018
7524 :016,213,206,214,032,032,045
7530 :052,028,096,174,107,033,084
7536 :208,003,076,252,029,160,072
7542 :000,141,093,033,166,253,036
7548 :142,064,003,166,254,142,127
7554 :065,003,174,194,002,134,190
7560 :253,174,195,002,134,254,124
7566 :145,253,072,174,064,003,085
7572
     :134,253,174,065,003,134,143
     :254,056,165,249,237,194,029
7578
     :002,141,096,033,165,250,079
759Ø
     :237,195,002,013,096,033,230
     :208,021,162,002,032,201,030
7596
7602
     :255,169,019,032,210,255,094
7608 :032,204,255,032,140,026,105
7614 :032,102,026,104,096,104,142
7620 :201,020,240,011,238,194,076
    :002,208,047,238,195,002,126
7626
    :076,252,029,141,093,033,064
7638 : 056,173,194,002,229,055,155
7644 :141,096,033,173,195,002,092
7650 :229,056,013,096,033,240,125
7656 :019,072,056,173,194,002,236
7662 :233,001,141,194,002,173,214
7668 :195,002,233,000,141,195,242
7674 :002,104,173,093,033,201,088
7680 :032,144,115,201,127,144,251
7686 :007,201,160,176,003,076,117
7692 :118,030,032,041,031,032,040
7698 :120,028,172,215,032,185,002
7704 :240,032,133,209,185,216,015
7710 :032,133,210,172,214,032,055
7716 :173,091,033,240,010,173,244
7722 :090,033,009,128,145,209,144
7728
    :076,056,030,173,090,033,250
7734
    :145,209,024,165,210,105,144
    :132,133,210,173,134,002,076
7740
    :145,209,056,165,210,233,060
7752 :132,133,210,173,214,032,198
7758 : 201,021,208,026,174,191,131
7764 :002,208,021,032,194,028,057
7770 :238,214,032,032,052,028,174
7776 :032,120,028,169,001,141,075
7782 :102,033,032,120,028,096,001
```

```
7788 :238,214,032,032,052,028,192
7794 :032,120,028,096,032,120,030
7800 :028,173,093,033,201,032,168
7806 :176,084,201,013,208,005,045
7812 :072,032,132,031,104,201,192
7818 :014,208,010,072,169,002,101
7824 :013,005,144,141,005,144,084
7830 :104,201,017,208,008,072,248
     :238,215,032,032,052,028,241
     :104,201,018,208,007,072,004
     :169,001,141,091,033,104,195
     :201,019,208,013,072,169,088
7860 :000,141,214,032,141,215,155
7866 :032,032,052,028,104,201,123
7872 :020,208,005,072,032,062,079
7878 :031,104,201,029,208,008,011
7884 :072,238,214,032,032,052,076
7890 :028,104,201,141,208,005,129
7896 :072,032,132,031,104,201,020
7902 :142,208,010,072,169,240,039
7908 :045,005,144,141,005,144,200
7914 :104,201,145,208,008,072,204
7920 :206,215,032,032,052,028,037
7926 :104,201,146,208,007,072,216
7932 :169,000,141,091,033,104,022
7938 :201,147,208,016,072,032,166
7944 :095,229,169,000,141,214,088
7950
     :032,141,215,032,032,052,006
7956
     :028,104,201,157,208,008,214
7962
     :072,206,214,032,032,052,122
     :028,104,032,052,028,032,052
7974
     :120,028,096,173,093,033,069
     :041,128,074,141,095,033,044
7980
7986
     :173,093,033,041,063,013,210
7992
     :095,033,141,090,033,096,032
7998
     :172,215,032,185,240,032,170
     :133,209,185,216,032,133,208
     :210,172,214,032,240,051,225
     :056,169,021,237,214,032,041
     :170,177,209,136,145,209,108
8022
8028 :200,024,165,210,105,132,160
     :133,210,177,209,136,145,084
8040 :209,056,165,210,233,132,085
8046 :133,210,200,200,202,224,255
     :255,208,224,169,032,160,140
8058 :021,145,209,206,214,032,181
8064 :032,052,028,096,174,168,166
8070 :002,240,003,238,215,032,096
8076 :169,000,141,214,032,141,069
8082 :091,033,032,052,028,096,222
8088 :174,214,032,142,098,033,077
8094
     :172,215,032,140,097,033,079
8100 :162,002,032,201,255,169,217
8106 :019,032,210,255,032,204,154
8112 :255,169,148,141,199,031,095
8118 :169,000,141,198,031,141,094
     :201,031,169,022,141,202,186
8124
8130 :031,160,000,185,255,255,056
8136 :153,255,255,056,173,201,013
8142 :031,233,250,141,096,033,222
8148
     :173,202,031,233,023,013,119
8154
     :096,033,240,017,238,198,016
8160
     :031,238,201,031,208,223,132
     :238,199,031,238,202,031,145
8166
8172
     :076,197,031,169,020,141,102
8178
     :136,002,173,015,144,141,085
     :099,033,169,210,141,005,137
     :144,173,134,002,141,100,180
8196 :033,160,025,185,217,000,112
8202 :153,000,034,185,050,034,210
```

MAXIMIZE STORAGE CAPACITY ON YOUR ATARI 1050* DISK DRIVE WITH THE HAPPY 1050 MAXIMIZER™

Now you can store twice as much data on your ATARI 1050 disk drive with this easy to install high quality plug in adapter. Requires no soldering and no permanent modifications. Runs all popular true double density programs, utilities, and operating systems.



You can upgrade your HAPPY 1050 MAXIMIZER to a WARP SPEED HAPPY 1050 ENHANCEMENT. Improves reading and writing speed 500% and comes with the HAPPY COMPUTERS WARP SPEED SOFTWARE package. Makes your ATARI 1050 the most powerful disk drive available. Easy plug in installation lets you upgrade your HAPPY 1050 MAXIMIZER to WARP SPEED at any time.

Take COMMAND with the HAPPY 1050 CONTROLLER™

When used with the ENHANCEMENT or MAXIMIZER allows writing on the flip side of disks without punching holes. Selects protection from writing on valuable disks. Selection can be made both from software commands and a three position switch. When used with the ENHANCEMENT allows both switch and software control of reading and writing speeds. Plug in installation requires no soldering. May be used without ENHANCEMENT or MAXIMIZER with manual control of write protection.

Discount prices through Dec. 31, 1984:	
HAPPY 1050 MAXIMIZER complete	124.95
MAXIMIZER to ENHANCEMENT UPGRADE § (You must already have a Happy 1050 Maximizer)	129.95
HAPPY 1050 MAXIMIZER with factory installed MAXIMIZER to ENHANCEMENT upgrade, same a WARP SPEED HAPPY 1050 ENHANCEMENT	s 3249.95
HAPPY 1050 CONTROLLER	\$49.95
WARP SPEED HAPPY 810 ENHANCEMENT* for 810 disk drive (supports high speed	
	249.95
Price above include free delivery in the USA	+

California residents add 6.5% sales tax.

*Note: ATARI 1050 is a trademark of Atari, Inc.

HAPPY COMPUTERS, INC. P.O. Box 1268, Morgan Hill, CA 95037 (408) 779-3830

```
8208 :153,217,000,136,016,241,011
8214 : 096, 169, 022, 141, 060, 032, 030
8220 :169,000,141,059,032,162,079
8226 :002,032,201,255,169,017,198
8232 :032,210,255,032,204,255,004
8238 :169,000,141,062,032,169,107
8244 :148,141,063,032,160,000,084
8250 :185,255,255,153,255,255,136
8256 : 056, 173, 059, 032, 233, 250, 099
8262 :141,096,033,173,060,032,093
8268 :233,023,013,096,033,240,202
8274 :017,238,059,032,238,062,216
8280 :032,208,223,238,060,032,113
8286 :238,063,032,076,058,032,081
8292 :173,099,033,141,015,144,193
8298 :173,100,033,141,134,002,177
8304 :169,016,141,136,002,169,233
8310 :194,141,005,144,160,025,019
8316 :185,217,000,153,050,034,251
8322 :185,000,034,153,217,000,207
8328 :136,016,241,096,173,167,197
8334 :002,174,251,002,160,001,220
8340 :032,186,255,173,169,002,197
8346 :162,172,160,002,032,189,103
8352 :255,169,000,162,000,160,138
8358 : 024, 032, 213, 255, 096, 173, 191
8364 :167,002,174,251,002,160,160
8370 :001,032,186,255,173,169,226
8376 :002,162,172,160,002,032,202
8382 :189,255,169,024,133,254,190
8388 :169,000,133,253,169,253,149
8394 :162,255,160,025,032,216,028
8400 :255,096,000,000,000,000,047
8406 :000,000,016,016,016,016,022
8412 :016,016,016,016,016,016,060
8418 :016,016,017,017,017,017,070
8424 :017,017,017,017,017,017,078
8430 :017,017,000,022,044,066,148
8436 :088,110,132,154,176,198,078
8442 :220,242,008,030,052,074,108
8448 :096,118,140,162,184,206,138
8454 : 228, 250, 013, 013, 013, 013, 024
```

Program 4: VIC/64 Tokenizer (Disk Only)

Refer to the "MLX" article before entering this listing.

```
828 : 032,237,255,224,022,240,046
834 :012,032,253,174,032,158,215
840 :173,032,130,183,076,095,249
846 :003,032,253,206,032,158,250
852 :205,032,130,215,166,034,098
858:164,035,032,189,255,166,163
864 : 034, 164, 035, 032, 189, 255, 037
870 :169,032,162,008,160,008,129
876 :032,186,255,032,192,255,036
882 :169,125,141,036,003,169,245
888 :003,141,037,003,096,008,152
894 :138,072,152,072,169,008,225
900:032,180,255,169,104,032,136
906:150,255,032,165,255,141,112
912 :203,003,032,171,255,165,205
918:144,240,026,169,032,032,025
924:195,255,032,138,255,169,176
930 :008,032,177,255,169,232,011
936 : 032, 147, 255, 032, 174, 255, 039
942 :169,013,141,203,003,173,108
948 : 204,003,208,010,173,203,213
954 :003,201,013,240,003,032,166
960 :210,255,104,168,104,170,179
966 : 040,173,203,003,096,000,201
```

THE BEGINNER'S PAGE

Tom R. Halfhill, Editor

IF-THEN Intelligence

At one time or another you've probably seen the term *artificial intelligence*. It refers, of course, to computer intelligence—the ability of a machine to reproduce (or, if you prefer, simulate) some of the thought processes of a human being.

We're not going to reopen here the philosophical debate about whether computers are really intelligent, or if they ever will be intelligent (or for that matter, if humans are intelligent). Scientists still can't agree on exactly how the human brain works, much less whether it

can be duplicated in silicon circuitry.

But we do know how computers work. Although computers aren't (yet) capable of independent thought or action, they certainly appear intelligent at times. They can play chess at the grandmaster level, forecast tomorrow's weather as well as anybody else, help plan the economy of a household or a nation, create wonderfully abstract art, and even simulate the responses of a psychoanalyst closely enough to fool many laypeople. How can a mass of wires and silicon chips seem to be so smart? What sets computers apart from all other machines?

Programmability alone isn't the answer. There were programmable machines long before computers came along. One example is the centuries-old music box. A melody is programmed into the box by punching little bumps onto the surface of a revolving drum; as the drum turns, the bumps pluck a series of tiny metal prongs tuned to different notes. Of course, a music box is capable of playing only one melody drum, or "program." A more sophisticated example is the player piano, with its interchangeable paper rolls that operate on the same principle.

Still, there's something missing from a programmable player piano that keeps it from qualifying as a true computer. Even some of today's programmable calculators lack the essential element of computer intelligence. They, too, can be programmed to carry out a series of steps, but

real brain.

What do computers have that all these other machines don't? Conditional logic. Although some

they can't imitate the decision-making power of a

other devices are capable of conditional logic on a very primitive level, no machine can do it as flexibly as a computer.

Michael Jackson Vs. Beethoven

Here's how conditional logic works. Let's say you send a friend to a record store with a \$10 bill and these instructions: "If the store has Michael Jackson's latest album, then buy it for me. Otherwise, buy the Cleveland Symphony Orchestra's new recording of Beethoven's Fifth."

Now, you've done more than simply programmed your friend to visit the store and buy you a record. You've given him the power to make a decision in your absence, and also the information he needs to make the decision. Depending on whether a certain *condition* is met (if the store has Michael Jackson's latest album or not), your friend will act on either of the two alternatives (he'll buy you the Jackson record or the Beethoven record). Even if your friend has the brains of a hamster, he'll appear semi-intelligent to the record store clerk as he flips through the bins and picks the correct album.

All computer programming languages have commands that let you tell the computer to make the same sort of decisions. In BASIC, the most common command for conditional logic is the IF-

THEN statement. It takes this form:

IF condition is met THEN perform this action.

Computers don't understand English, of course, so the italicized words above must be replaced with terms the computer *can* understand. Usually the conditional part of the statement involves a comparison between variables and numbers. And often the resulting action will be a second command which sends the computer to another section of the program. Let's try some actual examples.

Conversational Computing

At one time or another you've probably used a computer program which carries on a conversation with you, depending on how you respond to certain questions. The machine appears almost human, and conditional logic is the key.

Let's say you're an insurance salesman who is writing a program designed to analyze a client's

life insurance needs. One of the first questions the program needs to ask is the person's age. This can be done with a simple PRINT statement. Clear the computer's memory by turning it off, then on again, and type the following line exactly as it appears (remember that to enter a program line into memory, you must press the RETURN or ENTER key after typing the line):

10 PRINT "What is your age";

When the program runs, the PRINT statement will print the text between the quotes on the screen. Next, type this line:

20 INPUT A

When the program runs, this simple statement does three things. First, it prints a question mark after the text in the PRINT statement. Second, it makes the computer pause until someone types in a number on the keyboard. Finally, it takes the number and stores it in a memory location which can be referenced with the variable name A.

Now it's time for some conditional logic. Enter these two lines:

30 IF A>100 THEN PRINT "It's a little late to be thinking about life insurance, isn't it?":END 40 PRINT "We have just the policy that you need."

Now clear the screen and run the program. When it asks for your age, try typing in a number less than 100. Then run the program again and type in a number greater than 100. See the difference? (Note: This program requires Extended BASIC on the TI-99/4A.)

Here's how it works. Line 30 compares the value stored in the variable A with 100. If A is greater than 100 (> is the greater-than sign), then the condition is met and the computer performs the instruction which immediately follows. The second half of an IF-THEN statement is executed only when the condition in the first half is true. (Incidentally, line 30 is also a multistatement line; a colon separates the second statement, END, from the IF-THEN statement. This command ends the program after the remark is printed.)

If the user claims to be less than 100 years old, the condition in line 30 is not met. Therefore, the computer ignores the rest of line 30 and continues (or "falls through") to the next line. The computer prints a different message on the screen and, presumably, would go on to the

remainder of the program.

Simulated Intelligence

Although this simple four-line program contains only one conditional statement, it illustrates how computers can appear intelligent. The computer not only makes different responses depending on the user's input, it also seems to know that centenarians are unlikely candidates for life insurance. It even reveals a snappy sense of humor. Of course, it's really the programmer talking, not the computer. (Remember this the next time your computer makes a rude remark.)

Simple conditional statements like the one above are the basis for nearly all of what passes as artificial intelligence today. All programs work on the same principle, from the sophisticated modeling software that forecasts the nation's economy to the chess program which threatens the supremacy of the world's top champions. In fact, the chess program published in the December 1984 issue of COMPUTE!, when playing on level 5, uses a similar technique to evaluate up to 50 million possible moves during each turn. Naturally, a program that complicated must be written in machine language, not BASIC, or you'd be waiting months for the computer's response.

The IF-THEN statement isn't the only way to simulate intelligence in BASIC. Most BASICs have at least two other statements which accomplish more or less the same thing. This indicates how important conditional logic really is in programming. (Linguists say you can determine a language's most often used concepts by counting the synonyms—interestingly, somebody once figured out that English has more terms for being inebriated than almost any other concept.)

In BASIC, as we mentioned, IF-THEN is by far the most common conditional statement. Some of the more powerful BASICs—such as IBM BASIC—augment the IF-THEN statement with an ELSE condition. This lets you combine two lines into one. For instance, lines 30 and 40 above could be rewritten like this in IBM BASIC:

30 IF A<100 THEN PRINT "We have just the policy for your needs." ELSE PRINT "It's a little late to be thinking about life insurance, isn't it?":END

ELSE doesn't let you do anything you couldn't do otherwise; it just makes program-

ming more convenient.


Other examples of conditional statements in BASIC are ON-GOTO and ON-GOSUB. In effect, these let you combine a whole series of IF-THENs into one compact line. They are also called *conditional branching* statements because they branch to other parts of the program. An IF-THEN statement can be used for conditional branching, too. We'll cover both conditional and unconditional branching in next month's column, and also show a couple of ways to avoid long, cumbersome lists of IF-THENs in your programs.

Questions Beginners Ask


What exactly is a crash or a freeze and how can I avoid it? All I know so far is

"...Darn near letter quality!"


The high quality, square dot technology used by Legend produces a character so clear, so crisp our users tell us it's "darn near letter quality!" We invite comparisons. In fact, we're so confident about our quality we'll be happy to send you an actual sample of legendary output, just for the asking. Legends are perfect for those important reports and proposals as well as regular office correspondence. The graphs and charts you create with Legend are stunningly good! All you have to choose is how fast you want to go. We use a top-quality carbon ribbon common to the world's most popular typewriter that makes each and every character clean and sharp. And we're so sure about the reliability of our Legends we guarantee our print head... for life!



The LEGEND 880 provides over forty fonts, all software-selectable and is rated at 80 cps but purrs along at a comfortable RTS of 104 characters per second. It's designed to work with all popular computers including IBM, most of the IBM-compatibles as well as Apple, TI and Commodore. And all this can be yours today at a really affordable price!



The LEGEND 1080, rated at 100 cps gives you the quality of the 880 at a faster RTS of 140 characters per second. And simple, easy-to-use switch settings bring forty fonts to your fingertips! True Epson compatibility means you can run all the popular software packages including Lotus 1-2-3, Symphony, Framework, Wordstar and more!



The LEGEND 1380 is perfect for high speed, high performance applications. Rated at 130 cps, it produces legendary print quality at an incredible RTS of 163 characters per second. Full IBM graphics compatibility along with downloadable character sets allows you to design your very own fonts and run all of the new IBM graphics software.

Upgrade your printer buffer for only \$1.00. For a limited time only you can upgrade the buffer in either your Legend 1080 or Legend 1380. See your dealer for all the details.

For more information about these and the full line of Legendary printers contact Legend Peripheral Products, 6041 Variel Avenue, Woodland Hills, Ca 91367. Telephone (818) 704-9100. Outside CA call toll-free 1-800-321-4484. Telex 662436.



that it can happen when one mistypes numbers in DATA statements, but not why, nor what else can cause it, so I can't yet reason backward from crash to cause. I've been trying to translate a budget and cash-flow analysis program written for the IBM PC so it will run on a Timex Sinclair TS-1000 with a 16K RAM pack, which in theory should take a program up to 900 lines long. But I can't even begin to type it in. The first 30 lines contain a DIM block of about ten lines and other statements. Before I can finish, I get a crash: blank screen, no cursor, keyboard dead, BREAK and STOP keys disabled. Nothing to do but unplug, replug, and start from scratch. Nothing here seems similar to mistyping figures in DATA statements, and I don't see how I could be running out of memory so soon (the manual says you will eventually-not bang all of a sudden-reach a blank screen when you've jammed the poor beast beyond capacity). Norman Hartweg

You've described the symptoms of a system crash or freeze perfectly—the screen often goes haywire, the computer won't respond to commands typed on the keyboard, and your only alternative is to power down and wipe out whatever you were working on.

Disregarding rare hardware failures, system crashes generally happen when the computer gets stuck in what's called an *infinite loop* at the machine level. This means the computer tries to execute a series of instructions which loop back on themselves or cancel each other out. The computer might look paralyzed, but it's really very busy trying to accomplish the impossible. So busy, in fact, that it ignores everything else, including your demands for attention on the keyboard.

As an example, suppose you told somebody to resolve these two statements: "Assume everything I say is always the truth. Now, I'm telling a lie." If everything you say is the truth, then you're telling the truth when you say you're lying. But if you're really lying, then everything you say isn't always the truth. But it's a given that you never tell a lie . . . and so on. You can go back and forth like this forever—except you're smart enough not to try, and a computer isn't. (Star Trek fans may recall how Captain Kirk used this classic paradox to provoke an android into a system crash and free his crew.)

System crashes can happen when DATA statements are mistyped, because DATA numbers often contain machine language subprograms. A mistyped number can create a wrong instruction, which in turn can trap the computer in an end-


less loop. Typing the wrong number in a POKE statement can do the same thing.

However, these crashes happen only when the program runs, not when it's being typed. As you surmised, your symptoms indicate a memory problem. Check these possibilities:

1. The 16K RAM pack on a TS-1000 fits rather loosely. If it's not plugged in all the way, the computer may not be recognizing the extra memory, leaving you with only the 2K internal RAM, not the 16K you think you have. Also, if the pack wiggles when you type on the keyboard, the faulty connection can crash the

computer.

2. The DIM statements you mentioned at the beginning of the program may be eating up all your RAM. DIM statements aren't like other statements; they take up more memory than just the characters they're composed of. The purpose of a DIM statement is to reserve a block of memory for an array (a series of related variables). In Sinclair BASIC, each element of a numeric array consumes five bytes each. The statement DIM X(375) might look pretty short and harmless, but it actually consumes so much memory that it causes an error when typed into a TS-1000 with 2K of RAM. If the DIM statements are the source of your trouble, you'll have to scale down the IBM program to fit it into your Timex.



Now use your own personal computer to place stock and option orders 24 hours a day, seven days a week. Get quotes, review your portfolios and more. And save up to 75% on brokerage commissions.* For more information, call toll free today:

1-800-544-6666. In Mass. 1-617-523-1919
*As compared with full-cost brokerage firms. Minimum commission is \$30.00.

FIDELITY INVESTORS FRESS

FIDELITY BROKERAGE SERVICES, INC. Member NYSE. SIPC.

Adding Sound Effects To Atari

Matt Giwer

Do you want more realistic sounds than beeps? This article gives you five short programs that let your Atari produce some interesting, subtle sounds.

There are many packages available for making the Atari a music box. All provide some degree of musical verisimilitude; that is, they sound good. However, these packages don't really help those who are tired of hearing the same old beeps in their programs.

Let's consider how tones are generated in the real world and try to duplicate them on the computer. And take heart: It will all be done in BASIC. You won't even find a page 6 subroutine. You can improve on what I have done once you understand what is going on.

Frequencies And Amplitude

Sound is generated by vibrating objects. Each object sounds different because it has a different set of resonant frequencies. Also, each object has a different set of loss parameters that determine how quickly the amplitude of the sound will rise and fall. Other factors such as the noise content add to the character of each individual sound.

The resonant frequency of an object is the dominant characteristic, so let's take it first. Strike a bell or play a note on a piano and you don't hear just one frequency, you hear a wide range of frequencies. The lowest frequency is called the fundamental frequency. Most objects also support harmonics of this frequency. The even harmonics are two, four, six, eight, and so forth times as high as the fundamental. The odd harmonics are three, five, seven, nine, and so forth times as high.

The mix of these frequencies and whether they are odd or even are components of the character of the sound. A piano is rich in even harmonics; a woodwind is rich in odd harmonics. There is one further complication: Most objects have more than one fundamental frequency, and


each fundamental frequency may have its own set of harmonics. It is thus obvious why simple beeps lack the complexity of real sounds.

The next factor is how fast the amplitude of these frequencies rises and falls. When a drum is struck, it gives a short, loud sound, so its amplitude rises and falls quickly. A piano note is loud, but is sustained for some time. A woodwind rises slowly in amplitude and falls slowly.

The simplification used for electronic simulation of musical instruments is called the ADSR envelope (shown in the figure). These letters stand for Attack, Decay, Sustain, and Release. Across the top are times 1 through 4 and amplitudes 1 and 2. A struck instrument has a very short t1 and a somewhat longer t2. For a piano, t3 and t4 are relatively long and for a drum, t3 and t4 are short. Also for struck instruments the amplitude a1 will be at least twice as great as a2, but in a woodwind they may be the same.

Noise And Tone

The third factor is the amount of noise. This is easily heard in a snare drum, which contains added wires to make noise. It is less obvious in woodwinds, where the very act of blowing creates some noise. Blowing is similar to whispering, where there is little tonal content and the lips and tongue are modulating noise. A



"breathy" speech pattern is comparable to a horn or woodwind. Thus a low amplitude component of noise can add to the realism.

With these three factors in mind, let's examine a woodwind in detail. The artist is aware that the instrument has a slow attack time, so he will blow harder at the beginning of a note to give it a definite start. In doing so he will increase the noise level. The initial breath will start the instrument vibrating, and the various fundamentals and harmonics will be heard. If the instrument is being played loudly, some of the harder-to-excite frequencies will be heard too.

Once the instrument has established its note, the artist will blow more softly, so the tone content will be up, but the noise component will be down. Finally the note will end, and the artist will stop blowing. The noise component will stop immediately, but the tonal component will continue for a short time. If all this doesn't sound complex enough, imagine what goes on in a slide trombone.

Real sounds are complex, but computer-generated tones are not. So we must make them complex to make them realistic. For a perfect simulation of a piano or clarinet, a Moog synthesizer is definitely preferred. To make do with the Atari sound chip, machine language might be preferable. But if you draw a line with one end being the beeps and the other end the Moog, we'll see that BASIC can get us more than halfway toward the Moog.

Experimenting With Sound Qualities

The following programs are examples of some complex sonic effects. These programs directly POKE the audio control registers with amplitude information. The amplitude varies from 0 (off) to 15 (loudest). These amplitude levels are stored in S0\$ in pairs of numbers. These are converted to numbers in line 21 and POKEd in line 22. The cycle through the loop provides automatic timing for note duration. Q=1 ^ 1 is used for timing pure tones.

Program 1 is a direct comparison between notes with and without an ADSR amplitude envelope. The S0\$ envelope here is that of a struck instrument. Note that the first value in S0\$ is 15 for shortest Attack, then a 12 to provide a slower decay, three 08's for sustain, and then 04 and 00 for a slower release. You will certainly notice the difference in tones when you run the program; in fact, the switch from envelope to no envelope is itself a pleasing effect.

Program 2 offers a somewhat different effect by playing two chords with and without the envelope.

Program 3 introduces the effect of harmonics on a single note and again gives a side-by-side

comparison. These are the even harmonics found in pianos. Note several points here. In most instruments the fundamental frequency is the loudest, then the harmonics. And the fourth harmonic may be louder than the second. In real instruments there are both odd and even harmonics. A string plucked in the center produces a different sound than a string plucked near the end. I have ignored both of these points in this program.

Program 4 is similar to Program 3 except that it provides odd harmonics with and without the ADSR envelope. Program 5 compares even and odd harmonics with the envelope. In both programs I have ignored the complications—or let's say that I have created a musical sound that cannot be duplicated by a musical instrument.

Remember, the objective of this article was to show ways to add color to your sounds, not to synthesize the Boston Symphony Orchestra. So let me give you some further suggestions. In any of these programs, change line 20 to FOR I=8 TO 1 STEP — 1 and you will have a sound that can be duplicated only by playing a tape recorder backwards. How about adding odd and even harmonics of the same fundamental frequency? Perhaps instead of having the Release part of the envelope go to 00, it would go back up to 15. How about using one of the sound channels to add the slight bit of noise that goes along with some instruments?

Please refer to "COMPUTEI's Guide To Typing In Programs" before entering these listings.

Program 1: Notes With And Without ADSR Envelope

```
PK Ø GOTO 1ØØ
KM 10 REM Sound envelope
AK 20 FOR I=1 TO 25
CN 21 TRAP 23:R=VAL (SØ$(2*I-1,2*I));T
    RAP 40000
LE 22 POKE 53761, 16Ø+R: POKE 53763, 16Ø
     +R:POKE 53765,160+R:POKE 53767,
     16Ø+R: NEXT I
EF 23 RETURN
MI 100 DIM 50$ (50)
08 11Ø SØ$="1512Ø8Ø8Ø8Ø4Ø2ØØ"
JD 19Ø POKE 5376Ø, 243
HE 200 GOSUB 20
JE 29Ø POKE 5376Ø, 162
HF 3ØØ GOSUB 2Ø
AE 3Ø5 Q=1^1^1^1
IN 310 POKE 53760, 243
OJ 312 POKE 53761,168:Q=1^1:POKE 5376
      1,0
IP 330 POKE 53760, 162
OL 332 POKE 53761, 168: Q=1^1: POKE 5376
      1,0
AD 340 Q=1^1^1^1
GL 35Ø GOTO 19Ø
LF 1000 REM Same tones with and witho
       ut envelope
```

Program 2: Chords With And Without ADSR Envelope

PK Ø GOTO 1ØØ KM 10 REM Sound envelope NL 20 FOR I=1 TO 8 CN 21 TRAP 23:R=VAL(SØ\$(2*I-1,2*I)):T RAP 40000 LE 22 POKE 53761,160+R:POKE 53763,160 +R: POKE 53765, 160+R: POKE 53767, 160+R: NEXT I EF 23 RETURN MI 100 DIM 50\$ (50) OB 110 SØ\$="1512080808040200" DH 19Ø POKE 5376Ø, 243: POKE 53762, 193: POKE 53764,144:POKE 53766,121 HE 200 GOSUB 20 DG 290 POKE 53760, 243: POKE 53762, 182: POKE 53764,144:POKE 53766,121 HF 3ØØ GOSUB 2Ø AE 305 Q=1^1^1^1 CH 31Ø POKE 5326Ø, 243: POKE 53762, 193: POKE 53764, 144: POKE 53766, 121 FD 312 POKE 53761, 168: POKE 53763, 168: POKE 53765, 168: POKE 56767, 168 00 32Ø Q=1^1 DE 322 POKE 53761, 160: POKE 53763, 160: POKE 53765, 160: POKE 56767, 160 CH 33Ø POKE 5326Ø, 243: POKE 53762, 182: POKE 53764, 144: POKE 53766, 121 FF 332 POKE 53761,168:POKE 53763,168: POKE 53765,168:POKE 56767,168 AD 340 Q=1^1^1^1 GL 35Ø GOTO 19Ø MD 1000 REM Two chords with and witho ut envelope

Program 3: Even Harmonics With And Without ADSR Envelope

PK Ø GOTO 1ØØ KM 10 REM Sound envelope NL 20 FOR I=1 TO 8 TRAP 23: R=VAL (SØ\$ (2*I-1, 2*I)): T CN 21 RAP 40000 LE 22 POKE 53761, 160+R: POKE 53763, 160 +R:POKE 53765,160+R:POKE 53767, 160+R: NEXT I EF 23 RETURN MI 100 DIM SØ\$ (50) OB 110 SØ\$="1512080808040200" ML 190 POKE 53760,243:POKE 53762,121: POKE 53764,60:POKE 53766,40 HE 200 GOSUB 20 KE 29Ø POKE 5376Ø, 162: POKE 53762, 81: P OKE 53764, 40: POKE 53766, 27 HF 300 GOSUB 20 AE 3Ø5 Q=1^1^1^1 MF 31Ø POKE 5376Ø, 243: POKE 53762, 121: POKE 53764,60:POKE 53766,40 FD 312 POKE 53761,168:POKE 53763,168: POKE 53765,168:POKE 56767,168 00 32Ø Q=1^1 DE 322 POKE 53761, 160: POKE 53763, 160: POKE 53765, 160: POKE 56767, 160 JP 33Ø POKE 5376Ø, 162: POKE 53762, 81: P OKE 53764,40:POKE 53766,27 FF 332 POKE 53761,168:POKE 53763,168: POKE 53765, 168: POKE 56767, 168 AD 340 Q=1^1^1^1 6L 35Ø GOTO 19Ø

MD 1000 REM Even harmonics envelope a nd no envelope

Program 4: Odd Harmonics With And Without ADSR Envelope

PK Ø GOTO 1ØØ KM 10 REM Sound envelope NL 20 FOR I=1 TO 8 CN 21 TRAP 23: R=VAL (SØ\$(2*I-1,2*I)): T RAP 40000 LE 22 POKE 53761, 160+R: POKE 53763, 160 +R:POKE 53765,160+R:POKE 53767, 160+R: NEXT I EF 23 RETURN NI 100 DIM SØ\$ (50) OB 110 SØ\$="1512080808040200" KL 19Ø POKE 5376Ø, 243: POKE 53762, 81: P OKE 53764,49: POKE 53766,35 HE 200 GOSUB 20 KB 29Ø POKE 5376Ø, 162: POKE 53762, 54: P OKE 53764,32: POKE 53766,23 HF 300 GOSUB 20 AE 3Ø5 Q=1^1^1^1 KF 31Ø PDKE 5376Ø, 243: PDKE 53762, 81: P OKE 53764,49: POKE 53766,35 FD 312 POKE 53761, 168: POKE 53763, 168: POKE 53765, 168: POKE 56767, 168 00 32Ø Q=1^1 M 322 POKE 53761,160:POKE 53763,160: POKE 53765, 160: POKE 56767, 160 JN 33Ø POKE 5376Ø, 162: POKE 53762, 54: P OKE 53764, 32: POKE 53766, 23 FF 332 POKE 53761, 168: POKE 53763, 168: POKE 53765, 168: POKE 56767, 168 AD 340 Q=1^1^1^1 GL 35Ø GOTO 19Ø EM 1000 REM Odd harmonics envelope an d no envelope

Program 5: Even And Odd Harmonics With ADSR Envelope

PK Ø GOTO 1ØØ

KM 10 REM Sound envelope NL 2Ø FOR I=1 TO 8 CN 21 TRAP 23:R=VAL (SØ\$(2*I-1,2*I)):T RAP 40000 LE 22 POKE 53761, 160+R: POKE 53763, 160 +R: POKE 53765, 160+R: POKE 53767, 16Ø+R: NEXT I EF 23 RETURN MI 100 DIM SØ\$ (50) OB 110 SØ\$="1512080808040200" KL 19Ø POKE 5376Ø, 243: POKE 53762, 81: P OKE 53764,49:POKE 53766,35 HE 200 GOSUB 20 KB 29Ø POKE 5376Ø, 162: POKE 53762, 54: P OKE 53764,32: POKE 53766,23 HF 300 GOSUB 20 AE 305 Q=1^1^1^1 MF 31Ø POKE 5376Ø, 243: POKE 53762, 121: POKE 53764,60:POKE 53766,40 HI 312 GOSUB 20 JP 33Ø POKE 5376Ø, 162: POKE 53762, 81: P OKE 53764, 40: POKE 53766, 27 HK 332 GOSUB 20 AD 340 Q=1^1^1^1 6L 35Ø GOTO 19Ø HL 1000 REM Odd and even harmonics wi

th envelope

0

How TurboTape Works

Harrie De Ceukelaire With Ottis Cowper, Technical Editor, And Charles Brannon, Program Editor

Last month COMPUTE! unveiled "TurboTape," a breakthrough program that makes Commodore 64 and VIC-20 tapes save and load as fast as disks. Although it's not necessary to know how TurboTape works in order to use it, this month's article explains the inner workings of the technique for programmers and technicians.

How can an ordinary cassette drive transfer data as fast as a 1541 disk drive? A few months ago, the answer would have been that it can't. But that was before "TurboTape." If you tried the TurboTape program published in last month's COMPUTE!, you know that something unusual is going on. VIC and 64 tapes really do load as fast as 1541 disks—sometimes even faster.

But *how*? TurboTape seems to violate a longstanding rule in personal computing. Tapes are always slower than disks, right?

To understand how TurboTape works, it helps to first understand how normal tape SAVEs and LOADs operate. Commodore's scheme for storing data on tape is quite complex—probably the most sophisticated used by any microcomputer manufacturer. The benefit of this complexity is that the system is extremely reliable. While users of other computers are frequently frustrated by programs that won't load properly from tape, many Commodore tape users never see a ?LOAD ERROR message. The disadvantage is that the complex system leads to long waits for programs to load.


Most microcomputers use an analog tape format. Each byte of the file to be stored on tape is broken down into bits, which in turn are converted to short bursts of audio tones. Two distinct tones symbolize the two states of a bit, either a zero or a one. If you've read much about telecommunications, you'll realize this is the same trick used by modems to transfer data over phone lines.

Digital Squares

Commodore, on the other hand, uses a digital tape format. Rather than recording a particular frequency on the tape, a Commodore computer writes a pattern of square waves (called *dipoles* in Commodore's technical literature) on the tape. The two *poles* are created by alternately recording either a strong signal or an equal period of no signal at all. The Commodore system uses square wave patterns of three different periods (lengths): short, medium, and long. When reading the bits back in, the computer monitors the period of each of the waves, and can—within limits—correct for differences in the length of the dipoles caused by one tape drive running slightly faster or slower than another.

Each byte of data is preceded by a marker consisting of a long square wave followed by a medium one. A 0 bit is represented by a short wave followed by a medium wave, while a 1 bit is the opposite—a medium wave followed by a short one. Each byte on tape ends with a parity bit, which is either 0 or 1 as required to make the total number of 1 bits in the byte odd. The first few bits of a byte on tape might be represented graphically as shown in Figure 1.

Using the parity bit, each byte can be checked as it is retrieved from tape. If there is not an odd number of 1 bits in the byte plus its parity bit, an error results.



In addition, when you save a program on tape, the computer automatically records it *twice*, end to end. Graphically, a program stored on tape would have the layout shown in Figure 2. If an error is detected in the first recording, the computer remembers where the error occurred and corrects it with data from the second recording. You get the ?LOAD ERROR message only if more than 30 errors are detected on the first pass, or if there are errors in the first pass that can't be corrected in the second.

As you can see, the Commodore tape format is reliable because of its built-in error detection and correction. This, in turn, is the key to speed-

ing up SAVEs and LOADs. Since you can't make the tape run faster, the only alternative is to change the recording format—cut back on Commodore's fail-safe mechanisms. TurboTape uses the bare minimum requirements to store data on tape. It's a method which is much like, yet much simpler than, Commodore's.

Turbowaves

TurboTape also creates a pattern of square waves on the tape, but instead of using a series of square waves to represent 0's and 1's, TurboTape uses a single square wave for each. The duration of the two square waves differs just enough to

permit the loading routine to distinguish between them. TurboTape records the square waves on tape in the same manner as the normal SAVE routine, by toggling the cassette write line. This line comes from bit 3 of the internal input/output port of the 6510 microprocessor (location 1/\$0001) in the 64, and from bit 3 of port B of VIA 2 (location 37152/\$9120) in the VIC. As long as RECORD and PLAY are pressed on the Datassette, this line controls the signal written to the tape. When the write line is turned on, the recording head of the Datassette generates a magnetic pattern on the tape. When the line is turned off, the erase head of the recorder operates alone, and a blank area of tape passes through.

The TurboTape dipole starts as a transition from 5 volts (the on state) to 0 volts (the off state) on the cassette write line. In a Turbosave, the trough of the wave is always the same duration, whether the bit is 0 or 1 (thus, the patterns aren't truly square waves). Bits are distinguished by the length of the following 5V signal. A shorter 5V signal indicates a 0, and a longer 5V signal indicates a 1 (see Figure 3). So after the first burst of 5V noise, the first period of silence is constant. Following the quiet period, the write line is turned back on. The duration of the write signal determines the value of a bit (the difference in timing is related to the execution time of the routine which Turbowrites a bit, but the duration of a 1 bit is roughly three times as long as for a 0 bit).

Flouting Murphy's Law

The format used for Turbosaving is indeed the most compact method of storing tape data, but without error detection and correction it would not be trustworthy. Many things can go wrong (and according to Murphy's Law will go wrong) during a tape LOAD. If only one bit is missed during the LOAD, all of the following bits will be off by one, effectively rotating all the bytes as they are loaded—not a pretty sight.

To help prevent this unbalance, TurboTape precedes the Turbosaved data with a series of synchronization bits. The synchronization leader consists of the byte value of 2 repeated 256 times, followed by a countdown of 9, 8, 7, 6, 5, 4, 3, 2, 1. During a LOAD, TurboTape looks for these bytes. It reads eight bits, then checks to see if the eight bits represent a value of 2. If a 2 is found, TurboTape checks for another 2. Sooner or later, TurboTape runs out of 2's and finds the 9 of the countdown sequence. TurboTape then continues, looking for the rest of the sequence.

Suppose that TurboTape missed one of the bits during synchronization. It would be left with a byte not representing a 2, even if a 2 had been

written on tape. At this point, the byte had better be a 9, the start of the countdown, or TurboTape assumes an error. If an error is detected this way, TurboTape assumes a mismatch and tries to find another 2. If TurboTape has found the 2 (instead of an 8 as the next value in the countdown), then even if the bad byte read previously was a 9, TurboTape knows that it was a false 9, not the start of the countdown. As long as the countdown sequence fails, Turbotape keeps trying to find 2's. The block of 2's gives TurboTape 256 opportunities to get into sync.

Assuming all is well, once 2's are no longer being received, TurboTape can verify the correct countdown sequence. TurboTape has insured that it is synchronized with the first bit of actual data. Only if the countdown is mangled will TurboTape fail to synchronize. This leader and countdown system is similar to the one used to synchronize tape reading in the regular SAVE format. If you've ever listened to a stored program on a regular recorder, you've heard the synchronization leader as the steady tone before the header and between the header and the program data

Following the synchronization leader, the Turbosave routine writes the starting and ending addresses of the program. These are stored as the first four bytes of Turbosaved data. After writing the starting and ending addresses, TurboTape starts writing out bytes from memory, taking the bytes apart bit by bit, beginning at the starting address. As these bytes are written, TurboTape adds them to a checksum value. Since the addition is done in eight bits, the checksum never exceeds 255. It rolls over from 255 to 0, much like an automobile's odometer changes from 99999 to 00000. When the ending address is reached, a checksum is written out as the final byte of the Turbosave.

These are all the steps necessary to save a program at high speed, but the fast SAVE would be useless without a corresponding fast LOAD routine to retrieve the data. And you would lose all the timesaving advantage of the fast SAVE if the fast LOAD routine had to be loaded into memory separately each time you needed to bring a program in from tape. Fortunately, TurboTape provides a loading routine that is transparent to the user.

By Its Own Bootstraps

Each Turbosaved program is preceded on tape by a bootstrap program stored using the normal SAVE format. The bootstrap program contains the entire high-speed loader, so the TurboTape software is not needed to load a Turbosaved program. But how does a normal LOAD become a Turboload?

The portion of the bootstrap program actually saved as a program is quite short: 10 bytes in the 64 version and 14 bytes in the VIC version. The data is saved in nonrelocatable format, so it always loads beginning at location 812 (\$032C). It may not be obvious, but this provides a simple but sophisticated way to make the regular LOAD automatically start the Turboload.

One of the last steps the computer takes when completing a standard LOAD is to call the CLALL (CLose ALL files) subroutine in the operating system ROM. CLALL passes through an indirect vector at addresses 812–813 (\$32C–32D), but those addresses have been changed by the data from the bootstrap program, so that execution is passed to the start of the Turboload routine at 814 (\$32E). However, the few bytes starting from location 814 obviously aren't enough to decipher the data Turbosaved on tape. The major portion of the Turboload machine language routine is in the cassette buffer.

How it gets there is another interesting story. You may not be aware of it, but every program stored on tape has a filename 187 characters long. Each program written to tape by the normal SAVE routine is preceded by a 192-byte header (see Figure 2). The length corresponds to the 192 bytes of the cassette buffer (locations 828–1019). The first five bytes of every tape header are used for a one-byte identifier, a two-byte starting address for the saved program, and a two-byte ending address. The remaining 187 bytes are available for the filename, although only the first 16 are commonly used.

The Turbosave routine makes use of this by filling all the locations after the sixteenth byte of the filename (starting at location 849) with the remainder of the Turboload machine language, where it is written out as part of the filename when the bootstrap program is saved. When the filename is found during the LOAD process, all the data in the program header is loaded into the cassette buffer. Thus, the few bytes of regularly saved data need do little more than transfer control to the remainder of the routine in the buffer. The complete layout of a Turbosaved program would be as shown in Figure 4.

Time Out For Reading

To read a bit, TurboTape makes use of several features of the peripheral interface chips—the CIA (Complex Interface Adapter) on the 64, or the VIA (Versatile Interface Adapter) on the VIC. Each of these chips has a line (FLAG on the CIA and CA1 on the VIA) that can detect a high-to-low signal transition, the beginning of a dipole. These are used as the cassette read lines to the Datassette. To detect the start of a dipole, the Turboload routine monitors bit 4 of location

56333 (\$DC0D) on the 64, or bit 1 of location 37165 (\$912D) on the VIC. This bit will be set to 1 when the signal being read from tape changes from 5 volts to 0 volts, called the *falling edge* of the dipole (see Figure 5).

To determine whether the bit being read is a 0 or a 1, the Turboload routine starts a timer when the start of the dipole is detected. Each interface adapter chip has two 16-bit timer clocks. On the 64, Timer 2 of CIA #2 is used; the VIC version uses Timer 1 of VIA #1. The timers are like the familiar kitchen timers—they are set for the desired time and allowed to run until the time expires (until they count down to 0). The scheme is to set the timers for a period that is longer than the span of a 0 bit dipole, but shorter than the span of the dipole for a 1 bit. Then, when the next falling edge is detected, the status of the timer is checked. If the timer counted down to 0 before the start of the next dipole, then the time for the bit read was longer than the timer count and thus it was a 1 bit. If the timer is still counting when the next dipole starts, then the length of the dipole being read was shorter than the specified timer count, and thus it was a 0 bit.

The status of the timer can be determined by checking bit 1 of location 56589 (\$DD0D) on the 64, or bit 6 of location 37149 (\$911D) on the VIC. These will be 0 if the timers are still counting, or 1 if the timers have counted down to 0, which corresponds to the value being read from tape. By collecting these into groups of eight, the bytes of the program can be reassembled. The process is illustrated in Figure 5.

Turboverify operates by reading from tape the bootstrap program for the Turbosaved program to be verified, then modifying some of the Turboload code. It overwrites a store instruction with a compare and branch instruction. Thus, when the Turboload routine takes over, data read from the tape is only compared to the data already in memory, instead of being loaded over the existing data.

The Price Of Speed

After all the program data bytes have been read, one final value is retrieved from the tape. This byte is the checksum previously calculated during the Turbosave. This is the only error detection performed after header synchronization. If the checksum calculated during the Turboload does not match the one read from the tape, the LOAD must have failed.

However, even a correct checksum does not validate a LOAD, because there's more than one way to arrive at a certain sum. Since 2 + 4 + 6 = 1 + 4 + 7, addition is not a fail-safe checksum method. So you must realize that this

speed enhancement does not come without a price. Nevertheless, we've found that the Commodore Datassette is still forgiving enough to

make TurboTape reliable.

Unfortunately, the tape reading routines in the bootstrap program are specific to the CIA on the 64 and the VIA on the VIC, since the different chips must be accessed through different memory locations. Also, Turboload makes use of a number of ROM routines that are at different locations in the VIC and 64. So even though the high-speed portion of a Turbosaved program could be read by either machine, the Turboload routine is machine-specific. Since the VIC and 64 Turboload routines are entered automatically, neither routine will work on the wrong machine. There's just not enough room in the cassette buffer for a universal TurboTape LOAD routine that would work on both computers. This means that programs Turbosaved on a 64 can't be loaded into a VIC, and vice versa.

Bypassing Errors

TurboTape works fine in principle, but without a good link with the operating system, it would be cumbersome. For ease of use, TurboTape adds two commands to BASIC: TURBOSAVE (or TSAVE) and TURBOVERIFY (TVERIFY). The TurboTape program as published last month includes a built-in memory mover and relocator.

Save Your Copies of COMPUTE!



Protect your back issues of COMPUTE! in durable binders or library cases. Each binder or case is custom-made in flagblue binding with embossed white lettering. Each holds a year of COMPUTE!. Order several and keep your issues of

Zip

COMPUTE! neatly organized for quick reference. (These binders make great gifts, too!)

Cases: \$6.95 each; 3 for \$20.00; 6 for \$36.00

\$8.50 each; 3 for \$24.75; 6 for \$48.00

(Please add \$2.50 per unit for orders outside the U.S.) Send in your prepaid order with the attached coupon

Mail to: Jesse Jones Industries , P.O. Box 5120 , Dept. Code COTE , Philadelphia , PA 19141

Please send me _____ COMPUTE! _ cases _ binders. Enclosed is my check or money order for \$ ____ . (U.S. funds only.)

Name ____

Address .

City _

Satisfaction guaranteed or money refunded.

Please allow 4-6 weeks for delivery.

When you initialize TurboTape, it copies itself to the top of memory (or optionally beginning at location 52606 on the 64), then corrects all the absolute machine language references such as JMPs, JSRs, and address tables. This relocator actually accounts for 170 of the 812 bytes of machine language in TurboTape.

When you type in the command TURBOSAVE, why don't you get a syntax error? It's certainly not a BASIC command. The answer is that when BASIC sees TURBOSAVE, it knows that TURBO is not a BASIC statement, so it assumes that it is a variable. BASIC then looks for the end of the variable, ready to assign it a value. Suddenly, it finds the command SAVE embedded within TURBOSAVE. A command like SAVE is not allowed as part of a variable name, so BASIC prepares to report a syntax error by jumping with the error code through the indirect error vector, contained in locations 768–769 (\$300–\$301).

This vector normally points to the BASIC ROM error-handling routines, but this is where TurboTape steps in. When first run, TurboTape changes the error vector to point to the relocated TurboTape machine language. From then on, whenever an error happens, TurboTape gains control. If the error is not a syntax error, TurboTape passes it along to the ROM error routine as usual. (It stores the original contents of 768-769 in 678-679, and uses those locations as its own indirect error vector.) For a syntax error, TurboTape checks for either the SAVE or VER-IFY token. Since BASIC has rejected TURBO as a variable, the CHRGET routine is left pointing to the token after TURBO. (CHRGET is used by BASIC to scan for characters in a command or program line. Each call returns a new character and sets up CHRGET to point to the next character.) That's how TurboTape detects the SAVE command.

In fact, almost anything can precede the SAVE (such as SPEEDSAVE or even PIZZASAVE), as long as it's seen as a variable. The token which BASIC points to after the variable must be either 148 (SAVE) or 149 (VERIFY); otherwise, TurboTape jumps back to the normal ROM routine and a ?SYNTAX ERROR is properly reported.

Normal SAVEs do not go to TurboTape, since they do not pass through the error routine. Even if a SAVE ends in an error, CHRGET would no longer be pointing to the token for SAVE. This is an extremely elegant way of adding commands to BASIC, and it wedges into BASIC without interfering with BASIC extensions that use CHRGET (such as the DOS wedge) or other system vectors.

PROGRAMMING THE TI

C Regena

Programming Without A Math Background

"Computer literacy," a required class in many high schools and colleges, is often little more than a class in elementary programming. Programming, however, is really only a small part of computing. Equally odd is the fact that many of these computer literacy classes require courses in algebra, calculus, or some other form of advanced mathematics as a prerequisite. In what way would knowing the calculus help someone learn BASIC?

Why are so many young people (often younger than 15) good programmers even if they've never taken algebra? Clearly, advanced mathematics has little to do with programming.

Of course, you do need to know a little about numbers. You need to know how to count. In a BASIC program the lines are numbered, so you must know the order in which the lines will be executed. Nevertheless, if you think logically, you can even use NUM to automatically number your lines as you are typing and you won't even have to worry about the line numbers.

If you like to program graphics, you should also learn something about basic coordinate geometry. That's just a mathematical term for using a grid. There are 24 rows and 32 columns on a TI-99/4A screen. If you want to place a character in a certain position, you have to tell the computer which row and column.

You'll also encounter numbers in the form of codes. For example, each color on a TI is given a number from 1 to 16. In any CALL SCREEN or CALL COLOR statement where you need a color number, you can look on the color chart to see which number represents which color. There are also codes for color sets, sounds, and characters. But beyond that, the most basic knowledge of addition, subtraction, multiplication, and division will be all you'll need in most cases.

Using Numbers Efficiently

Some skill at recognizing number patterns will help make your programs more efficient. Remember, however, that as long as your program works, it is "correct." There are many ways to accomplish the same task.

For instance, if you can recognize a pattern in your programming statements or among the numbers, quite often you can reduce the number of statements required. Suppose you want to draw seven horizontal lines across the screen. The lines are to be in rows 4, 7, 10, 13, 16, 19, and 22. You could use seven CALL HCHAR statements. Notice, though, that the numbers are each separated by 3. If you start with row 4 and add 3 each time until you get to 22, you'll have the lines you want. A FOR-NEXT loop could draw these same lines in only three statements:

200 FOR ROW=4 TO 22 STEP 3 210 CALL HCHAR(ROW,1,95,32) 220 NEXT ROW

Here's another problem. Suppose you want to draw a flower in several places on the screen, and each flower takes five characters, two on top of three others. The flowers are scattered randomly, so there's no pattern to their placement. In this case, a subroutine to draw the flower would be appropriate. Before you enter the subroutine, you could specify the row and column positions in the variables R and C. In the subroutine, the CALL HCHAR statements (or CALL VCHAR) need to be expressed in terms of R and C. If the upper-left corner of the flower is in position R,C then the next square would be R,C+1. Below R,C is R+1,C and next to it would be R+1,C+1 then R+1,C+2. The subroutine would look like this:

```
500 CALL HCHAR(R,C,112)
510 CALL HCHAR(R,C+1,113)
520 CALL HCHAR(R+1,C,114)
530 CALL HCHAR(R+1,C+1,115)
540 CALL HCHAR(R+1,C+2,116)
550 RETURN
```

And each time you need a flower, you would call the subroutine like this:

```
700 R=3
710 C=8
720 GOSUB 500
```

Streamlining Your Code

Now let's say you're drawing snakes instead of flowers. The snake still takes five characters, but all in a horizontal line. The subroutine might look like this:

```
500 CALL HCHAR(R,C,112)
510 CALL HCHAR(R,C+1,113)
520 CALL HCHAR(R,C+2,114)
530 CALL HCHAR(R,C+3,115)
540 CALL HCHAR(R,C+4,116)
550 RETURN
```

Notice that there is a pattern among the numbers. In each statement the column number increases by 1 and so does the character number. The five CALL HCHAR statements can be changed to:

```
500 FOR A=0 TO 4
510 CALL HCHAR(R,C+A,112+A)
520 NEXT A
```

A young friend came to me with a program in which he was randomly choosing five words, then printing them on rows 5, 7, 9, 11, and 13. He had to keep track of the words, their placement (order), and the answers. One solution was to DIMension arrays of W\$ and ANS\$ where the element specified was also the row number—so he had W\$(R) and ANS\$(R), where R was 5, 7, 9, 11, and 13. This method is easy to understand and worked well, but we were running into memory problems. Those arrays were taking up space because we weren't really using all the elements.

Notice that there is a pattern to the numbers:

```
Word 1—Row 5
Word 2—Row 7
Word 3—Row 9
Word 4—Row 11
Word 5—Row 13
```

The row numbers increase by 2. If you multiply each word number by 2, they become 2, 4, 6, 8, 10. Now compare these numbers with 5, 7, 9, 11, 13. Each of the word numbers (multiplied by 2) is 3 less than the row numbers. Therefore, if we have a word number N, the row number would be 2*N+3.

Later in the program, if we know the row

number R and want to find the word number, we need to relate 5, 7, 9, 11, 13 to 1, 2, 3, 4, 5. First subtract 3 from the row number, then notice that the result is 2 times the word number. Given the row number R, the word number is (R-3)/2.

Quite often, if you line up a group of numbers you can see a relationship or a pattern. You can usually use standard arithmetic operations to get from one column of numbers to the next. If there is a progression of numbers, you can use a FOR-NEXT loop with a certain STEP size to get the right series of numbers.

Programming A Reflection

In this month's example program, we'll see how numbers can be manipulated to simulate reflections in graphics. The program takes a design you draw in the upper-left quadrant of the screen and creates reflections in the other three quadrants. We don't want the pattern simply repeated (as in the "Quilt Squares" program), rather, we want to actually reverse the image.

First, you draw a design in an area defined by rows 2 through 12 and columns 6 through 16. For example, the drawing starts in row 12 and column 16. This particular square reflects onto the other quadrants in squares (12,17), (13,16), and (13,17). The top-left square of the drawing quadrant is (2,6), or row 2 and column 6. The corresponding squares in the other quadrants are (2,27), (23,6), and (23,27).

In general, for a certain row R and column C, the corresponding square in the upper-right quadrant would be on the same row R and the column number would be 17 (the quadrant starts in the seventeenth column) plus (16—C). The first quadrant ends in column 16, and you subtract the first quadrant's column number to get its distance from the center. The result is 33—C. Another way to look at it is that the column number will be the same distance from the last column as the original square is from the first column—thus 32—C+1 or 33—C.

The corresponding square in the lower-left quadrant will have the same column number C as the original square, but the row will be 12+13-R or 24+R-1, which is 25-R. The lower-right quadrant has the same row as the lower-left quadrant and the same column as the upper-right quadrant. Thus the three corresponding squares are (R,33-C) and (25-R,C) and (25-R,33-C). Lines 620-640 and 1000-1020 use these relationships.

Electronic Snowflake

When I was a child I liked to fold paper, cut a design, then unfold the paper to see what it looked like. Sometimes we would fold the paper to get a six-sided snowflake. Other times we

would fanfold the paper. We also used different variations of simply folding the paper into

rectangles.

This "Snowflake" program is the computerized version of cutting paper snowflakes (with no scraps of paper to clean up). Suppose you have a square piece of paper. Fold it in half to make a rectangle, then fold the rectangle in half to make a square. Now cut a design in that square. Unfold the paper and you have a four-sided snowflake.

When you run this program, you will see a large square outlined. You can draw in the upper-left square only. Use the arrow keys to move the cursor, press F to fill the cursor position with color, and press the space bar to preserve the background color (or to erase a previously filled position). When your design is complete, press ENTER. The computer starts at the center and moves outward to reflect your pattern on the other quadrants of the larger square.

When the design is complete, you can press M to modify, S to start a new pattern, P to print the pattern if you have a printer, and ENTER to end the program. If you press M to modify, the cursor starts blinking again and you can resume drawing. But this time your changes appear immediately in the rest of the design. When you're finished, you can press ENTER again. If you press S to start a new pattern, the screen clears

and you can start over.

To use the printer option, the printer must be attached and switched on (don't forget the RS-232 interface). Line 800 contains the printer configurations; modify it if necessary. The hard copy printout is elongated but shows the pattern you drew. Filled squares are represented by asterisks and the blanks by dots. If you want, you could even use this pattern for counted cross-stitching or needlepoint.

Program Explanation

Lines 110–200 clear the screen and print the title and instructions. Lines 210–270 define characters used as graphics. Characters 96–99 are used to outline the large square and the drawing quadrant. Character 104 is the filled square, and character 105 is the cursor used in drawing. Character 112 is the yellow dot used to indicate the ENTER key after the snowflake is complete. Lines 280–290 define the colors for the snowflake and the ENTER key symbol. If you wish to use different colors for the snowflake, change the color number 5 in line 280 and the screen color in line 430.

Lines 300–390 wait for you to press ENTER, then continue the instructions. Lines 400–410 wait for you to press any key to start. Lines 420–490 clear the screen, change the screen color

to cyan (light blue), then outline the large square

and the upper-right quadrant.

Lines 500–510 define the starting row X and column Y for the drawing cursor. Lines 520–540 call the subroutine that is the procedure for moving and filling in squares until the ENTER key is pressed.

When you press ENTER, lines 550–570 make a beeping sound, then erase the lines for the quadrant. Lines 580–660 look at each square in the upper-right quadrant. If they find a filled square, they draw a square in the other quadrants in the corresponding position. This happens in loops, starting with the center square and moving outward (by columns C) and upward (by rows R). When the process is complete, line 670 sounds another beep.

Lines 680–730 print the options to press M for modify, S to start over, P to print, or ENTER to end. Lines 740–780 detect the key pressed and

branch accordingly.

Lines 790–920 contain the printing option. You must have a printer connected, and your printer configuration must be specified in line 800. The computer looks at each row from 2 to 23 and each column from 6 to 27 using CALL GCHAR, and then prints a period for a space and an asterisk for a filled square. After the printing is complete, the program branches back to the options of M, S, P, and ENTER.

Lines 930–1030 contain the modify option. First the options at the right of the square are cleared. Then the drawing cursor reappears. Design changes instantly appear in the other three quadrants. When you press ENTER, the program branches back to the options of M, S, P, and

ENTER.

Lines 1040–1320 contain the subroutine for the drawing procedure. CALL GCHAR checks to see what character is in position X,Y and calls that character number (G). Lines 1060–1080 blink the cursor while waiting for a keypress. Lines 1090–1300 are the branching statements executed when certain keys are pressed. Line 1310 draws the new character if it is a space or a filled square.

Lines 1330-1340 clear the screen, then end

the program.

If you wish to save typing, you can receive a copy of this program by sending a blank cassette or disk, a stamped, self-addressed mailer, and \$3 to:

C. Regena P.O. Box 1502 Cedar City, UT 84720

Please be sure to specify that you need the TI version of Snowflake.

Snowflake

Refer to "COMPUTE!'s Guide To Typing In Programs" before entering this listing.

```
100 REM
          SNOWFLAKE
 110 CALL CLEAR
 120 PRINT TAB(9); "SNOWFLAKE":::
    PRINT "USE THE ARROW KEYS TO DR
     AW"
     PRINT : "IN THE UPPER LEFT QUADR
 140
     ANT."
150
    PRINT : "PRESS 'F' TO FILL A SQU
     ARE."
    PRINT : "PRESS SPACE BAR TO ERAS
160
170 PRINT : "PRESS (ENTER) WHEN YOU"
    PRINT : "ARE FINISHED DRAWING."
190 PRINT :: "THE COMPUTER WILL COMP
     LETE"
200 PRINT : "THE SNOWFLAKE."
210 CALL CHAR (96, "00000000000000000FF")
220 CALL CHAR (97, "80808080808080808")
230 CALL CHAR (98, "FF")
    CALL CHAR (99, "Ø1Ø1Ø1Ø1Ø1Ø1Ø1Ø1")
    11 )
    CALL CHAR(105, "FF818181818181FF
260
    CALL CHAR(112, "3C7EFFFFFFFF7E3C
    ")
280 CALL COLOR (10,5,1)
29Ø CALL COLOR(11,12,1)
300 PRINT :: "PRESS (ENTER).
310 CALL KEY(Ø,K,S)
320 IF K<>13 THEN 310
330 CALL CLEAR
340 PRINT "AFTER SNOWFLAKE IS COMPL
    ETE."
350 PRINT : "PRESS (M) TO MODIFY PAT
    TERN"
360 PRINT : "PRESS (S) TO START OVER"
370 PRINT : "PRESS (P) TO PRINT COPY"
380 PRINT : "PRESS (ENTER) TO END."
390 PRINT :::: "PRESS ANY KEY NOW T
    O START."
400
    CALL KEY (Ø, K, S)
410 IF S<1 THEN 400
420 CALL CLEAR
43Ø CALL SCREEN(8)
440 CALL HCHAR (1, 6, 96, 22)
450 CALL VCHAR(2,28,97,22)
460 CALL HCHAR (24,6,98,22)
47Ø CALL VCHAR(2,5,99,22)
480 CALL VCHAR (2, 17, 97, 11)
49Ø CALL HCHAR (13, 6, 98, 11)
500 X=12
51Ø Y=16
520 CALL SOUND (150, 1397, 2)
530 GOSUB 1050
540
    IF K<>13 THEN 530
550 CALL SOUND(100,1497,2)
    CALL HCHAR (13, 6, 32, 11)
570 CALL VCHAR(2,17,32,11)
58Ø FOR R=12 TO 2 STEP -1
590 FOR C=16 TO 6 STEP -1
600 CALL GCHAR (R, C, H)
610 IF H=32 THEN 650
620 CALL HCHAR (R, 33-C, H)
```

```
64Ø CALL HCHAR(25-R,33-C,H)
  65Ø NEXT C
  660 NEXT R
  670 CALL SOUND (100,440,2)
 680 CALL VCHAR (8, 29, 60, 4)
 690 CALL VCHAR (8, 31, 62, 4)
 700 CALL HCHAR (8, 30, 77)
 710 CALL HCHAR (9, 30, 83)
 720 CALL HCHAR (10, 30, 80)
 730 CALL HCHAR(11,30,112)
 740 CALL KEY(0,K,S)
 75Ø IF S<1 THEN 74Ø
 760 IF K=83 THEN 420
 77Ø IF K=13 THEN 133Ø
 780 IF K<>80 THEN 930
 790 REM
           PRINTER CONFIGURATION
 800 OPEN #1:"RS232.BA=600"
 810 FOR R=2 TO 23
 82Ø FOR C=6 TO 27
 830 CALL GCHAR(R,C,H)
 84Ø IF H<>32 THEN 87Ø
 85Ø PRINT #1:".";
 86Ø GOTO 88Ø
 87Ø PRINT #1: " * ";
 88Ø NEXT C
 89Ø PRINT #1: CHR$(13)
 900 NEXT R
 910 CLOSE #1
920 GOTO 670
93Ø IF K<>77 THEN 74Ø
940 CALL VCHAR(8,29,32,4)
950 CALL VCHAR(8,30,32,4)
960 CALL VCHAR(8,31,32,4)
97Ø CALL SOUND(15Ø, 1397, 2)
980 GOSUB 1050
99Ø IF K=13 THEN 67Ø
1000 CALL HCHAR (X, 33-Y, 61)
1010 CALL HCHAR (25-X, Y, G1)
1020 CALL HCHAR(25-X,33-Y,G1)
1030 GOTO 970
1040 REM SUB TO DRAW
1050 CALL GCHAR (X, Y, G)
1060 CALL KEY (0, K, S)
1070 CALL HCHAR (X, Y, 105)
1080 CALL HCHAR (X, Y, G)
1090 IF K=13 THEN 1320
1100 IF K=70 THEN 1300
1110 IF K=32 THEN 1280
1120 IF K<>88 THEN 1160
1130 IF X=12 THEN 1060
114Ø X=X+1
1150 GOTO 1050
1160 IF K()83 THEN 1200
1170 IF Y=6 THEN 1060
118Ø Y=Y-1
119Ø GOTO 1050
1200
     IF
        K<>68 THEN 1240
121Ø IF
        Y=16 THEN 1060
122Ø Y=Y+1
1230 GOTO 1050
124Ø IF K<>69 THEN 1060
1250 IF X=2 THEN 1060
1260 X=X-1
1270 GOTO 1050
128Ø G1=32
1290 GOTO 1310
1300 G1=104
1310 CALL HCHAR(X,Y,G1)
1320 RETURN
1330 CALL CLEAR
134Ø END
```

0

63Ø CALL HCHAR (25-R, C, H)

MACHINE LANGUAGE

Jim Butterfield, Associate Editor

Multiplication Part 2

In Part 1, we discussed a multiplication such as:

(x) (y)				1	1		1 0		
				1	1	0	1	0	
			0	0	0	0	0		
		1	1	0	1	0		i h	
(z)	1	0	0	0	0	0	1	0	

We indicated that the logic might most usefully work this way:

- 1. Set the product area (z) to zero.
- 2. Examine the highest bit of the multiplier (v).
- 3. If the bit is 1, add the multiplicand (x) into the product (z).
- 4. If the multiplier (y) has no more bits, quit.
- 5. Shift the product (z) left one bit.
- 6. Examine the next highest bit of the multiplier, and go to step 3.

Thus, we start with 11010, shift left to get 110100, add nothing, shift left to get 1101000, add 11010 to give 10000010, then quit. Answer: 10000010, or hex 82, or decimal 130.

Working Another Shift

That's not hard to do, but we have one more trick in our bag. Notice that the product is shifted left. We could test the bits of the multiplier (y) if we shifted it left, too. The highest bits would pop into the carry flag as we shifted, and we could test each bit with a BCC or BCS as it goes by.

Now—and this is the neat part—if we need to shift both the product and the multiplier left, maybe we could put them together and shift them as one large collection of bits. We can see this best graphically:

00000101 00000000 Multiplier Product

We'll shift these two as if they were one value. Whenever a bit hits the carry flag, we'll add 11010 (our multiplicand) into the product area. Nothing much will happen at first, since as

we shift the two-byte group left, zeros will move into the carry and we won't add a thing. After five shifts, we have:

10100000 00000000

We still have nothing in our carry flag. But one more long shift, and the high bit will move into the carry:

C 01000000 00000000

Good! Add the multiplicand into the product area (using a full two-byte addition), and we'll get:

01000000 00011010

The next two left-shifts yield the following values:

and C 00000000 001101000

Aha! The carry bit has been hit again, so we add 11010 into the product area to get:

00000000 10000010

That's our answer! Correct in both bytes! We know to stop at this point because if we count the shifts we find that we've done eight—exactly the number of bits in the multiplier.

Taking A Bigger Byte

The elegant thing about this kind of multiplication is that the answer is correct over several bytes. For example, if you multiply a one-byte number by another one-byte number, the product may be up to two bytes in length. Our previous example was a simple one: 5 times 26 gives 130, which still fits into one byte. But if we try, say, 48 times 40, we'll need a two-byte area for the answer. Without special comment, let's do it using the same method:

	00101000	00000000
	01010000	00000000
	10100000	00000000
C	01000000	00110000
	10000000	01100000
C	00000000	11110000
	00000001	11100000
	00000011	11000000
	00000111	10000000

Answer: hex 780, or decimal 1920. Correct in both bytes.

Let's write the code to multiply a number in the A register with one in the X register and place the result in address \$0380 (low) and \$0381 (high). We'll use \$0382 as storage for the multiplicand.

	STX	\$Ø382	;multiplicand
	STA	\$Ø381	;multiplier
	LDA	#\$ØØ	
	STA	\$Ø38Ø	;zero to product
	LDX	#\$Ø8	;number of bits
NXBIT	ASL	\$Ø38Ø	
	ROL	\$Ø381	
	BCC	NOADD	
	CLC		
	LDA	\$Ø381	
	ADC	\$Ø382	
	STA	\$Ø381	
test we	LDA	\$Ø38Ø	
	ADC	#\$ØØ	
	STA	\$0380	
NOADD	DEX		
	BNE	NXBIT	

It's elegant, it's efficient, and it easily extends to a greater number of bytes for the multiplier and multiplicand.

DOUBLES DISKETTE STORAGE SPACE!

REDUCES DISKETTE COST 50%!



Now! The back of 51/4" Diskettes can be used for data storage even with single head disk drives.

- NIRELE NOTCH * Tools make it easy.
- Adds the Precise notch where it's needed.
- Doubles Diskette Space or Money Back!

NIBBLE NOTCH I

Cuts Square Notch for Apple, II, II+, IIe, IIc, III.

Franklin & Commodore. only \$14.95* each

NIBBLE NOTCH II

Cuts Square Notch and 1/4 inch round "index hole." For use with computers other than those shown for MUNILE NOTICE L

only \$21.90* each

DISK OPTIMIZER SYSTEM Software for Apple, II, II +, IIe, III and Franklin

- Certifies your "new" Disk 100% Error Free 469% FASTER THAN SIMILAR PROGRAMS!
- Removes Bad Sectors Adds 36th Track
- Performs Disk Drive Speed Check
- · Adds DOS and More only \$24.95*

SPECIAL PACKAGE PRICE -NIBBLE NOTCH I and DISK OPTIMIZER

only \$29.95 for BOTH

On all orders add \$2.00 for each item Postage & Handling (\$5.00 each foreign P&H) *Florida Residents Add 5% Sales Tax SATISFACTION GUARANTEED OR YOUR MONEY BACK!

ORDER TODAY




Toll Free 1-800-642-2536 Florida 305-493-8355

or send Check or Money Order to:



NIBBLE NOTCH® COMPUTER PRODUCTS 4211 NW 75th TERRACE · DEPT. 66 · LAUDERHILL, FL 33319

Universal Input/Output Board for VIC-20/64



- · 16 channel 8-bit A/D converter with 100 microsecond sampling time.
- 1 D/A output.
- 16 high voltage/high current discrete outputs.
- 1 EROM socket.
- Use multiple boards for additional channels up to 6 boards

VIC-20 uses MW-311V \$205.00 CBM-64 uses MW-311C . . . \$225.00



Dealer inquiries invited.

Micro World Electronix, Inc.

3333 S. Wadsworth Blvd. #C105, Lakewood, CO 80227

(303) 987-9532 or 987-2671

"RATED #1 FOR SERVICE & RELIABILITY" ORDER TOLL-FREE

800-221-8180 IN NEW YORK STATE

CALL (212) 732-8600



23 PARK ROW NEW YORK CITY NEW YORK 10038



SPECIALS OF THE MONTH



ODORE 64 SOFTWARE

JUKI 6100 DAISY WHEEL



PRINTERS

1289.95

COMPUTER SYSTEMS

IBM SOFTWARE

SUB-LOGIC FLIGHT SIMULATOR II

ALL SOFTWARE DISK BASED UNLESS

\$3495

Choose Airports, Weather and More

5.25 INCH FLOPPY DISKS ASHUA MD1D SS DD

OKIMATE 10 IN STOCK!

DATA STORAGE

NOTE: WE CARRY A FULL LINE OF AUDIO, VIDEO, AND COMPUTERS IN EVERY MAJOR BRAND. THIS ISTINIC IS JUST A SMALL SAMPLE IN OUR '10,000,000 INVENTORY, PLEASE CALL US TOLL FREE OR WRITE TO US FOR PRICES ON ITEMS NOT LISTED IN THIS AD.

23 PARK ROW, DEPT. C2, NYC, NY 10038



MACINTOSH SOFTWARE

ATARI SOFTWARE

129.95 124.95 139.95 159.95

DISCWASHER SPIKEMASTER SURGE PROTECTOR



COMPUTER ACCESSORIES ARDCO 7 + C C64 Printe ETWORX WIRE TREE 4 PI

FREE GIANT CATALOGS: CALL TOUL FREE *368 PACE AUDIO / VIDEO / COMPUTER CATALOG *80 PACE RECORD AND CASSETTE CATALOG *80 PACE VIDEO MOVIE CATALOG *Passe Send \$1.00 for Shipping & Handling

IBM Rebound

All Machine Language Game For PC & PCjr

Chris Metcalf and Marc Sugiyama

Here's a fast, smooth, all machine language adaptation of a classic arcade game. With the modifications included below, it runs on any IBM PC (color/graphics or monochrome adapter) with at least 64K RAM and a disk drive, and any Enhanced Model PCjr.

"Rebound" takes advantage of machine language to streamline the action in this arcade-style game patterned after the popular *Breakout*. By controlling a paddle at the bottom of the screen, your goal is to knock out all the bricks at the top of the screen with a bouncing ball.

Unlike most action games, Rebound works on all three popular types of IBM Personal Computers. Program 1 is for an IBM PC with the color/graphics adapter. Program 2 consists of modifications to make Program 1 work on an IBM PC with the monochrome adapter. And although Program 1 works as is on an IBM PCjr, the modifications contained in Program 3 accelerate the game to compensate for Junior's slower execution speed.

Typing Instructions

If you have a color/graphics PC, type in Program 1. If you have a monochrome PC, type in Program 1 and substitute the lines in Program 2. If you have a PCjr, type in Program 1 and substitute the lines in Program 3. To be safe, save the program on disk before running it for the first time.

Next, insert a disk in drive A and type RUN.

The BASIC program will create a machine language file on disk with the filename REBOUND.EXE (the drive may whir on and off a few times as the file is created).

When the Ok prompt reappears, exit BASIC to DOS by typing SYSTEM. Make sure the disk with the REBOUND.EXE file is in drive A. To run Rebound, type REBOUND.EXE at the DOS prompt. Almost instantly, the game screen will appear.


Eight Chances For Glory

To start playing Rebound, press the Enter key. The first ball starts moving downward from the middle of the screen. Your job is to keep it from falling off the bottom of the screen by bouncing it upward toward the rows of bricks.

To bounce the ball, move the paddle back and forth with the left and right Shift keys. You'll have to anticipate where the ball will bounce next, because the paddle can't always move across the screen as fast as the ball can (otherwise the game would be too easy). If you miss a ball, another one starts falling. You get a total of eight balls before the game ends in defeat. If you succeed in knocking out all the bricks, the program resets for another game.

There are five rows of bricks. Bricks on the lowest row are worth one point each, bricks on the second-lowest row are worth two points, etc.

You can freeze Rebound at any time by pressing the space bar. Press any other key to resume play.



"Rebound" is a fast arcade-style game that works on nearly all IBM Personal Computers.

The Esc key restarts a game in progress by replacing all missing bricks and lost balls. It also resets the score to zero.

To stop the game entirely and exit to DOS, press Ctrl-Break on the PC or Function-Break (Fn-B) on the PCjr.

Refer to "COMPUTEI's Guide To Typing In Programs" article before typing these programs in.

Program 1: Rebound For IBM PC (Color/Graphics)

```
EL 10 ON ERROR GOTO 70
  20 OPEN "o", 1, "rebound.exe"
     READ A : IF A (Ø THEN 50
 40 PRINT #1, CHR$(A); : GOTO 30
  50 FOR I=1 TO -1*A : PRINT #1.CHR$
EP
     0); : NEXT
 60 GOTO 30
     IF ERR (> 4 THEN ON ERROR GOTO Ø
 70
CR
 80 CLOSE 1 : END
  100 DATA 77,90,32,1,4,0,1,0
  110 DATA 32,-3,255,255,74,0,128,0
      DATA 208, 144, -4, 32, -3, 205, 11, -2
      DATA 6,-479.30,184,-2,80,184,59
  140 DATA 0,142,216,142,192,176,3,18
      0
 150 DATA 0,205,16,185,-2,182,24,178
  160 DATA 79,176,0,183,7,180,6,205
  170 DATA 16, 181, 32, 180, 1, 205, 16, 182
  180 DATA 3,178,3,183,0,232,107,3
FD
  190 DATA 176,218,179,15,232,107,3,1
      78
  200 DATA 4,232,95,3,176,196,185,72
ME 210 DATA 0,232,97,3,178,76,232,82
LH 220 DATA 3,176,191,232,84,3,182,4
NA 230 DATA 178,3,232,70,3,176,179,232
FI 240 DATA 72,3,178,76,232,60,3,176
 250 DATA 179,232,62,3,254,198,128,2
      54
      DATA 24,114,229,178,4,182,1,190
  260
            199,0,232,223,2,198,6,45
  270
      DATA
      DATA 0,56,191,3,0,198,133,94
QL 290 DATA 0,48,79,117,248,190,26,0
```

```
BP 30.0 DATA 232, 179, 2, 198, 6, 10, 0, 92
 310 DATA 198,6,6,0,128,198,6,8
EH
      DATA -2, 191, 5, Ø, 182, 5, 178, 4
  320
  330
      DATA 183,0,190,182,0,247,199,1
      DATA 0, 117, 3, 190, 189, 0, 185, 9
      DATA 0.232.159.2.226.251.232.11
OJ 360 DATA 2,79,117,224,128,62,11,-2
 370 DATA 117, 18, 198, 6, 11, 0, 1, 232
  380 DATA 166,2,128,62,12,0,1,117
  390 DATA 3,233,106,1,254,14,45,0
OB
      DATA 128,62,45,0,48,115,3,233
      DATA 145,1,190,26,0,232,84,2
FJ
  410
      DATA 182,24,178,0,190,225,0,232
      DATA 96,2,198,6,9,0,35,180
  430
00
  440
      DATA 0,205,26,139,194,37,255,15
  450
      DATA 178,20,246,242,128,196,4,2
       46
QO 460 DATA 196,1,116,3,128,196,52,138
11
  470 DATA 212, 182, 11, 137, 22, -2, 198, 6
  480 DATA 4,0,2,128,252,39,119,5
BN
  490 DATA 198,6,4,0,3,180,2,205
  500 DATA 22,36,3,116,25,60,3,116
DH
IF
  510
      DATA 21,60,1,116,2,176,255,2
MH
  520
      DATA 6,9,0,60,2,124,7,60
  530
      DATA 68, 127, 3, 162, 9, 0, 232, 46
  540
      DATA 1,160,6,0,44,127,177,10
  550
      DATA 246,225,247,216,5,160,15,1
       39
KC
  560
      DATA 200,226,254,160,5,0,2,6
JP
  570
      DATA 6,0,162,5,0,114,3,233
      DATA 173,0,139,22,-2,160,4,0
FI
  590 DATA 36,1,208,224,44,1,2,208
  600 DATA 160,4,0,36,2,44,1,128
      DATA 54,7,0,1,117,2,176,0
CB
  610
      DATA 2,240,128,254,24,119,39,18
  620
  630
      DATA 0,232,3,2,180,8,205,16
      DATA 60,32,116,88,191,13,0,185
FB
      DATA 4.0.252.242,174,117,41,232
EK
  650
      DATA 247,0,128,54,4,0,2,198
AH
  660
      DATA 6,7,-2,235,179,139,22,2
CP
  670
      DATA 0,232,213,0,139,22,-2,232
  680
PH
KL
  690 DATA 206,0,232,175,0,180,14,176
  700 DATA 7,205,16,233,2,255,191,17
  710 DATA 0, 185, 3, 0, 242, 174, 117, 5
LH
BC
  720 DATA 128,54,4,0,1,191,20,0
  730 DATA 185,6,0,242,174,116,3,233
KA
  740
      DATA 125,255,128,54,4,0,2,233
JF
BA
  750
      DATA 117, 255, 128, 54, 8, Ø, 1, 117
JN
  760
       DATA
            19,82,139,22,2,0,232,143
  770
       DATA
            0,90,232,124,0,137,22,-2
IH
  780
       DATA
            235,9,144,135,22,-2,137,22
  790 DATA 2,0,180,1,205,22,116,39
HB
MC
  800 DATA 180,0,205,22,128,252,1,117
  810 DATA 8,198,6,11,-2,233,219,253
AC
DK 820 DATA 60,32,117,7,180,0,205,22
  830 DATA 235, 12, 144, 10, 196, 117, 7, 17
KG
       6
GG 840 DATA 3,180,0,205,16,203,128,62
       DATA 10,-2,116,3,233,215,254,19
  850
       DATA 99,0,232,231,0,139,22,2
  860
       DATA
            0,232,56,0,139,22,-2,232
OD
  870
  880 DATA 49,0,232,18,0,232,7,1
  890 DATA 128,62,12,0,1,116,206,233
```

```
KG 900 DATA 151,253,190,128,0,235,218,
       182
      DATA 24,138,22,9,0,190,209,0
  910
  920 DATA 232,206,0,195,82,183,0,232
FM 930 DATA 14,1,176,9,179,3,232,14
HN 940 DATA 1,90,195,82,183,0,232,255
JE 950 DATA 0,176,32,179,7,232,255,0
DD 960 DATA 90,195,254,14,10,0,83,81
LE 970 DATA 82,86,138,254,128,238,6,12
QM 980 DATA 230,1,208,230,128,234,4,42
ME 990 DATA 214,128,226,252,2,214,185,
  1000 DATA 0,121,5,178,0,185,2,0
  1010 DATA 128, 194, 4, 138, 247, 128, 250
        , 74
  1020 DATA 114,3,185,2,0,183,0,232
BE 1030 DATA 190,0,176,32,179,7,232,19
AF 1040 DATA 0,133,11,42,254,2,62,97
60 1050 DATA 0,136,62,97,0,183,58,190
FK 1060 DATA 2,0,58,188,95,0,119,18
  1070 DATA 138, 156, 95, 0, 128, 235, 10, 1
        36
DM 1080 DATA 156,95,0,254,132,94,0,78
GN 1090 DATA 117,232,190,26,0,232,43,0
  1100 DATA 128,238,6,177,5,210,230,2
        46
CP 1110 DATA 214,58,54,6,0,114,4,136
HA 1120 DATA 54,6,0,94,90,89,91,195
  1130 DATA 82,176,1,181,5,177,4,182
  1140
       DATA 23,178,75,183,7,180,7,205
  1150
       DATA 16,90,195,83,173,139,208,
        183
  1160 DATA 0,232,84,0,172,60,0,116
GL
  1170 DATA 6,180,14,205,16,235,245,9
CN 1180 DATA 195,81,86,183,0,232,64,0
  1190 DATA 172,60,0,116,15,138,200,1
  1200 DATA 0,172,138,216,172,232,58.
DB 1210 DATA 2,209,235,233,94,89,195,2
DA 1220 DATA 19,0,190,161,0,232,195,25
  1230 DATA 180,0,205,22,10,196,116,1
  1240 DATA 128,252,28,117,243,139,22
        , 161
CA 1250 DATA 0,178,4,190,229,0,232,192
LJ 1260 DATA 255, 195, 198, 6, 12, 0, 1, 195
  1270 DATA 80,180,2,205,16,88,195,18
GO 1280 DATA 1,0,180,9,205,16,195,-19
  1290 DATA 219,219,219,219,179,218,1
       91,196
  1300 DATA 205,218,191,213,184,4,1,6
  1310 DATA 97,108,108,115,32,114,101
        , 109
PF 1320 DATA 97,105,110,105,110,103,58
       , 32
 1330 DATA 0,32,32,32,32,32,32
MI
  1340 DATA 32,32,32,32,82,32,69
```

GE 1350 DATA 32,66,32,79,32,85,32,78

```
JJ 1360 DATA 32,68,32,32,32,32,32,32
BI 1370 DATA 32,32,32,32,32,32,32,32
PF 1380 DATA 32,32,32,83,99,111,114,10
NL 1390 DATA 58,32,-4,27,2,67,111,110
EN 1400 DATA 103,114,97,116,117,108,97
        . 116
HE 1410 DATA 105,111,110,115,33,32,32,
       89
LJ 1420 DATA 111, 117, 32, 119, 105, 110, 33
        . 0
EO 1430 DATA 25,2,84,114,105,117,109,1
       12
PA 1440 DATA 104,33,32,32,78,111,116,1
       0 4
NJ 1450 DATA 105,110,103,32,99,97,110,
       32
       DATA 115, 116, 111, 112, 32, 109, 10
LF 1460
        1,33
GJ 1470 DATA 0,31,16,72,105,116,32,69
FD 1480 DATA 110, 116, 101, 114, 32, 116, 11
        1,32
CD
  1490 DATA 66, 101, 103, 105, 110, 0, 4, 1
HM
  1500 DATA 219,4,2,219,0,2,4,219
  1510
       DATA 4,6,219,2,4,219,0,20
DJ
  1520 DATA 12,32,24,15,32,26,12,32
OA
  1530 DATA 0,1,9,32,1,9,213,6
  1540 DATA 9,205,1,9,184,1,9,32
AD
8F
  1550 DATA 0,79,9,32,0,72,7,32
NO
  1560 DATA -8,83,84,65,67,75,32,32
NL
  1570 DATA 32,83,84,65,67,75,32,32
  1580 DATA 32,83,84,65,67,75,32,32
NB
  1590 DATA 32,83,84,65,67,75,32,32
  1600 DATA 32,83,84,65,67,75,32,32
MI
ML 1610 DATA 32,83,84,65,67,75,32,32
MO
  1620
       DATA 32,83,84,65,67,75,32,32
MB
  1630
       DATA 32,83,84,65,67,75,32,32
ME
  1640
       DATA 32,83,84,65,67,75,32,32
MH
  1650
       DATA 32,83,84,65,67,75,32,32
  1660
       DATA 32,83,84,65,67,75,32,32
  1670 DATA 32,83,84,65,67,75,32,32
  1680 DATA 32,83,84,65,67,75,32,32
ND 1690 DATA 32,83,84,65,67,75,32,32
MK 1700 DATA 32,83,84,65,67,75,32,32
MN 1710 DATA 32,83,84,65,67,75,32,32
KG 1720 DATA 32
```

Program 2: Modifications For MonochromePC

```
ON 1290 DATA 176,177,178,219,179,218,1
        91,196
  1490 DATA 66,101,103,105,110,0,4,15
  1500 DATA 176,4,7,177,0,2,15,178
NB
FE
 1510
       DATA 4,7,219,2,15,178,0,20
16
  1520
       DATA 7,32,24,15,32,26,7,32
JG
  1530
       DATA 0, 1, 7, 32, 1, 7, 213, 6
       DATA 7,205,1,7,184,1,7,32
  1540
  1550 DATA 0,79,7,32,0,72,7,32
```

Program 3: Modifications For PCjr

CN 540 DATA 1,160,6,0,44,127,177,6 BP 550 DATA 246,225,247,216,5,206,9,13

Apple Bowling Champ

Original Program By Joseph Ganci

Apple Adaptation By Patrick Parrish, Programming Supervisor

Now you can go bowling without the expense of renting special shoes or suffering the embarrassment of rolling a gutter ball in front of dozens of people. "Bowling Champ" is a game for one to four players which runs on any Apple II-series computer.

Some computer games, such as *Pac-Man* or *Adventure*, create their own unique fantasy worlds, while others are simulations of reality. "Apple Bowling Champ" is an example of the latter.

It's not easy to take a game with countless physical variables such as bowling and reduce it to numbers so it can be re-created by a computer—especially a microcomputer. Compromises must be made. Usually the game must be modified in major ways to make it possible to program. The result is a hybrid game, an approximation of reality, that resembles the original but has new aspects of its own.

Apple Bowling Champ is a reasonable simulation of a game of tenpins, given the limitations imposed by a BASIC program which must remain short enough to publish in a magazine. The elements of skill and luck have been preserved, and the scoring is authentic.

Up To Four Players

When you run Bowling Champ, the program asks for the number of players. Up to four people can play. Next, enter the players' names. To fit the names on the 40-column screen, the program truncates entries to eight characters.

Now you're ready to bowl the first frame. The bowling ball moves rapidly up and down across the alley until you press the space bar. This rolls the ball down the alley and knocks over the pins—unless you've thrown a gutter ball. The trick is to time your release so the ball rolls down the center of the alley to score a strike.

In case you're unfamiliar with how a game of tenpins is scored, here's a brief summary.

A game consists of ten frames or turns. Each player gets one or two balls per frame. If you roll a strike—knocking down all tenpins with your first ball—you don't get a second ball, but the current ball's score is ten plus the total of your next two throws.


If some pins are left standing after your first ball, you get a second ball. If you knock down all the remaining pins, it counts as a spare, and the current ball's score is ten plus your next throw.

If any pins remain after your second ball (no strike or spare), the number of pins knocked down in that frame is added to your previous score.

Rolling a spare in the tenth (last) frame gains you one extra ball; rolling a strike in the tenth frame gains two extra balls.

Therefore, a perfect game—ten strikes during regular play plus two strikes with the extra balls—scores 300 points. Needless to say, this doesn't happen very often, either in real bowling or in Bowling Champ.

Since Bowling Champ follows every rule of scoring for regular bowling, you can learn how to score by carefully observing the game. The only



Four players compete in "Apple Bowling Champ": A blinking bowling pin next to a player's scorecard shows whose turn is next.

difference is that the computer does not wait until the end of a frame to update the score; it updates it after every ball.

Adjusting The Difficulty

Novice bowlers may find that the ball moves too fast for them to aim. On the other hand, more experienced players may want to speed up the ball to make the game harder. You can easily make either modification by changing the delay loop in line 480. The statement in 480 reads:

480 FOR R=1 TO 10:NEXT

Replacing the 10 with a larger number slows down the ball; a smaller number speeds up the ball. You might try a value between 20 and 50 for youngsters. For expert players, remove line 480 altogether.

Apple Bowling Champ

```
100
     HIMEM: 36096: GOSUB 770
     GOSUB 830: GOSUB 970
110
120
     GOSUB 1160
130
     HOME : POKE 230,32: CALL 62450: HGR
     : POKE 6,0: POKE 7,141: POKE 54,0:
      POKE 55,3: CALL 1002
140
     GOSUB 1230
150
     REM
         -MAIN LOOP-
160
     FOR Q = 1 TO 10: FOR Z9 = 0 TO A -
170
     FOR R = 1 TO 10: VTAB 2 * (Z9 + 1)
      + 1: HTAB 1: PRINT " ";: FOR F =
     1 TO 30: NEXT F: HTAB 1: PRINT "$"
     : FOR F = 1 TO 30: NEXT F: NEXT R
180 B1 = 0: GOSUB 360
    IF J1 ( > 10 THEN B1 = 1: GOSUB 3
     IF Q = 10 THEN ON S GOTO 210,270,
    270,210,310
    VTAB (Z9 + 1) * 2 + 1: HTAB 1: PRINT
    " ": NEXT : NEXT : VTAB 24: HTAB 1
    0: POKE - 16368,0: PRINT "PLAY AG
    AIN (Y/N)?";
```

```
220
     IF
         PEEK ( - 16384) ( 128 THEN 220
 230 K =
         PEEK ( - 16384) - 128: IF K (
       > 78 AND K < > 89 THEN POKE
      16368.0: GOTO 220
 240
      IF K = 89 THEN 120
 250
      POKE
           - 16368,0: HOME : TEXT : END
 260
          -10TH FRAME : EXTRA BALLS-
 270
      VTAB 24: HTAB 5: PRINT "TAKE TWO M
      ORE BALLS, "NA$(Z9 + 1);".";
      FOR I = 1 TO 2000: NEXT : VTAB 24:
 2.80
      HTAB 5: PRINT SPC( 30);
 290 S(Z9) = S - 1:B1 = 1: GOSUB 360: IF
      J ( > 10 THEN 340
 300
     GOTO 330
310
     VTAB 24: HTAB 5: PRINT "TAKE ONE M
      ORE BALL, "NA$(Z9 + 1);".";
     FOR I = 1 TO 2000: NEXT : VTAB 24:
320
      HTAB 5: PRINT SPC( 29);
 330 S(Z9) = 1:B1 = 2: GOSUB 360: GOTO 2
340 S(Z9) = 1:B1 = 2: GOSUB 390: GOTO 2
      10
350
     REM -FIRST BALL-
     FOR I = 1 TO 10: VTAB A(I): HTAB B
      (1): PRINT "$": NEXT
370 PS = 1:J1 = 0: GOTO 400
380
     REM
          -SECOND BALL-
390 PS = 0
     GOSUB 450:T = T(Z9):S = S(Z9):T =
410
     ON S(Z9) GOSUB 660,690,710,730,750
420 T(Z9) = T:S(Z9) = S
     VTAB 21 + (A < 3) + 2 * (Z9 > 1) *
     (A > 2): HTAB 37 - (Z9 / 2 = INT)
      (Z9 / 2)) * 22: PRINT T(Z9): RETURN
440
     REM -ROLL BALL-
450 H = 1:C = 19:E = 11:D =
                              - 1: POKE
      - 16368,0
460
     FOR V = C TO E STEP D: HTAB H: VTAB
     V: PRINT "*";
470
     IF PEEK ( - 16384) > 127 THEN T5 =
     V:V = E: NEXT : GOTO 510
480
     FOR R = 1 TO 10: NEXT
490
     HTAB H: PRINT " ";
     NEXT V:D =
                 - D:T5 = C:C = E:E = T
     5: GOTO 460
510 V = T5: FOR H = 1 TO 35: HTAB H: VTAB
     V: PRINT " *";: FOR R = 1 TO 10: NEXT
     : NEXT
520 J = 0
530
     IF ( SCRN( H,2 * (V - 1)) + 16 *
                                        SCRNC
     H, 2 * (V - 1) + 1) - 128) ( > 36 THEN
     POKE - 16336,0: J = J + 1: FOR D =
540
      - 1 TO 1 STEP 2:X1 = V:X2 = H
550 X1 = X1 + D:X2 = X2 + 1: IF ( SCRN(
     X2,(X1 - 1) * 2) + 16 * SCRN( X2,
     (X1 - 1) * 2 + 1) - 128) = 36 THEN
      HTAB X2 + 1: VTAB X1: PRINT " ";:
     J = J + 1: POKE - 16336,0: GOTO 5
     50
560
     NEXT
570
     HTAB H: VTAB V: PRINT " *"; :H = H +
     1: IF H < 40 THEN 530
580 J1 = J1 + J
590
     VTAB 2 * Z9 + 3: HTAB 7 + 3 * Q +
     B1:G = J + 48
600
    IF J1 ( > 10 THEN 630
610 IF PS THEN G = 88: GOTO 630
620 G = 47
```

```
0
```

```
PRINT CHR$ (G)
630
640
     HTAB H: VTAB V: PRINT " ";: RETURN
650
          -SCORING ROUTINES-
     IF J1 < > 10 THEN RETURN
660
        PS THEN S = 2: RETURN
     IF
670
680
    S
         5: RETURN
        T + J: 1F
                   J
                     = 10 THEN S
                                     3: RETURN
690
        4: RETURN
700
        T + J * 2:
    T
                    IF J (
                               10
                                  THEN S
710
720
     RETURN
730 T = T + J: IF J1 = 10 THEN S
                                   = 5: RETURN
740
        1: RETURN
                   J = 10 THEN S
                                     2: RETURN
         T + J: IF
                                  =
760
    S = 1: RETURN
770
      DIM A(10), B(10): FOR I
                                  TO 10: READ
      A(1), B(1): X = X + A(1)
                              +
                                 B(I): NEXT
                             PRINT "ERROR
       IF X ( > 540 THEN
      IN DATA STATEMENTS FOR PIN POSITI
      ONS. ": STOP
780
      RETURN
790
      REM
           -PIN DATA-
            12,40,13,39,14,38,14,40
800
      DATA
810
      DATA
            15,37,15,39,16,38,16,40
820
      DATA
            17,39,18,40
            FOR I = 768 TO 852: READ A:X
      = 0:
830
    X
        X + A: POKE I.A: NEXT : IF X <
                     PRINT "ERROR IN DATA
         7734 THEN
       STATEMENTS FOR ML AT 768. ": STOP
            133,69,134,70,132,71,166,7
840
      DATA
850
      DATA
            10, 10, 176, 4, 16, 62, 48, 4
860
      DATA
            16, 1, 232, 232, 10, 134, 27, 24
      DATA
            101,6,133,26,144,2,230,27
870
880
      DATA
            165,40,133,8,165,41,41,3
      DATA
            5,230,133,9,162,8,160,0
890
            177, 26, 36, 50, 48, 2, 73, 127
      DATA
900
910
      DATA
            164.36,145.8,230,26,208,2
            230, 27, 165, 9, 24, 105, 4, 133
920
      DATA
930
      DATA
            9,202,208,226,165,69,166,70
940
      DATA
            164,71,76,240,253
950
      RETURN
     REM LOAD REDEFINED CHARACTERS
960
970 X = 0:AD = 36096: FOR L = 1 TO 16: READ
      B: FOR I = AD + B TO AD + B + 7: READ
      A:X = X + A: POKE | , A: NEXT : X =
       + B: NEXT : IF X <
                            > 6223 THEN
                                           PRINT
      "ERROR IN CHARACTER DATA STATEMENT
      S. ": STOP
980
     RETURN
            0,0,0,0,0,0,0,0,0
990
      DATA
             24,20,20,62,20,62,20,20,0
1000
       DATA
             32,8,28,8,28,28,62,62,28
1010
      DATA
             80,28,62,127,127,127,62,28,
       DATA
1020
      0
             120.63.31.79.103,115,121,12
      DATA
1030
      4.126
1040
       DATA
             128,28,34,50,42,38,34,28,0
             136,8,12,8,8,8,8,28,0
1050
       DATA
             144,28,34,32,24,4,2,62,0
       DATA
1060
             152,62,32,16,24,32,34,28,0
       DATA
1070
             160, 16, 24, 20, 18, 62, 16, 16, 0
1080
       DATA
1090
       DATA
             168,62,2,30,32,32,34,28,0
             176,56,4,2,30,34,34,28,0
       DATA
1100
             184,62,32,16,8,4,4,4,0
 1110
       DATA
             192,28,34,34,28,34,34,28,0
 1120
       DATA
             200,28,34,34,60,32,16,14,0
       DATA
 1130
             448,34,34,20,8,20,34,34,0
 1140
       DATA
 1150
       REM
            TITLE SCREEN
             : HOME : VTAB 7: HTAB 12: PRINT
 1160
      "BOWLING CHAMP!": FOR I = 1 TO 4:N
      A$(1) = "": NEXT
```

1170 POKE - 16368,0: VTAB 10: HTAB 7: PRINT "HOW MANY BOWLERS (1-4): 1180 IF PEEK (16384) (128 THEN 11 80 1190 A = PEEK (- 16384) - 128: IF A (49 OR A > 52 THEN 1160 1200 PRINT CHR\$ (A): A = A - 48: POKE 16368,0: FOR I = 1 TO A: VTAB 1 4 + 1: HTAB 6: PRINT "BOWLER #"1" S NAME: "; 1210 INPUT AS: NAS(1) = LEFT\$ (A\$,8): NEXT : FOR I = 0 TO A - 1:T(I) = 0: NEXT : RETURN REM 1220 DRAW GAME SCREEN 1230 VTAB 1: HTAB 10: PRINT "1 5 7 6 8 10" 9 HCOLOR= 3: HPLOT 63,11 TO 279,11 1240 1250 FOR I = 1 TO A: VTAB 2 * I + 1: HTAB 3: PRINT "# "1 1260 FOR J = 12 TO 36 STEP 3: HPLOT 1) + 3, | * 2 * 8 TO 7 * (J + 3, 1 * 2 * 8 + 8: NEXT 1) HPLOT 63,2 * | * 8 + 11 TO 279,2 * 1270 8 + 11: NEXT FOR I = 1 TO A STEP 2: VTAB 20 + 1280 (A < 3) + 1: HTAB 1: PRINT " #"1" "NA\$(|)":":: |F NA\$(| + 1) (> "" HTAB 23: PRINT #" | + 1" " THEN NA\$(1 + 1)":" 1290 NEXT 1300 HPLOT 0,75 TO 279,75: HPLOT 0,155 TO 279,155 FOR I = 0 TO A - 1:S(I) = 1: NEXT 1310 : RETURN : REM INITIALIZE SCORE S

FANTASTIC FILER

A SOPHISTICATED AND EASY TO USE FILE MANAGEMENT SYSTEM FOR THE COMMODORE 64 AND 1541 DISK DRIVE. PACKAGE INCLUDES:

1) Complete Menu Driven subsections.

TATE

2) Simple One Stroke Key Commands

3) Free form record layout design to place data anywhere on the screen.

4) Maximum of 50 fields per record.

Maximum of 256 characters/record.

Average of 1000 records per disk.

7) Fast 3 second searach using index match or specific search criteria on all field combinations.
8) Full arithmetic calculations

between fields

9) Built in multifunction colum-

nar report and mailing label generator. 10) Ability to create sequential disk sub files for merging data

with popular word processors.

11) Complete and thorough users manual.

FOR ONLY \$295

All in all Fantastic Filer is a Fantastic Data Base Program at an even more Fantastic price. Why pay more for others when Fantastic Filer will fill your data base needs?





1342 B Route 23 Butler, N.J. 07405 Call: (201) 838-9027 To Order

Advanced Sound Effects On The 64

Philip I. Nelson, Assistant Technical Editor

Here are some secrets to creating unusual sound effects with the Commodore 64's built-in synthesizer chip. Using the accompanying program, you can experiment with different sounds without programming.

The Commodore 64's SID (Sound Interface Device) chip is capable of creating rich, extraordinarily complex sounds—but its power doesn't come without a price. There aren't any sound commands in Commodore BASIC, so everything must be done with POKEs. It's tedious to look up all those POKE values and easy to get sidetracked, since you must define several parameters (controlling values) to make even a simple sound. Many programmers, including professionals, grow frustrated and settle for crude beeps and whooping noises, wasting the 64's classiest sound features.

The program following this article is designed to help beginners learn about two of the 64's advanced sound effects: ring modulation and synchronization. It lets you produce a tone with two sound channels, and also switch either effect on and off just by pressing one of the 64's special function keys. Don't worry if the following explanations seem confusing at first; they'll make more sense after you've tried the program.

Independent Voices

Any sound can be visualized as a waveform, like the cross section of a ripple on a pond. The Commodore 64 is capable of reproducing four different waveforms. Three of them (the triangle, sawtooth, and pulse waves) produce clear tones, and the fourth (the noise wave) makes a rushing or hissing sound. Figure 1 represents each of these waveforms. You can assign any one of the four waveforms to any of the 64's three sound channels, or voices.

Each of the computer's three voices normally plays independently. That is, each voice sounds the same, no matter what the other two are doing. If you make voice 1 beep and voice 2 growl, voice 1 always makes the same beep even if you change voice 2's growl to a screech. For a simple analogy, picture each voice as playing through a separate channel, like the two channels on a home stereo system.

Ring modulation and synchronization go beyond this to create *interactive* effects, in which a parameter controlling one voice also affects the sound produced by a second voice. In both cases, the special effect is created by a difference in the frequencies (pitches) of the two voices.

Synchronization

Synchronization is the simpler of the two effects. You may picture it as mixing two voices in one channel so that their waveforms intermingle. The result is often a rhythmic or beating effect, produced as the peaks and valleys of the two waves move in and out of step with each other.

When the two waves are more nearly in step, their combined sound is more pronounced. When their peaks and valleys are more nearly opposed, they tend to cancel each other out, and the combined sound is quieter. Figure 2 shows a simplified diagram of both extremes. If you program both voices so their frequencies are always identical, synchronization produces no audible effect.

In addition to the original tones each waveform produces by itself, synchronization adds
nonharmonic *overtones* (also called *sidebands*).
The overtones are entirely new waveforms which
would not exist without synchronization. For instance, imagine someone pounding a huge gong.
Gong sounds are full of nonharmonic overtones,
which are created as different areas of the big,
flexible metal plate vibrate in and out of phase.

In simplest terms, synchronizing two voices gives you both original tones plus new overtones. However, the original tones predominate.

Ring Modulation

Ring modulation is a special type of synchronization in which overtones almost completely suppress the original tones. What you're left with is a sound composed chiefly of nonharmonic overtones. The results are often surprising and bear little if any resemblance to so-called natural sounds.

Used with care, ring modulation can produce haunting, beautiful effects. However, it works through a complex interaction of two waveforms, largely suppressing what you'd hear without the feature. So it can be difficult to handle if you don't know how it works in the first place.

Experimenting With Effects

Let's hear how these effects sound. Type in the program, save it, and type RUN. The program is set up with several default parameters, so to hear a quick example, just press RETURN at every prompt. The default parameters will be displayed in each case.

You should hear a flutey tone sweeping up the scale, over and over. To pause the tone during its upward sweep, press the CTRL key. (Don't worry about accidentally hitting the RUN/STOP key; it's been disabled.)

To switch on synchronization, press the f7 special function key. The f5 key switches on ring modulation, and the f3 key activates both effects at once

When synchronization is selected, you'll hear the beating effect as the tone ascends in pitch and the two voices move in and out of phase with each other. Ring modulation creates a rich, spacey sound. Note that you can pause the tone with CTRL while pressing a function key. As you'll hear, the sounds are far less exciting when both frequencies remain fixed. The most interesting effects are made by changing parameters in realtime.

In these two-voice effects, one of the voices is called the *carrier*, and the other the *program* voice. These terms are derived from electronics, meaning that the first voice *carries* the signal (produces the basic sound), and the second voice *programs* (modulates) it. In this example program, voice 1 produces the carrier tone, and voice 3 programs voice 1.

In both synchronization and ring modulation, it is the *frequency* of the program voice which affects the carrier voice. The other program voice parameters have no effect on the carrier (of course, they will affect the program voice if it is turned on).

Shifting Frequencies

Now that you've heard these special effects with the program voice set for a fixed frequency, let's try changing the frequency while the tone is being produced. To raise the frequency of the program voice, press either SHIFT key. To lower it, press the Commodore logo key (next to the left SHIFT). The most pronounced effects are produced by decreasing the program frequency during a rising tone, and vice versa.

Now let's hear a descending tone. Press the f1 key to stop the sound, and enter the following

values when prompted:

Rising/falling? F
Carrier waveform T
Program waveform (any waveform works)
Hear program voice? N
Program frequency 9
Starting frequency 200
Ending frequency 5
Loop rate 6

Experiment with the program for a while, trying out different parameters. For example, try producing the same sound with a smaller loop rate. Press f1 to enter edit mode, then press RETURN after the first seven prompts. Now enter .75 for the loop rate. Pressing RETURN at a prompt preserves the old value, so you need to type in only the parameters you want to change (however, you must always enter the loop rate for a falling tone).

When picking the waveforms, press T for a triangle wave, P for the pulse waveform, and so on. When you select a rising tone, the starting frequency must be smaller than the ending frequency. To create a falling tone, the first value must be larger than the second. If you make a mistake, use the DELete key to back up. The program signals an error if you enter illegal values. If you accidentally type in a letter when a number is required, the computer prints ?REDO FROM START. No harm is done; just enter the number you want.

The loop rate controls how fast the carrier frequency is changed as the tone moves up or down the scale. It corresponds to the STEP value in the FOR-NEXT loop that creates the tone (see lines 13–17). The smaller the loop rate (fractions are allowed), the slower the frequency will change, and vice versa. When the starting and ending frequencies are far apart, you can specify a large value for the loop rate; however, if you specify a starting frequency that is close to the ending frequency, you must keep the loop rate small to avoid causing an error in the program.

Programming Your Own Sounds

You can use this program to start building a library of sound effects. Just play around until you

find a sound you like, copy down the values from the screen, and plug them into your own

program.

As you'll discover by experimenting, these special effects work well with certain combinations, and poorly (or not at all) with others. Ring modulation works only when you set the carrier voice to the triangle waveform. Synchronization works with any waveform, but synchronizing any frequency with the noise waveform (a nearly random combination of many frequencies) doesn't accomplish much. The sawtooth and pulse waves often sound similar.

Most of the time, you'll want to keep the program voice silent, using only its frequency to control the carrier (in which case its other parameters are irrelevant). However, you can press Y when prompted to hear the program voice. If you have trouble understanding how an effect works, try listening to the program voice for a

Ring modulation and synchronization are most pronounced when the program frequency is considerably lower than the carrier frequency and remains fixed, as in the above examples. Changing the program frequency to a higher fixed value makes the two voices move in and out of phase more rapidly. Run the last example, and change the program frequency from 9 to 22. Now select synchronization, and you'll hear a sharp, meow-meow sound.

Controlling Voices With Voices

You can use ring modulation or synchronization with any of the 64's three voices, but the voice relationships are fixed: voice 1 modulates voice 2, voice 2 modulates voice 3, and voice 3 modulates voice 1.

Thus, if you want to synchronize or ring modulate voice 1, you must use voice 3 as the program voice, and so on. Again, it is the frequency of the program voice which affects the result. This simple tutorial program uses only the high byte frequency register for each voice; of course, you can achieve much finer frequency control by using both the high and low bytes.

To select these special effects in BASIC, simply add 2, 4, or 6 to the normal POKE value for the waveform register of the voice you want to affect. For instance, POKE 54276,17 selects the triangle waveform for voice 1. POKE 54276,19 adds synchronization to the triangle wave (17+2=19). POKE 54276,21 enables a ringmodulated triangle wave; and POKE 54276,23 turns on both effects at once. Use POKE 54276,67 to select synchronization with the pulse waveform, and so forth.

Naturally, you can use these effects with more than one voice at a time. If you select

synchronization in voices 1 and 3, then voice 1 will be affected by voice 3's frequency, and voice 3 will be affected by voice 2's frequency. However, because multivoice modulation creates so many overtones, it's easy for things to get out of hand. If you create a three-note musical chord with triangle waves in every voice, and then switch each to ring modulation, the result will be anything but musical.

Play with those frequencies for a while, though, and you'll find you can push the overtones into complex chords. Such chords have a ringing, live sound, and contain more than three notes. Interesting effects can also be created by tuning one or more voices slightly off-key.

Hints For Programmers

This program employs a few tricks you might find useful. Many programmers use a long series of individual POKEs to set up the SID chip at the beginning of a program. Line 1020 shows how to do this with a FOR-NEXT loop that READs the values from DATA statements and POKEs them into the SID chip. This makes your program easier for others to read and for you to modify. Note, however, that Commodore recommends POKEing attack/decay registers before waveform registers; the program follows this rule by POKEing the desired waveform values later on, in line 370.

To detect a single keypress, you can PEEK location 197 as we did in lines 14 and 15 (Z=197). Sometimes, however, you want to let the user do two things at once from the keyboard. In this program, for instance, you can select effects with a function key and simultaneously change the program frequency or pause the sound.

By PEEKing location 653, you can tell whether the CTRL, SHIFT, or Commodore logo key is pressed with another key (see line 16; Y=653). Location 653 holds the following values when the indicated key is pressed:

1 = SHIFT

2 = Commodore


4 = CTRL


You can also detect combinations of these keys. Location 653 contains a 3 when both SHIFT and the Commodore key are pressed, 5 when SHIFT and CTRL are pressed, and so on. Checking for these keys gives you great flexibility in designing keyboard input. However, it's prudent to disable the RUN/STOP key when using them.

The program disables the RUN/STOP key in line 1010 with POKE 788,52. However, you can still exit the program by hitting RUN/STOP and RESTORE together. In the same line, POKE 657,128 prevents the computer from flipping the

entire screen display from uppercase to lowercase if the SHIFT and Commodore keys are pressed simultaneously.

Figure 1: Commodore 64 Waveforms










Figure 2: Synchronization Waves nearly in step



Waves far out of step



Sound Effects Demonstrator

Please refer to "COMPUTE!'s Guide To Typing In Programs" before entering this listing.

	OSUB 1000:GOTO100	:rem 118
	RINTCHR\$(145)C\$:FORJ=1TO4ØØ:NE	
	R\$CHR\$(145):RETURN 1=UN:ZZ=ED:RETURN	:rem 35
	Z=ZZ-LR: RETURN	:rem 191
	OKEW1, V1+TU: RETURN	:rem 142
	OKEW1, V1+FR: RETURN	:rem 126
8 P	OKEW1, V1+SX: RETURN	:rem 146
9 P	F=PF+UN:IFPF>FFTHENPF=FF	:rem 39
	RETURN	:rem 65
	PF=PF-UN: IFPF <unthenpf=un< td=""><td>:rem 126</td></unthenpf=un<>	:rem 126
1000000	RETURN Z1=ZR:FORZZ=BGTOEDSTEPLR	:rem 67
	IFPEEK(Z)=NNTHENPOKEW1,V1:GOTO	
700	stance are built makes and the	:rem 16
15	ONPEEK(Z)GOSUB10,10,6,4,8,7	:rem 202
	ONPEEK(Y)GOSUB9,11,10,5	:rem 8
	POKEH1, ZZ: POKEH3, PF: POKEBF, ZR:	
	1=UNTHEN19	:rem 165
	GOTO13 POKEH1,ZR:POKEH3,ZR:POKEW1,ZR:	:rem 6
	R: POKE198, ZR	:rem 29
	PRINTFL\$;:INPUTFF\$:rem 137
110	IFFF\$ <> "R"ANDFF\$ <> "F"THENFF\$=	"" · GOSUB
110	2:GOTO100	:rem 184
120	PRINTUL\$FF\$:PRINTCV\$;:INPUTVV	
		:rem 238
130	IFVV\$<>"T"ANDVV\$<>"S"ANDVV\$<>	
140	\$<> "N"THENGOSUB2:GOTO120 FORJ=1TO4:IFVV\$=VL\$(J)THENV1=	:rem Ø
140	FOR0-1104:1FVV3-VL3(0)1HENV1-	:rem 105
150	NEXT	:rem 213
TOR	112.11	· T CIII STO
16Ø 17Ø	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW	\$:rem 32
16Ø 17Ø	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<>> \$<>"N"THENGOSUB2:GOTO160	S:rem 32 "P"ANDVW :rem 12
160	PRÍNTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<>	S:rem 32 "P"ANDVW :rem 12
16Ø 17Ø 18Ø	PRÍNTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3=	V\$:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112
16Ø 17Ø 18Ø 19Ø	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT	\$:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217
16Ø 17Ø 18Ø	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS	\$:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9
160 170 180 190 200	PRÍNTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158
160 170 180 190 200 210 220	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16
160 170 180 190 200 210 220 230	PRÍNTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$;PRINTPF\$;:INPUTPF	\$:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16
160 170 180 190 200 210 220	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211
160 170 180 190 200 210 220 230 240	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO</unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132
160 170 180 190 200 210 220 230	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG</unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132
160 170 180 190 200 210 220 230 240 250 260	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO</zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132 :rem 122 250 :rem 119
160 170 180 190 200 210 220 230 240 250 260 270	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED</zrorbg></unorpf>	(\$:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132 :rem 132 :rem 122
160 170 180 190 200 210 220 230 240 250 260	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSUB</zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 S:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 122 250 :rem 119 :rem 111 B2:GOTO2
160 170 180 190 200 210 220 230 240 250 260 270 280	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<\"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSU 70</zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132 :rem 122 250 :rem 119 :rem 111 B2:GOTO2 :rem 107
160 170 180 190 200 210 220 230 240 250 260 270	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<>"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSUB2</zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132 :rem 122 250 :rem 119 :rem 111 B2:GOTO2 :rem 107
160 170 180 190 200 210 220 230 240 250 260 270 280	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<\"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSUB2:GOTO 70 IFFF\$="R"ANDED<bgthengosub2:g< td=""><td>S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132 :rem 119 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187</td></bgthengosub2:g<></zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132 :rem 119 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187
160 170 180 190 200 210 220 230 240 250 260 270 280 290 300	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<\"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSU 70 IFFF\$="R"ANDED>BGTHENGOSUB2:G IFFF\$="F"ANDED>BGTHENGOSUB2:G</zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132 :rem 119 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187 OTO270 :rem 169
160 170 180 190 200 210 220 230 240 250 260 270 280 290 300 310	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSU 70 IFFF\$="R"ANDED<bgthengosub2:g printnl\$ed:printlr\$;:inputlr<="" td=""><td>S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132 :rem 119 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187 OTO270 :rem 169 :rem 148</td></bgthengosub2:g></zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 132 :rem 119 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187 OTO270 :rem 169 :rem 148
160 170 180 190 200 210 220 230 240 250 260 270 280 290 300	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<\"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSU 70 IFFF\$="R"ANDED>BGTHENGOSUB2:G IFFF\$="F"ANDED>BGTHENGOSUB2:G</zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 122 250 :rem 19 :rem 119 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187 OTO270 :rem 169 :rem 148 O310
160 170 180 190 200 210 220 230 240 250 260 270 280 300 310 320	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<>> \$<"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSUB2:G 1FFF\$="R"ANDED<bgthengosub2:g anded="" ifff\$="F" printnl\$ed:printlr\$;:inputlr="">BGTHENGOSUB2:G PRINTNL\$ED:PRINTLR\$;:INPUTLR IFLR<=ZRORLR>FFTHENGOSUB2:GOTO</bgthengosub2:g></zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 122 250 :rem 19 :rem 119 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187 OTO270 :rem 169 :rem 148 O310 :rem 216
160 170 180 190 200 210 220 230 240 250 260 270 280 290 300 310	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSU 70 IFFF\$="R"ANDED<bgthengosub2:g printnl\$ed:printlr\$;:inputlr<="" td=""><td>S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 122 250 :rem 19 :rem 119 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187 OTO270 :rem 169 :rem 148 O310 :rem 216</td></bgthengosub2:g></zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 122 250 :rem 19 :rem 119 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187 OTO270 :rem 169 :rem 148 O310 :rem 216
160 170 180 190 200 210 220 230 240 250 260 270 280 300 310 320	PRINTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<>> \$<"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSUB2:G 00 IFFF\$="R"ANDED>BGTHENGOSUB2:G PRINTNL\$ED:PRINTLR\$;:INPUTLR IFFF\$="F"ANDED>BGTHENGOSUB2:G PRINTNL\$ED:PRINTLR\$;:INPUTLR IFLR<=ZRORLR>FFTHENGOSUB2:GOTO</zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 211 230 :rem 132 :rem 122 250 :rem 19 :rem 11 B2:GOTO2 :rem 107 OTO270 :rem 187 OTO270 :rem 148 O310 :rem 216 2:GOTO31 :rem 216
160 170 180 190 200 210 220 230 240 250 260 270 280 300 310 320 340	PRÍNTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSU 70 IFFF\$="R"ANDED>BGTHENGOSUB2:G PRINTNL\$ED:PRINTLR\$;:INPUTLR IFFF\$="F"ANDED>BGTHENGOSUB2:G PRINTNL\$ED:PRINTLR\$;:INPUTLR IFFF\$="F"ANDLR>ED-BGTHENGOSUB</zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 112 :rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 21 230 :rem 132 :rem 122 250 :rem 19 :rem 111 B2:GOTO2 :rem 187 OTO270 :rem 187 OTO270 :rem 148 O310 :rem 216 2:GOTO31 :rem 216 2:GOTO31 :rem 115
160 170 180 190 200 210 220 230 240 250 260 270 280 290 300 310 320 340 350	PRÍNTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSUB2:G PRINTNL\$BG:PRINTED\$;:INPUTED IFFF\$="R"ANDED>BGTHENGOSUB2:G PRINTNL\$ED:PRINTLR\$;:INPUTLR IFFF\$="F"ANDED>BGTHENGOSUB2:G PRINTNL\$ED:PRINTLR\$;:INPUTLR IFFF\$="F"ANDLR>ED-BGTHENGOSUB</zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 12:rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 21 230 :rem 132 :rem 122 250 :rem 19 :rem 11 B2:GOTO2 :rem 187 OTO270 :rem 187 OTO270 :rem 148 O310 :rem 216 2:GOTO31 :rem 216 2:GOTO31 :rem 155 :rem 115
160 170 180 190 200 210 220 230 240 250 260 270 280 290 300 310 320 340 350	PRÍNTUL\$VV\$:PRINTPV\$;:INPUTVW IFVW\$<>"T"ANDVW\$<>"S"ANDVW\$<> \$<"N"THENGOSUB2:GOTO160 FORJ=1TO4:IFVW\$=VL\$(J)THENV3= NEXT PRINTUL\$VW\$:PRINTNF\$;:INPUTYS IFYS\$<>"Y"ANDYS\$<>"N"THENGOSU 00 IF YS\$="N"THENV3=V3-UN PRINTUL\$YS\$:PRINTPF\$;:INPUTPF IFPF <unorpf>FFTHENGOSUB2:GOTO PRINTNL\$PF:PRINTBG\$;:INPUTBG IFBG<zrorbg>FFTHENGOSUB2:GOTO PRINTNL\$BG:PRINTED\$;:INPUTED IFED<zrorbg=edored>FFTHENGOSU 70 IFFF\$="R"ANDED>BGTHENGOSUB2:G PRINTNL\$ED:PRINTLR\$;:INPUTLR IFFF\$="F"ANDED>BGTHENGOSUB2:G PRINTNL\$ED:PRINTLR\$;:INPUTLR IFFF\$="F"ANDLR>ED-BGTHENGOSUB</zrorbg=edored></zrorbg></unorpf>	S:rem 32 "P"ANDVW :rem 12 VC(J) :rem 12:rem 217 \$:rem 9 B2:GOTO2 :rem 158 :rem 16 :rem 21 230 :rem 132 :rem 122 250 :rem 19 :rem 111 B2:GOTO2 :rem 107 OTO270 :rem 187 OTO270 :rem 148 O310 :rem 216 2:GOTO31 :rem 126 2:GOTO31 :rem 15 :rem 115)A\$:PRIN

Transport of	
	POKEH3, PF: POKEW1, V1: POKEW3, V3 : rem 82
	GOTO13 :rem 56
	REM INITIALIZE :rem 129 PRINTCHR\$(147)CHR\$(5)CHR\$(142):POKE5
טטטו	3281, Ø: POKE5328Ø, Ø: Z=197:BF=198: Y=65
	3 :rem 188
1010	POKE657,128:POKE788,52:S=54272:VM=S+
1010	24:FORJ=STOVM:POKEJ, Ø:NEXT :rem 146
1020	FORJ=STOVM:READQ:POKEJ,Q:NEXT:rem 26
1025	FF\$="R":BG=5:ED=125:LR=2:VV\$="T":VW\$
	="T":PF=11:YS\$="N" :rem 102
1030	ZR=0:UN=1:TU=2:FR=4:SX=6:NN=64:FF=25
	5:H1=S+1:W1=S+4:H3=S+15:W3=S+18
	:rem 63
	R\$=CHR\$(18) :rem 51
1050	A\$=R\$+"{37 SPACES}" :rem 77
1060	PRINTA\$:rem 185
1070	PRINTRS "{4 SPACES}SOUND MODULATION D EMONSTRATOR {4 SPACES}" : rem 54 PRINTAS : rem 187
1000	EMONSTRATOR{4 SPACES}" :rem 54
1080	PRINTAS :rem 187 B\$=R\$+CHR\$(158)+" F7=SYNCH F5=RING F
1090	3=BOTH F1=RESTART "+CHR\$(159)
	:rem 108
1095	F\$=R\$+CHR\$(158)+" CTRL=PAUSE COM=FRE
1000	Q DN SHFT=FREQ UP "+CHR\$(159)
	:rem 163
1100	C\$=CHR\$(158)+"{31 SPACES}"+R\$+"ERROR
	"+CHD\$(159) .rem 123
1105	ER\$="{8 LEFT}{5 SPACES}" :rem 235
1110	BL\$=R\$+CHR\$(159) :rem 68
1115	UL\$=CHR\$(145):FORJ=1TO31:UL\$=UL\$+CHR
	\$(29):NEXT:UL\$=UL\$+"{2 SPACES}"
	:rem 104
1118	NL\$=UL\$+CHR\$(157) :rem 165
1120	FL\$=BL\$+" RISING OR FALLING TONE? (R
	,F) "+CHR\$(146) :rem 228
1130	BG\$=BL\$+" STARTING FREQUENCY {4 SPACES}(Ø-255) "+CHR\$(146):rem 80
1140	ED\$=BL\$+" ENDING FREQUENCY[6 SPACES]
	(0-255) "+CUDS(116) PREQUENCIS SPACES
1150	(Ø-255) "+CHR\$(146) :rem 154 LR\$=BL\$+" LOOP RATE{13 SPACES}(1-255
1130) "+CHR\$(146) :rem 176
1160	CV\$=BL\$+" CARRIER WAVEFORM[4 SPACES]
1100	(T,S,P,N) "+CHR\$(146) :rem 132
1170	PV\$=BL\$+" PROGRAM WAVEFORM[4 SPACES]
	(T,S,P,N) "+CHR\$(146) :rem 162 PF\$=BL\$+" PROGRAM FREQUENCY
1180	PF\$=BL\$+" PROGRAM FREQUENCY
	{5 SPACES}(1-255) "+CHR\$(146):rem 15
1190	NF\$=BL\$+" HEAR PROGRAM VOICE?
	[5 SPACES](Y,N) "+CHR\$(146) :rem 10
	FORJ=1TO4:READQ:VC(J)=Q:NEXT :rem 85
1210	FORJ=1TO4:READQ\$:VL\$(J)=Q\$:NEXT
1200	:rem 203
1300	RETURN : rem 164
2000	DATA 5,0,128,7,0,15,240:REMVOICE1 :rem 12
2010	DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø:REMVOICE2:rem 251
	DATA 5,0,128,7,0,15,240:REMVOICE3
2020	:rem 16
2030	DATA Ø,Ø,Ø,15:REMFILTERS,VOLUME
	:rem 148
2040	DATA 17,33,65,129:REMWAVEFORMS
	:rem 17
2050	DATA T, S, P, N :rem 170 ©

COMPUTE! The Resource

GET FAST RELIEF FROM IRS HEADACHES!

With TAX COMMAND Income Tax Preparatory Software Series!

On disk for Commodore 64, Apple III, II + , //e, //c with 64K or above and IBM-PC, XT, AT, Jr. with 128K memory or more. TAX COMMAND PROFESSIONAL: high-speed tax computation, with a wide variety of schedules, at your finger tips.

• Fast line-by-line Federal Tax information entry. • All mathematical calculations done automatically • Built-in tax tables • Prints on the official U.S. Tax forms. • Forget something? Tax Command Professional is flexible enough to quickly recalculate. • Cost of program is tax deductible. This menu driven program covers the 1040 Form, Schedule A. B. C. D. E. G. R. RP, SE, W. and Forms 2106, 2119, 2441, and 3903.

Commodore 64 \$49.95; Apple II Series \$79.95; IBM \$99.95.

TAX COMMAND for income tax computation.

On tape for Atari, Commodore 64, Radio Shack Color Computer, Timex Sinclair 1000, TI99/4a, & Vic 20. Tax Command is the abridged version of Tax Command Professional with the 1040 form Schedule A, income averaging and tax tables.

On disk for Commodore 64, Apple II, II + //e and //c with 64K or obove, and IBM-PC, XT, AT, Jr, with 12BK memory or more. NEW! TAX COMMAND PLANNER for quick, easy planning of tax strategies.

Commodore 64 \$49.95; Apple II Series \$79.95; IBM \$99.95.

Registered owners receive next year's update at a reduced cost.

Double Discount Buy Tax Command Pro-fessional and Tax Command Planner for one low price: \$89,99 Commodore, \$139.99 Apple, or \$179.99 IBM.



below plus \$2.00 for ship	osed is my check or money order for oping and handling. Please send me:		
	C-64 (\$49.95) Apple II (\$79	.95) IBM (\$99.99)	
	☐ Vic 20 ☐ Commodore 64	E) FI IDM (600 00)	
	C-64 (\$49.95) Apple II (\$79.9		
C-64 (\$89.99)	count! Tax Command Professional and Apple II (\$139.99) III IBM (\$179.99		togethe
Credit car	d customers call (414) 278-0829.		
Name	Address	The later of the l	-
Name	Address State	Zip	
City	State	(91)	B
City	State	(91)	•

ATTENTION COMMODORE 64 OWNERS

We'll pay for your mistake!

We know that it's difficult. especially since everyone is trying to come out with one. Now that error track protection is going the way of the dinasaour, you probably purchased an ob-solete piece of software. Well we will give you \$25.00 credit*for any original copy utility software disk that you would like to trade in for the "NEW REVISED CLONE MACHINE." Our program can now back up non-standard sectors with complete control, detect and reproduce density-frequency alterations, alter the number of sectors on a track, sync to particular reference sectors (including a single sync Bit copy) PLUS reformat a single track.

Other back up programs have only recently caught up with our ability to reproduce errors. Included is fast close as well as all the other standard Clone features, we've even made it more user friendly too! THE CLONE MACHINE was the first ut ility of its kind and others followed. Well, we still feel that it's time for the other to try to play catch up again.

STILL ONLY \$4995

OUR SPECIAL MSD VERSION NOW A VAILABLE TOO!!



DISTRIBUTING, INC

1342 B Route 23 Butler, N.J. 07405

Call: (201) 838-9027 To Order

*NOTE: Micro-W reserves the right to cancel this offer at any time without notice

Computers And Society

David D. Thornburg, Associate Editor

The Processed Word

My craft (such as it is) is writing. I write for a living, and I am able to live from my writing. I used to do other things for income, but when it comes right down to it, I am entranced by the power of words and by the ease with which two simple substances—paper and ink—can combine to form documents that can cause laughter, pain, joy, fear, and even boredom.

Pretty magical, this writing business.

Of course, as a writer, I have assembled a modest collection of writing tools—pads of paper, pens, typewriters, terminals, computers—the usual stuff.

One question writers ask from time to time is how their tools influence (dare I say determine?) what they write. Some critics argue, for example, that no great artistic works are going to be created on a word processor. These critics go on to suggest that the only good writing is done with tools like pencils, or perhaps typewriters.

In The Mind

These critics are confusing the tool with the result. The word processor will create no works of art at all. I use mine six hours a day, and it has yet to create anything of its own in its spare time. But then again, I don't expect my pens to create anything, and I am sure that our ancestors didn't expect wonders from sticks pressed into fresh mud, either.

Why the literary critics have missed the point eludes me. It probably comes from their own lack of exposure to a good word processing

David Thornburg has used several word processors to write 11 books, including The KoalaPad Book, Computer Art and Animation (a Logo book available in versions for the TI, Radio Shack, Atari, and Commodore computers), and Exploring Logo Without a Computer (published by Addison-Wesley). His whimsical look at computing (101 Ways to Use a Macintosh) has been published by Random House. Later this year, his first book on artificial intelligence applications in Logo (Beyond Turtle Graphics) will be published by Addison-Wesley. Thornburg welcomes letters from readers, but regrets that he is not able to answer all his mail. Correspondence should be sent to him in care of COMPUTE!.

system. In fact, good writing takes place in the mind, not in the pen. I do my writing without ever lifting a pen, and then use whatever tool is at hand to transcribe this writing onto paper. Do my writing implements influence what I write? Perhaps they do, but only to a very small extent. (For example, I wouldn't be writing on this topic if I didn't use a word processor.)

As a writer, I have found that there are other factors that are much more influential than my choice of transcription tools. The first of these is exposure to good writing. I don't know any good writer who doesn't spend time reading other authors' books. Wherever I write, I have shelves lined with the works of others. Many of these books are technical and many are not. The shelf containing computer books also contains the works of Shakespeare. Aristotle shares shelf space with my Apple Logo manual. Exposure to good writing can be very important to an author—any author.

The second factor that I find as important as any other is having a good place to do my writing. I can write almost anywhere (on airplanes, for example), but my best writing comes when I am in a special place that is conducive to creative thought.

Each Its Own Charm

I am most fortunate to have three places that are conducive to writing. The first is a condominium high in the hills south of San Francisco. From my living room I can look into a verdant ravine, and trees fill my sight for as far as I can see. Further south, in an unused school in Mountain View, I have a rambling office that looks out on mulberry trees. The pitched roof of this office lends a certain resonance to the room when the winter rains beat against it. Inside, the spacious area has a warmth that encourages thoughts to flow. My third special place is in Monterey, in sight of the ocean. With wooded trails nearby, and miles of beach to explore, I find this area to be very encouraging to the creative process.

Each of these places has its own charm, but they all have one characteristic in common. In each of them I can find the quiet and solitude that seems to be important to me. When I am writing, I can tolerate no distractions—no background music, no telephones, no conversation nothing, save for the sounds of the birds, or seals, or the rustle of the leaves, or the patter of the rain.

So if you ask me to identify my most important tools as a writer, they would be access to the writing of others, and a quiet place in which to write.

So what about the technology of transcription? Doesn't it have a role?

Of course it does—but its role is largely neutral or negative. What I mean is that I am rarely liberated by my writing instruments; I am often impeded by them. As a tinkerer I am forever buying new pens, papers, word processors, and other tools, looking for ways to facilitate transcription. This is a highly personal quest. Some writers can dictate their manuscripts into a tape recorder. I cannot. Some writers prefer to use only No. 2 pencils and yellow legal pads. I do not.

The point is that there is no one best transcription tool, just as there is no one best writing style, or one best author.

While my use of tools changes from time to time, my process for transcribing a manuscript is

roughly the following:

My first draft is often (but not always) written in longhand with a (gasp!) cheap fountain pen in a blank book or legal pad. I persist in using a fountain pen because I like the feel of it gliding along the paper. I don't like changing ink cartridges, but I tolerate this inconvenience.

Flubs, Snags

Why, in this age of computers, do I horse around with buggy whip technology? There are several reasons. First, I need to use a highly portable writing medium since I don't always know where I am going to be when I will want to write something. Second—and more important—the written page is not a page of pure text. It is a graphic document as well. Words can be underlined, crossed out, and added in the margins. Ideas for later parts of the document can be jotted down in the middle of a page and circled to show that they are part of something else.

As I am writing the document, I turn off all conscious judgment. Spelling errors, grammatical flubs, syntactic snags, all these go unnoticed at this stage. All I want to do is transcribe my

thoughts. Period.

Once the document is captured on paper, I usually review it once, and make any large changes that come to mind. Next, I transcribe my writing into a computer system, either by entering it into my word processor directly, or by first

entering it into a portable computer that accompanies me when I am on the road.

Both my portable (Radio Shack Model 100) and desktop (Apple Macintosh with MacWrite) computers have intuitively simple, virtually modeless, word processors. Because of what I do as I transcribe my handwritten text into the computer, it is important that the word processor be intuitively easy to operate.

In fact, I have a cardinal rule regarding word processor selection. I refuse to use a word processor whose manual is larger than the document I want to create. Since I am not in the process of compiling an encyclopedia, I have yet to

work with WordStar.

The Product, Not The Tool

The task of transcription to the computer is one I undertake myself. I can't delegate it to a secretary because this transcription process is another chance to refine what I have written. By the time my document is in the computer, all that remains is to check the spelling and make grammatical corrections.

From creation to preparation of a final manuscript, I usually use several writing tools. I ask something different from each of them—but I am flexible. I sometimes capture my ideas with a keyboard instead of a pen, and the results are

fine.

As with so many other areas of technology, we need to separate the tool from the product. The writing product can be produced in many ways, and it is the function of our tools to make these ways as easy to use as possible.

A Secret Process

In fact, there are many advantages to using a word processor over a typewriter. One of the beauties of using a word processor is that it lets you prepare a letter-perfect document. I find that my writing is better when the document looks nice. In this regard, the word processor helps me to be a better writer.

On the flip side of this argument, writers who use word processors tend not to retain copies of earlier drafts. There may be some scribbled notes and a final manuscript, with no documentary evidence of the process by which one became transformed into the other. Scholars who are interested in exploring the development of a book will have a harder time as today's Hemingways create intermediate drafts that are edited rather than rewritten.

But this shouldn't influence the quality of the author's writing—it only keeps the process a

Maybe this makes writing a bit more magical!

IBM Personal Computing

Donald B. Trivette

Inside King's Quest

Byron and I were playing King's Quest—a new adventure game for the IBM PCjr written by Sierra. "But how does it work?" he wanted to know. "How would you even go about writing a program like that?" As a bright computer science major, Byron can write programs to perform reverse Polish notation, link-lists in Pascal, and all those other exotic things that students learn to do. But he couldn't begin to guess how King's Quest was written. Neither could I.

Everyone is familiar with arcade-style games in which you win points either for zapping strange-looking creatures or for not getting zapped yourself. An adventure game is entirely different. Winning an adventure game requires logic and puzzle-solving ability, not eye-hand coordination with a joystick.

Searching For Treasure

In King's Quest you play the game as Sir Grahame, a computer-animated knight who roams the kingdom of Daventry looking for three treasures. As Sir Grahame explores the kingdom, he can pick up objects like a dagger, a carrot, and a goat (yes! a goat) that may eventually help him locate the magical treasures. However, finding the objects is no cinch—some are in plain view but easily overlooked, while others are hidden in stumps and at the tops of trees. And of course there are hazards to overcome and puzzles to solve. How can Sir Grahame get across a bridge guarded by a troll? Kill the troll with the dagger? Don't try it! This is a game of strategy, not violence. There are several solutions to each puzzle and the more innovative and peaceful Sir Grahame is, the more points he gets.

The mechanics of playing the game are simple. You control Sir Grahame with either a joystick or the cursor-arrow keys. When Sir Grahame moves out of one scene, say to the right, a new scene appears on the screen. The main kingdom of Daventry is six scenes from north to south and eight scenes from east to

west. The kingdom wraps around itself so that the 48 scenes are continuous. There are 32 other scenes for the interiors of caves and houses.

On the bottom four lines of the screen, you can type simple verb-noun sentences like *Take a carrot, Kill the troll,* or *Look at the river*. This area also displays messages and warnings for Sir Grahame: *The river is swift and deep*. (One quickly learns not to swim in swift, deep rivers.)

The graphics and animation in the PCjr version of King's Quest are spectacularly better than in any other adventure game I've seen. The three-dimensional quality makes it seem like Sir Grahame is moving through an animated cartoon. He can bump into and go around objects, climb trees and swim in water, duck behind rocks, and jump into the air. If he walks behind a rock, his legs are invisible; if he walks in front of a rock, part of the rock is invisible. When Sir Grahame moves, his arms and legs move, and the background shows between them. While we take that kind of animation for granted in a movie, it is not easily accomplished in a computer program on a machine without sprites. That's the part that had Byron and me puzzled. How do they do that? I called Sierra to find out.

A \$700,000 Computer Game

A year before the PCjr was announced—when the "Peanut" was just a rumor to the rest of us—IBM asked Sierra to create a game that would show off the new computer's color graphics capabilities. IBM supplied Sierra with a prototype Junior.

Roberta Williams, who had worked on five other adventure games, was given the task of designing something completely new and different. Eighteen months later, Williams and a team of six programmers and artists had created *King's Quest*—at a cost of over \$700,000.

First, Williams wrote the story. She based it not on strange characters with strange names, but rather on familiar characters from literature.

Do you remember "Billy Goats Gruff" and "Hansel and Gretel"? Once the story line was established, the artists prepared detailed color drawings of each of the 80 scenes. In adventure-game jargon, scenes are called *rooms*. Each drawing was then traced on a Calcomp Graphics Tablet. This process automatically generated the instructions which tell the computer how to reproduce each room, saving the programmers months of tedious work.

The drawing instructions for each room are stored as separate files on the disk. (Technically, they are stored at absolute sector addresses, not actually in disk files.) When Sir Grahame moves from one room to another, the computer loads the instructions for displaying the new room, draws the room point by point, and then fills in

Sir Grahame begins his quest at the castle of Daventry.

the color. It takes about four seconds for the PCjr to draw and color a room. A faster approach would have been to store the room images themselves on disk, already drawn. But that method would have used considerably more disk space and reduced the number of rooms in the game. (Actually, it's entertaining to watch the computer draw and color each scene.)

The Invisible Skeleton

The first scene in King's Quest is the castle of Daventry where Sir Grahame's quest begins (see photo). The lions, flags, stone blocks, alligators, and plants make this the most detailed room in the kingdom. It takes 2400 bytes of instructions to tell the PCjr how to draw and color this scene. By contrast, the easiest room to draw requires only 470 bytes of instructions.

The scenes are more than just static back-

grounds. For instance, if Sir Grahame staggers a bit and runs into a castle wall, he stops. How does the program know when the character hits something? There's a skeleton, an invisible structure, behind each picture. If you could see this skeleton, you'd notice lots of lines running all over the screen defining where Sir Grahame can and cannot walk. The lines were drawn into each room with the graphics tablet.

In addition to concealing hidden lines, each room also assigns priorities to every object it contains (trees, rocks, flowers, etc.). These priorities—numbers from 1 to 15—give King's Quest

its three-dimensional quality.

Objects at the top of the screen have low priority; those at the bottom, high. Sir Grahame's priority changes as he moves around the room.

For example, a tree in the middle of the screen might have a priority of 9. When Sir Grahame is in front of the tree-closer to the bottom of the screen—his priority might be 11. As he moves up the screen, his priority changes. If he is behind the tree in a scene, his priority is less than that of the tree. By comparing priorities each time Sir Grahame moves, the program makes decisions about how to draw the screen. If Sir Grahame's priority is higher than the object behind him, he is visible and the object (or part of it) is invisible. If his priority is lower, as when he steps behind a tree, then he (or part of him) disappears.

Each time Sir Grahame

(or any object) moves, the surrounding region on the screen is saved in the computer's memory in one of four save-areas. The program checks the new location for skeleton lines and priorities, then adjusts Sir Grahame and the surrounding area for any changes—perhaps part of a rock became visible in front of his legs. Finally, Sir Grahame and the surrounding area are redrawn on the screen. And that's how Sir Grahame walks around the kingdom of Daventry.


The Game's Own Language

In addition to the graphics for each room, there is a set of logical statements. These are written in a special language devised by Sierra called the Game Adaptation Language. The program constantly loops through these statements looking for something to change. They work sort of like a group of IF-THEN statements in BASIC.

For example, in one room, room 10, a goat randomly wanders around inside a pen (see photo). The pen extends into room number 11 on the right. If the goat happens to wander out of room 10, the program must erase the goat. The program knows the goat by the codename 14 and Sir Grahame by the name Ego. So if Ego moves to room 11 in search of the goat, the program must remember to draw 14 in room 11. The statement in Game Adaptation Language looks like this:

IF HAS-GOAT 0 AND OBJHIT-EDGE 14 AND EDGEOBJ-HIT 1 AND GOAT-GONE 0 AND SHOW-CARROT 0 THEN ASSIGN GOAT-ROOM 11, ERASE 14.

If I understood what that meant, I'd be writing adventure games instead of magazine articles, but with a little examination we can pretty much



A pastoral scene in King's Quest.

figure out what's going on. In programming logic, the numeral 0 means *false*, *no*, or *off*, and the numeral 1 means *true*, *yes*, or *on*. Thus, in English, the statement might read: "If Ego doesn't have the goat and if the goat has hit the edge of the room and if the edge of the room has been hit and if the goat is in the room in the first place and if the goat has not been shown the carrot, then [Whew!] remember to draw the goat in room 11 and erase the goat from room 10."

And remember, that is just one of the logic statements that goes with room 10—there are a total of 180 logic lines for this room alone. The logic statements give the program its personality; they tell the program what to do and when to do it

Inevitable Bugs

Anyone who has ever written a computer program knows that program logic is a fertile field

for errors. If the programmer forgets to tell the computer just one little detail, the results can be amusing—and disastrous. Preliminary versions of King's Quest were not without bugs. It took several weeks to find out why, if Sir Grahame jumped in the air as he moved from one room to another, he skidded into the new room totally out of control. That bug has been fixed, but a few others still lurk in the current PCjr version. (But not, says Sierra, in the versions it markets directly.)

During one game, Sir Grahame was standing at the edge of a bridge. The goat was coming back across the bridge, and as it passed, I made Sir Grahame jump. A foolish thing to do, I know, but I was celebrating. Unfortunately, the screen filled with horizontal lines and the game came to a swift end. The programmer who wrote the logic

statements for that scene forgot to allow for the possibility that Ego might jump as the 14 passes in front of him. Nevertheless, the errors are very few.

Some things you might consider an error are not errors at all. For example, there can be only four animated objects (including Sir Grahame) in any one room. The program has only four save-areas for animated objects. Somewhere along the way (I won't tell you where), Sir Grahame can acquire some magic beans. Getting those beans is the toughest part of King's Quest.

(It helps to have read *Grimms' Fairy Tales*.) But try to plant the beans in the room where you found them and the screen will say: "You can't do that here." That's because *that* room already has four animated objects. In fact, you can plant the beans in only about half of the rooms in *King's Quest* because of the four-object-maximum rule. That's not a bug or an error, it's just a programming tradeoff to conserve memory.

There is one room in King's Quest with five objects. I don't want to give anything away, but: Should Sir Grahame (1) give the Woodcutter (2) and his wife (3) the right object (4), then he can take the fiddle (5). This apparent violation of the rule is permitted because the programmers pulled a fast one. Look closely when Sir Grahame puts the something on the table and you'll see the Woodcutter disappear for a moment. The programmer briefly swaps objects to keep within the limits. Tricky.

A Sequel On The Way

Roberta Williams is a perfectionist. There just wasn't time or memory to put everything in *King's Quest* that she wanted. She wishes the language interpreter had a larger vocabulary, that Sir Grahame could drop objects he has picked up, and that he could be even more animated. She wishes some of the characters, like the wolf, could roam from room to room. But she says the sequel, due in February or March, will be even better.

In King's Quest II, Sir Grahame—who becomes King Grahame when you solve King's Quest—goes in search of a wife. Along the way he meets Dracula and King Neptune, and rides a

flying carpet. And, somehow, the folks at Sierra found a way to squeeze 94 rooms onto the disk. I can hardly wait.

IBM markets the PCjr version of King's Quest and Sierra markets versions for the IBM PC, Apple IIc, Apple IIe, and Tandy 1000 (a new computer scheduled for release in January 1985). All versions cost \$49 and require 128K of memory and a disk drive. In addition, the PC version runs on most IBM compatibles. (When the PC version is displayed on an RGB monitor, the graphics are in the standard four-color medium-resolution mode; but connect your PC to a television and you'll get the same spectacular colors as the PCjr version.) ©

INSIGHT: Atari

Bill Wilkinson

I am much gratified by the response to my decision to work harder on answering readers' questions. I have received several *very* interesting letters with both good comments and good questions. Since it is always fun to defend Atari BASIC against the outside world, let me start with a subject near and dear to my heart.

Benchmarks

Several readers have asked me why Atari BASIC compares so unfavorably to other computers on certain benchmarks. The two most commonly mentioned are the *BYTE* magazine benchmarks and the *Creative Computing* benchmark invented by David Ahl. Stan Smith, of Los Angeles, asked some very pointed questions, which I will try to answer here.

The BYTE benchmark is reproduced below in Atari BASIC. It is the often-mentioned "Sieve of Erastothenes," a program which produces (and counts) prime numbers. Its primary advantage as a benchmark is that it can be implemented in virtually any language (although only with much difficulty when using Logo and its ilk). It relies

only on addition and logical choices, with very little number crunching.

- 1Ø DIM N\$ (8192)
- 2Ø N\$="Ø":N\$(8192)="Ø":N\$(2,819 2)=N\$
- 30 FOR I=1 TO 8192:IF N\$(I,I)="
 1" THEN 60
- 40 PRIME=I+I+1:CNT=CNT+1:K=I
- 5Ø K=K+PRIME:IF K<8193 THEN N\$(K,K)="1":GOTO 5Ø
- 60 NEXT I
- 70 PRINT CNT : REM BETTER PRINT 1899!!!

An aside: If you have seen the *BYTE* original and are puzzled by my changes, be aware of three things: (1) I had to use a string because there is not enough room for an array of 8192 elements. (2) The math was modified very slightly to accommodate the fact that string indices start at one, instead of zero. (3) Multiple statements per line simplify the original somewhat.

Anyway, why is Atari BASIC so slow (317 seconds versus, for example, the IBM PC at 194 seconds)? Primarily for three reasons. First, note

all the numbers in this listing, which must be treated as integers. Line numbers and indices are always kept and calculated as floating-point numbers, but all must be converted to integers before being used. (You simply can't GOTO line 137.38, can you?) And, sigh, the routine in the Atari Operating System ROMs which converts numbers to integers is incredibly slow (in fact, it is the only floating-point routine we modified when we produced BASIC A+ and BASIC XL).

Second, Atari BASIC performs FOR-NEXT loops by remembering the line number of the FOR statement. Then, when NEXT is encountered, BASIC must search for the FOR line, just as if a GOTO had been used. (Other BASICs remember the actual memory address of the FOR statement. Faster, but less flexible. Atari BASIC allows you to STOP in the middle of a loop, change the program, and continue, something no other home computer BASIC allows. (This—among many other things—is in direct opposition to Consumer Reports' claim that Atari BASIC is hard for beginners.)

Third, if you type in and use this listing as shown, you are paying almost a 50 percent penalty in speed, thanks to Atari's screen DMA and Vertical Blank Interrupts taking up a significant portion of the processing time. The simple addition of the following two lines will improve the time for this little test to 211 seconds:

5 POKE 54286,0 : POKE 54272,0 65 POKE 54286,64

All of a sudden, Atari BASIC isn't even *near* the bottom of the list. And, yet, there is more we can do to improve the machine's performance. As many have suggested, you can install the Newell Fastchip, a replacement for the floating-point routines built into your computer (available from many dealers, produced by Newell Industries of Plano, Texas).

Or you can change to another BASIC. Obviously, there is Atari's Microsoft BASIC. It produces results very close to those of Applesoft; but it, too, can be improved by turning off screen DMA, etc. And there is OSS's own BASIC XL. Using a combination of clever programming and a Fastchip, the BASIC XL program below will count up all those prime numbers in 58.5 seconds, about three times as fast as Microsoft BASIC on an IBM PC can do it. 'Nuff said. (Except a P.S.: The Set 3 in line 10 requests zerotime FOR loops, something not available in many BASICs, which alone accounts for about 20 seconds worth of improvement.)

10 FAST: POKE 54286,0: POKE 542 72,0: SET 3,1: DIM N\$(8192): N=ADR(N\$) 3Ø FOR I=Ø TO 8191

50 IF NOT PEEK(N+I) THEN PRIME=
I+I+3: CNT=CNT+1: FOR K=I+PR
IME TO 8191 STEP PRIME: POKE
N+K,1: NEXT K

60 NEXT I

70 POKE 54286,64: POKE 559,34: PRINT CNT

Measures Of Accuracy

The Ahl benchmark is listed below. It purports to measure both accuracy and number-crunching ability. It does neither very well. Still, we have to ask why Atari BASIC is near dead last in its rankings, requiring 6 minutes and 45 seconds to complete the test.

10 FOR N=1 TO 100: A=N

20 FOR I=1 TO 10: A=SQR(A): R=R +RND(0): NEXT I

30 FOR I=1 TO 10: A=A^2: R=R+RN D(0): NEXT I

40 S=S+A: NEXT N

50 PRINT "ACCURACY="; ABS(1010-S/5), "RANDOM="; ABS(1000-R)

The culprit here (in terms of time-wasting) is line 30, with its $A=A^2$. Atari BASIC, in common with most small computer BASICs, calculates powers according to a formula:

$$x^y = \exp(y * \log(x))$$

where log() is the natural logarithm function and

exp() is the exponent-of-e function.

If you don't understand that, don't worry 'about it. The point is that the calculation of such a simple thing as a number to the second power involves the calculation of a logarithm and an exponentiation. And why is that so bad? Simply because the floating-point routines in the Atari OS ROMs are too slow. Again, the solution is to install the Newell Fastchip and/or turn off DMA and VBI (as outlined above).

I am indebted to Clyde Spencer, one of the founders of the Bay Area Atari Users Group (one of the oldest), for supplying me with a most surprising figure. Spencer reports that, using the Fastchip and with DMA turned off, he obtained a timing of 1 minute 38 seconds, a very respectable (albeit not record-shattering) performance. I still wouldn't use my Atari for advanced scientific applications, but it is more than adequate for most purposes.

There is a problem with the "accuracy" figures in this test, however. First, because Ahl's accuracy number is the result of 1000 simple sums, it is clearly possible that a particular machine may exhibit wildly variant results for various numbers and still show a good figure in his test. (To illustrate, assume that the SQR() function randomly tosses in an error of plus or minus

one. If it tossed in an equal number of errors, they would balance to zero. Yet choosing to make the loop just one unit shorter [FOR N=1 TO 999] might give a completely different result. To be fair, this is a very unlikely result with modern math algorithms; but, still, one never knows.) A minor change to his program would improve the testing qualities considerably:

$$40 S = S + ABS(A-N) : NEXT N$$

Do you see the difference? This method produces the sum of the errors, and doesn't fall prey to offsetting errors.

The Random Number Trap

There is no hope for the accuracy of this random number tester, though. I will quote Clyde Spencer on this matter: "If the numbers are *truly* random and *not* normally distributed, *any* difference between 0 and 1000 is possible. All you can say is that you would have a high *probability* of . . . being near zero for a perfect random number generator." The benchmark test falls into the infamous BASIC repeating-random-sequence trap.

In most BASICs, when you command a program to run, the pseudorandom generator is always reseeded with the same number. So each and every time you will get the same results, with Ahl's test. And, depending on what seed is chosen, you may get truly phenomenal results (because you happened to hit a hot spot in the generator's sequence). Now, though, try starting the generator off with a different (and randomly chosen) seed each time. What happens? The test's randomness figure wanders all over the place.

Once again, to quote Spencer, "... in eight tests I obtained numbers ranging from 1.6 to 24.2, with the mean being 7.02...."

Finally, I would like to point out that Ahl's test penalizes small machine BASIC interpreters in yet another way: When you have 32K bytes to spend on a BASIC, one thing you do is insure that numbers to a power are performed by successive multiplications, if possible. Thus Cromemco 32K Structured BASIC (for example) performs A² with just one multiply. In other words, it converts A² to A*A. If you manually substitute that same form in Ahl's program, the times for almost all of the smaller and less expensive machines will improve dramatically. (Surprisingly, though, the accuracy figures may not change. After all, the original version may have had offsetting errors.) Of course, if you need to use noninteger powers in your programs, this comment doesn't apply, and the benchmark's results are a bit more meaningful for you.

Well, what does all this long-winded discussion boil down to? Two simple points: (1) Al-

ways presume that a benchmark program is worth slightly less than the paper it is printed on. (2) If you want to do number crunching on your Atari computer (against my best advice), go out and buy the Newell Fastchip. (And it won't hurt to try some other languages.)

HELP? HELP!

Besides noting that GRAPHICS 15 on the XL machines is easily accessible (it's equivalent to mode 7½ on older machines), Mark Butler, of Antioch, California, asked for some information about the HELP key.

Simply put, pushing the HELP key on an XL machine causes an interrupt (I'm not sure which one) that, in turn, causes the Operating System to set a HELP flag. The magic location is \$2DC, 732 decimal. Pushing HELP, either alone or in combination with CONTROL or SHIFT, forces the OS to put a value here, as shown below:

Key(s) Pressed	Value in \$2DC (732)		
HELP alone	\$11 (17 decimal)		
CONTROL+HELP	\$91 (145)		
SHIFT+HELP	\$41 (65)		

To use \$2DC, you must POKE it back to zero after you have decided that someone needs HELP which you are going to act on.

Butler also requested a program which would, for example, print out an error message for the last BASIC error number when the HELP key is pressed. While not a *really* difficult project, it is a bit too heavy for this column. On the other hand, it would be trivial to add a HELP capability to many BASIC programs. Why not try it?

As long as we are on this subject, I would like to also note the effects of the 1200XL's function keys on another memory location, \$2F2 (754 decimal). The various possible values are listed below. Note that CONTROL used with a function key is not generally accessible after keyboard input, since these combinations have special meanings to the OS and the editor handler. We will thus ignore them here.

Key(s) Pressed	Value in \$2F2 (754)	
F1 alone	\$03 (3 decimal)	
SHIFT+F1	\$43 (67)	
F2 alone	\$04 (4)	
SHIFT+F2	\$44 (68)	
F3 alone	\$13 (19)	
SHIFT+F3	\$53 (83)	
F4 alone	\$14 (20)	
SHIFT+F4	\$54 (84)	

Too bad all machines don't have function keys, isn't it?

Cassettes And The XL Machines

Guy Servais, of Norfolk, Virginia, was one of several who I inadvertently ignored when I discussed holding down the OPTION key while booting an 800XL computer. My apologies for slighting you cassette owners.

Still, my general comments apply: If you purchase a cassette program which includes instructions telling you to remove your BASIC cartridge, you *must* hold down the OPTION key while booting that cassette. The kicker here, though, is that you must *also* hold down the START button to force the boot in the first place. Under the conditions mentioned, I recommend holding down *both* buttons until you actually hear the tone on the tape being accepted by the computer.

Servais also asked me if you can "disable the built-in BASIC . . . and can type in programs written in machine language." I can only presume that he has either seen or used other brands of computers which have some sort of minimonitor which allows you to access the bits and bytes of memory. (For example, Apple II computers have a small monitor which you can

get to.)

Sorry, Guy, but there ain't no such thing on an Atari computer. You have three choices:

1. Use BASIC. This isn't quite as bad as it sounds. Look at the MLX machine language loader which COMPUTE! uses. It is a good tool for entering machine language written by others.

2. Buy a cartridge-based assembler. The old

Atari Assembler Editor cartridge is often available at a substantial discount. It's not great, but it's much better than the simple monitors on other machines.

3. Buy a disk drive. This will open up a whole new vista in machine language. There are several appropriate assemblers for disk users.

Even though I have said this before, it bears repeating: The *first* peripheral you should buy is a disk drive. Only use cassette if you are desperate, and never waste your money on a printer until you have a disk.

Can You Help?

Servais mentioned one more thing in his letter which disturbed me. He is experiencing the infamous Atari BASIC editing lockup in his 800XL with the built-in BASIC. I had believed that the 800XL's BASIC had cured that problem (though it left a few other bugs lying around). Now, truthfully, I haven't used much besides BASIC XL in the last year, so I have not been aware of this problem at all.

Has anyone documented the circumstances under which lockup occurs? Please write and tell us. Once again, since BASIC is in ROM, I doubt there is a fix for the problem. But if we are aware of why and how it occurs, we may be able to warn others away from those conditions.







TELECOMPUTING TODAY

Arlan R. Levitan

I work full-time in the IBM support district of a large telecommunications utility. About two weeks ago I was informed that my request to attend a one-week conference sponsored by IBM in San Francisco had been approved. Now, I don't particularly care for flying, especially a five-hour flight to the West Coast. Besides, the corporate travel bureau we use always has had a habit of routing me to my destination with three-hour stopovers in backwater airports and plane changes that would give Colonel Chuck Yeager

I decided to try a feature offered by most of the commercial information services, an electronic edition of the Official Airline Guide (OAG). A few words of explanation are in order for those of you unfamiliar with the OAG. The regular paper edition of the guide is printed once every two weeks and contains fare and schedule listings for all of the commercial airlines in the United States. It is theoretically available to regular travelers at little or no charge. Actually, getting a recent copy from an airline or travel agent usually requires giving up a complete set of fingerprints and your first-born child.

The electronic edition of OAG, while not free, does have some advantages. Its on-line information is always current and, most important, it offers extensive search capabilities. Using the electronic OAG, it's a snap to find the lowest possible fares available, even ones that many travel agents can miss. Sure, I could have called around to every airline in town and got the same information for free. But "free" in this case means spending about an hour making ten or so phone calls, plus being subjected to canned Muzak while waiting for a reservations operator.

Looking up the flights via the electronic OAG took around 90 seconds and cost about \$1.50. Besides, it was a lot of fun to call the airline I had settled on and have all of the flight information before the fact. Electronic OAG will really come into its own when the information services also offer on-line ticket bookings for all airlines. Don't be surprised if such services are commonly available by the end of the year.

Telecomputing On The Run

Two days before I was to leave, I got a call from my editor at COMPUTE!.

"Arlan, this is Tom. Where's the February column?"

"Are you kidding? I just sent January two weeks ago, and I'll never live down the fact that it was actually on time. Besides, I'm going to be out of town for a week. There's no way I can get it to you by next week." I smiled, thinking of leisurely strolling along Fisherman's Wharf in the cool of a San Francisco evening.

"Hey, didn't you just buy a lap computer with a built-in modem? You can take it with you, write the column on it and then transmit it directly into our computer via phone, right?"

I silently cursed myself for ever mentioning my new acquisition in passing conversation.

Actually, taking a modem on the run turned out to be a pretty good idea. The Sunday I arrived, it was raining heavily, and I was too jetlagged to want to go anywhere. Having a portable computer with a modem saved me from having to endure Knight Rider. From the comfort of my hotel room, I logged onto my favorite commercial information services, chatted with some of my electronic compadres, and perused items of interest on the various forums I participate in.

Monday night, I left a message on a local computerized bulletin board system (BBS) asking for restaurant recommendations from the locals, rather than trust the "Dine At Our Advertisers" booklets that litter hotels.

Wednesday, I received a call from my place of work in Michigan. There was a minor problem with one of the computer subsystems I was responsible for. I could have spent over an hour on the phone describing how to deal with the problem in detail. Instead, I dialed into the system with my lap computer, and analyzed and fixed the problem in about ten minutes. Also on Wednesday, I dialed back into the local BBS and read the response to my restaurant inquiry. One

of the recommendations looked particularly enticing, and that evening my friends and I had a great Szechwan dinner at a place that wasn't listed in any of the where-to-eat booklets.

And on Thursday night, after an exhausting day of meetings, I wrote this column in my hotel room when I could have been wasting my time touring the city in a cable car.

But seriously, do I regret telecomputing on the run? Absolutely not. I doubt if I'll travel on business without telecomputing power again.

Watch for more under-\$500 consumeroriented lap portables with built-in modems in
1985. It's been found that integrated telecommunications is crucial to the success of lap
computers. Consider two nearly identical lap machines, the Tandy TRS-80 Model 100 and the
NEC 8201A. Both are manufactured by the Japanese firm Kyocera. The NEC has a clearly superior keyboard and more memory capacity than
the Model 100. So why does the Model 100 outsell it by more than 20 to 1? The Tandy has a
built-in modem, and as the sales figures show,
that makes all the difference.

Even Commodore is said to be considering adding a modem to its portable SX-64 in an effort to spur sales. Indeed, it may soon be difficult to buy a microcomputer without a modem. The current availability of a \$10, 300 bps modemon-a-chip will have a profound effect on the telecomputing user base in the next few years. Because built-in modems add lots of functionality for little additional cost, you can expect the majority of new machines introduced in 1986 and beyond to sport integrated telecommunications.

Info-Wars

The commercial information service wars are heating up again. Recently, CompuServe has been gaining ground in the corporate computing community with its business-tailored Executive Information Service. This has the No. 1 business info provider—Dow Jones News/Retrieval—scrambling in response. DJNR has cut its rates by 25 percent across the board for general services and regular stock quotes, and has announced a major new service—stock quotes based upon "last trade."

What are last trade quotes? Until the announcement of this service, all of the stock quotes offered by the major consumer information utilities have been delayed 15 to 20 minutes. Anyone familiar with the stock market knows that 15 minutes can be a lifetime in the price of an individual issue. Last trade quotes report the most recent price paid for a stock, based on the last transaction logged by the exchange on

which the stock is listed.

Transactions are reported much more quickly under the new system. The time varies from exchange to exchange, but 20 seconds or less is not uncommon. Moderately serious investors who don't have a broker willing to spend an hour at a time on the phone with them will find the new service a real blessing.

The last trade quotes will cost DJNR users a \$12 monthly service charge in addition to the normal connect-time charges for quotes. The monthly surcharge covers the fees paid by Dow Jones to the exchanges for the more timely quote information.

DJNR didn't have much time to gloat before The Source—a rival information service owned by Reader's Digest-struck back in spades, announcing its own last trade quotes. Although The Source's \$20 monthly surcharge is a bit higher than DJNR's, The Source introduced a powerful adjunct service. By special arrangement with Spears Incorporated, a discount brokerage house, stock watchers on The Source can set up an account with Spears and issue trading orders on-line. According to Spears, most orders will be executed within two minutes of issuance. An extensive portfolio tracking system is also available on-line and may be used to value actual holdings or to track "paper portfolios" (for those who wish to dabble for fun rather than real money).

New On-Line Services

The information service war is spreading beyond the business sector as well. Two new on-line services—People/Link and Play/Net—are starting up with introductory connect-time charges significantly below those charged by the established leaders.

People/Link will offer services similar to CompuServe's popular Nationwide CB and Special Interest Forums as well as electronic mail at only \$2.95 an hour. Play/Net sounds even more aggressive, offering on-line games with mediumresolution color graphics to users who purchase its proprietary terminal program. Although the Commodore 64 is the only machine Play/Net supports at this time, the service claims it will support IBM and Apple computers by this spring. Play/Net's introductory connect time charges? An unbelievable \$2.00 an hour! Both Play/Net's and People/Link's hourly charges will certainly rise after the two firms have lured enough users to make continued operation of the services viable, but such predatory pricing should help keep the rates charged by the big boys down to earth.

Arlan R. Levitan Source: TCT987

COMPUTE!'s Guide To Typing In Programs

Before typing in any program, you should familiarize yourself with your computer. Learn how to use the keyboard to type in and correct BASIC programs. Read your manuals to understand how to save and load BASIC programs to and from your disk drive or cassette unit. Computers are precise—take special care to type the program exactly as listed, including any necessary punctuation and symbols. To help you with this task, we have implemented a special listing convention as well as a program to help check your typing—the "Automatic Proofreader." Please read the following notes before typing in any programs from COMPUTE!. They can save you a lot of time and trouble.

Since programs can contain some hard-toread (and hard-to-type) special characters, we have developed a listing system that spells out in abbreviated form the function of these control characters. You will find these special characters within curly braces. For example, {CLEAR} or {CLR} instructs you to insert the symbol which clears the screen on the Atari or Commodore machines. A symbol by itself within curly braces is usually a control key or graphics key. If you see {A}, hold down the CONTROL key and press A. Commodore machines have a special control key labeled with the Commodore logo. Graphics characters entered with the Commodore logo key are enclosed in a new kind of special bracket. A graphics character can be listed as [<A>]. In this case, hold down the Commodore logo key as you type A. Our Commodore listings are in uppercase, so shifted symbols are underlined. A graphics heart symbol (SHIFT-S) would be listed as S. One exception is {SHIFT-SPACE}. Hold down SHIFT and press the space bar.

If a number precedes a symbol, such as {5 RIGHT}, {6 S}, or [<8 Q>], you would enter five cursor rights, six shifted S's, or eight Commodore-Q's. On the Atari, inverse characters (printed in white on black) should be entered with the Atari logo key. Since spacing is sometimes important, any more than two spaces will be listed, for example, as: {6 SPACES}. A space is never left at the end of a line, but will be moved to the next printed line as {SPACE}. There are no special control characters found in our IBM PC/PCjr, TI-99/4A, and Apple program listings. For your convenience, we have prepared this quick-reference key for the Commodore and Atari special characters:

Atari 400/800/XL

When you see	Туре	See	
(CLEAR)	ESC SHIFT <	K	Clear Screen
(UP)	ESC CTRL -	+	Cursor Up
(DOWN)	ESC CTRL =		Cursor Down
(LEFT)	ESC CTRL +	+	Cursor Left
(RIGHT)	ESC CTRL #	+	Cursor Right
(BACK S)	ESC DELETE	4	Backspace
(DELETE)	ESC CTRL DELETE	U	Delete character
(INSERT)	ESC CTRL INSERT	D	Insert character
(DEL LINE)	ESC SHIFT DELETE	0	Delete line
(INS LINE)	ESC SHIFT INSERT	- 53	Insert line
(TAB)	ESC TAB	•	TAB key
(CLR TAB)	ESC CTRL TAB	•	Clear tab
(SET TAB)	ESC SHIFT TAB	E2	Set tab stop
(BELL)	ESC CTRL 2	G	Ring buzzer
(ESC)	ESC ESC	Ę	ESCape key

Commodore PET/CBM/VIC/64

When You Read:	ou Pre:	ss:	See:	When 'Read:	You Pre	ss:	See:
(CLR)	SHIFT	CLR HOME		[GRN]	CTRL	6	
(HOME)		CLR HOME	5	(BLU)	CTRL	7	
[UP]	SHIFT	CRSR •		(YEL)	CTRL	8	
(DOWN)		CRSR •		{F1}	f1		
{LEFT}	SHIFT	CRSR -		{F2}	f2		M
(RIGHT)		CRSR -		{F3}	f3		
[RVS]	CTRL	9		[F4]	F4		M
{OFF}	CTRL	0		{F5}	f 5		10
{BLK}	CTRL	1		[F6]	f6		
{WHT}	CTRL	2		[F7]	f7		
{RED}	CTRI.	3	12	[F8]	f8		
{CYN}	CTRL	1		4	•		*
{PUR}	CTRL	5	***	<u>1</u>	SHIFT	4	TT

The Automatic Proofreader

Also, we have developed a simple, yet effective program that can help check your typing. Type in the appropriate Proofreader program for your machine, then save it for future use. On the VIC, 64, or Atari, run the Proofreader to activate it, then enter NEW to erase the BASIC loader (the Proofreader will still be active, hidden in memory, as a machine language program). Pressing RUN/STOP-RESTORE or SYSTEM RESET deactivates the Proofreader. You can use SYS 886 to reactivate the VIC/64 Proofreader, or PRINT USR(1536) to reenable the Atari Proofreader. The IBM Proofreader is a BASIC program that lets you enter, edit, list, save, and load programs that you type. It simulates the IBM's BASIC line editor.

Using The Automatic Proofreader

Once the Proofreader is active, try typing in a line. As soon as you press RETURN, either a number (on the Commodore) or a pair of letters

(Atari or IBM) appears. The number or pair of letters is called a *checksum*. Try making a change in the line, and notice how the checksum

changes.

All you need to do is compare the value provided by the Proofreader with the checksum printed in the program listing in the magazine. In Commodore listings, the checksum is a number from 0 to 255. It is set off from the rest of the line with *rem*. This prevents a syntax error if the checksum is typed in, but the REM statements and checksums need *not* be typed in. It is just there for your information.

In Atari and IBM listings, the checksum is given to the left of each line number. Just type in the program, a line at a time (without the printed checksum) and compare the checksum generated by the Proofreader to the checksum in the listing. If they match, go on to the next line. If not, check your typing: You've made a mistake. On the Commodore and Atari Proofreader, spaces are not counted as part of the checksum, and no check is made to see that you've typed in the characters in the right order. If characters are transposed, the checksum will still match the listing. Because of the checksum method used, do not use abbreviations, such as ? for PRINT. However, the Proofreader does catch the majority of typing errors most people make. The IBM Proofreader is even pickier; it will detect errors in spacing and transposition. Also, be sure you leave Caps Lock on, except when you need to enter lowercase characters.

Special Proofreader Notes For Commodore Cassette Users

The Proofreader resides in the cassette buffer, which is used during tape LOADs and SAVEs. Be sure to press RUN/STOP-RESTORE before you save or load a program, to get the Proofreader out of the way. If you want to use the Proofreader with tape, run the Proofreader, then enter these two lines *exactly* as shown, pressing RETURN after each one:

A\$="PROOFREADER.T":B\$="{10 SPACES}" :FORX=1TO4:A\$=A\$+B\$:NEXT

FORX=886TO1018:A\$=A\$+CHR\$(PEEK(X)) :NEXT:OPEN 1,1,1,A\$:CLOSE1

Then press RECORD and PLAY on a blank tape, and a special version of the Proofreader will be saved to tape. Anytime you need to reload the Proofreader after it has been erased, just rewind the tape, type OPEN1:CLOSE1, then press PLAY. When READY comes back, enter SYS 886.

IBM Proofreader Commands

Since the IBM Proofreader replaces the computer's normal BASIC line editor, it has to include

many of the direct-mode IBM BASIC commands. The syntax is identical to IBM BASIC. Commands simulated are LIST, LLIST, NEW, FILES, SAVE, and LOAD. When listing your program, press any key (except Ctrl-Break) to stop the listing. If you enter NEW, the Proofreader will prompt you to press Y to be especially sure you mean yes.

Two new commands are BASIC and CHECK. BASIC exits the Proofreader back to IBM BASIC, leaving the Proofreader in memory. CHECK works just like LIST, but shows the checksums along with the listing. After you have typed in a program, save it to disk. Then exit the Proofreader with the BASIC command, and load the program into the normal BASIC environment (this will replace the Proofreader in memory). You can now run the program, but you may want to resave it to disk. This will shorten it on disk and make it load faster, but it can no longer be edited with the Proofreader. If you want to convert a program to Proofreader format, save it to disk with SAVE "filename", A.

VIC/64 Proofreader

- 100 PRINT"{CLR}PLEASE WAIT...":FORI=886T010
 18:READA:CK=CK+A:POKEI,A:NEXT
- 110 IF CK<>17539 THEN PRINT"[DOWN]YOU MADE [SPACE]AN ERROR":PRINT"IN DATA STATEMEN TS.":END
- 120 SYS886:PRINT"[CLR][2 DOWN]PROOFREADER A CTIVATED.":NEW
- 886 DATA 173,036,003,201,150,208
- 892 DATA 001,096,141,151,003,173
- 898 DATA 037,003,141,152,003,169
- 904 DATA 150,141,036,003,169,003
- 910 DATA 141,037,003,169,000,133
- 916 DATA 254,096,032,087,241,133
- 922 DATA 251,134,252,132,253,008
- 928 DATA 201,013,240,017,201,032
- 934 DATA 240,005,024,101,254,133
- 940 DATA 254,165,251,166,252,164
- 946 DATA 253,040,096,169,013,032
- 952 DATA 210,255,165,214,141,251
- 958 DATA 003,206,251,003,169,000
- 964 DATA 133,216,169,019,032,210
- 970 DATA 255,169,018,032,210,255 976 DATA 169,058,032,210,255,166
- 982 DATA 254,169,000,133,254,172
- 988 DATA 151,003,192,087,208,006
- 994 DATA 032,205,189,076,235,003
- 1000 DATA 032,205,221,169,032,032
- 1006 DATA 210,255,032,210,255,173
- 1012 DATA 251,003,133,214,076,173
- 1018 DATA 003

Atari Proofreader

- 100 GRAPHICS 0
- 110 FOR I=1536 TO 1700:READ A:POKE I ,A:CK=CK+A:NEXT I
- 120 IF CK<>19072 THEN ? "Error in DA TA Statements. Check Typing.":E ND
- 13Ø A=USR (1536)
- 140 ? :? "Automatic Proofreader Now Activated."

15Ø END 1536 DATA 104,160,0,185,26,3 1542 DATA 201,69,240,7,200,200 1548 DATA 192,34,208,243,96,200 1554 DATA 169,74,153,26,3,200 1560 DATA 169,6,153,26,3,162 1566 DATA Ø,189,0,228,157,74 DATA 6,232,224,16,208,245 1572 1578 DATA 169,93,141,78,6,169 DATA 6,141,79,6,24,173 1584 1590 DATA 4,228,105,1,141,95 1596 DATA 6,173,5,228,105,0 1602 DATA 141,96,6,169,0,133 1608 DATA 203,96,247,238,125,241 1614 DATA 93,6,244,241,115,241 1620 DATA 124,241,76,205,238,0 1626 DATA Ø, Ø, Ø, Ø, 32, 62 1632 DATA 246,8,201,155,240,13 1638 DATA 201,32,240,7,72,24 1644 DATA 101,203,133,203,104,40 1650 DATA 96,72,152,72,138,72 1656 DATA 160,0,169,128,145,88 1662 DATA 200,192,40,208,249,165 1668 DATA 203,74,74,74,74,24 1674 DATA 105,161,160,3,145,88 168Ø DATA 165,203,41,15,24,105 1686 DATA 161,200,145,88,169,0 1692 DATA 133,203,104,170,104,168 1698 DATA 104,40,96

IBM Proofreader

- 10 'Automatic Proofreader Version 2.00 (L ines 270,510,515,517,620,630 changed f rom V1.0)
- 100 DIM L\$(500), LNUM(500): COLOR 0,7,7:KEY OFF: CLS: MAX=0: LNUM(0)=65536!
- 11Ø ON ERROR GOTO 12Ø:KEY 15,CHR\$(4)+CHR\$
 (7Ø):ON KEY(15) GOSUB 64Ø:KEY (15) ON
 :GOTO 13Ø
- 12Ø RESUME 13Ø
- 13Ø DEF SEG=&H4Ø: W=PEEK (&H4A)
- 140 ON ERROR GOTO 650:PRINT:PRINT"Proofre ader Ready."
- 15Ø LINE INPUT L\$:Y=CSRLIN-INT(LEN(L\$)/W) -1:LOCATE Y,1
- 16Ø DEF SEG=Ø:POKE 1Ø5Ø,3Ø:POKE 1Ø52,34:P OKE 1Ø54,Ø:POKE 1Ø55,79:POKE 1Ø56,13: POKE 1Ø57,28:LINE INPUT L\$:DEF SEG:IF L\$="" THEN 15Ø
- 170 IF LEFT\$(L\$,1)=" " THEN L\$=MID\$(L\$,2) :GOTO 170
- 18Ø IF VAL(LEFT\$(L\$,2))=Ø AND MID\$(L\$,3,1)=" " THEN L\$=MID\$(L\$,4)
- 19Ø LNUM=VAL(L\$): TEXT\$=MID\$(L\$, LEN(STR\$(L NUM))+1)
- 200 IF ASC(L\$)>57 THEN 260 'no line number, therefore command
- 210 IF TEXT\$="" THEN GOSUB 540:IF LNUM=LN UM(P) THEN GOSUB 560:GOTO 150 ELSE 15
- 22Ø CKSUM=Ø:FOR I=1 TO LEN(L\$):CKSUM=(CKS UM+ASC(MID\$(L\$,I))*I) AND 255:NEXT:LO CATE Y,1:PRINT CHR\$(65+CKSUM/16)+CHR\$(65+(CKSUM AND 15))+" "+L\$
- 23Ø GOSUB 54Ø:IF LNUM(P)=LNUM THEN L\$(P)= TEXT\$:GOTO 15Ø 'replace line
- 240 GOSUB 580:GOTO 150 'insert the line
- 26Ø TEXT\$="":FOR I=1 TO LEN(L\$):A=ASC(MID \$(L\$,I)):TEXT\$=TEXT\$+CHR\$(A+32*(A>96 AND A<123)):NEXT

- 270 DELIMITER=INSTR(TEXT\$," "):COMMAND\$=T EXT\$:ARG\$="":IF DELIMITER THEN COMMAN D\$=LEFT\$(TEXT\$,DELIMITER-1):ARG\$=MID\$ (TEXT\$,DELIMITER+1) ELSE DELIMITER=IN STR(TEXT\$,CHR\$(34)):IF DELIMITER THEN COMMAND\$=LEFT\$(TEXT\$,DELIMITER-1):AR G\$=MID\$(TEXT\$.DELIMITER)
- 28Ø IF COMMAND\$<>"LIST" THEN 41Ø
- 290 OPEN "scrn:" FOR OUTPUT AS #1
- 300 IF ARG\$="" THEN FIRST=0:P=MAX-1:GOTO 340
- 310 DELIMITER=INSTR(ARG\$,"-"):IF DELIMITE R=0 THEN LNUM=VAL(ARG\$):GOSUB 540:FIR ST=P:GOTO 340
- 32Ø FIRST=VAL(LEFT\$(ARG\$,DELIMITER)):LAST =VAL(MID\$(ARG\$,DELIMITER+1))
- 33Ø LNUM=FIRST:GOSUB 54Ø:FIRST=P:LNUM=LAS T:GOSUB 54Ø:IF P=Ø THEN P=MAX-1
- 340 FOR X=FIRST TO P:N\$=MID\$(STR\$(LNUM(X)),2)+" "
- 35Ø IF CKFLAG=Ø THEN A\$="":60T0 37Ø
- 36Ø CKSUM=Ø:A\$=N\$+L\$(X):FOR I=1 TO LEN(A\$
):CKSUM=(CKSUM+ASC(MID\$(A\$,I))*I) AND
 255:NEXT:A\$=CHR\$(65+CKSUM/16)+CHR\$(6
 5+(CKSUM AND 15))+" "
- 37Ø PRINT #1, A\$+N\$+L\$(X)
- 38Ø IF INKEY\$<>"" THEN X=P
- 390 NEXT : CLOSE #1: CKFLAG=0
- 400 GOTO 130
- 41Ø IF COMMAND\$="LLIST" THEN OPEN "lpt1:" FOR OUTPUT AS #1:GOTO 300
- 42Ø IF COMMAND\$="CHECK" THEN CKFLAG=1:GOT 0 29Ø
- 43Ø IF COMMAND\$<>"SAVE" THEN 45Ø
- 44Ø GOSUB 6ØØ:OPEN ARG\$ FOR OUTPUT AS #1: ARG\$="":GOTO 3ØØ
- 45Ø IF COMMAND\$<>"LOAD" THEN 49Ø
- 46Ø GOSUB 6ØØ:OPEN ARG\$ FOR INPUT AS #1:M AX=Ø:P=Ø
- 47Ø WHILE NOT EOF(1):LINE INPUT #1,L\$:LNU M(P)=VAL(L\$):L\$(P)=MID\$(L\$,LEN(STR\$(V AL(L\$)))+1):P=P+1:WEND
- 48Ø MAX=P:CLOSE #1:GOTO 13Ø
- 490 IF COMMAND\$="NEW" THEN INPUT "Erase p rogram - Are you sure";L\$:IF LEFT\$(L\$,1)="y" OR LEFT\$(L\$,1)="Y" THEN MAX=0 :GOTO 130:ELSE 130
- 500 IF COMMAND\$="BASIC" THEN COLOR 7,0,0: ON ERROR GOTO 0:CLS:END
- 510 IF COMMAND\$<>"FILES" THEN 520
- 515 IF ARG\$="" THEN ARG\$="A:" ELSE SEL=1: GOSUB 600
- 517 FILES ARG\$: GOTO 130
- 520 PRINT"Syntax error": GOTO 130
- 540 P=0:WHILE LNUM>LNUM(P) AND P<MAX:P=P+
 1:WEND:RETURN
- 560 MAX=MAX-1:FOR X=P TO MAX:LNUM(X)=LNUM (X:1):L\$(X)=L\$(X+1):NEXT:RETURN
- 58Ø MAX=MAX+1:FOR X=MAX TO P+1 STEP -1:LN UM(X)=LNUM(X-1):L\$(X)=L\$(X-1):NEXT:L\$ (P)=TEXT\$:LNUM(P)=LNUM:RETURN
- 600 IF LEFT\$(ARG\$,1)<>CHR\$(34) THEN 520 E LSE ARG\$=MID\$(ARG\$,2)
- 610 IF RIGHT\$(ARG\$,1)=CHR\$(34) THEN ARG\$= LEFT\$(ARG\$,LEN(ARG\$)-1)
- 62Ø IF SEL=Ø AND INSTR(ARG\$,".")=Ø THEN A RG\$=ARG\$+".BAS"
- 63Ø SEL=Ø:RETURN
- 640 CLOSE #1:CKFLAG=0:PRINT"Stopped.":RET URN 150
- 650 PRINT "Error #"; ERR: RESUME 150

Machine Language Entry Program For Commodore 64 And VIC-20

Charles Brannon, Program Editor I

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COMPUTE!. You need to know nothing about machine language to use MLX-it was designed for everyone. There are separate versions for the Commodore 64 and expanded VIC-20 (at least 8K).

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file.

Using MLX

Type in and save the appropriate version of MLX (you'll want to use it in the future). When you're ready to type in an ML program, run MLX. MLX asks you for two numbers: the starting address and the ending address. These numbers are given in the article accompanying the ML program.

When you run MLX, you'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a checksum number. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the space bar or RETURN key to advance to the next number. The checksum automatically appears in inverse video for emphasis.

To simplify your typing, MLX redefines part of the keyboard as a numeric keypad (lines 581-584):

	U	I	0			7	8	9
H	J	K	L	become	0	4	5	6
	M					1	2	3

MLX Commands

When you finish typing an ML listing (assuming you type it all in one session), you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you've made a typo when entering the MLX program itself.

You don't have to enter the whole ML program in one sitting. MLX lets you enter as much as you want, save it, and then reload the file from tape or disk later. MLX recognizes these commands:

SHIFT-S: Save SHIFT-L: Load SHIFT-N: New Address SHIFT-D: Display

When you enter a command, MLX jumps out of the line you've been typing, so we recommend you do it at a new prompt. Use the Save command to save what you've been working on. It will save on tape or disk, as if you've finished, but the tape or disk won't work, of course, until you finish the typing. Remember what address you stop at. The next time you run MLX, answer all the prompts as you did before, then insert the disk or tape. When you get to the entry prompt, press SHIFT-L to reload the partly completed file into memory. Then use the New Address command to resume typing.

To use the New Address command, press SHIFT-N and enter the address where you previously stopped. The prompt will change, and you can then continue typing. Always enter a New Address that matches up with one of the line numbers in the special listing, or else the checksum won't work. The Display command lets you display a section of your typing. After you press SHIFT-D, enter two addresses within the line number range of the listing. You can abort the listing by pressing any key.

64 MLX: Machine Language Entry

10 REM LINES CHANGED FROM MLX VERSION 2.0 Ø ARE 750,765,770 AND 860 :rem 50

20 REM LINE CHANGED FROM MLX VERSION 2.01 :rem 147

100	PRINT" {CLR } [6]"; CHR\$(142); CHR\$(8); : PO		GOSUB2000 :rem 218
	KE53281,1:POKE53280,1 :rem 67	540	FORI=1TO6:POKEAD+I-1,A(I):NEXT:POKE54
101	POKE 788,52:REM DISABLE RUN/STOP		272,0:POKE54273,0 :rem 227
	:rem 119	550	AD=AD+6:IF AD <e 212<="" 310="" :rem="" td="" then=""></e>
110	PRINT"[RVS][39 SPACES]"; :rem 176	560	GOTO 710 :rem 108 N=0:Z=0 :rem 88 PRINT"[£1]"; :rem 81 GETA\$:IFA\$=""THEN581 :rem 95
120	PRINT" RVS 14 SPACES RIGHT OFF 6"3	570	N=0:Z=0 :rem 88
	£[RVS][RIGHT] [RIGHT][2 SPACES][*]	580	PRINT" [£ 1] ; : rem 81
	TOFF [*] £ [RVS] £ [RVS] [14 SPACES] ";	581	GETAŞ:IFAŞ=""THEN581 :rem 95
	:rem 250	582	AV=-(A\$="M")-2*(A\$=",")-3*(A\$=".")-4*
130	PRINT" (RVS) [14 SPACES] [RIGHT] [6]	500	(A\$="J")-5*(A\$="K")-6*(A\$="L"):rem 41
	[RIGHT] {2 RIGHT} [OFF]£[RVS]£[*]	583	AV=AV-7*(A\$="U")-8*(A\$="I")-9*(A\$="O"
	[OFF][*][RVS][14 SPACES]"; :rem 35	504):IFA\$="H"THENA\$="0" :rem 134 IFAV>ØTHENA\$=CHR\$(48+AV) :rem 134
140	PRINT" (RVS) [41 SPACES]" : rem 120	584	1FAV>0THENAS=CHR\$(48+AV) :rem 134
200	PRINT" {2 DOWN } {PUR } {BLK } MACHINE LANG	585	PRINTCHR\$(20);:A=ASC(A\$):IFA=130RA=44
	UAGE EDITOR VERSION 2.02[5 DOWN]" : rem 238	500	ORA=32THEN67Ø :rem 229 IFA>128THENN=-A:RETURN :rem 137
	PRINT"[5][2 UP]STARTING ADDRESS?		
210	{8 SPACES}{9 LEFT}"; :rem 143	600	IFA<>20 THEN 630 :rem 10 GOSUB690:IFI=1ANDT=44THENN=-1:PRINT"
015	[8 SPACES][9 LEFT] ; INPUTS:F=1-F:C\$=CHR\$(31+119*F)	910	{OFF}{LEFT} {LEFT}";:GOTO690 :rem 62
215	:rem 166		GOTO570 :rem 109
000	IFS<2560R(S>40960ANDS<49152)ORS>53247		
220	TFS(2560R(S)40960ANDS(49152)0RS/55247	630	IFA<480RA>57THEN580 :rem 105 PRINTA\$;:N=N*10+A-48 :rem 106
	THENGOSUB3000:GOTO210 :rem 235 PRINT:PRINT:PRINT :rem 180	640	IFN>255 THEN A=20:GOSUB1000:GOTO600
225	PRINT:PRINT: : rem 180 PRINT" [5] [2 UP] ENDING ADDRESS?	650	:rem 229
230	{8 SPACES}{9 LEFT}";:INPUTE:F=1-F:C\$=	cca	Z=Z+1:IFZ<3THEN58Ø :rem 71
	(8 SPACES)(9 LEFT) 7:1NF0TE:1-1 1:00 CHR\$(31+119*F) :rem 20	670	IFZ=ØTHENGOSUB1000:GOTO570 :rem 114
244	IFE < 2560R(E > 40960ANDE < 49152) ORE > 53247	600	PRINT", ";:RETURN :rem 240
240	THENGOSUB3000:GOTO230 :rem 183		S%=PEEK(209)+256*PEEK(210)+PEEK(211)
25.4	IFE < STHENPRINTC\$; " {RVS} ENDING < START		1.0
250	{2 SPACES}":GOSUB1000:GOTO 230	601	FORI=1TO3:T=PEEK(S%-I) :rem 67
	(2 SPACES) :GOSOBIO00:GOTO 230 :rem 176		IFT <> 44ANDT <> 58THENPOKES %-I, 32:NEXT
200	PRINT:PRINT:PRINT :rem 179	093	:rem 205
200	PRINT" {CLR}"; CHR\$(14): AD=S : rem 56	700	PRINTLEFT\$("{3 LEFT}",I-1);:RETURN
210	A=1:PRINTRIGHT\$("0000"+MID\$(STR\$(AD),	100	:rem 7
310	2),5);":"; :rem 33	710	PRINT" {CLR} {RVS}*** SAVE *** {3 DOWN}"
315	2),5);":"; :rem 33 FORJ=ATO6 :rem 33	110	:rem 236
320	GOSUB570:IFN=-1THENJ=J+N:GOTO320	715	PRINT"{2 DOWN}(PRESS {RVS}RETURN{OFF}
320	. rom 220	,15	ALONE TO CANCEL SAVE) [DOWN] ": rem 106
390	IFN=-211THEN 710 :rem 62	720	F\$="":INPUT" [DOWN] FILENAME"; F\$:IFF\$=
The second second	IFN=-211THEN 710 :rem 62 IFN=-204THEN 790 :rem 64		""THENPRINT:PRINT:GOTO310 :rem 71
	IFN=-206THENPRINT:INPUT" [DOWN] ENTER N	730	PRINT:PRINT" (2 DOWN) [RVS]T[OFF]APE OR
	EW ADDRESS"; ZZ :rem 44		{RVS}D{OFF}ISK: (T/D)" - :rem 228
415	IFN=-206THENIFZZ <sorzz>ETHENPRINT"</sorzz>	740	GETA\$: IFA\$<>"T"ANDA\$<>"D"THEN740
	{RVS}OUT OF RANGE":GOSUB1000:GOTO410		:rem 36
	:rem 225	750	DV=1-7*(A\$="D"):IFDV=8THENF\$="Ø:"+F\$:
417	IFN=-206THENAD=ZZ:PRINT:GOTO310		OPEN15,8,15, "S"+F\$:CLOSE15 :rem 212
	:rem 238	760	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$
420	IF N<>-196 THEN 480 :rem 133):POKE782,ZK/256 :rem 3
430	PRINT: INPUT "DISPLAY: FROM"; F: PRINT, "TO	762	POKE781, ZK-PEEK(782)*256: POKE780, LEN(
	";:INPUTT :rem 234		T\$):SYS65469 :rem 109
440	IFF < SORF > EORT < SORT > ETHENPRINT "AT LEAS	763	POKE780,1:POKE781,DV:POKE782,1:SYS654
	T";S; "{LEFT}, NOT MORE THAN"; E:GOTO43		66 :rem 69
	Ø :rem 159	765	K=S:POKE254,K/256:POKE253,K-PEEK(254)
450	FORI=FTOTSTEP6:PRINT:PRINTRIGHT\$("000		*256:POKE780,253 :rem 17
	<pre>0"+MID\$(STR\$(I),2),5);":"; :rem 30</pre>	766	K=E+1:POKE782,K/256:POKE781,K-PEEK(78
451	FORK=ØTO5:N=PEEK(I+K):PRINTRIGHT\$("ØØ		2)*256:SYS65496 :rem 235
	"+MID\$(STR\$(N),2),3);","; :rem 66	770	IF(PEEK(783)AND1)OR(191ANDST)THEN780
460	GETA\$:IFA\$>""THENPRINT:PRINT:GOTO310		:rem 111
	:rem 25	775	PRINT" {DOWN } DONE. {DOWN } ": GOTO310
470	NEXTK:PRINTCHR\$(20);:NEXTI:PRINT:PRIN		:rem 113
	T:GOTO310 :rem 50	780	PRINT" [DOWN] ERROR ON SAVE. [2 SPACES]T
480	IFN<Ø THEN PRINT:GOTO310 :rem 168		RY AGAIN.":IFDV=1THEN720 :rem 171
490	A(J)=N:NEXTJ :rem 199	781	OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1\$
500	CKSUM=AD-INT(AD/256)*256:FORI=1T06:CK		;E2\$:CLOSE15:GOTO720 :rem 103
	SUM=(CKSUM+A(I))AND255:NEXT :rem 200	790	PRINT"{CLR}{RVS}*** LOAD ***{2 DOWN}"
510	PRINTCHR\$(18);:GOSUB570:PRINTCHR\$(146		- :rem 212
); :rem 94	795	PRINT"[2 DOWN](PRESS [RVS]RETURN[OFF]
	IFN=-1THENA=6:GOTO315 :rem 254		ALONE TO CANCEL LOAD)" :rem 82
515	PRINTCHR\$(20):IFN=CKSUMTHEN530	800	F\$="":INPUT"{2 DOWN} FILENAME"; F\$:IFF
	:rem 122		\$=""THENPRINT:GOTO310" :rem 144
520	PRINT: PRINT"LINE ENTERED WRONG : RE-E	810	PRINT: PRINT" {2 DOWN } {RVS } T {OFF } APE OR
	NTER":PRINT:GOSUB1000:GOTO310:rem 176		${RVS}\underline{D}{OFF}ISK: (\underline{T}\underline{D})$ " :rem 227

820	GETA\$:IFA\$<>"T"ANDA\$<>"D"THEN820		10	IFN=-206THENPRINT: INPUT" [DOWN	
83Ø	DV=1-7*(A\$="D"):IFDV=8THENF\$="0:	em 34 "+F\$ 4	15	EW ADDRESS"; ZZ IFN=-206THENIFZZ <sorzz>ETHENF</sorzz>	rem 44
	:re	m 157		[RVS]OUT OF RANGE":GOSUB1000:	
840	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-L:):POKE782,ZK/256				:rem 225
841	POKE781, ZK-PEEK (782) * 256: POKE780	LEN(1/	IFN=-206THENAD=ZZ:PRINT:GOTO3	:rem 238
	T\$):SYS65469 :rei	n 107 4	20	IF N<>-196 THEN 480	
	POKE780,1:POKE781,DV:POKE782,1:S3	15654 4		PRINT: INPUT "DISPLAY: FROM"; F: F	PRINT, "TO
850	66 :re POKE780,0:SYS65493 :re	em 11 4	40	";:INPUTT IFF <sorf>EORT<sort>ETHENPRINT</sort></sorf>	rem 234
860	IF (PEEK (783) AND1) OR (191 ANDST) THEN	18/0	••	T";S;"{LEFT}, NOT MORE THAN";	E:GOTO43
865	PRINT"{DOWN}DONE.":GOTO31Ø :re			Ø	:rem 159
	PRINT" [DOWN] ERROR ON LOAD. [2 SPACE		שכ	<pre>FORI=FTOTSTEP6:PRINT:PRINTRIC Ø"+MID\$(STR\$(I),2),5);":";</pre>	:HT\$("000
	RY AGAIN. {DOWN}": IFDV=1THEN800	4	55	FORK=ØTO5:N=PEEK(I+K):IFK=3TH	IENPRINTS
880	:rer OPEN15,8,15:INPUT#15,E1\$,E2\$:PRIN	n 172 NTE1S 4	57	PC(10); PRINTRIGHT\$("00"+MID\$(STR\$(N)	:rem 34
	;E2\$:CLOSE15:GOTO800 :rer	n 102	31	FRINIRIGHIŞ(WW +MIDŞ(SIRŞ(N)	:rem 157
	REM BUZZER :rer POKE54296,15:POKE54277,45:POKE54	n 135 4	60	GETAS: IFAS> ""THENPRINT: PRINT:	
1001		000	70	NEXTK: PRINTCHR\$ (20); : NEXTI: PR	:rem 25
1002	POKE54276,33:POKE 54273,6:POKE54	1272.		m.como 21 a	Fa
1003	5 :re FORT=1TO200:NEXT:POKE54276,32:PO			IFN<0 THEN PRINT:GOTO310	
	273,0:POKE54272,0:RETURN :ren REM BELL SOUND :re	1 202 5		A(J)=N:NEXTJ CKSUM=AD-INT(AD/256)*256:FORI	:rem 199
2000	REM BELL SOUND :re	em 78		SUM=(CKSUM+A(I))AND255:NEXT	
2001	POKE54296,15:POKE54277,0:POKE542	. 150	10	PRINTCHR\$(18);:GOSUB570:PRINT	CHR\$ (20)
2002	POKE 54276,17:POKE54273,40:POKE5	4272 5	15		:rem 234 :rem 255
2003	,Ø :re FORT=1T0100:NEXT:POKE54276,16:RE	em 86 =	20	PRINT: PRINT"LINE ENTERED WRON	G":PRINT
	:re	m 57		"RE-ENTER": PRINT: GOSUB1000: GO	TO310 :rem 129
3000	PRINTC\$;" (RVS)NOT ZERO PAGE OR F		3Ø	GOSUB2000	:rem 129
	GOT01000 :re	m 89 54	4Ø	FORI=1TO6:POKEAD+I-1,A(I):NEX	
VIC	MLX: Machine Language Entry	55	50 I	AD=AD+6:IF AD <e 310<="" td="" then=""><td>:rem 212</td></e>	:rem 212
100	PRINT" {CLR } { PUR } " ; CHR\$ (142) ; CHR\$	(8); 57	70 1	GOTO 710 N=0:Z=0 PRINT"[+]"; GETA\$:IFA\$=""THEN581	:rem 88
101	:rem POKE 788,194:REM DISABLE RUN/STOR	n 181 58	30	PRINT"[+]";	:rem 79
	:ren	n 174 58	35 1	PRINTCHR\$(20);:A=ASC(A\$):IFA=	:rem 95 130RA=44
110	PRINT"(RVS){14 SPACES}" :ren	n 117	(ORA=32THEN670 IFA>128THENN=-A:RETURN	:rem 229
120	PRINT" (RVS) {RIGHT} {OFF} [*] £ {RVS} {RIGHT} { RIGHT} { SPACES} [*] {OFF}	}	90 . 70	IFA>128THENN=-A:RETURN IFA<>20 THEN 630	:rem 137
	FRINT TRVS (RIGHT) [G](RIGHT)	191 61	LØ (GOSUB690:IFI=1ANDT=44THENN=-1	
130	PRINT" (RVS) {RIGHT} [G] {RIGHT} [2 RIGHT] {OFF} £ {RVS} £ [*] {OFF} [*]	1 60		nomo F70	:rem 172
	(pire) "	n 232 63	30	IFA<480RA>57THEN58Ø	:rem 109
	PRINT" [RVS] [14 SPACES]" : ren	n 120 64	10 1	PRINTAS;:N=N*10+A-48	:rem 106
	PRINT" {2 DOWN } { PUR } { BLK } A FAILSAN CHINE": PRINT" LANGUAGE EDITOR {5 DO		50		oTO600 :rem 229
		n 141 66	5Ø 2	Z=Z+1:IFZ<3THEN58Ø	:rem 71
	PRINT" {BLK} (3 UP) STARTING ADDRESS	s":IN 67		IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø	:rem 114
	PUTS:F=1-F:C\$=CHR\$(31+119*F) :re IFS<256ORS>32767THENGOSUB3000:GOT			PRINT",";:RETURN 5%=PEEK(209)+256*PEEK(210)+PE	:rem 240
220		cem 2			:rem 149
	PRINT:PRINT:PRINT : ren PRINT" {BLK} {3 UP} ENDING ADDRESS":			FORI=1TO3:T=PEEK(S%-I) FT<>44ANDT<>58THENPOKES%-I,3	:rem 68
	TE:F=1-F:C\$=CHR\$(31+119*F) :rer		,,		:rem 205
	IFE<256ORE>32767THENGOSUB3000:GOT	ro23Ø 7Ø	90 I	PRINTLEFT\$("{3 LEFT}",I-1);:R	ETURN
250	:rer IFE < STHENPRINTC\$; "{RVS}ENDING < \$	n 234	a r	PRINT"{CLR}{RVS}*** SAVE ***[:rem 7
230	[2 SPACES]":GOSUB1000:GOTO 230				:rem 236
	:rer			INPUT "{DOWN} FILENAME"; F\$	
	PRINT:PRINT: :rer PRINT" {CLR}"; CHR\$(14):AD=S :re	n 179 73 em 56	ו שפ	PRINT: PRINT" $\{\overline{2} \text{ DOWN}\} \{\text{RVS}\} \underline{\tau} \{\text{OF}\} \{\text{RVS}\} D \{\text{OFF}\} \text{ISK: } (\underline{\tau}/D)$ "	:rem 228
310	PRINTRIGHT\$("0000"+MID\$(STR\$(AD),	2),5 74	10 0	GETAS: IFAS<> "T"ANDAS<> "D"THEN	740
);":";:FORJ=1T06 :rer	n 234	0 1	0V-1-7*/AC-UDU), TRDV. OBURNO	:rem 36
320	GOSUB570:IFN=-1THENJ=J+N:GOTO320 :rer	n 228	ו שת	DV=1-7*(A\$="D"):IFDV=8THENF\$=	"0:"+F\$:rem 158
	IFN=-211THEN 710 :re	em 62 76		r\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(TŞ
		em 64):POKE782,ZK/256	:rem 3
160	COMPLITE! Fobriary 1085				

150 COMPUTE! February 1985

762	POKE781, ZK-PEEK(782)*256: POKE780, LEN(
	T\$):SYS65469 :rem 109
763	POKE780,1:POKE781,DV:POKE782,1:SYS654
	66 :rem 69
765	POKE254, S/256: POKE253, S-PEEK(254)*256
	:POKE780,253 :rem 12
766	POKE782, E/256: POKE781, E-PEEK(782)*256
	:SYS65496 :rem 124
770	IF(PEEK(783)AND1)OR(ST AND191)THEN780
	:rem 111
775	PRINT"[DOWN]DONE.":END :rem 106
780	PRINT" (DOWN) ERROR ON SAVE. {2 SPACES} T
	RY AGAIN.":IFDV=1THEN720 :rem 171
781	OPEN15,8,15:INPUT#15,E1\$,E2\$:PRINTE1\$
	;E2\$:CLOSE15:GOTO720 :rem 103
782	GOTO720 :rem 115
790	PRINT"{CLR}{RVS}*** LOAD ***{2 DOWN}"
	:rem 212
800	INPUT"{2 DOWN} FILENAME"; F\$:rem 244
810	PRINT: PRINT" [2 DOWN] [RVS] T {OFF} APE OR
	{RVS}D{OFF}ISK: (T/D)" :rem 227
820	GETA\$: IFA\$<> "T"ANDA\$ <> "D"THEN820
	:rem 34
830	DV=1-7*(A\$="D"):IFDV=8THENF\$="Ø:"+F\$
	:rem 157
840	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$
):POKE782,ZK/256 :rem 2
841	POKE781, ZK-PEEK(782)*256: POKE780, LEN(
	T\$):SYS65469 :rem 107
845	POKE780,1:POKE781,DV:POKE782,1:SYS654
	66 :rem 70
850	POKE78Ø, Ø:SYS65493 :rem 11
860	IF(PEEK(783)AND1)OR(ST AND191)THEN870
	:rem lll
865	
870	PRINT" [DOWN] ERROR ON LOAD. [2 SPACES] T
	RY AGAIN. {DOWN}":IFDV=1THEN800
	:rem 172
880	
	;E2\$:CLOSE15:GOTO800 :rem 102
100	Ø REM BUZZER :rem 135
	1 POKE36878,15:POKE36874,190 :rem 206
100	
100	3 POKE36878, Ø: POKE36874, Ø: RETURN
200	:rem 74
200	
200	
200	
300	
300	GOTO1000 :rem 89
	GOTOTOO .Tell 69



Copy Atari 400/800/XL Series Cartridges to Disk and run them from a Menu

ATARI CARTRIDGE-TO-DISK COPY SYSTEM \$69.95

Supercart lets you copy ANY cartridge for the Atari 400/800/XL Series to diskette, and thereafter run it from your disk drive. Enjoy the convenience of selecting your favorite games from a "menu screen" rather than swapping cartridges in and out of your computer, Each cartridge copied by Supercart functions exactly like the original. Supercart includes:

OPY PROGRAM - Copies the cartridge to a diskette (up to 9 cartridges will fit on one disk.)
MNU PROGRAM - Automatically runs and displays a menu prompting user for a ONE
keystroke selection of any cartridge on the disk.

CARTRIDGE:
 "Tricks" the computer into thinking that the original "copy protected" cartridge has been

"Tricks" the computer into trinking that the dright of the protected cartridges that we know of. However, FRONTRUNNER cannot guarantee the operation of all future cartridges. Supercart is user-friendly and simple to use and requires no modifications of your hardware. PIRATES TAKE NOTE: SUPERCART is not intended for illegal copying and/or distribution of copyrighted software. . Sorry!!

Atal 400/800 or XL Series Computer / 48K Memory / One Disk Drive

Available at your computer store or direct from FRONTRUNNER. DEALER INQUIRIES ENCOURAGED.
TOLL FREE ORDER LINE: (24 Hrs.) 1-800-684-4780/In Nevada or for questions Call: (702) 786-4600

Personal checks allow 2-3 weeks to clear. M/C and VISA accepted.

Personal checks allow 2-3 weeks to clear his hisping.

FROM TRUNKER COMPUTER INDUSTRIES

AT 316 California Ave., Suite 712, Reno, Nevada 89509 - (702) 786-4800

Others Make Claims. SUPERCART makes copies!!!

Modifications Or Corrections To Previous Articles

Enhanced 64 DOS Support

Author Stephen Melsheimer reports that a number of readers have uncovered a problem with the "LOAD and RUN" (1) command of this utility (p. 163, November 1984). Occasionally a program—especially one with DATA statements will fail to load and run properly. To correct this, he suggests that the following two lines be modified as shown:

1510 DATA 144, 255, 32, 89, 166, 76 1630 DATA 76, 144, 205, -1, 9616

Additionally, the article (p. 166) mentions that the wedge can be activated from within a program with SYS 52222. The correct value is SYS 52224.

64 Paintbox

There are several errors in the article for this graphics utility from the December 1984 issue. It states (p. 118) that you should use the filename 64 PAINTBOX if you want to use the loader program (Program 2). Actually, Program 2 looks for the filename PAINTBOX. You can either rename the saved file to PAINTBOX or change the string in line 230 of Program 2 to 64 PAINTBOX. Also, a line is missing in the first paragraph of the right column of that page. The sentence in parentheses should read: "(If you're using tape, Program 2 should precede 64 Paintbox on the tape, and the 8 in line 230 should be changed to a 1.)"

Apple Chess

The Apple version of "Chess" from the December 1984 issue (p. 102) works fine on the Apple IIc, but the program doesn't respond to keyboard commands when used on the II+ or IIe. To correct this, change the following lines:

350 IF PEEK (-16384) < 128 THEN 350 550 I = PEEK (-16384): POKE -16368,0


Thanks to Gene and Brian Schmidt for discovering this oversight.

Atari Reflection

The Atari version (Program 1, p. 59) of this game from the November 1984 issue requires the two players to share one joystick. If you have two joysticks, reader William Q. Zapf suggests the following simple modifications to allow the program to read two joysticks:

NJ 1240 POKE 77, NØ: Q=STICK (TURN-1): IF Q=10 OR Q=14 OR Q=N6 THEN IF YP>N1 THEN YP=YP-N1 MO 134Ø IF STRIG(TURN-1) THEN 124Ø

NEWS&PRODUCTS



The Riteman LQ is a letter-quality printer that retails for \$299 and prints 20 characters per second.

New Printers

Riteman Computer Printers has introduced a line of printers which is compatible with most home computers. Among the

new printers are:

The Riteman LQ (\$299), a letter-quality printer which has a print speed of 20 characters per second (cps); the Riteman Plus (\$399), a dot-matrix printer which can print at 120 cps; the Riteman Blue Plus (\$499), a dot-matrix printer which prints at 140 cps and can print graphics. Included are eight international character sets and 32 block graphic characters. The Riteman II (\$549 with 2K RAM and \$599

with 8K RAM) is a dot-matrix printer with a print speed of 160 cps.

Riteman Computer Printers Airport Business Park 431 Oak St. Inglewood, CA 90302

Apple Home Applications Package

Work Force II, a collection of six programs for home and office, has been introduced by Core Concepts for Apple II and III computers.

Included in the package are a loan analyzer; a checkbook

balancer; a calculator; the line writer, a line-at-a-time word processor for such small writing jobs as envelopes; the savings analyzer; and the wages analyzer.

All six programs support printing, so hard copies can be made of data. Suggested retail price is \$34.95.

Core Concepts P.O. Box 24157 Tempe, AZ 85282

New Games For Commodore, Atari

Microcomputer Games, a division of The Avalon Hill Game Company, has released a number of new games for various computers. Among the new titles are the following:

Market Forces, a business game which simulates the buying and selling of commodities (\$16 cassette; \$21 disk, for



A screen shot from Market Forces, a new game from Microcomputer Games, Inc., for the Commodore 64 and Atari computers. Commodore 64 and Atari computers); Gulf Strike, a simulation of land, air, and naval combat in the Middle East (\$30 disk, for Atari computers); and Clear for Action, a ship-to-ship combat game (\$25 cassette, \$30 disk, Atari computers).

Microcomputer Games, Inc. The Avalon Hill Game Co. 4517 Harford Rd. Baltimore, MD 21214

Apple II Word Processor

The Milliken Word Processor, a program designed to teach children the fundamentals of writing on a computer, has been released for Apple II series computers by Milliken Publishing Company.

It teaches how to use the computer for composing, structuring, editing, and filing written material, and has most basic word-processing functions, including graphics to ease understanding of functions.

Designed for children ages seven and older, the word processor retails for \$69.95.

Milliken Publishing Co. 1100 Research Blvd. P.O. Box 21579 St. Louis, MO 63132

New Text Adventures

Infocom has released two new text adventures for most home computers, Suspect and The Hitchhiker's Guide to the Galaxy.

In Suspect, the player takes the role of a newspaper reporter invited to a masquerade ball—who ends up being accused of murder. You must prove your innocence, and also find out who committed the crime and why.

The Hitchhiker's Guide to the

Galaxy is an adaptation of the novel of the same name by Douglas Adams. The player is protagonist Arthur Dent, who goes off on a journey through the universe with his friend, Ford Prefect.

Suspect retails for \$39.95 for the Atari and Commodore 64 versions, and \$44.95 for versions on most other personal computers. Hitchhiker's Guide to the Galaxy has a suggested retail price of \$34.95 for the Commodore and Atari versions, with other versions retailing for \$39.95.

MaxThink 230 Crock Piedmont, Piedmont, Production of \$34.95 for the Commodore and Atari versions, with other versions retailing for \$39.95.

Infocom, Inc. 55 Wheeler St. Cambridge, MA 02138

Bridge For IBM, Apple, Commodore

A bridge game for one or more players, *BridgePro*, has been released for the IBM PC and PCjr, Apple II series, and Commodore 64 computers by Computer Management Corporation.

BridgePro allows one person to bid with all hands randomly dealt. Other options are two-player versions, a best hand option, replay of hands, and separate instructions for beginning bridge players.

Suggested retail price is \$35. *BridgePro* is available on disk.

Computer Management Corporation 2424 Exbourne Ct. Walnut Creek, CA 94596

Critical Thinking Program

MaxThink, a program for the IBM PC and compatibles which provides commands for highlevel thinking processes such as analysis, synthesis, and evaluation, has been introduced by

MaxThink, Inc.

The software uses commands for organizing, analyzing, evaluating, planning, and thinking about information.

The suggested retail price is \$60. It requires 192K of memory.

MaxThink, Inc. 230 Crocker Ave. Piedmont, CA 94610

Personal Productivity Software

Arrays, Inc./Continental Software has introduced several personal productivity software packages for Apple and IBM computers, including:

The Home Accountant Expanded, an accounting package for Apple IIc and IIe computers (\$74.95 suggested retail price); and a new, compiled version of The Home Accountant Plus (\$149.95) for the IBM PC.

Also, educational versions of *Ultra-File*, a filing, reporting, and graphics package; *Property Management*, a program to record transaction history for residential and/or commercial income property-related charges;



Lyco Computer Marketing & Consultants TOLL FREE 800-233-8760

\$22.95

THE RESIDENCE OF THE PARTY OF T		CONTRACTOR OF THE PARTY OF THE
Scarborough	800XL COMPUTER CALL	DEADLINE \$34.75
	1050 DRIVE CALL	ENCHANTER\$34.75
Songwriter \$24.75	1010 RECORDER \$55.00	INFIDEL\$34.75
Picturewrit\$24.75	1020 PRINTER\$59.00	PLANETFALL\$34.75
Phi Beta F \$32.75	1025 PRINTER\$189.00	STAR CROSS \$34.75
Mastertype \$24.75	1027 PRINTER \$249.00	SUSPENDED\$34.75
Run f Money \$24.75	1030 MODEM\$59.00	WITNESS \$34.75
Net Worth \$52.75	MONKEYWRENCHII \$52.75	ZORK I\$34.75
Microprose	HOME ACCOUNT D \$44.75	ZORK II \$34.75
Solo Flight\$22.75	TAX ADVANTAGE\$35.75	Scarborough
NATO\$22.75	OUD LOOIS	Songwriter\$24.75
Spitfire \$22.95	SUB LOGIC	Picturewrit\$24.75
F-15 Strike \$22.75	Flight Simulator II C-64 32.75	Mastertype\$24.75
Air Rescue \$22.75	Flight Simulator II Atari 32.75	Run f Money\$24.75
SSI	Flight Simulator II Apple 32.75	
Baseball \$22.75	Trillium	Microprose
Questron \$26.75	Shadowkeep \$26.75	Solo Flight\$22.75
Germany 1985 \$32.75	Fahrenheit 451\$26.75	NATO\$22.75 Spitfire\$19.95
	1 411101111011 401	Spittire
50 Missions \$21.75	Amazon \$26.75	
50 Missions \$21.75	Amazon \$26.75	F-15 Strike\$22.75
Spinnaker	Synapse	F-15 Strike \$22.75 Air Rescue \$22.75
Spinnaker Alphabet	Synapse Synfile\$48.95	F-15 Strike \$22.75 Air Rescue \$22.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75	Synapse Synfile \$48.95 Syncalc \$48.95	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75	Synapse Synfile \$48.95 Syncalc \$48.95	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95 Kolala \$69.95	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75 Story Machine \$21.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75 Bank St. Filer \$42.75	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95 Kolala \$69.95 THE ILLUSTRATOR \$99.95	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75 Story Machine \$21.75 Kids on Keys \$18.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75 Bank St. Filer \$42.75 Bank St. Mailer \$42.75	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95 Kolala \$69.95 THE ILLUSTRATOR \$99.95 SPIDER EATER \$22.50	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75 Story Machine \$21.75 Kids on Keys \$18.75 Grandma \$19.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75 Bank St. Filer \$42.75	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95 Kolala \$69.95 THE ILLUSTRATOR \$99.95 SPIDER EATER \$22.50 SPEEICOPTER \$27.75	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75 Story Machine \$21.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75 Bank St. Filer \$42.75 Bank St. Mailler \$42.75 Bank St. Spell \$42.75 Mask of Sun \$24.95	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95 Kolala \$69.95 THE ILLUSTRATOR \$99.95 SPIDER EATER \$22.50	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75 Story Machine \$21.75 Kids on Keys \$18.75 Grandma \$19.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75 Bank St. Filer \$42.75 Bank St. Mailer \$42.75 Bank St. Spell \$42.75	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95 Kolala \$69.95 THE ILLUSTRATOR \$99.95 SPIDER EATER \$22.50 SPEEICOPTER \$27.75	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75 Story Machine \$21.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75 Bank St. Filer \$42.75 Bank St. Mailer \$42.75 Bank St. Spell \$42.75 Mask of Sun \$24.95 Choplifter \$22.95 Lode Runner \$22.95	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95 Kolala \$69.95 THE ILLUSTRATOR \$99.95 SPIDER EATER \$22.50 SPEEICOPTER \$27.75 BUSINESS VISICALC \$159.75	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75 Story Machine \$21.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75 Bank St. Filer \$42.75 Bank St. Mailer \$42.75 Bank St. Spell \$42.75 Mask of Sun \$24.95 Choplifter \$22.95	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95 Kolala \$69.95 THE ILLUSTRATOR \$99.95 SPIDER EATER \$22.50 SPEEICOPTER \$27.75 BUSINESS VISICALC \$159.75 LETTER PERFECT R 59.00	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75 Story Machine \$21.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75 Spellmaker \$19.95
Spinnaker Alphabet \$18.75 Story Machine \$19.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75 Bank St. Filer \$42.75 Bank St. Mailer \$42.75 Bank St. Spell \$42.75 Mask of Sun \$24.95 Choplifter \$22.95 Lode Runner \$22.95	Synapse Synfile \$48.95 Syncalc \$48.95 Syncomm \$29.95 Syntrend \$48.95 Graphics Tablet Supersketch \$32.95 Kolala \$69.95 THE ILLUSTRATOR \$99.95 SPIDER EATER \$22.50 SPEEICOPTER \$27.75 BUSINESS VISICALC \$159.75	F-15 Strike \$22.75 Air Rescue \$22.75 SSI Baseball \$22.75 Questron \$26.75 50 Missions \$21.75 Spinnaker Alphabet \$18.75 Story Machine \$21.75 Kids on Keys \$18.75 Grandma \$19.75 Snooper Troop \$22.75 Broderbund Bank St. Writer \$42.75

COMMODORE

COMMODORE	CARDCO
C64 COMPUTERCALL	
SX 64 COMPUTER CALL	LIGHT PEN \$29.75 5 SLOT EXPAN. 64 \$54.00
C1541 DISK DRIVE \$239.00	64 WRITE NOW \$39.00
C1526 PRINTER \$269.00	64 MAIL NOW\$29.00
MPS801 PRINTER\$215.00	20 WRITE NOW \$29.00
C1702 MONITOR \$249.00	64 KEYPAD \$64.00
C64105 LOGO 64 \$45.00	UNIV CASS INT\$29.75
C64106 PILOT 64 \$35.00	PRINTER UTILITY \$19.75
SIMON'S BASIC \$29.00	6 SLOT EXPAN\$79.96
SSI	3 SLOT EXPAN \$24.95
Baseball\$22.75	Scarborough
Germany 1984 \$32.75	Songwriter \$24.75
50 Missions \$21.75	Picturewrit \$24.75
PERSMAL	Phi Beta F \$24.75
PERIPHEIALS	Mastertype \$24.75
Super Sketch-Atari32.95	Run f Money \$24.75
Super Sketch-C-64 37.95	Net Worth \$24.75
Super Sketch-TI99/4A 37.95	Batteries Included
Super Sketch-Apple 52.95	Paper Clip \$59.95
Super Sketch-IBM PC 52.95	Spell Pak \$34.95
Timeworks	Consultant \$64.95
Inventory \$32.75	Paper Clip with
Sales \$32.75	Spell Pak \$70.05
Accts. Rec \$32.75	Home Pak \$34.95
Accts. Rec \$32.75	BUS CARD
G. Ledger \$39.75 Data Mgr \$14.75	80 Column Board\$139.95
Checkbook	
Star Battle\$14.75	Solo Flight\$22.75
Cave of Word \$14.75	NATO\$22.75
	Spitfire\$19.95
Spinnaker	F-15 Strike\$22.75
Alphabet \$18.75	Air Rescue\$22.75
Story Machine \$21.75	ADVENTURE
Kids on Keys \$18.75	
Grandma \$19.75	Diskey
Kidwriter \$19.75	Ultra Disassembler 32.95

MONITORS.

TAXAN
210 Color RGB 255
100 Green 115
105 Amber 125
400 Color RGB 295
410 Color RGB 349
420 Color IBM 449
121 Green IBM 145
122 Amber IBM 149
ZENITH
ZVM 122A Amber 86
ZVM 1236 Green 82
ZVM 124 Amber - IBM 129
ZVM 131 Color 275
ZVM 133 RGB 389
ZVM 135 Composite 449
ZVM 136 Hi Res Color 589
GORILLA
12" Green \$ 82.00
12" Amber \$ 88.00

Kolala\$84.95

AMDEK
300 Green125
300 Amber 145
310 Amber - IBM 159
Color 300-Audio 265
Color 500-Composite 379
Color 600 545
Color 700 635
Color 710 675
NEC
JB 1260 Green 99.00
JB 1201 Green 135.00
JB 1205 Amber 145.00
JC 1215 Color 255.00
JC 1216 RGB 399.00
JC 460 Color 349.00
SAKATA
SC-100 Color 229
STSI Tinstand29
SG 1000 Green 99
SA 1000 Amber 109

HOME FILE MGR \$69.75



Lode Runner.

MODEMS

Kidwriter \$19.75

Snooper Troop \$21.75

MICH	OBIL	Hayes	
MPP1000C	\$109.00	Smartmodem 300	\$
NOVATIO	NC	Smartmodem 1200 Smartmodem 1200b	\$4
J-Cat	\$89.00	Micromodem IIe.	\$2
Cat	\$129.00	Micromodem 100	\$2
Smart Cat 103/	\$169.00	Chronograph	\$1
Smart Cat 103/212	\$389.00	Cilio-lograph	-
AutoCat	\$209 00		
212 Auto Cat	\$539.00	ANCHO	R
Apple Cat II	\$239.00	Volksmodem	
212 Apple Cat	\$439.00		
Apple Cat 212	\$249 00	(auto ans/dial)	
(Upgrade)		Mark VII	Si

\$359 00

(1200 band)

HES	
HES Games 84	22.95
Omni Writer/Spell	34.95
HES Mon 64	23.95
Microsoft Multiplan	55.00
Type N Write	19.95
Turtle Graphics II	23.95
Cell Defense	22.95
Paint Brush	12.95
Tri Math	22.95
Graphics Basic	27.95
HES Kit	29.95
Millionaire	23.95
64 Forth	24.95
HES Writer 64	24.95

Westridge C-64 ... Call

Mitey Mo C-64 ... Call

Telecommunications C-64 Call

AMERICA'S MAIL ORDER HEADQUARTERS LYCO COMPUTER

WORLD'S LEADER IN SALES & SERVICE

TO ORDER CALL TOLL FREE

800-233-8760

\$199.00 \$469.00 \$399.00 \$249.00 \$289.00 \$179.00

> \$55 99 \$95 99

\$259.00

In PA 1 717-327-1824

Lyco Computer P.O. Box 5088 Jersey Shore, PA 17740

Lyco Computer Marketing & Consultants

"PEOPLE WHO KNOW WHAT THEY WANT AND KNOW HOW TO USE IT RECEIVE THE LOWEST PRICES AT LYCO"

ON THESE IN-STOCK

Citoh

\$529.00 3151

MANNESMANN TALLY

SPIRIT 80	\$255.00
MTL-160L	\$549.00
MTL-180L	\$739.00
1111/1	

JUKI	
\$389	
\$119	
	\$389

Encon

				1	۲	,	2	•	•	•	•	Ŗ.						
RX80														.\$2	22	9.	00	0
RX80FT														.\$2	26	9.	0	0
RX100														S	36	9	0	0
FX80														\$	36	9	.0	0
FX100														\$	55	5	.0	0
JX80						٠							5	510	08	9	.0	0
LQ1500	P	•									,		. 9	1	14	a	0	n

and the same of th		-		-		_	-	=				
Prowiter 8	5	1	C)	4							\$289.00
8510BC2												\$399.00
8510BP1												\$349.00
8510SP .				٠								\$399.00
8510SR .			٠									\$409.00
8510SCP												\$419.00
8510SCR												\$499.00
1550P												\$489.00
1550BCD												\$539.00

A10-2	OP				\$469.0
F1040	PU	or	RDU		\$899.0
F1055	PU	or	RDU		. \$1099.0
F	PA	N	AS	ON	IC
1090					\$219.00
1091					\$279.00
1092					\$415.00

1093 ,..... \$599.00

BLUE CHIPS

BLUE (CHIPS	PRINTE	a !
M12010	\$275.00	SITE	
M12010 C-64	\$275.00	BILL	aG :
D4015	\$1389.00	A. C.	110
M12010 C-64 D4015 OKIDA 80 82A	ATA N	TERFILE	ple
80 08	\$159	VASI.	1
82A	\$229.00	-	
83A	\$549.00		1
0.4	CC40 00		-

OKIDATA

32	A																\$229.00
33	A																\$549.00
34																	\$649.00
92																	\$359.00
93							*									,	\$569.00
				ı	1	F		(7	1	F	=	ı	١	ı	1	

L	Е	G	Е	N	D

880										\$259.00
										\$279.00
1200.										CALL
1500.				,			,			CALL
1081.							,			CALL

STAR MICRONICS

Gemini 10x \$229.00	
Gemini 15x \$345.00	
Delta 10\$339.00	
Delta 15\$449.00	
Radix 10\$499.00	
Radix 15 \$589.00	
Powertype\$309.00	
Sweet p 100\$549 00	

GEMINI 10X



CARDCO

.Q1\$449.00
.Q3\$339.00
PRINTER INTERFACE \$39.75
PRINTER INTERFACE W/
FULL GRAPHICS \$65.75

BIB

DISK DRIVE	
CLEANER	\$12.75
COMPUTER CARE KIT	\$19.75

NORTRONICS **DISK DRIVE** CLEANER

with software for IBM-PC, Atari, Vic, DISK DRIVE CLEANER with

software for IBM-PC, A	tari, Vic.
Apple, Tl	\$29.75
DISK CLEANER	
REFILL	\$14.75
CASSDRIVE CLEANER.	\$9.95
MEDIA BUILKERASER	CAE 7E

NEC

PC8201 Portable	5	\$429
NECB1 64K Computer		
System	. \$	1049
NECB2 128 K Compute	r	
System	. \$1	299
PC8221 Thermal Printer.	. \$	139
PC82018K RAM Chip	. \$	99
PC820632KRAMCart	. \$	299
PC300 Modem	. \$	65
PC8801 MSDOS		
16 Bit Card		330

3000 SHEETS	
FANFOLD	\$42.75
1000 SHEETS	
FANFOLD	\$19.75
1000 SHEET LETTER	\$21.95
200 SHEETS LETTER	\$8.99
150 RAG STATIONARY	. \$10.99
MAILING LABELS (1 in.)	\$9.95
14 x 11 1000	
FANFOLD	\$24.75

INNOVATIVE

CONCEP	15
FLIP-N-FILE 10	\$3.75
FLIP-N-FILE 15	\$8.95
FLIP-N-FILE 25	\$18.95
FLIP-N-FILE 50	. \$17.75
FLIP-N-FILE	
(ROM HOLDER)	\$17.75

DRIVES

MSD

SD1 DRIVE	\$259.00
SD2 DRIVE	\$475.00
INDUS	
GT Atari	. 269
GT Atari	269
GT Commodore	CALL
GT Apple w/controller	219

SKC (Box 10)

NEC

NEC 8025 . \$699.00

NEC 8027 . \$359.00

SKC-SSSD	\$12.99
SKC-SSDD	\$15.99
SKC-DSDD	\$18.99

ELEPHANT (Box 10)

5'4"SSSD	\$14.99
5'4"SSDD	\$16,99
5'4"DSDD	\$21.99

MAXELL (Box 10)

514"MD-1	\$17.95
5'4"MD-2	\$23.95

IBM-PC SOFT-WARE

Scarborough

Songwriter	\$32.75
Picturewrite	\$32.75
	\$32.75
Mastertype	\$32.75
Run f Money	WOL. TO
	\$32.75
Net Worth	\$CALL

Spinnaker
Alphabet \$18.75
Kids on Keys \$19.75
Grandma \$19.75
Kindercomp\$17.75
Facemaker\$19.75
Kidwriter\$19.75

CORONA

PPC22A	
Portable 256K-Amber	\$1995
PPC22G	
Portable 256K-Green	\$1995
DDCYTA	

Portable 256K-10Meg. \$3295 COR128K 128K RAM... \$ 159

Zenith Z-150 Call

Columbia Data

1600 Call Televideo

TS1605 Call

Leading Edge PC Compatable Call

Microprose Solo Flight \$22.75 NATO\$22.75 Spitfire \$22.95

Graphics Tablet

Supersketch		*	*				.\$49.95
Kolala							.\$99.95
Illustrator							.\$99.95
Logo Design .							.\$27.95
Grams Spell					U	Ü	\$27.95

-800-233-8



TO ORDER



CALL TOLL FREE

800-233-8760

or send order to Lyco Computer PO Box 5088 Customer Service 1-717-327-1825 Jersey Shore PA 17740

RISK FREE POLICY

In-stock item shipped within 24 hours of order. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the Continental U.S. PA residents add sales tax. APO, FPO, and International orders add \$5.00 plus 3% for priority mail service. Advertised prices show 4% discount for cash, add 4% for Master Card or Visa. Personal checks require 4 weeks clearance before shipping. All items subject to change without notice.







..for those who want the most sophisticated in educational technology... Antic, The Atari Resource: 10/84

...Krell (SAT)...if you want to, or have to, get the highest score, this is the software you should buy. Milwaukee Journal: 9/22/84

Kudos...to Krell for imagination and effort. The list of their (Logo) extras is breathtaking. Softalk: 7/82

Isaac Newton...is a first in my book because it unblushingly asks the users to struggle, weep, think, curse, fight, hypothesize, create and perhaps even despair. All the ingredients of becoming a scientist.

Peelings: 1/82

SAT, ACT, NTE, GRE, GMAT, LSAT, TOEFL, CBEST, GRAMMAR & VOCABULARY PREP THINKING SKILLS: Logo, Language of Math, Linear Equations, Isaac Newton, Descartes'

SIMULATIONS: Black Death, Allegory of Plato's Cave, Adventures in Flesh and more. * * * FOR ALL MAJOR MICROS * * *

KRELL SOFTWARE CORP.
1320 STONY BROOK ROAD
STONY BROOK, NEW YORK 11790

(800) 245-7355 or (516) 751-5139 (In NY)



SATISFACTION GUARANTEED on all NAVARONE PRODUCTS for your TI-99/4A and C64

- 3 SLOT CARTRIDGE EXPANDER for TI and C64. -Increase console life, reduce wear
- DISK FIXER Cartridge for TI. Unlock secrets \$39.95 of Disk. Recover lost files.
- DATA BASE MANAGEMENT (cartridge) Powerful assembly code for TI only. High speed Disk sort, Custom report writer. \$69.95
- HOMEWORK HELPER + (cartridge) with 20000 word spelling checker & word processor. Makes Homework fun & teaches computer use. \$49.95
- SUPER DUPER (cartridge) fast disk copier for single disks. Reduces disk handling. \$39.95
- SPEED READER (cartridge)- Improve your reading skills. Complete course.
- ASTROLOGY HOROSCOPE MAKER prints real chart wheel. Very accurate. Tl. C64, PCjr \$49.95

Visa & Master Card OK ORDER BY PHONE or send Check or M. O. Add 5% for ship-ping (outside US add \$10.00). CA residents ADD 6.5% ST. NAVARONE INDUSTRIES, INC. 510 Lawrence Expway. #800 Sunnyvale, CA 94086 (408) 985-2932



The Fastext-80, a dot-matrix printer from Smith-Corona, prints 80 characters per second.

and Learn to Type, a typing program, have been released for the IBM PC and PCjr computers.

Ultra-File retails for \$195.00, Property Management for \$495.00, and Learn to Type for \$39.95. Educational versions of each program retail for \$29.95. Arrays, Inc./Continental Software

11223 South Hindry Ave. Los Angeles, CA 90045

Dot-Matrix Printer

Smith-Corona has introduced the Fastext-80, a \$259 dotmatrix printer which prints 80 characters per second.

Other features of the printer include bidirectional printing, six-pitch capability, full-line buffer, standard Centronics parallel interface, friction feed, selftest switch, and true descenders.

The printer, which prints ten characters per inch, uses a drop-in ribbon with a projected life span of one million characters.

Smith-Corona 65 Locust Ave. New Canaan, CT 06840

Apple Word Processing Program

Apple Computer, Inc. has announced an enhanced version of its Apple Writer II word processing program.

New features include: horizontal scrolling; text display that shows the page and line count without having to print the document; built-in terminal mode that allows access to information services such as CompuServe and The Source; and a utility that enables users who do not have a ProDOS user's disk to format a blank disk for use with the program.

The enhanced version also includes a training disk, mail merge option, and built-in word processing language.

Data files created with previous DOS 3.3-based versions of Apple Writer can be converted to the ProDOS format by using a conversion utility on the ProDOS user's disk.

Apple Writer II retails for

III ATA		Printer	s/Etc.	(OMM	ODORE
JLATAI		DIABLO 630 Letter Qual \$1559	CITOH Prowriter	3309	INTERFACES	DISK DRIVES
600XL		EXP 400 Ltr. Qual. \$288	Starwriter	\$9 09 Bus	Connection \$85 S Card \$138 rdco G + \$65	MSD (170K)
800XL	CALL	EXP 500 Ltr. Qual. \$355 EXP 550 Ltr. Qual. \$419	Printmaster \$1 OKIDATA 82A	Car Car MSI	rdco B Call	Indus GT \$325 Commodore 1541 \$239
© 1984 Atari, Inc., All rights reserv	ved.	STAR Gemini 10X \$239	82A 84P 92 93	\$669 Car \$368 Gra	appler C D \$109	RECORDERS Cardco Recorder \$48
Rana 1000 \$239 Axiom 84	TERFACES	Gemini 15X \$355 Delta 10 \$339	DAISYWRITER	Hes	IRECT MODEMS	1530 Commodore Call Cassette Interface \$29
Indus GT \$298 Interfast Trak AT-D2 \$329	0 (In Stock) \$169 t 1 \$150	Delta 15 \$449 Radix 10 \$498	MANNESMANN	1600	0 Automodem \$99 0 Modem Call stridge Modem Call	Phonemark Rec. \$37 DIRECT PRINTERS
Trak AT-D4 Sall R-Verter	ts 1150 Call CT PRINTERS		Spirit S	\$267 8	teries 80 Col \$138	MPS 801 \$219 Commodore 1526 \$288 Cardco LQ/I \$498
Percom Call Axiom A	T-100 \$195	TOSHIBA 1340 \$739 1351 \$1249	JUKI 6100 \$	\$389 Vid	deo Pak 80 \$129	1520 Color Printer \$129
MEMORIES Microbits 64K (XL) \$115 Axiom 70	27	NEC			34 SOFT	WARE 64
Mosaic 64K (400) \$98 Mosaic 64K (400/800) Call DIRE	CT MODEMS ts 1000C \$109	3530 \$1215 3550 \$1498	PANASONIC 1090	\$288 MA	SCELLANEOUS AE Assembler (D) \$47	FUTURE HOUSE Comp. Pers. Account. \$56
Atari 64K (600XL) Call		MONIT	TORS SAKATA	Sta VIP	P Terminal (D) \$38 ar Wars (R) \$33	HES Omniwriter(D) \$45
Koala Pad \$67 ATR-800	00 (64K) \$489 00 (16K) \$359	V300 G \$119	SC100 (Color)	\$239 Doo	per Base 64 (D) \$68 odle City (D) \$27 mmer Games (D) \$27	Hesmon (D) \$27 64 Forth (R) \$39 Multiplan (D) \$65 Turtle Graphics (R) \$39
Chalkboard Pad \$75 Alien Vo	oice Box \$98	V300 A \$139 V310 G (IBM) \$155 V310 A (IBM) \$159	1000G (Green) TAXAN 100 Green	Pitf	fall II (D) \$25 cathlon (D) \$25	INFOCOM
ATARI SOFTWA	ARE	Color I +	100 Green 105 Amber 210 RGB/Composite	\$125 50 \$259 IFR	Mission Crush (D) . \$27 R. (C/D) \$20	Planet Fall (D) \$34 Enchanter (D) \$34 Infidel (D) \$34
MISCELLANEOUS Syn Calc (D) \$48 Football	TAR II (C/D) \$21	Color IV (IBM) \$349	400 RGB Med-Res	\$296 Mas \$429 Dor \$440 Bru	ster Composer (D) \$27 nkey Kong (R) \$29 uce Lee (D) \$23	JINSAM Mini Jini (R) \$75 MICROSOFTWARE INT'L
Syn File (D) \$48 Basebal Syn Trend (D) \$48 INFOCO	II (C/D) \$21 DM	PRINCETON GRAPHICS MAX 12 (Amber) \$178 HX 12 (RGB) \$449	420 RGB Hi-Res (IBM): NEC JB 1260 (Grn)	Pro	astalker (D) \$56	MICROSOFTWARE INT'L Practicalc 64 . (C) 34 (D) 36 Spreadsheet . (C) 49 (D) 52 Practifile 64 (D) \$36
Syn Chron (D) \$29 Deadline Decathlon (R) \$29 Starcon	ss (D) \$34 sd (D) \$27	SH 12 (HGB) \$595 SUPER 5	JB 1260 (Grn) JB 1201 (Grn) JB 1205 (Amber)	\$145 Koa	ala Coloring I \$20 ala Logo Design \$27 ckys Boots (D) \$33	MIRAGE CONCEPTS
Drois (D) \$23 Suspend Gyruss (R) \$31 Witness Planetfa	s (D) \$34	100A (Amber) \$99 500G (IBM with tilt) \$126	ZENITH Green	\$85 Bur	mble Games (D) \$27 yond Wolfenstein \$23	Data Base (D) \$68 Word Processor (D) \$68 MICROSPEC
Universe (D) Call KRELLS	D) \$34	500A (IBM with tilt) \$126	Amber	\$95 Pea	achtree Account Call lesta Chess (D) \$46	MICROSPEC Database (D) \$44 Mailing List (D) \$32 Checkbook Mgr (D) \$47
Questron (D) \$34 INTELL. Koala Coloring I \$20	SAT Call . STATEMENTS ackjack (D) \$46	NOVATION J-Cat\$99	HAYES Smartmodem	\$199 Pro	tima III (D) \$39 of. Blackjack (D) \$46 omeword (D) \$46	Checkbook Mgr (D) \$47 G/L (D) \$44 A/P (D) \$47 A/R (D) \$47
Koala Logo Design \$27 Bumble Games (D) \$27 Letter Pe	and the second second	Apple Cat II \$259	Smartmodem 1200	\$469 Per \$259 Kar \$225 Fin	rs. Accountant (D) \$23 rate Devils (D) \$27	DARKED BROS
World Gtst. Baseball \$23 Spell Per Gridrunner (R) \$20 Letter Per	erfect (D) \$74 erfect (D) \$56 erfect (R) \$74	16 \	PROMETHIUS Promodem 1200 S	S329 Bar	nal Flight (D) \$22 skey (D) \$33 srrons Sat (D) \$59	Q-Bert (R) \$33 Popeye (R) \$33 Frogger (R) \$33
Sargon II (C/D) \$23 MICDOD	PROSE ght (D) \$23 Ace (C/D) \$20	dip.	\	Mil Sar	Ilionaire (D) \$39 rgon II (D) \$23 Graph (D) \$59	PROFESSIONAL SW Wordpro W/Spell (D) \$68
Financial Wizard (D) \$45 ABC Cor	Ace (C/D) \$20 RCH mpiler (D) \$55	ncredible A	/	Cas	CESS SOFTWARE	Spellright (D) \$45 QUIKTEX Quick Br. Fox (R) \$49
Ultima III (D) \$39	ZED SYSTEMS (R) \$65	u. ces	M	Bea Ne	eached (D) \$24 eutral Zone (C/D) \$24 critemaster (D) \$25	RAINBOW File Assistant (D) \$46
Ultra Disassembler (D) \$33 Basic XI Diskey (D) \$33 Mac 65 (Adv 1-12 (each) (C) \$18 C-65 (D)	(R) \$65 (L (R) \$65 (D) \$58	PIL	1/1	AV Nu	/ALON HILL uke War (C) \$12 adrom. Conquest (C) \$14	Writers Assistant (D) . \$46 Spreadsht Assist. (D) . \$56 SCARBOROUGH
Saga 1-12 (each) (D) \$18 (2-65 (D))	(D) \$58 R BROS	1		Mid	ndrom. Conquest (C) \$14 dway Campaign (C) \$13 emputer Football (C) \$13	Mastertype (D/R) \$27 Song Writer (D) \$27
ATARI	nase (R) \$33 Star (R) \$33	Prilo	TM	Tel Fly	lengard . (C) \$16 (D) \$19 ying Ace (C) \$15	SOFTSMITH Touch Typing (C/D) \$21
Visicalc (D) \$139 Popeye (Home File Mgr (D) \$36 QUALITY	Y SW		11	Mo BA	oon Patrol (C) \$17	SOUTHERN SOLUTIONS Businessman (D) \$48 Bill Payer (D) \$48
QIX (H)	of Hercules (D) \$22 a (D)\$22		~ \	Cor	per Clip (D) \$59 pnsultant (D) \$64 per Clip w/Spell (D) \$79	Bill Collector (D) \$48 Paymaster (D) \$48
Atari Logo (R) \$32 RESTON Moviema Ms. Pac Man (R) \$33 SCARRO	N naker (D) \$45	1//	1	Org	ganizer Series (Ea) . \$22	SPINNAKER Snooper 1 or 2 (D) \$27 Aerobics (D) \$34
Joust (R) \$33 Masterty Donkey Kong Jr. (R) \$35 Songwri	OROUGH SYS. type (D/R) \$25 riter (D) \$25	Vaca	MIC	Ca	LUE SKY alc Result Adv \$99 alc Result Easy \$57	Aerobics (D) \$34 Kids on Keys (D) \$20 Most Amazing (D) \$27 Kindercomp (D) \$20
AVALON HILL SIERRA	L WIZWARE . Call A ON-LINE	COS	WILL	BR Ba	RODERBUND ank St. Writer (D) \$43	Alphabet Zoo (D)
	rord (D) \$46 II (D) \$39 rystal (D) \$26 Princess (D) \$22				perat. Whrlwnd (D) \$27 noplifter (R) \$27 nde Runner . (D) 23 (R) 27	SUBLOGIC
Arcade Machine (D) 309 CDINNA	AKER	COMPL	11EU9	CB	BS SOFTWARE	Flight Simulator II (D) . \$36 Pinball (C/D) \$22 SYNAPSE
Choplifter (D) \$23 (R) \$29 Most An	Kave (D) \$20	727 BREA CANYO		16 co	bstr Word Game (D) \$20 DMMODORE mons Basic (R) \$29	Ft. Apocalypse (C/D) . \$23 Necromancer (C/D) . \$23
CBS SOFTWARE Call Trains (I CONTINENTAL Delta Dr	D) \$27 rawing (R) \$27	WALNUT,		Ma	agic Desk (R) \$48	Zaxxon (D) \$23 Blue Max (D) \$23 Pharoah's Curse (C/D) \$23
Home Accountant (D) \$44 Aerobics Tax Advantage (D) \$45 STRATE COUNTERPOINT SW Call Broadsi	es (D) \$34 EGIC SIM. ides (D) \$27	WALNUT, (800) 62	26-7642	As Eas	sembler 64 (D) \$36 sy Script 64 (D) \$52	SSI Combat Leader (C/D) . \$27
DATASOFT Carrier F Pooyan (C/D) \$20 Combat		PLEASE FOR C	ORDERS ONLY	Ho Tax	ONTINENTAL S.W. Ome Accountant (D) \$44 ox Advantage (D) \$45	Computer Baseball (D) \$27 Eagles (D)\$27 Ringside Seat (D)\$27
Graphic Master (D) \$33 Epidemi	nic (D) \$23 (D) \$27	SORRY, N	O COD'S	FC CO	OM (D)\$34 DUNTER POINT SW	Tigers In Snow (C/D) . \$27 Battle Normandy (C/D) \$27
Zaxxon (C/D) \$27 Cosmic SUBLOC SUBLOC SUBLOC	BallorII(D) \$27	CALIF. (714) 59	14-5204	CR	REATIVE SOFTWARE bondust (R) \$23	TIMEWORKS Dungeons of Alg. (C/D) \$17 Robbers Lost (C/D) \$17
Monkey Wrench II \$51 EDUCATIONAL SW	(C/D)\$20 F	FOR TECHNICAL INFO	O, ORDER INQUIR	HO, Pip	oondust (R) \$23 ive New York (R) \$23 pes (R) \$23 busehld Finance (C) \$20	Money Mgr. (C/D) \$17 Wall Street (C/D) \$17 Data Manager (C/D) \$17
Tricky 1,2,3 or 4 \$15 Tricky 5-13 \$22 EPYX	nager (R) \$54 localypse (C/D) \$23	Add \$2.50 shipping per software ord shipping per software order for AK. I	HI. FPO-APO Add \$10.00 or	\$5.00 DA	ATASOFT	Elec. Checkbook (C/D) \$17 TOTL
Dragon Riders (C/D) . \$27 Temple APS (C/D) . \$27 Jumpman (C/D) . \$27 Jumpman (C/D) . \$27 Jumpman (C/D) . \$27	ax (C/D) \$23 iter (D/R) \$23	(whichever is greater) per software in hardware shipping. Calif residents checks or money orders filled with	s add 61/2 % sales tax Cas	sniers EN	ooyan (C/D) \$20 bon Shuttle (D) \$20 HTECH	Toti Text (C) \$32 (D) \$34 Label (C) \$15 (D) \$17
Boulder USh (C/D) 20 (H) 2/ INONIX	X	Personal checks require 4 weeks to a software only within continental U.S.	clear MasterCard and Visa 0 add 3% surcharge Include	OK for Da	udio 64 (C/D) \$28 atabase 64 (D) \$45 PYX	Time Mgr. (C) \$24 (D) \$27 Rsrch Asst. (C) \$24 (D) \$27 TRONIX
Bristles (C/D) \$20 S.A.M. (I Flip Flop (C/D) \$20 P.M. Ani	(D) \$39 nimator (D) \$29	no expiration date and signature C final All defective returns must hav Please call to obtain one before ret	Due to our low prices, all sale: we a return authorization num	es are Ter	mple of APS (C/D) \$27 mpman (C/D) \$27 agonriders (C/D) \$27	S.A.M. (D) \$39 Juice (D) \$23 Chatterbee (D) \$27
Juice (C Chatteri	C/D) \$20	repair Prices & availability subject	to change		agonriders (C/D) \$27 ateway to APS (R) \$27	(-)

GIVE YOUR PC THE PRIVACY IT DESERVES

ENABLE YOUR
PERSONAL COMPUTER
TO PROTECT YOUR
SENSITIVE RECORDS
ELECTRONICALLY.

THE TED 551
DES CRYPTO MODULE
PLUGS INTO ANY
PERIPHERAL
EXPANSION BOARD.



ONLY \$499

(PE) SYSTEMS, INC.

5520 Cherokee Avenue, Alexandria, VA 22312 (703) 642-9300 Telex 90-1860

TAPE WORLD

1.900.245.6000

1-000-	243-0000
	10-
maxell.	1 Dysan
MD-1 54". SSDD 1.6	59 104/1D 5\4", SSDD 1.89
MD-2 514". DSDD 2.3	
FD-1 8", SSDD 2.6	9 3740/1D 8", SSDD 2.69
FD-2 8", DSDD 3.2	
TDK	IBM
5¼" SSDD 1.9	99 5¼" SSDD 1.99
54" DSDD 2.5	59 5¼" DSDD 2.59
BASF	SCOTCH
5%" SSDD 1.7	79 5¼"SSDD 1.79
5¼" DSDD 2.4	19 5¼"DSDD
VERBATIM	ELEPHANT
5¼" SSDD 1.7	9 5¼"SSDD
5¼" DSDD 2.4	

WE WILL BEAT ANY PRICE BY 3%
Sold in 10 Packs. Shipping 3.75 any size order.
Pre-paid, COD, or credit card. COD add 1.65
ALL ORDERS SHIPPED WITHIN 48 HOURS.

Also, TDK and Maxell audio and video cassettes. 220 SPRING ST. BOX 361 BUTLER, PA 16001 412-283-8621 M-F 8:30-5:00



other on any contracting the incertains of all shows story represent the computer sizes if it a ship is within range. The scene then shifts to the low of your ship. On the scene then shifts to the low of your ship. On the scene the shifts to the low of your ship. The scene the shifts to the low at the large story of the scene of

5

SEND TO:

\$7.95!!!

TERIN 19458 Petit Ave. Granada Hills, CA 91344

\$149. Until February 1, 1985, Apple IIe users can upgrade their software to version 2.0 by sending their master disk, manual cover, and \$50 to:

Apple Computer, Inc. Apple Writer II Upgrade P.O. Box 306 Half Moon Bar, CA 94019.

Test-Writing Programs For Apple, 64

Southern Oregon Video Enterprises, Inc. has introduced SOVE Test Writer and SOVE Tester, two test-writing programs for educators, for Apple and Commodore 64 computers.

Test Writer is menu-driven and allows teachers to format questions and store them in files. Up to 250 questions per file can be stored, and up to eight files per disk can be formatted.

Files generated by *Test*Writer can be used by *Tester*, a program which allows the generation of self-tests on a given topic with questions selected by the instructor.

Suggested retail price for Test Writer is \$99.95. Tester retails for \$39.95.

Computer Division
Southern Oregon Video Enterprises,
Inc.
P.O. Box 400
Ashland, OR 97520

Atari 600XL Memory Expansion

An expansion module which can add up to 64K of memory to Atari 600XL computers has been announced by RC Systems, Inc.

The module plugs directly into the back of the computer and will not interfere with pro-

gram cartridges. The AM64 is compatible with the *Atari Translator Disk*.

Model AM2 adds 32K of memory and retails for \$79.95; the AM1 adds 48K and has a suggested price of \$99.95. The AM64, which increases the memory by 64K, retails for \$119.95.

RC Systmes, Inc. 121 West Winesap Rd. Bothell, WA 98012

Commodore 64 Break Dancing

Break Street, a break dancing computer game for the Commodore 64, has been introduced by Creative Software.

As a break dancer, you compete against the Stingrays, a neighborhood gang, in head spins, moonwalks, snaking, and the tut dance moves. Each break dance has its own level of difficulty. For example, if you miss a key sequence move, your character will fall, turning the action over to the Stingrays. Entire dance sequences may be strung together, recorded, and replayed later.

The game is controlled by either the keyboard or a joystick and sells for a suggested \$24.95 on disk.

Creative Software 230 East Caribbean Dr. Sunnyvale, CA 94089

New Product releases are selected from submissions for reasons of timeliness, available space, and general interest to our readers. We regret that we are unable to select all new product submissions for publication. Readers should be aware that we present here some edited version of material submitted by vendors and are unable to vouch for its accuracy at time of publication.

COMPUTE!

The Resource

R



514" 8SDD

n QTY. 20 51/4" DSDD

\$2.29 ea 5¼" DSDD-96TPI

SOFT SECTOR ONLY! MINIMUM ORDER: 20 DISKETTES
These are factory-fresh 3M diskettes packed in boxes of 10 with
Tyvek sleeves, reinforced hubs, identification labels and write-

protect tabs. 3.5" MICRO-DISKETTES—SS-135 TPI → \$2.89 ea. LIFETIME WARRANTY ON ALL 3M SCOTCH DISKETTES! FOR ORDERS ONLY: INFORMATION & INQUIRIES: 1-312-944-2788 1-800-621-6827 ingis: 1-312-944-2788)

HOURS: 8AM-5PM Central Time, Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.
Suite 4806 • 30 East Huron Street • Chicago, Illinos 60611



PACKED IN PLASTIC LIBRARY CASES!

51/4" SSDD

BASE QUALIMETRIC DISKETTES have a LIFETIME WAR-RANTY and are packed in PLASTIC LIBRARY CASES with Tyvek sleeves, reinforced hubs, user identification labels and write-

FANTASTIC LOW PRICES ON

QUALIMETRIC OTO

DSDD

SOFT SECTOR ONLY! MINIMUM ORDER: 20 DISKETTES BASF 3.5" MICRO-FLOPPIES BASF 514"HIGH DENSITY FOR IBM PC-AT DSDD-HD →\$4.72 ea.

SSDD-135 TPI →\$3.02 ea. FOR ORDERS ONLY: 1-800-621-6827

Qty. 20

INFORMATION & (In Illinois: 1-312-944-2788)

INQUIRIES: 1-312-944-2788 HOURS: 8AM-5PM Central Time, Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

Authorized Reseller
Information Processing 5 BASF

Incredible value!

51/4" SSDD

15^{ea.} 51/4" DSDD Qty. 50

These are poly-bagged diskettes packaged with Tyvek sleeves, inforced hubs, user identification labels and write-protect tabs. NASHUA Corporation is a half-billion dollar corporation and a recognized leader in magnetic media.

SOFT SECTOR ONLY! Sold in multiples of 50 only!

FOR ORDERS ONLY: 1-800-621-6827

INFORMATION & INQUIRIES: 1-312-944-2788

inois: 1-312-944-2788) 1-312-944-27 HOURS: 8AM-5PM Central Time, Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

ATHANA

DISKETTES

The great unknown!

times...as copy-protected originals on some of the most popular software packages. They're

packed in poly-bags of 25 with Tyvek sleeves.

reinforced hubs, user identification labels and

LIFETIME WARRANTY!

SOFT SECTOR ONLY! Sold in multiples

of 50 only.

HOURS: 8AM-5PM Central Time, Monday-Friday

DISK WORLD!, Inc.
Suite 4806 • 30 East Huron Street • Chicago, Illinos 60611

WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

Authorized Distributor

← 51/4" SSDD

Qtv. 50

write-protect tabs.

DISK

WORLD!

FOR ORDERS ONLY:

1-800-621-6827

linois: 1-312-944-2788)

DISK WORLD!, Inc.
Suite 4806 • 30 East Huron Street • Chicago, Illinos 60611

DISK WORL D!

Authorized Distributor

51/4" DSDD → You've used these diskettes hundreds of

INFORMATION &

INQUIRIES: 1-312-944-2788

ATHANA MAGNETIC MEDIA

Save 20% to 60% **Or More**

On all your **OFFICE & COMPUTER SUPPLIES!**

Now, you can enjoy DISK WORLD! savings on more than 21,000 office and computer supply products! You name it, we got at tremendous savings

Everything from Scotch* Tape to Post-It Notes* to paper clips and rubber bands ... and thousands of computer products as well!

Our catalog is huge ... more than 700 pages, listing more than

We have to charge for it: \$10.00 to be exact. But we include a \$50.00 worth of discount coupons that you

can use on future orders. Now, it's DISK WORLD! for every office or computer supply

need...and always at tremendous savings!
This offer supercedes all prior catalog offers.
Not responsible for typographical errors.

FOR ORDERS ONLY:

INFORMATION & INQUIRIES: 1-312-944-2788

1-800-621-6827 INQUIRIES: n Illinois: 1-312-944-2788) 1-312-944-27 HOURS: 8AM-5PM Central Time, Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc.
Suite 4806 • 30 East Huron Street • Chicago, Illinos 60611

WORLD!

DISK WORLD! **Ordering & Shipping**

Shipping: 5%* & 3.5° DISKETTES—Add \$3.00 per each 100 or fewer diskettes. Other Items: Add shipping charges as shown in addition to other shipping charges. Payment: VISA and MASTER-CARD accepted. COD Orders: Add additional \$3.00 Special Handling phase. ADD EPSL VIVII add additional \$3.00 Special Handling phase. CARD accepted. COD Orders: Add additional \$3.00 Special Han-dling charge. APO, FPO, AK, HI & PR Orders: Include shipping charges as shown and additional 2% of total order amount to cover PAL and insurance. Taxes: !"nois residents only, add 8% sales tax

1-800-621-6827

INFORMATION & INCHIBIES 1-312-944-2788

HOURS: 8AM-5PM Central Time Monday-Friday

DISK WORLD!, Inc. Suite 4806 • 30 East Huron Street • Chicago, Illinos 60611

Instructions

Prices subject to change without notice.
This ad supercedes all other ads.
Not responsible for typographical errors
MINIMUM TOTAL ORDER: \$35.00

(In Illinois: 1-312-944-2788)

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

WORLD

RIBBONS:

at extraordinary prices!

Brand new ribbons, manufactured to Original Equipment Manufacturer's specifications, in housings. (Not re-inked or spools only.)

LIFETIME WARRANTY!

Epson MX-70/80 . . \$3.58 ea. + 25¢ Shpng. Epson MX-100 . . . \$4.95 ea. + 25¢ Shpng. Okidata Micro83 . . \$1.48 ea. + 25¢ Shpng. \$3.66 ea. + 25¢ Shpng. Okidata Micro84 . .

FOR ORDERS ONLY: 1-800-621-6827

INFORMATION & INQUIRIES: 1-312-944-2788

inois: 1-312-944-2788) 1-312-944-27 HOURS: 8AM-5PM Central Time, Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc. Suite 4806 • 30 East Huron Street • Chicago, Illinos 60611

PAPER: Save 50% or more!

We buy paper by the TRUCKLOAD from the two biggest mills in the country.

Therefore, we charge a lot less than you've been paying!

For the complete DISK WORLD paper catalogs and price lists, call 1-312-944-2788 or write us. (Please do not use the "800" line for paper catalog requests, unless you are also placing an order.

Don't spend more than you have to for topquality computer printer paper. Call DISK WORLD! today.

INFORMATION & INQUIRIES: 1-312-944-2788

HOURS: 8AM-5PM Central Time Monday-Friday

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc. Suite 4806 • 30 East Huron Street • Chicago, Illinos 60611

Where paper



AMARAY MEDIA-MATE 50: A REVOLUTION IN DISKETTE STORAGE



Every once in a while, someone takes the Every once in a winle, someone taxes the simple and makes it elegant! This unit holds 50 5½" diskettes, has grooves for easy stacking, inside nipples to keep diskettes from slipping and several other features. We like it!

\$10.95 ea. Srpng.

DISKETTE 70 STORAGE: STILL A GREAT BUY.

Dust-free storage for 70 514" diskettes.
Six dividers included. An excellent value.

C 11 05 + 55.00

DISK CADDIES \$11.95 + \$3.00 Shpng. The original flip-up holder for 10 5¼" diskettes. Beige or grey only. \$1.65 ea.

ORDERS ONLY: 1-800-621-6827 llinois: 1-312-944-2788)

INFORMATION & 1-312-944-2788

HOURS: 8AM-5PM Central Time, Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES! DISK WORLD!, Inc. Suite 4806 • 30 East Huron Street • Chicago, Illinos 60611

The value leader in

Advertisers Index

Reader Service Number/Advertiser Page	Reader Service Number/Advertiser	Page
102 Abacus Software91103 Abacus Software93104 Abacus Software95AB Computers67105 American PEOPLE/LINK87106 Apropos Technology4Batteries Included21Batteries Included57107 Cardco, Inc.IBC108 CodeWriter46CommodoreBC109 CompuServe27ComputAbility64110 Computer Mail Order80,81111 Computer Novelty Corp.142112 Cosmic Computers157113 Davidson & Associates1114 Discwasher7115 Disk World!159Eastman Kodak Company2,3Electronic Arts41Epyx51	Maxell Corporation of America 124 MegaSoft Limited 125 Micro-W Distributing, Inc. 126 Micro-W Distributing, Inc. 127 Micro World Electronix, Inc. 128 Micro World Electronix, Inc. 129 Mimic Systems, Inc. 130 Mindscape, Inc. 131 Mindscape, Inc. Navarone Industries, Inc. 132 Nibble Notch Computer Products NRI Schools 133 Okidata 134 Pacific Exchanges 135 PE Systems, Inc. 136 Practical Programs 137 Protecto Enterprizes 137 Protecto Enterprizes 138 Quinsept, Inc. 139 Scarborough Systems 140 Sega Enterprises, Inc.	. 11 . 89 . 128 . 133 . 122 . 142 . 35 . 25 . 43 . 156 . 122 . 83 . 156 . 158 . 158 . 133 74,75 76,77 . 46 . 49
Epyx 53 Epyx 55 Fidelity Investors Xpress 108 Frontrunner Computer Industries 151 Happy Computers, Inc. 104 116 Harmony Video & Computers 142 IBM 14,15 117 Indus Systems 59 Infocom, Inc. 22,23 118 Inforunner Corporation IFC	141 Smart Data Inc. Spinnaker 142 Strategic Simulations, Inc. 143 subLOGIC Corporation 144 Tape World Terin Software 145 Timeworks, Inc.	83 9 29 37 . 158 158
Jason-Ranheim 28 Jesse Jones Ind. 116 119 John Wiley & Sons, Inc. 54 120 J & R Music World 122 121 Krell Software Corp. 156 122 Legend Peripheral Products 107 123 Lyco Computer Marketing & Consultants 154,155	COMPUTE! Books New Releases COMPUTE!'s First, Second & Third Book of Commodore 64 COMPUTE!'s Home Computer Wars COMPUTE!'s Machine Language for Beginners & Second Book of Machine Language COMPUTE! Subscription	. 61 . 33 . 63

IF YOU'RE A PARENT STUDENT TEACHER HOBBYIST



COMPUTE! IS FOR YOU!



SAL	or was	-	-	0	1
SAL	/ 1-	-	~//	٧,	

OFF THE \$35.40 COVER PRICE

☐ 1YEAR (12 ISSUES) \$24

SAVE 36%

OFF THE \$70.80 COVER PRICE 2 YEARS (24 ISSUES) \$45

V			

ADDRESS

APT.

CITY/STATE/ZIP

□ PAYMENT ENCLOSED □ PLEASE BILL ME □ CHECK HERE IF RENEWAL

PLEASE CHECK IF YOU OWN A 01 □ APPLE 02 □ ATARI 03 □ COMMODORE 64 04 □ VIC-20 05 □ IBM 06 □ TI-99/4A 29 □ OTHER ______

☐ DON'T YET HAVE ONE

PLEASE ALLOW 4-6 WEEKS FOR DELIVERY OF YOUR FIRST ISSUE, FOREIGN AND CANADIAN PLEASE ADD \$6 (U.S.) PER YEAR POSTAGE, OFFER SUBJECT TO CHANGE WITHOUT NOTICE. 352101



NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 2312 GREENSBORO, NC

POSTAGE WILL BE PAID BY ADDRESSEE

COMPUTE!

P.O. Box 914 Farmingdale, NY 11737

I'd like to order my copy of	of The Home Computer Wars.	
Please s	— copies in paperback at Add \$2.00 per book shipp	ping + handling
All orders must be prepaid	d (check, charge or money order).	
All payments must be in U		5.
□ Payment enclosed.		
□ Charge my □ VISA □	MasterCard American Express	
_		/
Acct. No.		Exp. Date
Name		
Address		
City	State	Zip
Please allow 4-6 weeks for		,
*F	Please include \$5.00 for overseas airm	nail.



BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 2312 GREENSBORO, NC

POSTAGE WILL BE PAID BY ADDRESSEE

COMPUTE! Books P.O. Box 5406 Greensboro, NC 27403 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

COMPUTE!'s **FREE Reader Information Service**

Use these cards to request FREE information about the products advertised in this issue. Clearly print or type your full name and address. Only one card should be used per person. Circle the numbers that correspond to the key number appearing in the advertisers index.

Send in the card and the advertisers will receive your inquiry. Although every effort is made to insure that only advertisers wishing to provide product information have reader service numbers, COMPUTEI cannot be responsible if advertisers do not provide literature to readers.

Please use these cards only for subscribing or for requesting product information. Editorial and customer service inquiries should be addressed to: COMPUTEL, P.O. Box 5406, Greensboro, NC 27403, Check the expiration date on the card to insure proper handling.

Use these cards and this address only for COMPUTEI's Reader Information Service. Do not send with payment in any form.

COMPUTE!

04

Г

101	100	100	104	105	101	107	100	100	110		110	110		336	771	
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	110	117
118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134
135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151
152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168
169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185
186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202
203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219
220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236
237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253

Circle 101 for a one year new U.S. subscription to COMPUTEI: you will be billed for \$24.

Pleas	se let us know. Do you plan to		Please print or type name and addr	ess.
270 272 274 276 278	□ Apple □ □ 271 □ Atari □ □ 273 □ Commodore □ □ 275 □ IBM □ □ 277 □ 71-99/4A □ 279		Limit one card per person. Name Address City State/Province Country	Zip
280 SU	(specify model)		Please include zip code. Expiration 4/30/85.	For Fastest Service, Call Our Toll-Free US Order Line

280 (specify model) 281 Please in	nclude zip code. Expiration 4/30/85.	C0285
SUBSCRIBE TO CON My Computer Is: Apple 02 Atari 03 Comming VIC-20 05 IBM 06 TI-99/40 Other Don't	modore 64 1A	For Fastest Service, Call Our Toll-Free US Order Line 800-334-0868 In NC call 919-275-9809
] \$24.00 One Year US Subscription] \$45.00 Two Year US Subscription	saa our toraidh radd	ers subscription
Name		
Address		
City	State	Zip
Payment Enclosed Bill me Charge my: VISA MasterCa Account No. But subscription will begin with the next available issue	Expires	/

subject to change at any time.

The COMPUTEI subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please check this box . 352104

Place Stamp Here

COMPUTE! Reader Service

P.O. Box 2141 Radnor, PA 19089



BUSINESS REPLY CARD FIRST CLASS PERMIT NO. 2312 GREENSBORO, NC

POSTAGE WILL BE PAID BY ADDRESSEE

COMPUTE!

P.O. Box 914 Farmingdale, NY 11737

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



"The Complete CARDCO Line"

... and still growing!

CARDCO provides "Commodore-ready" computer accessories that will enhance your utilization of Commodore-64 and VIC-20 Computers, increase their capability, and add to your enjoyment and skill. AND, they're available for use with other personal computers, too.

Designed with the user in mind, CARDCO offers fine accessories including Printer Interfaces with and without graphics, Expansion Interfaces, Memory Expansions, Cassette Interfaces, Numeric Keypads PLUS "NOW" Software for your VIC-20 and C-64. These programs include the "WRITE NOW" Word Processor, "MAIL NOW" Mailing List, PRINTER UTILITY PROGRAMS on Tape and on Disk, "SPELL NOW" Spell Checker, "GRAPH NOW" including "PAINT NOW", and "FILE NOW".

CARDCO has three new Letter Quality PRINTERS with your choice of drumhead design (8 1/2" carriage), Daisy Wheel Design (13 inch carriage) and Daisy Wheel Design (11 inch carriage). "Commodore-ready"... plus; with compatible input for PC, PC jr., TRS-80 and many more personal computers. CARDCO's NEW "DATA CASSETTE RECORDER/PLAYER" is also "Commodore-ready" and ready for instant shipment at prices that will amaze you.

CARDCO will constantly increase its line with unique and new products to enhance the enjoyment of computer owners.

300 S. Topeka Wichita, Kansas 67202 (316) 267-6525

Commodore™ is a registered trademark of Commodore Business Systems, Inc.

"The world's largest manufacturer of Commodore accessories."

Write for illustrated literature and prices or see CARDCO Computer Accessories and Software wherever Computers are sold.





IT'S NOT HOW MUCH YOU PAY.



IT'S HOW MUCH YOU GET.

The computer at the top has a 64K memory.

It has the initials I, B, and M. And you pay for those initials—about \$669.

The Commodore 64[™] has a 64K memory.

But you don't pay for the initials, you just pay for the computer: \$215. About one third the price of the IBM PCir.™

The Commodore 64 also has a typewriter-type

keyboard with 66 typewritertype keys. (Not rubber chicklet keys like the IBM PCir.)

It has high resolution graphics with 320 x 200 pixel resolution, 16 available colors and eight 3-dimensional sprites.

It has 9-octave high fidelity sound.

The Commodore 64 is capable of running thousands of programs for home and office. And if you add a printer or color monitor, disk drive and a modem—all together it just about equals the price of the IBM PCir all alone. With no peripherals.

So you can buy a computer for a lot of money.

Or buy a lot of computer for the money.

COMMODORE 64

IT'S NOT HOW LITTLE IT COSTS, IT'S HOW MUCH YOU GET.