ISSUE 71 New The 8N Se \$2 St	CON 3 Ea
Subscribe to COMPUTIST We give you More!	COMPUTIST 33821 E Orville Rd Eatonville WA 98328 Tacoma WA Permit No. 269
Only \$24 for your first 8 issues	
I am O A new subscriber O Renewing my current subscription O Changing my address (Please include last mail label)	
Subscription rates D.U.S. (bulk)	
Address	
City State Zip	
Signance	
COMPUTIST Readers Data Exchange	



Canada & Mexico \$7

News for Speed Demons The 8Mhz Zip Chip is shipping Send for yours today! \$157 plus \$2 postage

The COMPUTIST BBS is On-line at (206) 581-9292

COMPUTIST is Moving to: 33821 E Orville Rd. Eatonville, WA 98328

COMPUTIST

Charles R. Haight	Editor
Tom Acree	Associate Editor
Karen Fitzpatrick	Circulation
Jeff Huriburt	Reviews
COMPUTIST is pu	blished by SoftKey

Publishing. Address all advertising inquiries to:

COMPUTIST Advertising Department 33821 East Orville Road Eatonville, WA 98328 (206) 474-5750

Mail all RDEX letters to:

COMPUTIST Apple-RDEX or IBM-RDEX 33821 East Orville Road Eatonville, WA 98328

• COMPUTIST does NOT purchase editorial material. The entire editorial content consists of information submitted to COMPUTIST for publication in the shared interests of all COMPUTISTs.

• Unsolicited material (manuscripts, letters to the editor, softkeys, A.P.T.s, playing tips, questions, etc.) are assumed to be submitted as letters-to-the-RDEX-editor for publication with all and exclusive rights belonging to COMPUTIST.

• Entire contents copyright 1989 by SoftKey Publishing. All rights reserved. Copying done for other than personal or internal reference (without express written permission from the publisher) is prohibited.

• The editorial staff assume no liability or responsibility for the products advertised in this newsletter. Any opinions expressed by the authors are not necessarily those of COMPUTIST magazine, its staff or SoftKey Publishing.

SUBSCRIPTIONS: Rates (for 8 issues):

U.S.\$24 Canada/Mexico\$34 U.S. 1st Class\$34 Other Foreign\$54

• Send subscription inquiries to:

COMPUTIST Subscription Department 33821 East Orville Road Eatonville, WA 98328

• Domestic Dealer rates: Call (206) 474-5750 for more information.

• Change Of Address: Please allow 4 weeks for change of address to take effect. On postal form 3576 supply your new address and your most recent address label. When we receive your notice of change of address, we will send you a acknowledgement card. If you do not receive the acknowledgement card after 2 weeks, send another notice or call us direct.

Issues missed due to non-receipt of change of address may be acquired at the regular back issue rate.

We are not responsible for missing issues 90 days after mailing date. If you do not receive an issue at the usual time each month, please call or write.

Apple® is a trademark of Apple Computers. IBM® is the IBM trademark.

Readers Data EXchange

New COMPUTIST readers using Apple IIs are advised to read this page carefully to avoid frustration when attempting to follow a softkey or entering the programs printed in this issue.

What is a softkey, anyway?

that you need to "Get started". In addition, we recommend that you acquire the following:

• Applesoft program editor such as "Global Program Line Editor (GPLE)".

•Assembler such as "Merlin/Big Mac".

•Bit-copy program such as "Copy II Plus", "Locksmith" or "Essential Data Duplicator". •Word-processor (such as AppleWorks).

•"COPYA", "FID" and "MUFFIN" from the DOS 3.3 System Master disk.

Super IOB and Controllers

This powerful deprotection utility (in the COMPUTIST Starter Kit) and its various Controllers are used in many softkeys. (It is also on each Super IOB Collection disk.)

Reset into the Monitor

Softkeys occasionally require the user to stop the execution of a copy-protected program and directly enter the Apple's system monitor. Check the following list to see what hardware you will need to obtain this ability.

Laser 128: Your ROM includes a forced jump to the monitor. Press ctrl return reset.

Apple II+, //e, compatibles: 1) Place an Integer BASIC ROM card in one of the Apple slots. 2) Use a non-maskable interrupt (NMI) card such as Replay or Wildcard.

Apple II+, compatibles: 1) Install an F8 ROM with a modified reset-vector on the computer's motherboard as detailed in the "Modified ROM's" article (COMPUTIST #6 or Book Of Softkeys III) or the "Dual ROM's" article (COMPUTIST #19).

Apple //e, //c: Install a modified CD ROM on the computer's motherboard that changes the open-apple ctrl reset vector to point to the monitor. (*This will void an Apple //c warranty since* you must open the case to install it.)

Apple //gs: If you have the 2.x ROM, there is a hidden classic desk accessory (CDA) that allows you to enter the monitor. In order to install the new CDA, you should enter the monitor (CALL -151) before running any protected programs and press **# return**. This will turn on two hidden CDAs, Memory Peeker and Visit Monitor. Thereafter press **open-apple ctrl esc** to go to the Desk Accessories menu. Select Visit Monitor and there you are. Use **ctrl Y** to exit.

Recommended literature

•Apple II Reference Manual (or IIe, IIc, etc.)

•DOS 3.3 or ProDOS manual •Beneath Apple DOS & Beneath Apple ProDOS, by Don Worth and Pieter Lechner, from Quality Software

Typing Applesoft programs

BASIC programs are printed in a format that is designed to minimize errors for readers who key in these programs. If you type: 10HOME:REMCLEAR SCREEN

The LIST will look like:

10 HOME : REM CLEAR SCREEN

Applesoft inserts spaces into a program listing before and after every command word or mathematical operator. These spaces don't pose a problem except when they are inside of quotes or after a DATA command. There are two types of spaces: those that have to be keyed and those that don't. Spaces that must be typed appear in COMPUTIST as special characters (\Diamond). All other spaces are there for easier reading.

NOTE: If you want your checksums to match, only type spaces within quotes or after DATA statements if they are shown as (\diamond) charactors. SAVE the program at periodic intervals using the

Computing checksums

Checksums are 4-digit hexadecimal numbers which tell if you typed a program correctly and help you locate any errors. There are two types of checksums: one created by the CHECKBIN program (for machine language programs) and the other created by the CHECKSOFT program (for BASIC programs). Both are on the "Starter Kit".

If your checksums do not match the published checksums then the line where the first checksum differs is incorrect.

CHECKSOFT instructions: Install Checksoft (BRUN CHECKSOFT) then LOAD your program. Press & to get the checksums. Correct the program line where the checksums first differ.

CHECKBIN instructions: Enter the monitor (CALL -151), install Checkbin at some out of the way place (BRUN CHECKBIN, A\$6000), and then LOAD your program. Get the checksums by typing the Starting address, a period and the Ending address of the file followed by a ctrl Y. SSSS.EEEE ctrl Y

Correct the lines where the checksums differ.

Writing to the RDEX editor

RDEX (are-decks) stands for: Reader's Data EXchange. We print what you write. When you send in articles, softkeys, APTs, etc., you are submitting them for *free* publication in this magazine. RDEX does *not* purchase submissions nor do we verify data submitted by readers. If you discover any errors, please let us know so that we may inform our other readers.

Remember that your letters or parts of them may be used in RDEX even if not addressed to the RDEX editor. Correspondence that gets published may be edited for clarity, grammar and space requirements.

Because of the great number of letters we receive and the ephemeral and unpredictable appearance of our volunteer staff, any response to your queries will appear only in RDEX, so it would be more appropriate for you to present technical questions to the readers and ask for their responses which will then be placed in the Apple-RDEX.

How to get a free library disk

Whenever possible, send everything on Apple format (5.25" - DOS/ProDOS or 3.5" - ProDOS) or IBM format (3.5") disks. Other formats are acceptable but there may be some delay as we look for someone to translate it for us. (*If you use* a 5.25" disk, when we print your letter, we will return your disk with the current library disk copied onto it .) Use whatever text editor you like, but tell us which one. Put a label on the disk with your name (or pseudonym) and address (if you want to receive mail). Don't reformat any programs or include them in the text of your letter. Send Applesoft programs as normal Applesoft files and machine language programs to convert them to the proper format for printing. If you are sending source code files, and you are not using the S-C Assembler, send them as normal text files.

When to include a printed letter

- Don't include hardcopy (printout) unless: a. You are writing about a bug or other printing
- error.
 - b. You are writing to ask for help.
 - c. You are answering another readers help request.
 - d. You are writing about your subscription or sending an order for back issues or software.

Bugs, requests for help and answers to requests for help are bumped to the head of the line and go in the very next issue. All other letters are printed in the order that we receive them.

Writing to get help

When writing to request help, be sure to include ALL relevent information. The more information you include, the easier it is to find a solution. There's an old saying that goes "A properly framed question includes 90% of the answer".

How to get mail

If you are interested in receiving mail from other readers, be sure that we have a current address. If you use a pen name and want to receive mail, we need to have your address. Our readers privacy is important, so we will not print your address unless you specifically say too.

How to write to RDEX authors

When writing to one of the RDEX authors. Write your letter and seal it in an envelope. Put your return address, the authors name (as it appears in RDEX) and *the correct postage* on the envelope. Put this envelope into another and send it to RDEX. We will put the correct address on your letter and mail it for you.

Help Line

These readers have volunteered their time to help you. Please call only within the given time frames (corrected for your time zone). No collect calls.

Jack Nissel (Disk Protection, 7-10PM EST) (215) 365-2905

Electronic Bulletin Board System (BBS)

Dave Goforth is the sysop for the Computist BBS. The number is: (206) 581-9292. If you already have a User ID# and password, sign-on using the User ID#. If you are a new user, it may take a day or so to validate your new ID# and password.

You have a LEGAL RIGHT to an unlocked backup copy of your commercial software.

Softkey is a term which we coined to describe a procedure that removes, or at least circumvents, any copy-protection on a particular disk. Once a softkey procedure has been performed, the resulting backup copy can usually be copied by the normal copy programs (for example: COPYA, on the DOS 3.3 System Master disk).

Commands and control keys

Commands which a reader is required to perform are set apart by being in boldface and on a separate line. The return key must be pressed at the end of every such command unless otherwise specified. Control characters are preceeded by "ctrl". An example of both is: 6 ctrl P

Type 6. Next, place one finger on the ctrl key and then press P. Don't forget to press the return key.

Other special combination keypresses include ctrl reset and open-apple ctrl reset. In the former, press and hold down the ctrl key then press the reset key. In the latter, press and hold down both ctrl and open-apple then press reset.

Software recommendations

The Starter Kit contains most of the programs

name given in the article. All characters after a REM are not checked by the checksum program so typing them is optional.

Typing Hexdumps

Machine language programs are printed in COMPUTIST as hexdumps, sometimes also as source code.

Hexdumps are the shortest and easiest format to type in. You must first enter the monitor: CALL -151

Key in the hexdump exactly as it appears in the magazine, ignoring the four-digit checksum (\$ and four digits) at the end of each line. When finished, return to BASIC with: **3DOG**

BSAVE the program with the filename, address and length parameters given in the article.

Typing Source Code

The source code is printed to help explain a program's operation. To enter it, you need an "Assembler". Most of the source code in older issues is in S-C Assembler format. If you use a different assembler, you will have to translate portions of the source code into something your assembler will understand. Our editorial policy is that we do NOT condone software piracy, but we do believe that users are entitled to backup commercial disks they have purchased.

In addition to the security of a backup disk, the removal of copy-protection gives the user the option of modifying programs to meet his or her needs.

Furthermore, the copyright laws guarantee your right to such a DEPROTECTED backup copy:

... "It is not an infringement for the owner of a copy of a computer program to make or authorize the making of another copy or adaptation of that computer program provided:

1) that such a new copy or adaptation is created as an essential step in the utilization of the computer program in conjunction with a machine and that it is used in no other manner, or

2) that such new copy or adaptation is for archival purposes only and that all archival copies are destroyed in the event that continued possession of the computer program should cease to be rightful.

Any exact copies prepared in accordance with the provisions of this section may be leased, sold, or otherwise transferred, along with the copy from which such copies were prepared, only as part of the lease, sale, or other transfer of all rights in the program. Adaptations so prepared may be transferred only with the authorization of the copyright owner."

United States Code title 17, §117

Canada & Mexico \$7

Features, Notes and such:

A BUG in Copy II Plus ver 9.0	11
A Reader Review of the Trac Card	21
Deprotecting MircoLab Disks	
Enhancements to APT Scanner	14
Locksmith 6.0 Fastcopy with E.A. RWTS (Revised)	16
Putting Bubble Ghost in Harddisk	7
Super IOB Block Patch	15
The Computist BBS	4
The Junior PROM	14
The Mandelbrot Set	17
The Product Monitor	5

Table	
of	
Conte	ents

Editorial	4
The Product Monitor	5
RDEX Contributors	
Most Wanted Softkeys	

	Case of the Missing Chick	15
	Cavern Creatures	6
	ChessMaster 2100	7
	Children's Writing & Publishing Center	
	Comment Dit-On?	
	Computer Inspector v1.0	17
	Congo	
	Crosscountry Canada	16
	Crystal Quest	
	Cutthroat	
	Deja-Vu	7
	Deja-Vu II	7
	Dinosaur Days	14
	FastBreak	7
	Final Assault	8
	French: Verb Pairs and Idioms	17
	Geometry v1.0	9
	Gnee or Not Gnee	13
	High Wire Logic	13
	Impossible Mission II GS	6, 9
	Into the Eagles Nest	6
	Jack Nicklaus' 18 Holes of	
	Major Championship Golf	9
	Jigsaw	
	Jump Jet	6
	Kinderama	9
4	King of Chicago	6
5	LA Crackdown	6
3	Magic Slate v1.3	17
-		

Sports Stats	17
Starglider	20
Stickybear Talking Opposites	
Story Tree	13
Superprint v1.2	12
Superstar Ice Hockey	
Surveys Unlimited	
Tag Team Wrestling	
Ten Clues	
The Duel: Test Drive II	11
Tip 'N Flip	13
Uninvited	7
VCR Companion	13
Where in the World is	
Carmen San Diego GS v1.0	11
Word Puzzles for Creative Teaching	20
World Geography v1.0	
Xenocide	

Bitkeys:

Game Show	17
Magic Spells	15
Story Tree	15

APTs:

APTs	
2400 AD	16
Microwave	14
Oil's Well	14
Qix	10
Trolls and Tribulations	14
Xenocide	11
Playing Tips:	
Leisure Suit Larry Might & Magic II	
IBM Softkeys:	
Zany Golf	22
IBM Playing Tips:	
Manhunter	22
Rocket Ranger	22

ol wa

Softkeys:

4th & Inches: Team Construction Disk82400 AD
An Introduction to General Chemistry21
Analogies - Advanced I & Advanced II
(Best Sentences)20
Award Maker Plus13
Battle Chess7
Body in Focus13
Boppie's Great Word Chase12
Botanical Gardens13
Bubble Ghost7
California Games GS13
California Games GS19
Campaign Math12
Case of the Great Train Robbery15

0
Magic Spells12
Math Blaster Mystery 19
Math Blaster Plus9
Microcomputer Study Guide -
Fundamental Accounting Principles
Chapters 1-14 & 15-2820
Ming's Challange18
Mission Escape6
Monsters and Make Believe
Multiscribe v3.020
Mystery of the Witches Shoes15
Organic Chemistry21
Qix9
Reading Professor
Renegade10
Science 4:
Understanding our Solar System15
Shadowgate7
Sign Designer
Slipheed
Soko Ban5
Sporting News Baseball 10
• •

IBM APTs:

Wizardry V	.22
Zany Golf	.22

COMPUTIST

Charles R. Haight

Zip Chip vs Rocket Chip

It seems that Rocket chips are going to become a little scarce. The word we received is that Zip Technology won the lawsuit against Bits and Pieces Technology (BPT) and that BPT cannot manufacture any more speedup chips.

While the Rocket chip is deceased, the 8Mhz Zip Chip is shipping (we've already sent out a few) and we can send you one for \$157 plus \$2 for UPS (or \$4 for Second Day Air, if you're in a hurry). Pricing is pretty predatory so you may be able to find a lower price from one of the mail order houses. Let us know if you do.

New Address

Computist is moving its offices to Eatonville (where I live). No more 60 mile round trips to Tacoma whenever work needs to be done on the magazine! That means I can work on Computist stuff in the evenings and be able to spend a little more time working (and a lot less time commuting).

Tighter format, more data

Back to the compressed format. So many of the letters that I've received say it's OK, that I'm trying it out. It's harder than it looks to use 4columns per page, especially when there is a lot of source code. Text is easy, of course, since it is handled automatically by the page layout program. But commented code is too wide and when it wraps around, it's not very readable. That means extra editing must be done, which takes a lot of time. Also, some of your letters, have column type data that is formatted for 80 columns. That involves more time to convert to a narrow 4-column format. (Although, if it has to be in a wide multi-column format, I can put it in a box that spans several columns.) So, when you write to us, keep in mind the narrow columns. I really appreciate it.

Anyway, I'm getting used to this MAC and Pagemaker and it's getting easier to get each issue out each month. Our lateness on this issue is because of some extra time it took to work out the bugs in the 4-column format along with some minor problems with the mailing.

A Book for issue 66

Speaking of formats, I've come up with a two column format for the Book. I'm trying it out with Computist #66 (the one that we are out of). The 34 tabloid size pages of text in #66 converts to about 65 pages in an 8 1/2 by 11 size book format. Anyone who orders issue #66, at regular back issue prices, will receive the book formatted pages. They're setup for 3 hole punch to fit in a three ring binder.

The COMPUTIST BBS (206) 581-9292

The BBS is ready, but it's in the seedling stage and is going to require some careful nurturing. We don't have a clock card yet and we're wondering if anyone out there has an extra one that they could loan us (on a long term basis). Or, maybe we could trade for back issues or library disks.

Everyone who joined the Club should find a slip of paper in their issue. (I suggest you look for it, right now !!!) If you do not find the slip of paper and you have paid your club fee, contact us immediately. The paper is marked with two numbers and a word or phrase. The first number is your club number and should match the number on your label. If it doesn't, contact us immediately. The second number is your BBS user ID number. You should use this number when you sign-on to the BBS. The word or phrase is your initial password. After you sign-on, you may change your password to whatever you wish. We got the initial passwords by writing a program that randomly pulled words from a thesaurus program. So if your password is something weird, you know why. You wouldn't believe some of the words and phrases that came out of that

Now the question is, "What do we do with the other projects?" We have two other projects that are at the board stage and a dozen more in various stages of progress.

The first project is a special memory card that holds 8 - 32K SRAMs (Static RAM) for a total of 256K of RAM. The card looks like a 256K disk drive, a very fast disk drive. A special Integrated Circuit (IC) from Maxim maintains the voltage to the SRAMs when you turn off your computer. It also detects a power failure and locks out writes to the card to protect the memory. You can save data to the card (just like to a disk) and turn off your computer. Then, in the morning, when you're ready to start computing, the data would still be there. I use the prototype to hold DOS 3.3, ProDOS 8 and my most often used utility programs, so I can switch between them in a fraction of a second. I have the card plugged into slot 7, so when I first turn on my IIe, DOS is instantly loaded. Naturally, I call it the "Instant On" card. The prototype cost almost \$400 (2 blank cards plus the setup charge). And now that I've had time to play with it, I've thought of some changes that would be nice to make before the board layout.is finalized.

\$400 is a bit expensive. You could buy the Stat Disk card from A2 Central for a lot less. But, if we had 50 readers who were interested, the cost would come down some. It would be about \$6 each for the setup fee (300/50 = 6), \$25 per bare card (less if we don't want gold plating on the connector), \$14 for misc. parts (some IC's and sockets), and \$10 per 32K SRAM chip. The total cost of the board (stuffed with 256K of RAM) would be about \$123. That compares favorably with the Stat Disk card with 128K for \$209. (Although, the Stat Disk comes with some valuable software and is expandable beyond 256K.)

The second project is the "Smart" card (for the IIe). This card has its own microprocessor, and it can stop the IIe, and examine and change any location in memory, all without leaving any trace of it's activity. The perfect card for the active COMPUTIST. If you are playing a game, you can stop it, at any time, and give yourself some more men or weapons. Hackers can use it to do parallel processing, or program the card to do background sound effects while your main program is running in your IIe, all without the main program knowing what's happening. It also has a programmable break point monitor. That means that you could tell the card to freeze the Apple and come to you whenever a certain address is referenced by the program in memory. Krackers take note, we put the breakpoint monitor in there for you. It makes it real easy to track what a protected program is doing.

Dave Goforth, the COMPUTIST BBS sysop, asked about a RAM card for the IIgs. We'll need some physical measurements of the space around the IIgs RAM expansion slot but it doesn't look too tough. A look at the IIgs Hardware Manual shows that all the signals you need for the first 4 Mbytes are supplied by the expansion slot. I figure about \$100 for the completed board (including gold plated connectors) and \$100 for each 1Meg SIMM. So a 4 Meg RAM board would cost about \$500.

Keep in mind that all of these costs are for unassembled boards, you have to do the soldering and assembly yourself. While soldering is not difficult, you do have to take care and have a steady hand. This also presupposes that enough readers are interested in a certain project to make it possible to order the boards. We're not set up here to become a manufacturing company, and if we did, we would probably have to charge a lot more for each board, just like other companies. They also have to recoup the cost of designing and testing their hardware. I'd rather donate my time and keep this on a one-on-one basis with interested readers so that the costs stay reasonable.

But we don't know if anyone is really interested. Maybe it's just that the first project was uninteresting or was poorly presented or if maybe there's not really enough interest in hardware anymore. Personally, I like designing new hardware. But, this is your newsletter and if you would rather not waste any more space on hardware, then we won't. So, be sure to write and let us know how you feel. And if you are interested, please tell us what kind of project you want to see. That way, we won't be wasting time working on uninteresting projects. I'll take a look at what you want and tell you if I can design it, and if so, what I think it will cost to build it. Then we can go on from there. Is that a deal?

help them out AFTER the tabloid format started. I even helped send out issue #70 (two weeks after I'd received #69) and discovered exactly what they are going through. It's difficult to imagine but I will attempt to describe as a subscriber what I saw.

As Charles Haight has said, they have an all volunteer staff (so they can't cut costs there since there are no paid employees) and I was only one of six people working to get you and nearly 4,000 others their copy of COMPUTIST before Christmas. Second, the only money spent is for the actual printing and mailing costs of the magazine (the fewer the magazines, the more it costs per issue) we even put on all the address labels (which were printed on the computer in the office), sorted, and bundled them. About 8 hours non-stop work for everyone (I know, a days work is not bad but, they usually don't have that many people either). They had about another 2-4 hours work ahead before they would be completely ready to mail (Postal system is very picky) when we guit for the day. Then as I was about to leave we began discussing the upcoming issue (#71) which would have to be finished and ready to mail by the 12th of December and this was November 22nd (day before Thanksgiving)!

So, after seeing the working conditions, where the money goes, and the antiquated equipment being used (II+'s, Franklin ACE 1000's, a few IIe's and one Mac that was on loan from another subscriber) I think that Charles Haight and all the subscribers that have been with them since the early 80's deserve much more credit than we've been giving them. To keep this publication alive and going this long with what they have is incredible. But don't get me wrong, \$32 a year IS outrageous but the ONLY way to reduce the cost of the magazine is to double the number of subscribers which would effectively have the following results:

1. Double the gross income of COMPUTIST while.

2. reducing the cost per issue for printing.

Somewhere, in there, is enough net profit to hire a full time editor (why? because as of Nov, there are letters dating back to June that have not yet been replied to because this volunteer staff have other jobs and families including Mr Haight - NO ONE GETS PAID and time is not something most people have a lot of unless they are getting paid), upgrade some of the equipment they are using AND allow for reducing the cost of the magazine to it's subscribers, it may even allow returning to the nice magazine format if that was the preference over reducing the \$32 annual charge. I've found two subscribers by word of mouth in the last month and one about three months ago who liked it so much he bought EVERY back issue from day one thru his current which was around #64 (I couldn't afford that but HE found a way because he believed in what COMPUTIST stands for and didn't want to see it. perish, besides he needed a lot of the older softkeys). No one person can do all of it, if each of us can get just two new subscribers or at least talk those considering quitting to continue we may have a real magazine at an affordable cost again... Now on to the BBS!!!

I have been a subscriber to COMPUTIST since issue 15 when I first heard about it while in Okinawa, Japan. I've been watching all the requests for a BBS and after setting up my own BBS (the GOPHER HOLE - (206) 584-3320) in September, modifying the software to suit my needs and to get a feel as to what was involved in running a BBS, I approached Mr Haight as a volunteer for the COMPUTIST BBS. I expected to use my IIgs and add an area for COMPUTIST subscribers to the existing board. He instead decided to have a dedicated system and supplied me with a IIe and all necessary hardware to set thing up and get it going. Well it's up and as of now this is what's available and how it works:

All subscribers who sent in their \$10 (or more) already have full access granted to the system. (See the editorial. ed) Others will have to log on as new users with limited access until validated (usually 1-3 days). The following areas are available: Bulletins: This is where informative information about COMPUTIST and the BBS is listed. Recommend all users read this the first time they log on. The Most Wanted list is also in this section.

beforehand to make the file as small as possible. This will make the transfer even quicker and will also allow multiple files to be combined in one transfer (NOTE: The 'F'ile command will ONLY allow one file to be attached to each message).

Files: Public Domain software library and programs published in COMPUTIST. This area is divided into DOS 3.3, ProDOS, IIgs, and RDEX. The RDEX is for files that you wish to send to COMPUTIST for publication.

Utilities: A current User list and Personal data area is here to change your password and other information about yourself. ALL personal data is kept strictly confidential and not made available to other subscribers (except name).

Help: There is on-line help for all commands available on the BBS.

The BBS is using Applenet v2.1c (a modified version of 1.3c by Kevin D'Hayse). It supports 300 - 2400 baud and XMODEM protocols. To call, set your terminal program for;

- 8 data bits
- 1 stop bit
- No parity
- Echo Off

Baud to the highest baud rate (up to 2400) that your modern supports.

NOTE: Some long distance calls get a lot of noise on the line and become almost unusable at 2400, if this happens, changing to a slower baud rate (1200) usually works much better (you cannot do this while on-line, you must hangup and call back at the new baud setting).

The number is not a toll free call, all calls will be billed by the phone company to the callers number. The BBS will not accept charges for long distance calls so be sure that the person who pays the bill (if not yourself) is aware of your calls and the phone number you are calling. All questions about the BBS or it's use should be addressed to "SYSOP" if left on the board or David Goforth if mailed to COMPUTIST. The BBS will change and grow rapidly in the first few months as new areas and features are added. If there is something specific that you would like to see incorporated please let us know.

Many people think that the magazines should be made available on the BBS for downloading. I agree but what you will get will be: An all text version of the issue, graphics have been done with a Mac and are in such a format and resolution that not even the IIgs can display them. So for hardware projects you would not have any drawings or schematics to look at. Also Program listings would still be that, text listings, and the biggie; Can you call long distance, spend 30 plus minutes downloading (if the file is compressed), and print out the magazine (not counting having it bound) for less than \$3.75 an issue? If so then please let us know your secret so we can save some money too.

All those who have the indexes (free ones) for all the COMPUTIST magazines that want to share it with others, please send it as soon as possible and I will incorporate it into the BBS. If at all possible (depending on the format - preferably Appleworks DataBase or text) I'll include a search routine for people to scan the index for specific topics, programs, etc.

One more word about this new volunteer, I own an Apple IIgs with the PC Transporter and can read the following disk formats; Apple 5.25 (140K), Apple 3.5 (800K), IBM 5.25 (360K), and IBM 3.5 (720K) so you can submit your inputs on any of the above disk formats for publication, hopefully this will allow for more IBM users to send inputs. All inputs should be submitted in standard ASCII text files if possible without any embedded special formatting codes and returns only at the end of paragraphs. This will greatly reduce the amount of time it takes to edit the submissions for publication. Also, any programs or hex listings should be sent in their original format (Basic and Binary files should not be converted to text). For more information of submissions please read the Readers Data EXchange printed at the beginning of every issue of COMPUTIST. PS. Add one more subscriber. As I was writ-PPS. Oh, before I forget!! The Computist

ing this I 'chatted' (on the Gopher Hole BBS) with a caller who has been using an Apple IIe for over five years and never heard of COMPUTIST (and living in Tacoma, WA no less). He recently cancelled all other magazine subscriptions because of all the ads and very little information that they were publishing. He had no idea that this type of publication existed and really wants to see it. All it takes usually is to tell someone about COMPUTIST, then show it to them. Don't tell them the cost, let them see it for themselves when they see the magazine. Their reply is usually something like, "It's kind of high but there's no ads and you don't see this info anywhere else and I've subscribed to all Apple magazines in the past...". They usually end up joining and if you ask them about the cost you usually get something along the lines of, "No problem, I'll just drop these other two that I don't read anyway and even save a few bucks for something better ... " You'd be surprised how easy it is, just tell and then show. Let the magazine speak for itself and the person decide. The only thing you have to watch out for is to be sure that you get YOUR copy back. BBS phone number is (206) 581-9292. Hope to "see" you soon.

thesaurus.

Hardware Happenings

The verdict's in on the Display card. Guilty of dullness and lack of interest. Out of about 4000 subscribers, only 15 were interested in assembling the card.

Here's why that isn't enough orders. The setup fee for manufacturing an average size card is between \$200-300. Then, the actual card costs between \$10 and \$20 each. Since these are very small cards, the real cost is \$7.60 for one and \$6.90 for the other, or \$15 for both.

If we share the setup fee, (300/15 = 20) that would mean that the cost to each of us would be \$20. Now add the \$15 for the 2 card set and \$15 for the components and we have a grand total of \$50.

That's pretty steep for a card that is essentially a toy. (And an unassembled toy, at that!)

So we returned the checks and didn't order any Display cards. The board layouts, parts lists and net lists are available for anyone who wants to make the card on their own. Send a letter to Karen, along with a dollar for postage. If you do make the boards yourself, consider making a couple extra and selling them to other interested readers. Or maybe someone knows where we can get the boards done for less?

David Goforth

Well I'm sorry to hear about those people who said that when their subscription ran out they would not be renewing because:

The COMPUTIST BBS is here!!!

Hopefully they know someone else who subscribes and will see just what they will be missing and reconsider. I too had thought as they did and did not like the tabloid format and briefly considered calling it quits, but I knew that I could not find the information that COMPUTIST prints in any other magazine and even sent in my \$10 to

Messages: Is broken down into three areas: 1) RDEX for inputting letters to COMPUTIST and allowing other subscribers to read and answer them possibly even before publication.

2) E-MAIL is for sending private letters to other COMPUTIST subscribers.

3) CLASSIFIED for placing ads just as you would in a newspaper.

To decrease the amount of time spent on the BBS and long distance rates by the phone company, each message area has the ability to do a 'F'ile transfer. If you have a fairly long article or many small ones and wish to send them as fast as possible, I suggest you do the following: Enter the RDEX message base and leave a short note that you wish to have the attached file published. Then enter a blank line and a menu will appear, press 'F'ile and then send the file using XMODEM protocol. After the transfer is complete then select 'S'ave. I recommend using 'ShrinkIt' or some other type of file compression method

WA

Jeff Huriburt _____TX The IPRODUCT MONITOR

RATINGS

፟፟፟፟፟፟፟፟፟፟፟፟፟፟	SUPERB
፟፟፟፟፟፟፟፟፟፟፟፟፟፟	EXCELLENT
አ አአ	VERY GOOD
**	GOOD
☆	FAIR
?	POOR
??	BAD
Х	DEFECTIVE

Hopefully, your Christmas money piggy bank yet retains a few coins earmarked for entertainment software purchases. As promised last issue, this month's focus is upon several promising game releases. Next time, for sure (?), I shall put the wraps on all but end-of-year '89 funware and zero-in upon utilities.

Pool of Radiance ☆☆☆

\$44.95 for 128К Apple II Cluebook: \$12.95

Beyond any question, 1989 produced absolutely the best crop ever of quality computer adventures; which, I hope, explains why so many good products— for example, SSI's Advanced D&D releases— are only just beginning to get the attention they deserve. In "Pool of Radiance" your party of up to eight heroes is launched upon a long-playing quest to deliver the city of New Phlan from the evil mechanations of a mysterious arch-criminal known only as "The Boss". To this end you undertake a series of City Council "commissions" to obtain key artifacts, treasures, lost lore, AND, sometimes, take on the task of clearing one of the monster-infested suburbs. With each success your party attracts increased notice from the Boss's stooges (and their minions) until, finally, you tackle the Boss himself.

Though you will, occasionally, find yourself on an Ultima-style map of the nearby Wastelands, most of "Pool""'s action is set in the city's "Civilized Area", a suburb, or underground, in a dungeon. Here, and in some special Wilderness locations, you get a rather bland 3-D perspective view offering just enough detail for identification of buildings, doorways, arches, etc.. (This game badly needs a hefty dose of IIgs super-res and sound.) Aside from helping to fill-in some thirty-odd maps, your explorations can yield treasure, weapons/armor caches, and valuable information, supplied via a reference to one of the Journal or Tavern Tales entries in the game's "Adventurer's Journal" booklet.

Explorations also produce confrontations. Upon an encounter, the program displays a picture of one of the encountees (e.g. a hulking giant) and, more often than not, allows at least a chance at avoiding conflict. Should hostilities ensue, your party plus the enemy's forces appear on a scrollable combat map and the REAL fun begins! While a "Quick" option permits speedy, satisfactory computer resolution of easy battles, getting to crunch (blast, slice, ...) monsters is, after all, one of the big payoffs for your labors and "Pool" offers one of the better tactical combat schemes around.

Since race, occupation, and attributes are very similar to those found in "Ultima", "Eternal Dagger", etc.— as, in fact, are the magic, weapons, and armor systems— this is a game you can expect to start and 'get into' with a minimum of hassle. With a scenario boasting mystery, humor, and the promise of ever more challenging adventure, getting out is not so easy! (Supplied on four double-sided diskettes, "Pool of Radiance" comes with manual, "Journal", and decoder wheel— to which I strongly recommend adding the mapfilled "Clue Book".) my favorite, the '85 Lamborghini Contach 500S); while, in "'Muscle Cars", you get five monster engine legends from the '60's (e.g. the 425 hp '69 Dodge Charger Daytona, the 550 hp COPO ZI-1 Camaro, etc.).

Race the clock or tackle a computer-controlled competitor, either way you select the cars AND the course. So far, Accolade offers two "scenery sets". The game diskette set takes you through forests, mountains, and deserts; whereas, "California Challenge" amounts to a north-south tour of the state's more spectacular sites (e.g. redwood forests, ocean coasts, etc.). Even at high speeds, each set is good for several minutes much more if you get caught by the highway patrol. Settable skill level adjusts the frequency of hazards like oil slicks, rocks, and traffic. (When you're tooling along at 200 mph, ANY-THING on the highway is a hazard!)

With joystick control and your behind-thewheel super-res view, "The Duel"'s smooth animation and realistic sound come about as close to putting you on the road in a four-wheeled rocket as is possible. Even the necessary memory updates are masked via periodic service stops, where, beside fuel, you get an evaluation of your driving performance. (Naturally, top scores for each course are maintained on disk.) Aside from a documentation error which specifies CTRL-J and CTRL-K for joystick/KB control selection (J and K are correct), and the apparent requirement (undocumented) that RAM disk be OFF, "The Duel" has proved a flawless performer, good for many hours of enjoyable road-burning.

The Usurper: Mines of Qyntarr ☆☆

\$29.95, includes 128K Apple II and 512K IBM versions

Sir Tech's new TEXT-only release sends you into the dreaded Mines to recover the Orb of Baellon- the latter being the fabled key to disposing of the evil Usurper. Encompassing well over 100 'rooms', "The Usurper'" is a Zorklike adventure offering prosaic descriptions, interesting places and personages, and several worthwhile puzzles. Parsing (i.e. how well the program understands user inputs) is several notches above Eamon grade; but, still, just adequate, considering the tasks at hand. Often, for instance, Usurper fails to recognize items mentioned in its descriptions; and, sometimes, misses obvious substitutions. (e.g. "Get Scrap" will not suffice to pick up a Scrap of Parchment.) Happily, once you adjust to the game's moderate smartness level, 'playing the parser' situations are minimized; and you can concentrate on the adventure. Supplied with an attractive illustrated manual, "The Usurper'" is cute, entertaining, and good for several evenings of play. 1

Fast Frames, Updates, Etc.

Wiz V: Kettles & False Mazes

Dr. Hackenbush's question in #68 provoked a look through my "Wizardry V" notes, and, very probably, has re-hooked me on finishing the quest. This IS one of the great adventures. As to where to find the Laughing Kettle: on Level I at coordinates 22 East, 23 North, there is a secret door in the north wall which leads to the Kettle. He offers some useful clues for prices ranging from \$500 through \$5000. (Incidentally, don't be fooled by his jolly appearance. If attacked, the Kettle proves to be tough, powerful magic user; AND, should you win, the temple healers will require that you pay for his resurrection!)

The false mazes encountered by some "Wiz' V" players ARE very strange places (places, in fact, where you are not supposed to be); but the phenomenon is not the result of some bug. (In the first batch of "Wizardry V" packages shipped, some did have bad diskettes- quickly replaced by Sir Tech- but, these simply crashed the game.) Rather, the problem stems from player errors which go undetected because 'correct diskette' verification is limited, mainly, to occasions when you move from one level to another. For example, if you take an elevator to Level 3, the program will insist that Level 3's diskette be in place before play continues. If, once on Level 3, you should swap in Level 5's diskette, the program will try to construct a maze from (and do updates to!) whatever it finds. Naturally, the Level 5 'player copy' diskette is ruined; and you find yourself in an oddly 'inside-out' maze which can look just genuine enough to occupy your best mapping skills for an hour or so. My excursion into a false maze began when, using Roger Wagner's "Soft Switch" (on a IIgs), I decided to jump back to an earlier position on another level and forgot to swap in the new level's diskette. Well, the program had no way of knowing that some sly user was playing fast and loose with the adventure. It went merrily along, reading from and WRITING TO the other level's diskette; I ended up mapping a hefty chunk of "Wizardry V"'s 'twilight zone', and the diskette side was bombed. A reasonably satisfactory cure is to get out your set of originals and recopy the side that's been damaged. Everything on the restored level will be reset- you may have to reopen a few locks, etc .--- but, at least, the quest can continue.

Fast Break 🖈

To work, a basketball simulation must be able to take the necessarily limited inputs from a user and 'fill-in the gaps'. When it succeeds, as in Activision's "Two-on-Two", you discover that control is easy and your man looks and acts like a basketball player. When it fails, as in Accolade's "Fast Break" (\$44.95, for 768K IIgs), you have a gang of impossible-to-control stumble bums.

Tomahawk☆☆☆

I suppose that, as long as I'm going to repeatedly refer to "Tornahawk performance" in joystick reviews, it's a good idea to say something about the best flight sim program available to IIgs users. Basically, the game puts you in the cockpit of an AH-64A Apache attack helicopter (code name: "Tomahawk") armed with a 30 mm automatic cannon, 38 rockets, and 8 'smart' Hellfire missiles. The super-res display presents a throughthe-windshield forward view, an optional war map insert, and high-tech instrument cluster (comprehensive ship status displays and clickable controls plus locator and targeting aids). Very nice; and, when you throttle-up, you'll hear the whine of your engines and thuk-thuk-thuk of the rotors in (optional) stereo!

Missions range from "Training" through three increasingly difficult combat scenarios. To up the challenge level, you can select a higher pilot rating and/or toggle such options as "Night", "Cross winds", and "Cloudy" (with a user-settable cloud base down to 50 feet). Thanks to excellent instrumentation, you COULD fly your Tomahawk through a cavern at midnight— fortunately! While the 3-D line drawings (of buildings, mountains, tanks, enemy choppers, etc.) provide reliable visual distance cues, when you're over bare ground only the altimeter supplies any indication that you are about to plow into the turf.

Using joystick + mouse controls, Tomahawk is easy to fly; but flying well (i.e. landing and combat) definitely takes practice. Indeed, since you are flying without benefit of critical body position and middle-ear sensory cues, mastering DataSoft's Tomahawk probably means you're ready for a shot at the real thing! (I wonder if the Army would be interested in a little experiment.) Whether you seriously take on a combat mission or just enjoy zipping around and blowing up enemy targets, "Tomahawk" is first rate flight simulation fun. (\$29.95 for 512K IIgs)

Deathlord☆☆

When the Ninth Emperor commands you to root-out the "source of evil" threatening all Lorn, your six heroes begin a large-scale quest spanning sixteen continents packed with towns, ruins, dungeons, etc.. Looking and playing much like "Ultima III" 'done in Japanese', "Deathlord" locates all action on one its numerous maps (i.e. no forward-view mazes, monster close-ups, etc.). Character differentiation is exceptional— you have lots of races, 'occupations', and attributes to adjust— and the 84-spell magic system offers a nice range of powers. The scheme for combat, however, is about as simple as any non-tactical setup you are likely to encounter.

"Deathlord" delivers a crisp, attractive hires display and a scenario loaded with mini-challenges. (The Electronic Arts 200-plus-hours playing time estimate is probably not an exaggeration.) On the debit side, sound is barely adequate, fighters must choose from a small range of (poorly documented) weapons and armor, and all of the key designations (race, class, weapon, armor, and spell names) are in Japanese. While the latter feature adds a touch of authenticity; it would be would work better (i.e be more fun and less bother) if the Japanese terms were accompanied by direct translations.

Possibly, the game's most serious weakness is the failure to match new character abilities to level of challenge. Since things are set up to present a stiff test for any developed characters you may transfer (from "Ultima III", "Wizardry I-III", or "Bard's Tale I"), "Deathlord" tends to chomp beginning heroes like peanuts. Another flaw, placing character creation and party formation in a separate utility (i.e. you must re-boot), makes 'learning the ropes' all the more cumbersome. 'Getting into' "Deathlord" definitely demands more raw effort than it should. Too much? If you especially enjoy big map, longplay 'old Ultima' adventuring, probably not. (\$39.95, for 64K Apple II) change D5 AA 96 to D5 AA D6 and DE AA to DE B7. Under "Data", change D5 AA AD to D5 AE AD and DE AA ... to EA AA ... 4. Exit the patcher and Read T/S \$13/\$0D. NOTE: Should you wish to scan the diskette starting at track \$0, expect to encounter a few unreadable sectors along the way. Just skip these and continue.)

On the Sector Editor screen, you should find character data arranged in six-byte groups (one byte per character) as follows:

- \$42: Hit Points, max (low byte)
- \$48: Hit Points, max (high byte)
- \$4E: Hit Points, current (low byte)
- \$54: Hit Points, current (high byte)
- \$66: Level
- \$72: Strength
- \$78: Constitution
- \$7E: Size
- \$84: Intelligence
- \$8A: Dexterity
- \$90: Charisma
- \$96: Power, current
- \$9C: Power, max
- SCC: Age
- \$D2: Food
- \$D8: Gold (low byte)
- \$DE: Gold (high byte).

Edit as desired, write your SHAZAMed characters back to disk, and your quest against the Deathlord is a 'whole new ball game'.

Granted, if you max-out every parm and give each character \$10,000 gold, there isn't much your party can't handle. If, however, you merely go for a "fair start", then the inconvenience associated with having several characters wiped out remains a threat. You can make a character backup each time you start the game; but, of course, you won't. It's too much bother, the backup won't restore hours of progress made in the current session, and, besides, there's a better

way! Use the "Make Scenario" function to create a copy of each current scenario diskette on its unused side. During play, you just do an occasional SAVE on alternate sides. If your party is wiped out and saved as dead on Side One, you can restart from Side Two, etc.. Whatever happens, you will never lose more than the progress made since the last opposite-side SAVE.

Vendors

Accolade: 20813 Stevens Creek Blvd., Cupertino, CA 95014 (408-446-5757)

- Central Point Software: 15220 N.W. Greenbier Parkway #200, Beaverton, OR 97006-9937 (503-690-8090)
- Electronic Arts: 1820 Gateway Drive, San Mateo, CA 94404 (415-571-7171)

Intellicreations/Datasoft: 19808 Nordhoff Place, Chatsworth, CA 91311 (818-886-5922)

- Sir-Tech: P.O. Box 245, Charlestown Mall, Ogdensburg,NY 13669 (315-393-6633)
- Strategic Simulations Inc. 1046 North Rengstorff Ave., Mountain View, CA 94043 (415-964-1353)

Charles Taylor

CA

Softkey for... Soko Ban

Spectrum Holobyte

Requirements: Apple IIe or IIc (128K)

Jim Hart's softkey for Tetris (COMPUTIST 62, page 23) may have been a "half-key" for Tetris, but it is a full-key for Soko Ban. Soko Ban is a strategy game in double-hi-res of a warehouseman trying to move boxes through a maze to the loading dock. There are 50 different mazes on the disk, so it should provide hours of entertainment (or frustration).

The Soko ban disk is normally formatted, except that the epilogues have been changed to FF FF instead of DE AA. Once this has been corrected, Jim Hart's Tetris "half-key" can be used, except that the code is in a different location. Jim saved me many hours of work by publishing the bytes that he found on the Tetris disk. Many softkey contributors do not send in a listing of the code that needs to be changed, rendering that softkey useless for slight alterations in the copy protections.

The Duel ☆☆☆☆

\$44.95 for 512K IIgs The Supercars: \$19.95 The Muscle Cars: 19.95 California Challenge: \$19.95 (needs 768K)

The first time I tried Accolade's "Test Drive" (\$34.95 for 128K Apple II) my reaction was something like "This is a darn good game"; and, then, "I bet that if they release a IIgs version, it'll be fantastic". Well, they did, and it is. "The Duel" comes with two cars: the Porsche 959 and Ferrari's F40. As in the first "Test Drive", you can check out a picture + specs display for each car; and, each car actually does offer its own distinctive 'feel'. " Super Cars" adds five hot sportsters to your stable (including the '89 Corvette ZR1 and,

Becoming a Deathlord Survivor

Possibly, you are enmeshed in "Deathlord" (or, eventually, will be) and are perplexed by 'hero die-off'. (Even Gorbash, winner of Ultima's IV and V, M&M I and II, etc., put "Deathlord" on the back burner for a few months.) One solution, as usual, is 'super-natural intervention'— i.e. you diddle a few character parms and, SHAZAM!, your guys suddenly feel stronger, faster, smarter, and richer! A second trick is to minimize the damage should a 'worst case's cenario' eventuate.

First, the SHAZAM solution: Using Central Point's "Copy II Plus" (\$39.95, for 128K Apple) and DOS alteration data found in Rob Fiduccia's "Deathlord" article in issue #63, we scanned the Scenario A diskette and found character data in sector \$0D on track \$13. (1. Go to 5.25" Bit Copy. 2. In the Sector Editor enter "P" to get to the DOS patcher and then "Custom". 3. Under "Address", 1. Boot your DOS 3.3 system disk.

 2.Tell DOS to ignore checksum and epilog errors and use COPYA to copy both sides of the Soko Ban disk.
 POKE 47426,24
 RUN COPYA

3.Make the following sector edits to the copy.

Sct	Byte(s)	From	Το
05	0C-29	A9 0A 85 FC A6	A9 E7 85 F8 85
		28 BD 89 C0 BD	FB A9 FC 85 F9
		8E CO A9 80 85	85 FC 85 FF A9
		FD C6 FD F0 71	EE 85 FA 85 FD
		20 AF F0 B0 6C	85 FE A6 28 BD
		A5 F9 C9 00 D0	89 C0 18 90 52
			05 0C-29 A9 0A 85 FC A6 28 BD 89 C0 BD 8E C0 A9 80 85 FD C6 FD F0 71 20 AF F0 B0 6C

I read your editorial on your financial problems, and have two suggestions. 1. Raise the rates. I don't think \$5 per issue is unreasonable. 2. Try to get your mag into computer stores and software stores. This would get store sales plus increased recognition of a unique publication and lead to more subscriptions.

Raising the rates might seem like a solution, but it's not and I only brought it up in order to eliminate it. If we raised the rates, more readers would not renew and the rates would have to go up again, and more readers would not renew and the rates would go up, and more... A vicious cycle and not one that we want to get caught up in.

As to computer stores, we try that one on a regular schedule but the results are not encouraging. Most stores do not buy magazines direct. They use a periodical service that keeps their racks loaded. These periodical services do not pay up-front, instead, they pay up to 120 days later. And they like to order a lot of issues but they claim that they don't sell all of them and that they had to burn/destroy most of the copies (about 90%). One periodical service sent us affidavits claiming to have destroyed more copies than we had sent them. So you can see that it's a lot more involved than it seems and there are a lot of rats out there. Some smaller stores do order direct, but they don't make a lot on magazine sales and they don't like you to see how low the mail order prices are and they don't want you to know how to backup your software and so on ... Another dead end, but we keep trying and we do have a few regular dealers, mostly in foreign countries. . RDEXed

George Sabeh

I would like to share the following softkeys with your readers.

Softkey for ...

LA Crackdown Epyx

Requirements:

СОРУА

Sector editor (such as Copy II Plus) 2 blank disks

1. Boot your DOS 3.3 system disk.

2.Tell DOS to ignore checksum and epilog errors and use COPYA to copy the disk. POKE 47426,24

RUN COPYA

3.Make the following sector edits to the copy.

 Irk
 Sct
 Byte(s)
 From
 To

 00
 05
 10
 A6 2B BD 89 C0
 A9 E7 85 F8 A9

 BD 8E C0 A9 80
 FC 85 F9 85 FF
 85 FD C6 FD F0
 A9 EE 85 FA 85

 71 20 AF F0 B0
 FD 85 FE A9 F3
 6C A5 F9 C9 0F
 85 FB A9 70 85

 D0 F1 A0
 FC D0 50
 FC D0 50
 FC D0 50

4. Write the sector back to disk.

5. Copy side 2 with any copy program. It is in normal format.

Softkey for ...

Into the Eagles Nest

Mindscape

Requirements:

COPYA Sector editor One blank disk

The softkey in Computist 66, p23, by Zorro was of great help. My copy had altered epilogs and required further modifications.

1. Boot your DOS 3.3 system disk.

2.Tell DOS to ignore checksum and epilog errors and use COPYA to copy the disk.

POKE 47426,24 RUN COPYA

3.Make the following sector edits to the copy.

 Irk
 Sct
 Byte(s)
 From
 Io

 00
 07
 0C
 38
 18

 00
 08
 63-65
 BD 88 CO
 EA EA 60

2.Tell DOS to ignore checksum and epilog errors and use COPYA to copy the disk. POKE 47426,24

RUN COPYA

3.M	lake t	the follo	wing s	ector edits to the copy.
<u>Irk</u> 00		Byte(s) 4B-4C 54-55 5D-5E 70-71 7B-7C	D0 F4 D0 36 D0 2D D0 F4	<u>Io</u> EA EA EA EA EA EA EA EA EA EA

4. Write the sector back to disk.

Softkey for...

Cutthroat Infocom.

This program can be copied by following the softkey for Sorceror (Infocom) in Computist #51, page 35 by Jack Nissel.

Softkey for ...

PA

Cavern Creatures

Datamost

Congo Sentient

These two programs require a way to reset into the monitor. I used the Senior PROM. They can be copied using the Newswap Controller or similar copy program. I used COPYB.

Cavern Creatures:

1. Initialize a blank disk with a fast DOS.

 Boot the original and reset into the monitor.
 Capture the RWTS and copy using the Newswap Controller.

Congo:

1. Initialize a blank disk with "BOOT" for the hello filename.

INIT BOOT

2. Boot your original and reset into the monitor.

3. Capture the RWTS and copy using the newswap controller.

I would like to comment about the new format. Although I realize the need for change to save Computist and would be willing to accept any change to cut expenses, but I would much rather have the old smaller format. I would be happy with loose leaf binder type pages if they are smaller since they can be filed easily with the old issues. Also, I would like to see you publish a small book about different protection methods and ways to bypass it. It should be in-depth with comprehensive explanations. I am sure several of your contributing readers are capable of writing such a book and I feel most of the other readers will purchase it.

Captain Video

I am writing in response to your questionnaire in issue 66 of Computist.

PA

First, I would like to commend you for a fantastic magazine. I have been into computers for about three years, and I have learned more about my Apple GS from Computist than any other source. I feel it is well worth the \$32.00 subscription price.

1) I would love to get Computist every two weeks with the tabloid form. I would be willing to pay the extra money for the increased subscriptions.

2) I think the Beginner's Notebook is a great idea. This would help to keep new subscribers from being overwhelmed by the articles in Computist. It would help keep them interested, which would result in their renewing their subscriptions.

3) I like the idea of bounties for stubborn programs that are on the Most Wanted list.

4) I think the free software giveaway is a good idea to motivate readers to write better articles. I don't believe there should be categories, just the three or four best articles in each issue.
5) The help line is also a great idea, but a lot of work for the volunteers. I could think of a lot of questions to ask.
6) The reader's Wish List is also a good idea to motivate readers to find new subscribers. The point system is a great way to run the program, but more work for everyone at your end. All of the above ideas are great, but I don't know how you are going to find enough time to do it all.

My wish list

1. Battle Chess GS by Interplay Productions

2. Zoom! GS by Discovery Software

3. Calendar Crafter by MECC

World Geography by MECC
 Fire Power GS by Microillusions

6. Mad Match by Baudville

7. Hostage by Mindscape

8. Sword of Sodan GS by Discovery Software

9. Star Saga: One by Masterplay Pub. Corp.

10. Fingerprint GSi by Thirdware Comp. Prod. I would also like to send in my first softkey for the Apple GS.

Softkey for ...

Impossible Mission II GS

Epyx

Requirements: 512K Apple II GS 3.5" disk copier 3.5" disk editor

The copy protection is a nibble count on tracks 20 and 21. Copying the disk will produce no errors or bad blocks. Booting the copy produces the message to insert the master disk, a sign of a nibble count. Use your 3.5" disk editor to scan for the hex code A2 20 A001. The code was on block \$04A3 on my disk. At the very beginning of block \$04A3 I found this:

01: D0 64 BNE 1167 03: 20 60 2D JSR 2D60

The code for the nibble count begins on byte 46. To break this protection, change the JSR instruction (20) to a LDA instruction (AD). This will stop the nibble count check and the disk will be deprotected.

1. Copy the disk.

2. Scan disk for A2 20 A0 01.

3. Locate the JSR routine 2060 2D. (Mine was on block \$043A, beginning with byte 03.)

4. Make the following edit:				
<u>Blk</u>	<u>Byte(s)</u>	<u>From</u>	<u>To</u>	
4A3	03	20	AD	

5. Write the edit back to disk. That's it!

<u>Brian A. Troha</u>

There are a few things I would like to comment on:

<u>WI</u>

First, should COMPUTIST include other machines? Yes, only if it will ensure the continuation of the magazine. It's funny, I used to think if it wasn't an Apple IIgs program I didn't want to know about it. Then friends kept asking me to krack all these IIe programs for them. Now I find I like kracking any Apple software. If I had a Mac or an Amiga (or even an IBM, gasp!), I'd get into kracking programs for those machines. Right now I don't have either, but I still like to read about the copy protection schemes. Some day it may come in handy.

Second, the tabloid format: I hate it!, but if you need to use it to continue the magazine, then I'm for it. The idea of the year-end book style of previous issue is great. Think of it as a Tome of Deprotection '89 and etc. for the following years. Wouldn't it be nice to pick up a book (about the size of a small dictionary) and flip through a years worth of articles and find what your looking for?

Third, fake softkeys! This really bothers me! If you can't come up with something for real don't fool us with trash. As the RDeX prints what is sent in, they/we are forced to trust our writers, so let's not mess that up.

Fourth, I really don't like the idea of someone sending in 70 or so patches saying "here's my patch collection". I have a list of patches with around 95 programs on it. These are the most complete and accurate patches anywhere. Most are my work, however there are some from other authors or, at least, from their ground work. You could have nearly the SAME list as I have if you go through past issues of COMPUTIST and compile the patches, it's not really that difficult to do. Sure that's nice and all, but every author that worked on the articles that the patches came from deserve credit. As an example: For some of my softkeys, it will take me anywhere from 5 minutes to an hour to krack and test a program. It can take several hours or days to try to tackle programs like Tomahawk, Hunt For Red October, and Dungeon Master. Then it's another hour (at least) to list the copy protection, type it in and add comments, and finish the article over all. Then get them together and send them in for others to read and learn from. I'm not getting rich doing this and that's not my intention, I want to teach others how to krack. Just like the late great ones: Disk Jockey, Reset Vector, Parity Error, etc. The point is: Credit is MY payment and nobody likes to get ripped off! Softkey or APT: Well it's time to redefine Softkey (which was defined before the GS) as something like the following: Softkey is a term which we coined to describe a procedure that removes, or at least circumvents, ANY copy-protection on a particular disk. Once a softkey procedure has been performed, the resulting backup copy can be copied by normal copy programs (COPYA, Fastcopy.system, etc). Such copies will no longer require a Keydisk or

the entry of a Keyword to run.

And now for a new word: Hardkey is a term which was coined to describe a procedure that allows a non hard disk compatible program to be moved to/run from a RAM or hard disk. (examples: Mean 18 in COMPUTIST #68 & Bubble Ghost in COM-PUTIST #71)

To Derek: Black Bag was NOT a user group, it was a pirate group now since disbanded. They had some talented people, I think they were the first to krack and release Wings of Fury in the pirate world.

I recommend the following two block editors for people who wish to start kracking software on the Apple IIgs:

The one in Copy][+: Just fine for making known patches and searching the entire disk for bytes.

Block Warden from ProSEL: This editor is very good, it has a follow file feature (as CP routines are usually in the 16 bit program file). The disassembly will follow the REP & SEP commands, that is the changing from 8 bit to 16 bit Accumulator and index registers. ProDOS 8 and ProDOS 16 calls are listed properly and Block Warden tells you which call it is. The block editor is worth the money for the whole ProSEL package by itself. Then you get the rest of the programs with ProSEL, an awesome bargain!

I used to use Copy][+ because I knew how to do everything manually, like finding the Key Block of files and such. Now I use Block Warden, as it's much more powerful and automated.

Warning: I have decided to write the following for everyone's benefit. If I make a comment about the way individuals do things, PLEASE do not take it as an attack. I'm trying to explain the why and why nots. Also, I'm NOT saying "I'm better", just passing along a few lessons and some information.

Let me begin with "encrypted code" (see Dan Halfwit's King of Chicago, Computist #68, page 13). When 16-bit system files are written (the \$B3 or S16 file types) they contain segments or pieces of programs "linked" (or spliced) together. These files are usually written as relocatable due to the varying machine setups, that is, the amount of memory and number of CDA/NDAs installed. So, in memory, a JSL 034567 could show up as ANYTHING on the disk or just a plain JSL 000000 (Sierra comes to mind, right?). So when you make an absolute reference it might not work with every machine.

I found this out when I went to deprotect Draw Plus (Activision) and the program kept bombing. I overwrote a small section of code with EA's and, when it loaded in the ProDOS 16 loader, made the changes to the relocatable instructions. This is the reason you see so many GS kracks changing JSL (22) to LDA (AF) and JSR (20) to LDA (AD). The idea is to keep the instruction the same length and not care if the absolute address changes. We don't mind if the program LDA 0000, LDA FFFF, or anywhere in between as long as it doesn't go through the protection routine. Again, I'm not saying Dan is totally wrong, in fact he is right on the money. The only problem is he goes about the edits as though the GS programs are like IIe programs.

Now I would like to propose a the following procedure (that I use):

1. Figure out what kind of copy protection is used

2. Find the copy protection routines

3. Look for flags or special memory references

- 4. Kill the calls to the copy protection
- 5. Force the flag checks to pass

This reminds me of the time I used to go to summer camp. We played two team styled games: Capture the Flag & Spy vs Spy Capture the Flag: You take two flags (and two

teams) and set them a reasonable distance apart.

You split your team into two groups: 1. Team A:

Finds the other flag, grabs it and tries to run it

back to it's own game area. 2. Team B: Tag the

4. Write the sector back to disk.

Softkey for ...

Jump Jet

Avant Garde

Mission Escape

Microsparc

These two programs use modified epilogs and can be copied by poking 47426,24 to ignore epilog errors and running COPYA to produce a working copy.

1. Boot your DOS 3.3 system disk.

2.Tell DOS to ignore checksum and epilog errors and use COPYA to copy the disk. POKE 47426,24 RUN COPYA

Softkey for ...

Tag Team Wrestling

Data East

Requirements:

COPYA Sector editor 1. Boot your DOS 3.3 system disk. 7) I do not think lowering the rates will increase the number of subscribers by any substantial number.

8) I don't mind the tabloid form for Computist, just as long as they keep coming.

9) I would accept raising the rates to \$48.00. I prefer this to cutting the number of issues to eight per year, although I would be willing to accept this, also. My first vote is to double the number of yearly issues with the tabloid form to justify the price increase.

Although Computist is by far the best Apple magazine on the market, I believe the above changes willmake it even better. Whatever has to be done, I'm sticking with you. I believe the money I've spent on Computist has been the the most wisely spent money that I have put into computing. opponents Team A members who must now give up the flag or freeze for a period of time and most important guard their own flag.

Spy vs Spy: Take a same piece of paper with a point value written on. Hide it on your person. Try to run to your headquarters without being tagged by a member of the other team. If you are tagged the other team is allowed to search through your clothes (to a reasonable limit) to find the paper. This, by the way, is one of the best co-ed contact games I know of!

So why tell you about these games? Well we're all playing a combination of the two. Our team: Computist readers/members/RDEX and "The Other Guys": Software protectors. As you can see we have the numbers and the combined skill to beat them EVERY time. Think about it: If you cannot krack a program, chances are one of your 3800 or so team members can! This is our greatest strength. As an example:

Softkey for ...

King of Chicago

Let's work with King of Chicago (Although I no longer have access to copies I'll tell how I kracked it). We know they have a flag somewhere in their code "game area." Our job: Find it, and bring it back (thus taking it out of the program). Guarding the flag are several layers of Team B. As we work our way through we notice KC uses the nibble counting routine. They also use a mask so we cannot just search for A2 20 A0 01

Dan tells us they use A9 20 00 & A9 01 00, so he is passing the captured flag to another team member. After looking through the code, they use two flags called 0022 & 0024 (as Iremember) on the disk. So lets look for some references to that, searching the disk you will find a routine that compares those locations to the bench mark values used for the nibble count. However, in this routine, they also use a flag call 0026 and the routine that follows checks 0026 for a zero value.

The routine that checks 0026 looks like this, LDA 0026, BEQ +38 (or AD 26 00 F0 38). If 0026 is zero the code simply returns and runs the REAL KC game. If 0026 is anything but zero the code falls through to a routine that does a "playable demo" that ends with a randomly timed bomb! I traced these two routines back to the call and found JSL 010154 compares the nibble bench marks and JSL 010194 checks to see if 0026 is equal to zero.

I disabled the JSL 010154 and changed the LDA 0026, BEQ +38 to STZ 0026 BRA +38 (we just put up a fake "pass flag"). Although I don't have the exact block/byte changes, search your disk for 22 54 01 01 and change it to AF 54 01 01. Second, search for AD 26 00 F0 and change it to 9C 26 00 80. You now have kracked King of Chicago and captured a well hidden flag! Two points for our team.

Other programs that use the "hidden flag" approach are Xenocide (Micro Revelations), Final Assault & Impossible Mission II (Epyx). Taito also uses the flag approach on it's GS and IIe titles. I have been known to cheat by killing the calls to the copy protection, but writing passing values in to the flag location directly on the disk! Then I let the program read the implanted values, thinking it actual got them off the disk or from copy protection routines. Actually this is not cheating, it's just being as tricky as those who design copy protection. If I were to design a routine, I would add a flag called NO_EASY_KRACK in the middle of the disk read just to make sure the routine was run. Later into the game, I would check the flag and bomb out if not set right. Like Xenocide, King of Chicago, Downhill Challenge, Final Assault, etc, etc.

Softkey for ...

Bubble Ghost

Accolade

Requirements:

512K Apple IIgs

- 3.5" Disk copier
- 3.5" Disk editor

To remove the annoying "What level is this?" question which is Keyword (pirate) protection follow these easy steps:

1. Make a copy of the Bubble Ghost game disk

2. Make the following edit to the copy only. (Block Warden: [F]ollow /Bubble/ Bubble.sys16, rel block 78, bytes \$9B74, \$9B77, and \$9BA2 for the changes)

<u>Blk</u>	Byte(s)	From	To
\$17C	\$174	AD 00 00	9C 00 00
	\$177	F0 2E	80 2E
	\$1A2	22 00 00 00	AF 00 00 00

3. Write the block back to the copy

4. Play off the newly deprotected copy

Once again, the whole requestor screen/routine is totally bypassed! However, the program was not hard disk compatible! I then set out fix this little problem.

Putting Bubble Ghost on Harddisk

The HardKey:

\$143	68	\$8743
\$158	,	\$8758

Now get out a blank disk and format it with a name something like BUBBLE.GHOST or whatever. At this point I DELETED all unneeded files like the FINDER.DATA files, P8 in the system subdirectory, and FINDER.ICONS in the icons subdirectory.

\$172

Copy the PRODOS file and the SYSTEM and ICONS subdirectories to the new disk.

Copy BUBBLE.SYS16 to the new disk.

CREATE a new subdirectory called GHOST on the new disk. Copy the WAVE and GHOST.SCR files into

the new GHOST subdirectory. Copy the DESSINS and SONS subdirecto-

ries into the new GHOST subdirectory

A tree directory (other than PRODOS, SYS-TEM and ICONS) would look something like this:

File	Type
BUBBLE.SYS16	S16
/GHOST	DIR
WAVE	BIN
GHOST.SCR	TXT
/DESSINS	DIR
GHOSTGS.CGS	S16
GS1.CGS	S16
GS2.CGS	S16
GS3.CGS	S16
GS4.CGS	S16
GS5.CGS	S16
GS6.CGS	S16
/SONS	DIR
LESSONS	BIN

Now, to upload Bubble Ghost to your hard drive, use COPY II+, the finder, or other file by file copier and copy BUBBLE.SYS16 and GHOST. The copy program will copy all the files and subdirectories in GHOST. Then copy the GENE.ICONS (from the ICONS subdirectory off the old disk) to your volume/ICONS subdirectory. To play the game simply launch BUBBLE.SYS16

Softkey for ...

Battle Chess

Interplay

Requirements: 512K Apple IIgs 3.5" disk copier

Battle Chess is great program to watch and kind-of easy to beat (which makes it fun!). However, you have to enter a move from a list at the end on the manual to start the first game. As I absolutely hate this kind of copy protection I decided to remove it. I simply loaded the system file (CHESS.SYSTEM) and followed it through to track down the call. I eventually found the routine and killed the call to it. I overwrote the call to CP routine with a STZ B908 which seemed to be some kind of flag. Notice: You can make absolute address references with this program because it runs under ProDOS 8 and is NOT relocatable

form Battle Chess follow these steps.

1. Make a copy of the Battle Chess game disk

Byte(s) 20 DE AA 9C 08 B9 \$3D8 SFF 3. Write the block back to the copy

Softkey for ...

Blk

Bubble Bobble Taito

Requirements:

48K Apple II 5.25" disk copier

5.25" sector editor

The Apple II version of Bubble Bobble is a very poor port over by Taito/Nova Logic. I hope the GS version is a decent conversion. Never the less, the program is copy protected and I was able to remove the CP. After tracing through I found the CP routine is at \$990A and all you have to do is stop it from ever running. I'm not really sure what it's looking for (it's like Arkanoid, but different than Qix) I was just interested in defeating it. So, the step by step would look like this: 1. Make a copy of both sides of Bubble Bobble

1. Make a copy of the ChessMater disk

2. Make the following edits to disk one:

For version 1.01 on disk one:

Blk	Byte(s)	From	<u>To</u>	1. N
\$4E5	\$2C	22 00 00 00	ĀF 00 00 00	2. N
	\$61	D0 08	EA EA	
	\$C5	22 00 00 00	AF 00 00 00	Blk
	\$118	D0 08	EA EA	\$D
	\$185	22 00 00 00	AF 00 00 00	
	\$1D8	D0 08	EA EA	
For	version 1.	1 on disk one:		\$ E
<u>Blk</u>	Byte(s)	From	To	
\$304	\$1EB	22 00 00 00	AF 00 00 00	\$23
\$305	\$20	D0 08	EA EA	
	\$84	22 00 00 00	AF 00 00 00	
	\$D7	D0 08	EA EA	\$24
	\$144	22 00 00 00	AF 00 00 00	
	\$197	D0 08	EA EA	
A 117 ·				

3. Write the blocks back to the copy

Softkey for ... **Crystal Quest**

Requirements:

512k Apple IIgs

3.5" disk copier

Block Warden from ProSEL or other block editor with "follow file" command.

First a friend asked me to remove the "Is this a legal copy" question. Then he challenged me to do it in under 15 minutes. He also said "It sure would be nice to erase the high scores too!!" So I took him up on it and here is the results: I was able to remove the question, restructure the file layout, and reset the high scores. Follow the step by step instructions:

1. Make a COPY of Crystal Quest. (Make changes to the copy ONLY.)

2. RENAME the following files:

CRYSTAL.SOUNDS to SOUNDS (The subdirectory of the sound files)

- CRYSTAL.SHAPES to SHAPES (A BIN file of the shapes)
- CRYSTAL.SAVE to SAVE (A BIN file of a saved game)
- MAIN.PIC to CRYS.PIC (The title pic)
- 3. CREATE a new subdirectory called
- "CRYSTAL' 4. Copy the files SHAPES and SAVE and the subdirectory SOUNDS into the new subdirectory CRYSTAL
- 5. Get into Block Warden and follow the file CRYSTAL.SYS16

6. Make the following edits:

Rei	Rel			
Bik	byte	from	to	reason
7	C69 ·	4D 41 49 4C	43 52 59 53	Chg MAIN to CRYS
		2E	2F	Cho the "." to "/"

7	C7B	2E	2F	Chg the "." to "/"
7	C8C	2E	2F	Chg the "." to "/"
47	5D46	2074	72 BOOA AD 74 72	2 FA 18 Kill the question

63 7DFB 2E 2F Chg the "." to "/"

Note: The changing of the "." to "/" tells the system file to look for /volume/CRYSTAL/ SHAPES instead of /volume/CRYSTAL. SHAPES and so on for the SAVE file and the SOUNDS subdirectory.

7. Write each block back to a copy of Crystal Ouest

A tree directory of your new disk would look like this:

The game program
The renamed title picture
New subdirectory
CRYSTAL. SHAPES renamed
CRYSTAL.SAVE renamed
CRYSTAL SOUNDS renamed
The unchanged sound files
•

Now things are in a organized format. To move to a hard drive, simply copy CRYSTAL. SYS16, CRYS.PIC, and CRYSTAL. And copy the CRYSTAL.ICON to your ICONS subdirecprotection routine. Second, load the correct value for a pass condition and then BRanch Always to the continue code.

1. Make a copy the the game disk

2. Make the following edits to the game disk

<u>Blk</u>	Byte(s)	From	To
\$D	\$55	22 55 E7 00	AF 55 E7 00
	\$59	CD BB BE	AD BB BE
	\$5C	F0 08	80 08
\$E	\$153	22 55 E7 00	AF 55 E7 00
	\$157	CD BB BE	AD BB BE
	\$15A	F0 08	80 08
\$23	\$142	22 55 E7 00	AF 55 E7 00
	\$146	CD BB BE	AD BB BE
	\$149	F0 08	80 08
\$24	\$32	22 55 E7 00	AF 55 E7 00
	\$36	CD BB BE	AD BB BE
	\$39	F0 08	80 08
	\$AD	22 55 E7 00	AF 55 E7 00
	\$B1	CD BB BE	AD BB BE
	\$B4	F0 08	80 08
	\$189	22 55 E7 00	AF 55 E7 00
	\$18D	CD BB BE	AD BB BE
	\$180	F0 08	80 08
\$27	\$1EA	22 55 E7 00	AF 55 E7 00
	\$1EE	90 70	EA 38
	\$1F0	CD BB BE	AD BB BE
	\$1F3	D0 6B	EA EA

3. Write the blocks back to the copy

Remember: If the copy protection routine will always fail on a copy, why run the code!

Softkey for ...

\$27

Deja-Vu II

Mindscape/Icom

Requirements: 768K Apple IIgs 3.5" disk copier 3.5" disk editor

Deja-Vu II (DV2) is a continuation of the original Deja-Vu game with the same type of graphics interface. The same type of protection is used as on other Mindscape releases in this "series." However, the address and locations have changed for this release. Again these edits kill the call to the copy protection routine, load the right value and branch always to the continue code. To make a deprotected copy of Deja-Vu II follow these steps:

1. Make a copy of the game disk.

2. Make the following edits to the copy:

<u>Blk</u>	Byte(s)	<u>From</u>	<u>To</u>
\$14	\$188	22 00 00 02	AF 00 00 02
	\$18C	CD 20 60	AD 20 60
	\$18F	F0 08	80 08
\$35	\$8A	22 00 00 02	AF 00 00 02
	\$8E	CD 20 60	AD 20 60
	\$91	F0 08	80 08
	\$185	22 00 00 02	AF 00 00 02
	\$189	CD 20 60	AD 20 60
	\$18C	F0 08	80 08
\$36	\$00	22 00 00 02	AF 00 00 02
	\$04	CD 20 60	AD 20 60
	\$07	F0 08	80 08
	\$DD	22 00 00 02	AF 00 00 02
	\$E1	CD 20 60	AD 20 60
	\$E4	F0 08	80 08
\$39	\$16B	22 00 00 02	AF 00 00 02
	\$16F	B0 70	EA 18
	\$171	CD 20 60	AD 20 60
	\$174	D0 6B	EA EA
2 11/-			

3. Write the blocks back to the copy.

Play the game!

Softkey for

FastBreak

Accolade

Requirements: 768K Apple IIgs 3.5" disk copier 3.5" disk editor

FastBreak (FB) is a new basketball game from Accolade. FB is like a new and improved GBA Basketball: Two on Two (Activision/ Gamestar). The major differences are: You now have three players per team, the men are about three times larger in FB, and you play on a half court at a time. One thing both games have in common is the type of copy protection used. Like most games by Accolade (and it seems many companies) FB is using nibble counting on tracks \$20 and \$21. This is simple to find by searching for A2 20 A0 01 and it's found on block \$85. The whole routine carries over into the next block and looks like this on the disk:

To remove the Keyword (pirate) protection 2. Make the following edits to the copy only From Nol

3.5" disk editor

All files were being loaded like this: /Bubble/ WAVE. Which means, find the disk called "Bubble" and then load the file called "WAVE". I thought I could use the ProDOS 16"1/" to make the program accept the current device. I now had to change all the "/Bubble" to something, so I came up with "1/Ghost" so Bubble Ghost will load ALL needed files off the current volume in the subdirectory GHOST. Use a copy of Bubble Ghost for the following steps:

Make the edit from "/Bubble" (2F 42 75 62 62 6C 65 in hex) to "1/Ghost" (31 2F 47 68 6F 73 74 in hex) at ALL the following locations: (If using Block Warden select [F]ollow /BUBBLE/ BUBBLE.SYS16)

Any block editor Block Warden Block Byte Rel Block Rel Bytes \$9C 47 \$129 \$5C9C **\$B8** \$5CB8 \$CA \$5CCA \$171 \$0F 67 \$840F \$2B \$842B \$87 \$8487 \$849F \$9F \$84B7 \$B7 \$CF \$84CF \$E7 \$84E7 \$FF \$84FF

2. Make the follow edits to side 1 on the copy

Irk	Sct	Byte(s)	<u>From</u>	Ιο
\$04	\$0D	\$07	20 0Å 99	EA EA 18
\$14	\$0 1	\$07	20 0A 99	EA EA 18

3. Write the sectors back to the disk.

4. Store the original & play off the o

Softkey for ChessMaster 210

The Software Toolwork

Requirements: 512K Apple IIgs 3.5" disk copier 3.5" disk editor

To remove the KEYWORD (pir tion from ChessMaster 2100 follow

tory. To reset the High scores in Crystal Quest, do this:

1. Run/launch BASIC.SYSTEM

CALL-151

00<00/2000.00/2FFFZ

BSAVE CRYSTAL.SYS16, A\$2000, B\$48, L\$1B7, T\$B3

The scores are stored likes this (EX: 1548150 (27) (Big Mike)) at byte offset \$48 in the file 50 81 54 01 27 "Big Mike" in ASCII with the high bit set. So zero'ing these bytes out resets the high scores. That's what the above BSAVE command does.

Softkey for

	Soukey for	1E1:22 00 00 06	JSL	060000	Move CP routine to
copy.	Deja-Vu				8000
	Shadowgate	1E5:68	PLA		Get 0030 from stack
0	Uninvited	1E6:90 09	BCC	1F1 (+09	If move was good nibble count
ks	by Mindscape	1E8:C2 30	REP	#30	Otherwise set 16-bit Accum & index regs
	Requirements:	1EA:A9 01 00	LDA	#0001	Load a "fail" value
	768K Apple IIgs	1ED:8D 26 00	STA	0026	Store in the COPY
	3.5" disk copier				FLAG
	3.5" disk editor	1F0:6B	RTL		Return to caller
rate) protec-	The following edits will work for all three programs! The edits first kill the call to the copy	1F1:E2 30	SEP		Set 8-bit wide Accurr index regs
v these steps:	programs: The construction the cart to the copy	1F3:A2 20	IDX	#20	Track \$20

1DB:C2 20	REP	#20	Set 16-bit wide Accum.
1DD:AD 30 00	LDA	0030	Load 0030
1E0:48	PHA		Store on the stack
1E1:22 00 00 06	JSL	060000	Move CP routine to 00/ 8000
1E5:68	PLA		Get 0030 from stack
1E6:90 09	BCC	1F1 (+0	 If move was good, do nibble count
1E8:C2 30	REP	#30	Otherwise set 16-bit
			Accum & index regs
1EA:A9 01 00	LDA	#0001	Load a "fail" value
1ED:8D 26 00	STA	0026	Store in the COPY
			FLAG
1F0:6B	RTL		Return to caller
1F1:E2 30	SEP	#30	Set 8-bit wide Accum &
			index regs
1F3:A2 20	LDX	#20	Track \$20

1F5:A0 01 1F7:5A	LDY PHY	#01	and the side Push side
1F8:DA	PHX		Push track
1F9:F4 C0 50		50C0	
1FC:F4 C0 50	PEA	50C0	Push pntr to disk name
1FF:22 C1 00 06 003:8D BB 50	JSL		Count them up
003:8D BB 50	SIA	50BB	Temp store Accum (should = 00)
006:68	PLA		
007:68	PLA		
008:68			an shekeye sa ala sa
009:68	PLA	ne d ^e ren a contrata	is in the second se
008:68	PLA		Pull all pushed info off
			stack wet was deter
00C:AD BB 50			Load the returned value
00F:B0 4F	BCS		F) Carry set is I/O error
011:8E BC 50	STX	50BC	or wrong disk Store low order of nibble
			count sum
014:8C BD 50	STY	508D	Store high order of
017:42 21	INV	#21	nibble count sum Now for track \$21
			same side
018:5A	PHY		Push side
			Push track
01D:F4 C0 50			
020:F4 C0 50	PEA	5000	Push pointer to disk name
023:22 C1.00 06	JSL		Count them up
			Temp store Accum
			(should = 00)
02A:68 02B:68	PLA	an tan kara Barak	ala et el classes. El la cograda antigada de
020:68	PLA		n official Andrew Pratical Andrew Charles and the second second second
02D:68	PLA		
02E:68	PLA		e Allender serve
02F:68	PLA		Pull all pushed into off stack
030 AD BB 50	LDA	50BB	Load the returned value
033:B0 2B			B) Carry set is I/O error
			or wrong disk
035:8E BE 50	STX	50BE	Store low order of nibble
038:8C BF 50	STY	50BF	count sum Store high order of
			nibble count sum
03B:C2 30	REP	#30	Set 16-bit wide Accum &
03D:AD BC 50		50BC	index regs Load track \$20 nibble
000.00 80 00		5050	Count sum
040:C9 6C 20	CMP	#206C	Compare to low end
• · • • • • • •			bench mark
043:90 1B	BCC	060 (+11	 If too low then goto fail routine
045:C9 03 21	CMP	#2103	Compare to high end
			bench mark
048:B0 16	BCS	060 (+16	• •
04A:AD BE 50		50BE	fail routine Load track \$21 nibble
WAAD BE SU	Ч°.	JUDE	Count sum
04D:C9 B0 1D	CMP	#1DB0	Compare to low end
050-00 0E		000 (01	bench mark
050.90 OE	BCC	060 (+0	 If too low then goto fail routine
053:C9 79 1E	CMP	#1E79	Compare to high end
	N,		bench mark
055:B0 09	BCS	060 (+09	
057:C2 30	REP	#30	fail routine Make sure we're in full
007.02.00			16-bit mode
059:A9 00 00		#0000	Load a "pass" value
05C:8D 26 00	STA	0026	Store in the COPY
05F:6B	RTL		FLAG Return to caller
060:22 A4 00 06			Part of FAIL ROUTINE
064:C2 30	REP	#30	Make sure we're in full
000-40 04 00 ·		*****	16-bit mode
066:A9 01 00 069:8D 26 00		#0001 0026	Load a "fail" value Store in the COPY
JUJ.00 20 00	JIA	~~~	FLAG
06C:6B	RTL		Return to caller
06D:00	00		50BB - Temp storage for
06E:00 00	0000		Accum 50BC - Track \$20 nibble
			count sum storage
070:00 00	0000		50BE - Track \$21 nibble
070.40 44 50 54			count sum storage
072:46 41 53 54 4	2 52 4	io 41 4B	50C0 - FASTBREAK (disk name to check for)

Note: The version of FastBreak that you buy could have a slightly different copy protection, or be in a different place. To deprotect a different version, search for A2 20 A0 01 and back up about 20 bytes and list it. Compare the listed code to the above disassembly from \$1E6 through \$1F5 and find the flag, the LDA #0001 & STA 0026, where 0026 is the flag I'm referring to. Then, search for those two bytes, that is 26 00, if the flag was 0026. You should find code something like: Block \$A (on mine although it could be any-

where on yours)

1E0:22 29 50 02 JSL 025029 Do nibble count routine 1E4:AD 26:00 LDA 0026 Load the flag location 1E7:F0 04 BEQ 1EB (+04) Branch on zero (CP passed)

I found the above code about \$3E0 bytes into the file FASTBREAK.SYS16. To remove the copy protection change the JSL (22) to LDA (AF), the LDA (AD) to STZ (9C), and finally change the BEO (F0) to BRA (80). This skips the actual disk check, sets the flag to zero for an "original", then it always continues with the program. For the original non-working copies of Fastbreak:

1. Make a copy of the game disk

2. Make the following edit to the copy only:

<u>Blk</u>	Byte(s)	From	To
\$0A	\$1E0	22 29 50 02	AF 29 50 02
	\$1E4	AD 26 00	9C 26 00
	\$1E7	F0 04	80 04
3. W	rite the block		

Now you can actually copy the game to a subdirectory on a hard disk if you want. The only drawback to the game is you must hit reset to quit, as there is no built in quit that you initiate. This was kind of dumb as there is a ProDOS 16 quit call in the program that is used when a copy fails the copy protection routine. It would have been easy to check for a CTRL-Q and send the program to that quit routine, then you would have had a fully hard disk compatible game. Even though the manual specifically says you cannot upload FB to a hard disk on the GS, you can after you remove the copy protection. Once again the software publisher doesn't know what they are talking about.

Softkey for

Final Assault Epyx

Requirements: 512K Apple IIgs

3.5" Disk copier

3.5" Disk editor

Final Assault (FA) is a new mountain climbing game from Epyx. It uses nibble counting on tracks \$20 and \$21 for disk protection. The routine is much like those found on two other Epyx releases; Street Sports Soccer and California Games. However, there is one twist that helps hide the routine from the krackers. Searching for the standard A2 20 A0 01 will not work for this program. Epyx loads the registers in full 16 bit mode then switches to needed 8 bit wide registers to hide the routine. So for this release the A2 20 A0 01 has changed to A2 20 00 A0 01 00, when searching for this sequence you will find the following (block \$354-\$355):

tono mug (oro	ψis ψs		o ji
1CB:0B	PHD		
1CC:3B	TSC		
1CD:38	SEC		
1CE:E9 F7 00	SBC	#00F7	
1D1:58	TCD		
1D2:69 EA 00	ADC	#00EA	
1D5:1B	TCS		
1D6:AF 0E 00 02	LDA	02000E	
1DA:48	PHA		
1DB:22 00 00 0C	JSL	000000	
1DF:FA	PLX		
1E0:B0 56	BCS	038 (+56	6) An error, goto fail
			section
1E2:85 F0	STA		
1E4:A2 20 00	LDX	#0020	Track \$20 in 16 bit
1E7:A0 01 00		#0001	
1EA:E2 10	SEP	#10	Switch to 8 bit wide
			registers
1EC:5A	PHY		Push side
1ED:DA	PHX		Push track
1EE:A5 FF	LDA	FF	
1F0:48	PHA		
1F1:A5 FD	LDA	FD	
1F3:48	PHA		
1F4:22 C1 00 0C	JSL	0C00C1	Count them up
1F8:85 F0	STA	F0	
1FA:68	PLA		
1FB:68	PLA		
1FC:68	PLA		Pull extra values off
			stack
1FD:86 EE	STX	EE	Store first half of sun
1FF:84 EF	STY	EF	Store the second hai
001:C2 30	REP	#30	16 bit wide accum &
			registers
003:B0 33	BCS		I) Had a disk error,
			then failed
005:A2 21 00		#0021	Track \$21 in 16 bit
008:Å0 01 00		#0001	Side one
00B:E2 10	SEP	#10	Switch to 8 bit wide
			registers
00D:5A	Phy		Push side
00E:DA	PHX		Push track
00F:A5 FF	LDA	FF	
			Baada -

011:48	PHA		
	LDA	FD	
014:48	PHA		
015:22 C1 00 0C	JSL	0C00C1	Count them up
019:85 F0	STA	F0	
01B:68	PLA		
01C:68	PLA		
01D:68	PLA		Pull extra values off stack
01E:86 EC	STX	EC	Store the first half of sum
020:84 ED	STY	ED	Store the second half
022:C2 30	SEP	#30	16 bit wide accum &
		2 a. 1997 - 19	registers
024:B0 12	BCS	038 (+12) Had a disk error,
		1.000	then failed
026:A5 EE	LDA	EE	Load track \$20 sum in
	a (inci		.16 bit
028:8F 2B 0F 03			
02C:A5 EC	LDA		Load track \$21 sum in
	14.0		16 bit
02E:8F 2D 0F 03	STA	030F2D	Store it
032.22 M4 00 00	JOL	UCUUM4	and the second
036:80 0A	BRA) Branch of the fail
A 12 6 1 40			section Load a failed value
		0097	Store in the flag
03E:22 A4 00 0C	TAY	UCOUA4	San an an an Angel
042:48	TRO		•
043:38	TSC	18	s and a start of the start
		#000C	e Altonia de Esta
	TCS		
	TYA		and the state of another
	PLD		$r^{2} = r^{2}$
• • • • • • • • • •	RTL		Return to the sender

After checking the above code, I decided that the STA 0097 (8D 97 00) had to be some kind of flag. I then searched the disk for 97 00 for all references to 0097. This reveals the following code on block \$447:

1A2:AD 97 00	LDA	0097	Load the flag
1A5:D0 14	BNE	1 BB (+1	4) Anything but zero
1A7:AF 2B 0F 03	LDA	030F2B	Load track \$20 sum
1AB:C9 40 1F	CMP	#1F40	Compare to benchmark (low)
1AE:90 0B	CLC	1BB (+0	B) If too high, then fail
180:AF 28 0F 03	LDA	030F2D	Load track \$21 sum value
1B4:C9 D0 20	CMP	#20D0	Compare to benchmark (high)
1B7:F0 08	BEQ	1C1 (+0	B) Equals is a pass
1B9:90 06	BCC	1C1 (+0	5) Or if it's higher, it passes
1BB:A9 01 00	LDA	#0001	Load a fail value
1BE:8D 97 00	STA	0097	Store in the flag
101:22 74:08:06	JSL	060874	Continue 24 Sec.
1C5:3B	TSC		r con constant
1C6:18	CLC		
1C7:69 16 00	ADC	#0016	
1C9:1B	TCS		e de la composition d
1CB:28	PLD	·	and the second second second
1CC:6B	RTL		Return to the sender

This section of code is the deciding factor in the copy protection routine. One, it checks 0097 for a value of zero. Two, it loads the results of the nibble count and compares them to the low end of the benchmark values.

If you think about it; 0097 should equal zero, then we need to get down to \$1C1. I changed the LDA 0097 (8D 97 00) to STZ 0097 (9C 97 00) for the zero value, then the BNE 1BB (D0 14) becomes BRA 1C1 (80 1A) to get us down the continue section. Now, the one flag is set and the compare section is skipped over so the game will run.

The last addition I made was to bypass the actual disk reading routine, so I back traced the code and found a single call the first section of code I showed. This call is on block \$3BC and is in the form of:

fail	0CC:F4 D5 33	PEA	33D5	Push disk volume name			
	0CF:F4 D5 33	PEA	33D5	D533 is relocated when			
				loaded			
it	0D2:22 8B 07 01	JSL	01078B	Jump to the nibble count			
ı.	0D6:7A	PLY		•			
le	0D7:7A	PLY	Pull	extra values off the stack			
	With the m	ain p	rotectio	ns explained I would			
	like to show y	ou tĥ	e steps:	-			
	1. Figure o	ut wh	at kind	of copy protection is			
	used. Epyx ten	ds to	use the 2	20/21 nibble counting			
	scheme a lot.	The	only di	ifference on the this			
	release is the u	ise of	the 16	bit wide registers.			
				on routines. Okay, so			
		2 20 00 A0 01 00 to					
		w what it is doing in					
	the above disa						
off				ecial memory refer-			
				s used as flag for the			
um	"horrible death" and insult routine. The program						
half	stores the nibble counting results at 030F2B and						
&	030F2D.						
				by protection. Chang-			
or,		.078E	to LD	A 01078B will work			
	for this step.	~					
t				s to pass. Doing the			
				the BRA 1C1 forces			
e	the code past t						
				e kind of idea of the			
				he copy protection on			
				al), you only need to			
	make the patcl	h per	manent.	To finish things up,			

follow these easy steps:

1. Make a copy of the game disk.

2. Make the following edits to the copy only.

<u>Blk</u> \$3BC	<u>Byte(s)</u> \$D2	From 22 8B 07 01	<u>To</u> AF 8B 07 01
\$447	\$1A2	AD 97 00	9C 97 00
	\$1A5	D0 14	80 1A

3. Write the edits back to the copy. Store the original in a safe place. Use the deprotected copy for playing.

The program is now kracked and the flag is captured! We get two more points, see how easy it is to rack up the points.

Softkey for ...

Children's Writing & Publishing Center

The Learning Company

Requirements:

128K Apple II (with Double Hi-res) 3.5" disk copier 3.5" disk editor

The Children's Writing & Publishing Center (CWPC) is just what the title says, it's a desktop publishing program for kids. Because educational programs are used by children they should always be unprotected and easily backed up. Children (and adults) can have accidents that tend to render computer disks unusable! So I will show you how to make as many backups as you need.

The program comes on two 3.5" disks and is using a bad block on the program disk for protection. After a little code snooping, I was able to track down the call to the protection and disable it. To make a deprotected copy of CWPC follow these steps

- 1. Make a copy of both disks (ignore any block errors on the program disk)
- 2. Using a block editor make the following edits to the program disk

<u>Blk</u>	Byte(s)	From	To
\$3D8	\$79	20 13 11	EA EA 18
a Wri	te the block	hack to the	CONV

Write the block back to the copy

Store the originals in a safe place. Give the newly deprotected copies to your kids to use!

Softkey for ...

4th & Inches: **Team Construction Disk**

Accolade

Requirements: 512K Apple IIgs

3.5" disk copier in an and all 3.5" disk editor

4th & Inches Team Construction Disk (FITC) is a companion disk for the game 4th & Inches. With this new program you can change the players stats of the whole team, then save them to disk. You may also create entire new teams or add all the football teams you can think to FITC disk. Then you may select the teams you want to play with with. If you really liked 4th & Inches, but you where starting to loose interest, you should go out and get this program.

FITC does a standard nibble count on your original 4th & inches disk to see if you're using an original game disk. I'm not really sure if FITC runs the nibble count on it's self, but I know for sure it runs the check on the game disk. The protection routine is located on block \$1BC of the disk and contained in the file START in the volume/SYSTEM subdirectory. The whole protection routine is as follows:

37:C2 30	REP	#30	16 bit wide Accum.
39:20 85 7A	JSR	7AB5	
3C:E2 30	SEP	#30	8 bit wide Accum.
3E:AD FD EC	LDA	ECFD	
41:D0 2B	BNE	6E (+2B)
43:EE FD EC	INC	ECFD	
46:C2 30	REP	#30	16 bit wide Accum.
48:A2 01 02	LDX	#0201	MMBootInit
4B:22 00 00 E1	JSL	E10000	Tool locator call
4F:B0 6D	BCS	C0 (+60)) If error then bomb
51:F4 00 00	PEA	0000	
54:A2 02 02	LDX	#0202	MMStartUp
57:22 00 00 E1	JSL	E10000	Tool locator call
5B:B0 61	BCS	C0 (+61)) If error then bomb
5D:68	PLA		
5E:8D FF EC	STA	ECFF	
61:AD FF EC	LDA	ECFF	
64:68	PLA		
65:22 62 E8 02	JSL	02E862	
69:68	PLA		
6A:B0 52	BCS	BE (+52)
6C:E2 30	SEP	#30	8 bit wide Accum.
6E:A2 20	LDX	#20	Track \$20
70:A0 01	LDY	#01	Side
72:20 C1 EC	JSR	ECC1	Jump to the nibble count
75:8E 01 ED	STX	ED01	Store half of result
78:8C 02 ED	STY	ED02	Store second half
7B:A2 21	LDX		Track \$21
7D:A0 01	LDY	#01	Side
7F:20 C1 EC	JSR	ECC1	Jump to the nibble count
82:8E 03 ED	STX	ED03	Store half of result
85:8C 04 ED	ŞTY	ED04	Store second half
88:AD 01 ED	ĹDA	ED01	Load Track \$20 result
8B:C9 00	CMP	#00	Check first half
8D:AD 02 ED	LDA	ED02	

(disk name to check for

The routine is easy to follow and resembles most of the nibble counting routines that are used on the 3.5" disks. Tracing the program code back, I found a single call to the routine and made my patch there. The call is in the form of JSL 025029, (22 29 50 02) then the flag location 0026 was loaded and checked for a value of zero. If 0026 was zero the game would continue, if 0026 was any other value the game would jump to a Pro-DOS quit routine.

One thing I noticed about this release of FastBreak (the one that was recalled). I bought the program and when I got home the FIRST thing I did was to make a copy and remove the copy protection. After I thought I had removed the routine (in fact I had) I booted the game and tried to play but could not figure out what was going on. So I booted the original to see if the same thing happened and the ORIGINAL would refuse to run! After reading the instruction manual I figured out how to start playing. The deprotected copy would run just fine while the original would quit before the game started. After some checking I found the copy protection would always fail on the ORIGINAL! However a kracked version was playable, this just goes to show what copy protection does for everyone, including the publisher.

Readers Data Exchange

COMPUTIST

90:E9 20	SBC	#20	Check second half
92:90 2A	BCC	BE (+2A)If error then bomb
94:AD 03 ED		ED03	
97:C9 00	CMP	#00	Check first half
99:AD 04 ED	LDA	ED04	
9C:E9 1F	SBC	#1F	Check second half
9E:B0 1E	BCS	BE (+1E)If error then bomb
A0:82 2D 00	BRL		2D) Branch to continue
			code
A3:5A	PHY		Push side
A4:DA	PHX		Push track
A5:F4 02 00	PEA	0002	
A8:F4 F6 EC		ECF6	Push disk name/volume
AB:22 23 E9 02			Count them up
AF:8D FB EC		ECFB	Store error flag
B2:68	PLA		
B3:68	PLA		
B4:68	PLA		
B5:68	PLA		
	PLA		and the second second
B7:68	PLA		Pull all extra values
B8:AD FB EC		ECFB	Load error flag
BB:B0 01	BCS) If error then bomb
BD:60	RTS	(Return to caller
BE:C2 30	REP	#30	16 bit wide Accum.
C0:A2 00 00		#0000	
C3:A9 DB DB			Load 2 STP's
C6:9D 00 00			Store them everywhere
C9 EB	INX		
CAEB	INX		
CB:D0 F9		C6 (-07)	a tanan s
CD:4C EB EC	JMP		-= BOMB =-
D0:C2 30		#30	8 bit wide Accum.
D2:20 EB 79		79EB	
D5:E2 30		#30	16 bit wide Accum.
D7:60	RTS		OKAY to run program!
D8:54 4F 4E 59			Disk name/volume
517 11 11 11 11			

Well that's most of the protection routine, which is the exact same routines (different absolute addresses though) used on the 4th & Inches master disk. After checking this code I found the calls to it look like JSR EC55 (20 55 EB) on the disk. Searching for this sequence revealed two calls to the protection. After changing both JSR's (20) to LDA's (AD), I booted the disk and the program ran just fine. Applying the two disk edits resulted in a kracked working version of 4th & Inches Team Construction disk. The easy step by step method would be:

1. Make a copy of the game disk.

2. Make the following edits to the copy.

Blk	Byte(s)	From	<u>To</u>
\$168	\$80	20 55 EC	AD 55 EC
\$190	\$77	20 55 EC	AD 55 EC
3 W-	te the block	re back to dis	b

Store the original in a safe place. Use the copy to work from.

Softkey for ...

Geometry v1.0 Broderbund

Requirements:

512K Apple IIgs 3.5" disk copier

3.5" disk editor

Geometry is a great educational program from Broderbund/Sensei. They use the standard nibble counting routine on tracks 20/21 like they did for Showoff. To find the copy protection routine search for A220 A001, then list out the code that follows. Anyway, back tracing the routines twice, you end up with a single call to the routine. How ever, disk 2 would still ask you to insert disk 3 and if either disk/program was upload to a hard disk, they would ask for disk 3. I found the JSL right before the call to the nibble count checks to see if the disk online is called "/DISK3" so I killed that routine too! Now the programs no longer care what disk they are booted from or if it's an original.

1. Make of copies of disk 2 and 3.

2. Make the following edits:

On disk 2:

of puzzle. Of course you must avoid all the robots and jump from platform to platform, all of which makes for good game. To continue, I will explain the protection used on the GS version and I'll show how I went about defeating the routine. First, the game is released by Epyx, so I thought they might be using the old commercial nibble counting routine. Scanning for A2 20 A0 01 reveals the following on block \$4A3 (on the disk):

disk):		$a_{i} \in [1,\infty]$	and the first second second
35:8B	PHB		
36:4B	PHK		
37:AB	PLB	1. 1. T	 A second sec second second sec
38:AF 98 59 00	STA	005998	and the second second
30:48	PHA	t a pris	
3D:22 F5 69 00	JSL	0069F5	
41:FA	PLX	· · · ·	
42:B0 3A	BCS	7E (+3A)	the state of the second se
44:E2 30		#30	; 8-bit wide Accum &
1			registers
46:A2 20	LDX	#20	; Load track number \$20
48:A0 01	LDY	#01	: Side
4A:20 D7 69	JSR	69D7	: Go to the nibble count
4D:B0 02	BCS	51 (+02)	; Carry set means read
		22, 4277	errors
4F:80 04	BRA	55 (+04)	; Skip over the set fail
51:A2 FF		#FF	: Load a bad sum in X-
			reg
53:A0 FF	IDY	#FF	; Load a bad sum in Y-
00,0011	ω.		70g
55:C2 30	DED	#30	: Switch to 16-bit
57:8A	TXA	****	; Transfer hi-byte to
57.QA	1777		Accum
58:8F D8 59 00	OT A	005000	; Store in a storage area
50:98	TYA	003506	; Transfer lo-byte to
50.90	I IA		Accum
5D:8F D9 59 00	OTA	005000	
			; Store in a storage area
61:E2 30	SEP		; Switch back to 8-bit
63:A2 21	LDX		; Load track number \$21
65:A0 01	LDY		; Side
67:20 D7 69	JSR		; Go to the nibble count
6A:B0 02	BCS	6E (+02)	; Carry set means read
			error
6C:80 04			; Skip over set fail
6E:A2 FF	LDX	#FF	; Load a bad sum in X-
			reg
70:A0 FF	LDY	#FF	; Load a bad sum in Y-
			reg
72:C2 30	REP	#30	; Back to 16-bit again
74:8A	TXA		; Transfer the hi-byte to
			Accum
75:8F DA 59 00		0059DA	; Store in a storage area
79:98	TYA		; Transfer the lo-byte to
			Accum
7A:8F DB 59 00			; Store in a storage area
7E:22 99 6A 00	JSL	006A99	
82:AB	PLB		
83:6B	RTL		; Return to sender
84:5A	PHY		; Push side (this is
1 Weit	$\phi_{1} < 0$		(69D7) 🦾 🖓 🖓 🖓 👘
85:DA	PHX	64 (* 4 <u>5</u> .)	, Push track number
86:F4 00 00	PEA	0000	105 - Di and
89:F4 F0 69	PEA	69F0	; Push disk name
			location
8C:22 B6 6A 00	JSL	006AB6	; Count them up
90:8D F4 69	STA	69F4	; Store the Accum
93:68	PLA		
94:68	PLA		
95:68	PLA		÷
96:68	PLA		
97:68	PLA		
98:68	PLA		; Pull extra values off
			stack
99:AD F4 69	LDA	69F4	; Load the Accum again
9C:60	RTS		; Return to caller
9D:49 4D 32 00	IM2	a da esta	: Disk volume/name
A1:00	-	:;	; Storage area for 69F4
			•

My first attempt (which works!) was to change the LDX #20 (A2 20) to BRA 51 (80 09) and the change the LDX #FF (A2 FF) to LDX #1F (A2 1F). This way a good value (at least passable) of \$1FFF would be stored in the result location. Then I did a similar trick with the LDX #21 and the following LDX #FF. This works fine by never actually running the nibble count, but storing a passable value in the right locations thus "tricking" the routine into working. However, I

112:80 03	BRA 117 (+03	3) Skip over the set
		pass

114:9C 90 59	STZ	5990	Zero = an original
117:22 F4 16 00	JSL	0016F4	Continue the game

So once again we find another flag waiting to be captured. If we don't get this flag, every time you try search for something, you're thrown back to title display.

Now this leaves us with the question of how to force the code to continue. Well we have several possibilities when looking at the above section of code. One, you could NOP everything from 105 to 10E and change the STA 5990 (8D 90 59) to STZ 5990 (9C 90 59); the only needed change is the STA to STZ. Two, change the LDA #0001 (A9 01 00) to LDA #0000 (A9 00 00). Three, change the BVS 10A (7003) to BRA 114 (80 0D), which is what I choose to do.

Well to continue with the crack, do the following:

1. Make	a copy of	the game	e disk		
2. Make	the follow	ving edits	to the	CODY	only

Blk	Byte(s)	From To
\$3A6	\$105	70 03 80 0D
\$3AE	\$3A	22 D8 4A 00 AF D8 4A 00

Store the original in a safe place. Use the copy to play from.

Softkey for

Jack Nicklaus' 18 Holes of **Major Championship Golf** Accolade

Requirements:

512K Apple IIgs
3.5" disk copier
3.5" disk editor

To remove the KEYWORD (Pirate) protection from Jack Nicklaus Golf follow these easy steps:

- 1. Make a copy of both of the Jack Nicklaus golf disks.
- 2. Make these edits to the COPY of the "game" disk only, never make any edits to the original!

Blk	Byte(s)	From	To
\$92	\$7F	F0 04	80 04
	\$81	22 BA 03 00	AF BA 03 00

3. Write the block back to the copy

Store the original in a safe place with the manual. Optional: Upload the game to your hard disk. Play a game of Golf!

Softkey for ...

Kinderama Almant

Unicorn

Requirements: 1.25M Apple IIgs

3.5" disk copier 3.5" disk editor

Sure, right after I make a general comment like: "To krack all Unicorn programs search for A221 A001 20 and change it to 802C A001 20", Unicorn changed their protection to a bad block check. Anyway, I found three different kracks for the two disks. I forced the protection routine to pass on three different levels. Each edit on a different block will krack the program by itself (overkill!!) so take your pick or make them all.

1. Make a copy of the two disks.

2. Make the following edits on the copies only.

<u>Blk</u> \$220	<u>Byte(s)</u> \$21	From 22 5B 33 00	<u>To</u> AF 5B 33 00			
	\$25	B0 07	80 07			
\$224	\$4A	22 CF 2F 00				
\$25C	\$6C \$77	22 48 38 00 D0 03	AF 48 38 00 80 0D			
		On disk 2:				
Blk	Byte(s)	From	To			
\$4E2	\$21	22 5B 33 00	AF 5B 33 00			
	\$25	B0 07	80 07			
\$4E6	\$4A		AF CF 2F 00			
\$51E	\$6C	22 48 38 00				
	\$77	D0 03	80 OD			
3. Wri	3. Write the blocks back to the copies					
Softke	y for					
	•	h Blaster P	lus			
		Davidson	•			
512K 3.5" di	rements: Apple IIgs isk copier isk editor					
a GS f gram.	ormat and The progr	Plus (MBP), has is a very nice e am is written what hard to fo	ducational pro			

call to the ProDOS 16 link at \$26F. The second patch stores a zero (which means an error from the \$26F routine) in the right place by changing the STA 0034,X to STZ 0034,X. A sneaky edit!

1. Make a copy of the Math Blaster Plus disk (ignore errors).

2. Make the following edits to the copy only.

<u>31k</u>	Byte(s)	From	To
9	SIBD	20 6F 02	AD 6F 02
	\$1C2	9D 34 00	9E 34 00

3. Write the edits back to disk

Thanks again to Leh-Wen Yau. (Remember: Give credit where credit is due!).

Softkey for ...

Qix Taito

Requirements: 128K Apple II series 5.25" disk copier 5.25" sector editor

Warning: This article is written for those who like LONG articles

Oix from Taito is a micro adaption of the old arcade game. While the port over was not awesome, it was better than average (I'm still waiting for the GS version!). Anyway, the program is copy protected and the only way to back it up is to use EDD 4 plus (which I don't own) or krack it (that I can do).

The copy protection (CP) routine first searches for a CP header of D5 CC AA, then stores the following four bytes read from the disk. Then the routine proceeds to find the CP header again and compares the four bytes read to the four bytes stored. The trick is, because the bytes after the CP header have several zero bits in a row (making them invalid), the hardware CANNOT read them reliably. The whole CP routine is based on the fact that the invalid bytes will be read correctly less then 75% of the time! It loops through four times reading the same four invalid bytes after the CP header and increments one of four flags when a byte matches. Then another routine adds up the four flags and compares the value to \$C (12 in decimal). If the four invalid bytes match more than 12 times then the program must be a copy. I will list the code used in the copy protection and comment it to making it easier to understand.

Now your bit copier reads the track once then writes it out to a blank disk. The problem is the bit copier will not reproduce all the extra zero bits so you end up with a non-working copy. Here is one of the control routines:

D19:AE DC 03	LDX	03DC .	Get slot number IE: 6 for slot six
D1C:A0.01	LDY	#01	Get drive number
D1E:20 05 0A	JSR	0A05	Calculate slot/drive & store them
D21:20 11 0A	JSR	0A11	Go through the cp routines
D24:B0 05	BCS	0D2B (+	-05) Couldn't find CP
			header or read error
D26:20 B9 0A	JSR	OAB9	Add flags & compare to \$C
D29:90 1D	BCC	0D48 (+	1D) Less then \$C
	, 79 A.		matches, continue
D2B:4C C1 03	JMP	03C1	Wipe memory & reboot
tines listed fro	om \$A	100 to e	copy protection rou- end: le for slot/drive & CP
A00:60			Slot number times 16
A01:01			Drive number
A02:D5 CC AA			Copy protection header
		-	to calculate the slot &
A05:8A	TXA		Transfer X to A
A06:0A	ASL		Multiply by 2

ASL

ASL

ASL

Multiply by 2

Multiply by 2

Multiply by 2 (times 16

A07:0A

A08:0A

A09:0A

<u>Blk</u> \$408	<u>Byte(s)</u> \$8B \$93	<u>From</u> 22 00 00 00 22 E8 0D 00	<u>To</u> AF 00 00 00 AF E8 0D 00
		On disk 3:	

Blk Byte(s) From <u>To</u> 22 00 00 00 AF 00 00 00 \$E7 \$1C6 22 E8 0D 00 AF E8 0D 00 \$1CE 3. Write the blocks back to the disk.

4. Optional: Upload the programs to your hard disk.

Softkey for ...

Impossible Mission 2 GS

Epyx

Requirements: 512K Apple IIgs 3.5" Disk copier 3.5" Disk editor

Impossible Mission 2 (IM2) has been released in a Double Hi-res version for 128K apples and a full GS version. This new game is a futuristic continuation of the original Impossible Mission. The object of the game is to search through a multi-level building searching for parts

decided to stick with my usual methods and do the following two things. First, find the call to the nibble count and disable it there. Second, find the compare routines and force them to continue.

The nibble counting routine is called once from block \$3AE in the form of JSL 004AD8 (22 D84A00). Changing the JSL (22) to a LDA (AF) will kill the call to the nibble counting routine. Now we must find the code that compares the read in values to known values. How do we find those routines? In the above disassembly the results are stored in 59D8 and 59DA. Simply search the disk for a reference to that location. Searching for D8 59 (59D8 in reverse, also I wasn't sure if they loaded it in long (LDA 0059D8 or AF D8 59 00) or short (LDA 59D8 or AD D8 59) mode showed the following section of code on block \$3A6:

0FD:22 A5 18 00	JSL	0018A5	Get a bench mark value (1F50)
101:38	SEC		Set up for subtraction
102:ED D8 59	SBC	59D8	Subtract the read in value
105:70 03	BVS	10A (+03	3) Is it too low?
107:49 00 80	EOR	#8000	Is it too high?
10A:10 08	BPL	114 (+08	It's within the right range
10C:A9 01 00	LDA	#0001	Load a fail value
10F:8D 90 59	STA	5990	Store it in the flag

in 0of is a routine to a "global" ProDOS 16 link (interface), that is, jump to the routine with the info and the routine modifies itself and makes the call. After much searching I did track it down, then with some help from Leh-Wen Yau I was able to come up with a nice little patch. The first edit kills that

			overall)
A0A:8D 00 0A	STA	0A00	Store in slot number
A0D:8C 01 0A	STY	0A01	Store in drive number
A10:60	RTS		Return to caller
		1	
		read er	ntry point and called
from the game			
A11:A5 FE	LDA	FE	
A13:A6 FF	LDX	FF	
A15:85 FE	STA	FE	
A17:86 FF	STX	FF	
A19:AD 00 0A	LDA	0A00	Load Slot number * 16
A1C:8D B4 0B	STA	0BB4	Store it
A1F:4A	LSR		Divide by 2
A20:4A	LSR		Divide by 2
A21:4A	LSR		Divide by 2
A22:4A	LSR		Divide by 2 (from \$60 to
			\$06)
A23:09 C0	ORA	#C0	Make it into \$Cx (or \$C6
			for slot 6)
A25:85 FF	STA	FF	Store it at FF
A27:AD 01 0A	LDA	0A01	Load drive number
A2A:8D B5 0B	STA	0BB5	Store it
A2D:A9 00	LDA	#00	Load zero
A2F:85 FE	STA	FE	Store at FE (FE=00 C6)
A31:A2 05	LDX	#05	We need to use six
			bytes
A33:BC B3 0A	LDY	0AB3,X	Load from "check slot"
			data table

	A36:B1 FE	LDA	(FE), Y	Load indirect+index,				CP header and invalid
	A38:CA	DEX	{	C600+Y Decrement index	-	-		the CP routines
	A39:DD B3 0A		-	X Compare to KNOWN	AC9:AE B4 0B	LD)	(0BB4	Load slot number times 16
	A3C:D0 3A	BNE	0A78 (value for 5.25" interface (+3A) If NOT EQUAL, then	ACC:AD B5 0E		OBB5	Load drive number
	A3E:CA	DEX		try different slot Decrement index	ACF:18 AD0:6D B4 0B	CLC ADC	COBB4	Ready for an addition Add slot times 16
	A3F:10 F2			(-OE) Did we use all 6	AD3:A8 AD4:B9 89 C0			Y=Slot+Drive Select the drive
	A41 A0 FF	IDV	#FF	bytes (X=\$FF) Load Y with FF	AD7:BD 89 C0			Turn on the drive
			#11	manually	ADA:A0 00 ADC:8C A5 0B		/#00 /0BA5	Load Y-reg with zero Store in loop counter
	A43:B1 FE A45:F0 4B		(FE),Y	+4B) If it's zero then it's a	ADF:20 73 0B		0B73	JSR to an RTS to let the
				5.25" interface	AE2:CE A5 0B	DEC	OBA5	drive come up to full speed. Loop
	A47:C9 FF	CMF) #FF	Check to see if it's equal to \$FF				through 255 times
	A49:F0 2D	BEQ	0 A 78 (+2D) If it is, then try	AE5:D0 F8	BNE	OADF (-08) Did we finish the loop?
	A4B:69 03	ADC	#03	another slot Add 3 for "smartport"	AE7:88	DEY		•
		074		interface	AE8:F0 15 AEA:BD 8C C0		OAFF (C08C.)	+15) (Load some bits from the
	A4D:85 FE	STA	FE	Store value from CxFF+3 in FE				drive
	A4F:AD 01 0A A52:8D AF 0A		0A01 0AAF	Load drive number	AED:DD 8C CO	CM	· C08C,)	Compare to another read
	A52:80 AF VA		#21	Store it	AF0:F0 F5	BEC	0 AE7 (·	0B) If they match, the
	A57:90 07 A59:A9 01	BCC LDA	0A60 (+07)	AF2:A9 28	LDA	#28	drive is not moving Load \$28
	A5B:8D AF OA		OAAF		AF4:8D A5 0B	STA	OBA5	Store it in the "find
	A5E:D0 0D A60:AD AB 0B		OA6D (OBAB	+0D)	AF7:8D A6 0B	STA	OBA6	header loop", we should find the CP header in
	A63:C9 01	CMP	#01		AFA:20 74 0B	ISP	0B74	\$2828 disk bytes Routine to find the
	A65:D0 06 A67:AD AC 0B		OA6D (OBAC	+06)		UUN	0074	header
	A6A:F0 3E	BEQ	OAAA (+3E)	AFD:B0 03	BCS	0B02 (+	03) Carry set means we found the CP header
	A6C:38 A6D:AD AF 0A	SEC	0AAF	$U_{i,j} = \{i_i\}_{i \in I}$	AFF:4C 6F 08	JMP	0B6F	At B6F, set carry & turn
	A70:8D B5 0B	STA	OBB5		B02:20 9F 0B	ISP	0B9F	off drive (failed) Routine to read a byte
	A73:CD 01 0A A76:D0 DD		0A01 0A55 (-	00)	002.20 51 00	000	VDər	off the disk
·	A78:AD B4 0B		0884	Load slot number * 16	B05:8D A7 0B B08:A9 00		0BA7 #00	Store it in "first-read-1" Load zero to initialize
t ja	A78:38	SEC		Get ready for subtraction		ω λ	#00	"read-match-flag"
	A7C:E9 10	SBC	#10	Subtract \$10 (\$60 - \$10	BOA:8D BO OB	STA	0BB0	Store in read-match- flag-1
	A7E:B0 02	RCS	482 (10	= \$50) 2) CARRY SET unless	80D:20 9F 0B	' JSR	089F	Get a disk byte
	· · ·			\$00 goes to \$F0	B10:8D A8 0B B13:A9 00	STA LDA	0BA8	Store in first-read-2
	A80:A9 70	LDA		Load \$70 for slot 7	B15:8D B1 0B		0BB1	Initialize read-match-
	Subtract \$ to \$F0, then lo	10 fro ad \$7	m slot 0 fo r sl	until it goes from \$00 lot 7. If you don't find	B18:20 9F 0B	ICD	0B9F	flag-2 Get a disk byte
	a match (\$70	-\$10	becom	es \$60) or the value	B1B:8D A9 0B		OBA9	Store in first-read-3
				he CARRY SET, fall ion of code. CARRY	B1E:A9 00 B20:8D B2 0B	LDA STA	#00 0BB2	Initialize read-match-
	SET means ha	id an e	rror of	some sort like: an I/O	020.00 02 00	514	0002	flag-3
				t find CP header, or drive interface.	B23:20 9F 0B B26:8D AA 0B		089F 0BAA	Get a disk byte Store in first-read-4
	A82:CD 00 0A	CMP		Compare to current slot	B29:A9 00	LDA	#00	Store in inst-read-4
	A85:D0 95	BNE	0A1C (-	6B) Not equal then go	B2B:8D B3 0B	STA	OBB3	Initialize read-match- flag-4
	A87:AD B6 0B	LDA	0BB6	back and try again This is how we get back	B2E:A0 04	LDY	#04	Set up to loop through
	A8A:85 FE	STA	FE	from a JSR 0A11	B30:A9 00		#00	four times
		JIA	rc	BB6, BB7, FE, FF not used in the actual	B32:8D A5 0B	STA	0BA5	Set up to find the CP
l	A8C:AD B7 0B	LDA	0BB7	program, but stored for the second call	B35:8D A6 0B	STA	0BA6	header somewhere in in the next \$FFFF disk
	A8F:85 FF	STA	FF	to this routine.	D00-00 74 0D	100	AD7.	bytes
l	A91:60	RTS		Return to caller, CARRY CLEAR = good read	B38:20 74 0B B3B:20 9F 0B	jsr Jsr		Find CP header Get a disk byte
	A92:AD 85 0B	LDA		Load drive number	B3E:CD A7 0B B41:D0 03		OBA7	Compare to first-read-1
1	A95:C9 03	CMP	#03	Check to see if it's larger than 3	B43:EE B0 0B		0880	3) Do the match? If yes, inc read-match-
	A97:90 05	BCC	0A9E (+	05) No, it's 1 or 2 then	B46:20 9F 0B	JSR		flag-1 Got a disk hute
	A99:A9 01	LDA -	#01	branch Otherwise load 1 for	B49:CD A8 0B	CMP	OBA8	Get a disk byte Compare to first-read-2
				drive one	B4C:D0 03 B4E:EE B1 0B		0B51 (+0 0BB1	B) Do they match? If yes, inc read-match-
	A9B:8D B5 0B	STA	0885	and store it in drive	·			flag-2
	A9E:20 C9 0A	JSR		Do the actual CP routine	B51:20 9F 0B B54:CD A9 0B	JSR CMP		Get a disk byte Compare to first-read-3
,	A1:90 E4	BUU	UA87 (-1	C) Carry clear = found CP header, goto return	B57:D0 03	BNE	0B5C (+0	3) Do they match?
A	A3:20 C9 0A	JSR (AC9	Try again, might have	B59:EE B2 0B	INC		If yes, inc read-match- flag-3
A	A6:90 DF	BCC () A 87 (-2	missed it the 1st time 1) Carry clear = found	B5C:20 9F 0B	JSR	0B9F	Get a disk byte
٨	A8:B0 CE		170/2	CP header, goto return 2) Couldn't find header,	B5F:CD AA 0B B62:D0 03	CMP BNE	0BAA 0B67 (+0	Compare to first-read-4 3) Do they match?
			•	try another drive	B64:EE B3 0B	INC	OBB3	If yes, inc read-match-
		SEC BCS (Set the CARRY flag 0) Branch on CARRY	B67:88	DEY		flag-4 Decrement the number
		200 (set (always taken)				of loops
A	AD:60 03 00			Data, not sure for what though	B68:D0 C6	BNE		 Continue if loop number not equal to
A	B0:C3 22 03			Data, again not sure for			:	zero
A	.B3:03 05 00 03 2	0 01		what Data table for "check	B6A:BD 88 C0 B6D:18	CLC	•	Turn the drive off Clear carry = pass
		1		slot"				(found Cp header &
-				faces, where x=slot:	B6E:24			bytes) Used to make the
				x05=03. CxFF is the routine for ProDOS			1	following byte into BIT
d	evices like 3.5	5" driv	es, SC	SI drives, etc. Cx07	B6F:38	SEC		38 Set carry = fail (didn't
is tv	s the byte used	to tell (5.25	the dif	fference between the 5" and SCSI). CxFB	•		1	ind CP header)
W	vill tell if the c	trive c	an har	dle extended and/or	B70:BD 88 C0 B73:60	LDA (RTS		Furn the drive off Return to caller
S fl	CSI calls. AB	iy is the sea	he entr inst SC	y point for "add the "routine. This rou-	B74 is the	entry	point	to read for the CP
ti	ne is called fro			not from within the	header, called	within	CP rou	itines.
	Proutines.		DD+	baaday to state	B74:BD 8C C0 B77:10 FB			Read for a byte
		LDA 0 CLC		Load read-match-flag-1 Set up for addition	_		i	s set
A	BD:6D B1 0B	ADC 0	BB1	Add read-match-flag-2	B79:CE A5 0B	DEC C		Dec disk bytes to read hrough (low order)
		ADC 0 ADC 0		Add read-match-flag-3 Add read-match-flag-4	B7C:D0 05	BNE C)BA6 (+0	5) Did we flip through
		CMP #	00	Compare to \$C, CARRY	B7E:CE A6 0B	DEC 0		he low order? Then dec the high order
A	C8:60	RTS		CLEAR is less than Return to caller				wte

B88:BD 8C C0 LDA C08C,X Get next byte B8B:10 FB BPL 0B88 (-05) B8D:CD 03 0A CMP 0A03 Compare to second CP header byte (CC) B90:D0 F1 BNE 0B83 (-0F) B92:BD 8C C0 LDA C08C,X Get next byte B95:10 FB BPL 0B92 (-05) B97:CD 04 0A CMP 0A04 Compare to third CP header byte (AA) BNE 0B83 (-19) B9A:D0 E7 B9C:60 RTS Return to caller B9D:18 CLC Carry clear means couldn't find CP header B9E:60 RTS Return to caller LDA COSC,X Read disk bits B9F:BD 8C CO BA2:10 FB BPL 0B9F (-05) Wait until the high bit is set BA4:60 RTS Return BA5-BB7 is the data table for various things. BA5:FF FF Number of disk bytes to read through BA7:FF FF FF FF First-read 1 through 4 BAB:FF FF FF FF FF **BB0:FF FF FF FF** Read-match-flags 1 through 4 884:FF FF First choice slot & drive BB6:FF FF Actual slot & drive

CMP 0A02

BNE 0B74 (-14)

Compare to first CP

header byte (D5)

B83:CD 02 0A

B86:D0 EC

When looking at the control section, I decided to change the JSR 0A11 (2011 0A) to CLC, BCC 0D48 (18 90 24) to always branch to the continue section without ever running the CP routines. I also found another call to 0A11 and calculated the correct branch on a pass and replaced it to.

Note: You could simply change the JSR 0A11 to NOP NOP CLC (EA EA 18), however then you MUST change the flag values (like I did) or kill the call to the flag check. The last thing I did was to make sure we don't find any hidden bombs later in the game. To do this, I found the four flags on the disk and changed them to values that would pass when added together. This is very important on other Taito release like Arkanoid GS, Arkanoid 2 GS, and Renegade IIe. After the second call to the CP routine is made and it passes, the routine is overwritten with game code.

1. Make a copy of the Qix game disk.

2. Make the following edits to the copy only:

		Byte(s)		Ιο
\$00	\$0D	\$B0	FF FF FF FF	01 01 01 0
	\$0E	\$38	20 11 0A	18 90 03
	\$OF	\$21	20 11 0A	18 90 24

Write the sectors back to the copy.

Store the original & play off the deprotected copy.

Advanced Playing Technique for ...

Qix

Taito

The number of men are stored at \$A5C, so for a never ending game change track \$1E, sector \$4, bytes \$2F-31 from CE 5C 0A (DEC 0A5C) to EA EA EA.

While the game will not allow more then 5 men, you can start with 5 men by changing the A9 03 8D 5C 0A (TRK \$1B, SCT \$0, byte \$49) to A9 04 8D 5C 0A. The game counts your men from man zero to whatever. Then, when your man zero dies, the men flag goes to \$FF and is checked to see if the high bit is set. When set (values of \$80 to \$FF), a BMI (Branch on MInus) instruction is taken and the game is over.

Softkey for ...

Renegade Taito

Requirements: 128K Apple II series 5.25" disk copier 5.25" sector editor

To upload to a hard drive (RAM drive, 3.5", etc), make a subdirectory, you can call it anything you like, but RENEGADE is a good choice. Now copy all the files except PRODOS into the new subdirectory from both sides of the deprotected game disk. You don't have to recopy a couple of the duplicate files on the back side, they are there so you don't have to flip the disk for every scene. Now you see why I renamed the system file, so you can easily tell which file to run to start Renegade. For an indepth study of the basis, theory, and ideas behind the copy protection used on Renegade, please read the Qix article.

Softkey for ...

Silpheed

Sierra

Requirements: 512K Apple IIgs 3.5" disk copier 3.5" disk editor

Silpheed is a nice arcade shoot-em-up from Sierra. The only real problem I found was that before you can play a game you must identify an enemy ship. Which is, of course, Keyword (pirate) protection. To remove it make the following edits:

1. Make copies of both Silpheed game disks

2. Make the following edits to a copy of disk one only

Blk	Byte(s)	From	To
. \$1/	AA \$126	22 00 00 00	AF 00 00 00
	\$12A	AD 00 00	EE 00 00
	\$12D	D0 03	80 03

3. Write the edits back to the copy.

4. Optional: Upload the game to your hard drive!

Softkey for ...

Sporting News Baseball Epyx

Requirements: 128K Apple II series 5.25" disk copier

5.25" sector editor

Sporting News Baseball (SNB) from Epyx is a nice baseball game in double Hi-res on 128K Apple II series. Epyx is using the PROLOK copy protection scheme as on many other releases by Epyx and other companies. The routine has been well explained in previous issues of COM-PUTIST, however, here is a quick run down.

First on track \$00 there is a string of E7s. Each E7 has one or two added zero bits attached to it. When your disk controller card reads these bytes the added zero bits are ignored. Then upon bootup of SNB, a routine scans for the E7s, then in the middle of reading a byte, the routine clears the data latch and starts reading a new byte. Because the bits are no longer in sync with the E7 pattern, the added zeros becomes part of the new bytes read in. Then by comparing these "new" bytes to a list of expected read bytes, you can tell if the zero bits are present. By using this indirect method of checking, PROLOK (the scheme) can determine if the original disk is in the drive. Then to complicate things, the routine uses these bytes as keys in decrypting the RWTS that is used to load the game.

Now your bit copiers have a hard time telling the difference between a single or dual added zero bits. Most of the time, without special parameters, bit copy programs will not make an accurate back up. EDD 4 has a special parameter in the pre-analyze routine that searches for the E7s in memory and will add the zero bits when copy is being written. So to make a deprotected copy follow these steps:

1. Make a copy of both sides of The Sporting New Baseball

2. On a copy of side one make the following edits:



AC8:60 RTS Return to caller

AC9 is the entry point the actually turns on the

B81:F0 1A

LDA CO88 CLC	number not equal to zero 3,X Turn the drive off Clear carry = pass (found Cp header & bytes). Used to make the following byte into BIT 38	game is cop Taito) with n ence in the c not set the fla messes up th unplayable. ProDOS 8. T use a KEYDI
SEC	set carry = fail (didn't find CP header)	Apple IIe that Most of routine fails,
LDA COSS RTS	X Turn the drive off Return to caller	With Renegation original in a
entry po within CF	int to read for the CP routines.	protection (o is the game i
	 X Read for a byte (-05) Loop until the high bit is set 	 Make a congame dist Make the f
DEC 0BA5		Irk Sct Byte
BNE OBA6	(+05) Did we flip through	\$05 \$08 \$B9 \$0B \$BE
DEC OBA6	the low order? Then dec the high order byte	3. Write the s 4. Rename I
BEQ 0B9D	(+1A) If we flipped through	SYSTEM

high, then error out

Renegade is nice conversion from the arcade game to Double Hi-res Apple II graphics. The by protected just like Qix (also by ninor adjustments. The major differcopy protections are: First, if you do ags (see the Qix article), the program e shape table and the game will be Second, Renegade is written under hird, and most important, Renegade ISK system. In fact, the is the FIRST at I can think of that uses a keydisk. the time, when a copy protection the program will just hang or reboot. ade, you are allowed to insert the ny drive! The best thing about this ther than it's about to be removed!) s hard disk compatible. opy of both sides of the Renegade ollowing edits on side 1 of the copy te(s) <u>From</u> 9 OC 07 03 09 01 01 01 01 . 20 62 28 18 90 2D sectors back to the copy OAD.SYSTEM to RENEGADE.

8E	
A9	
F7	
••	
	A9 F7

3. Write the sector back to the copy.

What the edit does is to store the right sequence of bytes in \$F0 through \$F7, then clears the carry and branches down to the section that decodes the rest of loader/RWTS. The patch is only twenty-five bytes long and except for maybe the exact same offset in the branch may be used on other programs that use this scheme. The code looks like this disassembled:

A9 FC	LDA #FC	Load FC
85 F0	STA FO	
85 F3	STA F3	
85 F6	STA F6	Store it in F0, F3 & F6
A9 EE	LDA #EE	Load EE
85 F1	STA F1	
85 F2	STA F2	
85 F5	STA F5	Store it in F1, F2, & F5
A9 E7	LDA #E7	Load E7
85 F4	STA F4	
85 F7	STA F7	Store it in F4 & F7

18	CLC	Clear the carry
90 6E	BCC +6E	Branch carry clear to
		decode section

The one thing I found useful, but not actually listed anywhere, is the byte string that is read off an original. The string is:

FC EE EE FC E7 EE FC E7

This same string (stored in the right place) will work for many programs using this routine.

Softkey for ...

Stickybear Talking Opposites Optimum Resource

Requirements: 512K Apple IIgs 3.5" disk copier

3.5" disk editor

Stickybear Talking Opposites (and Stickybear Talking Shapes) uses the same protection routine as Sticky Bear Talking ABCs outlined by myself in Computist #66, page 6 and recently in Computist #68, page 17. Again there is a single call to the routine and killing it will result in a kracked CODY

1. Make a copy of the disk (ignore all read errors) 2. Make the following edit to the copy

<u>Blk</u>	Byte(s)	From	• <u>To</u> :
\$EC	\$15D	20 07 3A	AD 07 3A

3. Write the block back to the copy

Softkey for ...

Superstar Ice Hockey

Mindscape

Requirements:

512K Apple IIgs	÷ .
3.5" disk copier	
3.5" disk editor	

After getting the edits to krack this one from Stephen Lau, via a mutual friend, I added the edits on block \$9 & \$C. The other edits via Stephen allowed you to simply hit return to bypass the KEYWORD (pirate) protection. After the addition of my edits the requestor routine is also bypassed. Another victory for the Computist team ... GO TEAM!

1. Make a copy of the game disk 2. Make the following edits

Blk	Byte(s)	From	To
\$9	\$5F	20 A3 1A	AD A3 1A
\$B	\$4	D0 13	EA EA
	\$C	D0 0B	EA EA
\$C	\$11A	D5 00	D4 00
\$38	\$B7	D0 12	80 38

95\$A6 abor\$**B7**% in 5, 75**D0 12**-0 pm - - **80**:36a 3. Write the edits back to the copy.

Thanks again Stephen Lau for the krack and ground work!

Softkey for

The Duel: Test Drive][

Accolade

Requirements:

1.25Meg Apple IIgs

3.5" Disk copier

3.5" Disk editor

Well it's another program by Accolade and they have been known to use the standard nibble counting routine, so I searched for A2 20 A0 01. This lead me to the actual copy protection routine, from there it was a simple matter of finding the calls to it. The calls to the nibble count are in the form of JSL 03C4E3 (22 E3 C4 03) and are in a couple of places. Making the following edits will remove the all copy protection from Test Drive][:

1. Make a copy of the game disk

2. Make the following edits to the copy:

routine twice results in a single call to the copy protection. Unlike Geometry, there is no routine that checks for a special disk name to be on line, so we only need to change a single byte.

1. Make a copy of disk two

2. Make the following edits to the copy of disk 2

Blk Byte(s) From To \$20 22 84 04 00 AF 84 04 00 \$69 3. Write the edits back to the copy

World Geography v1.0 MECC

Requirements: 768K Apple IIgs 3.5" disk copier 3.5" disk editor

Softkey for ...

World Geography v1.0 by MECC uses a simple bad block check. After searching for 22 A8 00 E1 22 (ProDOS 16 block read) I found the disk check. I then traced it back to the caller (JSR 0B3B) and disabled it. I then checked the call right after it (JSR 0A3C) and check to make sure a 0027 (for I/O error) was returned after the read. So disabling both calls results in a deprotected version of World Geography.

1. Make copies of both World Geography disks

<u>Blk</u>	Byte(s)	<u>From</u>	To
\$68	\$F5	20 3B 0B	AD 3B 0B
P - 44	\$F8	90 05	80 03
	\$FA	20 3C 0A	AD 3C 0A
124	\$FD	B0 23	EA 18
3. Wr	ite the bloc	k back to the o	
	an agus prith	and the second of	
Softk	ey for	an Arraitan Arraitan	a la Breachailte. Talàise
Softk	ey for	Xenocide	有限制的 2013年1日 1日前1日(1月18日 1月11日(1月18日)

en la companya de la	an el reserve de la superior de	and the second of the
Requirements:	المواد المقوافيون المراجع	e de l'estre de la
512K Apple IIgs		
3.5" disk copier	hand of the star	States - States
3.5" disk editor		
	100	

Xenocide is a good GS game with nice sound and above average playability. However the game has a few minor and one MAJOR drawbacks. First, the game becomes very repetitive and there is no save game feature so you must play it until you die or complete it (it took me about 3 hours). After 3 hours of playing the game (with the cheats of course!), I found the winning title display a bit disappointing for the amount of work required to reach it. All these are minor problems compared to the outstanding, annoying problem (which prompts me to write this article) and that is its copy protection (CP).

Among other things, I was told that I couldn't remove the CP due to it's 50 checks and it is so tricky that you think you have the krack but later in the game it fails. This was as good a reason as any to krack the program! To steal a phase: "Let's get busy"

The protection is as follows: When the CP routine is called it will do the following: First, it scans for the smartport ID bytes and when found calculates the smartport dispatch address. It then stores this address in an extended STATUS and extended READ call routine. Then the program uses FWEntry (FirmWare Entry) tool call (tool call #2403) to make the calls. The CP reads all data in starting at 01/2000.

When the status call is made, it checks the DIB (Device Information Block) by comparing 01/2016 to 01 and 01/2017 to C0 to make sure you are using an Apple 3.5" disk (The CP, as written, is not compatible with the 3.5" Unidisk. This is ignorant programing as the Unidisk does support READ and extended READ commands. Unidisk support is yet another reason for deprotecting the program and "our" COMPUTIST magazine). The extended READ routine would read \$C bytes into 01/2000 and then compare 01/ 200A to 08, this would only pass on the original. The CP routine is trying to read the Mac "tag bytes" for Block \$4E1. Using Copy 2+, v8+ in the 3.5" sector editor, load in block \$4E1 off an original and you'll see the the eleventh byte of the "TAGS" row is 08. The CP is not very effective, as Copy2+, v8+ will make a working copy EV-ERY time using the standard sector copy. By the way: Due to this reason and the low level formats of 800k Mac and Apple 3.5" disks you can also use Copy 2+ on your GS to make copies of Mac disks.

article) I was able to play the whole game to the Li end three times and I found no problems what so ever, so this one is done.

Note: There are at least TWO versions of Xenocide released by the MR and most likely more. I'll show the edits for the two versions I have actually seen. The way to tell them apart are:

Version "A": 128 blocks, Dated 23-JUL-89 11:35 64996 bytes long.

Version "B": 129 blocks, Dated 13-APR-8919:18 65085 bytes long.

Use the CATALOG command (or Copy][+ catalog with file length) and check under the created column.

Micro Revelations says this is a Key Disk copy protection, to which I say, Key Disk means you only need to have the original in the drive after the initial load and it's checked once. At that time, you may remove it and store it away until the next time you want to run the program. This copy protection is NOT like that, so it's a very annoying copy protection and NOT a key disk system. Finally, I was told (via third person) that Micro Revelations will send an unprotected version of Xenocide to registered owners on request.

1. Make a copy of the Xenocide game disk

2. Make the following edits to a COPY (by version):

Blk	Byte(s)	From	<u>To</u>
\$7	\$150	22 6F 09 00	AF 6F 09 00
14.1.1	\$154	90 OC	80 0A
이 같은 사내	\$156	22 6F 09 00	AF 6F 09 00
	\$15A	90.06	80 04
	\$15C	22 81 1D 00	AF 81 1D 00
	\$160	80 EE	EA 18
\$44	\$E2	00 00	46 1E
	\$E7	A9 00 00	A9 46 1E
\$45	\$B	22 6F 09 00	AF 6F 09 00
	\$F	90 OC	80 0A
Al	\$11	22 04 00 00	AF 04 00 00
9.00	\$15	90.06	80 04
	\$17	22 81 1D 00	AF 81 1D 00
	\$1B	80 EE	EA 18
\$4B	15F	F0 01 60	EA EA EA
\$62	\$172	22 04 00 00	AF 04 00 00
	\$176	90 OC	80 OA
1917 - 2	\$178	22 04 00 00	AF 04 00 00
	\$17C	90.06	80 04
	\$17E	22 81 1D 00	AF 81 1D 00
1.1	\$182	80 EE	EA 18
\$6A	\$17C	D0 27	EA EA
\$63D	\$65	8F 06 00 00	AF 06 00 00

For version B:

Blk	Byte(s)	From	To
\$8	\$155	22 72 09 00	
	\$159	90 OC	80 OA
	\$15B	22 72 09 00	AF 72 09 00
dis - 1	\$15F	90 06	80 04
	\$161	22 8B 1D 00	AF 8B 1D 00
	\$165	80 EE	EA 18
\$44	\$FC	00 00	46 1E
	\$101	A9 00 00	A9 46 1E
\$45	\$25	22 72 09 00	AF 72 09 00
	\$29	90 OC	80 0A
	\$2B	22 04 00 00	AF 04 00 00
	\$2F	90.06	80 04
	\$31	22 8B 1D 00	AF 8B 1D 00
	\$35	80 EE	EA 18
\$4B	\$179	F0 01 60	EA EA EA
\$5F	\$18C	22 04 00 00	AF 04 00 00
	\$190	90 OC	80 OA
	\$192	22 04 00 00	AF 04 00 00
	\$196	90.06	80 04
	\$198	22 8B 1D 00	AF 8B 1D 00
	\$19C	80 EE	EA 18
\$67	\$1B4	D0 27	EA EA
\$634	\$9D	8F 06 00 00	AF 06 00 00
2 117 .		1 1	

3. Write the blocks back to the copy

Upload the game to your hard disk. Enjoy the absence of the copy protection!

That removes all the calls to the copy protection and sets the only flag (62DB; 0006 on the disk) to the correct value of 1E46. The two sections of code that scramble 62DB (the A9 00 00 8F 06 00 00), has been changed to either store the correct value or to load the value instead of storing it. The edits also force the check of the flag to pass no matter what value the flag has. Once again after the these edits are made you may upload the program to your hard drive and keep your original (and deprotected copies) in a safe place and never have to insert them in the 3.5" drive to play the game. So much for NOT BEING ABLE to krack Xenocide. Thanks to John M. Intondi for helping me with the block/ byte locations for version B of Xenocide.

Lasers	\$108C	CE 84 0E	AD 84 0E	3
	\$1148	CE 84 0E	AD 84 0E	
Grenades	\$1097	CE 82 0E	AD 82 0E	3
	\$1111	CE 82 0E	AD 82 0E	
For version	B:			
Men	\$4DF	CE 1C 00	AD 1C 00	1
Fuel	\$1774	CE 99 15	AD 99 15	1
Shields	\$17B0	8D 9F 15	AD 9F 15	3
Missiles	\$52A2	8D B6 51	AD B6 51	2
Fireballs	\$5270	8D B4 51	AD B4 51	2
Nuclear Mis.	\$52F9	CE B8 51	AD B8 51	2
Lasers	\$1096	CE 8E 0E	AD 8E 0E	3
	\$1152	CE 8E 0E	AD 8E 0E	
Grenades .	\$10A1	CE 8C 0E	AD 8C 0E	3
	\$1160	CE 8C 0E	AD 8C 0E	

Note 1: Applies for the entire game

Note 2: Applies ONLY for the Hovercraft level

Note 3: Applies ONLY for the Cave & Biolab levels

Dave Gof	<u>iorth</u>	2.5	-	<u>WA</u>

A BUG in Copy II Plus ver 9.0

"WARNING Volume NAME may be damaged. Please move data to another disk."

Have you seen a message similar to this lately? Have you recently purchased or used COPYIIPLUS ver 9.0? If you answered yes to both of these questions, then the first is the result of the second. COPYIIPLUS ver 9.0 has a bug in the sort routine. After sorting the main or ANY subdirectory, the program pointers are not updated and are no longer valid. This seems to only appear when using the finder, other program launchers (at least PRODOS direct commands, and Squirt) don't seem to notice this discrepancy. If you copy the file to another disk, the problem copies with it.

Hopefully you didn't use this on your hard drive as I did and completely backed up the hard disk, reformatted, and restored all the files to find that the problem still exists.

I called Central Point Software to let them know what I found. They returned my call the following day and said that they could not duplicate the problem. Since I knew there was a definite problem, I continued the investigation using other machines and other copies of ver 9.0 (to ensure that my copy was not the only one at fault). On ALL of the initial tests everything WORKED! My hardware at fault? No, I could make it fail every time no matter how I configured the system. Computer bad? No, everything else worked fine. What was I doing different than everyone else?

After two days of testing, retesting, and double checking both on my system and others, I could now make the disk work, bomb, and even unbootable, and just as easily repair it again on ANY system. The problem? CHEMISTRY! A combination of using the sort routine in Copy II Plus, Bird's Better Bye, and GS/OS will result in disaster (especially for a hard disk). I have my system configured as follows:

1. Patched ProDOS with Bird's Better Bye. This quickly launches my backup utilities and exits to a selector menu. This way I can quickly boot up, run any ProDOS 8 program and exit - no waiting for GS/OS's finder to load (especially if I don't need it).

2. I've renamed ProDOS from the GS/OS system disk to GSOS. If I do want to use GS/OS's finder, I select GSOS from the menu and (wait) now the desktop is displayed and I can use ProDOS 16 files.

The Beginning of Tragedy

GS/OS, NORMALLY does not care about parent pointers, but if launched from Bird's Better Bye menu selector, it now cares a great deal and all it needs to detonate is for ANY folder to be moved within ANY directory (or subdirectory) by Copy II Plus's sort routine and the message "Volume VOLUME.NAME may be damaged. Please move data to another volume. <UK>" will appear. If the SYSTEM folder (or any of its subdirectories) have been relocated, the disk will display this message three times then "Sorry, system error \$0051 occurred while loading the ??????? files. <RESTART>" and the disk will be unbootable if GS/OS is launched with Bird's Better Bye.

<u>Blk</u>	Byte(s)	From	<u>To</u>
\$169	\$19B-19E	22 E3 C4 03	AF E3 C4 03
	\$1F3-1F6	22 E3 C4 03	AF E3 C4 03
\$191	\$1D8-1DB	22 E3 C4 03	AF E3 C4 03
\$199	\$125-128	F0 16	80 16

3. Write the blocks back to the copy

Store the original in a safe place. Try not to get caught by the cops when you speed!

The edit on block \$199 disables the routine that makes sure the master ID bytes match the gameplay disk's ID bytes.

Softkey for ...

Where in the World is Carmen Sandiego GS v1.0

Broderbund

Requirements: 512K Apple IIgs 3.5" disk copier 3.5" disk editor

Where in the World is Carmen Sandiego has been released in a full GS format by Broderbund. And, of course, is copy protected. The routine is much like those found on Geometry v1.0 also by Broderbund. To find the copy protection search your disk for A2 20 A0 01. Back tracing the

If all the calls pass, 02/62DB would be set to 1E46 and this is checked later in the game (REMEMBER to capture the flag). Also there are checks to see if you placed a RTL at the beginning of the disk read and the "Insert Master " routines.

The following edits will completely remove the CP and allow you to upload the game to your hard drive WITHOUT having to have the 3.5" disk in the drive at all times like the original requires you to. As an added bonus, the game now works just fine from a 3.5" Unidisk (I booted and played the game from a GS with a Unidisk). The reason Xenocide will now accept the use of a Unidisk is the program uses normal ProDOS calls (other than the CP) during the game.

Using cheats (provided at the end of this

Advanced Playing Technique for ... Xenocide

Micro Revelations

Requirements:

a block editor with follow file function (Block Warden from ProSEL)

Apply ONLY to a backup copy. Use Block Warden and [F]ollow /XENOCIDE/ XENO.SYS16

<u>Unlimited</u>	REL byte	From	To No	otes
For version	A:			
Men	\$4DA	CE 17 00	AD 17 00	1
Fuel	\$176A	CE 8F 15	AD 8F 15	1
Shields	\$17A6	8D 95 15	AD 95 15	3
Missiles	\$5298	8D AC 51	AD AC 51	2
Fireballs	\$5266	8D AA 51	AD AA 51	2
Nuclear Mis.	\$52EF	CE AE 51	AD AE 51	2

Fixing the Disk

There are three known ways to fix the disk back to perfect condition.

1. Rename the patched ProDOS (with Bird's Better Bye) to ProDOS.Bye (or anything you like) and rename GSOS to ProDOS. Reboot this disk (it MUST contain the GS/OS operating system with all system folders and icons), open the disk to display it's contents (OPEN from the file commands or click the disk twice), then close the disk's window (CLOSE from the file commands or click on the upper left box of the disk's window), and drag the disk to the trashcan to eject it. ALL parent pointers are now correct (even those buried in subdirectories). NOTE: This method will ONLY work on the boot disk. If you insert another disk, open, close, and eject it, that disk will NOT be fixed, even if it's a system disk. It MUST be the booted disk. Since the disk within a hard drive cannot be ejected, this will not work on a hard disk.

COMPUTIST

2. The EASIEST and FASTEST way to correct (fix) any disk (including hard drives) is to use Procel's Mr. Fixit, Quality Software's Bag of Trix 2, or any other disk utility that can check and correct parent pointers. Both of the above mentioned programs have been tested and work fine.

3. The third, and probably the most difficult, is to use Copy II Plus's sort routine and put the directories back in their original sequence. Did you write down or print out the catalog before reorganizing or do you have a photographic memory, no? If you can't use step 2, hopefully the disk is bootable and you can use step 1.

Final notes: This problem will usually never appear for most people, since it requires that GS/ OS be launched after Bird's Better Bye has been run. If you REBOOT GS/OS or use any other program launcher/selector exclusively, then you'll probably never know that Copy II Plus's ver 9.0 sort routine has not updated your directory parent pointers and everything will work fine (unless your application specifically looks at them; and most don't).

To Rich Linville: Use AMDOS if you need DOS 3.3 on a 3.5" disk.

To Ann Onymous: I can transfer IBM files to Apple DOS, so go ahead and send your material to COMPUTIST on IBM disks.

<u>The Dark Phoenix</u>

Well, to put it plain and simple, after receiving issue #66 I was shocked! I would never have guessed that a magazine as good as COMPUTIST only had about 4000 subscribers, so that means that about 3,000 are faithful renewers, that's puzzling.

Now that I'm done kissing up, I can tell you what I propose. I like to think of it as taking the ice cream and cake in one bite. As much as a hate to say this, I believe that the first step is going to the tabloid format, I personally HATE the tabloid format, but its cost-effective. Second, I would go to a two-week publication rate (gradually) and have subscription renewals at 6-12 months. Then I would raise the price \$1. That's not so bad and you would probably only lose about 50 subscribers. Then I would see what I could do about getting in book stores and computer stores (hardware of course) and supermarkets. I never even heard of such a magazine until a friend told me about it! Which goes to show you how hard it is to find COMPUTIST. Fourth, (IF NEEDED!) do away with the mac section all together and make more room for editors comments, reviews, etc. Look at InCider, that's all it is and it has a HUGE subscriber list.

If you can avoid it at all, please don't keep going on the tabloid format, its so annoying, not to mention unprofessional looking.

I liked your idea of giving brownie points to all people who bring new subscribers, but I also think that it would be a good idea to have a raffle every three months for a piece of hardware (modems, hard drives, memory cards, enhancements, etc.) and every new subscriber you bring in you get one entry ticked into the raffle, the result = the more new subscribers you get, the better chance you have of winning! or you could do a 1\$ an entry raffle, non profit of course, and make it open ONLY to subscribers, that would be a catch that sure to bring in 400-500 new ones each year.

The fact that COMPUTIST remains unadvertised is a fault that is loosing COMPUTIST thousands of subscribers. If COMPUTIST were to just send fliers around, to the many who have accidentally destroyed originals, they would have many a new subscriber.

I also believe that if COMPUTIST got more in-depth on HOW to find a sector error and correct it, there would be many new subscribers, because beginners are interested in HOW not WHAT to do! (take it from a professional beginner). I believe that a contest, to see who can explain this would be the best way to pursue this! Have a most wanted (speaking of which, if anyone knows the softkey to Deathlord, I need it

If any one out there knows why that a program backed up with Wild Card will not run on a Laser 128 please help!

WI

Ron Powers

D For Edward Teach (or others): I am having trouble cracking 2 programs. One is Design Your Own Home:Landscape, by Abracadata, I have tried all procedures listed for this one in past issues, but none will even copy my version of the disk. The other program is Success With Reading, by Scholastic.

 My other question regards a graphics
 program called Super Print!, by Scholastic. Thanks to Computist, I have successfully cracked this one. The program allows the printing of graphics in several sizes. However, the 5 ft. tall graphics are separated into a file called "Posters." The problem is that there is a very limited supply of these large-sized graphics with the program. Is there anyone out there who knows how to convert the regular-sized graphics into poster (super) sized?

Here are three softkeys that I was able to perform with the help of past articles dealing with these same publishers:

Softkey for ... **Boppie's Great Word Chase** DLM

Requirements:

UT

A way to reset into the monitor Super IOB 1.5 with Newswap Controller

1. Capture the program's RWTS

2. Install the Newswap Controller and run Super IOB

3. A fast DOS may be installed

Softkey for ...

Surveys Unlimited Learning Well

1. Poke out end checks and use COPYA to copy the disk.

POKE 47426,24 **RUN COPYA**

2. Transfer files to a DOS 3.3 or Fast DOS disk.

Softkey for ...

Campaign Math

Mindscape

I followed Jack Moravetz's softkey for Ace Reporter, on p. 19 of COMPUTIST #64: 1. Copy with any copier that ignores errors.

2. Make the following sector edit:

3	<u>Irk</u> \$01		<u>Byte(s)</u> \$00	Erom A2	<u>To</u> 60	
3	φυι	φui	φου	<u>Γ</u>		
3	Ke	ith	1			WA

Softkey for ...

Superprint v1.2

Scholastic

Requirements: Apple IIgs with 2.x ROM upgrade Two ProDOS formatted disks BASIC.SYSTEM from a ProDOS master disk Copy II Plus or any ProDOS file copier

Although Superprint has been cracked in several previous articles, the version I have was not readable by COPYA. When I booted the original disk, the ProDOS credits were displayed, so I decided to catalog the disk and see what the files were. However, when I tried to catalog with Copy II Plus, the program gave me "error reading track 11," an error that one usually gets from DOS disks, not ProDOS disks. This would mean that the program when it first boots (track 0) fools Copy II plus into thinking that it runs under DOS rather than ProDOS. Another way to say this is that Scholastic has used a short DOS-like program to boot the disk, then loads ProDOS and the catalog directory. Since they are not in the normal places on the disk, Copy II Plus doesn't see them. The one other clue I had was that I made a backup using the autocopy feature and Superprint parameters on Copy II Plus v8.3. Although this made a working copy, I got a few that did not work. The program would boot, then reboot almost immediately, and continued to do this endlessly. All this occured before the ProDOS screen appeared. This meant that a signature check was being done, and that it appeared before the ProDOS was loaded. With all these assumptions, I set out to crack the protection. I decided to try the system used by Dan Halfwit for Pirates and Pirates GS that appeared in Computist 61 (an excellent pair of articles). After setting "visit monitor", I booted the original Superprint disk, and quickly went to monitor. This allowed their DOS startup to load and run the signature check. I then scanned for the Jump to \$2000 that had been loaded, and replaced it with a jump to monitor. This gives you a stopping point in the program before it begins to run ProDOS, since the beginning point of ProDOS is always at \$2000. I then left the monitor, let the rest of ProDOS load, and then the program jumped back into the monitor because of the stop I had placed above. I then loaded BASIC.SYSTEM as described below (BASIC.SYSTEM will be renamed SP.SYSTEM, but for this discussion I will continue to call it BASIC.SYSTEM). With ProDOS and BASIC.SYSTEM in place, you should now be able to catalog the original Superprint disk. The catalog directory was loaded with ProDOS, and when you are all done, if you look at the Superprint files, you will see one called "disk.info". This contains the directory information.

To copy the files, I next loaded Copy II Plus using the ProDOS smart command. This is done using -UTIL.SYSTEM. This gives you the familiar Copy II Plus menu and you use the "copy files" to copy ALL the files, including ProDOS. You can copy from drive 1 to 2, from 5.25 to 3.5, or from 5.25 to RAM (slot 5, drive 2 on CopyII plus), then later from RAM to a 5.25 or 3.5 disk. Using the RAM is useful if you only have a single 5.25 disk drive, but you have to know how to go into the control panel and set your RAM. (To do this, go to the control panel OA-CNTL-ESC, select RAM DISK, and set the maximum ram to 832K, and leave the minimum to 0K.)

I did not need to do any block edits like Dan Halfwit did, because the protection on this disk is part of the DOS load program, and the above system doesn't copy the jump to the protection system.

Cookbook

1. Format in ProDOS both your blank disks using CopyII Plus, and use the volume name SUPER.PRINT. Put one copy aside. With the other one, use CopyII Plus File Copy to copy BASIC.SYSTEM to the disk. When this is completed, then go to the RENAME feature on CopyII Plus, and rename the volume to SP.SYSTEM. Label this disk to distinguish it from the one without SP.SYSTEM. You can find a copy of BASIC.SYSTEM on your ProDOS users disk, and on a lot of software programs. I have made a special disk which has the current version of ProDOS and of BASIC.SYSTEM on it, so that they are easily available to file copy onto my disks.

2. Now set up your IIGS. To get into the monitor, boot up the computer (you don't need a disk in place), then hit OA-CNTL-ESC once or twice fairly soon after the startup, and you will see the Basic prompt. If you miss, try again since this always works. Then type CALL -151, which takes you to the monitor, type a # sign, and hit RETURN. This installs the visit monitor CDA. Now put your Superprint original into the disk drive (be safe and have it write-protected).

Type in C600G at the monitor prompt to boot the disk. Very shortly after the disk starts (one or two clicks), press OA-CNTL-ESC and this will take you to the control panel. This step is one place where errors can occur. If you do it too soon, then the DOS boot and signature check don't get done. If you do it too late, too much ProDOS gets loaded and the program runs. This is not a fatal error, it just means that you may have to try this step several times. Once the ProDOS screen appears on your computer, you know that you are too late. You can tell if you are too early in a subsequent step that I'll mention. If you have to retry, just reboot with OA-CTRL-RESET, rather than go back to the monitor and typing C600G.

3. You are now at a menu. Select Visit Monitor, and hit return. You will see the monitor prompt. You now need to scan for the bytes which tell the program to jump to ProDOS (JMP 2000, which is 4C 00 20). Enter 4C 00 20 <800.1FFFP and hit RETURN. On the screen vou will see 00/08FC:. This is the location that the string starts at. If you type 08FCL then hit RETURN, you will get a listing of the bytes. At 08FC you should see 4C 00 20. (Note that the reason you did the scan is to find the location. You might have something different than 08FC, and should use whatever your scan gives you). Replace the 4C 00 20 with 4C 69 FF which will cause it to jump to the monitor rather than Pro-DOS. To make the replacement, type 08FC:4C 69 FF, then hit RETURN. Now hit CNTL-Y and RETURN. The program will go a little further, then a monitor sign will appear. What it is doing is finishing the loading of ProDOS and the directory file, then it wants to jump to ProDOS to run the program, but instead jumps to the monitor because of the bytes we changed. 4. You now have the ProDOS and directory loaded. To be able to catalog and load CopyII Plus, you need to load the BASIC.SYSTEM. When ProDOS runs, it will load the first file whose name has .SYSTEM. At this point take out your Superprint original, and insert the ProDOS disk you made that has BASIC.SYSTEM on it(you renamed it to SP.SYSTEM). Type 2000G which will start the program running at ProDOS. This will load the BASIC.SYSTEM, and shortly thereafter you will see the basic prompt]. 5. At this point you get to see if you did everything right. Take the disk out and insert the Superprint original. Type CATALOG, hit RE-TURN and you should see a list of files scroll by. If this works, then smile. If not, then you need to go back to step 2, where you boot the Superprint disk (you do not need to do the # again).

yII Plus disk in the drive, type -UTIL.SYSTEM, hit RETURN. This loads the program, and you will see the familiar CopyII Plus menu. Take out the disk, and insert your Superprint original. Select COPY, then FILES. The source is Slot 6, Drive 1. The target is Slot 6, Drive 1 or Slot 5, Drive 2, if you only have one 5.25 drive (I prefer that latter, which copies to the RAM as discussed above). It is easier for the beginner to copy to Slot 6, Drive 2 if they have two 5.25 drives, or use Slot 5, Drive 1 to copy it to a 3.5 drive (you can always copy from the 3.5 to 5.25 later if you want). At this point all the Superprint files should be visible. Select all the files. You will see the first file highlighted. Hit the RETURN key and the number 1 appears next to it. Hit the arrow key to go down to the next file, hit RETURN and the number 2 appears next to the second file. Repeat this until all the files are selected. At this point the Superprint original should be in the source drive. The second ProDOS disk that you formatted with and named SUPER.PRINT should be in the target drive (this disk is the one that does not have BASIC.SYSTEM on it). Type G, and the copying should begin. Go have a cup of coffee, since this part takes a few minutes.

7. When the copying is done, you should now have a working copy. The protection is removed. CopyII Plus can catalog it, and make copies using the regular disk fast copy procedure. Put your original in a safe place.

8. The back side of the original, and both sides of the other disks can be copied using CopyII Plus and the disk copy program. They are not protected.

② Issue 65 contained several excellent articles on converting the ProDOS word processor files to DOS. How about putting these articles on a disk for new subscribers, so they will find it easier to make contributions.

It really isn't necessary to convert Pro-DOS word processor files to a DOS format. Just send what you have and write on the disk what program you used. We'll do the conversion here.RDEXed

② I am impressed when articles contain long printouts of code that are annotated. How can I capture code the same way for my articles? I'd hate to have to type it all manually.

To Ed Teach, Brian Troha, or one of you other great hackers; How about an article on COPYA and what types of protection are used to keep it from reading a disk. Many of the new disks cause the "unable to read" error to appear when using COPYA, even when DOS is altered to ignore errors, including prologs, etc. What is done to make the disk unreadable, and what changes can be made to make it readable.

Enclosed is my membership for the Computist Club. I like the idea for giving people a chance to win free software. The thing I don't like is that I will have to wait longer between each issue. For those of us who live by a sense of order, perhaps you can publish a list of anticipated mailing dates so that we can know generally when to expect the newsletter (give or take a few weeks <grin>).

Also for those of us who send in a disk, getting back a Computist disk is not always that attractive. Perhaps an alternative would be too include Public domain software or Shareware. You could list disks in the magazine or just surprise us (I think a choice would be nicer). Things which could be included are the monthly disk from Applelink, or things such as fonts, games, and graphics. For members who do not have a modem, they could find this attractive, and you could get the software without much expense. If you need help finding stuff, let me know.

I also have a question regarding the proposed Computist bulletin board. The idea is a good one, but it should take the costs of telephone connections into consideration. Would it be less costly to work through Genie or Applelink or Compuserve? If these phone costs are too high, then the members will not use the bulletin board very much.

VOUT A dvertising, I had seen it several times before finally taking a fling. I thought the newsletter was a fly-by-night thing that either would not last, or would be too hard too use. Your ads need to emphasize ease of use, how long you have existed (I was surprised when I joined), and perhaps list the names of some recent deprotects that have been published of "big hits." You might even include a free single subscription to people to let them see how good the newsletter is.

badly, my original is getting trashed) softkey, and a contest on who can de-protect it, not only the fastest, but the most in-depth. have the beginner readers write in and cast their votes.

Carl D. Purdy

First let me say that I enjoy and look forward to each and every issue of Computist each month or every six weeks now. Enclosed please find my subscription to the Computist Club. I think that is a GREAT idea. I know that I have questions that could be answered on a board much faster than in the mag at times. Keep up the good work.

MT

I would like you to place some things on the Most Wanted List. They are Where in the World is Carmen Sandiego. I know that there is a softkey in an earlier issue but it doesn't work on all of my computers. The keyed program will boot and run on my oldest IIe (with mother board A) but will not boot and run on my newer IIe (mother board B) nor will it run on a Laser 128. Could someone out there help me. Another program I would like to unlock or otherwise back up is Keyboarding Klass by Mastery Development. It is on a PRO-DOS like disk called PAJDOS. I can get a catalogable disk (from PRODOS) but none of the files will run. Finally I would like a softkey for Gertrude's Puzzles.

6. Now you load CopyII Plus. Put your Cop-

Softkey for ...

Magic Spells Learning Company

I was having a devil of a time as I had tried all of the softkeys in Computist without success. It turns out that the softkey is really quite simple. Back up the disk with Advanced COPYA. then get into PRODOS. Load the Startup program. Eliminate the two CALLs from the ends of lines 45 and 61. That is all there is to it. This is another bit of help that I received from a friend, Otis Thompson down in Dillon, Montana.

Stephen M. Caraco MA

I need help copying Arkanoid by Taito. The very first thing I do when I get a new game

(before I even THINK of playing it) is to catalog the disk to get an idea of what types of files are on it, the operating system, how much of the disk is full, etc. The next thing I do is to just make a straight copy of the disk, and boot it up, waiting very impatiently for the disk to crash. If it boots fine, I know I've saved hours of work. If it doesn't, I try to figure out the method of protection. Well, I've come across a tough protection scheme-this one is by Taito Software. The disk is Arkanoid.

When I first booted the copy, it seemed to boot fine. Then, it asked me to insert a key disk and press any key to continue. Although I know in my subconscious that it would never work, I tried pressing return a few times hoping that the program will give up asking after a few times. What did I have to lose? My patience. This is where it all began.

The next thing I did was to break out my Copy II Plus, version 8.4. I was shocked to very easily find the text "PLEASE INSERT THE AR-KANOID KEY DISK INTO A DRIVE AND PRESS A KEY" using the sector editor and searching for text. This text can be found spread out over blocks \$024A and \$024B. With other games, such as BUBBLE GHOST (whose key text is "WHAT LEVEL IS THIS?"), searching for the key text is impossible. So this is where I continued to work on the disk.

Since I am not as familiar with copy protection as some people seem to be, I am now lost. I did try NOPing out some of the jumps on that track, and changing a few 80's to F0's at random, but nothing seems to work. I've changed various things, one at a time, and nothing works. Just before I gave up, I found the text NOTICE: (which appears in the box that asks you to insert the key disk) on block \$0249. I found a jump (20 1C 11) immediately before this, and NOPed it out, and all this seemed to do was keep the text from appearing in the box. However, the program still crashed, beeped, and I couldn't play the game!

I do know enough about copy protection to know that there is only a simple byte change that will disable the key disk check on the AR-KANOID game. I just can't seem to find it! Perhaps I am looking in the wrong place

With this, I looked through each block of the entire disk, one at a time. As I approached blocks \$0291-\$0292, I came across the text ...BUT ONLY TO BETRAPPED IN SPACE, WARPED BY SOMEONE...SOMEONE AS DEVIOUS AND WARPED AS A SOFTWARE PIRATE. IT'S GOING TO BE A LONG NIGHT DUDE. A REAL PIRATE WOULD ADD HIS OWN MESSAGES INSTEAD OF VANDALIZING THESE DIMENSION-CONTROLLING FORT. This doesn't make much sense, but perhaps the protection is located somewhere on these two blocks.

I've just about given up. I hope this information will prompt someone with a copy of this great game to figure out the softkey for it. Oh, by the way ... I was able to easily get into the control panel and use the VISIT MONITOR desk accessory immediately after being asked to insert the key disk. The only problem is, I have absolutely no idea what any of the stuff means when I use the VISIT MONITOR accessory!

Somebody, please help. I would give anything to be able to copy this game.

Softkey for ...

California Games GS

Epyx

The softkey in COMPUTIST #64 (page 37) did not work for me. But this simple, one-byte change made my California Games copyable both onto a hard disk, and bootable from a RAMdisk! Here's the simple change:

	<u>From To</u> ? 80
--	------------------------

⑦ Now I have a question for all you hackers out there: How in the H*LL do you figure out which JSR's and JMP's to change KIIIR a disk? It seems a little too simple the way you describe it in your softkeys. I'd like to know how you know which ones have to do with the protection, and how you know what to change them to! If someone out there is reading this, please publish a checklist for IIgs software which could give me a list of HEX strings to search for on a typical GS game, what they mean, how to find them, and how to change them. I do know a FEW already, but they don't seem to help. For example, I know that on 5.25" disks 4C 00 C6 means to REBOOT. I'd like to know some standard strings on GS software, and what they mean. I definitely believe that deprotecting a disk (or at least trying to) is much more fun than playing the actual game! Well, have fun. I'm sure I'll think of a thousand more questions as soon as I put this in the mailbox.

COPYA-able version. The problem is that I still can't save text files to my 3 1/2 inch drive even when I use a modified Dos 3.3 to format my diskette (IE.; Profix, UniDOS). It appears that Screenwriter uses a modified RWTS routine of it's own to save files. A small insight into the problem appeared in issue 36 when it was described how to use Screenwriter with the Flashcard. Reference was made that Screenwriter would work with a normal Dos 3.3 RWTS but no description was elaborated on.

I would appreciate hearing from anyone who could help....Thanks.

<u>Marc Batchelor</u>

I thought I'd better pass along some softkeys I have been working on for a while. Since my teacher friend was unable to make reliable backup copies with his bit-copiers, I was called in to remove the protections. It is truly sad that the software manufacturers do not make unprotected copies for teachers to use in the classroom. There are only about two dozen ways that a seven yearold can abuse an original disk (excluding creativity with a hole-punch). That ends up to be costly to the school district. Therefore, I developed these softkeys.

Softkey for ...

Ten Clues **High Wire Logic Botanical Gardens** A Science Experiment Tip 'N Flip **Gnee Or Not Gnee**

Sunburst Software

Requirements:

A way to reset into the monitor Demuffin Plus

Sunburst Software uses a highly modified RWTS. However, armed with Demuffin Plus, breaking them is a snap.

- Format as many blank disks as you have 1. originals.
- 2. Bload Demuffin Plus at \$6000.
- 3. Boot any one of the DOS 3.3 series listed above and use a NMI card or similar way into the monitor. (I use the Senior Prom).

4. Put Demuffin Plus where it belongs.

803<6000.8103M

5. Start Demuffin Plus 803G

6. Select convert files, and follow the prompts.

Softkey for ... Award Maker Plus

Baudville

For Award Maker Plus, I found the crack to be a two byte change to the code on track \$00 sector \$05 bytes \$FA-FB. Edward Teach's crack was to change these bytes to A9 00. On my version, the code following that change toggles the language card to \$C080,X after the A register was transferred to the X register (TAX). With #\$00 transfered from the accumulator to the 'X' register this would result in LDA \$C080,0 or just \$C080. This has the net result of write-protecting the language card. Since the printer driver is loaded into the language card (around \$FF00 I think) the program crashes into the monitor as soon as the printer driver was accessed (because the program attempted to load the driver into write-protected RAM). Knowing this, I used Edward Teach's logic (thanks Edward) and changed his crack to A9 01 (instead of A9 00). This allows the driver to be loaded into the RAM card and function normally. I have printed out many certificates using the copy. It functions as well as the original. Please note that this is for my version so I'm not discrediting Edward Teach's crack. If you are

side benefit of a faster booting disk (no disk 2560: 80 57 check) and a deprotected copy!

1. Boot your DOS 3.3 system disk. 2. Tell DOS to ignore checksum and epilor and use COPYA to copy the disk.

POKE 47426,24 **RUN COPYA**

3. Run your sector editor with search capa and search for 20 00 BF 90 03. Chang EA EA 90 03.

4. Write the sector back to disk.

5. (Optional) - Format original and copy siz program is worthless.

Softkey for ...

FL

Story Tree

Scholastic Software

Requirements:

A way to capture altered RWTS

SUPER IOB SWAP controller

This program looked like it was going easy to crack, but it had a single surprise. altered RWTS as their sole protection. The is not as simple as capturing the RWTS, usi SWAP controller and using your own however, because it crashes into the monithe menu. After examining the originals RWTS, Scholastic decided to be cute by putting a RTS at a known location and CALLing it from all the BASIC programs. At first I thought of removing all of the calls. However, I deemed it easier to POKE an RTS to that location at the beginning of the HELLO program (SETUP) instead of trying to locate all of the CALLs.

- 1. Capture the program's RWTS using whatever means available.
- 2. Use SUPER IOB SWAP controller to copy the disk to a normal format.
- 3. Put your own DOS on the disk.
- 4. Load the program SETUP and add a line at the beginning. LOAD SETUP

5 POKE 46784,96

5. Save the program back out to the disk. SAVE SETUP.

That's all on this one.

Softkey for ...

Body In Focus Mindscape

Requirements:

A way to capture altered RWTS SUPER IOB

File copier Formatted disks

This one is easy. The only protection is a modified RWTS.

- 1. Capture the programs RWTS using any means available. 2. Use SUPER IOB SWAP controller to copy the
- disks to a normal format.
- Use any file copier to copy the files off of the copies onto DOS 3.3 formatted disks. Done.

Softkey for ...

VCR Companion

Broderbund Software

Requirements: СОРУА

Disk editor and searcher

This disk uses a modified ProDOS (shame shame). It also uses a disk and memory verification routine that resides in memory beginning at \$2520. The routines are in the system file VCRC.SYSTEM. Copying the disk is not a large task since it only involves making a change to DOS 3.3 to ignore errors and running COPYA. The resulting copy will not run. Using my Senior Prom, I found the routines. My first attempt was NOP all branches to the spoiler routines. This worked well, but the disk was still being checked (although the outcome did not matter). After examining the routines, I found a way to circumvent the bizarre disk routines and just load the software. Here are some excerpts from the routines: 2512: 38

(no disk	2560: 80 57	BCS	\$25B9	Crash if error
	2562: A5 F1		\$F1	Check for special flag
	2564: C9 07		#\$ 07	
og errors	2566: D0 F1	BNE		If no flag, try disk check again
	256A: BD 8C C	D LDA	C08C,X	Another Disk Check
.1 .1	25AB: BD 8C CO	D LDA	\$C08C.)	X
abilities	25AE: 10 FB	BPL	\$25AB	
ge to 18	2580: D1 D6	CMP	(SF6) Y	
	25B2: D0 05	BNE	\$2589	Crash if incorrect byte
				foundi
ince the	25B4: 88	DEY		
	25B5: 10 F4	BPL :	\$25AB	
	25B7: 30 03			If ok, branch around next
				ump
	25B9: 4C CC 25	JMP \$		
	25BC: A0 F0	LDY #	#\$F0 [Disk OK
	25BE: B9 00 02	LDA S	0200,Y	
	25C1: 99 00 00	STA S	50000,Y	
	25C4: C8			
	25C5: D0 F7	BNE \$	25BE	
	25C7: BD 88 C0	LDA S	C088.X	
	25CA: 18			
g to be	25CB: 60	RTS		
It uses	25CC: C6 F4			Nels is a second
e crack	25CE: F0 03		r+ L ว⊊⊓ว	lisk is a copy
ing the	25D0: 4C 55 25		2003	
DOS	25D3: 38		2000	
nitor at	25D4: 60	SEC		
331/700	2004.00	RTS		

BCS \$2500 Creat if any

Seeing the above, it can be figured what my first plan of attack was. I NOPed every branch I could find to \$2512 and \$25B9. I essentially allowed the program to play with the disk as much as it wanted and pass the check anyway. As it turned out, I had 33 sector edits at first, but it ran (so no insults, ok?). Revising my plan of attack, I changed the code at \$2520 (the start of the memory check) to 18 90 0F which clears the carry (CLC) and branches to \$2532. My second edit was starting at \$255B (start of disk verification) changing to A9 07 85 F1 18 90 5A. This translates to loading the accumulator with #\$07 and storing it at \$F1 (remember the flag?). I then clear the carry flag (CLC) and branch to the pass routine at the end (\$25BC). This bypasses the disk check AND forces the program to store essential bytes in memory.

1. Boot your DOS 3.3 system disk.

2. Tell DOS to ignore checksum and epilog errors and use COPYA to copy all sides of the VCR Companion disks. POKE 47426,24

RUN COPYA

- 3. Boot the disk searcher and search for 29 0F C9 04 D0 EC AA. Change the 29 0F C9 to 18 90 0F.
- 4. Search the same sector for F0 5C 20 DD 25 B0 57. Change to A9 07 85 F1 18 90 5A.
- 5. Write the sector back to the disk.
- 6. Copy a new version of ProDOS to this disk.

Softkey for ...

Sign Designer Channelmark

Requirements: SUPER IOB SWAP Altered RWTS (see below) Sector Editor with search capabilities

This Pascal based program gave me fits. In an attempt to figure out the protection, I might have stumbled upon a new form of laziness. Instead of taking the time to create a complex controller, I decided to create my own modified RWTS (if they can, why can't we?) and use the SWAP controller. Talk about lazy. Anyway, aside from altered address and data headers and tailers, there is no other protection. But, once the disk is converted to anormal format, it must be modified to accept normal headers and tailers. Here is how:

1. Move a copy of normal RWTS down to \$1900. 1900<B800.BFFFM

<u>John Ianzano</u>

I am a new Computist subscriber and have the following problem; I'm probably the last person in the United States who's still using a program called Screenwriter 2.2 and I want to save my text files on my 3 1/2 inch disk drive. I've used the softkey for Screenwriter which was published (issue #9 & 10) and now have a

uncertain, try both. Just to be on the safe side, print out several certificates in several configurations to be certain that the program does function properly.

 Irk
 Sct
 Byte(s)
 From

 \$00
 \$05
 \$FA-FB
 05 A5
 <u>Io</u> A9 01

Softkey for ...

NY

Tag Team Wrestling Data East

Requirements: COPYA Disk Searcher and Sector editor The first step in cracking this worthless game

is to copy it with COPYA modified to ignore DOS errors (B942:18). From there, I boot-code traced the program until I came upon this piece of code:

XXBE	20 00 BF	JSR	\$BF00	Disk check			
XXC1	90 03	BCC	\$XXC6				
XXC3	4C DB BE	JMP	\$BEDB	Crash			
XXC6			am Star				
To circumvent the protection and a st							

I'o circumvent the protection was as simple as changing the JSR to \$BF00 to clear the carry bit (CLC) and 2 no-operations (NOP). This had the

SEC Error Routine 2513: 60 RTS 2520: 29 OF AND #\$0F Check the accumulator 2522: C9 04 CMP #\$04 2524: D0 EC BNE \$2512 Goto error routine if not good. 2526: AA TAX

2527: BD 00 60 LDA \$6000,X Check Memory For Tampering

BEQ \$25B9 If \$F5 is zero, crash

252A: DD 18 25 CMP \$2518,X

BNE \$2512

BNE \$2527

DEC \$F5

255D: 20 DD 25 JSR \$25DD Disk Check Routine

DEX

252D: D0 E3

2530: D0 F5

2559: C6 F5

255B: F0 5C

252F: CA

2. Modify the heck out of it to read the modified disk:

19E7:AA 19F1:D5 19FC:EB 1A3E:AA 1A55:AA 1A5F:D5

1A6A:AB

1A91:DE 1A9B:AB

3. Save it as RWTS.SIGN. BSAVE RWTS.SIGN,A\$1900,L\$800

- 4. Run SUPER IOB with SWAP controller installed to copy the disk. Use the "Ignore unreadable sectors" patch to the SWAP con-troller since sector \$00 of track \$00 is in a normal format, but the rest of the disk is in a messed up format.
- 5. Boot up your sector editor and copy track \$00 sector \$00 from the original to the copy. Track \$00, sectors \$00, \$0C and \$0D all look for altered marks.
- <u>Sct</u> 00 Byte(s) From Τĸ IQ D5 AA 96 D5 00 \$10 \$19 ? \$23 ? \$4D ?

COMPUTIST

	\$56	?	AA
	\$60	?	AD
00	\$0B	?	D5
	\$15	?	AA
	\$20	?	96
	\$47	?	DE
	\$51	?	AA
0D	\$9D	?	D5
	\$A7	?	AA
	\$B2	?	AD.
	\$EB	?	DE
	\$F5	?	AA
That		the coftkor	ua I hava at tha prac

That's all of the softkeys I have at the present, but be expecting more in the near future.

Jeffrey A. Wisnia

I sure hope you guys make it. Here's my contribution in return for the countless hours of pleasure you've given me since I became a subscriber in 1982.

MA

I'm enclosing a hardware article which may be of interest to readers with Apple IIe machines.

The Junior Prom

Back when I had an Apple II+, I followed Ernie Young's instructions in COMPUTIST #6 and replaced the F8-ROM in my machine with a 2716 EPROM containing his "reset to the monitor" and page 0-8 moving routines. When I graduated to an Apple IIe (enhanced) I suffered without those helpful features until I modified my antique EPROM burner to program 2764 chips.

This article will show you how to replace the CD-ROM in an enhanced Apple IIe with an EPROM I call the JUNIOR PROM. With it you can reset to the monitor at will or reset to the monitor with memory from \$0000-\$0900 copied to \$2000-\$2900 and the stack pointer copied to \$2901. Memory from \$2000-\$3FFF is the Hires screen area, which usually isn't part of the permanent program code in Hires games, so you can usually capture all the code from single load programs in one shot.

The memory copy feature lets you examine the program code located at \$400-\$7FF, which otherwise gets overwritten by text on the screen as soon as you enter the monitor, as well as page zero, the stack, and the page two keyboard buffer, areas which get altered by a reset to the monitor or by entering commands from the keyboard. The ability to copy these pages where they don't get altered is very helpful for general software snooping and copy protection analysis. The memory copy routine itself is lifted directly from the original Ernie Young's original article.

In addition, the IIe's nasty habit of blasting two bytes in every page of RAM on a reboot is exorcised in the altered ROM.

You will need a 2764 EPROM and access to an EPROM programmer which can burn the contents of a 8K long binary file into the 2764. These EPROMs are presently available for under \$5 each from most electronic parts suppliers catering to individuals, check the ads in any hobby electronic magazine.

The Junior Prom will leave your Apple IIe without cassette tape storage routines, but you won't miss these dinosaurs. Applesoft BASIC under ProDOS does not even support tape storage and issues a SYNTAX ERROR in response to SAVE and LOAD commands. To keep things neat, my code returns an ERR message for monitor tape commands W and R, and Applesoft Basic's SAVE and LOAD under DOS 3.3.

Note that the JUNIOR PROM won't work in an unenhanced IIe, but by now you should have upgraded to the enhanced version anyway, to get the faster 80 column routines and Mousetext.

First, you must capture the code of the CD-ROM in your IIe by moving it down in RAM. You can't BSAVE it directly to disk because it occupies the same memory area as the disk controller, which gets switched off when the CX-ROM is switched in. My EPROM programmer wants its data loaded at \$2000, so that's where I chose to move it.

To read the CX-ROM from the monitor you

2598:	20	2D	FF	20	62	FC	68	68	\$0DE8
25A0:	Α9	FË	48	Α9	C4	48	60	00	\$CAB6
25A8:	00	00	4C	98	C5	C9	15	FO	\$03E8
25B0:	07	C9	4D	FO	3E	4C	00	C6	\$A09B
25B8:	BA	8E	01	29	A0	00	В9	00	\$CCBC
25C0:	00	99	00	20	В9	00	01	99	\$022A
25C8:	00	21	C8	DO	F1	4C	D4	C5	\$20F5
25D0:	EA	4C	98	C5	84	.3C	84	42	\$4AAA
25D8:	84	3E	Α9	09	85	3F	A9	02	\$3818
25E0:	85	3D	A9	22	85	43	20	2C	\$AC 69
25E8:	FE	A9	0	81	ם כ	0 0	7 A	9 3E	2
\$021B									
SULTD									

PART2

25F0: 8D D1 07 A9 FF 48 A9 58 \$BC03

25F8: 48 4C C5 FE FF D4 00 00 \$4DE8

Save the JUNIOR PROM code:

BSAVE JR.PROM, A\$2000, L\$2000

As a check that you didn't accidently change anything elsewhere in the code, compare it with the original:

BLOAD CD.ROM, A\$4000

2000<4000.5FFFV monitor verify command You should see differences in the changed areas \$22C0-22E1 and \$2598-\$25FF only. Any other differences mean you messed up somewhere and should start over.

Program a 2764 with the code you saved as JR.PROM. Turn off your Apple, pull the CD-ROM and install the JR. PROM. Check the orientation of the EPROM making sure the notched or dotted end points toward the keyboard, the same as the adjacent chips. A reversed chip will be destroyed the instant you turn on your Apple, and might take out something else in the process too!

Using the JR.PROM will make no difference in the normal operation of your computer, except for the loss of cassette tape functions. The two byte ROM checksum was made the same as the original CD-ROM, so it will pass ROM checksum tests made by some copy protected software.

To use the added features of the JR.PROM, press the control, closed Apple and reset keys. (Press reset after the other two keys are down). Your Apple IIe should freeze, awaiting the next keypress. What happens next depends on which key you hit: a second and at which as

Press M (upper case M) to drop into the monitor.

Press -> (right arrow) to drop into the monitor with the memory copy and stack pointer saves described above. An inverse "M>" will print in the lower left corner of the screen to indicate that memory copy was done.

Pressing any other key will start the Apple's diagnostic routines.

£. 1 Disassemblies of the new code:

The start of the original reset routine is \$C2B0.

C2B0	A9 FF	LDA	#\$FF	
C2B2	8D FB 04	STA	\$04FB	blast mode byte
C2B5	AD 5D CO	LDA	\$C05D	reset annunciators
C2B8	AD 5F CO	LDA	\$C05F	
C2BB	AD 62 C0	LDA	\$C062	test closed apple key
C2BE	10 03	BPL	\$C2C3	not pressed, try open
				apple

The above code is unchanged in Junior Prom, and is shown for reference.

	C2C0	4C D0 C2	JMP	\$C2D0	pressed, get next key
	C2C3	AD 61 C0	LDA	\$C061	test open apple key
	C2C6	10 1A	BPL	\$C2E2	not pressed, goto reset
	C2C8	A9 00	LDA	#\$00	pressed
	C2CA	8D F4 03	STA	\$03F4	destroy powerup byte
	C2CD	4C E2 C2	JMP	\$C2E2	jump to reset (will boot)
•	C2D0	20.00 00	BIT	\$C000	test keyboard
	C2D3	10 FB	BPL	\$C2D0	wait for keypress
	C2D5	AD 10 C0	LDA	\$C010	clear keystrobe
	C2D8	AD 00 C0	LDA	\$C000	get key value
	C2DB	4C AD C5	JMP	\$C5AD	goto rest of new routine
	C2DE	EA	NOP		
	C2DF	EA	NOP		
	C2E0	EA	NOP		
	C2E1	EA	NOP		

\$C598.

C5BE B9 00 00	LDA	\$0000,Y	copy first two pages			
C5C1 99 00 20	STA	\$2000,Y	this way to avoid			
C5C4 B9 00 01	LDA	\$0100,Y	changing any			
C5C7 99 00 21	STA	\$2100,Y	memory in them			
C5CA C8	INY					
C5CB D0 F1	BNE	\$25BE lo	op till copy completed			
C5CD 4C D4 C5	JMP	\$C5D4_ju	mp over old tape read			
		at	\$25D1			
C5D0 EA	NOP					
Another old tape read entry point is \$C5D1. It is called from EF-ROM, so we must use it too.						

C5D1 4C 98 C5 JMP \$C598 goto new return routine Continue with new code at \$C5D4.

C5D4	84 3C	STY	\$3C	Setup for monitor move
C5D6	84 42	STY	\$42	routine, (Y=0 at entry)
C5D8	84 3E	STY	\$3E	
C5DA	A9 09	LDA	\$09	
C5DC	85 35	STA	#3F	
C5DE	A9 02	LDA	#02	
C5E0	85 3D	STA	\$3D	
C5E2	A9 22	LDA	\$22	
C5E4	85 43	STA	\$43	
C5E6	20 2C FE	JSR	\$FE2C	monitor memory move
C5E9	A9 0D	LDA	#\$0D	screen inverse "M"
C5EB	8D D0 07	STA	\$07D0	store lower left screen
C5EE	A9 3E	LDA	#\$3E	screen inverse ">"
C5F0	8D D1 07	STA	\$07D1	store next to "M"
C5F3	A9 FF	LDA	#\$FF	push monitor entry return
C5F5	48	PHA	edi ey	address onto stack
C5F6	A9 58	LDA	#\$58	지수는 친구가 관련하는 것
C5F8	48	PHA	15 - 15 -	in the second second
C5F9	4C C5 FE	JMP	\$FEC5	jump to \$FEC5
C5FC	FF	???	- 1	these two bytes make the
C5FD	D5	222		ROM checksum come
C5FE		BRK	1.1.2	out right
C5FF	00	BRK		al ding tan di sa

Note: The Applesoft SAVE and LOAD commands produce double "ERR" messages when running under DOS 3.3 or with DOS disconnected. This is because these Applesoft commands each make two calls to the monitor tape WRITE and READ routines before they are done. Eliminating this minor glitch looked like it would take a lot more code or a change to the EF-ROM and didn't seem worth it.

Bob Igo

Enhancements to APT Scanner

Just add or modify the following lines in the BASIC program and type in the new binary file "SCANNER.AI" below and save it and you will have what I call an "artificial intelligence" option. The program chooses the most likely locations for the necessary APT information by checking after each occurrence of LDX #\$xx, LDY #\$xx or LDA #\$xx to see if there is a store command. If not, it doesn't tell you. In case it eliminates a necessary location, I have the option of using no screening.

APT Scanner Patches

LOAD APT.SCANNER

- 95 IF PEEK (768) < > 169 THEN PRINT CHR\$ (4) "BLOADDOS~UTILITY"
- 100 HOME : PRINT "WOULD~YOU~LIKE~ME ~TO~USE~ MY~INTELLIGENCEAND~FOCUS ~ONLY~ON~THEMOST~LIKELY~~~~~
- 100
- 106 IF G = "Y" THEN PRINT CHR\$ (4) "BLOAD~SCANNER.AI" : GOTO 110

107 PRINT CHR\$ (4) "BLOAD~SCANNER" SAVE APT SCANNER

Enter the new scanner assembly program and save it.

SCANNER AT

				50	1.81.4		NOI M.			
60	00:	Α9	À9	8D	00	61	Α9	A2	8D	\$8439
60	:80	01	61	A9	A0	8D	02	61	A0	\$6F86
60	10:	00	A2	00	B9	00	20	DD	00	\$A68E
60	18:	61	FO	09	E 8	ΕO	03	DO	F3•	\$7E10
60	20:	С8	DO	ΕE	60	В9	01	20	CD	\$E1A7
603	28:	50	61	DO	EF	8E	03	61	A2	\$4D89

\$EOA1

\$A5C7

\$E4CB

\$6F83

\$C02E

\$5ECA

\$B653

\$66C9

\$58C7

CD 50 61	CMP \$6150						
DO EF BNE	\$601B						
8E 03 61	STX \$6103 New stuff						
A2 OD LDX	#\$0D						
BD 69 60	LDA \$6069,X						
D9 02 20	CMP \$2002,Y						
F0 09 BEQ	\$6042						
CA DEX	*C004						
D0 F5 BNE AE 03 61	\$6031 LDX \$6103						
4C 1B 60	JMP \$601B						
A0 00 LDA 85 24 STA	#\$ 00 \$24						
	DV ANION News						
AD 10 03	LDA \$0310						
20 DA FD	JSR \$FDDA						
A9 10 LDA	LDX \$6103 New LDA \$0310 JSR \$FDDA #\$10 \$24						
00 24 0111	¥L-1						
AD 15 03							
20 DA FD	JSR \$FDDA						
A9 20 LDA 85 24 STA	#\$20 \$24						
98 TYA	φ 2 4						
20 DA FD	JSR \$FDDA						
20 8E FD	JSR \$FD8E						
AE 02 61	LDV \$6103 Now						
4C 1B 60							
85 95 8D 9D 99 9	91 81 86 96 8E 84 94 8C Opcodes for						
·	store commands						
Using this	program, I've come up with some						
more APT's.	 Manufactoria de la construcción de la construcción de la constru 						
	ying Technique for						
Advanced Pla	ying lechnique for						
	s and Tribulations:						
	na an an g ara da marina ayang in Karang karang sata tahun an ang t						
	Unlimited Lives						
and the second second							
Irk Sct Byte	(s) From Io						
.08.08 CB-	(s) <u>From</u> <u>Io</u> CC C6 13 EA EA						
Advanced Playing Technique for							
	Microwave						

2

<u>PA</u>

Irk 17 Sct

07 5C

en des Les com	Lives			
	0D	3E-40	Erom CE BD 0B CE BD 0B	<u>To</u> EA EA EA EA EA EA

Advanced Playing Technique for ... **Oil's Well**

Byte(s) From

03

Sierra On Line

Extended Lives

FF (0-FF)

How to use APT SCANNER

As Mr. Polasky requested, here is an explanation of my technique with regards to Oil's Well. First, let me say that I tried the timer but was unsuccessful. I know that the number 99 (\$63) is stored at location \$6927 on track \$17, sector \$0C (it was not necessary to search for something like 990 because the time goes down in factors of ten), 105 GET G\$: PRINT G\$: IF NOT (G\$ = "Y" but it isn't being decremented at all. The program OR G\$ = "N") THEN CALL - 198: GOTO is apparently using some sort of unorthodox way of taking the value in \$6927 and storing it somewhere else, messing with it and decreasing it. I've scanned memory for the time at various points but to no avail. Help!! Someone else out there must be able to defeat this.

Now, for the lives feature, I was unable to make unlimited lives because of the same odd schemes I described above, but I managed to extend them. I read that Frank desired a little APT help. I needed an example to use with my updated APT techniques. In numbered steps, here is what I did:

1. I booted up the game and saw that three lives were displayed on the screen. This meant that I would need to scan for 03 with the API SCANNER. 2. I booted up APT SCANNER and chose the new "Artificial Intelligence" option. I chose 0 as the starting track and 34 as the ending track. I used slot 1 for my printer, but slot 0 is OK for the monitor. After the SCANNER was done, it had told me the following information:

have to tickle \$C007 with a write command in order to switch it into the \$C100-\$CFFF space normally occupied by peripheral card ROM. The CD-ROM in your IIe contains zeros from \$C000-\$C0FF, but this range of the ROM is never switched in, as that memory range is reserved for the Apple's I/O softswitches, annunciators, game paddles and such.

Enter the monitor: CALL -151 C007:00 switch in CX-ROM 2100<C100.DFFFM copy memory 2000:00 N 2001<2000.20FEMzeros C000-C0FF C006:00 switch the slot ROMS back in BSAVE CD.ROM, A\$2000, L\$2000 if you mess 長ろ up later, you can reload this

You now have an image of the CD-ROM in memory. Enter the following hexdumps from the monitor, changing the high byte of the addresses if you saved the CD-ROM code at a starting location other than \$2000:

PART1 22C0: 4C D0 C2 AD 61 C0 10 1A \$8496 22C8: A9 00 8D F4 03 4C E2 C2

\$3A7C

\$9045

\$4123

C598 20 2D FF JSR \$FF2D monitor print "err" C59B 20 62 FC JSR \$FC62 monitor print C/R C59E 68 PLA pull return address C595 68 PLA LDA #\$FE push return address C5A0 A9 FE C5A2 48 PHA LDA #\$C4 C5A3 A9 C4 C5A5 48 PHA C5A6 60 RTS jump to \$FEC5 via RTS C5A7 00 BRK Note: \$FCE5 turns off BRK **CX-ROM** and then does C5A8 00 C5A9 00 BRK another RTS Old tape write entry point is \$C5AA. It is called from EF-ROM, so we must use it too. C5AA 4C 98 C5 JMP \$C598 goto new return routine Keypress tests begin here at \$C5AD. C5AD C9 15 CMP #\$15 right arrow key? BEQ \$C5B8 Yes, goto memory copy C5AF F0 07 CMP #\$4D "M" key? C5B1 C9 4D C5B3 F0 3E BEQ \$C5F3 Yes, goto exit code C5B5 4C 00 C6 JMP \$C600 Neither, jump to diagnostics start of Young's routines C5B8 BA TSX \$F2D8 C5B9 8E 01 29 STX \$2901 Save stack pointer C5BC A0 00 LDY #\$00

603 6030: OD BD 69 60 D9 02 20 F0 New return from tape read or write calls is at 6038: 09 CA DO F5 AE 03 61 4C 6040: 1B 60 A9 00 85 24 AE 03 6048: 61 AD 10 03 20 DA FD A9 6050: 10 85 24 AD 15 03 20 DA 6058: FD A9 20 85 24 98 20 DA 6060: FD 20 8E FD AE 03 61 4C 6068: 1B 60 85 95 8D 9D 99 91 6070: 81 86 96 8E 84 94 8C BSAVE SCANNER.AI, A\$6000, L\$77 Scanner.AI Disassembly A9 A9 LDA #\$A9 8D 00 61 STA \$6100 A9 A2 LDA #\$A2 8D 01 61 STA \$6101 A9 A0 LDA #\$A0 STA \$6102 8D 02 61 A0 00 LDY #\$00 A2 00 LDX #\$00 LDA \$2000,Y 89 00 20 CMP \$6100,X DD 00 61 F0 09 BEQ \$6024 INX E8 E0 03 CPX #\$03 D0 F3 BNE \$6013 **C8** INY DO EE BNE \$6011 60 RTS B9 01 20 LDA \$2001,Y

IBACK	SECTOR	BYTE	
00	0D	A6	
01	03	90	
01	05	- 8C	
10	OB	96	
15	00	01	
15	02	DC	
16	02	3D	
17	06	DF	
17	06	EF	
17	07	5B	
17	09	61	
17	0F	10	

This means that in all these places, 03 is being stored in a certain memory location. Although a fully independent version of APT SCANNER is on the horizon, we must for now use a sectoreditor with disassembly capabilities, such as Copy Π +, for the next step.

3. Boot up Copy II+ and get into the sectoreditor. Read each one of the above locations (although tracks 0-2 can usually be ignored, as this is where the DOS resides most of the time).

COMPUTIST

For example, the first one I read was track \$10, sector \$0B. I jumped to byte \$96 and used the (L)ist option. It told me that 03 was being stored somewhere in DOS, so I figured that it couldn't be the number of lives (it turned out later that I figured correctly). So, I read the rest of the locations and found the following storing addresses:

Irk	Sct	<u>Bvte</u>	Storing location (In Hex)
15	00	01	0363, 0364
15	02	DC	0376
16	02	3D	8429
17	06	DF	0353
17	06	EF	0363, 0364
17	07	58	0225, 0226, 0385, 902A
17	09	61	0229.X
17	0F	1D	6B00.X

4. Now, boot up the game and get "killed" once. You should currently have two lives. Break the program's execution. If you can't do this without making the program reboot itself, use CTRL-OPEN APPLE-RESET and then immediately after the computer reboots, hit CTRL-RESET. It may mess up a bit of memory, so you might want to try searching the disk for F2 03 and see what the program is doing to the reset vector (\$3F2-\$3F4). Look one byte before F2 and list. If it is storing anything at 3F2, 3F3, or 3F4, just NOP the entire area. This should enable a safe CTRL-RESET. Anyway, the idea here is to look at all the memory locations above (storing locations) and see if any of them have 02, our current number of lives, in them. The reason I think it's best to get "killed" once before looking at the locations is because it is more likely that 03 is going to be in a location that isn't the number of lives because we know that 03 is being stored in every location above at least once. The chance of finding an 02 after we lose one life is less probable and therefore more accurate. If you have a multiple player option, choose it and lose one life per player. This also helps to make things more accurate. I looked at all the above locations after getting killed once. I found 02 to be in location \$225. Because this is a two-player game, I checked again for 02 and found it in location \$226. I already told you about the trouble I had with making an unlimited lives feature, so I'll just tell you what I did in this case. If you want to know how to make "unlimited" options in other cases. read Computist #65, page 17, under steps 5 and 6.

5. I tried changing byte \$5C on track \$17, sector \$07 from \$03 (for three lives) to \$FF (which should make most people happy). I booted the game, and aside from a large amount of little munchie-looking things which display the current number of lives, the game functions fine.

So, that's how I did it. No magic or anything. If someone does know how to make this option unlimited, please let me know how you did it.

Bugs

There were a couple of small errors in my DeathSword APT article that were pointed out to me. They might be a bit confusing for some, so I'll tell you what they should be. I said under section 2 that DEATH.SWORD began on track \$05, sector \$09 and ended on track \$09, sector \$06. That is correct. However, under section 3, I said that "I read track \$09, sector \$06 which is where the file DEATH.SWORD starts ... " This should have read "track \$05, sector \$09" instead. Also, under section 5 (now, this was a half typo, half temporary brain damage error) I stated that the number, \$1234 was a 4-byte number. Actually, it's a 2-byte number. \$12345678 would be a 4-byte number, and \$4B is a 1-byte number. Sorry about any confusion I may have caused.

Mopman

I received the urgent message and I am sorry to hear that Computist is going to reduce the number of issues. Before you receive this you should already have my check for my membership. In spite of a high price, I feel that I have gotten more than my money's worth from the magazine. I have not been a big one on kee ерши notes so a lot of cracks that were simple or very similar to published ones have been lost forever. But here are some that were unusual enough for me to keep good notes on. In the future I will try to be more active in submitting softkeys for all cracks. Two of them involve the use of Copy 2+'s more advanced parameters. On the subject of parameters Copy 2+ has a lot of undocumented parameters that they say are used "to control very specific copy methods for certain protection schemes". Does anybody have any information on these? I really prefer to make my programs COPYA-able. But I guess the main objective is to make a backup by whatever means available.

D5 AA 96 FF FE AA AA AA AA FF FE DE AA EB

Dino DOS

D5 FF FE D5 FF FE xx xx D5 FF FE AA AA AA AA FF FE FF FF

D5 FF FE repeated twice, one or two odd bytes then D5 FF FE, followed by the track, sector, checksum and epilog. The epilogs have been changed to FF FF.

Capturing the RWTS and using a swap controller would not produce a working copy. I suppose I could have BOOT TRACED but I never really had much luck at it. I am pretty good with a nibble editor, so I produced my first copy by changing the address header on all the sectors before the track was written to disk. After doing all this I found that DINO DOS has the ability to read their protected format, or read and write normal DOS 3.3. So you only have to be concerned with capturing the first three tracks. Track 0 has only the address epilogs changed so most of the work has to be done on track 1 and 2.

Boot Copy 2+ and format a blank disk (DOS 3.3). Get to the Bit Copy and Sector Copy menu. Select Sector Edit and press "P", patched. Then choose DOS 3.3 PATCHED. Escape out of this mode and select Sector Copy. Copy only Track 0 from your original to your formatted disk. Then select Manual Bit Copy. When asked, Start Track 1, End Track 2, Sync No, Keep Length No. Press / to modify parameters, what parm. OB to what value 02. Changing 0B to 02 puts you in the nibble editor before copying to your destination disk. So press return to begin copy. When the editor displays the track buffer you probably will not be near sector 0. Hold down the "T" key to scan back to the beginning of the buffer. When it beeps you are at the beginning. Press "Control B" to set this as the beginning. Press "F", Find, then type AA AA and press return. You should see: D5 FF FE D5 FF FE xx xx D5 FF FE AA AB AA AA FF FF FF FF. You should be on the first AA of the AA AA bytes. Use the "J" key to move 7 places to the left. Type "C" to change the bytes to D5 AA96 then press return. Then use "J" to move you back to the D5 you just entered, and press "Control B" to reset the track beginning. Type "F", Find, and type D5 FF FE and press return. Press "R", Repeat Find, twice and you should be positioned on D5. Press "J" twice and press "C", and type D5 AA 96 again. Repeat this for the remaining sectors. When you do the 16th, sector do a "R" one last time. Then look back about 4 lines and find DE AA EB. Using the I, J, K, M keys, position the cursor on the byte after EB. Press 'Control E" to set the track end. In the upper right corner of the screen you should see LENGTH, and it should read approximately 17DF bytes. Scan through the sectors and check to make sure you did not miss any. When complete press "O" to quit and write to the destination disk. Repeat procedure for track 2.

Again use the sector editor and select DOS 3.3 PATCHED. Read the sectors on track 1 and 2 to make sure they are all readable. If some are not readable repeat the procedure until they are. Selecting DOS 3.3 Patched on the sector edit menu also sets this parameter for Sector Copy. Use your newly created disk as the source disk and use Sector Copy to recopy it. This fixes the bad address checksums. Boot your System Master disk and enter the monitor, CALL-151. Tell DOS to ignore address epilogs B993:00 B99D:00. Reenter basic, 3D0G, and run Copy A. This gives you a disk with DOS that can handle their protection or normal disks. On this disk you can add a copy program such as Super IOB with a standard controller, Copy A, FID, or most any that does not have it's own DOS. The current booting program of DINO DOS is called HI, so you need to change it, or change the name of the copy program you are using. The utility disk you have made will also copy Limited Edition Mini Converter by Pelican.

Bitkey for ...

MA

T0-T2, 55=03

T3,0D=01,44=01,4D=00,55=03,45=07,46=82 15=AA, 16=AB, 29=AA, 2A=AB, 2D=FF, 2E = FF

T3.5, 0D=01, 44=01, 4D=00, 55=03, 45=07, 46=82, 15=AB, 16=AE, 29=AB, 2A=AE, 2D=FF, 2E=FF

T4,0D=01,44=01,4D=00,55=03,45=07,46=82, 15=AF, 16=AB, 29=AF, 2A=AB, 2D=FF, 2E = FF

T5-T11,4D=01,44=00,0D=00,55=03,15=AA, 16=AA

The parameter for Magic Spells is the same except that in the last line change T5-T11 to T5-T22.

For tracks 0 to 2, the parameter finds the track start by header. For track 3, they set the sector to AA AB, this is sector 1, find track start by header, sync. to sector 1 on track 0, do not erase the track, and cut the track to \$782 bytes.

Track 3.5 is the same except we set the sector to AB AE sector 6

Track 4 we set the sector to AF AB sector B. Track 5-11 everything is restored to normal.

Softkey for ...

Case of the Great Train Robbery Mystery of the Witches Shoes Case of the Missing Chick

Troll Associates

All 3 of these programs use the same protection. A nibble count on track 3 and a signature check on track 23. But we can easily make these COPYA-able. Use a copy program that will ignore the read error on track 3. Such as Copy Disk from the Copy 2+menu. Copy your favorite DOS to the disk and change the Boot program to "MENU". On Case of the Missing Chick, change the Boot program to "U". That's all.

On other programs, use View Files to find the file that BRUN's a lot of other programs and change it to be the Boot program.

Softkey for ...

Science 4

Understanding our Solar System

The Ellen Nelson Learning Library

This is another one of those sneaky signature checks. But it is easy to fix. Boot your System Master disk. Enter the monitor, CALL-151, tell DOS to ignore Address Epilogs B993:0 B99D:0 and ignore Data Epilogs B925:1860 and return to BASIC, 3DOG. Run COPYA and when done use your sector editor to edit track 0 sector 5. Change byte position \$44 from \$A9 to \$60.

<u>LA</u>

Paul A. Johnson

To George Cawthorne: Here are two ways to change from a "Block, Address, Change-to" format to a "Track, Sector, Address, Change-to" format. The first method is to edit Super IOB 1.5 to automatically perform the conversion while making sector edits (lines 310-340), and the second method is a program that asks for the block and address and gives the corresponding track, sector and address.

When using the second method, you have to run the program and jot down the conversions next to the block edits in the issue of Computist. Then, when it says to make block edits, make sector edits instead, using your favorite sector editor (I use Copy 2 Plus).

The first method needs a little more explanation. The program "SIOB.BLOCK.FIX" contains only one line. Add this to Super IOB by (1) loading SUPER IOB, and (2) typing the line, and (3) saving Super IOB. Once SUPER IOB is modified, when you want to make block edits instead of sector edits, use the following syntax in the data statements:

DATA 3 BCHANGES, Block #, 0, Address #, Change-to

The space after the 3 is necessary, and there

space this would take, but, even if it took more than one disk, that would be better than nothing for the people who want that information. This suggestion means nothing (of course) if an annual "review" is going to be printed. Then the person could just buy the book.

Suggestion #2: (to the people who write to the RDEX) Is it possible to say a couple of words about the software you are deprotecting. I am not asking for an "all-out" review (we don't want to take Jeff Hurlburt's job), just a couple of simple sentences like "A Role-Playing Game set in future times. Good Game, worth the money." Quite a few times I've read a softkey in Computist and I can't tell if the software is a game, educational program, or a utility of some type. Even if I can figure out a category for the software, I don't know if it is worth 2 cents or not.

This has nothing to do with computers (at least not directly), but every time I have a question, someone who reads Computist has the answer. I recently determined that my house does not have grounded wiring. The outlets are 3pronged, but only two wires go to the outlet; the ground wire is missing. I need to somehow ground the outlet that my computer uses, but the wiring goes up to the attic (which is not accessible), and then down to the fuse box. We have a finished basement, so I cannot just run a grounded wire directly. Now for my question. Could I use a GFI (ground fault interrupt) outlet, like the ones in the bathroom. The diagram on the package says it is possible, but I thought I'd better ask someone who knows more about electricity than I do. Another thought that I had was to run a wire from the ground post on the outlet to something that is grounded, like the plumbing pipes. Is this a good idea, or am I just asking for trouble? Any help I can get is greatly appreciated, and the sooner I can ground my computer, the sooner I can get a good nights' sleep.

Free software from Beagle Bros

Stuff #1: Just in case anybody is interested. Beagle Brothers is giving away free software. All you have to do is call up Pro-Beagle, the Beagle Brothers BB. You can download many of the Beagle Brothers older programs, like Beagle BASIC, DOS Boss, Fat Cat, Pro-Byter, and more! The programs on the BB are free, you can even distribute them to your friends. The number for Pro-Beagle is (619) 558-6151. To most people, this is a long distance call, but if you have a fast modem, you can download all of the programs for about the cost of one or two of them at a discount software store.

SIOB Block Patch

- 335 IF RIGHT\$ (A\$,8) = "BCHANGES" THEN A5 = INT (A1 / 8) : A6 = (A1 - A5 *8) * 4:A2 = A6 - 15 * (A6 > =
- 15): A2 = A2 + 2 * (A3 > 256): A3
- 256 * (A3 > 256) :A1 = A5

SAMPLE.BLK.CON

- 510 REM THIS DELETES LINE 510 IN SUPER IOB 1000 REM SAMPLE CONTROLLER USING BLOCK EDIT 1010 TK = 25:LT = 26:ST = 15:LS = 15:CD = WR:FAST = 11020 GOSUB 490: GOSUB 610 1030 T1 = TK:TK = PEEK (TRK) - 1: GOSUB 310:TK = T11040 GOSUB 490: GOSUB 610: IF PEEK (TRK) = LT THEN 10601050 TK = PEEK (TRK):ST = PEEK (SCT): GOTO 1020 5000 DATA 3~BCHANGES 5010 DATA 205,0,442,36 5020 DATA 205,0,447,36 5030 DATA 205,0,452,128 5040 REM BLK 205 -> TRK 25, SCT 5 & 7 5050 REM ADD 442 -> SCT 7, ADDR 186 5060 REM 447 -> SCT 7, ADDR 191 5070 REM 452 -> SCT 7, ADDR 196 5080 REM LINE 510 DELETES LINE 510 IN SUPER IOB. THIS ALLOWS COPYING FROM DRIVE 1 TO DRIVE 1 WITHOUT A
 - MESSAGE ASKING TO CHANGE DISKS. IF YOU ONLY HAVE ONE DRIVE, THEN Y

Softkey for ...

Dinosaur Days

Pelican Software

This softkey requires that you be reasonably familiar with the use of the nibble editing feature of COPY 2+. When completed you will have a utility disk that will copy and deprotect Dino Days and some other Pelican software. When viewed with a nibble editor DINO DOS looks like this when compared to a normal DOS 3.3 address header.

Story Tree Scholastic Magic Spells Learning Co.

This details how to make a bit copy of these Scholastic titles and also quite a few other programs using similar protection.

In general track 0 is normal. Most of the disk will have altered Epilogs and usually 2 or 3 tracks will have only 1 or 2 areas of valid data. Each of these areas will contain 5 sectors, 3 4 5 6 7, A B CDE, 1289 F they may be written on full tracks, 2, 3 or half tracks 2, 2.5, 3 or any other combination of quarter, half or full tracks. Because the tracks can overlap it is very important to set the copy program not to erase the track before writing to it. They normally write \$782 bytes per group of data. Between the groups of data is invalid bytes not sync bytes. For this reason it is very important that you start with a new disk or erase a disk with a magnet for use as a destination disk.

Its best if you write a Copy 2+ parameter to do the copying, because to do a different program, all you may have to do is alter the track numbers. This are the parameters for Story Tree.

cannot be a space between the B and CHANGES. The second data item of each block edit is not used, so it can be any number. The variable that contains that number after the read will have the sector number after line 335 is executed.

I have included a sample controller, which uses the information about Moonglum, which was in issue #69. If you have a disk that does not need to be copied with Super IOB, (it is copyable with a fast-copier), then the controller should have the following:

TK = First track, sector to be edited

LT = Last track, sector to be edited (minus 1 MOD 16)

FAST=1

Or, if you'd rather, copy the entire disk by using TK=0:LT=35:ST=15:LS=15. Re-reading the Super IOB documentation concerning R/W a range and Sector Edits might be helpful.

Now, for some suggestions, questions, and stuff.

Suggestion #1: I noticed that issue #66 of Computist is not available as a back issue. I assume that it is to difficult to make photocopies of the tabloid format. If an annual book isn't in the future for these tabloid issues, is it possible to put the issue on disk as text files that the reader can load into their favorite word processor and print out a copy? I don't know how much disk

NEED TO RELOAD SUPER IOB IN ORDER TO COPY ANOTHER DISK.

Checksums

510-\$684E	1050-\$1BE9	5050-\$4E7C
1000-\$232A	5000-\$9858	5060-\$71AE
1010-\$683D	5010-\$B726	5070-\$3BD8
1020-\$6DB6	5020-\$EBE7	5080-\$9D71
1030-\$1685	5030-\$3900	
1040-\$4C82	5040-\$952F	

BLOCK.2.SECTORS

10 HOME :HX\$ = "0123456789ABCDEF" 20 GOSUB 1000 30 TRK = INT (BLK / 8) 40 SEC = (BLK - TRK * 8) * 4 - 15 *((BLK - TRK * 8) * 4 > = 15)45 IF BY > = 256 THEN BY = BY -256:SEC = SEC + 250 H = TRK: GOSUB 3000:TRK\$ = H\$ 60 H = BY: GOSUB 3000:B1\$ = H\$ 80 SK\$ = MID\$ (HX\$, SEC + 1,1) 100 PRINT : PRINT "Block~\$" BLK\$ ",~Byte~\$" BY\$ "~=~Track~\$" TRK\$ ",~Sector~\$0" SK\$ ",~Byte~\$" B1\$ 110 PRINT : PRINT

"Any~Key~to~Continue" : WAIT -16384,128: POKE - 16368,0: GOTO 10 1000 INPUT "Block~#~(in~Hex)~\$" ;BLK\$ 1005 IF LEN (BLK\$) = 0 THEN END 1010 A\$ = BLK\$: GOSUB 2000:BLK = A

- 1020 INPUT "Byte~#~(in~Hex)~\$" ;BY\$ 1030 IF LEN (BY\$) = 0 THEN HOME : GOTO 1000
- 1040 A\$ = BY\$: GOSUB 2000:BY = A
- 1045 PRINT "BY=" BY "~BLK=" BLK
- 1050 RETURN

2000 A = 0: FOR X = LEN (A\$) TO 1 STEP...whatever you want to call it. - 1

2010 FOR Y = 0 TO 15

- 2020 IF MID\$ (A\$, LEN (A\$) X + 1, 1)
- MID\$ (HX\$, Y + 1, 1) THEN A = A + Y

* 16 ^ (X - 1):Y = 15

2030 NEXT Y,X

2040 RETURN

3000 H\$ = MID\$ (HX\$, INT (H / 16) + 16 + 1,1): RETURN

Checksums

	10-\$4DCD	100-\$88A3	1045-\$115A
	20-\$15E0	110-\$1AFE	1050-\$6984
	30-\$C681	1000-\$94D8	2000-\$7A60
	40-\$1F5E	1005-\$50CC	2010-\$2098
,	45-\$CBCF	1010-\$0733	2020-\$ACEB
	50-\$02B7	1020-\$4DF2	2030-\$4880
	60-\$F409	1030-\$0EB2	2040-\$9CBB
	80-\$4D8F	1040-\$3447	3000-\$DF96

Advanced Playing Technique for ... 2400 A.D.

Origin The Upper Floors

To Dave Stewart: In Computist #67, you asked for the information to map the upper floors of 2400 A.D. Actually, when I was done with the game, I gave all of my material to a friend so he could play the game, and he returned the game when he was finished, but not any of the other information. I decided that I could dig through the file again and come up with the information, and to tell the truth, it was easier the second time.

Requirements:

Computist #63 (Original 2400 A.D. Mapper) 2400 A.D. Character Disk

- 1. Load (or type in) the original 2400 A.D. Mapper
- 2. Add these modified or extra lines.

LINES.2.MODIFY

100 DIM BY(136)

- 110 INPUT "WHICH~PAGE~(1-18):" ;PG
- 1000 RESTORE : FOR B = 1 TO 136: READ BY(B): NEXT : RETURN : REM : PRINT CHR\$ (4) "PR#1" : RETURN

1010 DATA 30,72,29,28,31,72,72,72,23, 22, 72, 21, 72, 20, 0, 1, 7, 6, 8, 9, 15, 14, 16, 17, 72, 13, I presented a method to fastboot into Lock-32, 72, 33, 72, 34, 72, 35, 25, 27, 24, 26, 72, 72, smith 6.0 Fastcopy. Since that time, I have en-2, 3, 5, 4, 10, 11, 13, 12, 18, 19, 72, 38, 36, 37, 72, joyed reading about updates and the difficulties 39,72,72

1015 DATA 53,72,72,72,52,72,72,72,72, 72,72

64, 59, 72, 58, 72, 72, 65, 69, 72, 72, 68, 72, 72, make my program better. Then in #67, p.28, I saw 71, 72, 72, 70, 72, 72, 67, 72, 72, 72

Checksums

100-\$E92E 1000-\$8398 1015-\$5015 110-\$2137 1010-\$9034 1016-\$59B3

3. Save the modified program.

Add the following figures under Figure 1 in the article in Computist #63:

Figure 1A: Metropolis (2nd Floor)

i Figure 1B:	l Page 11 Metropoli		or)	1
 Page 8	Page 9 Page 10	Page 12	Page 13	
	1.0			

Page 14 | Page 15

Figure 1C: Metropolis (4th & 5th Floors)

1	I	1	1
1	Page 16	Page 17	1
		1 -	

If anybody has any other questions, comments or other stuff, send it in to Computist. It is the interaction that keeps my interest, and I believe that it is the best feature of the magazine? ...newsletter?magaletter? ...newszine?

• •	Ravi	Haripra	hez	NY
1)	ravi	Hailbia	sau	

⑦ Mr. Supinski's softkey in issue #68 for Stickybear Math did not work for me. Everything worked up until the step 14 in which I was to scan for the bytes "60 A2 00 0A 00". When I scanned 1,1) + MID\$ (HX\$, H - INT (H / 16) * for these bytes, I got a "Bytes not Found," message from Copy II+. Anybody know what's going on?

> To Chris Moffitt: In issue #68, you asked about how to make a picture BRUNable. Well the solution is quite simple! In the back of the owners manual to "Beagle BASIC" (by Beagle Brothers,) there is a short listing for a program that does just that. I would include the program here, but I am not sure about the legal implications.

> Another way to get the pictures to display is to use the BLOAD, and CALL commands:

> BLOAD Filename, A\$2000 loads file into Hires

Page 1 CALL -3100 displays page 1

For those of you beginners that don't know this already, to save a picture on page 1, you use: BSAVE Filename, A\$2000, L\$1FFF

and use: BSAVE Filename, A\$4000, L\$1FFF

to save a picture on Hires page 2.

And as to your other question, a couple of good machine language books for beginners (like me) are: Assembly Lines: The Book, by Roger Wagner, and Beginner's Guide to Assembly Language, by MindCraft Publishing (aka. NIBBLE).

I hope that helps. Thanks for such a great computer magazine. Keep up the good work! I also need softkeys for WasteLand, Operation: Frog, Agent USA, and Spell It!.

B. Dudley Brett <u>Canada</u>

Locksmith 6.0 Fastcopy with E.A. RWTS (Revised!)

How to Boot quickly into your binary file

To John Jackson: In COMPUTIST #56. pp.12in first obtaining the Locksmith Fastcopy pro-54, 72, 55, 72, 72, 72, 72, 72, 46, 47, 72, 42, 72, 41, and 10 sources myself hucky, as I never had 'any difficulty following the original article in 45, 72, 72, 72, 72, 72, 72, 56, 72, 57, 48, 49, any difficulty following the original article in 43, 72, 40, 72, 72, 44, 72, 50, 72, 51, 72, 72, COMPUTIST #43. I also read with interest the

discussion of my method in COMPUTIST #62, 1016 DATA 61, 62, 72, 60, 72, 72, 66, 72, 63, p.21, and agreed that the modification would a plea for help from John Jackson. As he did not specify what the problem was, I decided to try to retrace John's steps by reading my article again, and following all steps.

After incorporating the revisions of COM-PUTIST #62, I faithfully followed all steps, and after doing so, I turned the computer off, placed the fastboot disk in the drive, and turned the computer on. Locksmith came up, all right, but simply would not read the source disk! Something was horribly wrong. After comparing the information on this disk with my old, well used fastboot disk, I realized that there was a typographical error (my mistake and nobody else's!). In the machine code placed on T\$09, S\$0F, byte \$42 should be \$FE, not \$FF. This wee mistake means that RWTS will never be moved from \$5000, where it is loaded, to \$B600 - \$BFFF, its proper place. Thus, the only way the disk will work is to boot DOS 3.3 first, and then use

control-open apple-reset (or PR#6). Now, after seeing this mistake, I thought again of John Jackson's problem. Was my awful This translates in disassembly to:

		The second se
2C E9 C0	BIT \$COE9	(Turn on drive)
A9 18	LDA #\$18	(Page no. for special loader)
85 3E	STA \$3E	(Store \$18 in loc. \$3E)
A9 09	LDA #\$09	(Track no. for special loader)
20 00 OC	JSR \$0C00	(E.A. Load from track \$09)
20 00 18	JSR \$1800	(Execute loader at \$1800)

4. Now edit track \$09, sector \$0F starting at byte \$00 (This is the special loader)

Itt

09

<u>Sct Byte(s) From</u> OF 00 ??	<u>10</u> A9 20 85 3E A9
	20 20 00 0C A9
	30 85 3E A9 21
and the second secon	20 00 0C A9 50
	85 3E A9 22 20
1. 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 19	00 0C 2C E8 C0
a tha an	A9 00 85 3C A9
e fertil en skrive stateter	50 85 3D A9 FF
an an she water a say	85 3E A9 59 85
1월 11일에는 관심 방법은 가격을 가지?	3F A9 00 85 42
and the second second	A9 B6 85 43 20
	4A FF A9 00.85
	47 20 3F FF 20
	2C FE 4C 00 20

Disassembly listing

xx00: A9 20	LDA	#\$20	(Address of LS 6.0 Fastcopy)
02: 85 3E	STA	\$3E	(Store \$20 in loc. \$3E)
02. 85 SE 04: A9 20			(Track no. for LS)
04. A9 20 06: 20 00 0C	JSR		(Read in track \$20)
09: A9 30		•	(2nd half of Locksmith)
08:853E	STA		(Zhu han or Lookshinn)
0D: A9 21	LDA	4	(Track no. for 2nd half)
0F: 20 00 0C	JSR		(Hack no. IOI 2nd hany
12: A9 50	LDA	#\$50	(Address of DOS 3.3
12. A9 30	LUA		RWTS)
14: 85 3E	STA	\$3E	
16: A9 22	LDA		(Track with RWTS)
18: 20:00 0C	JSR	\$0C00	
1B: 2C E8 C0	BIT	\$C0E8	
1E: A9 00	LDA	#\$ 00	(Low 1st byte of RWTS)
20: 85 3C	STA	\$3C	
22: A9 50	LDA	#\$50	(High 1st byte of RWTS)
24: 85 3D	STA	\$3D	
26: A9 FF	LDA	#\$FF	(Low last byte of RWTS)
28: 85 3E	STA	\$3E	
2A: A9 59	LDA	#\$59	(High last byte of RWTS)
2C: 85 3F	STA	\$3F	en de la construcción de la constru La construcción de la construcción d
2E: A9 00	LDA	#\$00	(Low byte of destination)
30: 85 42	STA	\$42	
32: A9 B6	LDA	#\$ B6	(High byte of destination)
34: 85 43	STA	\$43	
36: 20 4A FF	JSR	\$FF4A	(Start memory move)
39: A9 00	LDA	#\$ 00	
3B: 85 47	STA	\$47	化十二氟代基代酮 化合成 化合金
3D: 20 3F FF	JSR	• • • • •	
40: 20 2C FE	JSR	\$FE2C	(End memory move)
			(byte \$42 change)
43: 4C 00 20	JMP	\$2000	(Execute LS 6.0
			Fastcopy)

My original plan was to load Locksmith into tracks \$20 and \$21. After doing so I found that Locksmith needed the DOS 3.3 RWTS from \$B600 to \$BFFF. Thus, I eventually decided to place RWTS on track \$22 and have the special loader retrieve it from that track and place it in memory starting at \$5000. Then the loader would make a memory move, transferring RWTS to \$B600.

5. On another DOS 3.3 disk enter and save (SAVE E.A. WRITE) the following:

WRITE BINARY FILE

- 10 REM Write Hi-Res picture or binary file
- 20 POKE 768,32: POKE 769,227: POKE 770,3: POKE 771,76: POKE 772,217: POKE 773,3: POKE 47083,0: POKE 47088,0: POKE 47090,0: POKE 47091,0: POKE 47092,2
- 30 HOME : INPUT "TRACK~#:~" ;X: INPUT
- "#~OF~SECTORS:~" ;Y: PRINT : PRINT : PRINT "INSERT~DISK..." ;: GET

Put your prepared E.A. boot disk into the drive and: RUN

Answer 32 when prompted for the track#. Answer 23 when prompted for sectors (check this!).

8. Now write RWTS to the disk.

RUN

CALL-151 2000<B600.BFFFM Move RWTS into place for transfer

3D0G Make sure E.A.WRITE is in place

Answer 34 when prompted for the track. Answer 10 when prompted for sectors.

9. Now place the new boot disk in the drive, boot and enjoy!

A Bug in Magic Spells softkey COMPUTIST #66, p.35-37

When I found the one byte error in the Fastboot article, I decided to double check any other articles in which I had used the monitor move routine. The only other article with this routine was a rather long article in COMPUTIST, v.66, about the torture I exposed myself to in softkeying Magic Spells & Moptown of Special Delivery Software. There in the listing and disassembly of the MVE file was the same one byte typo error! Somehow, in the writing of the article, I had consulted old notes, instead of taking the exact listing from the MVE file.

Here is the correction: In the hexdump (p.36) and source code listing (p.37) of the binary file "MVE", change byte \$0324 from \$FF to \$FE.

By the way, I have noted in COMPUTIST some recent softkeys for Magic Spells distributed by Learning Company. I do not know if these refer to an updated version of the very old version (1981) that I softkeyed. It is obvious, however, that the recent protection methods are much simpler than in my version.

Softkey for ...

Crosscountry Canada Didatech Software Ltd.

Crosscountry Canada is an interesting Geography program introducing students to places and their products in Canada. Both sides may be copied with a sector copy program. One sector (T\$02 - S\$07), however, produces errors and the disk will not boot unless this sector is copied. It can be done by copying track \$02 with a Bit Copy. As such copies seem to fail easily, I finally decided to try and remove all protection.

After finding that I could not read the protected sector (using C.I.A.), I searched the disk's DOS to find the HELLO file (shown on T\$01, S\$07) and found it to be a binary file called COPYRIGHT 1986. As there was a normal catalog, I then BLOADed it and tried to read it. To my surprise, excepting the first 3 bytes, the file was garbage. These first 3 bytes (0802:4C E1 BC), simply caused a jump to a normally unused portion of DOS 3.3. I decided that perhaps a decoding routine might be at that location, effectively to normalize the hello file. At this point, using a modified F8 ROM, I booted the Crosscountry Canada original disk, reset into the monitor, and examined the code at \$BCE1. All I could see were zeros!

By examining the code prior to these unhelpful zero bytes, it was apparent that this was almost the normal DOS 3.3. Perhaps I could get a better look by using a sector editor. Using C.I.A. again, I found page \$BC on T\$00, S\$06, and there it was, from \$BCE1 to \$BCFB, a nice decoding routine that substituted bytes EOR'd with \$96 in the hello file. At the end of this routine a jump was accomplished (\$BCF9:4C 89 BA) to location \$BA89, again in DOS.

Using the sector editor, I found page \$BA on T\$00, S\$04, and looking at the routine from \$BA89 to \$BA94, another twist was found. This tiny routine simply zeros the 27 bytes of the decoding routine at \$BCE1 and exits by jumping

I once again saved some paper by moving three "areas". The lower left corner of page 14 is the 3rd floor of the University Library, the lower right corner of page 15 is the 3rd floor of the Novue Apartments, and the lower left corner of page 16 is the 5th floor of the Tzorg Authority Complex. Note: the same symbols from the original program are used, so the "vending machines" in the Tzorg Authority Complex are not going to show up on the map. If you wanted, you could determine the numbers for the "vending machines" and add them to the numbers in line 210. OK, OK, OK, stop twisting my arm, the numbers are \$14, \$15, \$16, & \$17 (20, 21, 22, & 23 in decimal).

As for the question on using the transporters, follow these directions:

- 1. Enter a transporter (Press "E") 2. Enter access code ("LETSGO") 3. Enter destination code (00 thru 04)
- 4. Verify (Y/N)

The destination codes are as follows:

00 = Public Tracking Office

- 01 = Novue Apartments
- 02 = University Main Building
- 03 = Metropolis Administration
- 04 = Megatech Building B

error his only problem? Then I remembered the discussions about the difficulties with obtaining the Locksmith Fastcopy file. There seem to be at least 2 versions, one that starts at \$2000 (my version) and another that starts at \$2003. If John has the latter, he must not load it in at \$2000. It should be loaded in at \$2003, and the bytes \$2000-\$2002 should be loaded with EA EA EA (NOP bytes). Also, the file sector length should be checked by a CATALOG. Mine is 23 sectors. Who knows what length the second version is? Here is a slightly revised (and now correct) version of the cookbook method:

The Annotated Procedure

- 1. Format a DOS 3.3 disk (Use Locksmith to format, it's quick.)
- 2. Copy track \$00 of any Electronic Arts disk to the formatted disk (I used Seven Cities of Gold).
- 3. Get out a sector editor (CIA?) and edit track \$00, sector \$00.

<u>Irk</u> 00

<u>Sct</u> 00	<u>Byte(s)</u> 04-12	A9 00 8D F2 03 A9 C6 8D F3 03 49 A5	<u>Io</u> 2C E9 C0 A9 18 85 3E A9 09 20 00 0C
		8D F4 03	20 00 18

PRINT

40 T = X:TF = Y:SI = 15:MI = 32:MF = MI + Y + 1:S = SI:M = MI:LT = T +INT (Y / 16): GOSUB 80 OR - ":END

60 M = M + 1: IF M > MF THEN END 70 GOSUB 80: GOTO 50

80 POKE 47089, M: POKE 47084, T: POKE 47085,S: CALL 768: RETURN

Checksums

10-\$BADD	40-\$D4C8	70-\$7D67
20-\$4BF2	50-\$6B1C	80-\$B2BA
30-\$8AA8	60-\$4A87	

6. Now boot DOS 3.3 and BLOAD LOCK-SMITH 6.0 FASTCOPY

CATALOG (Check sector length of file) **BLOAD LOCKSMITH 6.0 FASTCOPY CALL-151**

AA72.AA73 (Location of starting address)

If you see "AA72:0020" then skip the following line and go directly to step 6. If you see "AA72:03 20" then do the following. 2000:EA EA EA

- 7. Now write Locksmith to your prepared E.A. boot disk.
- LOAD E.A.WRITE Never run it on the disk you saved it!

to location \$0805 of the hello file (\$BA92:4C 05 08).

Deciding that I could be just as sneaky, I 50 S = S - 1: IF S < 0 THEN S = SI:T = placed a zero byte at \$BA92 on a copy of the disk. T + 1: IF T > LT THEN PRINT : - ERR Then I booted this copy and when it crashed into the monitor, I simply replaced the original encoded file on the disk with the now decoded file by bsaving it on the disk. I purposely saved it starting at \$0805, instead of \$0802, as I didn't need the decoded routine anymore.

Now I could examine the nibble count that undoubtedly was in the hello file. After bloading it, I started looking through the monitor listing for disk access, and found the nibble count from location \$0A70 to \$0B44. Noting frequent branches in this subroutine to \$0B33, I discovered at this location that the Y-register is loaded with \$FE and if the nibble count is successful, the contents of the register are placed at \$1FFA and an RTS is made. However, upon an error, the Yregister is incremented (to \$FF) before the return.

Having found the nibble count, I then scanned back through the file to find where the nibble subroutine was accessed. At location \$088E, there it was (\$088E:20 70 0A JSR \$0A70). Immediately after this, the Y-register is incremented and checked to see if it is \$FF. If not, a branch is made to disk death at \$0888. If successful, the disk is now unlocked!

My method of deprotection was now clear: Edit the nibble count so it would return \$FE always and edit the branch to disk death using NOP bytes. Here then is the cookbook recipe to completely deprotect Crosscountry Canada.

- 1. Copy both sides of the original with any fastcopier that ignores errors on T\$02, S\$07.
- 2. Sector edit T\$00, S\$04, byte \$92 from \$4C to \$00 (This prevents the decoded file from being executed after decoding).
- 3. Boot the now altered side one copy, and wait for the monitor asterisk prompt. Then edit the hello file in memory.

was D0 ED, removes branch 0899:EA EA was CB, removes the INY 0B37:EA **UNLOCK COPYRIGHT 1986**

BSAVE COPYRIGHT 1986, A\$0805, L\$373 Save the modified and decoded hello file LOCK COPYRIGHT 1986

DOS 3.2 Controller

Bill Jetzer (in his article "Reading from Protected Disks", COMPUTIST #60 p.11) included a controller to convert DOS 3.2 disks to DOS 3.3. I tried to use this controller with Super IOB v1.5 to access the files on on old 3.2 disk (Game Show) and it would not work. I examined the operations ordered by the controller and found that two GOSUBs referenced the wrong entry. points in SIOB1.5. GOSUB 430 in lines 1012, 1014, 1020 and 1030 will not exchange RWTS routines as suggested and should be changed in all cases to GOSUB 360. GOSUB 460 in lines 1020 and 1030 simply prints a message, waits for a keypress and returns. GOSUB 460 must be changed to GOSUB 490 in both places to correctly toggle the read/write operation. Additionally, when I tried this controller on Game Show, I found that it would read track \$00 fine, but would bomb on track \$01. Noting that the bomb occurred as Super IOB was trying to read sectors \$0F to \$0D, I researched the documentation on the copy program. I discovered in the binary file, IOB.OBJO, that after a track was read or written, the sector number would be reset to \$0F (15). This is necessary for DOS 3.3, but for DOS 3.2, it should be \$0C (12)! Thus a one byte patch must be made. \$0F should be changed to \$0C at address \$384. Note that this is accomplished in the controller in line 1011.

Here is the modified DOS 3.2 Controller, CON.13. Note that line 1012 includes 4 POKEs that I used to copy Game Show by Computer Advanced Ideas. These turn off the error checks for the first bytes of the address and data markers, the read error flag and data checksum. I was successful, by the way, in accessing all files of Game Show, but as yet have still not made a runable version, converted to DOS 3.3. However, from the extensive research I had to do, I finally composed Parms for Copy II Plus that would faithfully and reasonably quickly make a protected copy.

Controller

- 1000 REM DOS3.2 CONTROLLER
- 1010 TK = 0:LT = 35:ST = 12:LS = 12:CD = WR:FAST = 1
- 1011 GOSUB 360: REM SWAP RWTS ROUTINES TO-T22, SECTOR COPY, 59=B5, 6B=00, 65=00, TO MAKE MODIFICATIONS
- 1012 POKE 900,12: REM 13 SECTOR PATCH IN IOB.OBJO
- 1013 POKE 47480,0: POKE 47370,0: POKE Softkey for ... 47459,24: POKE 47439,0: REM DOS3.2 RWTS PATCHES
- 1014 GOSUB 360: REM SWAP RWTS ROUTINES AGAIN
- 1020 GOSUB 360: GOSUB 490: GOSUB 610 1030 GOSUB 360: GOSUB 490: GOSUB 610:
- IF PEEK (TRK) = LT THEN 1050
- GOTO 1020 1050 HOME : PRINT "COPY~DONE" : END
- 10010 PRINT CHR\$ (4) "BLOAD~RWTS.13,A\$1900"

1012-\$13F5 1030-\$4EA2

Checksums

1000-\$356B 1013-\$C8FE 1040-\$83C2 1010-\$135A 1014-\$917B 1050-\$6B2F 1011-\$184E 1020-\$7C36 10010-\$EF46

prologues (D5 AA B5 and D5 AA AD), whereas sectors \$0A-\$0C are changed to FE AA B5 and FE AA AD.

3. At least 2 sectors on the program disk have data checksum and data epilogue errors.

4. There are two catalogues, one on Track \$11, the other on Track \$08. A routine starting at \$A800 in the disk's DOS is called to switch prologue bytes and track numbers in order to access both catalogues.

5. Machine language routines, mainly for graphics, are loaded into \$800-\$FFF and \$1800-\$1 FFF when the disk is booted and are not shown in the catalog.

6. Instead of using Applesoft programs, this disk uses Integer Basic. This is really a problem, as Integer Basic is not manipulated in RAM as an Applesoft program might. Instead of running low in memory at \$801, Integer runs high in memory. Variable manipulation is also quite different.

Considering the above, I was able to produce a DOS 3.3 copy of GAME SHOW that, of course, would not boot, using CON.13, the included controller. Note that a special RWTS, RWTS.13, must be used in this swap controller. In order to obtain this, I used Computist's method from v.13, p.27. I then used FID to transfer files from the copied disk's T\$11 to an initialized DOS 3.3 disk. In order to copy the Integer files on T\$08, I booted up an old DOS 3.3 master to obtain the Integer Basic prompt, and changed the catalog track with a POKE 44033,8. In turn, I loaded the files from the copied disk and after changing back to the normal track (POKE 44033,11), I saved them on to the disk with the FIDed files. At this point, I even went so far as to transfer the necessary Integer files from the system master, and made a HELLO file to provide Integer Basic on this disk.

Inspection of the Integer files, and the realization that several machine language routines not in the catalog were being accessed, convinced me that I would never, not in a hundred years, be able to convert this program into a runable DOS 3.3 environment!

I now was almost stymied until I realized that my knowledge of the marker changes could be used to provide a PARM for Copy II Plus that would provide a good copy, though it would still retain its protection. With this in mind, I planned a PARM that would sector copy all tracks but T\$00. As T\$00 had a combined DOS 3.2/3.3 format and extensive prologue changes, I decided that it should be bit copied. PARM GS.1 can be entered into any recent version of Copy II Plus and will faithfully copy the program side. PARM GS.2 will copy any data diskette.

PARM GS.1

GAME SHOW * (CAI) T0

T11, SECTOR COPY, 59=B5, 6B=00, 65=00, 77=00

T14-T22, SECTOR COPY	
T1-T10, SECTOR COPY, 57=FE, 61=FI	Ξ
TI2 TI3 SECTOR COPY	

112	-113,	36	\mathbf{u}		7F 1			
			÷		2.1			
n -				PARN	4 GS	.2		

GAME SHOW-DATA * (CAI)

77=00

Computer Inspector v1.0

MECC 1988

This MECC disk has the data prologue altered from D5 AA AD to D5 AD AA. I used COPYA and a sector editor to produce a copyable backup.

1040 TK = PEEK (TRK) : ST = PEEK (SCT) : 1. Run COPYA and then stop it to make some

mods.	
RUN COPYA	
Ctrl C	
70	
CALL -151	

B8F3:00 turn off check for byte 2 of data prologue

shown was remarkably similar. I found that: - track \$03 is unreadable and likely a nibble count track

- track \$11 has minimally altered epilogues
- Byte 01 of T\$11 S\$00 is 00 and should be 11 to access the catalogue.
- The HELLO file BRUNs SSPROT\$\$1 to check before proceeding.
- Another file (the real HELLO program) is not mentioned in the catalogue, but can be found with patience.

On Track \$12, sector \$0F, I discovered the T/ S list of the real HELLO file that runs after SSPROT\$\$1 has done its dirty work. I decided to simply exchange this 4 sector file in the catalogue for the 2 sector file that calls the protection. Here is the method.

- 1. INIT both sides of a disk with HELLO, deleting the file afterwards.
- 2. Copy both sides of the original disk with a fast copy program that will ignore track \$03 errors. As we need the VTOC and catalogue on track \$11, make sure to change DOS 3.3 first by poking *B942:18 to ignore the epilogue errors on track \$11. 8. 82
- 3. Sector edit both sides of the copied disk:

Side one:

Sct \$00 0B	01 DD	- 00 21	IO 11 12 (swap HELLOs)
			а. <mark>04</mark> антараан кака Каридиан W 0: амбараан Каридиан W0: амбараан Каридиан
Sct	Byte(s)	Erom	n tean an tha an an an tha ann an Arth. • ∎ean an Arthreach an ann an tha

<u>Trk</u> \$11 -00 01 00 0E 97 1B 12 **B8** 02 04

Irk

\$11

4. Boot DOS 3.3 and turn off error check in DOS. POKE 47426,24 **BRUN FID**

5. Transfer all files from the altered copied disk to both sides of your initialized disk.

Softkey for ...

2400 AD

Origin

I have noted that the type of protection on this disk has received considerable attention and would like to express the idea that the elaborate approaches to deprotection are somewhat of an overkill. Specifically, when address prologues are alternated, D5 AA 96 for even tracks and D4 AA 96 for odd tracks, all that needs to be done is to turn off the check for the first address byte in DOS 3.3 and use COPYA, 1: Start COPYA. So when the control and so being one

RUN CO	OPYA .	1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 - 1919 -	신학 구성	8 名注意品語	an start
ctri C					**
70	$(1,1,2,\dots,N)$				

- **CALL-151**
- B957:00 turn off check for 1st address prologue byte ctrl C back to basic
- RUN copy both sides

Softkey for ...

Magic Slate v1.3

Sunburst

In COMPUTIST v.49, p.26, I commented upon v1.2.3 and noted the moved, but almost identical to the original, protection. Again in v1.3, the routine has been moved. Here is the updated copy method for the 20 and 40 column programs. 1. Boot PRODOS

BLOAD MS, TSYS, A\$2000 **CALL-151** 2053:EA EA EA was 4C 2F 21 205B:EA EA EA was 4C 2F 21 BSAVE MS, TSYS, A\$2000, L\$3DEC

2. Repeat step 1 for other side.

the RWTS down (*1900<B800.BFFFM) and continued by installing the MECC swap controller and using SUPER IOB to produce a COPYAable disk. After scanning Track \$00, I edited a few bytes so that only legitimate prologue bytes would appear in the MECC DOS3.3 and then booted my copy.

Darn! The disk booted, but crashed after the menu appeared. Something was different in the copy protection! I also noted that the MECC logo was quite different from all others that I had seen before. After considerable further investigation, I found that the program used a CALL (CALL 30464,1 (or 2)) to a binary file, MECC FLIPPER, to switch prologue bytes so that both the original protected disk and an unprotected data disk could be accessed. To further complicate matters, each time a disk was read, it was checked for whether it was a protected, or an unprotected disk. Simply altering the MECC FLIPPER program to not exchange bytes was insufficient; I had to modify the BASIC programs to ensure that the disk checks were made, but without the checks for whether the disk was protected or not. Here then is the method:

1. Boot the original disk and hit <RESET> several times to stop the drive.

CALL-151 1900<B800.BFFFM

move the RWTS down 2. Boot a DOS 3.3 disk without a HELLO pro-

gram BSAVE SPORTS.RWTS, A\$1900, L\$800 Save RWTS

3. Install the MECC Swap Controller into Super SIOB and copy the original to a blank disk.

4. Make the following sector edits:

Irk	Sct	Byte(s)	From	<u>To</u> sector
\$00	\$02	\$58	AD .	ĀĀ
		\$5F	AA	AD
		\$F1	AD	AA
		\$FC	AA	AD
\$00	\$03	\$55	AA	D5
		\$5F	D5	AA
\$00	\$06	\$7A	AA	D5
		\$7F	D5	AA

5. Boot DOS 3.3 and insert copied disk. **BLOAD MECC FLIPPER** CALL-151

7709:60 was A5, aborts prologue switches ctri C

UNLOCK MECC FLIPPER

BSAVE MECC FLIPPER, A\$7700, L\$CD LOCK MECC FLIPPER

LOAD HELLO-OPTIONS

UNLOCK HELLO-OPTIONS

- 2110 ONERR GOTO 2130
- 2120 GOSUB 500:PRINT D\$"VERIFY DELETIONS"
- 2130 IF PEEK(222) = 6 THEN PD = 0:
- -GOTO 3110-3 I.NY 189
- 4610 ONERR GOTO 4625
- 4620 PRINT D\$"VERIFY DELETIONS, D"DR: GOT04670
- 4625 IF PEEK(222) = 6 THEN PD =0: GOTO 5000

SAVE HELLO-OPTIONS LOCK HELLO-OPTIONS

LOAD STIX V52

GOTO 3544

GOTO 7295

SAVE STIX V52

LOCK STIX V52

7271 ONERR GOTO 7274

7273 PRINT CHR\$(4)"VERIFY

DELETIONS, D"DR: GOTO 7283

- **UNLOCK STIX V52**
- 3508 ONERR GOTO 3512 3511 PRINT C\$"VERIFY DELETIONS, D"DR:
- PD = 1: GOTO 35443512 IF PEEK(222) = 6 THEN PD = 0:

7274 IF PEEK(222) = 6 THEN PD = 1:

The Mandelbrot Set

commercial or private domain program called

The Mandelbrot Set, to the best of my knowl-

edge. Rather, I wish to take you on a journey into

No, this is not another softkey; there is no

Bitkey for ...

Game Show

Advanced Ideas Inc.

The Game Show is a delightful quiz game based upon numerous TV game shows. It features a moderator and one or two panelists and an extensive selection of questions in many categories. For a 1982 program, the graphics are good.

Bit copies of this program are produced very slowly and are very unreliable. Most bit copiers will not even copy it. For this reason, I have devoted a great deal of effort whenever I could obtain time over a time of several months. There are several layers of protection which have made my attempts frustrating. Some of the more important protection methods found are:

1. The disks are all in DOS 3.2 format.

2. The program disk has altered prologues: I found address and data prologues of FE AA B5 and FE AA AD, respectively, on tracks \$01-\$10, \$12-\$13 and D5 AA B5 and D5 AA AD on tracks \$11 and \$14-\$22. Track \$00 was a nightmare. Sector \$00 is DOS 3.3 having normal prologues. However, a gibberish sector appears if DOS 3.3 marks are used. Sectors \$01-\$09 have normal

turn off check for byte 3 of data pro

logue ctri C RUN

R84FF:00

Id

\$0

2. Sector edit:

k	Sct	Byte(s)	Erom	I	2
0	\$0B	99	AD	A	A
		A3	AA	A	D
	\$0C	82	AD	A	A
	•	87	AA	A	D

Enjoy!

Softkey for ...

Comment Dit-On?

Lingo Fun, Inc.

After first checking this disk out for changed address and data markers, I found that track \$03 was sectorless and track \$11, the catalogue track, had epilogue bytes changed to D5 AA from DE AA. Accessing the catalog, I was interested to find 2 files that triggered my memory. These files were SSPROT\$\$A and SSPROT\$\$1, used in protection many times before. Researching old COMPUTIST editions, I noted the resemblances between the protection on Comment Dit-On and on Walt Disney's Cartoon Maker, softkeyed by Edward Teach in v.51, p.28. Though some minor details were different, the technique of protection

Softkey for ...

French: Verb Pairs and Idioms

Language Study Software

The data epilogues are changed from DE AA to DE DE in the minimal protection observed. 1. Boot a DOS 3.3 disk. Place a blank disk in the drive and initialize a slave disk. **INIT HELLO**

DELETE HELLO

2. Get rid of some error checking and use FID to transfer all files to the initialized disk. POKE 47426,24

BRUN FID

Softkey for ...

Sports Stats MECC.

Having deprotected many MECC disks in the past, I was expecting to spend perhaps 5 minutes to manage Sports Stats, a 1985 program. At first, the only protection visible was changed address prologues (AA D5 96 instead of D5 AA 96) and changed data prologues (D5 AD AA instead of D5 AA AD). So, following usual procedure, I booted the disk, waited until the Applesoft prompt appeared and hit <RESET> several times. I moved

realm of higher mathematics equations and the science of Chaos, the study of the unpredictable.

First, I should tell you how it all began. During March Break this year (I am a high school Physics teacher), I visited a bookstore to buy some books to while away the vacation period. There I came upon a book on sale, with a most unusual title. It was called "CHAOS, Making a New Science" by James Gleick, an editor and reporter at The New York Times. Sensing a bargain, I bought it, and during the Break, I read it and was amazed at the new (to me, at least) approaches to solving problems that heretofore seemed not to be predictable and therefore not solvable (An example might be the dynamics of turbulent stream flow). The book is well written and generally non-mathematical and can be read with pleasure by most curious persons of reasonable intelligence.

Part way through the book is a section that might interest the readers of COMPUTIST. There the work of Benoit Mandelbrot upon the Fractal Geometry of Nature is presented. In 1977, Mandelbrot presented the scientific world with a new approach to the study of some of the convoluted patterns that appear in nature (examples might be the endlessly convoluted outline of a fern frond or the patterns of snowflakes, no two alike!). One pattern produced by Mandelbrot, called the

Mandelbrot Set, is so complex that its appearance on a computer Monitor screen produces awe. The neat thing is that, if any part of the perimeter of this figure is magnified, no matter how much, there is always incredible detail. The perimeter, then is so convoluted that one can only infer that it is infinitely long!

In order to present a graphic image of the Mandelbrot Set on a computer monitor, at least 10 million calculations must be performed. As no one in control of their wits would want to do these computations, the computer is thus the tool to complete the job. Even so, it takes several hours for a BASIC program on an APPLE to do it. Compiling the program reduces the wait to $1 \frac{1}{2}$ hours (the Macintosh takes 13 minutes!). Resolution of the finished image on the Hires screen of the Apple II is not nearly as spectacular as when one tries an IBM or Amiga, but is not bad.

To generate this image, one can simply "RUN MANDELBROT.1" or come with me on a journey through mathland as I explain how to calculate it. If you are also interested in seeing a blowup (80X) of the little dot in the far left part of the whole image, then "RUN MANDEL-BROT.2". For those who have a color monitor, "MANDELBROT.3" presents the image with a multicolored border.

Here is the mathematics of the Mandelbrot Set: The Mandelbrot Set is an image which falls in the range of coordinates X values from -1.9 to +0.5 and Y values from -1.10 to +1.10. Think of the X value as representing a direction on a map. If X is negative, this is towards the west; if X is positive it is directed towards the east. A positive Y value, then is towards the north (or up the monitor screen) and a negative Y value is to the south. In the computer program, one simply tests every coordinate point in the range given in order to see if the point tested lies inside, or outside of the Mandelbrot Set. If the point lies inside, it is plotted; if it lies outside, it will not be plotted.

When one wishes to test a point, say X=0.25 and y=-.53, one simply sets a variable, A to the X value and another variable, B to the Y value. The weird thing, however, is that whereas A is a Real number, B is something mathematicians call an imaginary number. Fear not, for I will explain without confusing anybody.

The way to see how these two types of numbers, and their use is to show a simple statement. The coordinates of each tested point can be represented this way:

```
Coordinates of point = Real no. + Imaginary no.
               C =
                       Α
                                     В
```

Using our above example the tested point's formula is: C = 0.25 + -0.53

So to test each point, simply set up the easy formula, with the coordinates placed in their correct place. Now to test the point to see if it fits the Set, take this expression (A + B) and square it, and then add the original expression to the product.

Now if one were dealing with only real numbers, one would get the following: (the product part)

 $(A + B) \times (A + B) = A^{2} + 2 \cdot A \cdot B + B^{2}$

and now adding the original expression:

 $(A^{2} + 2.A.B + B^{2}) + A + B = A^{2} + 2.A.B + B^{2} + A + B$ Note if our original seed values were real

numbers, we would get:

```
.25^2 + (2 x .25 x -.53) + -.53^2 + .25 + -(.53) =
.0625 + -.265 + .2809 + .25 - .53 = -.2016
```

But since we are using 1 real number and 1 imaginary number, we have to do something a bit different. You have to know the simple rules of dealing with them. These are the rules:

1) Add a real number to another real one gives a real number

2) imaginary + imaginary number gives an imaginary number

3) real times real number gives a real number 4) imaginary times imaginary gives a real negative number!!!

eventually become infinitely larger, and must 190 PRINT CHR\$ (7); CHR\$ (7): END therefore lie outside the Mandelbrot Set. The number is therefore discarded and not plotted. But if the numbers never attain a value greater than 2, the coordinate point lies inside the Set and is plotted.

In the program, MANDELBROT.1, lines 70 to 100 set up the Hires screen and adjust the coordinate points to equation and screen values. Line 110 sets the loop to do 20 repeat calculations testing the point. Lines 120 to 140 perform one calculation and line 150 tests the point for size and discards the point if too large by exiting from the loop. If the point passes the test, HCOLOR is set to 3 and it is plotted in lines 160 and 170. If the point does not pass, then HCOLOR is set to 0 and plotted (invisibly). Line 180 loops back to start testing another coordinate.

MANDELBROT.1

10 REM ************
20 REM * MANDELBROT.1 *
30 REM * BY B.D.BRETT *
40 REM * MAY 18, 1989 *
50 REM ************
60 TEXT : HOME
70 HGR2 :X1 = 180:Y1 = 86
80 FOR $X = -160$ TO 40
90 FOR Y = 0 TO 85
100 S = 80:A = X / S:B = Y / S:D = A
= B
110 FOR I = 1 TO 20
120 C = A
130 A = A * A - B * B + D
140 B = 2 * C * B + E
150 HCOLOR= $(I > 19) * 3:I = I + (($
ABS $(A) > 2$ + (ABS $(B) > 2$) * 2
160 HPLOT X + X1, Y1 - Y
170 HPLOT $X + X1, Y1 + Y$
180 NEXT I,Y,X
190 PRINT CHR\$ (7); CHR\$ (7): END
Checksums

10-\$BADD	80-\$A1E5	150-\$9763
20-\$9B13	90-\$862B	160-\$88F5
30-\$4D3B	100-\$9BFE	170-\$488A
40-\$AD92	110-\$3996	180-\$23DA
50-\$C899	120-\$00A6	190-\$E044
60-\$DA01	130-\$298A	•
70-\$1D72	140-\$6A7F	

MANDELBROT.2 shows a magnified view of an obscure "burnp" on the east-west line near the left side of the screen. Here I simply set the range over a much smaller range of X & Y values. Note the fine exotic detail persists in this view. Interested programmers may extend the technique to obtain increasingly magnified views that will always show feathery strange detail.

MANDELBROT.2

10 REM ************** 20 REM * MANDELBROT.2 * 30 REM * BY B.D.BRETT * 40 REM * MAY 18, 1989 50 REM *************** 60 TEXT : HOME 70 HGR2 : S = 3700: T = 6690: U = 90: F =180 80 FOR X = 10 TO 250 90 X1 = X - T100 FOR Y = -90 TO 0

110 Y1 = U + Y:A = X1 / S:B = Y1 / S:D= A:E = B120 FOR I = 1 TO 20

130 C = A

140 A = A * A - B * B + D150 B = 2 * C * B + E

160 HCOLOR = (I > 19) * 3:I = I + ((

ABS (A > 2) + (ABS (B) > 2)) *170 HPLOT X, - Y: HPLOT X, Y + F

180 NEXT I, Y, X 190 PRINT CHR\$ (7); CHR\$ (7): END

÷1	Checksums	
10-\$BADD	80-\$758B	150-\$6E3F
20-\$9B13	90-\$1BEC	160-\$A4B2
30-\$4D3B	100-\$D769	170-\$51B3
40-\$AD92	110-\$653C	180-\$6AB3
50-\$C899	120-\$1173	190-\$7B1B
60-\$DA01	130-\$2BDF	
70-\$9BD2	140-\$ECDE	

MANDELBROT.3 is a colored variation of MANDELBROT.1. Here, I have plotted points Checksums

	Checksums	
10-\$BADD	80-\$A6E6	150-\$DE2D
20-\$9B13	90-\$9B1C	160-\$3E0D
30-\$4D3B	100-\$ACE3	170-\$2B46
40-\$AD92	110-\$3A91	180-\$B056
50-\$C899	120-\$0DA1	190-\$6BDE
60-\$DA01	130-\$288B	
70-\$1D72	140-\$7748	

I compiled these programs, using the Beagle Compiler and ProDOS, and decreased the runtime to about 1 1/2 hours. If uncompiled, the computer should be left on overnight. The same program can be easily adapted to a higher resolution computer (I tried it on a MacIntosh and obtained a beautiful result).

For programmers who have taken interest in one-line programs as published in NIBBLE, I have compressed each of the three programs (See MB1.1 LINER, MB2.1 LINER & MB3.1 LINER). I decided to compose these after looking through an old NIBBLE magazine (Aug., 1988) a few days after starting to write this article. There, on page 110, was a one-liner that drew a Mandelbrot Set! My MB3.1 LINER has close similarities to Theodore Yapo's routine, but shows much finer detail than his. An additional benefit of using such one-liners is that they A: Erun much, much faster than many line programs. When compiled, you can see a finished product in less than an hour.

Mandelbrot.1

20

1 TEXT : HOME : HGR2 :X1 = 180:Y1 = 86: FOR X = -160 TO 40: FOR Y = 0\$01 TO 85:S = 80:A = X / S:D = A:B = Y/ S:E = B: FOR I = 1 TO 20:C = A:A= A * A - B * B + D:B = 2 * C * B +E: HCOLOR= (I > 19) * 3:I = I + ((ABS (A) > 2) + (ABS (B) > 2)) *20: HPLOT X + X1, Y1 - Y: HPLOT X +X1, Y1 + Y: NEXT I, Y, X

Checksums 1-\$4F2D

Mandelbrot.2

```
1 \text{ HGR2} : \text{S} = 3700:\text{T} = 6690:\text{U} = 90:\text{F} =
   180: FOR X = 10 TO 250:X1 = X - T:
   FOR Y = -90 TO 0:Y1 = U + Y:A = X1
   / S:D = A:B = Y1 / S:E = B: FOR I =
   1 TO 20:C = A:A = A * A - B * B +
   D:B = 2 * C * B + E: HCOLOR= (1 > 
  19) * 3:I = I + (( ABS (A) > 2) +
ABS (B) > 2)) * 20: HPLOT X, - Y:
   HPLOT X, Y + F: NEXT I, Y, X
```

Checksums

1-\$98DE

Mandelbrot.3

```
1 \text{ HGR2} :X1 = 180:Y1 = 86: FOR X = -
  160, TO 70: FOR Y = 0 TO 85:S = 80:A
  = X / S:B = Y / S:D = A:E = B: FOR 1100 GOSUB 490: GOSUB 610: IF PEEK
  I = 1 TO 20:C = A:A = A * A - B * B (TRK) = LT THEN 1120
+ D:B = 2 * C * B + E: HCOLOR= (I > 1110 TK = PEEK (TRK):ST = PEEK (SCT):
  0) + (I > 3) + (I > 6) + (I > 9) *
  2 + (I > 12) + (I > 14) - (I = 20) 1120 HOME : PRINT "COPY~DONE" : END
    3: HPLOT X + X1, Y1 - Y: HPLOT X + 5000 DATA 211, 150, 242
  X1, Y1 + Y:I = I + ((ABS (A) > 2) +
   (ABS (B) > 2)) * 20: NEXT I,Y,X
```

Checksums

1-\$F0F0

Deprotecting MicroLab Disks (Micro Fun)

For several months, COMPUTIST had a number of MicroLab programs on the most wanted list. I had deprotected four of these about two years ago, but neglected to take notes. As I remembered that they were extensively protected, I have only now found enough time to take another look at them. Here are my results.

Softkey for ...

Ming's Challenge

Micro Fun

Ming's Challenge has a protection somewhat similar to that used for Death in the Caribbean

When asked whether to format the disk, answer "Y" for yes.

2. The controller will complete sector edits in track \$00 as well as deprotecting the disk. When finished, using a sector editor, an additional 7 edits must be made on T\$01, S\$09 to disable the nibble count. See the following table:

<u>Irk</u> \$00

\$00

\$00

\$00

1	<u>Sci</u> \$02	Byte(s) \$53 58 5D 9E A3 E7 F0 F1 FC	Erom \$96 D3 E5 96 FF 96 C5 31 E5	Io \$D5 AA AD DE AA D5 C9 AA AD	DOS marker bytes (edited by Super IOB)
	\$03 \$06	\$35 3F 55 56 99 98 77 78 4E 83	96 FF C5 31 96 F2 C5 31 B2 D3 96 F2 D3 96 F2 D3 B2	DEA C95 A 6 9 0 E A 5 A 6 0 E A 9 D	
	\$04	\$29 48 AA D5	\$D5 AA 1F 00	\$96 D3 AA D5	Translate Tables \$BA29-\$BA68 (Write) \$BA96-\$BAFF (Read) (edited by Super IOB)
	\$09	\$73 74 75 81 82 89	\$4C 00 C6 D0 0C D0	\$EA EA EA EA EA EA	Abort nibble count (Sector edit these)

8A 04 EA Controller 1000 REM MING CONTROLLER 1010 TK = 0:LT = 1:ST = 15:LS = 15:CD = WR:FAST = 11020 GOSUB 490: GOSUB 610 1025 RESTORE :T1 = TK:TK = PEEK (TRK): GOSUB 310:TK = T11030 GOSUB 490: GOSUB 610: IF PEEK (TRK) = LT THEN 10501040 TK = PEEK (TRK):ST = PEEK (SCT): GOTO 1020 1050 TK = 1:LT = 35:ST = 15:LS = 15:CD= WR:FAST = 1 1060 POKE 47426,24: POKE 47406,0: POKE 47411,106 1070 RESTORE : GOSUB 190: GOSUB 210: GOSUB 170: POKE 47786,31: POKE 47829.0 1080 GOSUB 490: GOSUB 610 1090 GOSUB 230: POKE 47786,170: POKE 47829.213 GOTO 1070 5010 DATA 150,211,229 5020 DATA 211,178,150,255 5030 DATA 27~CHANGES 5040 DATA 0,2,83,213,0,2,88,170 5050 DATA 0,2,93,173,0,2,158,222 5060 DATA 0,2,163,170,0,2,231,213 5070 DATA 0,2,240,201,0,2,241,170

5080 DATA 0,2,252,173,0,3,53,222 5090 DATA 0,3,63,170,0,3,84,201 5100 DATA 0,3,85,213,0,3,95,170 5110 DATA 0,3,106,150,0,3,144,201 5120 DATA 0,3,145,222,0,3,155,170 5130 DATA 0,6,122,213,0,6,127,170 5140 DATA 0,6,132,150,0,6,174,222 5150 DATA 0,6,179,170,0,4,41,150 5160 DATA 0,4,72,211,0,4,170,170

5170 DATA 0,4,213,213

:	Checksums	
1000-\$356B	1100-\$E077	5080-\$BDD9
1010-\$EA41	1110-\$32A4	5090-\$6798
1020-\$3164	1120-\$1B51	5100-\$9906
1025-\$A976	5000-\$FDC4	5110-\$BADD
1030-\$E423	5010-\$381C	5120-\$DEA8
1040-\$4642	5020-\$01D4	5130-\$D843

This last rule is the nice one; it provides a link between real and imaginary numbers. Let's use it now in our original example. To make things easier to follow, however, let us put a flag against any number which is imaginary. Thus, the original example of an imaginary number (-0.53) is shown as -.53i. The little "i" then is the identifying flag. Now let's see the coordinate formula: coord. = A + Bgiving us: = 0.25 + -0.53i Now square it

(.25 + .53i) x (.25 + .53i) = (.25 x .25) + (.25 x .53i)x2 + (.53i x .53i) = .0625 + .265i + .2809 = .2184 - .265i Note by rule 4 that $(-.53i)^2 = -.2809 (1i \times 1i = -1)$ Now add the original A + B expression:

(-.2184 - .265i) + (.25 + -.53i) = .0316 - .795i

To continue the test, you must take this new expression (.0316 - .795i) and square it again and add the ORIGINAL expression to it:

(.0316 - .795i) x (.0316 - .795i) + (.25 - .53i)

Do this over and over again, at least twenty times. If during these calculations, the real number or the imaginary number rises above 2 (positive or negative 2), this is a sign that the number will 180 NEXT I, Y, X

in different colors, inside and outside the Set. I accomplished this by plotting points that failed the test in only one calculation in green, the points failing after 3 calculations in purple, etc., and not plotting the points which passed the test even after 20 calculations.

MANDELBROT.3

10 REM **********
20 REM * MANDELBROT.3 *
30 REM * BY B.D.BRETT *
40 REM * MAY 18, 1989 *
50 REM ***********
60 TEXT : HOME
70 HGR2 :X1 = 180 :Y1 = 86
80 FOR $X = -160$ TO 70
90 FOR Y = 0 TO 85
100 S = 80:A = X / S:B = Y / S:D = A:E
= B
110 FOR I = 1 TO 20
120 C = A
130 A = A * A - B * B + D
140 B = 2 * C * B + E
150 HCOLOR = (I > 0) + (I > 3) + (I > 1)
6) + (I > 9) * 2 + (I > 12) + (I >
14) - (I = 20) * 3
160 HPLOT X + X1, Y1 - Y: HPLOT X +
X1, Y1 + Y
170 I = I + ((ABS (A) > 2) + (ABS
(B) > 2)) * 20
100 NUTUR T V V

(COMPUTIST v.23 p.9) and Miner 2049'er (COMPUTIST v.22 p.10). Track \$01 is normal, whereas T\$01-T\$22 have address prologues altered to D3 96 F2, data prologues to 96 D3 E5 and address and data epilogues respectively to D3 B2 and 96 FF. There is a nibble count on T\$01. \$\$09 very much like that of Miner 2049'er, but in a different sector.

Two major differences are shown from previous protection schemes of MicroLab. There is a 2 byte alteration of the translate tables that must be fixed to allow one to read the protected tracks. Another unusual trick found is a minor change in the way marker nibbles are compared to a value in DOS. Instead of directly comparing a nibble (C9 D3 CMP #\$D3), in several cases the routine ² compares with a value placed in page \$00 at \$31 (C5 \$31). The value held in \$31 is changed from one value to another a few times. As this is done outside the RWTS, one cannot use a swap controller to copy the disk. However, a modified controller that will read using the protected disk's prologues and epilogues, as well as the altered translate bytes, will do the job. Several sector edits must also be made. Here are the steps needed to softkey Ming's Challenge:

1. Install the controller, CON.MING listed here into Super IOB and run the resulting program.

.040-34042	2050-20104	2720-20042
050-\$E17B	5030-\$2FA3	5140-\$65AE
.060-\$2267	5040-\$E27D	5150-\$883B
.070-\$2D08	5050-\$AAF5	5160-\$C467
.080-\$F980	5060-\$0066	5170-\$B4BC
.090-\$1102	5070-\$7BC4	

Softkey for ...

1

Jigsaw MicroLab

Jigsaw has a similar protection to that of Ming's Challenge. It has protected tracks \$T01-T\$09 with the same changed prologues and epilogues. However, besides T\$00, T\$0A-T\$17 are normal and copyable with any sector copier. T\$18-T\$22 are unformatted. The translate table is likewise altered for the protected tracks, but there seems to be no nibble count to worry about. MicroLab has not bothered to compare nibbles with the value at \$31 in this disk, so a controller can be easily written, and all sector edits can be made by Super IOB. Here are the softkey steps:

- 1. Install the controller listed, CON.JIGSAW, into Super IOB and run the resulting program. Answer "Y" when asked whether to format the disk.
- 2. The following sector edits are performed by Super IOB:

Irk \$00	<u>Sct</u> \$02	<u>Byte(s)</u> \$E7 F1 FC	<u>From</u> \$96 D3 E5	<u>To</u> \$D5 AA AD	DOS marker bytes
\$00	\$03	\$35 3F 55 5F 6A 91 9B	\$96 FF D3 96 F2 D3 B2	\$DE AA D5 AA 96 DE AA	
\$00	\$04	\$29 48 AA D5	\$D5 AA 1F 00	\$96 D3 AA D5 troller	Translate Tables

- 1000 REM JIGSAW CONTROLLER 1010 TK = 0:LT = 1:ST = 15:LS = 15:CD
- = WR:FAST = 11012 POKE 775,96: ONERR GOTO 550
- 1015 GOTO 1020
- 1018 TK = 10:LT = 24:ST = 15:LS = 15:CD = WR:FAST = 1
- 1020 GOSUB 490: GOSUB 610
- 1025 IF LT = 1 THEN RESTORE :T1 = TK:TK = PEEK (TRK): GOSUB 310:TK = Τ1
- 1030 GOSUB 490: GOSUB 610: IF (PEEK (TRK) = LT) AND (LT = 1) THEN 1018
- 1035 IF PEEK (TRK) = LT THEN 1050 1040 TK = PEEK (TRK):ST = PEEK (SCT):
- = WR:FAST = 1
- 47411,106
- 1070 RESTORE : GOSUB 190: GOSUB 210: GOSUB 170: POKE 47786,31: POKE 47829.0
- 1080 GOSUB 490: GOSUB 610
- 1090 GOSUB 230: POKE 47786,170: POKE 47829,213
- 1100 GOSUB 490: GOSUB 610: IF PEEK (TRK) = LT THEN 1120
- 1110 TK = PEEK (TRK):ST = PEEK (SCT): GOTO 1070
- 1120 HOME : PRINT "COPY~DONE" : END 5000 DATA 211,150,242
- 5010 DATA 150,211,229
- 5020 DATA 211,178,150,255
- 5030 DATA 14~CHANGES
- 5040 DATA 0,2,231,213,0,2,241,170 5050 DATA 0,2,252,173,0,3,53,222 5060 DATA 0,3,63,170,0,3,85,213 5070 DATA 0,3,95,170,0,3,106,150 5080 DATA 0,3,145,222,0,3,155,170

5090 DATA 0,4,41,150,0,4,72,211

5100 DATA 0,4,170,170,0,4,213,213

Checksums

1000-\$356B	1050-\$083E	5020-\$963D
1010-\$EA41	1060-\$6704	5030-\$0882
1012-\$3D28	1070-\$D811	5040-\$A4E9
1015-\$E82D	1080-\$BCE3	5050-\$1CD7
1018-\$6D0A	1090-\$58F5	5060-\$60FE
1020-\$DE79	1100-\$F384	5070-\$9DFD
1025-\$74B1	1110-\$A54D	5080-\$7E0D
1030-\$BBCC	1120-\$0296	5090-\$CA91
1035-\$0D66	5000-\$6A2D	5100-\$DED1
1040-\$0FB5	5010-\$7D7F	

<u>Jim S. Hart</u>

Softkey for ...

Math Blaster Mystery Davidson

Requirements:
4 blank disk sides
Whole disk copy program that will ignore read errors
ProDOS 8 and BASIC.SYSTEM
Optional - for putting all four sides on one 3.5" disk
Disk searcher/block editor

ProDOS utility program

Math Blaster Mystery is a very good educational program. Students are taught the thought processes to go through in solving math problems. Once a student becomes well versed in such processes, the intermediate problem solv ing steps can be passed over, and the student can concentrate on answering the questions. All in all, this 4 disk sided program is a quality product. Of course, it's copy protected. The copy protection involves an 'unformatted track', as well as nibble counting. Cookbook instructions are at the end of the article for the impatient.

recommend buying a Beagle Bros product just so you can get it. Anyway, I was staring at the original ProDOS quit code. A program does not normally do this unless maybe a copy protection scheme was not satisfied? Well, that turns out to be the reason. When a ProDOS disk is booted, the first two blocks on the disk get loaded in (boot blocks). After they are loaded and control passes to them, they immediately look for a file named PRODOS in the root directory. PRODOS is a system file (type SYS), and it's the ProDOS operating system. Once PRODOS has been loaded and control passes to it, it does some initialization, prints the ProDOS copyright message, and then scans the root directory for a type SYS file whose file name ends with '.SYSTEM' (i.e. BASIC.SYSTEM, UTIL.SYSTEM, etc). If it does not find one, an error message is displayed. If it does find at least one, ProDOS will then load and execute the first file in the root directory with the '.SYSTEM' extension. For example, suppose you have a disk with these files on it:

PRODOS 32	SYS	
DUMMY.SYSTEM	2	BAS
COMPUTIST	99	SYS
BASIC.SYSTEM	20	SYS
UTIL.SYSTEM	56	SYS

When booted, PRODOS gets loaded first. ProDOS then runs BASIC.SYSTEM because it

1050 TK = 1:LT = 10:ST = 15:LS = 15:CD is the FIRST type SYS file that ends with .SYSTEM'. Looking at a catalog of the first side

1060 POKE 47426, 24: POKE 47406, 0: POKE of Math Blaster Mystery, there is only one other

SYS file in the root directory besides PRODOS: PS.SYSTEM. Guess which file gets run first after PRODOS? Remember when I booted the copy earlier and it dumped me into the quit code right after the ProDOS copyright message? That means the first '.SYSTEM' file had to have done it, which means the protection code is in the first '.SYSTEM' file. This is where I booted a Pro-DOS disk with BASIC.SYSTEM on it and got into BASIC. I inserted side one of the copy and set the prefix to it:

PREFIX /MBM

Since the PS.SYSTEM file had the protection code in it, I loaded the file to look it over:

BLOAD PS.SYSTEM, A\$2000, TSYS

SYS files ALWAYS load in at \$2000. Guess where I started looking? Here is a bit of the code there:

2000L

2000: 20 D2 25	JSR \$25D2
2003: 4C 74 08	JMP \$0874
2006: 8E 04 C0	STX \$C004
2009: 8E 02 C0	STX \$C002

A subroutine is executed at \$25D2 (Jump to SubRoutine at) and then control passes to \$0874 via a JuMP statement. Since SYS files start loading at \$2000, I found it odd that a jump is made to \$0874. The subroutine at \$25D2 must have a memory move in it somewhere, and it must move memory to around the \$0874 area. Let's take a look at the subroutine at \$25D2:

<u>NC</u> 25D2L 25D2: A2 00 25D4: BD 03 20 LDA \$2003

2004. 60 03 20	ШM	⊅ 2003		
25D7: 9D 01 08	STA	\$0801		
25DA: BD 03 21	LDA	\$2103		
25DD: 9D 01 09	STA	\$0901	· · · ·	
25E0: BD 03 22	LDA	\$2203		
25E3: 9D 01 0A	STA	\$0A01		
25E6: BD 03 23	LDA	\$2303		
25E9: 9D 01 0B	STA	\$0B01		
25EC: BD 03 24	LDA	\$2403		
25EF: 9D 01 0C	STA	\$0C01		
25F2: BD 03 25	LDA	\$2503		
25F5: E8	INX			
25F6: D0 DC	BNE	\$25D4		
25F8: 60	RTS			

LDX #\$00

Well, we've found the memory move. Since it is a stand alone subroutine, let's execute it so the code that ends up at \$874 will be moved to \$874:

What's important is that we have just found the quick quit code call I was experiencing on the copied disk. We don't want the quit code to be called (failed protection check = quit code call). Where was the quit code called from? Well, remember the code that started at \$874? Notice the BEO \$0852? We DO NOT WANT this branch to be taken. Taking that branch means that the protection code at \$0AC8 failed. Now, how do we circumvent it? There are a number of ways. We could taken out the call to the protection (JSR \$0AC8), follow the protection code and alter it so it always reports a successful check, or simply get rid of the branching command (BEQ \$0852). I decided to take the simple way out and NOP the branch. I changed the code at \$0874 to this:

877:EA EA (was F0 D9)

874L	
0874: 20 0A C8	JSR \$0AC8
0877: EA	NOP (was F0)
0878: EA	NOP (was D9)

NOPs in machine language have the same function as REMs in BASIC: do nothing. I made this change and saved the file back to the copied disk:

BSAVE PS.SYSTEM,A\$2000,TSYS

Booting the first side now results in no quit code and a functioning program. The protection check has been taken care of.

Putting it all on one 3.5" disk

One final thing bothered me. The 4 floppy disks are in ProDOS format, so why couldn't they all be put on one 3.5" disk? Trying to do so will initially give you nothing but frustration. There is a free upgrade offer included with the package, but why wait? If we can deprotect it, we can fix it to run on a 3.5" disk. The problem that the program uses absolute prefixes instead of relative ones. For example, it expects to find a disk named '/MBM2' when it needs the files from side two. Now, if we could change it so that instead of looking for a DISK named '/MBM2', it would look in a SUBDIRECTORY named AMBM2, our problems would be solved. Why use 'AMBM2' in place of '/MBM2'? AMBM2 has as many characters as /MBM2 and to convert /MBM2 to AMBM2 only requires that you change the '/' to a 'A'. Boot up your disk searcher/block editor (I used Copy II Plus) and read block \$7 of the copied first side of disk one. Now search for the HEX sequence:

4D 42 4D 32

Those are the hex values for the characters 'MBM2'. When you find them, you will also see the other disk's names and subdirectory names, for example:

/MBM2/./MBM3/./MBM4.

/MBM2/DATA./MBM4/DATA.

or something very similar. These are the pathnames the program uses to load its files. Here is where we make our changes. For example, if we change '/MBM2/' to 'AMBM2/', then the program will look in a subdirectory 'AMBM2/' instead of a disk '/MBM2/' for its files. The steps

- 6. Copy the files from disk #2, side #1 to /X/AMBM3/.
- 7. Copy the files from disk #2, side #2 to /X/ AMBM4/.
- 8. All of the files from the first side should be in the main directory, and all of the files from the other sides should be in their own subdirectories now. Boot your disk searcher/block editor.
- 9. Read in block \$7.
- 10. Search the disk for the HEX sequence 4D 42 4D 32. When you find it, you should see the names of the other disks in the ASCII section of your block editor. Make the following changes:

CHANGE	<u>TO</u>
2F 4D 42 4D 32	41 4D 42 4D 32
2F 4D 42 4D 33	41 4D 42 4D 33
2F 4D 42 4D 34	41 4D 42 4D 34

You are changing the '/' in front of the disk names into the letter 'A'. Don't forget to change ALL occurrences of the above bytes in the block. There will be two occurrences of the first and third sequence of bytes.

11. Write the block back to disk.

Your Math Blaster Mystery program is now all on one 3.5" disk! To speed things up even more on a GS, boot the disk after you've installed Diversi-Cache. It speeds disk accessing by 300% or more.

Softkey for ...

California Games GS Epyx

Requirements: A blank formatted 3.5" disk 3.5" disk copy program Block editor/disk searcher

I tried out Dan Halfwit's California Games GS softkey in Computist #64 and it didn't work all the way for me. I checked the block he spoke of (\$FC) and compared his 'TO' bytes to what was on my disk. It seems some of the code moved around a little, but the protection still is there.

- 1. Copy the original disk onto the blank formatted 3.5" disk.
- 2. Using your block editor, make the following changes to the copied disk:

<u>Blk</u>	Byte(s)	From	To
\$FC	\$66	22	AF
	\$77-78	90 03	80 03
	\$88	22	AF
	\$9C	90 03	80 03
	\$B9	90 1D	80 18

3. Write the block back to disk and you're done!

The Protection Scheme

Below is a partial listing of the protection scheme. I've sent it in so readers can have something to look at and compare to when they go about looking for a GS protection scheme.

[Block \$FC]

4454.40.00

	to put all of the floppies onto one 3.5" disk are in	115A: A2 20	ĽDХ	#20	;track \$20
	the cookbook section. This procedure can be	115C: A0 01	LDY	#01	;side 1
	applied to many other ProDOS based programs	115E: 5A	PHY		
	that have their pathnames hard coded into them.	115F: DA	PHX		
	One other program this works for is the ProDOS	1160: F4 00 00	PEA		
	version of Sensible Speller. Enjoy!	1163: F4 AA 52		52AA	
	Dent 1 The cofficer				call nibble count routine;
	Part 1 - The softkey	116A: 8E 9E 52		529E	
	1. Fast copy all four original disk sides onto the	116D: 8C 9F 52		529F	
	four blank sides. Ignore errors on disk #1, side	1170: A8	TAY		
	#1.	1171:68	PLA		
	2. Boot up ProDOS and get into BASIC.	1172: 68 1173: 68	PLA PLA		
	3. Insert disk #1, side #1 into a disk drive and	1173.68	PLA		
		1174.00	PLA		
e	type:	1176:68	PLA		
0	PREFIX /MBM	1177:90 03		117C	;good nibble count if
0	4. Load up the main system file:				taken
-	BLOAD PS.SYSTEM, A\$2000, TSYS	1179: 4C 93 52	JMP	5293	crash
		117C: A2 21	LDX	#21	track \$21
	5. NOP out the branch:	117E: A0 01	LDY	#01	;side 1
ĸ	2079:EA EA was F0 D9	1180: 5A	PHY		
	6. Save the deprotected file back to disk:	1181: DA	PHX		
	BSAVE PS.SYSTEM, A\$2000, TSYS	1182: F4 00 00		0000	
		1185: F4 AA 52		52AA	0.911
	The deprotection is complete!				call nibble count routine;
	Part 2 - Putting it all on a 3.5" disk	118C: 8D D0 52 118F: 8E A4 52		52D0 52A4	
~	-	1192:8C A5 52		52A4	
e e	1. Boot up your ProDOS utility program (I used	1192: 80 AS 32 1195: A8	TAY	JZAJ	
n	Copy II Plus).	1196:68	PLA		
;-	2. Format a 3.5" disk and name it /X.	1197:68	PLA		
0	3. Copy all of the files from disk #1, side #1 onto	1198:68	PLA		
	/X.	1199:68	PLA		
	4. Make four subdirectories on/X and name them	119A: 68	PLA		
	AMBM2	119B: 68	PLA		
	AMBM2 AMBM3	119C: 90 03	BCC	11 A 1	;good nibble count if
	AMBM4				taken
	•	119E: 4C 93 52		5293	;crash
	A catalog of the disk will look like this:	11A1: C2 30	REP		
	/XAMBM2	11A3: 22 76 53 0 11A7: 28	PLP	005376	
e	1	11A7.28 11A8:FB	XCE		
of	AMBM3	11A9: 28	PLP		
a J		11AA: 08	PHP		
	IAMBM4	11AB: 18	CLC		
e o	5. Copy the files from disk #1, side #2 to $X/$	11AC: FB	XCE		
0 S.	AMBM2/.	11AD: 08	PHP		

The Protection

Attempting to fast copy the four sides using the Locksmith fast copy program reveals that all sides are normal except for side one. Track \$22 of side one is 'unformatted'. Hmmm. It's very unusual for a non-copy protected disk to have an unformatted track, so I was lead to believe the disk was copy protected. I tried to boot up the copy of the first disk (the side with the unformatted track). The ProDOS copyright message came up and then a second later I was staring at the ProDOS quit code. The ProDOS quit code is a section of code that resides within ProDOS to allow a standard exit from all ProDOS programs. The one normally built into ProDOS is very unwieldy, hence the proliferation of program selectors like Bird's Better Bye or Squirt. These two programs replace the quit code and are mini program selectors. I have Bird's Better Bye installed in all of my ProDOS' - it's that good. I

25D2G

The code has been moved, so let's take a look to see what is at \$874:

874L

874: 20 C8 0A JSR \$0AC8 877: F0 D9 BEQ \$0852 IDA \$8F98 879: AD 98 BF

The first thing to notice is that a subroutine call to \$0AC8 is executed. Right after that, the zero flag is checked. If there was a zero result in the subroutine, the BEQ (Branch on EQual result) will be taken and control will transfer to \$0852. A look at the code at \$0852 reveals:

0852L

0852: 8E 04 C0	STX \$C004
0855: 8E 02 C0	STX \$C002
0858: 20 00 BF	JSR \$BF00
085B: 65	
085C: 5E 08	

Ah ha! This is where reference material like Beneath Apple ProDOS and back issues of Computist come in handy. The JSR \$BF00 is a ProDOS machine language interface (low level operating system) call. The first byte after it is the type of call (65 = QUIT CODE!) and the next two bytes are the location of the call parameters.

COMPUTIST

11AE: C2 30	REP	#30			
11B0: A0 FF FF	LDY	# FFFF			
11B3: AD 9E 52	LDA	529E			
11B6: CD A0 52	CMP	52A0			
11B9: 90 1D	BCC	11D8	;bad		
11BB: AD 9E 52	LDA	529E			
11BE: CD A2 52	CMP	52A2			
11C1: B0 15	BCS	11D8	;bad		
11C3; AD A4 52	LDA	52A4			
11C6: CD A6 52	CMP	52A6			
11C9: 90 0D	BCC	11D8	;bad		
11CB: AD A4 52	LDA	52A4			
11CE: CD A8 52	CMP	52A8			
11D1: B0 05	BCS	11D8	;bad		
11D3: 28	PLP				
11D4: FB	XCE				
11D5: 28	PLP				
11D6: 18	CLC				
11D7: 60	RTS				
11D8: C2 30 5	REP	#30	;come here if count was		
		n n n Artic	bad		
The changes I made were:					

original	from to				
1166: 22 93 53 00	JSL	005393	22:AF	LDA	
1177: 90 03	BCC	117C	90:80	BRA	
1188: 22 93 53 00	JSL	005393	22:AF	LDA	
119C: 90 03	BCC	11A1	90:80	BRA	
11B9: 90 1D	BCC	11D8	90:80	BRA	

The changes at 1166 and 1188 disabled the calls to the nibble counts. The changes at 1177 and 119C jumped over a crash routine call. Finally, the change at 11B9 jumps over a whole bunch of checks and just goes to where the code would go if the nibble count had been successful.

A Collection of short softkeys

Softkey for ...

Antonyms & Sentence Completion (Best sentences) Queue Intellectual Software Analogies - Advanced I & Advanced II Hartley

Requirements: 1 blank disk Super IOB v1.5 New Swap controller **RWTS WORM from Computist #61**

1. Boot normal DOS 3.3 and load up the RWTS WORM:

BLOAD RWTS WORM,A\$9500

2. Insert original disk into slot 6 drive 1 and execute the WORM:

CALL 38144

3. After a few seconds the RWTS will be in memory at \$1900. Take out the original disk, insert your Super IOB disk, and save the **RWTS:**

BSAVE RWTS.rwts name, A\$1900, L\$800

- 4. Install the New Swap controller into Super IOB and then make the following change:
- 1015 TK = 310010 PRINT CHR\$(4) "BLOAD RWTS.rwts name, A\$1900"
- 5. RUN the controller and when it is done, your disk will be deprotected.

Softkey for ...

Reading Professor

Executive Systems, Inc.

Requirements: 3 blank disks COPYA Sector editor 1. Boot DOS 3.3, disable error checking, and run COPYA:

I thought you might be interested in reading: This disk is copy protected. Attempts to copy will cause data to be altered, and will void replacement guarantee"

Well, here is a better replacement 'guarantee': Computist! Follow the steps below to guarantee you won't have to call EBSCO for a replacement disk.

1. Boot up DOS 3.3 (a fast DOS is preferable) and initialize the blank disk:

INIT HELLO

2. Load up the RWTS WORM:

BLOAD RWTS WORM, A\$9500

3. Insert the original disk and activate the WORM: CALL 38144

4. Insert your Super IOB disk and save the **RWTS**:

BSAVE RWTS.EBSCO, A\$1900, L\$800

5. Install the New Swap controller into Super IOB and make the following changes:

- 1015 TK = 3
- 10010 PRINT CHR\$ (4) "BLOAD RWTS.EBSCO, 1. Boot up DOS 3.3. A\$1900"
- 6. RUN the controller to copy the original onto the newly formatted disk.

You're done! Now, you don't have to live with EBSCO's 'guarantee' any more.

Softkey for ...

Microcomputer Study Guide -**Fundamental Accounting** Principles, Chapters 1-14 & 15-28

Richard D. Irwin, Inc.

Requirements:

4 blank disks (or 2 disks that are double sided) Whole disk copier

Disk searcher/sector editor

The protection on these four sides is the exact same as on KC's Deals On Wheels (softkey in Computist #46). Refer to that article for an explanation.

- 1. Use your whole disk copy program to copy all four sides onto the blank four sides.
- 2. Boot up your disk searcher/sector editor and search for 2C E9 C0, replace with 18 90 5A. Make the changes to each of the four sides. There are two such edits to be made on each disk side, and they are usually within a track of each other. Mine were on tracks \$0F and \$10, but yours may be different, so scan for them.
- 3. Write the changed sectors back to disk and you're done!

Softkey for ...

Multiscribe v3.0

Claris Corp.

- 1. Copy the original disk with any whole disk copier.
- 2. Scan the copied disk for A200B5009D00BA CA D0 F8 and change it to A9 00 18 60 9D 00 BA CA DO F8.
- 3. Write the change back to disk and you're done.

Softkey for ...

Starglider

Rainbird/Firebird Software

Requirements: A blank 5.25" disk Whole disk copy program such as COPYA Sector editor/disk searcher A fast DOS (optional)

Removing the manual check

In Computist #64, Edward Croft Jr. had a

0096: 18 0097: 69 01 0099: C9 04 009B: D0 0F 009D: 8D 8B 41 00A0: 20 00 60 00A3: 20 D9 41 00A6: 20 E6 41 00A9: AD 8B 41 00AC: C9 07 00AE: 90 DC	CLC ADC #01 CMP #04 BNE 00AC STA 418B JSR 6000 JSR 41D9 JSR 41E6 LDA 418B CMP #07 BCC 008C	password check
00AE: 90 DC 00B0: 60	BCC 008C RTS	

Children's Writing and

Publishing Center

The Learning Company

Requirements: Original disks A blank disk for each side COPYA from Apple DOS 3.3 System Master

disk

POKE 47426.24 **RUN COPYA**

2. Copy all disk sides.

3. On the copy of side #1, load the file with the protection scheme:

BLOAD RDOS.AUX 7764:4C F7 77 was A5 DA F0, skip protection **BSAVE RDOS.AUX,A\$**

You're done.

To Charles Haight: I agree with you on the tabloid format of Computist. It would be fine to receive Computist in that form. The only complaint I have with it is that the front and back covers are exposed. Adding a blank cover page to the front and back wouldn't add any more to the cost and it would protect the magazine better. OPEN-Apple, a monthly magazine from TechAlliance, puts a cover page on both the front and back of their magazine and it really is a nice touch. As for the costs of typesetting equipment, let me pose a possible solution. This is a computer magazine geared primarily towards Apple computers, correct? Why not produce the magazine using a Macintosh? Let's see \$2300 a month for 6 months comes out to \$13800. That's more than enough to buy a Macintosh system complete with Laserwriter printer. You could completely produce and print the master copy of the magazine "in house". When it comes time to make the copies for the subscribers, the magazine would already be in photo-ready format. You wouldn't need to lease the typesetting equipment anymore which would save money.

Another potential money making venture would be a creation of a book I term "THE COMPUTIST LOG". What this book would consist of are all of the non-deprotection related articles and programs that have been in Computist in past issues. You could even have more than one book. For example, in the Computist Log you could have the articles on modifying the printer drivers in Print Shop & Newsroom, map editors/printers for various games such as mine for Ultima IV, game playing tips, etc. The Log could be divided up into chapters with different chapters each having having a different focus, like the above mentioned articles and programs. There could be a chapter (a large one) devoted to nothing else but game tips and hints. Another chapter would contain APTs. Another would contain programs. I think this would be a sought after book once the general computer public were made aware of it. I know I'd buy one of the books to have all of the info in one easy to use reference.

To Gary Verbuch: There definitely are LISP compilers for the Apple // series of computers. Two such compilers are App-L-ISP (\$50) from Special Software Systems and KeyLISP (\$149) from XPrime Corporation. The addresses for the companies are:

you have formatted the 3.5" disk with one of these DOSs, use the supplied copy program to copy the files from the 5.25" disk to the 3.5" disk. There are some programs, however, that are made to run on 5.25" disk and no other. Usually these are programs that directly access the slot 6 ROM to improve disk access time.

Various Thoughts: GBBS would be, in my opinion, the best BBS software to get for the Computist BBS. There are thousands of BBSs running off of it and there is tremendous support for it.

I just bought a little graphics package called Spectragraphix 256. It kind of resembles Iconix in what it does. It allows you to use Applesoft BASIC to draw on the super hi-res screen, animate shapes, and put text anywhere on the super hi-res screen. The program itself is really good, but the documentation leaves a lot to be desired. A revised manual with lots more commented examples would make this a first rate package.

TML Systems will be releasing TML Pascal II around the first of July 89. That is when Apple will be releasing the GS System Disk v5.0. One intriguing feature of the new language system is the inclusion of a Resource Editor. No longer will GS programmers have to deal with cryptic menu strings and the like. The resource editor will allow the programmer to design on screen what the menus, windows, and general operating environment will look like by a simple pointand-click method: WYSIWYG programming! The upgrade for registered TML Pascal and TML BASIC owners is \$49.95, and the new Source Code Library II is available for \$29.95. GS programmers should look into this new package.

Softkey for ...

Monsters and Make Believe

Pelican Software

This softkey is the same as the softkey for PIRATES GS in Computist #61, page 8.

Putting a deprotected Ultima I on a single disk side

I recently purchased the re-released version of Ultima I. The original was written in BASIC and after playing it for a while you really noticed the lack of speed. The re-release, however, has been completely rewritten in assembly language. No more annoying waits; everything moves crisply and quickly. I deprotected the disk so I could play with a backup. Another benefit I wanted was to put the program on a 3.5" disk, since it was ProDOS based, and to run it after Diversi-Cache had been installed so it would load super quick. Copying the files over to the 3.5" disk was no problem. Running it was no problem. The only problem came when I wanted to save a game. It would not save to the same disk: it had to save its games onto another disk. Now that turned out to be really annoying. Why couldn't I save the games on the same disk that contained the program files? Not enough space? Wrong. The saved game file is only a block or two long; it could fit with no trouble on the 5.25" disk the original copy was on. It turned out that the problem was pathnames.

The program disk for Ultima I is named /U1 and the data disk is named /U1.PLAYER. Since the program and data disk names were not the same, I couldn't just use one disk to play the game unless I modified the code. Well, I modified the code! Looking through the program files, I came across the program and data disk names in ASCII format. The change I made was to change the data disk's pathname from /U1.PLAYER to /U1/ PLAYER. I just changed the period between /U1 and PLAYER to a slash. The result of this is when you go to save a game now, the game is saved to the subdirectory PLAYER, which is located on the program disk. No more disk swapping and super fast loading on a GS with a 3.5" drive and Diversi-Cache. This is how gaming is supposed to go!

1. Deprotect your original Ultima I disk.

00/ 00/ 00 00 Softkey for ...

RUN COPYA

2. Copy all three disks onto the blanks.

3. On the Reading Professor disk, make the following sector edits so that the disk can read itself:

Irk	Sct	Byte(s)	From	Το
\$00	\$03	36-37	DO OA	18 EA
		92-93	D0 0A	18 EA

4. Write the sector back to disk and you are done!

The edits (and the POKE 47426,24) were necessary because some of the sectors on track \$03 are different from standard DOS 3.3.

Softkey for ...

Word Puzzles for Creative Teaching

EBSCO Curriculum Materials

Requirements:

Blank disk	
Super IOB	
New Swap controller	
RWTS WORM from Computist #61	
Fast DOS 3.3 (optional)	
· •	

On the original disk's sleeve, there is a label

softkey for Starglider. I thought back because I had cracked this program a long time ago and had (gasp) forgotten to send the crack in to Computist! Well, my way is different from Ed's in the sense that it removes the manual check so that it doesn't even ask you any more.

1. Copy the original Starglider disk onto the blank disk using your whole disk copy program. To speed things up, copy a fast DOS onto the first three tracks.

2. Get out your sector editor and make the following edit to your copied Starglider disk:

 Irk
 Sct
 Byte(s)
 Erom

 \$0F
 \$0F
 A0-A2
 20 00 60
 EA EA EA

3. Write the sector back to disk. You're done!

The Protection Scheme

Below is a listing of the code around the call to the password protection in case yours is in a different spot. I found the code by following the files in the order that they were executed.

Track \$0F, sector \$0F

008C: 20 28 42 008F: C9 01	JSR CMP	
0091: D0 03	BNE	0096
0093: 20 E6 41	JSR	41E6

Special Software Systems 1655 Campbell Ave. Thousand Oaks, CA 91360 (805) 494-0040

Xprime Corporation 10835 Santa Monica Blvd., Ste. 204A Los Angeles, CA 90025 (213) 470-4663

I suggest you join TechAlliance (formerly Apple Programmers and Developers Association). If you are a member, you can get a free guide to languages and tools available for the Apple // and Macintosh computers. There is a lot more out there, compiler wise, for the Apple // series than I suspected.

To Rich Linville: There are several ways to put a DOS 3.3 program from a 5.25" disk onto a 3.5" disk. One choice is to format the 3.5" disk under ProDOS and then copy PRODOS and BASIC.SYSTEM to the disk. Now use your ProDOS disk utility program (I use Copy II Plus) to copy all of the files from the 5.25" disk to the 3.5" disk. This will work quite well if the copied files are all Applesoft. Another choice is to use a modified DOS 3.3. UnoDOS, AMDOS, and UniDOS 3.3 are all DOS 3.3s that have been modified so that they will run on a 3.5" disk. Once

- 2. If you have a 3.5" drive, format a 3.5" disk and name it /A. Now copy all of the files from the deprotected copy to the 3.5" disk. After all of the files have been copied, rename the 3.5" disk to /U1.
- 3. Boot up ProDOS, get into BASIC, and create a subdirectory on the disk and call it PLAYER:

PREFIX /U1 **CREATE PLAYER**

4. Load up the file with the pathnames in it:

UNLOCK MI.U1 BLOAD MI.U1,A\$7000

5. Go into the monitor and change the period in the data disk pathname to a slash:

CALL -151 7E38:2F

was 2E

6. Save the modified file back to disk:

BSAVE MI.U1,A\$7000 LOCK MI.U1

You're done! If the pathnames have been moved around in the file, scan the file for the byte sequence 55 31 2E 50 4C (hex values for U1.PL) and change the 2E to a 2F.

The Hardware Corner

Well here we are again, Hardware City. In part 1, I gave the combined schematic and an explanation of how it works. I also asked for comments on how well the explanation was written. Your response was underwhelming.We didn't even have enough interest to enable us to order the circuit boards. Only a few wrote and your comments were about evenly split between; the explanation was too indepth, the explanation was too shallow or who cares; print more softkeys. A throughly discouraging response and I hope it changes soon or I'm going to resign as your hardware guru and let someone else take over. I not only haven't made a goal but it seems that I'm not even on the playing field yet.

So here's part 2 for the handful of readers who are interested (thank goodness for you).

The Display Card (Part 2)

Here are the actual schematics, parts lists and board layouts for the Display card.

I've tried to give part numbers from the current Jameco catalog whenever possible. I've always bought my parts from Jameco because of their fast service, wide selection of parts and low prices. They do have a minimum order amount, however, so you might have to look elsewhere if you only need a few items.

Circuit card 1 plugs into a slot, while card 2 sits outside. A 14 pin DIP jumper connects the two cards. Figure 1 is the circuit board parts layout diagram for card 2. Figure 3 is it's schematic diagram. Figure 2 is the circuit board parts layout diagram for card 1. Figure 4 is it's schematic diagram.

This is a fairly simple project and none of the parts are critical. Feel free to substitute whenever necessary. If you have any problems, write to me in care of Computist. If anyone knows of a place where we can get the boards made at a reasonable cost please let me know.


Card 1 Parts List


	Card 1 Parts List	
Label	item	Jameco #
Cf	4.7 µf capacitor	R4.7/50
C1	.1 µf capacitor	DC.1
C2	.1 µf capacitor	DC.1
IC1	74LS521	74HCT688
IC2	74LS374	74HCT374
IC4	74LS02	74HCT02
IC5	74LS08	74HCT08
IC6	74LS74	74HCT74
IC7	555 timer	NE555V
	555 timer	NE555V
R1	2.2 M 1/4 watt resistor	R2.2M
R2	220 K 1/4 watt resistor	R220K
R3	10 K 1/4 watt resistor	R10K
R4	10 K 1/4 watt resistor	R10K
R5	10 K 1/4 watt resistor	R10K
R6	10 K 1/4 watt resistor	R10K
	Misc.	
2 ea.	8 pin DIP socket	8LP
4 ea.	14 pin DIP socket	14LP
2 ea.	20 pin DIP socket	20LP
1 ea.	14 pin DIP to DIP jumper (24")	DJ16-2-16
	· · · · · · · · · · · · · · · · · · ·	

Notes

P1 is a 14 pin DIP socket. The DIP jumper part number listed is for a DIP jumper with 16 pins, be careful that you connect it correctly to both boards. (Or you could find another source for a 14 pin DIP to DIP jumper.) Capacitor Cf is a filter capacitor that fits on the lower right corner of circuit board 1.

Label	item	Jameco #
C1	.01 µf capacitor	DC.01
C2	4.7 µf capacitor	R4.7/50
D1	1N914 small signal diode	1N4148
IC2	74LS138	74LS138
IC3	74LS138	74LS138
IC4	74LS138	74LS138
IC5	555 timer	NE555V
IC6	74LS21	74LS21
LA1	16 individual LEDs	XC57124R
LA2	5 individual LEDs	XC57124R
R1	1 K 1/4 watt Resistor	R1.0K
R2	500K Horiz mount trim Pot	3355-500K
R3	1/4 watt resistor	R470
R4	1/4 watt resistor	R470
SWT1	SPST switch (PC mount)	SW135
SWT2	push button switch	SW178
SWT3	SPDT switch (PC mount)	SW135
SWT4	SPST switch (PC mount)	SW135
	Misc.	
1 ea.	8 pin DIP socket	8LP
2 ea.	14 pin DIP socket	14LP
3 ea.	16 pin DIP socket	16LP
	•••	





Y3

Y2 Y1

Y0


0000

000

Ō

The circuit diagrams and board layouts were drawn using Douglas CAD. The layout files, parts lists and NET lists are available on 3.5" disk (Apple Mac format) for those of you who can make use of the information. Send \$3 to cover the cost of the disk plus postage and handling.

I suppose I could even convert it to a standard text file as postscript code. I'll look into that a little more if it turns out that anyone is interested.



Notes

P1 is a 14 pin DIP socket. Use short lengths of wire to solder swt2 to the board, than use a dab of silicon seal to glue the switch to the board. The part numbers shown for the SPST switches are actually for DPDT switches. (They sold out of the SPST switches.) Clip the extra pins and they'll work just fine. If they're out of SW135 try SW127.

IBM Readers Data Exchange

Marc Batchelor

Softkey for ...

Zany Golf

Electronic Arts

A friend recently asked me to come up with a crack to Zany Golf. Zany Golf (ZG) is protected with a code. That is, upon reaching the Hamburger Hole, you are faced with the following type of prompt:

ENTER CODE: Windmill 4 Iron Eagle:

You must look in the manual, locate this sequence and type the four character code associated with the above "clue". While this is effective in preventing casual "giving" of the program to friends, it does not do much in the way of protection since many career pirates will diligently type in code tables, code wheels, etc. and distribute the information on the disk as a textfile for printing. The code idea is also a hassle for registered owners and real users. However, I prefer this kind of "protection" to nibble checks and key disks. This is easily installable on a harddrive and is a joy to play.

The Protection:

The protection resides in the file ZANY.COM. If you DEBUG the program and search from 100 to FFFF for the "ENTER CODE", you will find that it spits out one address. Searching for references to the byte preceding this address (length byte) will turn up a reference in the \$F500 page (for the benefit of true IBM'ers, '\$' means HEX). I then traced the code all the way to it's conclusion where it either continued or performed a call to \$1CA2, which sets the video mode and exits via INT 20. Looking at how the code branched, I found that \$F754 was where the code branched too, on successful entry of the code. The test for this I found at \$F736. The code looked like the following: XXXX:F736 75 03 JNZ F73B XXXX:F738 E9 19 00 JMP F754 XXXX:F73B Crash Code XXXX:F754 Start Hamburger Hole

To circumvent this check, I decided to overwrite some of the code in the \$F500 page (before the ENTER CODE message was displayed).

S100 FFFF 75 03 E9 19 00 89 C2

Response S/B: XXXX:YYYY. Write down YYYY and use in next step.

UYYYY

Response S/B:

XXXX:YYYY 75 03 JNZ ???? XXXX:YYZZ E9 19 00 JMP AABB

Write down AABB to use later.

S100 FFFF B8 88 F7 A3

Response S/B: XXXX:CCCC. Write down CCCC and use in next step. ACCCC

Response S/B: XXXX:CCCC

JMP AABB

NOP

W

press return here

Writing XXXX Bytes.

You should be done. Now, the program will continue to load and execute the hamburger hole without asking you for the code. That's it.

Advanced Playing Technique for ...

Zany Golf

Electronic Arts

For those interested in obtaining unlimited strokes, follow this procedure:

DEBUG ZANY.COM

S100 FFFF 8A 84 F4 59 3C 01 F5

Advanced Playing Technique for ...

This information was sent to us on disk. It is from a BBS. The names were removed before we got them so we are unable to give the authors proper credit. If you recognize a procedure, please let us know. We would like to receive the info direct from you next time.

<u>FL</u>

Playing Tips for ...

ng rips for	
	Manhunter
	?
video game The sewer maze Seasons combinations Suspect names MAD information The church candles	Find the shortest path; record t three dolls for Coney Island. The sewer maze is the same as the video game. (4,1) (1,0,3,1) (2,6,4) (4,2,5). Phillipe Cook, Harvey Osborne, Anna Osborne, Harry Jones. The names are: Harvey Osborne, Harry Jos, Phillipe Cook. Top Row: 1st candle; 2d Row: 3rd candle; 3rd Row: 4th candle.
Theatre safe combination The computer password The computer action The museum dragon The target sites The space ship buttons	The safe combination is: 8439. The computer password is UCUCC. Change the robot from special guard to hall patrol. Show the dragon the medallion. The Statue of Liberty, The Empire State Building, Bellevue Hotel Grand Central Station. plug in the four modules,
The space ship buttons	power on (upper left), middle square button, middle screen button, right screen button, right & left square buttons.

- 93 -94 (a disk has sectors 0-719 decimal).							
Contents (& Notes)	Char. 1	Char. 2	Char. 3	Char. 4	Char. 5	Char. 6	
Sector #	92	92	92-93	93	93-94	94	
(All of the following locations are in Hex)							
# Char in name	0	F6	1EC	1 D 8	CE		
Char name (15 MAX)	1-F	F7-105	1ED-1FB	E3-F1	1D9-1E7	CF-DD	
# Char in password	10	106	1FC	F2	1 E8	DE	
Password name (15)	11-1F	107-115	1FD-B	F3-101	1E9-1F7	DF-ED	
Race (1 TO 5)	20	116	C	102	1 F 8	EF	
Class (0 TO 7)	22	118	Ε	104	1FA	F0	
Alignment (1 TO 3)	24	11 A	10	106	1FC	F2	
lockbit (boolean), status, age (l	Integer), al	bility, savin	g throw (go	here)			
# Gold (LO-HI BYTES)	34-35	12A-12B	20-21	116-117	C-D	102-103	
Items held (8)	3A	130	26	11C	12	108	
Actual items (8 bytes each)	3C-5B	132-151	28-47	11E-3D	14-33	10A-129	
## Experience (Lo-Hi)	5C-5F	152-155	48-4B	13E-141	34-37	12A-12D	
Previous level	62	158	4E	144	3A	130	
Current level	64	15A	50	146	3C	132	
### Current hit points	66-67	15C-15D	52-53	148-149	3E-3F	134-135	
### Maximum hit Points	68-69	15E-15F	54-55	14A-14B	40-41	136-137	
Spells known, m spell available, c spell available, fight level, armrclass, regen, poison, autokill, numswings, damage (go here)							
Race: 1 = Human, 2 = Elf, 3 = Dwarf, 4 = Gnome, 5 = Hobbit Class: 0 = Fighter, 1 = Mage, 2 = Priest, 3 = Thief, 4 = Bishop, 5 = Samuri, 6 = Lord, 7 = Ninja							

Wizardry V

Sir Tech

starts with. This gives a player a chance to play with 'decent' charactors. Data resides on sectors 92

Use of a good sector editor (NU from Norton Utilities for example) can allow one to modify selected data to create a playable set of characters for Wizardry 5, rather than the 'wimps' one usually

Alignment: 1 = Good, 2 = Neutral, 3 = Evil

Good ones to change:	Hex	Decimal
# Gold	5555	21845
# Experience	55555	Lots
# Hit points	C7	199

Be careful, putting in too large a number makes the value negative.

Rocket Ranger codes

														-					_	_							
<u>Country</u>	Alge	Arab	Atla	Braz	Cana	Colu	Cong	E.Af	Eavp	Engl	Fran	Germ	Ital	Keny			Nige		<u>Peru</u>	Scan		Suda			Vene		
Algeria	0	28	20	43	37	44	25	29	21	16	14	17	15	31	10	19	23	30	50	22	13	24	36	26	40	18	12
Arabia	28	0	41	57	59	65	30	18	14	34	29	27	24	26	20	17	31	12	70	32	33	19	8	3	61	37	22
Atlantic	20	41	0	32	27	34	37	39	33	18	19	26	22	43	29	31	35	42	44	25	17	36	23	38	30	24	28
Brazil	43	57	32	0	49	27	38	48	52	50	45	53	47	46	42	54	3	61	25	55	40	44	41	60	28	33	51
Canada	37	59	27	49	0	28	56	62	51	31	36	3	39	64	44	47	48	55	40	34	35	57	10	41	26	42	43
Columbia	44	65	34	27	28	0	52	59	46	50	48	62	49	57	45	66	17	51	43	61	26	58	12	39	53	~ 1	07
Congo	25	30	37	38	56	52	0	22	23	36	33	34	32	17	24	26	15	31	54	40	29	20	55	39	50	21	27
E.Africa	9	18	39	48	62	64	22	0	15	37	32	33	30	14	23	24	25	19	67	35	31	12	61	28	60	34	26
Egypt	21	14	33	52	51	59	23	15	0	27	24	20	19	25	12	11	18	17	63	28	26	13	0	22	54	29	16
England	16	34	18	50	31	47	36	37	27	0	8	11	13	40	21	22	33	29	53	15	12	3	32	19	41	28	20 15
France	14	29	19	45	36	46	33	32	24	8	0	12	10	37	1	20	30	28	52	16	9	27	35	21	42	25	13
Germany	17	27	26	53	38	50	34	33	20	11	12	0	9	35	1	14	32	24	58	10	16	29	39	15 18	45	31 27	13
Italy	15	24	22	47	39	48	32	3	19	13	10	9	0	33	14	12	29	25	57	17	11	26	38	34	44 59	32	29
Kenya	31	26	43	46	64	62	17	14	25	40	37	· 35	33	0	28	- 30	22	27	65	39	36	18	63		59 46	32 26	29 11
Libya	0	20	29	42	4	49	24	23	12	21	17	18	14	28	0	13	19	22	56	27	15	16 23	43 46	25 16	40 52	20 36	10
Mideast	9	17	31	54	47	57	. 26	24	11	22	20	14	12	30	13	0	28	18	64	21 36	25 27	23 17	40	40	43	16	24
Nigeria	23	31	35	37	48	45	15	25	18	33	30	32	29	22	19	28	0	34 0	9	30 2	32	21	54	20	62	41	23
Persia	30	12	42	61	55	66	31	19	17	29	28	24	25 57	27 65	22 56	18 64	34 49	72	72 0	60	52	62	33	66	20	43	23 61
Peru	50	70	44	25	40	17	54	67	63	53	.52	58 10	57 17	39	27	21	36	26	60	0	20	31	37	14	47	38	18
Scandanavia	22	32	25	55	34	51	40	3	28	15 9	16	10	.36	15	25	21	32	20 51	20	0	28	34	24	39	23	19	10
Spain	13	33	17	35	43 57	29 61	31 20	26 12	12 13	30	16 27	29	26	18	16	23	17	21	62	31	28	0	56	32	55	22	25
Sudan USA	24 36	19 58	36 23	44 41	10	0⊥ 26	55	61	50	32	35	39	38	63	43	46	47	54	33	37	34	56	0	45	24	40	42
USA USSR	36 26	23	23 38	41 60	41	20 58	39	28	22	19	21	15	18	34	25	16	40	20	6	14	24	32	45	0	53	44	17
Venezuala	20 40	23 61	30	28	26	12	50	60	54	41	42	45	44	59	46	52	43	62	20	47	39	55	24	53	0	35	49
W.Africa	18	37	24	33	42	39	21	34	29	28	2	31	27	32	26	36	16	43	38	23	22	40	44	35	0	30	
Yugoslavia	12	22	28	51	43	53	27	26	16	20	15	13	8	29	11	10	24	23	61	18	19	25	42	17	49	30	0
Checksums		~~	20	51	-1		21	20	10	20	10						-•			_							
Sum Vert	663	87	793	1158	1099	1203	866	888	7	723	682	709	667	955	670	736	803	891	1352	794	688	804	1068	838	1117	814	692
Sum Horiz	663	887		1158	1099	203	866	888	742	723	682	709	667	955	670	736	803	891	1352	794	688	804	1068	38	1117	814	692
	OK	0	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	0	OK												
Objective: Find the 5 secretly located rocket labs, obtain the components to build a rocket ship, capture enough lunarium to fly to the source of the Nazis' power, the Moon. Rescue Otto and Jane Barnstorff: (3 chances) 1 Zeppelin - destroy aerial torpedoes & board zeppelin. 2 Germany - reach bomb factory (destroy ME-19's first) & rescue them. 3 Desert Base - blast ack-ack batteries & rescue them.																											

XXXX:YYYY UYYYY MOV AL, [SI+ZZZZ]

CMP 01

CMC

Write down ZZZZ

AYYYY XXXX:YYYY MOV AL,05

MOV [SI+ZZZZ],AL ZZZZ is obtained from above RET

This provides unlimited strokes WITHOUT affecting total scoring. Therefore, if you do hit the ball 49 times on the energy hole, it shows up on your score card. Enjoy.

unClassifieds

How to place an UnClassified Ad

If possible, send text on a 5 1/4 inch Apple formated disk, include a typed sample copy with appropriate instructions. Use up to 40 characters per line, we will adjust word wrap. The Computist club member charge is \$4 (for processing) plus 50 cents per line. For non-members, the charge is \$4 plus \$1 per line. Multiple insertions of the same ad are charged only for the line rate, unless changes are made to the copy.

Special Graphics Instructions: The first three words of the first line are printed in bold for free. If you want other words bolded, use 5 characters less per line. Use 10 characters less per line if you have a lot of uppercase bold letters. Bold letters are wider than normal. Circle the words you want bolded. If you want a line centered, write CENTER next to that line. There is no charge for centering any line.

You must check your ad for errors, the first time it runs. Errors on our part will be corrected, then, for free. Errors or changes on your part will be charged the \$4 processing fee.

Our liability for errors or omissions is limited to the cost of the ad.

We reserve the right to refuse any ad.

Washington state residents add 7.8% sales tax. Send a check or money order (funds drawn on US bank only) for the entire amount to:

> COMPUTIST unCLASSIFIEDS 33821 East Orville Road Eatonville, WA 98328

RENT IIgs SOFTWARE

* Rent 99% of Commercial Software
 * 60 Day Money Back Guarantee
 * As Low as 10% of List Price
 * Pay By Week, the Choice is Yours
 * \$15 Lifetime Membership Fee
 * START SAVING NOW !!!!
 GSoft
 2201 Whittington Way #1503C
 Tampa, Florida 33612

Get more out of your computer!

Subscribe to the newletter for the machine you own. Only \$5 for a one year subscription (12 issues). We publish:

Adam Newsletter
Apple II+ Newsletter
Atari 800 Newsletter
Atari 1040ST Newsletter
Commodore 64 Newsletter
IBM PC/XT Newsletter
IBM PC/AT Newsletter
Morrow Newsletter
TRS-80 Newsletter
VIC-20 Newsletter

As an introductory offer, you may submit one advertisement of up to 50 words (text only - no illustrations) for free publication in our next issue of each newsletter you subscribe to.

Send \$5 for each publication checked to:

National Computer Information Service 1324 Ava Road

Severn, Maryland 21144

You will receive your first issue(s) in about two weeks.

RDEX Contributors:

S

Vincent	Andrews 10
Marc	Batchelor13, 21, 22
B. Dudley	Brett
	Caraco12
David	Goforth5, 11
Ravi	Hariprasad16
Jim S.	Hart 19
John	Ianzano 13
Bob	Igo14
Paul A.	Johnson 15
	Keith12
	Mopman15
The Dark	Phoenix 12
Ron	Powers12
Carl D.	Purdy12
George	Sabeh6
Charles	Taylor5
Brian A.	Troha6
Captain	Video6
Jeffrey A.	Wisnia14

Most Wanted

Airheart Broderbund Alcon Taito Alien Mind PBI Software Apple Panic Broderbund Aquatron Sierra Arkanoid Taito Arkanoid II Taito Bad Street Brawler Mindscape Bank Street Writer Plus Broderbund Beyond Zork Infocom **Bilestoad** Datamost Border Zone Infocom Borg Sirius Bouncing Kamungas Penguin Boxing ? Bubble Ghost IIgs Accolade Bureaucracy Infocom Centauri Alliance Broderbund Chuck Yeager's Advanced Flight Trainer Electronic Arts C'est La Vie Adventure International Comics Accolade Cosmic Relief Datasoft Crime & Punishment Imagic Crossword Magic v4.0 ? Darklord Datasoft Deathlord Electronic Arts Desecration Mind Games Designasaurus 128K Britanica Dig Dug Thunder Mountain Disk Optimizer System Nibble Notch Dondra Spectrum Holobyte D&D Master Assitant vol2 SSI Dungeon Master (IIgs) FTL DROL Broderbund Eliminator Adventure International Epoch Sirius Explore-Australia Dataflow Computer Service Evolution Sydney Falcons Piccadilly Factastics Trivia Daystar Final Assault GS Epyx Force 7 Datasoft Frogger Main Street **GEOS Berkley Softworks** Geometry GS Broderbund Gladiator Taito Goldrush Sierra On Line Gorgon Sirius GradeBuster 1 2 3 Grade Buster

Pensate Datasoft/Softdisk Phantoms 5 Sirius Pig Pen Datamost Platoon Data East Project: Space Station Avantage Pulsar II Sirius Pure Stat Basketball ? Quadratic Equations II Olympus Educational Software Questron II Electronic Arts Rails West SSI Rastan Taito Read n' Roll Davidson Rear Guard Adventure International Renegade Taito Rescue Raiders Sir Tech Rings of Saturn Level 10 Risk Leisure Games Rocket Ranger (IIgs) Cinemaware S.D.I. (IIgs) Cinemaware Sailing Trough Story Problems DLM/Neosoft Sea Stalker Broderbund Serpentine Broderbund Skeletal System Brainbank Sky Shark Taito Sound Song & Vision Advanced Software Space Ark Datamost Spare Change Broderbund Spectre Datamost Speedy Spides Readers Digest Star Cruiser Sirius Star Maze Sir Tech StickyBear Math: Add & Subtract Optimum Resources Stickybear GS Versions 3.5 Xerox Strike Fleet Electronic Arts Succession Piccadilly Superstar Ice Hockey Mindscape Superstar Indoor Sports Mindscape Talking Text Writer GS Scholastic Tangled Tales Origin Systems Test Drive Accolade Tetris (IIe) Spectrum Holobyte The Three Stooges (IIgs) Cinemaware Thunder Chopper ? Ticket to Washington D.C. Blue Lion Software Tomahawk Electronic Arts Tomahawk (IIgs) Datasoft Triad AI/Thunder Mountain Trinity Infocom Ultima Trilogy Origin Systems Volcanoes v1.8 Earthware Comp. Services War in the Middle Earth Melbourne Wasteland Electronic Arts Wayout Sirius Wings of Fury Broderbund Wizardry:Return of Werda Sir-Tech. Word Attack Plus (IIgs) Davidson Works (the) First Star Software Zenith Softsmith ZorkQuest Infocom

Operation Wolf Taito

IBM Most Wanted

Graphitti George Best Phillips Academy Gunship Microprose Heros of the Lance SSI

Halls of Montezuma Electronic Arts High Orbit Softsmith Horizon V Softsmith Ice Demons Morningstar Impossible Mission GS Epyx Indoor Sports Mindscape Infocomics Infocom Jane ? Joker Poker Mindscape Kingdom of Facts Santa Barbara/Thunder Mountain King of Chicago Cinemaware Lancaster SVS Legacy of the Ancients ? Lost Tomb Datasoft Manhunter New York IIgs Sierra On Line Math Blaster Plus 3.5 Davidson Mavis Beacon Teaches Typing (gs) Software Toolworks Microwave Cavalier Might and Magic II Activision Modem MGR MGR Software Mr. Pixel's Cartoon Kit Mindscape/Thunder Mountain Mr. Pixel's Programming Paint Kit Mindscape/Thunder Mountain National Inspirer Tom Snyder Productions Observatory (The) Mindscape/Lightspeed Software Odin Odessta

Gutenbery Sr. Micromation LTD.

70
Features: Add Eleven Sectors to Your DOS Disks • Apple POKEs, PEEKs and CALLs • Appleworks Printer Control Codes •Converting SSI's Non-RDOS Disks •CopyA Notes •Creating a Super Human Character (Pool of Radiance) Modifying the HPLOT code for Hi-res Hackers for Your Might and Magic Characters • Print Your Own Graph Paper •Unlimited Thexder Energy •Unlocking Lode Runner's Game Boards •Unlocking the Prologic Protection Scheme •The Product Monitor Coffkeys: •4th & Inches •4th & Inches Team Construction Disk •816 Paint v3.1 •Alphabet Circus •Arkanoid •Bank Street Writer Plus •Broadsides v2.0 •Bumble Games •Computer Preparation for the ACT •Dungeon Master •Graphics Bank •How to Weigh an Elephant •Impossible Mission II • Impossible Mission • Into the Eagle's Nest • King of Chicago •LACrackdown •LACrackdown •Mastertype's Writer •Math Word Problems •Microzine 14 •Monsters & Make Believe •Monsters & Make Believe Plus •Moptown Parade •Ogre •Pirates Ilgs •Ski Crazed •Soko Ban •Standing Room Only? •Stickybears Number (ProDOS 1.4) •Stickybears Opposites (ProDOS 1.5) • Stickybears Shapes (ProDOS 1.4) •Summer Games GS •Super Print! •Taipan •Techno Cop •The Children's Writing & Publishing Center •Tic-Tac Show •World Games •Writing and Publishing Center CAPTs: Dragon Wars
 Elite
 Might and Magic II
 Pharoah's Revenge •Pool of Radiance •The Magic Candle vol 1 •Wizardry V: Heart of the Maelstrom
Playing Tips:
Leisure Suit Larry •Might & Magic II •IBM Softkeys •Apollo 18 •Dallas Quest Defender of the Crown •F-19 Stealth Fighter •Games: Winter Edition(The) -Gold Rush - Infiltrator -Jack's Greatest 18 -Last Ninja (The) •Leisure Suit Larry II •Mean 18 •Perfect College Police Quest II: The Vengeance

69 @Features: •Custom Character Sets for the Apple II+ •A Bug in the Thief Softkey •Deprotecting & Enhancing Applewriter Imagewriter II Color mapper for Ultima IV Updating ProDOS 16 Disk to GS/OS •16 Byte Hex Dump for all II's . The Earnon Adventurer's Guild . Disk Mania: How to really use your 5.25" Drive •Hardware Corner:Build an Activity Monitor and see where your processor is spending it's time •The Product Montior Softkeys: •All About America (5.25" disk) ·Arkanoid Ile ·California Games GS ·Commando Geopaint -Grizzly Bears -Hitchhiker's Guide to the Galaxy Kid Niki •Magic Slate II •Might & Magic •Monte Carlo •Notes 'N' Files •Paper Boy GS •Peterson's SAT Success for Micros Pirates!
 Police Quest
 Showoff
 Silent Service
 Space Quest II •Starglider •Street Sports Soccer •The Game Show (1986 version) • The Games: Winter Edition • The Last Ninja GS • The Rings of Zilfin • The Secrets of Science Island • Times of Lore •Ultima I (new release versions) •Warship •Where in the World is Carmen Sandiego (Ilgs) Bitkeys: •Crosscountry USA •Geospell •Geowrite •Bugs: •Double DOS •EOADIS Adapter •Ultima V Wotes: •GEOS Notes •ProDOS Directory Format •Pronto Update •ThunderScan Problem APT's: Tips: •Alien Mind •Bard's Tale III •Leisure Suit Larry •Might & Magic II •Neuromancer •Pirates! •The Tarturian •Ultima IV ·Wasteland ·Zany Golf

68 #Features, Notes and such: •The Product Monitor •A Mapping Program for Might & Magic I (revisited) •Adding Track Selection to: Locksmith 6.0 Fastcopy • Another Duodisk Modification (Reversible) • BASIC Protection Schemes • Copy Protecting Your Own Disks •Disk Protection on the Apple II (Ilgs/Ile) Tips, techniques and tricks •Help to Finish Incomplete Animate Softkey •A General Softkey for Sunburst Software & Mastery Development Introduction to Disk Usage Introduction to Shape Tables
 Making a Disk for Both Apple and IBM Systems •Nibble Counts/Checks Revisited •Notes on Altered DOS 3.3 Disk •Notes on Computist Super Index Notes on Newer Electronic Arts Notes on Softkey for Animate •Playing with ProDOS •Putting Mean 18 (Ilgs) on a Hard Drive •Using Print Shop graphics with Beagle Screens Wizardry V-Bug or Feature? Softkeys: Accolade software (IIe) •Accolade software (IIgs) •Activision software (IIe) Activision software (ligs) Addison-Wesley software (lie) ·Alphabet Read Along ·Alphakey ·An Apple a Day ·The Astronomy Disk Basic Electricity #8010E Battlezone Battling Bugs ·Baudville software ·Broderbund software (IIe) Broderbund software (Ilgs) • California Games GS • Certificate Library vol 1 • Channelmark software (Ile) • Children's Writing and Publishing Center •Cinemaware Inc. software (Ilgs) Clock Works Compucat Quizware Data Disks Compucat Quizware Startup Disks •Counters •Counting Critters Counting Read Along •Deja Vu •Digital Codes and Numbering Systems #8700E •Dinosaurs •Dive Bomber •Dr Jessie's Dinosaur •Dunge

•Easy Graph •Electronic Arts software (IIe) •Electronic Arts software (Ilgs) • Elementary Math • El Mundo Hispanico • Epyx (Lucas Film) software (IIe) • Epyx software (IIgs) • Essential Math Grade 1-8 • Facts Match • Fantasyland • Feet Read Along •First Verbs •Flip Flop •Galactic Attack •Great Book Search • Grolier software (Ilgs) • Hartley Courseware software (Ile) •Hobbit •Homonyms, Synonyms & Antonyms Grade 1 -8 •Impossible Mission II •Islands of Beta •Isle of Mem Kindercomp
 King of Chicago
 Lantern of D'gamma
 Learning Company software (Ile) .Learning Technologies software (Ile) .Learning to Cope with Pressure .Leisure Suit Larry ·Lion's Work Shop ·Lucky's Magic Hat ·Magic Castle Red Level •Magic Slate (20 Column) •Magic Slate (40 Column) •Magic Slate (80 Column) •Magic Spells •Manager Backup Diskette •Marble Madness •Mastery Arithmetic Games •Math Activites •Math Blaster Plus •Math Facts Games •Math Man Mathematics Skills Software Series -Micro School Program Series • Microprose software (IIe) • Microprose software (IIgs) •Milliken Mathfun Frenzy •Milliken Mathfun Golf Classic •Mindplay software (IIe) •Mindscape (Tom Snyder and Alert) software (IIe) • Mindscape software (IIgs) • Number Cruncher Number Munchers
 Number Match
 Number Match It
 Origin software (IIe) •Otters' Adventure (The) •Parts of Speech I & II-PBI software (Ilgs) - Phonics Prime Time: Final Consonants Phonics Prime Time: Initial Consonants •Pirates •Polarware software (Ile) •Pool of Radiance •Punctuation & Caps •Quick Flash • Rainbow Painter • Rampage • Random House software (Ile) •Reader Rabbit •The Right Job •The Right Resume Writer II • Serve & Volley • Shadowgate • Shanghai (GS) • Show Time • Shutterbug's Patterns • Shutterbug's Pictures • Showoff v1.1 •Sierra On Line software (IIe) •Sierra On Line software (ligs) •Sir-Tech software (lie) •Snooper Troops: The Case of the Disappearing Dolphin .Software Toolworks software (Ilgs) -Space Quest II -Spectrum Holobyte software (Ile) Speedway Math • Spelling Grade 1 • Spelling Grade 2 • Spelling Grade 3 - Spelling Grade 4 - Spelling Grade 5 - Spelling Grade 6 • Spelling Grade 7 • Spelling Grade 8 • Spinnaker software (Ile) •Springboard software (Ilgs) •Spy's Adventure in North America .Steps to Comprehension .Stickers .Stickybear Math •Stickybear Music •Stickybear Opposites •Story Mix 1 •Story Mix 2 •Story Mix 3 •Story Mix 4 •Story Mix 5 •Story Mix 6 • Strategic Simulations software (IIe) • Styleware (Scholastic) software (IIe) .Success with Typing .Sunburst Communications software (Ile) •Super Print •Survival Math Skills •Talking Stickybear Alphabet (Ilgs) •Technocop •Telarium software (Ile) •Telling Time (Analog and Digital) •Type to Learn •Typhoon of Steel •Ultima V •Una Vista a Mexico •Un Dia Tipico •Unicorn software (Ilos) •Uninvited •VCR Companion •Video Title Shop •Voyage of the Mimi: Maps & Navigation • Wally's Word Works: Teacher & Student Elementary •Who Framed Roger Rabbit? •Wizard of Words ·Wordfun Snake-o-nyms ·Word Flip ·Word Picture ·Words at Work:Contraction Action •Words at Work: Prefix Power ·Working with Decimals •A Wrinkle in Time • Writing Adventure #APTs: •Arkanoid •Gemstone Warrior •Might and Magic II •Alien Mind •Defender of the Crown •Pool of Radiance ·Ultima V ·Wizardry IV ·IBM Softkeys: ·Accolade Sotware •The Ancient Art of War •Bop 'n Wrestle •California Games Chuck Yeager's Advanced Flight Trainer -F-15 Strike Eagle •The Games: Summer Edition •Gato: World War II-class Submarine Simulator -Grand Prix Circuit -King's Quest IV: The Perils of Rosella • The Last Ninja • Leisure Suit Larry II .Little Black Book .Manhunter: New York .Mean 18 .Powerup! Software • Rampage • Star Trek: The Kobayashi Alternative •The Three Stooges •Trivia Master •Willow •IBM APTs: Battletech •Bruce Lee •The Last Ninja •Technocop •BUGS: Nord and Bert couldn't make Heads or Tails of it Stellar 7 Wrath Mapper

67
Features:
The Product Monitor
A More Powerful IIe for \$14.95? Initalizing Extra Tracks Findcat ProDOS Sector Markers .Making Protected ProDOS Disks .Convert Uncopyable 18 Sector Disks to 16 Sector Disks •An In-Depth Softkey (or how to use the Super IOB Swap Controller without Anxiety) -Covert 8/16 Paints Graphics for Publish It •A Note on Thexder •More Help with Ultima IV •Basic Rules for Cracking Disks Comments about Copy II Plus Partial Softkey for Starglider • COPYB • Enhanced COPYA (COPYA+) • Search for all Branches, JMP's, and JSR's •Modify Copy II+ 6.0 for Easier Formatting •Copy Protection for the Beginner •8-10Mhz Speedup Option for the II-IIe Coftkeys: •AD&D Master Assistant, Vol 1 •Aesop's Fables (Ilgs) •Algebra Vols 1. 2. 3 • Alphabet Circus • Ancient Art of War st Sea • Author.

Transparent •Calendar Crafter (Ilgs) •Castle Wolfenstein Children's Writing & Publishing Center 1.0 Cobra Cavern (Ilgs) -Comics -D.C. Heath Chemistry Series -Death Sword ·Deja Vu (Ilgs) ·Deluxe Paint II (Ilgs) ·Demon's Winter •Designasaurus •Design Your Own Train •Destroyer (Ilgs) •Draw Plus v1.0 (Ilgs) •Dream Zone (Ilgs) •The Dungeon Master's Assistant •Dyno-Quest •Extral Extral •The Factory •Fantavision (Ilgs) •Fat City •Field of Fire •Fixit •Frog Jump Gauntlet (IIgs) -Gertrudes Puzzles -Graphics Studio (IIgs) ·Graphicwriter (Ilgs) ·Hacker II (Ilgs) ·Hardball (Ilgs) ·Hide and Seek •Indoor Sports •Instant Music (Ilgs) •Keyboard Cadet •Keyboard Kadet •King's Quest I (Ilgs) •L.A. Crack Down • The Last Ninja • The Last Ninja GS (Ilgs) • Leisure Suit Larry (Ilgs) •Logic Builders •Magic Spells •Magical Myths (Ilgs) •Marble Madness (Ilgs) •Math Assistant I: Addition and Subtraction •Math Assistant II: Multiplication and Division Math Blaster •Mathematics Action Games •Mathematics Today: Silver Series •Mavis Beacon Teaches Typing (Ilgs) Mean 18 (Ilgs) Mini-Converter Mini-Putt Golf (Ilgs) •Multiscribe GS v3.0c (Ilgs) •Muppet Word Book (Ilgs) •Music Construction Set (Ilgs) • Music Studio (Ilgs) • NATO Commander 1.1 •Nord and Bert Couldn't Make Heads or Tails of It •Number Bowling •Number Farm •PacMan Paintworks Plus v1.0 (Ilgs) •Paperboy Ile •Paperboy (Ilgs) •Peanuts Picture Puzzlers •Perry Mason •Picture Parts Pipeline Print Shop (Ilgs) Print Shop (Color) Side 2 Problem Solving Today: Gold Series •Pyramid Solver •Racter •The Railroad Works •Read & Rhyme (Ilgs) .Reader Rabbit (Ilgs) •Reading and Me v1.0 (Ilgs) •Saracen •Sea Strike (Ilgs) Seasame Street: Crayon Numbers •Shadowgate GS (Ilgs) Shanghai (Ilgs) Shards of Spring ShowOff (Ilgs) Silent Service (Ilgs) -Sinbad's Adventures (Ilgs) -Skate or Die (Ilgs) ·Softswitch (Ilgs) ·Space Quest v2.2 (Ilgs) ·Spy's Adventure in North America • Star Maze • Tass Times in Tone Town (Ilgs) Teleport
 Thexder (ligs)
 TopDraw (ligs)
 Tower of Myragien (Ilgs) •Uninvited (Ilgs) •Verb Viper •Winter Games (Ilgs) World Games (ligs) Writers Choice Elite v1.0 (ligs) +4th and Inches (Ilgs) •8/16 Paint (Ilgs) Bitcopys: •Ancient Art of War at Sea .Borg .Crusade in Europe .Ice Demons .Jet & Jet Scenery Disk •Kalamazoo Teacher's Record Book MasterType's Writing Wizard •Rings of Zilfin v1.1 •Where in the USA is Carmen San Diego •Wings of Fury Softkey Addendums: •MECC ProDOS Software •Movie Monster MAC Softkey: • Crossword Magic APTs: • David's Midnicht Magic +Into the Eagle's Nest Page +I.O. Silver +Thexder •Wizardry IV: The Return of Werdna •Zany Golf
Plaving Tips: •Alien Mind (Ilgs) •Bard's Tale III •Castle Wolfenstein Leisure Suit Larry (Ilgs) -Pirates I (Ilgs) -Zany Golf (Ilgs) IBM Softkeys: •Lotus 123 v2.01 •Managing Your Money v1.52 •Managing Your Money (all rev) •Print Shop (Color ver) Sidekick v1.10A
 Sidekick v1.11C

66 #Features • Displaying Hi-Res and Double Hi-Res pictures from BASIC • The Product Monitor • Treatise on Deprotection: An indepth look at how to go about deprotecting software •Laser 128 - The Dream Machine •Super COPYA 1.1: Automate all those hard to remember patches. •An even BETTER Bootable Thexder under GS/OS. • APT Scanner: A disk search utility to help you make A.P.T.'s. + ProDOS EOR Disk Scanner •New Routines for Super IOB @Softkeys: •4th & Inches (Ilgs) •ACT Preparation •Addition Logician •Adventure Double Feature Vol II •Algebra 1 •Algebra 2 •Algebra Disks 1-6 •Alien Rain •Binomial Multiplication Equations • Broadsides v2.0 • Calender Crafter (Ilgs) • Calendar Crafter v1.1 •California Games (Ilgs) •Chessmaster 2100 v1.01 •Computer Drill and Instruction: Mathematics *Addition A* • Crossword Magic 4.0 • Decimals Disk 1 & 2 • Demon Derby Discovery Lab • Dive Bomber • Elementary Volume 1 •Equations II •Factoring Algebraic Expressions •Files on the Apple •F.M.C. Program •Fractions •Friendly Computer •Game Show (The) •Geometry Disk 1-5 •Gradebook III •Graphing Linear Functions Intermediate Algebra Into the Eagle's Nest Introductory Algebra •Kid Niki - Radical Ninja •Label Utility +Last Ninja GS (The) +LOGO Robot +Magic Spells •Mastery Arithemetic Games •Math Shop •MECC 1988-89 Copy System •MECC Copy Program •Microzine #25 •Microzine #27 •Microzine #28 •Microzine #29 •Microzine Jr #3 Disk 1 & 2 • Millikens Pre-writing Series: Branching-Brainstorming-Nutshelling •Mindshadow •Mini Putt •Monkey Business •Moptown •Mystery Double Feature Vol 1 •Paint with Words & Word Art Show • Poster • Reading Skills 2 • Right of Way • Sargon III • School Magic • Science Volume 1 • Science Volume 2 • Science Volume 3 • Science Volume 4 • Scrabble Scruples -Serve & Volley (Ilos) -Simultaneous Linear

Software -Special Needs Volume 2 -Stickybear Alphabet (Ilos) •Subtraction Puzzles •Times of Lore •Word Herd: Look-Alikes •Word Herd: Sound-Alikes •Word Wizards •Zoyon Patrol #APTs •Buck Rogers •Kid Niki - Radical Ninja •Lode Runner •Marble Madness •Montezuma's Revenge •Pirates! •Roadwar 2000 •Saracen
Playing Tips •Maniac Mansion •Marble Madness •Wasteland •Zany Golf •Notes: •Viruses (just say No) .Faulty joystick problems? .Publish Itl fonts ·Softswitch and the BBR •Fiber Optic LAN •LISP Compiler (Help!) +Ilgs Plus rumors +Bugs: +The Bard's Dressing Room III IBM Softkeys: •Managing Your Money •Print Shop •Reader Rabbit •Xenocopy Plus v1.09

65 CFeatures • The Product Monitor • Appleworks file to text file •Editor Creator II • Making your own APT • Walk-thru guide to Questron II •Wrath Mapper •Some Ilgs notes •Fixing the Core Disk Searcher •Help with 3 1/2 inch disk protection Softkeys •Adventure with Fractions •Bard's Tale II (gs) Certificate Maker's Library vol 1
 Coast To Coast -Create-a Base •Design Your Own Train •Deja Vu •Diagnostic System •Dreadnoughts (IIe) •E-Z LOGO •Elementary - Volume 8 Elementary - Volume 9 • Elementary - Volume 10 • English Parts of Speech •Estimation •Grade Manager •Graph •Graphing Primer •Growgins' Fractions •Guessing and Thinking Jigsaw Keyboarding Master Keyboarding Primer •Kings Quest III • Labels, Letters, and Lists • LOGO Words and Ideas • Management System • Market Place • Master of the Lamps •Math Wizard •Mathematics Volume 1 •Mathematics Volume 2 • Mathematics Volume 3 • Mathematics Volume 4 •Mavis Beacon Teaches Typing v1.5 •Maxi Golf •MECC Speller •Millionaire v2.1 •Mind Puzzles •Mini-putt •Monte Carlo •Number Systems •Nutrition Volume 1 •Nutrition Volume 2 •Oh, Deerl •Paperboy Ile •Pirates! GS •Prime Numbers Probability
 Problem Solving Strategies
 Puzzles and Posters ·Rampage ·Run Your Own Train ·Scoop Mahonev ·Shadowgate GS ·Shanghai ·Showoff v1.1 ·Slide Shop Sound Tracks Spanish Facts for Fun and Practice Starglider Strip Poker GS • Strip Poker II • Study Guide • Stuff and Fetch ·Superprint ·Take 1 Deluxe ·Tetris ·Weather Forecaster •Word Choice 2.0 •Word Match 2.0 •Word Search 3.0 •Word Scramble 3.0 •World Tour Golf •Writing a Narrative •Zany Golf #APTs •DeathSword •Oils's Well •Run For It •Tower of Myraplen+Wings of Fury+Wizardry V €Playing Tips+Questron Il Notes • Changing high scores • Notes on Alien Mind • In the lore library (Wiz V) .Fixing a bug in Wizardry V? .Patch Appleworks cursor, addendum •Notes on copying Tomahawk •Notes on Tetris IBM Softkeys •Multilink v2.06 •Multilink v2.08, 2.08c, 3.00c • Professional BASIC • ThinkTank v1.000, 1.001 •Visicalc

64 Features •Apple DuoDISK Modification •The Bard's Dressing Room III • EOADIS Adapter • Merging Controllers into Super IOB •The Product Monitor Softkeys •4th & Inches •Ace Reporter •Alphabet Express v2.1.5 •Balance of Power •Bard's Tale II GS •California Games •Crossbow Crossword Magic 4.0 •Dataquest: Presidents Data Base Dinosaurs •Dive Bomber •Elementary Social Studies Vol 3 Elementary Social Studies Vol 6 - Facemaker - Flight Simulator II v2.0 •Galaxian •The Games - Summer Edition •Grammar Gremlins .Kings Quest III .The Last Ninja .Math Shop •Microtype •Mini-Putt •New Oregon Trail •Notes "N" Files •Number Bowling •Paperboy •Path Tactics •PFS Write •Principles of Economics •Reader Rabbit •Shadowgate Shape Starship v2.1.5 1986 • Skate or Die • Starglider • Star Maze •Story Writer •Super Sign Maker •Troll's Shop Right •Ultima V •Zany Golf CAPTs •Gauntlet •Into the Eagles Nest •Moebius •Wings of Fury &Playing Tips •Alien Mind •Bard's Tale II •The Last Ninja @Notes •A bit copy for Algeblaster •A bit copy for Alien Mind • A bit copy for Homeworker • A bit copy for Where in the USA is Carmen SanDiego? •A look at Alien Mind (Ilgs) •A look at GS/OS •A look at Tomahawk (Ilgs) •An alternate to COPYA? • More on Appleworks and printer codes •Playing Notes on Thexder •Super Index *Bugs*? •The meaning of "M" . Saving Strip Poker II pictures IBM Softkeys ·Balance of Power ·Enable v1.10 ·Mean 18 Golf & Arch •Memory Shiftv2.1 •PC Draw v1.4 •Personal Communications Manager v1.0 • Trivia Fever

For a complete back issue list, send a 9" by 12", selfaddressed, stamped (25¢) envelope to Computist.

Dinosaur •Dungeon Mas	sters Assistant vol 1: Er	ncounters Author Ba	lance of Power •Bard's Tale (IIgs) •Body Equations •Snoggle •	Space Subtraction • Spanish for Mastery	
leaue Mag Disk Both	lasue Mag Diak Both	ianue Mag Diak Bath			
70	45 🖸 🖸	20	Baci	t Issue Order Form	<u> </u>
69 🖸 🖸 🗖	44 🗅 🗅 🗅	19☆□ □ □		1	
68 🖸 🖸 🖸	43 🖬 🖬 🖬	18O 🛛 O			1
	42 🖸 🖸 🖸		COMPUTIST back issues and		1
66*ם ם ם	41 🗅 🖸 🖸	16☆□ □ □		Number of back issues.	\$
65	40	15 O 🖬 O	library disks are frequently		
64	39 🗅 🗖	14 O 🛛 O	referenced in current issues.	Number of Zox back issues.	\$
63 🗆 🗆 🗆	38	13 O 🗆 O			· · · · · · · · · · · · · · · · · · ·
62 🖸 🖸 🗖	37 🗅 🗅 🗅	12O 🗆 O	Back Issue and Library Disk Rates	Number of library Disks.	's

62...... 🖸 🕻 61...... 🖸 🖸 🗖 36......ם ם ם 11O 60...... 🖸 🖸 🖸 31...... Core 3.C 55......ם ם ם 54......0 0 0 53.....0 0 0 26...... Core 2. C 50......ם ם ם 23 O 🖸 O Core 1 . 🗖 Best of Hardcore Computing (Only the disk is available) Some disks apply to more than one issue and are sh taller boxes. Special "Both" disk & magazine combi orders apply to one issue and its corresponding dis ■ ☆ Limited supply; first-come-first-serve basis.

• Not available. O Out-of-print; only "Zeroxed" copies for sale. * Issue 66 is laser printed on 8^1 /, by 11 paper.

	Back Issue and Library Disk R	ates	Number of library Disks.	`\$
	US. Canada & Mexico Back issues (1 - 9) \$4.75 Back issues (10+) \$3.75 Zox back issues \$4.75 Library disks \$5.50 Issue + Disk \$8.00 Zox issue + Disk \$10.25 Due to the time and effort involved in copies, their price will remain at \$4.75 Canada & Mexico and at \$8.75 for all oth Shipping is included in all the prices su	each for US, ter Foreign.	Number of back issues + Disk. Number of Zox back issues + Disk. Tax (7.8%) for Washington Residents. Name Address CityStateZip	
shown as abination disk.	What's a library dia A library disk is a 5 1/4 inch floppy contains programs that would normally hav in by the user. Documentation for each lib be found in the corresponding issue. •Library disks are available for a COMPUTIST.	diskette that ve to be typed mary disk can	Country Phone Visa MC • US funds drawn on US bank. • Most orders shipped with however please allow up to 4 weeks delivery for some order UPS so you must use street address. • Offer good while supply money order to: COMPUTIST 33821 E Orville Road Eatonville WA 9832	Exp
	Readers Data E	Exchange		COMPUTIST