

EUROPE'S LEADING MICRO MAGAZINE



WHO'LL BE WORLD MICRO CHESS CHAMP? Findout at the PCWShow

The best computers PLUS the best service

At MicroCentre, we're concentrating our resources on what we genuinely believe are the very best computers available today.... Cromemco computers, naturally. This way we can offer you the best deal possible.

What we don't do

What we don't do is spread our expertise thinly amongst umpteen different systems, or try to stock every S100 product on the market. We don't claim to offer "impartial" advice on the best buy. And we don't sell from price lists or catalogues.

The MicroCentre approach

Some micro-computer suppliers work like that, but we don't. Because we realise that when you're buying a computer you want more than the "brochures and boxes" approach. You want to see computers running; to try them out with different software products; to study the documentation; above all, you want expert answers to your most searching questions.

Cromemco specialists

That's why we've specialised in Cromemco systems. Not simply because we think Cromemco systems are the best serious computers available at the price.



Cromemco Model Z-2H hard disc computer. 10 megabyte hard disc, 2 floppy discs, Z-80 computer and 64K memory. MicroCentre price £5,326.

But because by doing so we can dedicate our time, energy and resources to giving you the highest standard of Cromemco support possible.

Demonstrations

So when you visit MicroCentre expect to find Cromemco systems on permanent

demonstration; expect the full range of Cromemco peripherals; single-user and multi-user systems; and interactive graphics.

Software

Expect a choice of operating systems and compilers to evaluate; expect complete documentation; and expect the largest collection of Cromemco systems software in the UK.



Expertise

Expect to find in-depth professional expertise at MicroCentre, the kind that is only acquired by installing Cromemco systems all over Britain. Expect a thorough appreciation of how Cromemco systems can be applied ... in business, scientific research, industrial engineering, medicine and education.

Support

Expect to get frank, accurate answers to your questions at MicroCentre. Above all, once you've bought a Cromemco system from us, expect to get a very high standard of technical support with your hardware enhancements and continuing software needs.

MicroCentre's Cromemco demonstration room, with the full range of Cromemco computers, peripherals, operating systems and software products on permanent exhibition. Why not pay us a visit? We're only an hour's Shuttle flight from Heathrow!

At MicroCentre, simply expect the best.



CONTENTS

Volume 3 No 9 September 1980

Founder Angelo Zgorelec

Editor David Tebbutt

Deputy Editor Peter Rodwell

Executive Editor Bruce Sawford

Editorial Office 01-637 7991

Consultants John Coll, Mike Dennis, Michael James, David Hebditch, Sheridan Williams, Dr Adrian Stokes, Dr Stephen Castell.

Advertisement Manager Stephen England 01-631 1786

Advertisement Executive Patrick Dolan 01-636 4463

Micromart Jacquie Hancock 01-631 1682

Group Advertising Director Richard Howell 01-631 3187

Production Manager Dick Pountain

Art Director Paul Carpenter

Art Editor Julia Davies

Art Assistants Jimmy Egerton Sarah Castell

Typesetter Jane Hamnell

Published by Sportscene Publishers (PCW) Ltd., 14 Rathbone Place, London W1P 1DE, England. Tel: 01-637 7991/2/3. Telex: 8954139 A/B 'Bunch' G London.

Copyright notice Personal Computer World is published by Sportscene Publishers (PCW) Ltd. © 1980 Felden Productions. No material may be reproduced in whole or part without written consent from the copyright holders.

Printed by Riverside Press Whitstable. **36 NEWSPRINT:** Guy the latest news in his usual style.

43 YANKEE latest US developments from Tom Williams.

45REPORT: Ian Lloyd MP reports on recent Parliamentary happenings.

46COMMUNICAreaders in their own write.

48 BENCHTEST: Mike Dennis examines an upmarket micro from BASF.

54BASIC BASIC: ming with Mike Parr.

56 Our guide to the show you can't afford to miss!

63 CHECKOUT: The Hi-Tech S100 colour VDU board.

69 SECRETS OF SYS-TEMS ANALYSIS: Lynn Antill starts a new series for the would-be micro user.

73COMPUTER dan Williams and his team answer your queries

77PCW SUB SET: A new series of handy subroutines, co-ordinated by Alan Toothill.

BOOKFARE: Malcolm Peltu and others versus Basic!



Cover illustration William Stok

MICRO CHESS: Kevin O'Connell looks at Sargon 2.5.

B4 BENCHTEST: The waiting for — CBM's 'SuperPET'.

FACE TO FACE: David Hebditch continues his man/ machine series with freeformat dialogues.

SONETWORK TRS-80 and linking up via cassette ports.

90CATEWAYS TO LOGIC: Continuing Derek Daines' unique series on teaching microcomputing to others.

99BACK ISSUES: Find out what you've missed!

100 LARGER LEDS: Beef-up your MK 14 display.

105 COMPUTER GAMES: David Levy looks at chess this month. **110** CALCULATOR CORNER: A useful aid for the blind.

113 YOUNG COMPU-TER WORLD: Especially for our younger readers.

115 START HERE: Our quick intro to the world of microcomputing

116 DIRECT ACCES ACCESS: Our new PACKAGES section, plus USER GROUPS, DIARY DATA and TRANSACTION FILE.

125 PROGRAMS: tapping with our readers' latest listings.

132LEISURE brings you further exercises for the grey matter..

132 BLUNDERS: Our monthly confession.

167 CHIP CHAT: Europe's leading microgossip page with all that's happening behind the scenes.

COMPUTECH for **ITT**

Well proven software (several hundred packages already licensed) for business applications on the ITT 2020 and Apple microcomputers. Prices excluding V.A.T for cash with order, F.O.B London NW3

PAYROLL	(300+ Employees, 100 Departments, hourly, weekly, monthly. Very powerful but easy to use).	£375
SALES LEDGER	(500+ Accounts, 100 Departments).	£295
PURCHASES LEDGER	(500+ Accounts, 100 Departments).	£295
GENERAL (OR NOMINAL) LEDGER	(1000 Accounts, 100 Analyses, multi- purpose package).	£295
UTILITIES DISK 1	(Diskette patch, slot to slot copy, zap etc).	£20
APPLEWRITER	(Word Processing)	£42
VISICALC	(Financial Modelling, Costing, Analysis)	£95

AND NOW HARDWARE!

COMPUTECH DIPLOMAT H/S SERIAL INTERFACE

This card has been designed and built to the same professional standards that have resulted in the success of our software. The DIPLOMAT observes the proper "handshaking" protocol so that you can drive fast printers and send and receive data from other peripherals at high speeds without loss of data. Switch (& software) selectable baud rates to 19200 and many other options. Plug compatible with 'terminal' or 'modem' wired peripherals. Guaranteed.

MICROLINE M80 PRINTER

This neat, reliable machine prints at 10 characters per inch, 80 characters on an 8 inch line, or 40 expanded characters, or 132 very readable characters, upper and lower case and graphics, 9 x 7 dot matrix, 6 or 8 lines per inch. Parallel interface is standard, serial optional. Both friction and sprocket feed are standard, tractor optional. We can also supply the parallel interface card for Apple System computers for £80 and a driver to enable both text and graphics to be used. Optional custom colour matching for Apple or ITT.

THE FABULOUS MICROMUX 8000

This is a brand new product, an asynchronous serial multiplexor with up to 16 ports, any one of which may communicate with any other independently, like a 'telephone exchange' for data! Built in test function. Firmware may be customised for special applications. Available in multiples of 4 ports up to 16.


COMPUTECH SYSTEMS

168, Finchley Road, London NW3 6HP. Tel: 01-794 0202

AGENTS THROUGHOUT THE UK AND OVERSEAS


£450

from £800



The Z System is marketed throughout the U.K. & Europe and is available through a number of selected dealers.


115 - 117 WANDSWORTH HIGH STREET, LONDON SW18 4HYTelephone: 01-874 1171Telex: 8813089 INTPRM G



TRS 80 Model I Microcomputer Here's the push button brain, the entertainer, the tutor, the timesaver. Fun for the children, a helper for the businessman and the teacher, a catalogue for the housewife, an analyser for the investor and an informer for the salesman. Run Maths, English, Chess, Draughts and video game programmes for educational fun. Easy to learn and operate – you can even write your own programmes. Suddenly you have a ready and reliable source of brainpower – put it to work immediately.



TRS 80 Model I C.P.U.'s Complete and ready to run from your TV monitor. Just plug in and start computing. The lowest priced 4 K level I CPU contains 4096 bytes of user memory and can be expanded to 16K within the keyboard unit. The 16K level II CPU is a more powerful and flexible version using an additional 12K ROM. Level II also incorporates a calculator style numeric keypad for faster data entry.



RS 80 Model II Microcomputer A bigger, more powerful brother to Model I. Designed for more data storage and versatility. Like Model I is completely modular allowing easy, plug-in expansion. It's available memory will allow maximum use of future languages.

RS-80 COMPUTER CENTRES NOW OPEN AT— Jirmingham—Edgbaston Shopping Precinct, Hagley Road. Jradford—214, Forster Square. Jristol—Colston Centre, Colston Avenue. .ondon—1-2, Seacoal Lane, Ludgate Hill, EC4. 111, Kingsway, WC2. Manchester—30, Market Place, Deansgate. Southampton—East Street Centre.

FULL COMPUTER FACILITIES AVAILABLE AT— Dowend—5, Badminton Road, Downend, Bristol. Leeds—72, Merrion Centre. Liverpool—168, Market Way, St. Johns Centre. Wednesbury—Bilston Road. Wimbledon—124-126, The Broadway, London, SW19.

All prices include VAT. IT'S POSSIBLE, ONLY AT TAND

 (\mathscr{S}) DE KВ 32 AND 64K VERSIONS AVAILABLE DOUBLE AND QUAD

16 AND 32K VERSIONS AVAILABLE ... PET-DISK, COMPUTHINK 400 AND 800 DISKS SUPPORTED

MACHINES SUPPORTED

***ALL SOFTWARE SUPPLIED ON DISK WITH EXCELLENT DOCUMENTATION TRIED AND PROVEN ***

Management Accounting;

Financial Forcasting done effeciently. System uses a wide base of information in forcast calculation, with facilities to allow for inflation, seasonality and other factors.....£.250.00

Transport Package;

Trip costing, Client quotations, Vehicle Running Cost Analysis, Load Planning, Vehicle History etc., etc.....£.350.00

Advertising Agency Package; Media Order Generation, Schedule generation, History by Client etc., etc.....£.500.00

General Accounting; Computhink 400/800 Sales/Purchase Ledger Transaction Analysis for Nominal Ledger Postings. VAT Inclusive and Exclusive reports generated.....£.100.00

SPECIALS

VAT Analysis - input and output amounts stored ex keyboard or direct from Sales and Purchase Ledger Postings and reported when required.....£. 50.00

Multi-Option Label Print PLUS Outlet Analysis by Geographical Location facility.....£. 75.00

Dealer enquiries welcome

Nominal Ledger facility under development.....£.1000.00 Insurance Brokers Package; Insurance Brokers dream realised...stores all Client detail in easily locatable form, identifies payments due, outputs letters/accounts, balances

Comprehensive Accounting Package, providing Client and Office records, simple to use input facilities, detailed Analysis reports - includes User education.

monthly accounts ex Suppliers.....£. 750.00

STANDARD RANGE

Solicitors' Package;

Management Accounting Package As	for	PET£.	250.00
Transport Industry Package As	for	PET£.	350.00
Payroll Package		£.	350.00



Wolverhampton and Redditch

Troycrow Limited,

25 Grendon Gardens, Merryhill,

Wolverhampton.

Phone: (0902) 36094 or

(0527)23785



the choice was oursnow its yours

RICOH R.P. 1600 Daisy Wheel Printer

1 letter quality 2 speed 60 C.P.S. **3** economy

Printing speed - 60 C.P.S.

- 124 character print wheel
- Integral PET Interface
- Line width - 136 characters (10 characters per per inch)

- 163 characters (12 characters per inch)

Complete word processing systems – PET, Wordcraft, R.P. 1600 also available Price R.P. 1600 £1590 inc PET Interface



small systems engineering limited

2-4 Canfield Place - London - NW6 3BT - Telephone 01-328 7145/6 Telex: 8813085 (Abacus)

ANADEX D.P. 9500/01 Line Printer

1 speed 150-200 C.P.S. 2 matrix flexibility **3** economy

- Bi-directional printing with shortest distance sensing logic
- High density graphics
 50 to 200 + Lines/Min. 150/200 CPS with 9 x 9/7 x 9 Character font or 120/200 CPS with 11 x 9/7 x 9 Character font
 132/158/176 or 132/165/198/200 Columns
 Parallel, RS-232-C and Current Loop
- Interfaces standard. PET Interfaces available.

Prices: 9500 - £895 9501 - £995

creative computing

David Ahl in U.K.

David Ahl, editor of Basic Computer Games and More Basic Computer Games and publisher of Creative Computing magazine will be at the PCW show, 4-6 September 1980. Stop by Stand B16 and Mr. Ahl will be pleased to autograph books purchased at the show or just talk.



Creative Computing Magazine

Creative Computing has long been Number 1 in applications and software for micros, minis, and time-sharing systems for homes, schools and small businesses. Loads of applications every issue: text editing, graphics, communications, artificial intelligence, simulations, data base and file systems, music synthesis, analog control. Complete programs with sample runs. Programming techniques: sort algorithms, file structures, shuffling, etc. Coverage of electronic and video games and other related consumer electronics products, too.

Just getting started? Then turn to our technology tutorials, learning activities, short programs, and problem solving pages. No-nonsense book reviews, too. Even some fiction and foolishness.

Subscriptions: 1 year (12 issues) £10.00 by suface of £19.00 by air; 3 years (36 issues) £ 28.50 by surface or £ 55.00 by air.



Basic Computer Games

Edited by David Ahl, this book contains 101 imaginative and challenging games for one, two, or more players -Basketball, Craps, Gomoko, Blackjack, Even Wins, Super Star Trek, Bombs Away, Horserace. Simulate lunar landings. Play the stock market. Write poetry. Draw pictures.

All programs are complete with listing in Microsoft Basic, sample run and description. Basic conversion table included. 125,000 copies in print. 192 pages softbound. [6C]£ 4.25



More Basic Computer Games

Contains 84 fascinating and entertaining games for solo and group play evade a man-eating rabbit, crack a safe, tame a wild horse, become a millionaire, race your Ferrari, joust with a knight, trek across the desert on your camel, navigate in deep space.

All games come complete with program listing in Microsoft Basic, sample run and description. 192 pages softbound. [6C2] £ 4.25



The Best of **Creative Computing**

The first three years of Creative Computing magazine have been edited into three huge 324-page books full of programs, tutorials, programming techniques, reviews of books and equipment, articles, fiction, games, puzzles and problems and much more. The material in these volumes has been carefully selected to be useful for years to come. Volumes 1,2 and 3—each volume £4.95.



Computer Coin Games

Computer Coin Games by Joe Weisbecker aids newcomers to the field of computers by simplifying the concepts of computer circuitry through games which can be played with a few pennies and full sized playing boards in the book. Enhanced by outrageous cartoons, teachers, students and self-learners of all ages will enjoy this 96 page softbound book. [10R] £ 1.95

The Best of Byte

This is a blockbuster of a book containing the majority of material from the first 12 issues of Byte magazine. The 146 pages devoted to hardware are crammed full of how-to articles on everything from TV displays to joysticks to cassette interfaces and computer kits. But hardware without software might as well be a boat anchor, so there are 125 pages of software and applications ranging from on-line debuggers to games to a complete small business accounting system. A section on theory examines the how and why behind the circuits and programs, and "opinion" looks at where this explosive new hobby is heading. 386 pp softbound. £ 5.95 [6F]



Computer Music Record


A recording was made of the First Philadelphia Music Festival which is now available on a 12" LP record. It features eight different computer music synthesizers programmed to play the music of J.S. Bach, J. Pachelbel, Rimsky-Kor-sakov, Scott Joplin, Neil Diamond, Lennon & McCartney and seven others. The music ranges from baroque to rock. traditional to rag and even includes an historic 1963 computerized singing demonstration by Bell Labs.£3.50 [CR101].

CONTRACTOR To Order

Many, but not all, of these items are stocked by Creative Computing in Britain. Those in stock will be sent immediately; other items will be acknowledged and then shipped directly from the U.S.A.

To make payment send cash, postal order or cheque (in sterling drawn against a U.K. bank) plus £ 2.00 per order shipping and handling on books and records to Creative Computing, 27 Andrew Close, Stoke Golding, Nuneaton CV13 6EL.





business systems, Schools, Colleges, Universities and Industry. At Almarc, when you buy Vector Graphic Micro-computers, you get Almarc's experience of over 200 systems installed throughout the U.K. and their back-up of full service facilities carried out by experienced staff. Plus an ever growing list of compatible software including:

Pascal, Fortran, Cobol, APL, Algol, C Basic Compiler, etc.

Vector MZ

- * 56K Bank Selectable Ram
- * 3 Serial Ports, 2 Parallel Ports
- * Twin Disc Drives, 630K Capacity
- * 280 CPU, with Fast 4MHZ Clock
- * Prom Programmer (2708)
- * Interrupt Handling on 1/0 Board
- * 18 slot Motherboard

Vector System B

- * Vector Mindless Terminal
- * Flashwriter II Video Board (24 x 80)
- * MDOS + CP/M2 Operating System
- Plus Microsoft Version. 5 basic options
- Plus many S100 Bus add-ons, such as Extra Memory, A/D-D/A Boards, High Resolution Graphics, etc

Vector System 2800

- * Vector System 3 Terminal
- * Dual 8" Disc Drives
- Capacity 2.4 megabytes (IBM format) * 56K RAM
- * Z80A CPU, 4MHZ
- * 1 Serial, 3-8-bit parallel ports * CP/M2, RAID SCOPE,
 - **MICROSOFT BASIC 80**

We will be pleased to demonstrate any of the Vector Graphic Systems, please contact:



906 Woodborough Road, Nottingham. Telephone: (0602) 625035

Specialists in Vector Graphic Equipment.



The ALTOS ACS 8000 range of business/scientific micro computers creates a new standard in quality and reliability in high technology micro computers.

High Technology

Floppy Disk System The ACS 8000 single board Z80 floppy disk based micro computer utilises the ultra reliable Shugart 8 inch, IBM compatible, disc drives, double density — single sided, and providing 1 M. byte of data storage. Featuring the ultimate in high technology hardware: a fast 4 MHz.Z80CPU, 65 kilobytes of 16 K dynamic RAM, 1 kiloybte of 2708 EPROM, an AMD 9511 floating point processor (OPTIONAL) a Western Digital floppy disc controller, a Z80 direct memory access (OPTIONAL), Z80 parallel and serial I/O two serial RS232 ports, 1 parallel port) and a Z80 CTC Programmable Counter/ Timer (real time clock). In essence, the best in integrated circuit technology.

Hard Disk/Multi User Systems The Winchester hard disk/multi user systems are now available supporting up to 4 simultaneous users and providing a maximum of 58 Megabytes of hard disk data storage.

The systems are truly flexible and allow expansion of the ALTOS floppy disk system to keep pace with the users requirements.

Still single board, features include * a₁ high speed I/O section with up to six serial ports and one 8 bit Parallel port *up to 208K of on board RAM.

*High speed (4 MHZ) D.M.A. control as standard.

Yes, mini power and at micro cost too.

Built-in Reliability

The ACS 8000 range are true single board micro computers making them extremely reliable and maintainable. All electronics are socketed for quick replacement. Complete diagnostic utility software for drives and memory is provided.

> The board and Shugart floppy disk drives are easily accessible and can be removed in less than ten minutes.

Quality Software

Unlimited versatility. The ACS 8000 range support the widely accepted CP/M and MP/M operating systems plus basic (Microsoft and CBasic), Cobol, Pascal, and Fortran IV. All available now.

Logitek in conjunction with its own microsoftware house, Interface Software Ltd. of Camberley are able to supply a wide range of proven 'off the shelf' business software including general accounting, word processing, stock control, mailing list etc.

There are already over

1000 micro computer installations using this software.

A track record which we consider speaks for itself. Why re-invent the wheel' when there is standard software of this quality available now?

After Sales Support

Logitek are supported by DDT Maintenance Ltd. who provide a nationwide field maintenance service for ALTOS products and offer the option of maintenance contracts. Availability

Logitek carry deep shelf stocks of ALTOS hardware and compatible peripherals.

If you are a dealer who may be interested in promoting ALTOS and/or Interface Software by joining the fast growing network of approved suppliers, contact Logitek.

We can offer you something rather special now.

Approved Dealers

Scotland

Aethotrol Consultancy Services Ltd., Glasgow. Tel: 041-641 7758/9 Robox Ltd., Glasgow. Tel: 041-221 5401 Peter MacNaughton and Associates, Glenalmond. Tel: 073-888 667

North East and Yorkshire Sherma Computers Ltd., Hebburn. Tel: 0632837405 Monitor (Data Processing) Ltd., Harrogate. Tel: 0423-60670 Metrodata, Leeds. Tel: 0532-623788 Derwent Electronics Ltd., York. Tel: 0904-53990 Sheffield Computer Centre, Sheffield. Tel: 0742-53519



North West B.&.B. Computers Ltd., Bolton, Tel: 0204-26644 Kewill Systems Ltd., Rochdale, Tel: 0706-44337 De-Mat Services Ltd., Northwich, Tel: 0606-47648

Midlands East Midlands Computer Services, Nottingham, Tel: 0602,267079. Evans Jackson, Lincoln. Tel: 0522,30371 Microspectific, Leicester. Tel: 0572-2528 Saba Computer Systems Ltd., Birmingham, Tel: 021-643 2021

CLE-COM Ltd., Birmingham. Tel: 021-444 3618 or 021-472 8233 Starwest Computer Services, Bedford. Tel: 0234-57135

South West Opco Ltd., Cirer

Opco Ltd. Cirencester, Tel: 0285-75225 South East inc. London Action Computer Services Ltd. Loughton, Tel: 01-502 1311 Boyd Microsystems Ltd., Bushey Heath, Tel: 01-950 0303

Tel: 01-950 0303 Computer Systems Analysis, Gerrards Cross. Tel: 02813-85389 Silicon Chip, Slough. Tel: 0753-70639

Micro Market, Feitam, Tei: 01-979 9824 Systematika, London NW5, Tei: 01485 3634 Logic Box Ltd., London SW1, Tei: 01-222 1122 Quad Business Systems Ltd., Wembley, Tei: 01-908 1170 Profac Computer Services Ltd., Camberley Tei: 0276 25247 Kewill Systems Ltd., Weybridge, Tei: 0322 22448 Unichem Ltd., Morden, Tei: 01542 8522

East Anglia Proloc Computer Services Ltd., Beccles, Tel: 0502-714038 South

Software Development Services, Winchester, Tel: 096268956 Wendmore Management Services Ltd., Southampton, Tel: 04895-6318 Colin Bentley & Associates, Waterlooville, Tel: 07014-51082

Isle of Wight Zeta Dynamics Ltd., Newport. Tel: 0983-527725

Channel Islands Jersey European Airways, Jersey Tel: 0534-44171

Ireland Rainsford Computing Services Ltd., Dublin, Tel: 0001-756701

LOGITEK, E.I.C. Electronics Ltd. all enquiries to: 8-10 Fazackerley St., Chorley, Lancs., PR7 1BG. Tel: 02572 67615/70206 also at: 30 Kelvin Ave., Hillington Industrial Estate, Glasgow, G52 4LH.

BY OSBORNE

BY OSBORNE		
Introduction to Microcomputers Series		
Vol 0: Beginners Book	£	5.95
Vol 1: BASIC Concepts	£	6.30
Vol 2: Some Real Microprocessors (without binder)	£	18.95
Vol 2: Some Real Microprocessors (with binder)	£	24.70
Vol 2: Updating supplement set Nos. 1-6		18.95
Vol 3: Some Real Support Devices (without binder)		11.95
Vol 3: Some Real Support Devices (with binder)	£	17.70
Vol 3: Updating supplement set Nos. 1-6	£	18,95
1 binder (Specify for Vol 2 or 3)	£	5.75
1 Updating supplement (Specify for Vol 2 or 3)	£	4.00
PET and the IEEE 488 (GPIB) bus	£	9.95
6800 Programming for Logic Design	£	6.30
8080 Programming for Logic Design	£	6.30
Z80 Programming for Logic Design	£	6.30
Z80 Assembly Language Programming	£	8.15
6502 Assembly Language Programming	£	8.25
8080A/8085 Assembly Language Programming	£	7.95
6800 Assembly Language Programming	£	7.95
Accounts Payable and Accounts Receivable (specify Wang or CBASIC	£	13.15
Payroll with Cost Accounting (Specify Wang or CBASIC)		13.50
General Ledger (Specify Wang or CBasic)	£	12 25
Some Common BASIC Programs	f	7.95
Running Wild		£2.50

GENERAL

GENERAL	
See Magazines and Subscriptions!	See Osborne Books!
Microprocessors from Chips to System	£ 7.00
Microprocessor Interfacing Techniques	£ 9.95
Numbers in Theory and Practice (A BYTE public	ation) £ 5.50
Cheap Video Cookbook	£ 4.30
CMOS Cookbook	£ 7.50
IC OP-AMP Cookbook	£ 8.95
RTL Cookbook	£ 4.25
TTL Cookbook	£ 7.50
Ciarcias Circuit Cellar	£ 5.50
First Book of Kim	£ 7.00
Buyers Guide to Microsoftware	£ 2.40
Calculating with BASIC	£ 4.95
Computer Programs that Work (In BASIC)	£ 2.95
Dr Dobbs Journal, Volume 1 (Coming soon)	£13.95
Dr Dobbs Journal, Volume 2 (Coming soon)	£13.95
Dr Dobbs Journal, Volume 3 (Coming soon)	£13.95
Best of BYTE	£8.95
Scelbi BYTE Primer	£8.95
Best of Creative Computing, Vol 1	£6.95
Best of Creative Computing, Vol 1	£6.95
	£4.25
Program Design	£4.25 £4.25
Programming Techniques: Simulation	
PIMS – A Database Management System	£5.95
Best of Interface Age – Software	£9.95
Programming the Z8000	ТВА

FOR THE Z80

See Osborne books!		
32 BASIC Programs for the TRS-80 (Level I	I)	£10.10
Introduction to the T-bug (TRS-80 Machine	e Lang. Monitor	
discussion)		£4.50
Z80 Software Gourmet Guide and Cookbool	k £	8.50
Programming the Z80 (ZACS)	f	9.95
Z80 Instruction Handbook (Wadsworth)	£	2.95

FOR THE 6800 See Magazines and Subscriptions! See Osborne Books! 6800 Software Gourmet Guide & Cookbook 6800 Tracer – An aid to 6800 Program Debugging £ **7.15** 3.95 £ Tiny Assembler RA 6800 ML – An M600 Relocatable Macro Assembler Link 68 – An M6800 Linking Loader MONDEB – An Advanced M6800 Monitor Debugger f 575 15.95 £ 5.50 3.50 f £ CONCERNING LANGUAGE £ 15.00 £ 6.95 £ 6.50 £ 6.00 £ 2.75 SCELBAL - BASIC Language Interpreter (Source Code) Instant BASIC **Basic BASIC** Advanced BASIC My Computer likes me . . . when I speak in BASIC Users Guide to North Star BASIC £ 10.00 A Practical Introduction to PASCAL 3.95 £ Microsoft BASIC £ 6.50 Secret Guide to Computers T.B.A.

Best of Micro, Vol 1	£ 5.50
Best of Micro, Vol 2	£ 5.50
Programming the 6502 (Zacs)	£ 7.95
Programming the 6502 (Foster)	£ 6.75
6502 Applications	£ 7.95
6502 Software Gourmet Guide and Cookbook	£ 7.25
32 BASIC Programs for the PET	£10.10

FOR THE 8080		
See Osborne Books!		
8080 Programmers Pocket Guide	£	1.95
8080 Hex Code Card	£	1.95
8080 Octal Code Card	£	1.95
8080 Software Gourmet Guide & Cookbook	£	7.15
8080/8085 Software Design	£	6.75
8080 Standard Monitor	£	9.95
8080 Standard Assembler	£	9.95
8080 Standard Editor	£	9.95
8080 Special Package: Monitor, Editor, Assembler	£	20.00
BASEX: A Simple Language and Compiler for the 8080	£	5.50

FOR FUN Starship Simulation	£	4.50	
SARGON – A Chess Game (for the Z80)	£	9.50	
BASIC Computer Games	f	5.00	
More BASIC Computer Games	Ę	5.50	
What to do After you Hit Return	f	8.95	
8080 Galaxy Game	f	6.95	
SUPER-WUMPUS – A game in 6800 Assembler Code		0.00	
& BASIC	£	4.25	
Computer Music Book	£	6.75	
Computer Rage (A board game)	£	6.95	
Artist and Computer	£	3.95	
Games, Tricks and Puzzles for a Hand Calculator	£	2.49	
Introduction to TRS-80 Graphics	£	5.75	
Take My Computer Please (Fiction)	£	3.25	
Introduction to Low Resolution Graphics for Pet, Apple, TRS80	£	5.50	

FOR THE NOVICE

See Magazines and Subscriptions!	See Osborne Books!
How To Make Money With Your Microcomputer	£5.75
From the Counter to the Bottom Line	£10.00
Your Home Computer	£ 5.95
Introduction to Personal and Business Computing	
Getting involved with Your Own Computer	£ 5.50
How to Profit from Your Personal Computer	£ 5.50
Microcomputer Potpourri Hobby Computers are Here	£ 1.95 £ 3.95
New Hobby Computers	£ 3.95
Understanding Microcomputers and Small	2 0.00
Computer Systems	£ 6.95
Understanding Microcomputers and Small Compu	
Systems and Audio Cassette	£ 8.75
Getting Down to Business With Your Microcompu	ter £ 5.50

MAGAZINE BACK ISSUES	
Micro 6502 Journal	£1.75
Personal Computing	£1.95
Interface Age	£2.95
Dr Dobbs Journal	£1.95
Computer Music Journal	£3.75
Recreational Computing	£1.95
BYTE	£2.95
Creative Computing	£1.95
Claculators and Computers	£1.95
Kilobaud Microcomputers	£2.95
Compute – for the 6502	£1.95
68' Micro	£1.95
80-Microcomputing	£2.25
On Computing	£1.95
Compute II - for the Single Board	£1.95
Magazine Storage Box (Holds 12)	£1.50
S-100 Microcomputing	£1.75
MAGAZINE SUBSCRIPTIONS (all pro	cessed within 3 weeks)
Micro 6502 Journal	(12 issues) £13.50
68 Micro	(12 issues) £17.50
Personal Computing	(12 issues £17.50
Interface Age	(12 issues) £25.50
Dr. Dobbs Journal	(10 issues) £15.00
Recreational Computing	(6 issues) £10.50
BYTE	(12 issues) £25.00
Creative Computing	(12 issues) £17.00
Kilobaud Microcomputing	(12 issues) £22.00
Compute for the 6502	(6 issues) £10.50
80'-Microcomputing	(12 issues) £21.00
Compute II – for the Single Board	(6 issues) £10.50
S-100 Microcomputing	(6 issues) £9.50

HOW TO ORDER:

Send cash, postal order, cheque card number to L.P. Enterprises, Room 8, Cambridge House, Cambridge Road, Barking, Essex IG11 8NT, All payment must be in Sterling and drawn against a U.K. bank.

Please note: If you wish to pay by Diners Club credit card, we must have your signature. For any payment by credit card, we need the expiry date of the card and the address that the credit card company knows (although we can send the goods to an alternative address).

All publications are published in the U.S.A. and are stocked in Britain by L.P. Enterprises. Prepaid orders are despatched by return of post, or advice concerning.

For more information on any of these items, please phone, write or visit. (We are open during office hours).

Mail Order, Visits, Trade Enquiries Welcome, Credit Card Orders Accepted by telephone/telex. Payment must be in sterling on UK Bank.



Room PCW 11 Cambridge House Cambridge Road, Barking

Softwa & man	
BYROM SOFTWARE Software & Manual/Manual only BSTAM – Utility to link one microcomputer to another also using BSTAM	£70/5
COMPUTER PLUS PMS 80 (File Management System) Demo Pack (includes manual and disc) Complete System	£35 £395/25
COMPUTER SERVICES Bidirectional driver for Diablo Hytype printers for use on CPM & CDOS systems	£65/10
CP/M USER LIBRARY 42 Volumes on 8" disc 42 Volumes on 5" disc	£4 £8
CREATIVE COMPUTING For CP/M CS-9001 BASIC Computer Games disc 1 CS-9002 BASIC Computer Games disc 2 CS-9000 Both discs purchased together	£12 £12 £20
DIGITAL RESEARCH (Most formats now available) MPM 1.1 CP/M 1.4 CP/M 2.2 SID ZSID MAC TEX DESPOOL PL/1	£175/18 £65/18 £90/18 £45/12 £55/12 £55/15 £45/12 £30/5 TBA
INFORMATION UNLIMITED WHATSIT (Database Management System) on North Star on CP/M on APPLE 2:48k (requires int Basic) on Apple 2:32k (requires int Basic) on ITT 2020 (see Apple)	£59 £75 £72 £59
GUNN Utilities for Cromemco CDOS	£65/10
KLH SYSTEMS Spooler for CPM systems	£65/5
L.P.ENTERPRISES Diablo driver runs 110 to 9600 baud with autoload for CP/M or CDOS OMNIX – UNIX like multiuser, multiasking operating system for Z80 i.e. IMS, Cromemco, Horizon MULTIFORTH	£30/5 £150/30 £65/20
MICAH INC. CP/M for CDOS Users: Program to Expand CP/M system to be compatible with Cromemco CDOS software Disc Utilities: Pack one of CDOS users includes: Fast disc copy, Track test, Disc test, Compare files and others Pack two for CP/M users includes same as pack one Pack three for Cromemco users includes same as pack one and spool and print	£59/5 £30/5 £30/5 £65/5
MICROSOFT INC. Software & Manual/Manual only BASIC-80 BASIC Compiler FORTRAN-80 COBOL-80 EDIT-80 MACRO-80	£175/17 £195/17 £220/17 £355/17 £45/11 £80/11
MICHAEL SHRAYER INC. Electric Pencil Word Processor SSII for tty etc DSII for Diablo TRS-80 Cassette/disc	£100 £105 £50

PRISES	Cambridge Road, Barking Essex 1G11 8NT, England. Telephone: 01-591 6511 Telex: 892395 LPRISE
	Software Manual & manual only
MICROFOCUS LTD. CIS COBOL version 4.2 FORMS 2	£425/25 £100/10
MICROPRO INC. WORD-MASTER 1.7	£70/20
MICROPRO INC. WORD-MASTER 1.7 TEX-WRITER 2.6 WORD-STAR 2.00 SUPER-SORT: version 1 version 2 version 3 WORD-STAR/MAIL MERGE DATASTAR	£70/20 £35/15 £240/25 £120/20 £100/20 £75/20 £315/25 £175/25
NORTHSHARE Multi-user system for Horizon Users	£24/5
SOFTWARE SYSTEMS (compiler syster CBASIC v2.05	ns) £65/15
SOFTWARE WORKS Northstar Format Only Inventory-1 (Stock Control) Inventory-2 with order entry, invoicing Mailroom Preventive Maintenance Housekeeper-2 (Coming soon)	£50/10 £130/15 £50/10 £75/15 £TBA
STRUCTURED SYSTEMS Sales Ledger, Purchase Ledger Nominal Ledger Stock Control Letteright Analyst (File management Reporting Sys NAD (Name and Address selection syste OSORT	
TINY-C ASSOCIATES Tiny-C language for 8080, 8085, Z80 sys	tems £50/35
ORDER INFORMATION: Software prices reflect districution on 8 format is requested which requires addition per additional disc will be added. Please add VAT and £1.50 for first insurance. If required, DATAPOST D service charge of £7.50 + VAT. All software on this Advertisement is 24-hour return service is thereby offered of ordering CP/M software please specify otherwise software will be dispatched disc. OEM terms available. For more information on any of these or visit. (We are open during office hours)	onal discs a surcharge of £4 class postage, packing and is available for an extra available from stock and a on all prepaid orders. When the format you require on an 8" single density items, please phone, write
All publications are published in the U Britain by L.P. Enterprises. Prepaid order of post, or advice concerning.	J.S.A. and are stocked in s are despatched by return
HOW TO ORDER: Send cash postal order, cheque or cre Enterprises, Room PCW, 11 Cambr Road, Barking, Essex IG11 8NT. Al Sterling and drawn against a U.K. bank.	edit card number to L.P. ridge House, Cambridge Il payment must be in
Please Note: If you wish to pay by Diners have your signature. For any payment b expiry date of the card and the add company knows (although we can send t address).	y credit card, we need the ress that the credit card
Due to fluctuations of the dollar, prio withoug notice.	ces are subject to change 55
TRADE ENQUIRERS WELCOME	COTTOTA

MICTOU.K.

The business & leisure microcomputer conference

The main event

Micro UK is the conference component of the year's most important business and personal computing show.

Top-line US and European specialists are coming to London to present a comprehensive update on current advances in technology and to discuss the practical aspects of putting together and implementing micro systems successfully.

The multi-stream structure offers the widest possible subject choice and gives each delegate the flexibility to tailor his attendance to suit his own requirements.

The first two days concentrate on the use of micros in industry and commerce and the third day is devoted to a series of half-day teach-ins for the personal computer enthusiast.

Whether you come for one, two or three days, your conference fee buys you entry to the sessions of your choice, unrestricted access to the PCW exhibition (usually £2 per visit) and a chance to meet the speakers face-toface in a special Micro UK feature.

STO USK.

Outline 1

each heading desci

Conference (4 and 5 September)

Technology Stream I

Processors and Memory

memory chips – special purpose chips – bit slicinį – new systems architecture – Motorola 6809 – Intel 8086 – Zilog Z8000 – 16 bit micros

Storage Systems

diskettes – single/double density – single/double sided – hard disks – 8" Winchester technology – fixed/changeable – costs and reliability

Communications

modem technology – PO facilities – data link controls – high level protocols – local area networks – Prestel – personal computer network

Systems Review

survey of micro systems – Texas Instruments TI 99/4 – Apple III – Triumph Adler Alphatronic – Sinclair ZX80 – other new releases

Technology Stream II

Monitors and Operating Systems

CP/M-MP/M-low level monitors-multi-testing - multi-user operating systems – utility program

Languages

BASIC – Business BASIC – Pascal – PL/1 – APL – language developments

Programming and Quality Control

program design – debugging tools – project control – program productivity

is in conjunction with the third

MICTOU.K.

4-6 September 1980 Cunard Hotel, London.

gramme-

es a half-day session

Development Systems

development and programming aids – ROM – EPROM – simulators – testing

Applications Stream

Retail and Distribution stock control – order processing – point of sale –

stock control – order processing – point of sale – billing – financial management

Manufacturing

process control – production control – inventory management – job scheduling

Word Processing

special purpose/general purpose hardware – peripherals – displays and printers – cost justification

Professional Office Systems time recording – client billing – diary management – client services

Teach-ins (6 September)

Game Playing on Micros DIY Circuit Building Music and Microcomputers Micros for the Disabled Simulation and Business Games Technology and Concepts for the Businessman Building your own System The Personal Computer Network

sonal Computer World Show

Meet the experts

As well as the wide-ranging 'traditional' conference sessions, Micro UK offers you a unique opportunity to meet some of the world's leading micro authorities face-to-face and get expert advice on your very own systems and equipment.

It's the next best thing to personal consultancy – and at a fraction of the cost.

This special feature is available on all three days only to Micro UK delegates. Get the full conference brochure now and make sure of your place. Phone the conference office on Uxbridge (0895) 30594 or clip the coupon below.

The Micro UK Conference Office, 106 Pield Heath Road, Hillingdon, Middlesex UB8 3NL.

Please send me _____ copies of the full conference programme.

Name_____

Position _____

Organisation _____

Address ____


Tel. No: _

PCW

GW Computers Ltd

89 Bedford Court Mansions, Bedford Avenue, London W.C.1. call only by appointment





* * * *

SUPERBRAIN Intelligent Video Terminal Systems

350K or 700K of Disk Storage SuperBrain's CP/M operating system boasts an overwhelming amount of available software in BASIC, FORTRAN, COBOL, and APL. What-ever your application . . . General Ledger, Accounts Receivable, Payroll, Inventory or Word Processing, SuperBrain is tops in its class. And the SuperBrain QD boasts the same powerful performance but also features a double-sided drive system to render more than 700K bytes of disk storage and a full 64K of RAM. All standard!

COMPUSTAR MULTI-USER TERMINAL SYSTEM

CompuStar user stations can be configured in a countless number of ways. A series of three intelligent-type terminals are offered. Each is a perfect cosmetic and electrical match to the system. The CompuStar 10-a 32K programmable RAM-based terminal (expandable to 64K) is just right if your requirement is a data entry or inquiry/response application. And, if your terminal heads are more sophisticated, select either our CompuStar 20 or CompuStar 40 as user stations. Both units offer dual disk storage in addition to the disk system in the CompuStar. The Model 20 features 32K of RAM (expandable to 64K) and 350K of disk storage. The Model 40 comes equipped with 64K of RAM and over 700K of disk storage. But, most importantly, no matter what your investment in hardware, the possibility of obsolence or incompati-bility is completely eliminated since user stations can be configured in any fashion you like - whenever you want - at amazingly low .cost!

DISK STORAGE

Options for the Superbrain and **Compustar Video Terminal** "Backup" for the 20 megabyte Century Data drive is provided via the dual disk system housed in the CompuStar or the SuperBrain. The Control Data CMD Drive features a removable, frontin-sertable top loading cartridge of 16 megabyte capacity plus a fixed disk capacity of either 16 or 80 megabytes.

Each drive is shipped equipped with an EIA standard 19" rack mounting system and heavy duty chassis slide mechanisms to permit easy accessability for fast and efficient servicing.

Tony Winter, B.A. Lit., B.A. Hon Phil. Will give a seminar of Business Programmes at Central London Polytechnic, on Monday 29th September Please contact us for more information

WIDELY USED IN UK AND USA

TESTED AND PROVEN POWER AT YOUR FINGERTIPS

JUST COMPARE THIS LIST

++ ROBUST SET OF PROGRAMS WITH ERROR TRAPS COVERING PET DOS RENAME MALEUNCTIONS, CASUAL USER, ERROR, DISK FAILURES, PET DOS MISMANAGEMENT BLOCK ALLOCATIONS, DISK FAILURES, FAST SINGLE KEY STROKE ENTHIES, CONTROLLED INPUT WITH VISIBLE LINE LENGTH, AND DATE VERIFICATIONS PREVENTING ERRONGEOUS DATE ENTRIP.

MPREHENSIVE DATABASE MANAGEMENT SYSTEM INCLUDES

++ AUTO INVOICE NUMBERING (WITH OVERRIDE OPTION), PLUS AUTO PRINTOUT INTEGRATED WITH ADDRESS AND STOCK FILES FOR PAYNET TERM DISCOUNT, AGENT ALLOCATION, PRICE INDEX RETRIEVAL AND AUTO STOCK UPDATE: NOMINAL CODES RETRIEVAL FOM ADDRESS FILES MAY BE OPTIONALLY OVER-BIODREN

WERFUL ALTERNATIVE DOUBLE ENTRY SYSTEM (GENERAL OPEN ITEM) INCLUDING NOMINAL CODES PROVIDING A AUX TYPE FACILITY FOR TRACKING MONTHLY TRADING RES AND TAX ACCRUALS.

++ CURRENTLY USING 16 SALE AND 66 PURCHASE COMMODITY CODES WHICH ARE AUTOMATICALLY WRITTEN INTO LEDGERS FROM ADDRESS FILES (INCLUDES OVERRIDE OPTION).

++ AUTOMATIC TRIPLE POSTING OF SALES/PURCHASES TO INVOICE & GENERAL & OPEN ITEM LEDGERS WITH COMPLETE AUDIT TRAIL TO INCLUDE ACCOUNT YEAR IERCATION ON A WIENTS INTUID SO ACCOUNTS, OR OPTIONALLY WRITTEN OFF AS DISCOUNTS TO THE CASH BOOK. THIS FACILITATES PART FAYMENTS.

++ FINAL LIQUIDITY STRIKES A COMPLETE AUDIT TRAIL BALANCE WITH CREDITORS AND DEBTORS O'S AMOUNTS. BANK BALANCES. STOCK MOVEMENTS, AND REMAINING STOCK VALUE TO GIVE PROFITABILITY OF COMPANY IN BOTH FINANCIAL AND STOCK ASSETTERMS.

++ POWERFUL ACCOUNT TRACKING FACILITIES INCLUDE AUTO STATEMENT PRODUCTION FOR ALL ACCOUNTS EXCLUDING NU BALANCES, WITH DATE COMPARISON AGE ANALYSIS TO - CURRENT * 30 DAYS * 40 DAYS * 90 DAYS * AND APPROPRIATE MESSAGES WHEN A DATE BLOCK HAS AN INCLUSION.

++ COMPLETE SEARCH/CREATE/AMEND/DELETE/SORT/FACILITIES ON ANY SIGNIFICANT LEDGER HEADING AGAINST EITHER GER NOMINAL CODENTEADING, FOR FULL INFORMATION RETRIEVAL SUCH AS A SHORTLIST OF OVERDUE ACCOUNT FOR A SPECIFIED MONTH, ACCOUNT LEDGER CARD RETRIEVAL, NOMINAL ANALYSIS

++ FAST INPUT ECHO FUNCTION TO ENABLE REDUCTION OF KEY-STROKES ON REPETITIVE DATA, PLUS PRINT AUDIT TRAIL OF ANY FILE CHANGES.

++ ---- NO ---- SPECIAL PRINTED STATIONERY NEEDED SO 50-100 INVOICES COST YOU A FRACTION OF A PENNY EACH, AND THEY ARE FORMATTED PRECISELY TO FIT IN A STANDARD INYMAN' WINDOW ENVELOPE FOR CONVENIENT POSTING. TRACKING PROGRAM ENABLING PRINTING OF PAST INVOICES - RECALL ON SCREEN, PLUS MONITOR OF SPECIFIED SALES - PURCHASES OF COMMODITIES BY CODE.

++ MONTHLY QUARTERLY TAX CALCULATIONS PLUS STANDARD MAILING TICKET PRINT FACILITIES.

++ ADD-ON OPTION OF AUTO STOCK MOVEMENT REPORT AND UPDATE QUANTITY ON HAND PLUS VALUATION OF RESIDUE AS RESULT OF PURCHASES AND SALES.

++ ADD ON OPTION OF AUTO BANK UPDATE FROM RECEIVABLES AND PAYABLES AGAINST LEDGERS.

++ PET STORES UP TO 2200 ADDRESSES OR UP TO 4000 SIMPLE LEDGER RECORDS ON ONE DISKETTE WITH 160K OF USER MENU CALLABLE PROGRAMS FROM OTHER DISK. ---ONLY ONE PROGRAM DISK--- AND THE HARD CORE PROGRAMS CAN'T BE BUSTED.

IBSTANTIAL USER GROUP IN UK AND ABROAD WITH ALL TIVE FEEDBACK IMPLEMENTED EVERY 3/4 WEEKS AND RE-RIBUTED FREE OF CHARGE (EXCEPT COST OF DISK AND ING 50-70 POUND P.A.) SO YOU BECOME PART OF A COMMON-LTH OF USERS WORKING WITH AN IDENTITY OF INTERESTS.

++ THIS MUST BE SURELY THE MOST COMPREHENSIVE, COMPACE, PROVEN, AND COST-EFFECTIVE ONGOING PACKAGE ON THE MARKETELACE AT THIS POINT IN TIME.

++ TOTAL PRICE VERSION3 475 POUNDS .. ADD-ON STOCK OPTION 100 POUNDS .. ADD-ON BANK OPTION .. 100 POUNDS .. REMAINING PROGRAMS 19, 20, 22, 32 JOINTLY 100 POUNDS.

++ THINK OF JUST KEYING IN 100 INVOICES. 50 CHEQUES? (PROVIDED YOU LEFT YOUR PRINTER ON WITH PAPER IN) YOU COULD LEAVE OUR PROGRAMS TO DO ALL THE SCREHTARIAL POSTING AUTOMATICALLY' AFTER WHICH YOU MAY SET IN MOTION THE AUTO STATEMENT RUN, THEN YOU CAN SHELY POSTOUT ALL PAPERWORK WITH STATEMENTS AGE ANALYSED WITH APPROPRIATE COMMENTS

+- COM VERSION SPECIAL *** WRITTEN ON THE NEW SUBEBRAIN PROCESSOR WIT THREE HIGHE LEVELOS OPERATION (FANT RECORD IN THE SYSTEM TAKES NO LORGER THAN SEVERAL SECONDE ONLOWED IMMEDIATELY WITH THE OFFICIN TO AMEND/PRINT/DELETE/OUTFOR CARRY ON SEARCHING THROUGH

New! Produced in U.K. and widely used in England and the U.S.A. **Complete Business Package**

INCLUDES EVERYTHING FROM INVENTORY TO SALES SUMMARY PROMPTS USER AND VALIDATES ENTRIES. MENU DRIVEN

BUS VER 3.00 TO ver 9.00 PET AND CP/M APPROXIMATELY 60-100 ENTRIES/INPUTS REQUIRE 2-4 HOURS WEEKLY * PROGRAMS ARE INTEGRATED SELECT FUNCTIONS IS UNDER CONTROL

FROGRAMS ARE INTEGRATED SELECT FONCTION B	
01=*ENTER NAMES & ADDRESSES	
02=*ENTER/PRINT INVOICES	
03=*ENTER PURCHASES	
04=*ENTER A'C RECEIVABLES	
05=*ENTER A'C PAYABLES	
06=*ENTER' UPDATE INVENTORY	
07=ENTER' UPDATE ORDERS	
08=*ENTER' UPDATE BANKS	
09=*REPORT SALES LEDGER	
10=*REPORT PURCHASE LEDGER	
11=*INCOMPLETE RECORDS	
12=*EXAMINE PRODUCT SALES	

13=*PRINT CUSTOMERS STATEMENTS . . 14=*PRINT SUPPLIER STATEMENTS.... 15=*PRINT AGENT STATEMENTS. . . . 16=*PRINT TAX STATEMENTS 17=GENERAL HELP **18=ALTER VOCABULARIES** 19=PRINT YEAR AUDIT 20=PRINT PROFIT' LOSS A'C: 21=ENDMONTH MAINTENANCE. . . . 22=PRINT CASHFLOW FORECAST 23=ENTER PAYROLL (NO RELEASE) ...

..... ENTER WHICH ONE? DATABASE MANAGEMENT INCLUDES

SORT ANY FILE CREATE/DELETE'SEARCH *** RECORD CREATE/DELETE'SEARCH'4 OPTION PRINT *** RECORD SORT ANY FIELD ALPHA OR NUMERIC *** INDEX SEARCH OR GENERAL SCAN'PRINT IN ANY FIELD (EG TOWN OR NAME) *** 4 ARITHMETIC FUNCTIONS TO USE AS CALCULATOR ON LAST 4 FIELDS *** AUTO CHECK TO PREVENT DOUBLE ENTRY TO FILE MANAGEMENT SYSTEM, DYNAMICALLY ALLOCATING INFORMATION TO MINIMISE DISK SPACE CONSUMPTION

VERY FLEXIBLE, EASY TO USE

G.W. COMPUTERS U.K. ARE THE PRODUCERS OF THIS BEAUTIFUL PACKAGE VER 3.00 (EXC PROG 19,20,22,23)=475.00, VER 4.00 INCLUDES AUTO STOCK-UPDATE=575.00, VER 5.00 INCLUDES AUTO BANK UPDATE=675.00, VER 6.00 IN CORE=875.00, VER 7.00 (INC 19,20,22,23) NOT YET RELEASED=975.00, VER 8.00 RANDOM ACCESS=1000.00, VER 9.00 TRANSLATEABLE=1075.00 +++EACH LEVEL OVERRIDES LOWER ONE

WE EXPORT TO ALL COUNTRIES CALLERS ONLY BY APPOINTMENT CONTACT TONY WINTER ON 01-636 8210 89 BEDFORD COURT MANSIONS, BEDFORD AVENUE, LONDON W.C.!. NOTE !!! All versions, especially 9.00 use broad financial principles and 9.00 is one 16K core program releasing both disk drives for data storage, as well as being translateable into any foreign language

IMPORTANT!!! We also sell the hardware for the above tasks to enable the purchase from one source. Note that A*** complete *** CBM system with Bus Ver 3 is 2215 pounds and A *** complete *** superbrain system with bus ver 3 and dec printer is 3345 pounds.

PET + PET + PET			OFTWARE	SUPERBRAIN +	SUPERBRAIN
CBM 3032 32K	650.00	BUS VER 3.00	475.00	SUPERBRAIN 320K	1795.00
CBM 3040 DISKS	650.00	BUS VER 4.00	575.00	TWIN Z80 64K+CRT	
CBM 3022 PRINTER	425.00	BUS VER 5.00	675.00	+2 D'D-S'S DRIVE	
CBM 8032 32K	875.00	BUS VER 6.00	775.00	SUPERBRAIN 800K	2500.00
CBM 8050 1MEG DISKS	875.00	BUS VER 7.00	875.00	TWIN Z80 64K+CRT	
CBM EPSON PRINTER	395.00	BUS VER 8.00	900.00	+2 D'd-D'S DRIVE	
CBM MULTI USER	650.00	BUS VER 9.00	975.00	M'USER S'BRAIN	3950.00
CBM 3032 + EPSON +	0	CBM WORDPRO II	75.00	LINKS UP TO 16	
CBM 3040 + BUS V3	2215.00	CBM WORDPRO III	150.00	SUPERBRAINS ON	
		CPM WORD-STAR	250.00	MULTI TASKING	
PRINTERS +	PRINTERS	CPM MBASIC 80	150.00	COMPUSTAR	
DIABLO 1650 40CPS	2150.00	CPM COBOL 80	320.00	20 MEG ADD-ON	5250.00
DOLPHIN 125CPS BD80	495.00	CPM PASCAL MT	150.00	S'BRAIN HARD DSK	
OKIDATA MICROLINE	575.00	CPM FORTRAN 80	200.00	INTERTUBE III	450.00
PAPER TIGER 195CPS	575.00	CPM DATASTAR	175.00	SUPERBRAIN 800K	
TELETYPE 43SR 30CPS	875.00	CPM PASCAL-M	250.00	TWIN Z80 32K + CRT	
DEC-LA34 TRACT 30CP	875.00	CPM BYSTAM S'BRAIN	75.00	+2 D'd – D's Drive	£1695.00
NEC-SPINWRITER	1595.00	CPM SUPERSORT	120.00		
QUME DAISY SPRINT5	1950.00	CPM BASIC COMPILER	190.00	TANDY MODEL II	1950.00
TEXAS 810 150	1390.00	CPM DESPOOL	30.00	APPLE II 16K	675.00
		CPM BYSTAM IMS'N-STAR	75.00	COMPUCOLOR 32K	1750.00
SPECIALS +	SPECIALS	CPM TEXTWRITER	75.00	IEEE TO RS 232	150.00
N'STAR QUAD .7 MEG	1500.00	CPM POSTMASTER	75.00	IEEE TO PARALLEL	160.00
IMS 5000 48K D'D	1500.00	CPM SELECTOR 3	180.00	IEEE'RS232 BI'DI	195.00
COMPUTHINK * 800K *	795.00	CPM CBASIC	75.00	IEEE MODEM	295.00
2 WAY CRDLESS PHONE	195.00	CPM MACRO 80	75.00	CAT MODEM	135.00
TELEPHONE ANSWER	230.00	CPM W'STAR M'MERGE	310.00		
1 WAY CRDLESS PHONE	80.00			WARRANTY	OFMENT
		BUS MANUAL *********	* 9.00	90 DAY FREE REPLA	CEWENT


SPECIAL INSTITUTION AND UNIVERSITY DISCOUNTS STOCK AND COMING ROUND. (BARCLAYCARD WELCOME OTHERWISE **CHEQUE WITH ORDER)** CONTACT TONY WINTER 01-636 8210 89 BEDFORD CT MANS, BEDFORD AVE W.C.1.



Is your computer suffering from the effects of unstable mains or from high voltage transients and momentary supply breaks, which you probably do not even notice otherwise?

Have you counted the cost of the loss of a day's data input or, worse still, the corruption of a whole programme?

If not, when you do you may get an unpleasant surprise – particularly if you then compare it with the low cost of a Galatrek Constant Voltage Transformer.



For a cost ranging from only \pm 75 (ex workd) + VAT you can get:-

- * STABILISATION OF ± 1%
- *** TRANSIENT ATTENUATION**
- * MOMENTARY POWER BACK-UP
- * RAPID RESPONSE
- * OUTPUT TOTALLY ISOLATED
- * PROTECTION FOR STABILISER AND EQUIPMENT UNDER OVERLOAD AND SHORT-CIRCUIT CONDITIONS

Standard range covers ratings from 250VA to 5kVA. Higher ratings to order.

Model AK250 at \pm 75 ex works + VAT, one of a range of 90 models covering most voltages.

Galatrek VOLSTAB Constant Voltage Transformers are based on a Galatrek innovation on the well established ferro-resonant saturable reactor technique. They offer high performance with minimal size and weight at a highly competitive price.

They contain no moving parts and are very reliable in service. They will provide close regulation within the limits specified. So consider carefully the Six Star Features listed above. And consider carefully the cost of system 'hickups' resulting from mains supply irregularities.

Then complete the coupon below to secure your copy of our new 12 page catalogue listing our whole range of stabilisers and cutouts. Or ring Ron Koffler on 0492 640311.



Scotland Street, Llanrwst, Gwynedd LL26 OAL. North Wales, Britain. Telephone: Llanrwst (0492) 640311 Telex: 617114 Answer back–GALAHU Telegraphic Address GALAWATT.

U.K. Marketing Agent: Danesbury Marketing Ltd., Tavistock House, Bedford MK40 20D Tel: 0234 213571 Telex: 825633 OTSS-B

TRADE & OEM ENQUIRIES WELCOME

CUTOUT NOW AND POST TODAY

ON FREEPOST LL99 No stamp necessary

Mark first class

□ PLEASE recommend a stabiliser for the following: PLEASE send me your new 12 page catalogue Sent By. . Tick if trade
Tick if OEM Address.

Floppy Disk Systems




FOR THE TRS80, SWTP, SUPERBRAIN, NORTH STAR HORIZON, HEATHKIT ETC. ETC.

40 Track single disk unit	£236
77 Track single disk unit	£345
40 Track Dual disk unit	£440
77 Track Dual disk unit	£645

* Mains powered disk systems

- * Shugart SA400 Interface compatability
- * Daisy chain up to four drives

TRS80 DISK CABLES:	2 Drive Cable	£20.00
	4 Drive Cable	£32.50



FOR TRS80 USERS

The PERCOM DATA SEPARATOR eliminates read and verify errors on the inner (higher numbered) tracks of your Disk Systems. Plugs into the expansion interface. No soldering – takes 5 minutes to fit.

£20 WITH FULL INSTALLATION INSTRUCTIONS

	Qty	Pric
MAIL ORDER MINI FLOPPY DISK DRIVES	1-5	
TEAC FD-50A 40 Track 5¼ inch	6-12	
Double/Single density drives	13-25	




Price includes warranty and manual

Call your nearest dealer for a demonstration:

Radio Shack Ltd., 188, Broadhurst Gardens, London NW6 Tel: 01-624-7174 London Computer Centre, 43 Grafton Way, London W1. Tel: 01-388-5721 Micro Control, 224, Edgeware Road, London W2. Tel: 01-402-8842 Katanna Management Services, 22, Roughtons, Galleywood, Chelmsford. Tel: 0245-76127 Cambridge Computer Store, 1, Emmanuel Street, Cambridge. Tel: 0223–65334 Portable Micro Systems, 18, Market Place, Brackley, Northants. Tel: 0280–702017 Ensign Ltd., 13-19, Milford Street, Swindon. Tel: 0793–42615 Sevet Trading, 14, St. Paul's Street, Bristol 2. Tel: 0272–697757 EWL Computers Ltd., 8, Royal Crescent, Glasgow. Tel: 041–332–7642

CUMANA LTD., 35, Walnut Tree Close, Guildford, Surrey. GU1 4UN. Tel: (0483) 503121 Telex: 859680 (Input G)

Please add VAT to all prices. Delivery at cost will be advised at time of order.



FOR APPLE II® AND ITT® 2020

using DOS 3.3

DUAL DISK UNIT

disk controller cards

DISK CONTROLLER CARD

* Dual disk unit giving a total of 232K Bytes using DOS 3.2 and 254K Bytes

* Works with standard Apple or ITT

£498

£49

Has its own power supply unit



Zilog from Micro-Bits ...your best bet

MULTI-END BUYERS, O.E.M.'S SOPHISTICATED END USERS – THE FULL ZILOG PRODUCT RANGE IS NOW AVAILABLE THROUGH YOUR OWN DISTRIBUTOR.

The Zilog MCZ range, with its advanced hardware and software options, offers you a high level of flexibility, expandability and sophistication.

SOME TYPICAL SYSTEMS:

MCZ 1/05 computer, 64K, dual 8" disk drives, from around £4,000 or leased for about £138 per month. MCZ 1/20A computer system, 64K, dual disk drives, VDU and 180 cps printer from £6,025 or leased for about £204 per month.

MCZ 1/35, 64K, 10mb cartridge disk drive, VDU and 180 cps printer from around £12,000 or £408 per month.

APPLICATIONS SOFTWARE:

*ORDER ENTRY/INVOICING *STOCK CONTROL *PERSONNEL MANAGEMENT *WORD PROCESSING *BILL OF MATERIALS *INTEGRATED ACCOUNTING *INFORMATION RETRIEVAL *BUDGETING/CASH FLOW *DATABASE MANAGEMENT *PRODUCTION FORECASTING *PAYROLL *STATISTICS *MAIL LISTS *LABEL PRINTING *UNIT COSTING

*INSURANCE BROKERS ACCOUNTS *BESPOKE SOFTWARE

NEW PRODUCTS*

ELBIT VDU with Word*Star orientated keyboard, with special function keys for CURSOR WORD RIGHT & LEFT, SCREEN SCROLL UP & DOWN, HELP, INSERT ON/OFF, DELETE CHARACTER/WORD/LINE, REFORMAT PARAGRAPH, EDIT & END EDIT. Also available as a separate keyboard package to upgrade your existing VDU.

For further information please contact:



34B London Road, Blackwater, Camberley, Surrey. Tel: Camberley (0276) 34044 Telex 858893 OFFICES & SHOWROOM Mon – Fri 9am – 6pm Sat: by appointment only

PCW 18

THE SHARP MZ-80 COMPUTER SYSTEM

tv av

Sharp have been associated with many major advances in electronic technology in space and here on Earth. We have introduced the most sophisticated production techniques for electronic circuitry to set world renowned standards of reliability into every product.

That's why the MZ-80K and its range of peripherals is going to change the way you think about microcomputers. The Sharp MZ-80 System now includes the MZ-80K processor backed with the MZ-80FD dual drive, double sided mini-floppy disk unit to give rapid, effective, sequential and random access, to huge amounts of stored information with incredibly fast response times.

Our new MŻ-80P3 printer makes a good impression as well. Its fine definition dot matrix



head prints across 80 columns, at 100 characters per second, with full graphics capabilities.

The Sharp MZ-80 System is a new approach to computer applications, and their efficient use by human beings.

Our aim is to make computers and their related equipment relatively simple and therefore better understood and better used by those they are designed to serve.

Whether you are looking for a business system, or a system for educational or personal use—take a look at Sharp, it will change the way you think about computers.

Send me detai and the name	arp MZ-80 earest stock	System	
Name		· ·	-
Address			

PCW/9 Sharp Electronics (UK) Limited, Sharp House, Thorp Road, Newton Heath, Manchester. M10 9BE Tel: 061-205 2333

.

> • 16K RAM + 12K MATRIX Microsoft BASIC in ROM

● TRS-80 Level II compatible ● Ideal for Business, Education + Leisure ● Integral Cassette + TV Output Customized Business Packages available Expansion to Disks + Printer

325, Upper Elmers End Road, Beckenham, Kent. Telephone 01-658 7508/7551

£380 inc. VAT

ITER

S LIMITED

Z80/Z8000

Video Genie System


6502 INMAN/INMAN £5.80 Intro to T-Bug Explains the TRS-80 monitor program **BARDEN William** £6.30 How to Program Microcomputer Compares 6502 vs 6800 vs 8080 1979 120pp 0 918398 33 9 1977 256pp 0 672 21459 8 (Level I and Level II) **TITUS Jonathan** £5.90 TRS-80 Interfacing (Level II) **BUTTERFIELD** et al £7.50 First Book of KIM 1979 190pp 0 672 21633 7 Book 1 KIM-1 guide and program listings 1978 176pp 0 8104 5119 0 FOSTER Caxton C 1978 234pp 0 201 01995 7 BARDEN William £6.80 Z80 Microcomputer Handbook £7.50 Programming a Microcomputer: 6502 1978 304pp 0 672 21500 4 General overview of hardware & software A self contained micro course for KIM-1 HOPTON J (G3WMP) Z80 Instant Programs: Machine Code Routines for Nascom & other Z80 Systems £7.50 ZAKS Rodnay G402 - 6502 Games Book £8.20 1980 292pp 0 89588 023 9 1979 180pp 0 905104 09 9 36 machine code routines from a hobbyist Latest in the popular Sybex 0502 series ZAKS Rodnay 1980 387pp NICHOLS/RONY 280 Microprocessor - Book 1 Uses the SGS-ATES Nanocomputer C202 Programming the 6502 £7.50 £8.20 1980 387pp 0 89588 046 6 1979 302pp 0 672 21609 4 Third edition Concentrates on Z80 programming Easy to read, well presented 280 Microprocessor - Book 2 Uses the SGS-ATES Nanocomputer Features 280 interfacing NICHOLS/RONY £7.50 ZAKS Rodnay D302 6502 Applications Book £8.50 1979 284pp 0 89588 015 6 1979 496pp 0 672 21610 8 A source of ideas around the house 6502 Assembly Language Programming Instruction set + examples + algorithms OSBORNE Adam Z8000 Assembly Language Programming (Contact MOI for publication date) £8.50 LEVENTHAL Lance £8.90 1979 NYP 500pp 0 931988 36 5 650pp 0 931988 27 6 Probably the best of its class FINDLEY Robert MATEOSIAN Richard £8.50 C281 - Programming the Z8000 £8.90 Scelbi 6502 1979 204pp 1980 297pp 0 89588 032 6 Software Gourmet Guide & Cookbook ISBN not known LEVENTHAL Lance 1979 630pp Z80 Assembly Language Programming Instruction set + examples + algorithms £8.60 DONAHUE/ENGER £9.20 Pet Personal Computer Guide (Contact Mol for publication date) 1979 630pp 0 931988 21 7 NYP 0 931988 30 6 Accurate and reliable, a good textbook Includes detailed memory maps WADSWORTH Nat £8.90 Scelbi Z80 FISHER/JENSEN £9.50 Pet & The IEEE-488 BUS (GPIB) 322pp Software Gourmet Guide & Cookbook Features a floating-point package 1980 233pp 0 931988 31 4 How to interface the Pet via IEEE Bus ISBN not known ZAKS Rodnay 1979 624pp 0 89588 013 X £10.50 C280 Programming the Z80 HAMPSHIRE Nick £10.00 The Pet Revealed (2nd Edition) Covers old and new Roms Readable and nicely presented 183pp ISBN not known Essential reading for programmers Circle the price of each title chosen and indicate quantity required 2 Total value of books chosen Your reference: Mol ref: HOW TO ORDER Extra 10% for delivery outside the UK Cheque ACCESS TOTAL DUE Bank draft PO/IMO ŏ Please invoice Make cheques etc payable to 'Mol' Creditcard number Please phone and complain if books do not arrive within 14 days! Cardholder's signature: 1 Francis Avenue, St Albans, AL3 6BL England Prices are subject to change without notice, due to external factors Mol Phone 0727 52801 Telex 925859

1979

Name:

Address:

NTER THE COMPUTER AGE



video genie system £330 plus vat

Printer now available

See it at the following dealers

3 Line Computing Hull 445496

Advance Television Services Shipley 585333

Amateur Radio Shop Huddersfield 20774

Blandford Computers Blandford 5373

Briers Polytechnic Bookshop Middlesbrough 242017

Buss Stop Watford 40698 Newport Pagnell 610625

Cambridge Microcomputers Ltd Cambridge 134666

Catronics Limited Wallington 01 669 6700/1

> BENTLEY BRIDGE CHESTERFIELD Rd. MATLOCK

DERBYSHIRE DE4 5LE

SOLE IMPORTERS

Cavern Electronics Milton Keynes 314925

Computer Business Systems Lytham 730033

Computerama Limited Bath 28819

Computopia Limited Leighton Buzzard 376600

Computer and Chips St Andrews 72569

Derwent Radio Scarborough 65996

Eiron Computers Limited Dublin 808575/805045

Eley Electronics Leicester 871522

D B Microcomputers Limerick 42733

VE

Gemsoft Woking 22881

G B Organs & Televisions Jersey 26788/23564

Kansas City Systems Chesterfield 850357

Kays Electronics Chesterfield 31696

Leisuronics Blackpool 27091

Marton Microcomputer Services Cogenhoe 890661 Melton Mowbray 812888 Matrix Computer Systems Limited Beckenham 01 658 7508/7551

Microdigital Limited Liverpool 227 2535

Midland Microcomputers Nottingham 298281

Mighty Micro Limited Burnley 32209/53629 Mighty Micro Watford 38923 Basingstoke 56417

MRS Communications Cardiff 616936/7

Optelco Rayleigh 774089

Q Tek Systems Ltd Stevenage 65385


Rebvale Computers Ltd Garboldisham 316

SMG Microcomputers Gravesend 55813

Tryfan Computers Bangor 52042

Univ Radio Stores (Nott'm) Ltd Nottingham 45466

Ward Electronics Birmingham 021 554 0708



Trade Enquiries Welcome

PRINTERS FOR PEOPLE WHO COUNT.



Without breaking any of the rules for printer quality, Facit now breaks the economic rules by introducing its Low-Cost Printer Family. Featuring the models Facit 4520, 4521, 4525 and 4526.

Here you find 80 and 132 column printing formats, journal roll as well as pin and tractor feed, 100 and 150 cps 9×7 and 9×9 matrix and even true descenders.

A printer family that combines the performance and reliability of the advanced printer with the cost of the small. To provide versatile, heavy-duty, 100% duty cycle printing functions.

The bidirectional print mechanism, monitored and controlled by the powerful Z-80 microprocessor, makes Facit Low-Cost Printers intelligent, fast and flexible for use in personal computer systems in business and industry, datalogging, as well as small business computers and educational applications.

This is further emphasized by the low noise level and the fact that European safety and interference standards are fully met.

Serial RS-232 and parallel interfaces are standard. And all language versions current in Europe are catered for, including US ASCII.

So when comparing printers: Think professionally. Contact Facit.



ALWAYS SOMETHING MORE IN PRINTERS. Facit Addo Limited, Data Products Division, Maidstone Road, Rochester, Kent MEI 3QN. Tel. Medway (Kent) 401721/7



STACK-APPLE; 290-298 DERBY RD, BOOTLE,

LIVERPOOL. Telephone: 051-933 5511.

Phone Paul Fullwood or Carl Phillips on 051-933 5511 290-298 DERBY RD, BOOTLE, LIVERPOOL

PCW 23

ELIMINATE YOUR BACK-UP OBLEMS with our low cost cartridge drive The Equinox KB10 Cartridge Drive allows \$100 microsystems to transfer,



read and write data at high speed. Its 5MB fixed and 5MB removable discs eliminate the need to provide separate data back-up. The removable 5MB disc allows for fast back-up and therefore unlimited off-line storage. Without sacrificing high performance, multiple users can operate the Equinox KB10 simultaneously using multi-user software. Equinox provides support for such software i.e., MVT/FAMOS, MP/M and OMNIX.CP/M is also supported.



Kleeman House, 16 Anning Street, New Inn Yard, London EC2A 3HB. Tel: 01-739 2387/9 and 01-729 4460

cula b floppy tape, The tape that behaves like a disc,

Connects directly to TRS-80 Level 2 Keyboard. Operating and file handling software in ROM. 8 commands add 12 powerful functions to Level 2 BASIC. No buttons, switches or volume controls. Full control of all functions from Keyboard or program. Daisy chain multiple drives. Certified digital tape in endless loop cartridges. Reads and writes in FM format at 9000 Baud. Soft sectored with parity and checksum error detection for highly reliable operation-just like discs. Maintains directory with up to 32 files on each tape, tapes may be writeprotected. Supports Basic and machine-language program files, memory image and random access data files. 12 character filespecs -: "FILENAME/EXT:d" (d is drive no. 0-7). Automatic keyboard debounce. Full manual with programming examples and useful file-handling routines.

COMMANDS (usually followed with a filespec and possible parameter list).

@SAVE, @LOAD, @RUN -for BASIC programs, machine language programs and memory image files. @GET, @PUT moves a 256-byte record between a random access file and BASIC's data buffer. @KILL -removes a file from the directory and releases tape sectors for immediate re-use. @LIST -displays file directory along with sector

allocation and free sectors. @NEW -formats tape and creates a blank directory. Master drive with PSU, Manual and a selection of tapes. £167-00 +£2-00 pp+vat.

For further information, Telephone 0525 371393

24 Heath Road. Slave drives with PSU_____£122-00 +£2-00 pp+vat. Leighton Buzzard, Beds. LU7 8AB

(Export orders pp charged at cost)

For TRS-80 LEVEL II.

Take a step up to your next Computer!

THE CONCEPT

How many ways are there to build an S100 system? Not many, and all expensive. TUSCAN changes all that.

Five S100 boards on one single board—just for starters. Plus five extra slots for future expansion.

What a combination! Z80 and S100 with the TRANSAM total package of system and applications software.

How do we do it? Our prices start at £195 and you can build up in easy stages to a fully CP/M compatible disc based system. Something to think about!

THE HARDWARE

The first Z80 single board computer with integral S100 expansion. British designed to the new IEEE (8 BIT) S100 specification, the TUSCAN offers total system flexibility. A flexibility available now. The board holds the equivalent of a Z80 cpu card, 8k ram, 8k rom video and I/O cards with 5 spare

S100 expansion slots and offers a price/performance ratio which is hard to beat.

Just compare our price with a commercial S100 ten slot motherboard with this specification.

THE SOFTWARE

TUSCAN offers the user the choice of system monitor, editor, resident 8k basic, resident Pascal compiler or full CP/M disk operating system. All options are upwards

compatible and fully supported with applications software. Both 51/4" and 8" drives are supported in double density.

THE PACKAGE


TUSCAN is available in kit form or assembled. With several hardware and software options to suit your requirements and budget. Attractive desk top case also available holds $2 \times 5\frac{1}{4}$ Drives.

N	OBODY DOES IT BETTER!
	ransam Components Ltd,. 12 Chapel Street, London NW1
	ested in the TUSCAN Z80 based single board computer expansion and enclose a S.A.E. for further details.
Name	

TRANSAM COMPONENTS LTD., 59-61 THEOBALDS ROAD, LONDON, WC1. TEL: 01-405 5240/405 2113



...when you need a dependable supplier, an authorised distributor with a comprehensive range of products at keen prices, backed by large stocks for fast delivery, with full after-sales support. We promise you a rapid response. ANADEX DP8000



Exceptional value and high reliability. 84 lines per minute, 112 cps. Parallel and serial interfaces as standard. 96 ASCI set, 9 x 7 font. Variable tractor. Forms handling facilities. 1K buffer store. Options include 2K extra store IEEE interface.

from only £494

LEAR SIEGLER ADM-3A

The most popular visual display in the world. 1920 character screen capacity. Cursor addressing. Dual interface. Auxiliary port. Wide range of speed and word formats. Options include Tektronix 4010 compatible graphics.

from only £545

CIAL Compact 150 cps 132 column printer. Optimised bi-directional printing. Adjustable tractor feeds, 3 - 15 inches. 9 x 7 dot matrix. RS232 interface. Forms control options. Other serial and parallel interface options. Compressed print option.

SPECIAL S1275 OFFER

> TELETYPE 43 Versatile, economic and reliable-30 cps, serial interface keyboard printer. 132 or 80 columns. 94 ASCII set, 9 x 7 fort. Crisp, high quality printout. Microprocessor controlled. Portable versions. Character

from only £775 TYPEWRITER TERMINAL Two machines for the price of one. Typewriter style friction feed for single documents, letters etc. Pin feed for continuous business stationery. Electric typewriter keyboard layout and touch. Left and right harding setting. Crisp, high quality printout. form only £799

set options.



DIGITAL LA 34

30 cps desk top terminal/Roll feed, paper widths from 3-14% inches/EIA interface/Selectable character widths, 10, 12, 13.2 and 16.5 characters per inch/Full 96 ASCII character set/7 x 9 dot matrix/Options include a 20mA interface, tractors to accept sprocket feed paper and numeric keypad.

PERIPHERAL HARDWARE LIMITED

Armfield Close West Molesey Surrey Telex 922175

SOUTH 01-941 4806

NORTH Harrogate 501263/4

IRELAND Dublin 952316






The Z19 'intelligent' Video Terminal, from Zenith Data Systems, is ideal for a wide variety of high-speed data handling tasks.

Compatible for use with EIA RS-232 or 20mA current loop, it has all the capabilities and features you'd expect from a top-of-the-line peripheral.

- Z80 Microprocessor based electronics
- Special deflection system for sharp resolution
- Full editing functions, plus user-definable keys
- Reverse video by character
- 24 lines of 80 characters plus 25th user status line
 - 5 x 7 Dot matrix (upper case)
- 5 x 9 Dot matrix (lower case)
- 128 characters (95 ASC11 and 33 Graphic)
- ANSII and DEC VT 52 compatible

And there's one feature of the Z19 you wouldn't expect. The price. Just £735, exclusive of VAT and delivery charges.



For full details about the Z19, complete this coupon and return it to:

	Zenith Data Systems Division, Heath Electronics (UK) Ltd.,
Dept. (), Bristol Road, Gloucester, GL2 6EE.


Name

Company

Address

Z19





Telephone: 021-707 3866

Telex: 312280 CPS G

ET users

her

All the power and built-in peripherals for business and educational computing in one compact, desk top unit.

Designed and built to the highest specification, the Z89 combines reliability and efficiency with ease of operation. And is backed, of course, by our excellent

- Built-in floppy Disc with optional dual external
- Operating systems C/PM & H.DOS.

• Languages: M-Basic, C-Basic, Fortran, Pascal, etc. And with generous OEM discounts available you can

For full details about the Z89, complete this coupon and

Zenith Data Systems Division, Heath Electronics (UK) Ltd.,), Bristol Road, Gloucester, GL2 6EE.

Z89



TEMPLEMAN SOFTWARE LIMITED 25-26 Greenhill Street, Stratford Upon Avon Warwickshire CV37 8LR Telephone: Stratford Upon Avon (0789) 66237



"DON'T BOTHER ME NOW, CAN'T YOU SEE I'M WORRIED!"

EXAMPLES OF COMPLETE SYSTEMS

- 1. SALES LEDGER, STOCK CONTROL, INVOICING, I.T.T. 2020, 2 DISK DRIVES AND DOT MATRIX PRINTER £3600
- 2. SALES AND PURCHASE LEDGER PROGRAMS, I.T.T. 2020, 2 DISK DRIVES AND DOT MATRIX PRINTER £3200
- 3. STOCK CONTROL RECORDING PROGRAM, I.T.T. 2020, 2 DISK DRIVES AND DOT MATRIX PRINTER £3000
- 4. BILL OF MATERIAL, STOCK CONTROL PROGRAMS, I.T.T. 2020, 4 DISK DRIVES AND DOT MATRIX PRINTER £5350 (Prices exclude VAT)

SOFTWARE IS OUR MIDDLE NAME

Firstinline.

WH12

If you're looking for an above average line printer at a lower than average price then the WH14 from Zenith Data Systems is your first choice.

Microprocessor controlled, this compact tabletop unit can be used with most computers through a standard serial interface. It provides hard-copy output of your programmes as you execute them, plus handy copies of address lines, lists and other programming data for educational or business applications. Features include:

- 5 x 7 Dot matrix printing
- Clear easy-to-read images
- Upper and lower case characters
- Operator/software selectable line width: 132, 96 and 80 characters per line.
- Sprocket paper feed with adjustable spacing
- Stepper motor feeds allows 6 or 8 lines per inch vertical.
- Form feed operator/computer control
- Microprocessor based electronics

And at £510, exclusive of VAT and delivery charges, the WH14 puts economy first in line too.



For full details of the WH14, complete this coupon and return it to:

Zenith Data Systems Division, Heath Electronics (UK) Ltd., Dept. (), Bristol Road, Gloucester, GL2 6EE.

Name

Company_

Address

PCW 31

WH14

SystemsEngineeringLimited

IEEE-488/PET INTERFACES

NEW

£186

TYPE B200 Bi-directional serial interface C.B.M. Disk compatible, software selectable Baud rates, switchable code conversion, RS 232C input and output handshake.

Type C

£120

Serial interface – output only PET disk, compatible, RS232 C Handshake (Printer Busy), switch selectable Baud rates, Listen Address link selectable.

All type C interfaces now incorporate switchable code conversion to match print to PET screen display.

Type G.P.I. A.P.

£249

Micro-based, bidirectional with buffering. The General Purpose Interface allows free use of PET's INPUT # statement without hangup problems. Software changeable BAUD rates optional features include: Second Serial I.O. Port, 20 mA Loop I.O.

Addressable parallel (disc compati	ible)	
for Centronics, Anadex etc.	£106	
Also available with switchable code conversion.		

Non addressable parallel £45

TV/Video monitor interface £35

Pet Memory Expansion Boards internally mounted.

24K		£328
32K	FORMATING SACRENTS	£432

S100 BOARDS

Dynamic Memory Boards

IEEE-S100 Sp	ecification Timing				
	n Board Refresh				
4Mhz Z80 Op	eration with no wa	it states.			
Fully tested ar	nd Burned In				
Bank Select ve	ersions available -	and we do not			
North Star, Cr	omemco and Alph	a Micro			
I.O. Port Bank select					
Bank Size to 6	64K in 16K increm	ents			
Size	Standard	Bank Select			
64K	£449	£595			
48K	£398	£539			
32K	£346	£483			

P&T IEEE-488 Interface Provides S100 computers with IEEE-488 £350 Controller, Listener, Talker, Capability

£200

£425

SOFTWARE

PETE PET intelligent terminal package

NEW ...

BISYNC 80 IBM 3780 emulation software for CPM Micros

Please note our new address and phone number!

2-4 Canfield Place · London · NW6 3BT Telephone: 01 328 7145/6 · Telex 8813085 (Abacus) MIND YOUR OWN BUSINESS!

...with these popular business packages from DATABANK

APPLE][

ITT 2020 WORD PROCESSOR MAILER/LETTER STOCK CONTROL PAYROLL BANK ACCOUNT ALL FOR

SALESMAN CASH REGISTER

£99

LIBRARY INDEX

inc. disk&post.

Buy your ITT2020 from us and get the above FREE



DATABANK



(One of the available sizes of print on 9501 from Apple Graphics Interface card)



Anadex DP9500/ DP9501 to Apple interface board WITH GRAPHICS!

STACK COMPUTER SERVICES wish to announce their New Apple—Anadex Printer Interface With Graphics!

- Fully Basic, DOS and Pascal compatable.
- Features Basic tab function in excess of 40 columns.
- Contains 2K of onboard firmware providiing dot for dot reproduction of Apple High Resolution Graphics.
- * Normal or reverse graphics printing.
- High Resolution graphics dump of page 1 or 2.
- Coptional 2X enlargement of High Resolution picture.
- *Text screen dump routine.

KRing STACK-APPLE for details!

Features 9500 Series

- ★ 132, 175 or 220 columns, 120, 150 or 200 characters per second.
- * 50-200 lines per minute, bi-directional printing with line scanning logic.
- * 650M characters print head life.
- Tractor feed, multiple copy plain paper. 7 x 9, 9 x 9 or 11 x 9 matrix with optional graphics capability.
- graphics capability. * Special character sets available as options.
- * 6 or 8 lines per inch, selectable.
- * 10, 13.3 or 16.7 cpi, selectable.
- * Communications control selectable.

DP-9500

DP-9501

£895 £9 plus VAT

plus VAT

Please ring Graham Knott or Jeff Orr for other interfacing requirements. Dealer enquiries welcome.





XITAN SYSTEMS LTD The South's CROMEMCO experts

Need a Hard Disk System with FAST RELIABLE Backup?

Xitan now have the answer with the Z-2H plus DC300 Tape cartridge BACKUP system (S100 controller, drive, psu & software).

The Cartridge BACKUP system is available separately for existing Z-2H users (13.4 Megabyte capacity -1 Megabyte per 5 minutes).



Utilities/Software for CROMEMCO Systems.

Tired of XFER – Use FCOPY or DFCOPY. Single sided 8" copy in 54 seconds, Double sided 8" copy in 104 seconds, £50.00 ea. Need to build Assembler libraries – try LIBR at £50.00.


CP/M 2.2 and MP/M 1.1 available for System 3 and Z-2H systems.

EASYFORM. For creation/editing of forms on the 3102 VDU with structured Basic. Forms useable from Cobol, Fortran etc. £160.00.

BUSINESS SOFTWARE

CROMEMCO systems – a complete Business system based on the system 3 from CAP-CPP. Phone for an appointment to see it running.

For the smaller customer, we have an integrated Sales, Purchase and Nominal system for the North Star Horizon. Nothing fancy – but installed and running for over 7 months. IT WORKS! WHATIF! Cash Flow, Accounts budgetting utility. Just released. Incredible value at £95.00. Also available an Incomplete Records system for the Horizon.



SPECIALS.

Real Time Clock -- S100 -- 100 microseconds up to 99,999 days £155.00. Hi-Tech S100 PAL colour card, 24 x 40 Prestel format £295.00. Video Vector Fastlib £495.00. Dual Tandon Double/sided 40 track minifloppy sybsytsem £625.00.

INTEGRATED SPECIALIST SYSTEMS. MEDIDATA 32,000 patient Doctors' system. Installed & running. Prices from £7500.00. RETURNED ALE. Run a brewery? Keep track of returned ale and reclaim Excise Duty. Track down production & storage problems. Copes with 10,000 + barrels. Prices from £8500.00.

Xitan Systems also supplies and stocks vdus, printers, NORTH STAR HORIZON computers, Commodore Business Machines PETs, S100 boards, and books. We are here to demonstrate the range of quality microcomputer systems available for use today. Ring up for an appointment now! You'll not be disappointed. We have Osborne's Sales Ledger and Payable Ledger in source form for use on Cromemco System 3 with CBASIC2, and we can offer a customising service on these programs. Additional software includes Microsoft Basic Interpreter and Compilers, Cbasic, Macro80, and CP/M for the North Star Horizon.

Xitan Systems Ltd., 23 Cumberland Place, Southampton SO1 2BB. Tel: (0703) 38740 Hours Tue-Sat 9.30 am to 5.30 pm

Г 2001	PET 3016 (16K RAM and large	BASIC SYSTEMS PET 2001-8 (PET with 8K memory		DISKS		PET SOFTWARI
	keyboard) * PET 3032 (32K RAM and large	£550.00 + integral cassette PET 3008 (8K) with large keyboard	*£425.00	CBM 3040 (dual drive) 343K User storage Computhink (dual drive) 400K		PETSOFT authorised dealers – over 160 programmes on c catalogue.
from	keyboard) *	£695.00 PET C2N External Cassette Deck	£53.00	storage Computhink (dual drive) 800K storage	£895.00 - £1145.00	STAGE ONE COMPUTERS S/W dealers – PETAID, Stor 74 Common BASIC Programs on one tape
£425	IEEE/RS232 Serial Interface 'A'	ACCESSORIES IEEE-448/Centronics type parallel		TRS80 Shugart drive	£299.00	PETACT Business Software – Sales and Purchase Ledger. In CBM DISK-BASED BUSINESS SOFTWARE
	Output only IEEE/RS232 Serial Interface 'B'	£106.00 Interface IEEE to Pet Cable	£35.00 £19.00	Micropolis drive Percom FD200 drive 110v	£299.00 £289.00 £995.00	COMWORDPRO II/COMWORDPRO IV powerful word processor COMSTOCK – STOCK CONTROL – gives complete stock report
	Input/Output	£186.00 IEEE to IEEE cable	£24.00	Micropolis Dual Drive (394K storage) Corvus Hard Disk (11mB) APPLE	E3500.00	COMBIS – BUSINESS INFORMATION SYSTEM – Storage & of company records
nodore	Programmers Toolkit – 10 powerful new c for your Pet – plug in ROM chip 8K and 16/	Mommands PETSET 1 16 Channel AD Convert (32K resp £75/£55 c.w. all interfacing requirements	tor £166.00	Apple Drive – 116K storage 1st drive Apple Drive – 116K storage 2nd drive	£349.00 £299.00	COM ACCOUNTS – Full Financial Business Accounting System Sales, Purchase, Nominal Ledgers
dealers		BASIC SYSTEMS	CONTRACTOR OF	Corvus Hard Disk (11mB) SORCEROR	£3500.00	COMPAY – Handles hourly, weekly or monthly paid employee COMPLANNER – Personal information tool for the busy execution
80	TRS 80, 4K Level I consisting of Keyboard with 4K memory, Video	TRS 80, 16K Level II (as above with	£499.00	Exidy – 143K storage Exidy Dual drive (630K storage)	£495.00 (1195.00	(We are authorised CBM Business Software Dealers) Sen GD 1001 – Assembler Development System
	Unit, Cassette Drive and 240v	TRS 80, Expansion Interface with		Corvus Hard Disk (11mB)	£3500.00	GD 010 – Lisp Interpretive Language (Artificial intellig CAR INSURANCE OUOTATIONS – computerised car insur-
trom	power supply unit TRS 80, 4K Level II (as above with	£365.00 16K RAM TRS 80, Expansion Interface with	£275.00	PRINTERS	1	suitable for insurance brokers (TVJ S/W) MORTGAGE QUOTATIONS – suitable for agents/mortgag
£365	Level II Basic)	£425.00 32K RAM	£360.00	CBM 3022 (80 col with PET graphics - tractor feed) *	* £425.00	TRS 80 COMAC III SUITE – computerised accounting for TRS 80 (T
	TVJ 232 serial interface	ACCESSORIES £35.00 Radio Shack Phone Modem	£160.00	TRS 80 Screen Printer text +		STOCK CONTROL - complete inventory control - recorder CP/M
ANE ST	Centronics Parallel Printer Interface (direct to keyboard)	UHF Modulators (encased with £40.00 leads for 625 lines)	£20.00	graphics) (110v) New Radio Shack Micro Printer	£345.00 1245.00	CBASIC FORTRAN includes compiler, relocatable assembler text ea
	TRS 80, Voice Synthesizer	£345.00 RAM upgrade (4-16K, 16-32K,	5 2.1	GENERAL Teletype 43 KSR Serial (pin or pinch	1825.00	loader PASCAL – tomorrow's programming language today
nack Corp.	TRS Voxbox – speech recognition system	32-48K) supplied and fitted at our £135.00 premises (Kit £80.00)	£85.00	feed, 132 cols) RACAL Binder Printers – truly professional printers for microcomputers – high speed	1.1.4.5 12 13	ELECTRIC PENCIL – powerful word processor allows full co insert/delete, string search block movement, adjustable
ALE DORESTICS OF	TRS 80. Numeric Key Pad supplied and fitted	S100 interface for TRS 80 (6 slots) £49.00 TRS80 CPU 2 speed mod.	£375.00 £26.00	to 280 cps), upper/lower case OKI - parallel/serial (pin or pinch	P.O.A	Justification on cassette ELECTRIC PENCIL as above – disk version LOWER CASE MOD KIT ONLY/FITTED for Electric Pencil
II				feed, 40, 80, 132 cols selectable) Centronics 779 parallel (tractor	£499.00	DATA MANAGEMENT/REPORT GENERATOR - easily form entry edit, delete and list of records and retrieves data for
	Apple II Plus computer - APPLESOFT	BASIC SYSTEM extended basic in ROM – (16K RAM) - video out	put £695	feed, 132 cols) DOLPHIN BD80P tractor printer (125 cps	£825.00	calculation on screen or printer RSM-20 DISK MONITOR – powerful system manipulates d
		ACCESSORIES		bi-directional, 40, 80 columns – optiona 132: u/l case & graphics), Available with		break routine
- HIIII	Apple black and white modulator for domestic TV	Real time clock/calendar card – £14.00 1/1000 sec to 388 days with		Serial, parallel or IEEE interface Centronics Micro Printer (20, 40,	£525.00	ST80D communications software NEWDOS – TRSDOS with corrections and enhancements
/ * P 11	Eurocolor card – provides colour on domestic TV	interrupt, software controllable £79.00 Speechlab – provides voice control	£128.00	80 cols selectable) Heath WH 14 serial (80, 96, 132 cols selecta		NEWDOS + – as above but with further facilities - KBFIX, Renum, Screen to printer in one step, DOS comm BASIC, Level I in II, Superzap, Disassemble, load and sav
	Parallel Printer Interface Card	£104.00 for the Apple	£127.00	QUME daisy wheel printers TCM100/MICROHUSH Thermal Printer (40	P.O.A.	LIBRARY 100 – an assortment of 100 programs SARGON CHESS – 16K Level II – the 1979 Champ Version
	High Speed Serial (RS232C) Inter- face Card	Supertalker – adds human speech £113.00 output!	£136.00	inc. interface for PET/APPLE SILENT.PRINTER for APPLE allows	£266.00 printing	SANGON CHESS - Tok Levern - the 1979 Champ version
ealers	Communications Card Centronics Card	£130.00 ALF Music Synthesizer Card £130.00 A1-02 Data Acquisition Card	£180.00 £180.00	of high res. graphics ETC.	£349	APPLE Microchess 2:0 Chess Disk
OR	Integer Basic Firmware Card	£116.00 Graphics Tablet	£462.00	Diskettes 514" (blank) boxed (min order 10) each	from E3	U-DRAW II – High Resolution graphics editor. Create a figure: contract etc and store on disk
	PASCAL language system – includes language card to provide user	AC Line Controller RAM Upgrade (16-32K, 32-48K)	£270.00 £69.00	C12 Cassettes (min order 10) each Ansaback'phonemate'telephone answer	£0.35p ing machine.	Contract etc and store on disk LISP – programming language suitable for research in artificial 3-MILE ISLAND – Complex disk based game simulating nucle
0	with PASCAL, PALSOFT & INTEGER BASIC	Hobby Prototype Card £299.00 Romplus – u, I/c, mixed text/graphic	£20.00	voice operated twin cassette Pace EZ-PHONE – Cordless Telephone	£190.00 £225.00	3-MILE ISLAND – Complex disk based game simulating nucle VISICALC – Instant Visual Calculation – provides a powerful pl tool
-	INTEGEN BASIC	2200.00 Hompius - u, i/c, mixed text/graphic	15 E 100.00	BOOKS - Large range of microcomputer	related	APPLE WORD PROCESSOR - Complete text editing, storage (disk based)
um)	Sorceror (inc UHF Modulator)	BASIC SYSTEMS	1 2	buoks and magazines TERMINALS	146	LITTLE GENIUS - Comprehensive disk based Apple Soft Tuto
		2K RAM £750.00 48K RAM	£795.00	 Pentland V1, 80 char./24 lines 2 page memory 	£580.00	ACT Appleware and MUSE authorised software dealers – Man on cassette and disk. Send for list.
	Exidy Video Disk Unit	ACCESSORIES Exidy S100 Unit	£240.00	PROGRAMMABLE CALCULATORS. TEX INSTRUMENTS. Business Programmab	le	SORCEROR many programs available – send for list. Word Processor Rompac
lealers	(High Resolution monitor with	Exidy Video Monitor	£240.00	 Calculators – complete range. Send for prices. (We are authorised TI dealers). 	and the second	Word Processor Rompac Development Pac
	Integral 630K Dual Drive) £	1,690.00 CP/M on Disk	£145.00	IF YOU DON'T SEE IT – ASK HAVE IT	IFWE	* 5% DISCOUNT ALLOWED FOR EDUCATIONAL EST
ED	AL TRS 80 Model II with integral 8" floppy disk	DVANCED SYSTEMS	1			
MS	Expandable up to 3 Megabytes Disk Storage	: grive and up to 64K HAM. a (Available for demonstration – by appointment only). K User RAM, full size screen, high-res graphics, Ultra-fast	P.O.A.	TAV INH	INSON (M	ICROCOMPUTERS ETC) LTI
	and up to to 4-8 MBytes on-line disk storage	e	P.O.A.			n Group of Companies
	ecial PET BUSINESS SYSTEM	News! LOWER PRICES FOR PETI Up to £100 R	Reduction	Camberley (Head	Office) Ox	dord Bristol
	Special PET BUSINESS SYSTEM comprising CBM 3032 Micro -	SUPER PETS ARE HERE!	1	BANCLAYCAND Johnson House, Park Street (At Pembr	oke Broadway), OX	B Cowley Road, Oxford 48 Gloucester Road, Bristol 41JJ. BS7 8BH
	computer. CBM 3040 Dual Disk Drive, CBM 30	CRM PO22 _ COMPLITED with PO column server	£895.00	Camberley, Surrey. Gl	015 3PN. 2	(0865) 721461 T (0272) 422061 Directors Dr.
	ridulul reed minter and all cables	CHM ROSO - Dual Disk Drive giving 950K user	6895.00			PRICES EXCLUDE VAT, FREIGHT & HANDLING SEND OR S (PHONE FOR PRICE LIST & BROCHURES TS (All prices correct at time of compilation) A S



Once again, the ubiquitous Guy Kewney offers his unique monthly manifestation of micro news and bric-a-brac.

Intelligence

E

Don't be deceived by Intel's claim that it is changing its nature in talking about its plans for a 32-bit micro, an incredibly powerful mainframe computer on a chip.

It is true, as the company says, that normally it tries not to talk about future products, and it is also true that it is talking about a whole range of future products. What has happened to do this is not a change of attitude, but a shift of power.

My own relationship with Intel has become a love-hate one (I love them they hate me) because of the vulnerable position the company has forced itself into. In the market, it has been impregnable, coming out with advanced products, getting the biggest share, and leaving Texas Instruments with egg on its face not just once but several times In its press relations, the distance Intel has been in front of the competition has made it slightly paranoid about revealing too much, with things getting to the ridiculous stage of an exclusive interview being set up in a London hotel by a top Santa Clara executive,

who sat in his bedroom suite and said "no comment" exclusively for an hour.

However it remains true that companies like Intel and IBM cannot keep information truly secret merely by saying no com-ment. When Motorola, normally number two or three in the micro market stole a march on Intel with the announcement of plans for the 68000 micro -- the big 32-bit micro that looks like a 16-bit micro — Intel's anxious customers ap proached their supplier and observed that the specification looked a great deal more sophisticated than the Intel 8086. Intel was then compelled to whisper a few secrets behind its hand.

So it was that first, the "8800" was rumoured (it's the basis of Intel's 32-bit microsystem) and second, the unofficial Intel view that the Motorola 68000 was beyond the capabilities of Motorola's technology. This latest rumour backfired. Nobody ever believed Motorola's claims about when the 68000 would be available (nobody seems to believe Intel's claims about the iAPX 432 range, either), but when Intel said that it would be, not just late, but never "because the



A case for £25, to house the best-selling kits or bare boards, is available from Microtype. This is a model 3 of a case which the company made previously; pre-cut main panel for Nascom 1, Ohio Superboard, and UK 101 is available. If, like me, you have moved those stupidly sited 'reset' keys on the Superboard/UK101, the case is available with a blank keyboard panel which you can cut to fit round your own key layout. The flat top will hold a TV set, the base is ribbed so that screws, holding boards down, will not scrape table tops, and there is room for a cooling fan. Details from PO Box 104, Hemel Hempstead, Herts HP2 7QZ. chip is not viable" people deduced that it was beyond Intel. Intel, they said in the bars, must have tried it and failed. Hence the 'break with tradition' and the willingness to talk about the iAPX (the i stands for intel) 432 and its supporting APX 186 and 286 families. That willingness doesn't

go all that deep. Most of the details released, while very interesting, are more concep-tual than factual. The points Intel wants to make are not how many pins, and what voltage, and what clock speed, but first, we can build it and we will, and second, your old software will run on this. Normally, old software claims can be dismissed. There is, for instance, an Intel conversion package for re-writing 8085 code to run on the 8088. The 8088 is an 8086 (16-bit, big memory) with an 8-bit data bus which means the user of an 8085 can get most of the power of the 8086, without throwing away his memory boards or system buses.

This package, say users who have tried it, is great for converting the sort of assembler code generated by compilers. Run a PL/M compiler, generate 8085 code: or run a Coral compiler, generate 8085 code, and that code can be converted to 8088 with ease and no loss of efficiency. The same does not apply to human generated code because humans tend to be cleverer than compilers. They tend to take advantage of oddities of the code, and no conversion program can really hope to reproduce the function of this sort of assembler writing on the next machine because it won't be aware of what foxy assumptions the writer has made about the condition code and so on.


When one gets to the 32-bit system, the APX 432, the power available makes it largely irrelevant that conversion software may be less efficient. Intel has no intention of providing an assembler for this system it will provide a high level language, with the chip able to run instructions at a level normally handled by the operating systems on today's 8-bit micros. So Intel strikes a big blow in the credibility stakes, keeps its anxious customers happy, and the micro market can cheerfully ignore the whole thing for another two years. By then memory will be cheap enough for us to use the 8086 and double our memory size (because of the 16-bit words) without crippling the budget. And designers at Ithaca will have produced an APX 432 board for the S100 bus, and nobody will be able to afford it.

Bright ideas

There's a great difference between an adult approach to computers ("What is there that I do which a computer could do?") and a childish attitude ("What magic can I do with this Sorcerer?"). I was astonished just how more useful the second approach was when I was one of the judges of the recent Educational Computing competition.

By far the most impressive entry (they were all essays or paintings) came from a hybrid mind — David Peard, who won a Video Genie computer for his scheme for computerising a weather station, a station he happens to be building for himself. His idea was simple enough: to be really useful, observations have to be made on a large number of parameters atmospheric pressure, max and min temperature, air humidity, wind speed and direction taken at least once a day. Unfortunately humans don't like doing a lot of boring things regularly every day so he was going to give the job to a computer. A child would not have

had sufficient general knowledge and scientific background to realise that a computerised crocodile, programmed to bite enemy soldiers, was not really feasible (the idea did win a prize). An adult would dismiss the idea of a home weather station as a pointless project because it could never be as accurate as the Met Office. . or maybe that isn't quite right, but never mind. A teenager was able to blend adventure and sense and find an application that was both truly innovative and genuinely feasible. Remember this in



The industry has largely grasped, satisfactorily, the fact that I don't like sexist pictures selling goods. So somebody sent in this one, of a cash register used at the Cafe Royal. It's obviously designed to make you so hungry that you buy a cash register. (Some mistake here, surely? - Ed.)

your next system design phase.

Neat ensemble

An American designer has come up with a new system which shows some concern for the human who will use it — by concentrating on the display technology. Mark Underwood, product development manager of a San Diego firm called Integrated Research and Information Systems (Itis, or Irisystems), had noticed the strange fact that most microsystems might be either TV screens, or black boxes.

"The display subsystem of today's microcomputers is very important to users, yet tends to be overlooked by designers. We have tried to package a system which accommodates the different needs that users express." he says. The result is a product called Ensemble 120GX, for which most of the product announcement talks about pixels — points of light on a display screen, and normally mentioned only in describing the matrix of dots used in generating screen characters.

The standard Ensemble is not el cheapo — but then the list is of contents of what "might be easily mistaken for a terminal" is impressive. For your \$9796, you get a Pascal Microengine — a powerful 16bit processor that runs instructions written in P-code rather than clumsy machine code — plus high resolution graphics, plus a video screen, plus a 12-slot box of \$100 standard (ie cheap) cards for adding memory, special features and so on. There is a keyboard too, plus a 'big' floppy, plus 128 kbytes of memory, and an alternative Z80 processor to let you run CP/M and all the pre-written applications that come with this operating system. A cheaper version, at \$3464, offers only the Z80, one mini disk and a much smaller screen.

Underwood is proudest of

the pixel count of the Ensemble: "We believe that the greatest need is for higher resolution black and white graphics. The Ensemble can present a 768 by 480 pixel format, in 8 by 16 pixel characters, some of which can be user-designed." Apparently it can handle colour too. Details on (714) 457 3730, or from 10150 Sorrento Valley Road, Suite 320, San Diego, Ca 92121.

They're coming down

Printers are still much too expensive and there are healthy signs that users are starting to realise it. More importantly, there are signs that the manufacturers are starting to realise it, too.

A recent advertising campaign by Anadex promised, "The waiting is over" for its DP950 printer, which can print 120 characters per line for less than £1000. The advertising campaign, unfortunately, was prepared well in advance of the arrival of the printers themselves from America and it seems from the evidence that the American production people let down the marketing ploy.

Anadex is admitting to problems with the plastic cases, saying that the prin-ters will be getting into peak volume in another two months now that there are sufficient plastic cases to match the mechanisms. Customers tell me that there is a more involved problem: the printer works well enough at its slower speeds, but there is a fault with the handshake signal which causes it to send a 'busy notification back to a computer only after the computer has sent one more letter than the buffer can hold - so the letter is lost — at high print speeds.

Either way, the problem is being worked on, and no doubt the waiting will be over soon. But the moral behind the tale is an economic one: it shows that a printer maker has realised, perhaps for the first time, that availability is getting to be important.

A computer printer is essentially a very simple mechanism. Compared with a mechanical typewriter say a good manual one, costing a couple of hundred pounds - it has very few components, almost a hundredth the number in fact. This should make it a lot cheaper, not rather more expensive. The electronics are almost as complex as those in a £10 calculator and the motors are costly only in a relative sense -- they are more expensive to make than the battery job that shakes itself to pieces in a £5 massage vibrator, for instance. Shortage of printers allows the makers to sell them for the prices they do. That is caused by relatively low production volume, compared with the volume of. say, the new Smith Corona golf-ball typewriter, which is entirely mechanical, and sells for just over £100. However, Smith Corona (SCM) is itself well aware of the production savings it can make by building electronic typewriters rather than motorised clockwork ones and such products can be

expected next year from SCM and from most other alert typewriter makers.


At that point, expect the 'office of the future' merchants with their handcrafted daisy wheel word processors to start wiping egg off their faces. And expect the cost of computer printers generally to come down like mad.

PROMs news

Programmable permanent memory chips with 8 kbyte capacity are available from Celdis. The number is 74S478, from which one can deduce that they are fast with a 20 nanosecond access time, according to Celdis. The really important thing about them is the fact that Celdis has them: it points out that there has been a shortage. Details on 0734 582211.

Nas comments

The man who founded Britain's most popular micro, Nascom 1, is now trying to handle America's number two, the Apple II. John Marshall, having handed over the reins of the collapsed version of Nascom to the receiver, is running a components company called Interface. He already has a



The sounds of Space Invaders can drive inveterate players mad; now you can take this infuriating concept to the home, office or train, with a £23 toy. It's called Galaxy Invader, and it comes from Computer Games, tel 01-591 5654.

NEWSPRINT

Commodore PET franchise, he says, plus a Sharp agency, and is trying to get an Apple dealership.

He never meant to get into the computer business: he started the whole Nascom enterprise as a way of getting hold of components cheaply and Interface was part of that plan. "It just happened a bit sooner than I originally hoped," he told me, "but it's what everybody was expecting me to do eventually."

The old employees of Nascom have been dispersed, and the receiver/manager says that the business runs from day to day, supplying computers and making a satisfactory profit, paying its bills on a cash basis.

Several people are interested in buying the com-pany. I could make some enemies and print the names of some who were definitely interested, but there seems little point. Experience of these takeovers shows that the person who finally does the deal is more often than not somebody who didn't know the company was for sale until the day before they signed the forms, and a list of three or four companies known to be wander-ing around with money for investing would be of interest only to people too stupid not to realise that the money was there. Wait until the deal is concluded before you pay any attention to rumour, no matter how well founded.

In the meantime, don't expect a Nascom 3 for ages. The project exists, but by the time it gets under way as a full-scale development, with funds from the NRDC virtually promised, it will need considerable revision, because the market will have changed.

The new Nascompany won't be set up and running (assuming it ever is) for at least another six months, more likely another 12. It will then have to spend at least a year getting the design right, and it'll be a year after that before production starts. Don't hold your breath waiting.

Rumours

I don't like telling you things of which I know less than I want to but you are bound to hear crazy rumours: that Julian Allason, head of the biggest publisher of PET software, Petsoft, has left ACT, the parent company, to run a magazine called *Printout*; that Richard Pawson, former Editor of *Printout* is joining MicroACT as a software marketeer, and that Petsoft, having dabbled in Appleware, is about to launch Sinclair programs. At the time of writing, all I know about this is that it is all true, but as to why, I have yet to find out.

PET plug-in

Plug-in software can make programming on the PET easier: the latest offering is from Supersoft. An unsolicited review dumped in my 'in' tray reads as follows:

Last month it brought you hi-res PET graphics, this month Supersoft launches a ROM-based set of new features - the Petmaster superchip. I counted 15 utilities, of which the most useful was single key entry of many Basic keywords, and the most useless (or should I say least useful?) a variable cursor flashing speed. I've tried the package and I particularly liked: the repeat feature which allows you to define a delay after which a key will repeat itself at any speed you care to choose; a lower-case/graphics 'toggle' which allows you to switch between the two; line insertion and deletion; deletion of characters on a line



ACT has launched a mini-floppy disk storage system for the PET, offering 1.6 million characters of storage for £1400. It looks to be better value per byte than the full-size disk drives it already imports from its US associate company Computhink, which also makes this new mini drive. Presumably the older system will soon show a price adjustment. Details on 021-454 5341.



"Give me the data or I fire!" You too can hold your system to ransom with a polaroid video screen hood. It gives a hard-copy printout without all the odd reflections that amateur photographers get when they take a snap of the screen. The whole outfit, including camera, hood, and two packs of film is between £150 and £200 depending on hood size. Now, get these hoods outa my office, guys....details on 0727 59191.

up to or from the cursor; retrace which lists the last ten lines executed on demand (it slows the program down by about ten percent); and a shrink routine which removes spaces and remarks from your program if you're tight on space. The two-way scroll facility has its uses but once the image disappears off the screen it cannot be recovered. Post your cheques for £45 + VAT to 28, Burwood Avenue, Eastcote, Pinner, Middlesex or telephone 01-866 3326 for further details.

Refreshing memories

Memory chips that can refresh their own memories are just starting to appear — Celdis has announced the new Mostek 4816 chip with 2 kbytes of read and write memory — and they are so obviously useful that it seems a mystery as to why it wasn't done before. The answer is that a memory which needs refreshing can do its own refreshing — but needs to know when to do it.

Refreshing is a very simple process: it involves recharging static electricity charges in memory cells. The circuitry takes care of the problem of deciding whether there was or was not a charge in the cell to start with by reading the cell first. Unfortunately, there is a computer in most memory systems, busily reading the memory cells too. Refresh and computer reads have to be done separately, or things get very confused. The trouble is that different micros do their memory reading at different stages in the instruction cycle. A memory designer looks at the clock cycle of the processor, and arranges for refreshments when the memory is off duty. Put another processor into the system, and it will find the memory enjoying light refreshments when there's

hard work to be done. The Mostek 4816 gives the decision (when to refresh) to the system designer. But it is much easier than normal: you just tell the chip 'refresh' and it does it. In the future, the circuitry on the memory chip that bustles around refreshing each cell, will become even brighter. Next year, Motorola promises to have a 64 kbit memory chip which can study the clock cycles of the micro used and deduce from the pattern of pulses what microprocessor it is — and refresh itself accordingly.

In the club

A discount club for micro buyers has been launched, offering members bargains such as 10% off a PET, 20% off disks and so on. The club is called the Computer Club and it's organised by Roger Frampton, a well known figure in the computer world and previously associated with successful promotions and exhibitions.

Against cynical expectations, Frampton thinks that this one will work. Members pay £7.50 for their cards (the rate goes up after September 1) and get discounts from the following: Comma Computers, Microbyte, Compshop, Lion Computer Centre, Cole Associates, Transam Components, London Computer Store, and Hanover Fair Travel. Discount travel is also to be arranged to next year's US exhibition, the NCC, plus Sicob in France. Details on 01-434 3914.

Nascom multi-tasker

"I'm not quite sure what you would use a multi-tasking monitor on a Nascom 1 for, but I've written one. Is

Buy a microcomputer for and you could be on your own! Unless it's a Commodore PET

Commodore produce Britain's number one microcomputer. But we don't stop there. We also insist on providing comprehensive support throughout our national dealer network.

C:

Our dealers can examine your needs and demonstrate which hardware and software will suit you best. Their trained engineers are always at hand and a 24-hour field maintenance service is available. Your local dealer can tell you more about the following Commodore Services.

The Commodore PET The Commodore PET computer range covers everything from the self-contained unit at under £,500 to complete business systems at under £,2,500.

Commodore Business Software and Petpacks Our software range covers hundreds of applications. Business software includes Sales and Purchase Ledgers, Accounting, Stock Control, Payroll, Word Processing and more. In addition over 50 Petpacks are available covering such titles as Strathclyde Basic Tutorial, Assembler Development System, Statistics, plus our Treasure Trove and Arcade series of games.

C Commodore Approved Products

Compatible products of other manufacturers with Commodore's mark of approval are also available.

Commodore Courses

Commodore offer a range of residential training courses and one day seminars. An excellent start. And when you have installed your system the PET User's Club Newsletter can keep you informed of new ideas and latest developments.

LONDON AREA

W5. 01-579 5845 Advanced Management Systems, EC2. 01-638 9319 Byteshop Computerland, W1. 01-636 0647 C S S (Bueinges Equipment) Ltd VI. 01-636 0647 C.S.S. (Business Equipment) Ltd, E8. 01-254 9293 Capital Computer Systems, VI. 01-637 5551 Controllor London Ltd Centralex-London Ltd, SE13. 01-318 4213 Cream Microcomputer Shop, HARROW, 01-863 0833 Da Vinci Computer Shop, EDGWARE, 01-952 0526 L & J Computers, NW9. 01-204 7525 Home and Business E12.01-472 5107 Computers Merchant Systems Limited, EC4. 01-353 1464 Metyclean Ltd, SW1.01-828 2511 Micro Computation N14.01-8825104 N14. 01-882 5104 Micro Computer Centre, SW14. 01-878 3206 Sumlock Bondain Ltd, EC1. 01-250 0505 Sumlock Bondain Ltd, EC4. 01-626 0487 T.L.C. World Trading Ltd, WC2. 01-839 3894 70PS TV LTD, SW1. 01-730 1795

HOME COUNTIES

HOME COUNTIES G.M. Marketing, ANDOVER, 750922 HSV Microcomputers, BASINGSTOKE, 62444 MMS Ltd, BEDFORD, 40601 Elex Systems Ltd, BRACKNELL, 52929 DDM Direct Data Marketing Ltd, BRIGHTOD, 552163 RUF Computers (UK) Ltd, BURGESS HLL, 45211 T & V Johnson (Microcomputers BURGES HLL, 45211 T & V Johnson (Microcomputers Etc) Ltd, CAMBERLEY, 20446 Cambridge Computer Store, CAMERIDGE, 65334 Dataview Ltd, COLCHESTER, 78811 South East Computers Ltd, HASTINGS, 426844 Alpha Business Systems, HERTFORD, 57423 Brent Computer Systems, KINGS LANGLEY, 65056 Brent Computer Systems KINGS LANGLEY, 65056 KINGS LANGLEY, 65056 Isher-Woods Business Syster LUTON, 416202 South East Computers Ltd, MAIDSTONE, 681263 Micro Facilities Ltd, MIDDLESEX, 01-979 4546 MILTON KEYNES 562850 MILTON KEYNES 562850 Sumlock Bondain (East Anglia) Ltd, NORWICH, 26259 NORWICH, 26259 T & V Johnson (Microcomputers Etc) Ltd, 0XF0RD, 721461 H.S. W. Microcomputers, SOUTHAMPTON, 22131 Super-Vision, SOUTHAMPTON, 774023 Xitan Systems Ltd, SOUTHAMPTON, 38740 Stuart R Dean Ltd, SOUTHEND-ON-SEA, 62707 TUNBRIDGE WELLS, 41645 Orchard Electronics, Orchard Electronics, WALLINGFORD 35529

Petalect Ltd, WOKING, 63901 Oxford Computer Systems, WOODSTOCK, 811976

MIDLANDS AND SOUTH HUMBERSIDE

Byteshop Computerland, BIRMINGHAM, 622 7149 CPS (Data Systems) Ltd, BIRMINGHAM, 707 3866 Camden Electronics, BIRMINGHAM, 773 8240 Computer Services Midlands Ltd, BIRMINGHAM, 382 4171 Catlands (Computers) Ltd, BURTON-ON-TRENT, 812380 Ibek Systems, COVENTRY, 86449 Jondane Associates COVENTRY, 86449 Jondane Associates Ltd, COVENTRY, 664400 Davidson-Richards Ltd, DERBY, 366803 Caddis Computer Systems Ltd, HINCKLEY, 613544 H.B. Computers, KETTERING, 83922 Taylor-Wilson Systems Ltd, KNOWLE, 6192 Machsize Ltd. Machsize Ltd, LEAMINGTON SPA, 312542 Office Computer Techniques Ltd, LEICESTER, 28631 LEICESTER, 28631 Lowe Electronics, MATLOCK, 2817 Betos (Systems) Ltd, NOTTINGHAM, 48108 Byteshop Computerland NOTTINGHAM, 40576 NOT INGRAM, 40576 Keen Computers Ltd, NOTTINGRAM, 583254 Tekdata Computing, STOKE-ON-TRENT, 813631 Systems Micros, TELFORD, 460214 McDowell Knagg & Associates, WORCESTER, 427077

YORKSHIRE AND NORTH HUMBERSIDE

Ackroyd Typewriter & Adding Machine Co. Ltd, BRADFORD, 31835 Allen Computers, GRIMSBY, 40568 Microware Computers Ltd HULL, 562107 Microprocessor Services, HULL, 23146 Holdene, Ltd utore I td LEEDS, 459459


To: Commodore Information Centre, 360 Euston Road, London W1 3BL, 01-388 5702

Pleas

Name	S. Carlo		Q.L.	
Position		0.905		1
Address	-			
	500			

Inten Dovo

ame		and the state
osition	1.1000	ien Christians
ddress		- Internet internet
		C. Mark Same



LEEDS, 782326 Yorkshire Electronics Services Ltd, MORLEY, 522181 Computer Centre (Sheffield) Ltd, SHEFFIELD, 53519 Electronic Services, SHEFFIELD, 668767 Hallam Computer Systems Ltd, SHEFFIELD, 663125 **NORTH EAST**

South Midlands Cor LEEDS, 782326

unications Ltd.

Dyson Instruments, DURHAM, 66937 Currie & Maughan, GATESHEAD, 774540 Wards (Office Supplies) Group, GATESHEAD, 605915 Ifton Ltd, HARTLEPOOL, 61770 Fiddes Marketing Limited, NEWCASTLE, 81517 Newcastle Computer Services, NEWCASTLE, 615325 Format Micro Centre, NEWCASTLE, 21093 Tripont Associated Syste Consultants Ltd, SUNDERLAND, 73310

SOUTH WALES AND WEST COUNTRY

Radan Computat BATH, 318483 BAIH, 318483 Computer Corner, BAYSTON HILL, 4250 Bristol Computer Centr BRISTOL, 23430 C.S.S. (Bristol) Ltd, BRISTOL, 779452 BRISTOL, 7/9452 T & V Johnson (Microcomputers Etc) Ltd, BRISTOL, 422061 Sumlock Tabdown Ltd, BRISTOL, 26685 Sumice i Jadown Ltd, BRISTOL, 26685 Sigma Systems, CARDIFT, 26685 Office and Business Equipment AC. Systems, DEESIDE, 817277 AC. Systems, DEESIDE, 817277 AC. Systems, DEESIDE, 817277 JAC. Systems, DEESIDE, 817277 Micro Media Systems, NEWPORT, 55276 J.M. Computer Services Ltd, NEWQUAY, 2863 Devon Computers, PAIGNTON, 526303 J.AD. Integrated Services, PLYMOUTH 62616 Business Electronics, Business Electronics, SOUTHAMPTON, 738248 Computer Supplies (Swanse SWANSEA, 290047

NORTH WEST AND NORTH WALES

Tharstern Ltd, BURNLEY, 38481 B + B (Computers) Ltd, BOLTON, 26644 Preston Computer Centre, PRESTON, 57684 Catlands (Computers) Ltd, WILMSLOW, 527166

LIVERPOOL

Aughton Microsystems Ltd, LIVERPOOL, 548 7788 B.E.C. Computers, LIVERPOOL, 263 5738 Rockcliff Brothers Ltd, LIVERPOOL, 521 5830

MANCHESTER AREA

Byteshop Computerland, MANCHESTER, 236 4737 MANCHESTER, 230 47 37 Computastore Ltd, MANCHESTER, 832 4761 Cytek (U.K.) Ltd, MANCHESTER, 872 4682 Executive Reprographic Ltd, MANCHESTER, 228 1637 N.S.C. Computer Shops Ltd, N.S.C. Computer Shops Ltd, MANCHESTER, 832 2269 Sumlock Electronic Service Sumlock Electronic Services (Manchester) Ltd, MANCHESTER, 834 4233 Professional Computer Services Ltd, OLDHAM, 624 4065 D. Kipping Ltd, SALFORD, 834 6367 Automated Business Equipment Ltd, STOCKPORT, 061-432 0708

SCOTLAND

Holdene Microsystems Ltd, EDINBURGH, 668 2727 EDINBURGH, 608 2727 Microcentre, EDINBURGH, 556 7354 Aethotrol Consultancy Services, GLASGOW, 641 7758 Byteshop Computerland, GLASGOW, 221 7409 Robay 14 Robox Ltd, GLASGOW, 221 5401 Mac Micro, INVERNESS, 712203 Thistle Computers KIRKWALL, 3140

IRELAND

Softech Ltd, DUBLIN, 784739 Medical & Scientific Computer, Services Ltd, LISBURN, 77533

	-	
PCW	D2	
FGVV	Da	

on	al fail least	en el construction de la constru
255		
ded application_ u own a PET?	YES	NO

This list covers dealers participating in our advertising

NEWSPRINT



The chess-playing computer may have become a little less predictable. Texas Instruments, with the aid of David Levy (international master) has devised a chess playing program for the 994 home computer which has three styles of play: it can be set to play normal, aggressive, or passive chess. Picture shows Levy (at the computer) with six leading chess journalists trying out the new software.

anybody interested?"

At a cost of £10 or less for the programs, Ian Turnbull is prepared to load it into eraseable read-only memory chips for anybody who is interested. "I wrote it for my own

"I wrote it for my own interest and it'll handle up to eight separate taksks. It's interrupt driven, and it works on a 'round Robin' basis giving priority to the first task. There's a second scheduler which gives priority to no task, but shares time equally."

The code occupies around 1.5 kbytes in two 2708 EPROM chips, which have to be sent to Turnbull to be 'burnt'. Contact him on Pangbourne (07357) 2618 for instructions of how to wire it in and where to send the chips.

Look Sharp, TI!

Two late challengers to the micro market are arming themselves for the real struggle by adding disk and printer capabilities to their product lines. One is the Japanese Sharp MZ-80K and the other is the struggling Texas Instruments home computer. The Sharp machine was cheap enough for this to be not much more than a useful addition: the prices aren't available yet on its disk and printer, but presumably the same price policy will apply. Paul Streeter has let it be known that prices "will be very competitive" and he's the man in charge so we may take his word with some weight.

The Texas machine may suddenly start selling. Its basic handicap of not being compatible with UK colour television sets is not expected to be resolved until 1981 word from Bedford is that the central processor chip is being redesigned so that it no longer thinks all televisions use the US standard (NTSC, Never Twice Same Colour) but will be switchable to use the UK and German PAL standard. However, with a £500 disk offering 92 kbytes of useable storage plus the option of adding on two more drives at £340 each, the cost of an entire system becomes comparable with other expanded systems, such as Apple.

It would seem that Texas's original hope (that people who wanted a home computer would need another TV anyway) backfired because the sort of people with that kind of money (wait for it) already had at least one colour television set anyway. Texas' printer, at £269, is aimed smack at the new Apple printer and apart from the fact that it attaches to the Texas machine, not the Apple, will be an important peripheral.

Another important breakthrough for the TI machine can be expected in the late Autumn, when it releases its £30 (including VAT) Personal Records software module. This will operate on one 16 kbyte file of data at a time, loading the entire file into memory and performing all sorts of useful functions (searching, matching, transforming and analysing in-formation) on it. This means that the sort of self-employed businessman who would like to buy one for his children to understand computers, can actually use the thing and justify putting it on his tax allowances. Currently, Texas describes its 'stance' on the 99/4 as "in test market". It will admit to no figures on sales (they are in the low hundreds in the UK) the peripherals and software may start the ball rolling. Details of Texas products on 0234 67466; of Sharp on 061-969 7131.

Colour board

Picture drawing on a Nascom computer is the feature offered by an add-on board produced by Winchester Technology of Eastleigh, Hants. The product is called the WT625, and it is a board which generates teletext compatible colour — like Ceefax, Oracle and viewdata — for UHF televisions. That gives 13 colours plus features like flashing characters, and 5760 individually addressable pixel points or picture dots.

Support in software comes in the form of a memory chip — a 2708 reprogrammable chip which contains graphics subroutines and which your program can call to perform functions — you can call these from Basic or assembler programs. Examples: a chessman can be defined and then moved around the screen without redefinition or laborious, detailed, code writing.

The board is sold assembled and tested, says Winchester Technology, for a £136 price tag, with a 42 page manual with a hardware description in it, plus details of programming, installation and fault finding. Details on 04215 66916.

Spot spotter

When a disk wears out, it doesn't do so all over its


whole surface simultaneously. Instead, one or two spots flake away, causing errors. A program which keeps track of these spots and ensures that the system avoids them has been produced by Lifeboat at a US cost of \$80 for systems using the CP/M operating system. Details from New York at 1651 Third Avenue, NY NY 10028, or phone (212) 860 0300.

Ball game

Most IBM 'golf ball' typewriters are not electronically driven; instead a system of magnetic actuators (solenoids) pulls the ball into different positions mechanically. However IBM did produce a printer, the IBM 3982, which used the golf ball, but was driven by electronic pulses and many of these have now appeared on the second-hand market.

In their original secondhand form, they are virtually useless, if cheap. The electronic pulses are not in the familiar ASCII code that most micros know and love and the wires that take the codes are colour coded in an intriguing manner designed to baffle anyone who tries to fiddle with them. Having a manual for the colour codes doesn't help much, according to someone who has done it; he describes the IBM colour coding in a highly technical term: 'a lie.' How harsh.





BASF gives a Good Deal

To an entrepreneur building up his own business, or to a company needing to distribute its data processing, the BASF 7120 gives a good deal.

Our 7120 is basically a stand-alone microprocessor giving high performance at low cost. It's a powerful desk-top computer for around \pounds 5,500.

The main features include:

- * Main memory of 64 K bytes
- * File control system memory of 24K
- * Dual Z80 microprocessors

BASF

- * Extended BASIC for business applications
- * CIS COBOL and CIS FORMS 2 for interactive programming
- * Specially designed keyboard to ease operator interface
- * Free word processing package.

The whole deal is offered by BASF, whose computer interests also include supplying media, CPU's, add-on memory and plug-compatible peripherals for large mainframes.

Finally the deal is completed by selected dealers providing sales and technical support where you need. Including Computer Services in Canterbury, Dataforce in Bristol, Dataview in Colchester, Davies & Brown in Shoreham, HB Computers of Kettering and Verles in Birmingham.

For more information and the name of your nearest dealer, please contact: BASF Computers, Haddon House, 2-4 Fitzroy Street, London W1. 01-637 8971. Ext. 30.

NEWSPRINT



CPS also supplies software for the PET, including Newsboy, a program (illustrated in use) to ensure that the right customers get the right paper delivered.

As a reward for having cracked the code, reconditioned the printers, and packaged them ready for use by microcomputer users, the company concerned is allowed to charge £960 each for them. As prices go, I feel this must be what the market will stand — much cheaper than the only real alternative of a Spinwriter, but a bit less generally useful (no keyboard) as a typewriter. It can come down if it must. The new machine is available with a PET interface, or an Apple connection, as well as with the standard (RS232) interface. Details from CPS Data Systems, 021-707 3866 or through SBS on 01-250 0178.

Microdigital takeover

Currys, the washing-machine giant, was the first; now hi-fi vendor Laskys has joined the selling-microcomputers-to-the-consumer bandwaggon. Unlike Currys, which is starting totally from scratch, Laskys has taken a short cut by buying Microdigital, the Liverpool micro retailing company (founded by the flamboyant Bruce Everiss) which also publishes something called the Liverpool Software Gazette.

Rumours about a possible takeover of Microdigital have been in the air for a while now, with various immense figures being quoted knowingly as the asking price. What Laskys actually paid remains undisclosed; the firm does, however, say that it intends to set up microcomputer departments in its main shops (it has 40 altogether in the UK), and that Bruce Everiss and Graham Jones, both of whom were Microdigital directors, will remain with Laskys, developing and expanding its microcomputer division.

DTS Counting on Abacus

As mentioned in last month's 'Chip Chat', Derek Rowe's company Abacus has been put up for sale and bough... by Data Type Systems.

As is so often the case when a company runs into some sort of difficulty, various stories about the circumstances surrounding the failure are put about by people whose grapes are less than sweet. I'll confine myself, therefore, to saying that it appears that the backer who put up the original £30,000 to start Abacus decided to withdraw from the scene.

The new boss, Gerry Tuffs, won't tell me what Data Type paid for Abacus but I guess it must have been around £50,000.

Data Type offers some hope for the micro industry. won't make too much of it in case it turns out to be a false dawn, hence the appearance of this gem at the bottom of the story, not at the top: Data Type started out as a terminal maintenance firm. If the company can extend itself into terminals (a new factory in Cwmbran) and intelligent terminals and microcomputers and also shift its maintenance activities into the micro field, it will set a welcome precedent. I hope it makes a lot of money at maintenance, encouraging others to follow suit.

SuperBrain importers

A phone call from Encotel has clarified the sometimes confused question of who exactly imports SuperBrain. We're told the official importers are Encotel (who provided last month's review machine), Sun, Icarus, Computability and G W Computers.



the TV series, and seen the play. Have you played the game? The well known computer game of Adventure has turned into the basis of a plot for a TV series, apparently on Saturday morning on BBC1. If you get to see it, the computer on which the fiendish Argonds make the Tellurians (people from Tellus, or Earth) play is a Hewlett-Packard 9845B desktop computer.

ZX80 software

There are already 10,000 Sinclair ZX80 computers out in customer's hands. The software available is just starting to appear; first with a product is a new company called Econosoft, of 4 The Loont, Winsford, Cheshire CW7 1EU. It has announced a £5 cassette with four games - Simon, a memory test, Mindbender (like Mastermind), Fruit Machine, and Destroyer. There's little point in expecting these programs to be up to the standard of the latest Petsoft offerings at $\pounds 100 -$ the machine isn't up to that and neither is the price - but as an improvement on the crude code in the ZX80 manual it must be a bargain. They run on the basic Sinclair, while programs for the expanded 2 kbyte machine will be launched towards the end of the year. Details from Trevor Daniels.

Sound of the times

Your computer can make rude noises for £20 if it's a Compukit UK101 or an Ohio Scientific Superboard II. An independent company, John Mortimer Electronics has launched an add-on called Sound Box. It runs off the computer power supply and comes with a free program on cassette which plays a game with "interesting" sound effects. A kit is available at $\pounds 15 -$ I can't establish whether this includes VAT because Mortimer gives no phone number. He's at PO Box 71, Norwich NR6 7JE.

Value for money

"We prefer to sell a lot of software at low prices rather than a little at a high price," says Guy Wilhelmy, managing director of Databank Software Services.

Databank has just launched five new programs on this excellent basis (remember, a program is debugged to a depth directly proportional to the number of people using it). They are two business systems word processor and Salesman — two maths packages one for graph plotting and statistics, and a crossword game. All run on PET, and on Apple II or ITT 2020. Details on 0509 217671.

A bit of stick

The Editor is coming off his trolley. He has presented me with a press release announcing the 24th Congress of FIPAGO (the federation international of manufacturers of gummed papers, in French, I suppose) in Corsica. He's potty, because, vital though this may be, it already happened in Corsica on May 18 to 21 — plans were made to form a new division to promote the use of flat gummed papers for labels and postage stamps. I shall start a Federation for the Automatic Repetitive Typing of Instructions on Non-Gummed envelopes.



A box to put printers in to keep them quiet may sound like $\pounds 160$ too much to spend until you remember that printers are not as prone to stop typing every five minutes as human typists, and that human typists can make an office into a place unfit for telephone conversation. Boxes for Anadex, Centronics, OKI and other printers have now been joined by the one shown here — for the Qume printers, three models. Details from Power Equipment company, 01-205 0033.

YANKEE DOODLES

Tom Williams, our man in Silicon Gulch, reports on the latest US micro marketing dilemmas.

Software dilemma

Here's a puzzle for all who concern themselves with the legitimate use of licensed software — and with the problems that software piracy poses for the industry. Let us suppose there is a business of some kind that has decided to install four or five desktop microcomputers around the office to do word and data processing. The installation comprises stand-alone units, each with its own CPU, RAM and at least one built in floppy disk drive. One of the tasks involved requires that each machine runs the same commercially available software neekage

ware package. A problem arises when the owner of the business approaches the software vendor. Being a conscientious person, he realizes that quality software is only possible if authors have the proper financial incentive, and that outright piracy of software ultimately harms everyone involved. Besides, it's dishonest.

Now software is generally licenced for use on a single CPU and our hypothetical businessman has four CPUs, possibly in the same room. There's a natural reluctance on his part to purchase four identical copies of the package when he could more easily and cheaply buy one and make copies for each of his stations. The software vendor quite understandably insists that the owner of the business is required to obtain (and pay for) four licences to use the programs.

use the programs. There the two might remain, locked in eternal and unresolveable conflict until the businessman decides to follow either the dictates of conscience or the purse. Whatever the outcome, the basic question would remain unsolved. But now suppose that the business' expansion plan for the following year includes upgrading the disk storage of the desktop units with a commonly shared hard disk system. Hard disk storage can now be shared by separate CPUs using systems available from Nestar and Corvus; more such devices are under development by various other manufacturers.

When a program is written or purchased it is placed on the hard disk for use by as many of the computers as may need it at the time. We now have the rather ludicrous scenario of the conscientious businessman buying four copies of a program on floppy disk, copying one onto his hard disk for use by the attached CPUs and then carefully storing the four floppies away as backup copies. Such a scene, I submit, will never take place.

Whitever take place. When you start using a shared disk storage system of this type, it looks to the user almost like a time shared system. Now if our businessman had purchased, say, an S100 multiuser system with four terminals, I doubt very seriously if any software vendor would have dared suggest that he pay a licence fee for each of the terminals accessing the program. The question is, for the end-user, what is the difference? If there really is no dif-

If there really is no difference from the point of view of the people who ultimately will decide whether or not to purchase a program as a commercial product, then some solution must be found which will render, in the eyes of the user, the relative software expense for the shared disk resource and the timeshared type system to be as equal as their functionality. You are simply not going to find that many businessmen willing to forego their own interests for the sake of conscience in the face of what appears to be a truly inequitable situation.

Ône possible solution is that more programs for microcomputers be licensed for use at a given 'site' or 'installation' with provision for a multiple use fee which would be a fixed surcharge. This latter provision, though difficult to enforce, would at least have the appearance of being just. Great moral arguments could be made for paying multiple use fees in order to encourage the development of more and better software; they would no doubt fall on deaf ears just as do today's pleas against software piracy.

Nontheless, an intransigent attitude on the part of software vendors is not going to help anybody. The only advice I can offer at this point is that it's much easier to induce people to comply voluntarily with a situation if they feel that all are getting equal treatment. That's not to say that they will, but a sure way to make them not to is to give them a feeling of righteous indignation.

OSI's department store experience

There's a vague feeling in the microcomputer industry that there lurks an as yet untapped but incredibly vast mass market awaiting the lucky company that discovers the key to placing a computer in every home. Although this particular grail has not yet been found, there are many knights-errant galumping about in search of it.

One idea has been that if micros were placed in the proper distribution channel say a large chain of department stores — they would find their way into the home and win mass acceptance. Ohio Scientific Instruments, whose main computer line is concentrated on higher end machines for business, recently completed an experiment in marketing their low-end computers through selected Montgomery Ward stores in the US. What OSI discovered was

that the customers who were interested in microcomputers wanted to know about business applications. Unfortunately the Montgomery Ward sales clerks were not qualified to answer the type of questions these customers kept asking. Most department store personnel are only able to handle concepts at the washing machine and hair dryer level and thus a great many potential sales were lost – admittedly sales to a different type of customer than OSI anticipated it would find in department stores.

Undaunted, the company made an arrangment with Montgomery Ward whereby OSI would establish computer shops in the department stores which would be staffed and run by OSI dealers. This may increase OSI's sales, but it will not reach that magic customer. . . the object of the present quest. There's an enormous difference in perspective between the tradi tional microcomputer dealer and a retailer on the level of huge department stores. This can be illustrated by the fact that the computer buyer for Sears Roebuck, the largest of all large US department store chains, was heard to remark that Radio Shack was still pursuing a specialised market. From the point of view of the mass retailer that is most certainly true.

It appears there may be a company that has found a key, although it's not saying just what the secret is at this time. Look for the name Microtype within the next year; its first offering is reported to be a very inexpensive typewriter that can be used to begin with as a terminal; later it can be expanded into a full-blown computer. If it happens, remember you read it here first.

ALL ABOUT PET...

TEN TIMES A YEAR PRINTOUT PUBLISHES THE LATEST NEWS FROM THE FAST-MOVING WORLD OF THE CBM/PET.

about

QH

Miller:

In it you will find authoritative reports on the latest hardware, unbiased program reviews and a wealth of programming hints and listings. Whether you are a complete beginner or a hardened enthusiast, PRINTOUT is for you. Try a copy of the latest issue and see for yourself.

PRINTOUT's hardware and software reviews could save you a small fortune--we never pull our punches, especially about business software. PRINTOUT also tells you about the latest peripherals--

PRINTOUT also tells you about the latest peripheralsspeech synthesisers, voice recognition, high resolution graphics, even colour! PRINTOUT can help solve your programming problems too; each issue we publish pages of readers questions with answers by our resident panel of PET experts.

August 1980

ompute

95p

PRINTOUT is professionally produced, lavishly illustrated on glossy paper and packed with information. Last issue ran to 40 pages.

PET is the trademark of Commodore	Subscriptions are for a full volume only and start with the first issue of that volume.
PRINTOUT Greena	cre, North Street, Theale, Berks RG7 5EX
I enclose: □ 95p for the latest issue □ £14.50 for one years sub	\Box £9.50 for one years subscription (UK only) scription (o'seas) \Box £10.50 for one years subscription (Eire)
My name is	
My address is	
	Post code

COMMONS REPORT

After a great deal of prodding from the backbenches, the Leader of the House has at last agreed to a debate on information technology. Appropriately the week in which it was held started with

which it was held started with a first-class presentation on the subject by a GEC team led by Sir Robert Clayton to the All-Party Committee. This was the last of a series which has included John Diebold, Professor le Gates (Director of the Information Technology Programme at Harvard), Herbert Grosch, Ferranti, the Post Office, Inmos and Lucas. At the beginning of the parliamentary year these were poorly attended, but interest has grown and some of us find it encouraging that within a fortnight there should have been a half-day debate on Inmos, a full Friday's debate on the general issues, and a front-page article in The Times summarising a 'confidential' Labour Party policy state-ment on the subject. Nothing, of course, remains confi-dential at Westminster these days and if we put an Information Technology Act on the statute book we shall find ourselves doubtless obliged to hold confidential discussions in secure rooms lined with lead.

The growth of complexity

Though I invariably learn something from every lecture. article or presentation on this subject, during the last few weeks my perspective on information technology has been altered as a result of a series of visits which I have just made to the control rooms at Three Mile Islamd (there is a separate system for each reactor), the operating reactor at Zion, the incredibly realistic simulator at the training school nearby, the new reactor being built at Byron, near Chicago, and the CANDU reactor (heavy water) at Pickering near Toronto. In addition I have visited the control rooms on the Murchison rig in the North Sea and at the Isle of Grain power station in Kent.

All three systems rely heavily on big computers. The computers at Three Mile Island were installed some years ago and although they don't control the detailed operation of the reactor, they do record and monitor virtually everything that A GROWING AWARENESS

Ian Lloyd MP reports on recent debates in Parliament on information technology.

happens. I enquired why it was then that, when the operators obviously had difficulty taking in and reacting to the information appearing on several thousand dials (at least), the computer could not be programmed to deal with an 'incident'. The answer was illuminating. The computer, I was told, became swamped with data once something such as the pressure failure at Three Mile Island occurred. It ran several hours behind 'reality' and by the time the print-outs started arriving the instructions and information were irrelevant except for diagnosis. At the peak of such an incident, my guide added, the computer was receiving an input of several million units of information a minute.

Progress may be an illusion, but the simulator control room at Zion had even more powerful hardware and software of conspicuous sophistication and, at least to my impressionable mind, sheer brilliance. All the lessons of Three Mile Island have now been incorporated in the system and the operators, who come from all over the world for training in pressurised water reactor operation, can be placed at a console which even an expert would not be able to distinguish from the real thing. Here every conceivable normal routine and abnormal incident can be simulated and the trainees' responses sharpened and tested. It is an expensive course, well beyond the reach of individuals, but I cannot imagine a better way of achieving the important objectives of safety and efficient operation.

The oil rig in the North Sea and the oil-fired station at Isle of Grain are no less complex and must conform to equally rigorous operating and safety criteria. Doubtless all three systems could be run without computers, but the loss of efficiency would probably be considerable and acceptable safety levels would

certainly have to be lowered. Human beings cannot monitor complexity on this scale continuously without great strain.

There are of course, outstanding examples of modern information technology. At the Isle of Grain several hundred analogue inputs and over a thousand digital inputs have to be received, processed and transformed into meaningful information. Bv anv standards these are impressive performances and reveal the high-powered computer at its best. Incidents such as the failure of the NORAD computers defence still encourage some to complain that the computer is a monstrous and dangerous device, but I share Sir Robert Clayton's view that our judgment should really be based on the fact that all the safety procedures worked. Ten further steps would have had to have been taken before any missiles could have been fired. There is, of course, no other way in which we could assess the significance of satellites appearing over the Arctic Circle every few seconds.

There is, equally, no other efficient way of dealing with the information complexity inherent in the operation of a nuclear power station, a North Sea oil rig, or even a conventional oil-fired power station, such as the Isle of Grain, one of whose alternators produces a power output equal to the whole of Battersea. Their complexity is as staggering as the information technology which has been developed to control them.

The information technology debate

Hansard – a product as yet of the old technology of Readers m Gutenberg has recorded every relevant copy word spoken during the 998 No 21debate. It was a fairly broad HMSO - Ed

and useful tour d'horizon but three issues dominated the exchanges. The first was the extent of Government support for and involvement in the industry; some invidious comparisons were made with the United States, France and Japan. The second was whether the cause of information technology would be advanced by the appointment of a Minister with a clear responsibility such as the position Pierre Aigrain enjoys in France. This was first suggested in a brochure produced by a group which I chaired just before the '79 election and has been strongly endorsed by Kenneth Baker, both at a recent Online Conference and in his speech during the debate. It merits more serious consideration than it appears to have received so far, but I would not support a secondrank appointment at this stage. The subject is too important, the Government machine is still too lethargic and only a man with the drive and authority of a Lord Beaverbrook could match the contribution to the requirement of the hour - as he did when he took Merlin production and repair by the scruff of the neck in the nick of time before the Battle of Britain.

The third issue was the Inland Revenue computer order and the appropriate treatment of ICL in this context. Both points of view were expressed in the debate. but most speakers considered that it would be at best unfortunate and at worst iniquitous if ICL lost the order. We shall doubtless hear more of this issue before it is resolved, but my own view is that the geographical boundaries of the nation state are now a severe handicap to rational thinking and that this is particularly true in the sphere of information technology, which, as I argued in the debate is an industry whose rationale, structure, markets, research and development and competitive challenges are no respecters of frontiers. I wish ICL the best of luck in an important contest, but it is the country's overall growth, performance and standards in the whole field of information technology which must decide the issue.

Readers may buy this relevant copy of Hansard (vol 998 No 211) at 80p from HMSO – Ed

COMMUNICATION

PCW welcomes correspondence from its readers. Be as brief and concise as possible and please add "not for publication" if your comments/questions are to be kept private. Address letters to: "Communications", Personal Computer World, 14 Rathbone Place, London W1P 1DE.

Get the connection

Being something of a novice to microcomputer systems and to electronics generally I was intrigued in this month's edition of your excellent magazine to notice reference to 7-pin DIN plug, 64-pin Eurocard connector, BNC video socket, and phono plugs, all within the article on the Acorn Atom (p48).

I wonder how many of your other readers are perplexed by the proliferation of connection types available and in use in different applications. Would it be possible for your magazine to produce a guide to connection types (at least the "standard" ones), their normal uses and wiring configurations? (Perhaps as a set of Friends and Enemies in the Face to Face column?!).

Personally and particularly, I would very much like to know what relationship the 7-pin DIN plug to cassette from the Acorn Atom may have to the 5-pin DIN which my music system bears. Christopher E Mathews, London

What a good idea. Anyone out there an expert on connectors? Perhaps you'd like to tell us all you know. We'd like to hear from you -Ed.

Cutitout

My employer has recently taken delivery of an Apple II with two disk II floppy disk subsystems. Since the manuals state that only one side of the disks can be used I was surprised to find that a disk containing demonstration programs for the Supertalkers peripheral had data recorded on both sides. There were no problems in reaching this data.

On trying to write data to the "back" of an Apple disk I got a message indicating that the disk was writeprotected. This was because the write-protected cutout is on the wrong side and an examination of the Supertalker disk showed that it had cutouts on both edges of the disk casing. I carefully cut another write permit cutout opposite the one already on a BASF floppy and found that I could use the second side without any trouble. It seems to me ridiculous that one side of a floppy should be rendered useless simply through the lack of a hole punched in the disk case.

D Watson

Banchory, Kincardineshire

We definitely do not advise readers to follow Mr Watson's example. Manufacturers test both sides of each disk; if one side is faulty then it's sold as a single-sided disk, using only the good side; so any data recorded on the reverse side of a single-sided disk could be corrupted. Now it's possible that, to satisfy the demand for single-sided disks, some are sold which are fault-free on both sides; however you can't take advantage of this because inside the disk's protective envelope there's a wiper which collects any dust or dirt from the disk's surface as it revolves; inserting the disk the other way round to use the reverse side will, by reversing the disk's rotation, spread the collected dirt over the good side - and then you've really got problems! For the same reason, you shouldn't try using a proper double-sided disk in a drive designed for single-sided disks Ed.

Atom postscript

We would like to comment on the Acorn Atom review in the July issue of PCW. The fact that you were supplied with a prototype machine and an incomplete manual may explain some of the inaccurate comments made; despite this we think the record should be put straight.

First, we would like to comment on points where the reviewer suggests there are imperfections without apparently having any evidence to support this. For example, he expresses doubt about the Atom's ability to produce a good colour display; in fact we paid particular attention to the display quality and can only judge by the number of favourable comments received that we have achieved our aim to produce a highquality display.

Again, the reviewer claims, "you will almost certainly have to adjust the vertical hold of your TV set" without saying that he has had this trouble; we have obtained

clear displays on a whole range of different makes of domestic TV sets and have not yet found one that needed any adjustment. Again, he states, "I found I had to drive the tape well into overload in order to load programs reliably." It is no oversight that the Atom's tape output overdrives the input of the tape recorder; this was chosen after much experimentation with different makes of recorder, and gives considerably better results than the approach suggested by the reviewer of providing an input with an "adjustable high gain".

Next we would like to reply to the statements that the "memory map is a bit weird" and that the Atom is "spoilt by some basically unsound thinking at the system level"; while the first statement perhaps reveals a lack of understanding, the second is stated as a fact without any support and is untrue. In fact the Atom's memory map is designed in a very orderly way: above 8000H is the graphics memory, ROMs containing the Basic, assembler, and operating system and on-card peripherals. Below 8000H is the system RAM and the Basic text area. It is not true that the 32k memory card can only be fitted by 'wasting 9k'; it is perfectly feasible (by inserting a link on the Atom board) to have a 32k memory card from 0H to 7FFFH with no wastage. and the zero-page memory chips can be moved up to a graphics area. This will result in over 20k of contiguous text space, as well as providing all the workspace and stack memory required by the system. The graphics memory can be used as the text space (as on the minimal cost system), but surely this is a bonus and not a disadvantage as implied in the review. Another feature of the system design is that it maintains total compatability with the existing Acorn range, which includes the larger System Three and System Four disk-based systems. The Atom even uses the same I/O vector addresses.

A number of comments were no doubt prompted by the fact that the manual supplied was incomplete — a fact not mentioned in the review. The final version of the manual (available separately for £8, refundable on purchase of an Atom) does have an index, page numbers and a full list of error codes.

The reviewer says that "the only real criticism of the assembler. . . was the inability to comment on individual lines." Comments can be put on individual lines if they are preceded by a backslash. With reference to the floating-point extension; "it's a pity it doesn't support degrees in addition to radians."; the functions RAD and DEG are provided for this purpose and provide conversion from degrees to radians or radians to degrees. "Unfortunately there is no TAB function."; true, but the reviewer failed to mention the COUNT function, which can be used to achieve the same effect. And, with reference to the graphics facilities, "The only criticism is the fact that, in the high resolution mode, the effective display area shrinks noticeably to about twothirds of its previous size. . In fact the display area stays exactly the same; it is simply that the black border is replaced by a white border in the high-resolution modes, thus neatly framing the graphics area. Finally, it should be pointed out that the Atom communications interface uses the IBM standard SDLC protocol, which is not the same as the Cambridge Ring. Finally, we hope that readers will take the time to

readers will take the time to visit one of the computer fairs or one of our distributors, and supplement the review with their own judgement.

David Johnson-Davies Member of the ATOM design group

Thanks for the clarification. As you rightly point out, the documentation did cause a few misunderstandings — Ed.

68XX pleas

Let me first congratulate you for your fine magazine; I confirm this opinion by enclosing my first subscription form.

I have one gripe though. You are missing a column of 68xx micros. Users of 6800/ 6809/68000 equipment are a relatively small yet very proud pack (after all, everybody knows that the 6809 is the best 8-bit micro ever, 68000 is the best 16-bit micro ever, SS50 is the best

COMMUNICATION

bus ever and FLEX the best operating system ever, exception made perhaps for UNIX and its derivative UNIFLEX ...). You would be surprised at the response you would be getting from us. Besides, in this world of animals, fruits and rubbish bins we are probably one of the few groups still doing serious computing.

In case you go along with this idea, I am ready to offer my support and collaboration, and I think that many other 68xx users would assume the same position. The lack of a 68xx column is a glitch in an otherwise excellent magazine. Alberto C Moreira, **Chalfont St. Peter** We have a secret master-plan to overcome this problem. It'll take us a few more months and then we'd like to consider your offer. Hope last month's 68000 feature will tide you over -Ed.

Algol 68

I have followed with interest the correspondence from Raymond Anderson and Melvyn Anderson concerning Algol 68 for microprocessors. I do not know if possession of this surname is a prerequisite for entering the correspondence, but in any event I should like to offer a few comments of my own.

There is no doubt that Algol 68 offers many programming advantages over Pascal. The only question is whether these extra facilities justify the implementation effort – which will be an order of magnitude greater than for Pascal. Certainly there is little to be gained by going for the older version of Algol (ie Algol 60) unless there is a severe lack of memory space. One gains dynamic arrays in Algol 60 but any possibility of decent data structures or character handling is irretrievably lost.

No, the only way forward is via a language which combines all the good points of Algol 60 and Pascal and throws in a lot of extra goodies as well. Algol 68 fits this bill exactly. However, we have to remember the very potent advantages possessed by Pascal from the point of view of implementation. The very limitations that Algol fanatics find so annoy-- the static nature of ing array bounds, the restricted ways in which pointers can be used and so on - are precisely those which ease the compiler writing task considerably. In addition Pascal can easily be parsed with a class of parsers known in the trade as LR(1). Essentially these allow the compiler to recognise the nature of an incoming Pascal construction simply by knowing the next character in the input stream.

Algol 68 on the other hand is the very devil to parse by such methods, for there are constructions which, in general, require you to look indefinitely far ahead in the input stream before you discover what kind of Algol 68 construction you are dealing with! Equally, the extra facilities offered by 68, such as array slices, free use of pointers and the ability to deliver objects of any type as a result of a procedure do lead to some very knotty run-time problems, and even going to the Algol 68S subset will not

completely get rid of them. Nevertheless, the aim of producing an Algol 68S compiler for microprocessors is a very worthy one. The only generally available 68S compiler known to me at the moment runs on a PDP 11 and produces code only for that machine. A less diffiing a full new compiler would be to modify this compiler to be a cross compiler for a range of microprocessors. Unfortunately few personal computer users will have access to a PDP 11... Dr D F Brailsford. Nottingham

ZX80 answers

Recently my father bought a Sinclair ZX80. I have discovered it is a delightful machine, but cannot find two things: how to work the 'timer under program control' (as the adverts put it), and how to display the amount of memory left. The second point I found very irritating as I only have 1k of memory to play with. Richard King, Bristol

To answer your questions we must first explain how a twobyte value is translated into an integer. In the ZX80 it is necessary to multiply the contents of the second byte by 256 and then add it to the value of the first byte. Having said that, you'll be interested to learn that locations 16414 and 16415 contain the number of frames displayed since the machine was switched on. By PEEKing these addresses and then doing the necessary arithmetic you have the equivalent of a clock. In the UK this count is incremented 50 times per second and in the USA 60 times.

After much study of the Sinclair manual we reckon that locations 16394 and 16395 give the address of the top of the program while 16396 and 16397 mark the bottom of the display file. Once again, by doing the necessary arithmetic and then subtracting the former result from the latter you will then know how much space is left -Ed.

Ripple raspberry

As I am at present engaged in designing and building a PSU, I read the two articles on power supplies in June PCW with considerable interest. A point which I feel should have been mentioned in one or both of these otherwise very good articles is the ripple current rating of the capacitor immediately following the rectifier diodes. As the value of this capacitor increases, so the ripple current is decreased, but so is the time available for the capacitor to recharge during each half cycle. Hence the ripple current through the capacitor rises. A quick calculation for the PSU presented in Derek Chown's article indicates a ripple current of about 11 amps. (for a 6 amp load current). If premature failure of this capacitor is to be avoided, a suitably-rated capacitor must be used.

Now a suggestion for a topic you might wish to explore in future editions. I have been unable to find any designs from EPROM programmers in any text books. Could you run a series on the mechanism of EPROM programming and erasure, and perhaps a design for a programmer for, say, a 2708 EPROM? A. A. Huntingdon,

West Wickham, Kent

We published an article on converting the MK14 (now available cheaply on the secondhand market — see our 'Transaction File' each month (into an EPROM burner in September 1979 (Vol. 2 No. 5) with a followup in March this year (Vol. 3 No. 3). — Ed.

School system

We have just read with interest the article entitled 'Pupil Power at Sandbach' in the June issue describing a 'low cost, very flexible system based on radically new lines'.

As an official Ohio Scientific dealer we have been offering a very similar system for over 12 months. This is based on an OSI C2 or C3 'parent' system supporting up to 16 Superboards (or any other system with Basic in ROM and an RS232 port).

At a price of less than $\pounds 2000$ for the 'parent' machine (including twin 8" floppies) and approximately $\pounds 160$ per 'daughter' Superboard, we do not think this system can be bettered on price or performance — and it's available now.

We can, of course, provide further information to any interested parties. S Hawley, CTS, 1 Higher Calderbrook, Littleborough, Lancs.



"We're trying to get the computer to mal-function so we can start the war".



BASF7120

BASF is one of the largest companies in the world and it manufactures a seemingly endless variety of products. For some time now it has manufactured a range of floppy disk drives and diskettes but the 7100 series is BASF's first venture into the world of complete systems and is aimed quite definitely at the top end of the market. Two models are currently in production and this is the first review ever of either of them. By Mike Dennis.



Rather than design a completely new system from scratch, BASF cast around for a machine that was closest to its own ideas as to how things should be done — the search ended with an American firm called Digilog. With typical Teutonic thoroughness the company injected large sums of money, ideas and engineering expertise and the result of this 'merger' turned into the 7100 series.

Both machines in the range feature the same integrated approach, with all the essential components — such as screen, keyboard and disk storage being grouped in the one housing, thereby eliminating the usual bird's nest of wires. The two models in the range, the 7110 and 7120, are very similar in specification, the main differences being the addition of an extra disk drive and multi-tasking package in the 7120.

Hardware

The machine is enclosed in a functional and pleasant looking two-tone grey moulded case that measures 21" wide x 13" high x 20" deep. A substantial cast chassis provides support for all the electronics and the total weight is fairly low at around 50lbs; it can be quite easily moved around. Inside, the electronics are mounted on six main boards with at the front the boards for the keyboard and VDU and to the rear, three boards consisting of the disk controller, 64k RAM card and CPU board – mounted horizontally on top of one another. Interconnection between these three is via a 50-way IDP cable and all the boards can be quickly removed for servicing. The bus is BASF's own design.


A substantial power supply com-

pletes the complement which has its heatsink located outside at the rear of the case — just as well as it gets pretty hot to the touch (i.e. it's doing its job). All the internal gubbins are kept cool by a fan which on the review sample was a bit 'grumbly'; I suspect that this could be easily remedied. The general standard of internal construction was very professional indeed and I particularly appreciated the ease with which the monitor and disk drive assembly could be hinged and fixed well out of the way to allow easy access for board changing and maintenance.

The system sports twin Z80A processors running at 4 MHz; one is delegated to handle the File Control System on the disk drives, the other looks after the rest. The disk equipment is isolated from the remainder of the system and data is passed between the two by the DMA controller. As can be seen from Figure 1 this also controls access to the display screen - it must be really beavering away to itself while the system is up and running. I judge the whole concept to be quite innovative in the world of micros and as the only ROM in the system is on the disk side; this means that all the available 64k of RAM is available to the user. Admittedly, some of this is needed for stor-ing the Basic interpreter but conversely the set-up also means that the user is not tied to any one operating language – as is usually the case with ROM. Other manufacturers such as Cromemco adopt this approach but BASF scores by keeping all the disk handling elsewhere.

Much use is made of LSI circuits, particularly the Intel range of support chips for the 8080, and I counted about five 8255 peripheral interface chips, one 8251 communication interface and an 8259 interrupt controller. The disk controller, which uses the Western Digital 1791 chip, also has its own 16k of dynamic RAM separate from the main system RAM. Even the VDU card has its own complement of LSI chips and I think I spied another micro – an 8040 – on the keyboard itself.

I found the whole design concept aesthetically very pleasing and devoid of irritating compromises. Indeed the only fly in the ointment was a very annoying high-pitched whistle that seemed to originate from the power supply. It wouldn't have been so bad



had it been constant in pitch and intensity but as it fluctuated with the demands placed on the power supply, it was most upsetting. BASF says it is aware of this problem and is looking into it.

Communication with the outside world is via a 15-pin DIN parallel printer socket; this is slightly nonstandard as most people tend to stick with '25-pinners'. Two RS232 serial ports are available (although only one is fitted as standard) and there's also an output for an auto-dialler which enables the 7120 to hook up to automatic calling equipment (I hear British Telecom approval is still being sought). Small DIP switches at the rear enable the baud rate, character length and parity to be selected for the serial ports. Two other user-controls are provided for adjusting the screen brightness/contrast and the internal loudspeaker volume — which is perhaps just as well as the chirps it emits remind me of a strangled chicken!

The keyboard is comprehensive indeed it has a plethora of facilities. The keys have a very silky action and all except the ESC key (which is easily confused with shift until you get used to it) fall easily to hand. The Qwerty keyboard has both shift lock and caps lock — the latter is very useful as only letters are shifted, as the name suggests. Function keys are provided by using the top row of keys in conjunction with the FUNCTION key. There are a total of 26 function keys but as 13 of them necessitate the use of shift, they aren't as convenient to operate as dedicated ones would be.

The on-screen editing is one of the best that I have seen. Fourteen keys are used and both lines and characters can be inserted, deleted and altered at will. The screen can be cleared completely, to the end of a line or to the end of the screen from the current cursor position. More important, perhaps, is the added convenience that these controls can be used at virtually any time during program development. The cursor can be moved in any direction and all of the keys can be emulated by suitable control characters from Basic. The operating system or OIM is a

separate software module and it prov-

ides the interface between keyboard, screen and program. The basic principle that it works on is that all lines normally must have an SOM (start of text) and EOM (end of text marker). Everything within these two markers is interpreted by the software and processed. If you type in a Basic statement such as: 100 PRINT "Now is the time for all good min" then all you have to do to correct the error on the last word and re-enter the line is to cursor up and along to the offending character, change it and then hit ENTER; the OIM automatically looks back over previous characters until it finds the SOM and then reads in the line until it hits EOM. It's a difficult concept to put over and probably sounds more complicated than it really is. However, providing you remember to hit EOM and ENTER (which is virtually one continuous action as they are adjacent to each other) then it all works exceedingly well. Indeed I soon found the system a joy to use, my happiness marred only by the slowness at which the interpreter checked out the

later).

A separate numeric keypad is sensibly provided to the right of the edit/ enter keys and the final feature of the keyboard are the seven MODE keys at the extreme right. These are used in conjunction with the screen highlighting. Again they are very flexible in their approach and many features are available such as reverse video, reduced intensity, underlining or flashing or any combination of these that you may require. These features can also be selected from Basic and together with another facility they enable the formatting of the screen to be carried out very easily.

This other facility is the 'protected' field feature whereby the entire screen can be set to protected – and then selected windows defined into which data can be put. The basic technique might be to define the screen as fully protected, having typed in messages such as Name, Address etc and then to open windows opposite these headers. If the windows are opened only so wide, say seven characters, then only seven characters will be allowed to be entered in the gap. This, plus a little bit of Basic, effectively formats your data fields for you because once the program is running, the cursor only appears in these windows and can be moved from window to window by use of the TAB key. Only when ENTER is pressed will the data be committed to the rest of the program and hence alterations to the data can be very easily handled with the minimum of fuss and bother. Yet another advantage of the protected field is that when you retrieve a long string of data from the disk and print it to the screen, the OIM automatically puts the correct number of characters into each window for you - which again is very convenient.

Screen layouts can either be effected from Basic statements or generated by a utility program called FORMGEN which allows you to 'draw' the screen layout in free-form and then to save it away to disk for use by other programs. These facilities are usually enabled

BS	INT	LEN	SGN
RND			
ASCII	RIGHT	MID	LEFT
LDROP	RDROP	RPAD	LPAD
LTRIM	RTRIM	FIND	COUNT
TRANSLATE	CHAR	CHARIN	CHARRDY
PRINT	TAB	INPUT LINE	INPUT
PRINTA\$: "# # # "		POKE	PEEK
IF. THEN	IF.AND.THEN	IFTHENELSE	
FORNEXT	GOTO	CALL	GOSUB
ONGOTO	ONGOSUB	DISABLE	ENABLE
RUN	STOP	CHAIN	END
COMMON	FUNCTION	CONT	
SYS,WIDTH	SYS.DIGITS	SYS.BREAKCHK	
SYS.BREAK	SYS.ERRLIMIT	SYS.ERRTRAP	
SYS.ERRLINE	SYS.TRACE	SYS.SPACE	
SYS.LEVEL	SYS.LENGTH	SYS.PLENGTH	
SYS.RAMTOP			
Absolute disk operat	ors:		
NEW	NEWI	CLOSE	OPEN
SECURE	READ	READ NEXT	WRITE
REPLACE	DELETE	SORT	ERASE
POSITION	STEP FORWARD	STEP BACKWARD	
INITIALIZE		COPY DISK	MOVE FILE
ATTRIBUTE		CHANGE FILE	STATUS
DIAGNOSTICS			REORGANISE FILE
and in MATHLIB:			
EXP	LOG	^	SQRT
SIN	COS	MOD	TAN
ASIN	ACOS		ATAN

character before the word or character to be highlighted; this can be a problem because one character slot is used for this control character. Usually this is effectively hidden by a space but should that not be possible, the 7120 provides the facility whereby special bytes can be poked into the highlight port. Individual characters can then be highlighted — or not — by the setting of their respective most significant bits ...another example of the flexibility built into this machine.

Graphics are supported and although limited in their capability to producing box outlines, vertical and horizontal lines, they are nevertheless very useful aids in producing a decent screen layout. These graphics are contiguous in a 10 x 12 character slot although the normal letters etc are displayed in a 7×11 format. Both upper and lower case characters are available and are very well formed. The screen itself is 12", green and of high-resolution; the format of 80 x 24 characters gives a rock steady, crisp display.

Storage

Three 5" disk drives (two on the 7110) provide the on-line storage. They are, not surprisingly, made by BASF, single sided/double density and offer approx 162 kbytes per drive. The maximum current capacity of this system is therefore limited to a little under 500 kbytes which for some applications won't be enough and is therefore rather disappointing. Micropolis manage to squeeze 315 kbytes onto their single sided/double density drives but whether or not they are any more or less reliable than BASF drives, I wouldn't like to say. The saving grace with the 7120 is that a 5 Mbyte hard disk drive will soon replace two of the floppies; that'll leave the third, suitably upgraded to 318k capacity, for backing up, which will then make the 7120 a very potent system. Further expansion is planned with a separate small box of twin 5 Mbyte fixed disks to increase the capacity even further.

System memory map

Because of the novel approach of the 7120, it's worth spending a bit of time looking at the memory map — see Figure 2. The bottom 40 kbytes of system RAM can be accessed by the disk system but not vice versa. System control and status words are passed between the two by a 'mailbox' and I shall explain just how useful this is later on. Other special features are the communications emulators, multi-tasking executive and spooler program areas.

This particular multi-tasking executive is not to be confused with multiuser systems (although BASF say that this is under development and that all future software and systems will be compatible with that currently available). Instead, this MTX comes into its own when the 7120 is being operated in a system for which it is especially suited — i.e. a terminal capable of being easily connected to a main-frame or mini computer but with extensive off-line computing powers of its own. Enter the spooler module and the communications emulators, for MTX to keep the system on-line to your mainframe, while printing out address labels, in between interrogating the 7120 for your latest sales analyses... This concept should be attractive to a number of users and will probably give one or two other manufacturers some potentially nasty headaches. A realtime clock facility is built into MTX together with protective time-out facilities that prevent the system from being 'hung' because of external events not happening; all this still leaves quite a generous 35 kbytes of RAM for Basic program storage.

System utilities

Perhaps one of the most significant utilities is the fact that the 7120 supports ISAM. What, you may ask, is that? Well, ISAM or Indexed Sequential Access Method is a powerful way of accessing and manipulating data in files with the speed of random access but coupled with the space-saving features associated with sequential filing. There are many ways of implementing ISAM files but the way that the 7120 does it is essentially based on just one key (although with a bit of jiggery-pokery I guess that it should be possible to key across several fields). It may not be as powerful as some other ISAMs but let's face it, very few micros support ISAM at all so more power to BASF's elbow. The other form of file handling is

The other form of file handling is called sequential; really though, it's a form of random-access as the record length must be specified and individual records can be accessed. With ISAM, records can be of variable length and can cross sector boundaries; with 'sequential' files this cannot happen. Since the sectors are 930 bytes long, this theoretically places an upper limit on the size of 'sequential' records. However, in practice this probably won't be a problem and I suspect that most applications will end up using ISAM. What's a little more disturbing about this 930 byte chunk is that the DOS will squeeze in as many records to a sector as possible; if your record size is 466 bytes, you'll effectively halve the available storage as the other 464 bytes in each sector will be wasted.

The catalog function of the BOS (BASF Operating System) is an apology and, unfortunately, one of the worst that I've seen. The basic command is a bit cumbersome (you have to type in PRINT STATUS (":1") which will give you the catalog for drive 1. The catalog contents are printed out one after the other along the line and will overflow from one line to the next — even in the middle of a file name. No indication is provided as to whether files are programs, data or Jimmy Young recipes! I suppose we should be grateful that they put commas in between the file names. True, you can ask for a PRINT STATUS on a specific file name, but it's all unnecessarily clumsy.

Another minor point is that you are never sure whether quotes are needed or not. For instance, they are used in the PRINT STATUS command but not in RUN UTILMENU: 1 - which conveniently brings me to a very nice package, for here lies all that is most useful to the serious programmer. The usual facilities such as delete files, copy disks and re-organise ISAM files are here and there are also other utilities that link two BASF machines together — for data transfer under MTX, for example. DINF is very useful for displaying more infor-mation about the specific files and DIG will let you display the contents of files right down to track and sector level. There's a bit too much chaining between individual elements in the utilities - and some minor bugs - but generally they are very versatile; I particu-larly appreciated XREF which can print out all the line numbers in a Basic program that use GOTO and where each variable is used and where there are any ON ERROR lines. This facility is of great use when debugging other people's programs vour programs, of course, are so well docu-mented that you won't need it(!). The disk access times, although

The disk access times, although nothing spectacular, are nevertheless quite acceptable and it's perhaps unfortunate that our existing tests fail to provide any method for demonstrating the access and speed advantage when using ISAM. As can be seen from Table 1, the random access in both directions is very evenly matched and where the tests show a perhaps longer time than normal, it should be borne in mind that unless specified, the BOS will verify after each write; therefore many of these timings are for 100 write and read operations.

Error handling is exceptional and can either be effectively carried out at the system level or. from the Basic interpreter, SYS.TRACE can be carried out at eight different levels of complexity and even goes right down to machine code level.

The sheer number of facilities in the 7120 are almost mind-blowing in their flexibility and versatility and I've only really just scratched the surface. I haven't even begun to discuss the absolute disk operators that allow manipulation directly at the track and sector level because, unfortunately, that would take too long.

TECHNICAL SPECIFICATION

CPU:	Z80A running at 4 MHz; real time clock
Memory:	64k dynamic RAM
Keyboard:	60 keys. Qwerty, 14 edit/cursor, numeric keypad, mode switches, function keys.
Screen:	80 x 24 green 12" high-res screen
Cassette:	n/a
Disks:	Three 162 kbyte single-sided, double-density BASF 5" drives, ISAM and random access supported.
Disk	
controller:	4 MHz Z80A, 16k dynamic RAM, 8k ROM
Languages:	Basic, Cobol, communication emulators, multi-tasking, spooler.
Ports:	1 parallel, 1 RS232 (+1 opt. extra)

Software

Two languages are supported at the moment. The first is CIS-Cobol from Micro-Focus and also included is an ingenious program suite called FORMS-2. Basically, this allows you to 'draw' screen layouts, lines and headers etc and even print out the screen so that you can see what the final result looks like on paper. Input fields can be defined and when you are happy with the result, FORMS-2 will generate all the necessary Cobol statements for you - and without any errors! This is a facility that most Cobol programmers should definitely find appealing.

Time did not permit me to delve too far into CIS-Cobol and so I pass onto the Basic interpreter.

Basic

Here again there are one or two surprises. The first thing you notice is a definite pause after hitting EOM while the interpreter checks your syntax. After a while I began to get annoyed at the rather pedestrian rate of this procedure. . . although I'm not a trained typist I still found myself waiting for the machine, which is wrong. But other people don't find this a problem and so maybe it's just me. Any errors found are reported with the appropriate error code and line number, although no indication is provided as to where along the line the error occurred. I counted nearly 100 available error codes, got most of them while I was familiarising myself with the machine, and subsequently settled down to Error 523 which means UNKNOWN STATEMENT (which is very similar to the ubiquitous SYNTAX ERROR).

Actually I think that the 7120 provides a very fair and creditable attempt at decent error-reporting and one that is all too lacking in some other systems; once I remembered to enter EOM at the end of a line, most of my errors seemed to vanish.

Remember the "mail-box"? Well, if you make a Basic line 10 W\$ = WRITE FILE etc...then W\$ will return with the appropriate error code (if any)

Prices

System	
BASF 7120 with	
64K + 24K	£5,155 + VAT
BASF 7110 with	
64K + 24K	£4275 + VAT
Additional RS232	@1210 1111
Port	£250 + VAT
BASF 7153	2200 · VAI
	01071 . TAM
120 CRS Matrix Printer	£1671 + VAT
Software	
BASF Extended	
Business Basic	£150 per system
CIS-Cobol	1
(including Forms 2)	£500 per system
2780 Emulator	£320 per system
3275 Emulator	£540 per system
Formgen	
(Screen/Formatter)	£250 one
()	payment only
	payment only

System prices include a range of utilities as well as a text editor, an assembler and a word processor. The system is supported by a six month parts and labour guarantee. from the BOS. Your Basic program can then interrogate W\$ and you can therefore very easily route your error handling routines as appropriate by simple "IF W\$ <> 0 THEN...".

Most Basic statements are present, with some exceptions and a few good additions. Missing is VAL and STR because K\$=1 (yes, no quotes) then PRINT K\$/4 will give .25. K can be converted to K\$ by using a bit of syntax that I personally found a little clumsy. You can't have multi-dimensional arrays of any sort, which may be a disadvantage to some. Interesting additions are TRANSLATE which can, for example, effectively convert a mixture of lower and upper case letters into one or the very useful for input handling; other the DROP commands will lose the specified number of characters from the appropriate end, PAD will increase a string to a specified length with a specified character (e.g. space) and TRIM will remove extraneous spaces. All three can either be carried out from the left or the right. PEEK and POKE can be either hex or decimal and one extra feature is that POKE ("@OCF0" "This is a string") will poke these letters into memory starting at address OCFO. Another string handling feature that I liked was that Print 18*&"M" will print a string of 18 Ms, which is quite handy. PRINT USING is supported but the German comma and decimal point mean different things to us over here! As a consequence results aren't always quite what you'd expect them to be and although these difficulties can be got round with a bit of extra coding, it could be improved.

LISTING is also excellent as the system will only print one screenful at a time and prompt you at the bottom as to how many lines are left to go. Since the prompt is inside SOM and EOM markers and starts off with list, it's simplicity itself to use the screen editing controls to alter the line numbers at will, whereupon ENTER will execute your wishes — certainly, one of the best listings I've seen. Full chaining is possible and no variables are cleared between chains unless the COMMON statement is used to effectively free up memory that might be wasted on unused variables. Chaining can also request program execution to commence at a specified line number and also which lines of the old program are to be deleted. Yet another interesting feature is that if you alter or enter a program without saving it, any subsequent action such as a request for RUN will initiate the response "NO SAVE??" and wait for your reply. This may appeal to some but again, I personally found this feature a trifle annoying as I'm sufficiently big-headed to believe that I don't need a cocky computer reminding me all the time - even though on the odd occasion it may be right!

The Benchmark timings reveal one or two problem areas. The first thing I noticed was a pause of about one second while the MTX girds up its loins to respond to your request to run. This is of no real consequence as once the program is running properly, then this delay is over and done with at an early stage; I would, however, have liked to have seen whether this delay was apparent when MTX was running other

BENCHMAR BM1 2.4	KS (timings in see	conds)	
BM2 7.0			
BM3 35.0			
BM4 36.5			
BM5 39.0			
BM6 50.0			
BM7 63.0			
BM8114.0	Table 2		
DISK	RAND/	ISAM	
TIMINGS	SEQ.		
2	50	70	
3 Ta	ble 1 (in seconds)	71	
4	30	34	
5	26	34	

tasks. The main point is that one second should be deducted from each of the Benchmark timings to reflect this. Table II shows the various timings and. surprisingly, at BM3 they really take a dive. This is due to the divide and multiply functions which each add about ten seconds to the total time taken for this particular test. After that the Benchmarks settle down to a sort of plateau and begin to look quite favourable when compared with some of the competition. Before BM8 could be run, MATHLIB had to be loaded. This is usually a one-time exercise as it remains in memory unless CLEAR is executed. However, the execution time of BM8 with this package is excruciatingly slow and BASF is currently looking at ways of improving it.

Since the accuracy of the system can be altered with the SYS.DIGIT command (it defaults to 12), execution time will depend on the figure selected. Unfortunately, increasing the number of digits didn't always improve the accuracy and so there isn't a real opportunity for a trade-off in speed versus accuracy. For example, sin(0.785398163) yields 0.707106779066 with 30 digit accuracy but 0.707106781187 with 12 digit The true answer is $1/\sqrt{2}$ accuracy. and the figure achieved with 12 digit accuracy is better than that achieved with 30 digits. As far as business users are concerned I doubt very much whether these fine distinctions will be of any great import but they may be to scientific circles or those with a mathematical bent. One additional feature of MATHLIB is that the three inverse trig functions (ARCSIN, ARCCOS and ARCTAN) are provided but all trig functions are in radians only and there is no direct conversion.

Reading through Basic programs was a little difficult at first, partly due to the strangeness of some of the Basic commands and also because of the quite large number of CALLs to sub-routines within the system itself. This is quite a useful technique for designing programs. Write them in Basic first and then debug them using Basic. Then, whereever possible and only if the system allows it, replace some of the Basic lines with equivalent machine code or assembler routines to speed things up. The sheer versatility of the 7120 makes it eminently suitable for this particular method of working.

There are other useful little features such as the fact that you can't delete the whole program in one go but have to type CLEAR instead, which is a

CONTACT YOUR LOCAL DEALER

Anglo-American Computing 9 Coventry Road Coleshill Warks 0675 65396

Automated Business Equipment Mersey House Heaton Mersey Industrial Estate Battersea Road Heaton Mersey Stockport Manchester (061 432) 0708

Business & Electronic Machines 7 Castle Street Edinburgh Edinburgh (031 226) 4294

Central Southern Calculators 12 Wokingham Road Reading Berks Reading (0734) 61492 Decimac Business Machines Decimal House Thomas Lane Bristol Bristol (0272) 294591

HEWLETT PACKARD

HP85

Euro-Calc Ltd 128-132 Curtain Road London EC2 01-729 4555

Holdene Ltd 10 Blenheim Terrace Leeds Leeds (0532) 459459

Office Machinery Engineering 73 London Road Brighton E. Sussex Brighton (0273) 689682

Rockliff Brothers Systems Centre 2 Rumford Street Liverpool (051 521) 5830 Robox Limited Unit 4 Anderston Shopping Centre Glasgow Glasgow (041 221) 5401

Sumlock Bondain Ltd 15 Clerkenwell Close London EC1 01-250 0505

Sumlock Services Epic House Charles Street Leicester Leicester (0533) 29673

Taylor Wilson Ltd Oakfield House Station Road Dorridge Solihull W. Midlands Knowle (056 45) 6192

This is a list of dealers participating in Associated Advertising and not a full list.



character within quotes. However, because there is no key on the keyboard that will generate these characters directly, you must press the escape key (taking you out of the mode in which control characters are normally displayed), then REVERSE, then the appropriate letter — which may be shifted. No doubt it will seem very natural after a few years, but it would be so much easier if Commodore had provided a control key.

Returning now to the subject of garbage collection — one characteristic of Microsoft Basic is its dynamic storage of strings. Each time a string varaible is redefined it's rewritten elsewhere in memory, the previous representation becoming redundant. When the memory available for strings is exhausted, program execution halts while a 'garbage collection' routine disposes of the redundant strings and gathers together those that are still valid. At worst garbage collection now takes less than a second, against 20 minutes (in an extreme case) with earlier PET Basics. A slight disadvantage is that each string variable now takes up two additional bytes which are used for a vector pointing from the string storage area to the variable table. Each element in a string array now uses five bytes in addition to the length of the string, and for string variables the overhead is nine bytes. Another disadvantage is that creating a new non-array variable now takes up to half a second because the whole of the array table must be moved up — the secret is to mention each variable before setting up the arrays. String operations seem to be slightly faster overall by about 10%. However Benchmark timings, which don't test string handling, give identical timings to those for the new ROM PET.

Potential use

The CBM 8032 is a convenient computer, easily transportable and sturdy, the only essential add-on being the cassette deck or the disk drive. The Basic includes all the common mathematical functions and, while not as comprehensive as most disk Basics it is faster than average. The 80-column screen is ideal for business use and, though the 8032 may be more difficult to program than many machines, this will not affect the vast majority of business users as there are sure to be plenty of packages available.

Whether this new model will be bought for use in schools, colleges and the home is more questionable. The screen handling functions are impressive, but hard to use, and most of the graphics characters are inacces-

sible from the keyboard. The recommended price is $\pounds 200$ more than that of the 32k PET and more than twice that of an 8k machine with a built-in cassette. Commodore has aimed the 8000 series at the business market and it looks to have a good chance of achieving its objective. Because the 8032 is this year's model, a particular sector of the personal market will rush to buy but, at present prices, the existing range should have plenty of mileage left in it yet.

Compatibility

If you are thinking of upgrading from your existing PET, it won't be too difficult to modify existing software. Most of page zero is virtually unchanged and, while routines in ROM have been shuffled around, the majority perform exactly the same functions. Games programmers should note that the values stored in locations 151 and 166 have changed — they are no longer keyboard values, but garbled ASCII. The 'window' facility makes it easy

The 'window' facility makes it easy to simulate a 40-column screen, although programs that poke the screen will need changes as it now occupies RAM addresses 32768 to 34767.

Machine code programs that call Basic routines or use the second cassette buffer will need rewriting but most others will run without modification. The 'merge' technique can still be used to load subroutines or utility programs, although it founders if a line which lists more than 80 characters (including line number) is included.

To summarise, conversion of new ROM programs for the 8032 will be fairly easy, in many cases easier than converting between old and new ROM PETs.

Documentation

Two manuals were supplied with the review machine — a Users' Guide and a preliminary Basic/DOS manual. The users' guide is a good introduction to the mysteries of computer operation; as well as covering the physical controls, it describes all the command functions necessary for successful machine operation.

The preliminary manual was exactly that. Essentially written for Commodore dealers, it assumes a fair degree of prior knowledge. We hope that the version supplied to users of the 8032 is more comprehensive, though in this respect Commodore's track record is not enviable. Even this dealer's manual leaves out such useful information as the fact that auto-repeat can be disabled and that the length of the keyboard buffer can be altered. A good start, but serious programmers will need more, much more.

Conclusions

Commodore set out to widen its influence on the business market and without doubt it will succeed with the model 8032 which looks, feels and behaves like a business computer. Programmers used to the PET will find the 8032 an irritating machine to work with but no doubt they'll learn to love it. Let's face it — they'll have to.

The gaps in the memory map give hints of greater things to come — we hope it's not too long before Commodore extends the system software to make up for the odd weaknesses in the present version.

Finally, whether or not you're a businessman, if you require a display of more than 40 columns then you must put the 8032 on your shortlist of possible machines.

Memory map

FFFF B000	Basic + 0S
	ROM expansion
9000	Unused
8800	Screen RAM
8000	User RAM
0400	
0000	Basic RAM

Benchte	st timings (in sec	conds)
BM1	1.7	
BM2	10.0	
BM3	18.4	
BM4	20.3	
BM5	21.9	
BM6	32.4	
BM7	51.0	
BM8	11.9	

Ataglance

FIRST IMPRESSI	ONS
Looks	****
Setting up	*****
Ease of use	****
HIGH LEVEL LA	NGUAGES
Basic	***
PACKAGES	Being planned
PERFORMANCE	
Processor	***
Cassette	****
Disk	***
EXPANSION	
Memory	*
Cassettes	****
Disk	*
Bus	****
COMPATABILITY	7
Hardware	*
Software	**
DOCUMENTATIC)N ***
VALUE FOR MO	NEY ***
***** excellent	
**** v.good	
*** good	
** fair	
* poor	



The problem with Basic is that there are so many mutually incompatible versions around that transferring a program from one machine to another can often be quite difficult. Mike Parr suggests a way of presenting programs so that they can be easily implemented by users of any machine.

Welcome to the world of 'Microsoft' Basic! On flicking through the pages of PCW you've probably seen many systems which claim to run a version of Microsoft Basic – e.g. Tandy Level II, PET, UK 101, C2–4P, Apple, Nascom 2, RML 380Z and Sorcerer. You could be forgiven for thinking that programs are easily transferred between these machines. The fact is though that a considerable amount of rewriting may

be required. For example: 10 IF A=B THEN X=INSTR(L\$,"A") ELSE GOTO 50

will happily run on a Tandy but not, for example, on a PET. The latter machine cannot handle either the ELSE or the **INSTR** functions.

Bearing in mind that a PCW program might be typed in and edited by people as diverse as typists, businessmen or teachers then the problem of compatibility is a major one. There have been various approaches aimed at facilitating program 'portability', including the use of a 'universal' assembler-type language, which is easy to adapt for any machine, and even rigorous high-level language definition, such as Algol 68. It would be nice to say that Pascal allows machine-independent software but, even here, it seems that dialects are going to differ. Already we see Transam and UCSD compilers being based on different standards.

However, all is not lost - the different versions of Microsoft Basic are sufficiently similar to enable you, with a bit of care, to write programs that run on any system with little or no modification.

There are four main areas where portability problems occur - statements, data types, functions and input/output. I shall now examine each of these in turn.

Statements

The following statements occur in almost all Microsoft implementations: GOTO, IF. . .THEN, END, STOP, LET (or just plain =), FOR. . .TO. . .STEP, NEXT, DEF FN(numeric only), DIM, REM, GOSUB, RETURN, PRINT, INPUT, READ, DATA, RESTORE, CLEAR, ON. . .GOTO, ON. . . GOSUB and, finally, a colon may be used to separate statements.

It's clear that you can achieve maximum program portability by restricting your published programs to the above Microsoft subset. It will, of course, mean that some of your routines may not be as elegant as you might like but then again it does ensure that your efforts reach as wide an audience as possible.

Before moving on to data types I shall illustrate a few of the more common Basic functions which I have had to leave out of the subset:

10 IF A=B THEN PRINT C ELSE STOP 20 IF C=D, PRINT E

LINEINPUT, which reads a complete line of text, including spaces, commas and quotes into a single string variable. Believe it or not, this too is absent from many systems.

File OPEN and CLOSE is missing as well, because some systems don't have data files, and PEEK, POKE and

USR are definitely out of the question as they are the very essence of machine dependency. Finally, CLEAR is similar on most machines but not identical, so it must also be banned.

Apart from the statements themselves there's the question of line lengths. PET for example is 80 charac-ters, while UK 101 is 71 (yes, 71!), and Altair is 255.

The moral is clear. . . when it comes to statements keep the lines short and work as far as possible within the subset.

Data types

The second aspect of portability concerns data types. Microsoft Basic includes floating point numbers, strings of up to 255 characters, arrays of either type with no limit on the number of elements or dimensions and where only the first two letters of a variable name are significant.

On some systems, other variable types are allowed. An integer, for example, is sometimes defined by following its name with a % character thus: 20 I%=I%-1

Tandy and Altair have a more powerful system, including a set of statements like DEFINT I-N, which automatically causes all variables starting with the letters I to N to be treated as integers. In many programs, leaving out any special integer use has no serious effect (unless memory happens to be very tight). Finally, I should mention accuracy. Most hobbyist programs don't rely on high numerical accuracy, which is just as well since many systems have only 6 or 7 digits of precision. In general I would suggest that you stick to single precision floating point numbers unless memory size and arithmetic precision are particularly important to your application.

Input/Output

The remaining (and most involved) area deals with data-file I/O and memory-mapped graphics. The suggested approach is to use subroutines for primitive functions, commented in such a way that the average user (given reasonable system documentation) can amend them to fit any computer. As an examply, consider memory-mapped graphics, instead of just writing:

10 POKE 16300+Y*40+X, 65

you could write:

10 C=65 : GOSUB 2000

then:

2000 REM PLOT CHAR C AT X,Y.

(0,0 IS TOP LEFT)

2010 POKE 16300+Y*40+X, C 2030 RETURN

. . . with the result that the user only needs to alter the subroutine, not dozens of POKES throughout the program. Ideally you would also incorporate checks on the ranges of X and Y.

as screen sizes vary between machines. Looking now at file I/O, PET and Tandy users may be amazed to learn that many systems have no provision for cassette data files, other than resorting to PEEK,POKE and USR facilities. On most disk systems however, typical statements are: ASC, CHR\$, LEFT\$, LEN, MID\$,

RIGHTS STRS VAL.

The main omission here is the useful

INSTR string searching function, which is missing from many systems. For complete compatibility, one can use a subroutine which performs a similar function (albeit slower) but, if you must

use it, avoid the nested form: 10 A\$=LEFT\$(L\$,INSTR(L\$, "A")) as the PET user may be replacing INSTR by GOSUB, and would prefer: 10 P=INSTR(L\$, "A") 20 A\$=LEFT\$(L\$,P)

this being much easier to edit.

Finally, most systems include the FRE function, used with either a numeric or string argument. This is fine, but bear in mind that, as with CLEAR, certain assumptions about free space may be machine-dependent (for example, one might use FRE to determine the maximum subscript for a numeric array - however, don't assume that all systems use the same number of bytes to store each array element).

Standard Functions

All Microsoft systems have these numeric functions:

ABS, ATN, COS, EXP, INT, LOG, RND, SGN, SIN, SQR, TAN, TAB.

They also have the logical functions (actually operators) of AND, OR and NOT which treat their operands as 16bit two's complement integers. The 16bit number, consisting of all ones, is regarded as logical TRUE, (its value being -1).

The only major difference between the built-in functions concerns RND. Most machines will produce a value between 0 and 1 whereas Tandy, for example, will give a value between 1 and n. To make such a program more portable, you should only assume the presence of random numbers from 0 to 1, and modify the result using a scale factor and the INT function.

Character functions include: OPEN, CLOSE, PRINT#1, INPUT#1, LINEINPUT#1

. together with the EOF(N) function, which returns a 'true' value if there is no more information in file number N. As an example, one could list a file on the VDU by:

10 REM OPEN FILE CALLED JIM

FOR INPUT AS UNIT 1 20 OPEN "JIM", I, 1 30 IF EOF(1) THEN CLOSE 1 :END 40 LINEINPUT#1, L\$:PRINT L\$: **GOTO 30**

In fact, very few cassette systems could handle this (reasonable) program. PET and Tandy machines, for example, have no LINEINPUT and the Nascom 2 and Sorcerer can't even read text from tape, as data is only allowed to be in the form of numeric arrays.

A further problem exists concerning motor control. Examining cassette handling on 'good' systems such as PET and Tandy, one sees that the task of tape I/O consists of:

Output	Input
Start motor	Start motor
Wait (and trans-	Ignore 'null' charac-
mit 'null' chars.)	ters.
Transmit line.	Read line.
Stop motor.	Stop motor.

On a machine with no cassette motor control, problems will arise when trying to run this type of program: 1. Read data from tape.

2. Process data.

3. Goto step 1. If step 2. involves lengthy calculations, the cassette (which is still running) may be in the middle of the next data line before the program is ready to read from it. Once again, the approach to take is to write all machine-dependent software in commented subroutines, which provide the primitive operations of reading and writing complete lines of text. Output is straightforward, except for the proviso that, if no motor control exists, sufficient 'null' characters must be used to enable the program that will eventually use the data to "keep up": 4000 REM. L\$ TO FILE 4010 PRINT#1, L\$

4020 RETURN

The UK101 user, for example, may replace this by a routine to transmit 'null' characters for a second or two, then to transmit L\$ character by character

The file input routine is the equivalent of:

5000 REM. READ LINE TO L\$ 5010 LINEINPUT#1,L\$ **5020 RETURN**

where the PET user may replace 5010 by a loop using GET to build up L\$, and Nascom 2 and Sorcerer users might use CLOAD, converting the input numeric array to a character string in L\$. Obviously, the input and output routines should be compatible in the sense that strings transmitted to and read back from file should appear identical.

Additionally, one requires an end-offile test, and an easy machine-dependent solution is to denote the end with a special peculiar line such as "/+/+". If this is adopted, the EOF() function is not required, and the 'higher-level' input routine becomes:

6000 REM LINE TO L\$. SET EF TO

-1 ON EOF

6010 EF=0 : GOSUB 5000 6020 IF L\$="/+/+" THEN EF= -1 6030 RETURN

To complete the I/O routines, we require open and close facilities for our files:

7000 REM. OPEN OUTPUT FILE 7010 PRINT"PRESS RECORD AND PLAY, THEN ENTER ANY CHARAC-TER":INPUT L\$ 7020 RETURN 8000 REM. OPEN INPUT FILE 8010 PRINT "PRESS PLAY, THEN ENTER ANY CHARACTER": INPUT LS

8020 RETURN

(If you have an 'open' statement, insert it at 7005 and 8005) 9000 REM. CLOSE INPUT FILE

9010 RETURN

(The PET user may insert CLOSE at 9005)

1000 REM. CLOSE OUTPUT FILE 10010 L\$="/+/+" : GOSUB 4000 10020 RETURN

(Again, if you have a CLOSE, place it at 10015)

These routines assume no named files though modification would be trivial if you have such luxuries - and one file device only (a cassette deck perhaps). In common with the 'subset' approach, only the minimum facilities are assumed.

To summarise I/O, the benefits of this method appear when you attempt to transfer programs between machines

with widely differing I/O methods. Finally, if you think that these routines preclude numeric I/O, it's no trouble to use the built-in conversion functions, so instead of:

10 PRINT#1,N

you may write: 10 L\$=VAL\$(N): GOSUB 4000

Conclusions

With a little forethought and a bit more typing, portable software is possible. It must be admitted that some defy portability - some flashy graphics could give problems, and memory size may be significant in large programs. However, there's no reason why the remainder should not see much wider use once a Microsoft subset has been followed.

Example

To illustrate what I mean here's a useful example that conforms as near as possible to the 'rules' that I've proposed. The program is an interactive data-file editor for any single-cassette system, illustrating the use of a subset, and the file I/O routines. The data lines are read into a large text array T\$(), and may then be edited by the following commands, typed in response to "C?" Back - by a specified number of lines. Forwards - by a specified number of lines.

List - as Forwards, but display lines. Delete - delete current line, and move to next one.

Insert - insert a new line after the current one.

Replace - replace the current line by a new line.

SAVE — save the edited text on cassette. Search — search for a line containing a specified string.

Top - move back to 'top' of file. (Only the initial, capital letters of the command should be used.) The commands relate to the current line, usually the last line displayed. e.g. to move forward 3 lines:

F is typed in response to C? FOR? is printed by the program.

3 is entered by user.

To actually use the program, load it from its own cassette, then place the data tape in the recorder, ensuring that it is rewound. Type "Y" in response to the 'existing file' question, and perform the edits. Before typing SAVE, either rewind the data tape, or load a fresh one (thus giving you a back-up copy). To create a new file, type "N" instead of "Y"

The program occupies around 2200 bytes thus leaving, in an 8k system, some 6000 bytes for text (about 200 lines of 30 characters). On your system, alter line 20 to clear your maximum string space, estimate your average line length, and dimension T() to the maximum possible number of lines. If your data doesn't have commas or leading spaces, INPUT#1 can be used in place of LINEINPUT#1. For those with no cassette motor control, only a very short delay is needed in routine 8000 as the lines are rapidly read and stored in TS(). In fact, the cassette control on PET and Tandy, involving a delay of several seconds, is a disadvantage in this type of input.

GOTO page 124 for Listing



It's the show you can't afford to miss! The 3rd Personal Computer World show takes place on 4-6 September at the Cunard International Hotel, London. And what a show it's going to be! A bumper collection of all the latest hardware, software, peripherals, accessories and books; special stands for parents and teachers interested in learning how to spread computer literacy among the young, one from a school and one from Young Computer World; MICRO UK, a three-day series of seminars, conferences and 'meet the expert' discussions; and the first official World Microcomputer Chess Championship.

For full details of the show's opening hours and admission prices see page 82. For details of MICRO UK, see pages 12 and 13. And for an introduction to the chess contest by our resident microchess expert Kevin O'Connell, see page 60. Meanwhile, here's our stand-by-stand guide to all exhibitors who had confirmed their bookings when we went to press.

Don't forget to call in at the PCW stand where you can buy T-shirts, badges, back numbers and binders, and where, when they're not bar-propping or hiding, the PCW editorial team will be on hand.

SEE YOU AT THE SHOW!

B30

ACT 66-68 Hagley Road Edgbaston Birmingham B16 8PF 021-455 8585

Appleware

Britain's best range of Apple software is there for you to try on the Appleware stand, some of the products appearing for the first time. Look out for the latest version of the award-winning VisiCalc program, Tiny Pascal, Talking Disk and the amazing Apple Invaders program. They are on sale direct from the stand, some at specially reduced prices.

Petsoft

Petsoft are offering a new range of lowcost ready-to-run business programs covering ten key applications. Word covering ten key applications. Word Processing, Payroll, Ledgers, Stock Control and Mailing List packages will be on sale direct from the stand.

VisiCalc, the award winning forecasting package, and the superb Programmers Toolkit plug-in ROM chip are also there for you to try.

Petsoft also offer the widest range of Educational, Scientific and Games programs.

CCS MICROHIRE/ MICROSALES 7 The Arcade Letchworth Herts 04626 73301

CCS will be launching its Data Manager package for the Apple II and PET. This is a modular data handling system for incorporation into programs, handling five files (can be expanded or reduced), and which takes care of all file

B8

processing including computer-guided definition and storage of file descriptions for as many files as the user requires.

The company will be demonstrating and selling its range of software and hardware packages, including stock accountint, word processing, modelling and scheduling for the ABC-80, Apple II and PET machines.

CHROMASONIC B34 ELECTRONICS **56 Fortis Green Road Muswell Hill** London N10 3HN 01-883 3705/2289

Details not known at time of going to press.

COMP SHOP A3 **14 Station Road New Barnet** Herts EN5 1QW 01-441 2922

Comp Shop's range of stock includes the TRS-80 Models I and II, Apple II, Compukit UK101 and PET, together with various peripherals. At the time of going to press, Comp Shop was promising unusually special offers on all its products, which carry a full one-year warranty.

COMPUTABITS LTD B13 PO Box 13 Yeovil Somerset 0935 26522

Nick Hampshire, writer of The Pet Revealed, will be at the show selling his book and his latest product -a library of PET subroutines. Routines include

input validation, screen formatting, plotting, sorting, various file access methods and a number of general utilities. All these are supplied on a 3040 format disk.

A14

THE COMPUTER BOOKSHOP **Temple House** 43-48 New Street Birmingham B2 4LH 021-643 4577

Computer Bookshop is a trade distributor of books and training courses supporting the UK microelectronics and personal computer industries and is the sole UK distributor of Sybex books. New titles this summer include Programming the Z8000 and 6502 include Games, both by Sybex. Among the 250 titles on display will be new books from well-known computer publishers such as Sams, Addison Wesley and Hayden, plus a range new to Computer Bookshop from TABS. Computer Bookshop also hopes to have some of the new books coming out from British publishing houses.

CREATIVE COMPUTING B72 PO Box 789-M Morristown NJ07960 USA (201) 540 0445

Creative Computing is a leading US publisher of magazines, books and software for personal computers. Creative Computing magazine publishes practical applications for home, school and small business, evaluations of the newest computers, peripherals and software, games, book reviews and fiction. S-100 Microsystems magazine is designed for the serious user of S100 bus systems. Books from Creative Computing Press include the popular Basic Computer Games and More Basic Games, copies of which will be autographed by editor David Ahl at the show. The Sensational Software line includes cassettes and floppy disks for Apple, PET, TRS-80, Sol. Sorcerer and CP/M systems.

DATAC LTD **Tudor Road** Altrincham Cheshire WA14 5TN 061 941 2361/2

Datac Limited "The Printer People" will be showing a substantial part of their large range of digital printer units, including mechanisms, electronic inter-faces, and complete packaged units. Also on display will be a new range of Philips high-resolution C.R.T. monitors, which Datac are distributing in the U.K.

B36/B57

Of particular interest will be the following brand-new printer products: The Centronics 737 80-132 column impact printer featuring 9-needle printhead and proportional spacing.

The DMI-40P free-standing terminal version of the DMI-40 40-column impact matrix printer mechanism. A new serial input version of the wellestablished 20/40 column 410 serial printers.



3D DIGITAL DESIGN & B35 DEVELOPMENT 43 Grafton Way London W1P 5LA 01-387 7388

3D specialises in microprocessor interfacing for industrial, medical and educational applications and will quote for custom interfacing packages which include both hardware and software. On show will be some micros plus a fast data acquisition system (40,000 samples per second) and a 12-bit analogue-todigital converter for the PET.

FACIT DATA PRODUCTS B58 **Maidstone Road** Rochester Kent 0634 401721

Data products will be showing an interesting and extensive range of printers. The new Facit 4520 is a lowcost, high quality matrix printer which prints bidirectionally, in a high-quality $9 \ge 7$ matrix character font. The Facit IPS 5000, also brand new, has 150 cps printing speed and operates a 9 x 9 dot matrix with true descenders, descenders, guaranteeing clear-cut printouts.

Showing for the first time in the UK will be the Facit 4542, a matrix printer with impressive capabilities. It can print in 2 colours, and has a 14×9 dot matrix, allowing it to produce graphics as well as very high quality printout.

A15

GALATREK ENGINEERING **Scotland Street** Llanrwst **Gwynedd LL26 0AL** North Wales 0492 640311

This company will be showing a new range of constant voltage transformers in ratings up to 5 kVA. Representing an innovative development based on the established ferro-resonant saturable reactor technique, they offer output stabilisation to $\pm 1\%$, attenuation of high

voltage transients and power back-up to 1 cycle duration in case of transient supply breaks. At the same time, size, weight and cost have all been reduced; they are thus well suited to providing the clean mains input necessary for maximum operating reliability of small computer systems. Other related devices will also be shown, and Galatrek will also be providing clean power supplies for contestants in the first World Microcomputer Chess Championship,

A17

GRAHAM-DORIAN SOFTWARE SYSTEMS 17 The Gallop Yateley Camberley Surrey 0252 874790

Terodec (Microsystems) Ltd has combined with **Graham-Dorian** Enterprises Inc to form Graham-Dorian Software Systems. Terodec's range of microcomputers includes the TMZ-80 and Delta Products DPS64 range. Both machines have hard disk/multi user expansion capability. Graham Dorian's software products are among the most detailed packages on the market today. These are currently 15 packages each fully documented, including source code and easily understood operator instructions. GDSS is the European distributor for Compiler System's CBASIC-2 and MicroPro's WordStar, DataStar and MailMerge. Operating Systems Software include CP/M for the Tandy TRS-80 Models I and II.

A J HARDING (MOLIMERX) **28** Collington Avenue **Bexhill-on-Sea** East Sussex 0424 220391

This company specialises in the supply of software for the TRS-80, both Model I and Model II. Mr Harding and his staff will be available to demonstrate any of the Model I software, including the new Microsoft utilities such as the Basic compiler and the Editor/Assembler Plus. A broad selection of other utilities, business software and games will also be available. You will be able to buy software at the stand, together with the line of accessories which Molimerx carries, such as disks, special formula tapes for the TRS-80, its well-known green screen and books.

HOUGHTON COUNTY B40 PRIMARY SCHOOL Houghton Huntingdon Cambs 0480 63398

Houghton County Primary School, Huntingdon, Cambridgeshire was one of the first schools in the country to buy a microcomputer of its own. Since January 1980, Don Walton has been developing software for computer assisted learning in a wide range of subjects, with children aged $4\frac{1}{2}$ to 11 years old. Every child and teacher in the school is an enthusiastic user of their Commodore PET and although most of

them are not able to program, Don Walton has implemented a pilot project to teach the elements of Basic to his top class of 11 year old children with some success.

As a result of this experience Don and the headmaster of the school Keith Luton are well able to answer questions on the problems facing a primary school wishing to introduce a microcomputer.

INTERACTIVE DATA **B23** SYSTEMS 14 Buckman Close Greenleys Milton Keynes MK12 6AB 0908 313997

Interactive Data Systems will exhibit its range of UK-made S100 boards, including Z80-based CPU boards. memory boards, double-density floppy disk controllers and analogue and parallel I/O boards, together with motherboards, power supplies and Saracen mainframes. Also on show will be the first showing of IDS's new lowcost VDU. A full, professional standard VDU housed in a very attractive structural foam case. The unit features 24 rows of 80 characters, 96-character ASCII set plus 128 graphics characters, reverse video, underlining, flashing characters and half-tone background.

B67-B50 INTEX DATALOG LTD **Eaglescliffe Industrial Estate** Eaglescliffe Stockton-on-Tees Cleveland 0642 781193

Datalog is primarily a shop window for a range of popular microcomputers and accessories, being an authorised dealer for the PET, Apple and Nascom machines and a main dealer for Computhink products. The company also handles a range of printers and sundry items such as cassette tapes, diskettes, paper and dustcovers. Datalog intends to expand its activities, keeping abreast of current developments in the microcomputer field to consolidate its already established position.

KANSAS CITY SYSTEMS B6 Unit 3 Sutton Spring Wood Chesterfield 0246 850357

KCS specialises in quality software for the Tandy TRS-80 and the comparable Video Genie. The introduction this year of Level IV Basic resulted in "virtually a new computer", such is its extra exclusive facilities, commands and utilities. The company also sells Video Genie hardware at a discount price.

KINGSTON COMPUTERS B45/24 LTD **Scarborough House** Scarborough Road Bridlington North Yorkshire 0262 73036

Details not known at time of going to press.

B19

KOBRA MICROSYSTEMS B10 LTD 14 Broadway West Ealing London W13 0SR 01-579 5845

A new low cost multiuser system for the Commodore PET will be demonstrated by Kobra Microsystems, a subsidiary of Adda Computers. Called MU-PET, it allows up to eight PETs to access one Commodore disk and share a printer. The hardware connects via the PET IEEE bus and has been designed so that each PET thinks that the disk is its own and no program changes are necessary. MU-PET, costs £595 + VAT for a threeuser system and has been officially approved as a PET peripheral by Commodore UK.

L P ENTERPRISES A1 8-11 Cambridge House **Cambridge Road** Barking, Essex IG11 8NT 01-591 6511

L P Enterprises is the longest-established UK company selling microcomputer books, magazines and software to the public, dealers and OEMs. It imports the best available from the USA and will be showing the bulk of its product ranges, most of which will be on sale at the show. Software demonstrations will take place at regular intervals and professional help will be available for business and educational users as well as for hobbyists.

R4

A18

LITTLE GENIUS Suite 504 **Albany House** 324 Regent Street London, W1 01-580 6361

Details not known at time of going to press.

LONDON COMPUTER A11 **CENTRE LTD 43 Grafton Way** London W1P 5LA 01-388 5721

London Computer Centre specialises in daisy wheel and dot matrix printers and will launch a new, full-width daisy wheel printer for under £1000. Also on display will be TRS-80 Models I and II SuperBrain computers. and Word processing, accounts, ledgers, payroll and other software will be demonstrated to support the above hardware.

LOWE ELECTRONICS LTD **Bentley Bridge Chesterfield Road** Matlock **Derbyshire DE4 5LE** 0629 2817

Lowe Electronics distributes the Video Genie and will be exhibiting the system together with its new range of peri-

pherals which includes an expansion box, disk drives, RAM card, sound box and various interfaces, all as competitively priced as the system itself. With these peripherals, the Video Genie 'comes of age'.

MICROMARK **Publicity House Ravenscroft Road Henley on Thames** Oxon, RG9 2DH 04912 77926

B62

Details not known at time of going to press.

MICROTREND	B21/B2
PO Box 51	
Pately Bridge	
Harrogate	
N. Yorkshire	
HG3 5DP	
0423 711878	

Microtrend will demonstrate packages from its Professional Software range and 'work station' products to run under CP/M on 8080/8085/Z80-based systems; these latter include wordprocessing and inter-system communications packages. Microtrend will also exhibit additions to its Popular Software range, including the new chess program 'Gambiet/80' which will program compete in the first world Microcomputer Chess Championship.

B70

MIND YOUR OWN BUSINESS **106 Church Road** London SE19 2UB 01-771 3614

Mind Your Own Business is a monthly magazine read by 40,000 businessmen which explains in a practical and nontechnical manner how to choose and use modern office equipment to improve business efficiency and manage information. Subjects covered include word processing, small business systems, facsimile, microfilm, telex, speech and digital exchange systems, communications, dictation, copying and many other subjects of importance to those responsible for the efficient running of both large and small businesses.

MINE OF INFORMATION B61 LTD **1** Francis Avenue

St Albans AL3 6BL 0727 52801

The company was formed in 1977 as consultants, publishers and booksellers in the microcomputing field. Today MoI is one of Britain's foremost micro-computer booksellers. The emphasis is on quality: books are selected by an experienced computer consultant on the basis of accuracy, relevance and value for money. MoI will exhibit the latest selection of microcomputer books for perusal and purchase. MoI is independent of any other organisation and is therefore free to choose or reject each title from each publisher, depending solely on the merits of the book itself.



NEWTONS **B9** LABORATORIES 123 Wandsworth High St London SW18 01-870 4248

Details not known at time of going to press.

OXFORD COMPUTING B53 LTD **48 Crown Street** Reading, Berks 0734 661054

Oxford Computing Ltd is a new company formed to launch a major breakthrough in positional intensifiers. The OCL DataPad 1 is an entirely British innovation which enables data entry into virtually every micro and minicomputer and some mainframes without using a keyboard. It eliminates the need for trained operators and overcomes the problem of delivery in data entry. The device also has a very comprehensive graphics plotting capability, enabling graphics to be produced instantly, also without a keyboard.

B51

PAKENORTH LTD 600 Kingston Road London SW20 8DN 01-543 4477

Pakenorth specialises in producing tailored software for most micros and minis. Packages for the PET and Sharp MZ-80K which will be demonstrated at the show include payroll, general ledger, costing and an interactive database management system for users who wish to produce their own tailored systems without writing programs. Sharp MZ-80K hardware is also available, including floppy disk drives and printers, and a complete small MZ-80Kbased small business system will be on sale.

PERSONAL COMPUTERS B20 LTD 194/200 Bishopsgate London EC2M 4NR 01-626 8121

Personal Computers intends to show Apple III, financial planning and word processing software for Apple II, together with a new 80 character card and alpha numeric keypad. Also on display will be their own word processor, Format 80. A range of printers will be on the stand, including Qume 5/45 RO, Paper Tiger, TCM 100/200 and the Centronics 730.

A number of new interfaces will be on show, including a parallel/serial card and the Super Sound Generator. A specialist will be on hand to

demonstrate the Apple graphics tablet and the well-received plotter and plotting software. The Sharp MZ-80K will be on display with its recently announced disks and printer.

PLUS BUSINESS	A9
SYSTEMS	
88 High Street	
Slough	
Berks	
Slough 38319	

Details not known at time of going to press.

RESEARCH MACHINES B42 LTD Mill Street Botley Road Oxford 0865 49791

RML will display its Z80A-based 380Z microcomputer in various configurations. Disk systems include dual double-sided mini drives and twin 8" double-sided drives. One system will display the RML High Resolution Colour Graphics option. Recent and future developments include a 16channel, 10-bit A/D board, a full IEEE 488 implementation for scientific users, a 40/80 character VDU board and a multi-access system.

A10

A7

SCIENCE OF CAMBRIDGE LTD 6 Kings Parade Cambridge Cambs CB2 1SN 0223 311488

The highly-acclaimed Sinclair ZX80 will be featured on the company's stand. Extremely portable, measuring 8 x 6 x $1\frac{1}{2}$ inches, and weighing 12 ounces, the ZX80 is intended for use at home, work, college or school. To ensure maximum flexibility of use, the ZX80 may be plugged directly into the aerial socket of any domestic colour or black and white TV. A conventional home cassette player is used to store programs.

THE SOFTWAREHOUSE 146 Oxford Street London W1 01-637 1587

Come and see the widest selection of business, games and educational software in Europe. Our personal and after sales services are second to none.

B12

ST COMMERCIAL SYSTEMS LTD 24 Ranelagh Road London W5 5RJ 01-840 1926

STCS specialises in the sale and support of systems based on the Intertec Super-Brain with the OKI Microline 80 for normal printing and the NEC Spinwriter for letter-quality printing at 55 cps. Application packages include word processing, interactive data entry and full accounting systems.



 TANDY CORPORATION
 B16, 18,

 Bilston Road
 25, 27,

 Wednesbury
 29, 31

 Staffs
 WS10 7JN

 021-556 6101
 01-236 9424

The TRS-80 is the world's best selling microcomputer. It's not hard to see why. It's an attractively packaged, userorientated unit having a detachable keyboard and the sort of features you'd expect with a £2000 plus price tag. The TRS-80 range has found uses in a wide range of settings, including homes, small businesses, schools and colleges. The system being modular can be expanded to deal with changing or developing user needs.

TANGERINE COMPUTER B39 SYSTEMS LTD Forehill Works Forehill Cambs 0353 3633

Tangerine is a British-owned, young company which produces Britishdesigned microcomputers. The Microtan system has been designed to satisfy the needs of both personal and business users. On show will be the Microtan 63 System, based on the 6502 microprocessor, a fully expandable and powerful microcomputer which uses the 10k extended Microsoft Basic. Peripheral modules include Bulk I/O, Ceefax-compatible, high definition colour graphics, 40k RAM on a single board Tanex expansion module, IEEE Interface, Tandos controller and drives, mini racks and system racks.

TRANSAM COMPONENTS B14/B33 LTD 59/61 Theobalds Road London WC1 01-402 8137

Transam will be exhibiting its latest computer system — the Tuscan S100. This innovative product is an economical single board computer with integral S100 expansion capability and is available with system monitor (Z80A), resident Basic, resident Pascal or CP/M compatible 5¹/₄" or 8" double density drives. In kit or assembled form, this system offers unique flexibility and potential to any computer user in any section of microcomputing today. The complete unit including two 5¹/₄" drives is housed in a single case with hinged lid.

Also on show will be a range of TCL software products including TCL Pascal.

VERO ELECTRONICS B3 LTD Industrial Estate

Industrial Estate Chandlers Ford Hampshire 04215 62829

Having been in electronics for the last 20 years, Vero now boasts a wide range of products for both the electronics hobbyist and research/development engineers involved with micro-electronics. They have products ranging from solderless breadboards (Verobloc) to complete 19" racking systems.

On show will be the latest range of Microboards, Backplanes, keyboard enclosures and, from Verosystems, a range of British-made wire wrapping tools and accessories.

VLASAK ELECTRONICS A6 LTD Thames Building Dedmere Road Marlow, Bucks SL7 1PB 06284 74789

An new item on show on the Vlasak stand will be a large-capacity disk drive unit for the Apple II, offering one megabyte of plug-in-and-go on-line storage. Vlasak's range of Apple II software will be demonstrated, including a fully integrated ledger system and a payroll package. Vlasak will also show items from its range of computer accessories, including customised stationery and an inexpensive word processing printer.

JOHN WILEY AND SONS B28 LTD Baffins Lane Chichester West Sussex PO19 1UD 0243 784531

The company is a major publisher in the applied science and technology field, with a range of quality books — written by leading figures in the industry — covering computer applications and techniques which caters for the requirements of the data processing professional. The special demands of people wishing to become familiar for the first time with the many aspects of personal computing are met by carefully written texts covering most of the major systems, programs and equipment in use today.

ZENITH DATA SYSTEMS B43 Bristol Road B26 Gloucester GL2 6EE 0452 29451

Following the success of last year's PCW show, Zenith Data Systems is exhibiting its comprehensive range of computing hardware. Zenith is one of the largest producers of micro-based equipment in the world; its stand is a must for the more serious-minded distributor/OEM. Backed by a billiondollar company, Zenith's continued success is assured with a forward development programme second to none in the industry today.



To set the scene for the first World Microcomputer Chess Championship at the 3rd Personal Computer World Show, Kevin O'Connell takes a light-hearted look at chess and computers.

In the beginning

Man's dreams of flying not only anticipated the aeroplane, they also predated his dreams of chess computers. However, as early as 1770 a chess machine had appeared. That was The Turk – a life-sized figure, dressed as a Turk, seated behind a chest that was about four feet long, two feet wide and three feet high. It was one of the sensations of the day, for it played very good chess and defeated all comers.

Even IBM was a somewhat unknown quantity in the late eighteenth century and The Turk's audience naturally suspected that a man, or perhaps a child prodigy, was concealed in the contraption. When confronted with such natural scepticism, the gifted inventor, Baron von Kempelen, would open the front of the cabinet to reveal a mass of cogs and levers. He would repeat the process at the back and hold up a lighted candle so that the audience could see right through the machinery. A door in the back of the human figure would also be opened, revealing still more machinery. The only conclusion left to the spectators was that the machine was genuine or, like the reaction which computers elicit from so many people today, that it was all done by magic. But of course the cabinet had been constructed in such a way that a man could be hidden inside it. The machine's various owners, including Johan Maelzel, better known as purveyor of ear trumpets to Beethoven, took care to employ some of the strongest (and smallest!) chess players of the day and The Turk was rarely defeated.

Other chess automata followed, most of them straight copies of The Turk, until the first genuine chess playing machine appeared at the turn of the nineteenth and twentieth centuries. This apparatus was rather limited and could play only with king and rook against king, a mere three pieces out of the full complement of 32. But this ingenious invention of Torres y Quevedo, head of the Laboratorio de Automatica in Madrid, naturally excited great interest when exhibited in Spain and France in the early years of this century. This fascinating precursor of today's computer chess machines can be seen in the museum at the Polytechnic in Madrid.



"Now let me see you shake hands!"

There followed Zuse, Shannon et al. To avoid unnecessary duplication, I refer you, for the early development of computer chess, to my article in the July issue of PCW.

The last decade

The image of chess among the general public has changed. Once it used to be regarded as a slow-moving game, played by grey-bearded men at cobweb-covered tables. However, photographs, news reports and TV programmes showing top players in track-suits doing weighttraining to build up their stamina, big money prizes and the advent of computer chess machines have changed all that. The cognoscenti have always known, that chess, despite its deceptive outward appearance, is a game of great tension and enormous speed. The Germans call it a Denksport (thinking sport) and it's rapidly coming to be regarded as just that by more and more people around the world!

To master chess completely is an exceptionally difficult task and only a handful of humans have ever gained such proficiency. As programming skills improve and programs get closer to the goal of joining that select band of chess players who can claim such a degree of mastery, so the world gets nearer to the point of being able to use computer power to solve other, more pressing, problems — such long-range planning and, perhaps, the creation of real artificial intelligence.

The first World Microcomputer Chess Championship this month ushers in a new decade that follows ten years of often frantic progress in the field of computer chess.

The very first chess tournament for computer programs was held in New York in 1970 as part of the annual conference of the Association for Computing Machinery. Then six programs took part, all but one of them clearly playing weaker chess than virtually any of the 20 or so chess machines that have come on the market in the last three years. The following year, 1971, saw the second machine versus machine event in Chicago. At that time there was a new product on the market, made by Intel, called a 4004 — the first of the microprocessors.

Improved microprocessors followed and more and better mainframe computers and chess programs. The last two years of the decade opened with the very first chess tournament for micros. These little babies then promptly went on to compete against (and sometimes beat) their big elder brothers, - machines which used chess programs 20 or 30 times the size. One of the programs expected to play in the 3rd World Computer Championship later this month in Linz, Austria, uses no less than two megabytes of RAM. Despite the ever-increasing capacity of micros and the steadily falling cost of them, that kind of memory space will remain out of the reach of all but the most affluent of micro programmers for some time to come. Therefore, they have to make up for the deficiency in memory by finding superior evaluation functions (for an outline of evaluation functions and their use see 'Computer Games' — the series by David Levy that's currently running in this magazine).

Here, an analogy with the development of top-flight human chess skill is not inappropriate — I have yet to hear of any candidate for the world championship undergoing brain surgery to have more neurons inserted! The human way is a two-part process. First any aspiring player must learn to calculate as accurately and as quickly as possible. The second more important and more difficult task is, having once acquired a primitive evaluation function, to refine it to the stage where it will give an accurate assessment of any position which may arise either on the chess board itself, or in the course of his analysis from that position.

The evaluation function is also the most important and most difficult part of any chess program. However, it's one where the micro programmer is at little or no disadvantage to the mainframe machine player with almost unlimited memory space to play with. Several programs now have evaluation functions which permit them to play quite good chess, using a total memory space of only 8–12k. Although it's impossible to define any theoretical requirements, it seems unlikely that more than 64k should be required to produce, if not a world champion, at least a machine of world-class playing ability. Perhaps one cr more of the competitors in the World Microcomputer Championship will have cracked some, if not all, of the problems associated with producing such an evaluation function. We'll soon see.



Ideas and recognition

Greater availability of computing power, more people writing chess programs, greater cross-fertilisation of ideas — all these things can only speed the appearance of a really top-class program.

If you have any good ideas about how to improve chess programs, drop me a line, or come and discuss them at the show. I'll be able to spread the glad tidings to those who are chasing after the \$50,000 offered by the Dutch software house of Volmac for a program to beat the 79-year-old former world champion Dr Max Euwe, and the \$100,000 Fredkin Foundation prize to the first program to gain the title of World Chess Champion

It's only to be expected that these tempting cash prizes will lead to inc-reased effort on the part of programmers. They may also have an even more important benefit – that of increasing the already considerable prestige attached to computer chess. Recognition is probably a prerequisite of prestige and it's therefore especially important that the World Chess Federation (FIDE) has this year recognised and granted its auspices to the two most important computer chess competitions: the World Com-puter Championship and the World Microcomputer Championship. As 'real' chess players continue to take a greater and greater interest in computer chess we can expect two benefits to accrue: top-class players will become increasingly available for consultation -- which should help programmers to increase greatly the sophistication of their evaluation functions — and the wider recog-nition, implying greater prestige, should help to increase still further the cash incentives being offered to anyone who can make a breakthrough in the field.



Boos and giggles not out of place in normally silent game

Thus ran the headline to a recent magazine article about a chess game in which costumed actors took the place of wooden chessmen.

At most chess tournaments silence is the rule because the players have to concentrate. Obviously no amount of talking, giggling or even cat-calling is likely to disturb the players if they are all machines. That is one of the best things about a computer chess tournament — everyone is free to chat, laugh and generally enjoy themselves.

laugh and generally enjoy themselves. Come along to the tournament on Thursday, Friday and Saturday. It will be fun. You can delight in the anguished looks on the faces of the programmers whose programs stumble into disastrous errors. You may chuckle at any machine failures, although this is not recommended procedure if you happen to be in the immediate vicinity of the aggrieved owner. Chess is a game to enjoy and you will be able to revel in it at the first World Microcomputer Chess Championship.



W. GLINDON, Printer, RUPERT STREET, Haymarket,

S100 HARDWARE

K 20001 N 450ns static RAM Board 241.13 K 20002 N 300ns static RAM Board K 20003 N 200ns static RAM Board 269.50 275.00 K 20004 N 2200 Mainframe 295.00 K 20005 N Wire Wrap Board 30.00 K 20006 N Solder Tail Board 30.00 K 20007 N Extender Board 30.00 K 20008 N 8080 CPU Assembled 180.00 K 20009 N Z-80 CPU Assembled 220.00 K 20010 N Memory Mapped Video Interfa 160.00 K 20011 N I/O Mapped Video Interface 180.00 K 20012 N 80 x 24 Video Interface (2MHz) 295.00 K 20013 N 80 x 24 Video Interface (4MHz) 330.00 K 20014 N 80 x 51 Upgrade (2MHz) K 20015 N 80 x 51 Upgrade (2MHz) 70.00 110.00 K 20016 N Parallel I/O Interface K 20017 N 2P + 2S I/O Interface 175.00 K 20018 N Music Synthesiser (4) 220.00 K 20019 N Prototyping Board K 20023 N 2708/2716 EPROM Program 65.00 ner 180.00 K 20024 N 4K 1702 EPROM Board 110.00 K 20025 N 16K 2708 EPROM Board 130.00 K 20026 N Active Terminator 55.00 20027 N 15 Slot Motherboard 140.00 K 20028 N Extender Board 30.00 APPLE HARDWARE K 11502 A Sony Colour TV. S/colour K 21001 A ROM/PROM Board 349.00

K 21002 A Programmable Timer

K 21006 A Solder Tail Board

K 21005 A Wire Wrap

K 21003 A BCD Analogue to Digital

20.00

K 21009 A Asynchronous serial card K 21010 A Synchronous serial card 130.00 K 21011 A P.i.a. K 21012 A Arithmetic Processor 110.00 280.00 K 21013 A Lower Case Adaptor 55.00 K 21014 A Apple Serial/Parallel Interface 130.00 NORTH STAR SOFTWARE K 02001 0 Word Star K 02002 0 Wordmaster 255.00 K 02003 0 Supersort I 125.00 K 02004 O Supersort II 105.00 K 02005 O Supersort III K 02006 O Whatsit? (N. Star) K 02007 0 Whatsit? (CP/M) 125.00 K 02008 0 CP/M PET SOFTWARE K 03001 0 6502 Assembler K 03002 0 Microchess K 03004 0 Gammon Gamble K 03005 O Time Trek K 03006 0 Graphics Pak K 03007 0 Stimulating Simulations K 03008 0 Bridge Partner PRINTERS K 01030 P Anadex DP 8000 575.00 K 1083 P Qume 45 RO 2280.00 65.00 APPLE BUSINESS SOFTWARE 130.00 K 01137 B Visi Calc K 01176 B Desktop Plan 120.00 20.00 K 01182 B CCA Data Management

K 21007 A Extende

K 21008 A Etch Board

20.00

20.00

130.00

75.00

75.00 95.00

95.00

20.00

15.00

15.00

15.00

15.00

15.00

95.00

95.00

95.00

Now the sky's the lim

Keenstar. A great new range of exciting products that will enable you to exploit your micro to the maximum. Our reputation as one of the country's leading microcomputer consultants and supplier of leading brands is enhanced still further by this latest addition to our extensive range of micros, peripherals, software and services.

Micros such as Apple, Pet, North Star Horizon and Sharp. Fast and reliable printers from Annadex and Quom. Bespoke and packaged software. And a level of service second to none. From single applications to expandable systems. From full

system design through installation, commissioning and staff training to outstanding after-sales-service.

Send off for the new Keenstar catalogue and you will see over 200 interface boards, special applications software and associated products. All designed to let you take the lid off computing. Why go elsewhere when you'll find all you need to build your microsystem under one roof. It's a roof to us, but with the advent of Keenstar there's no ceiling to your system! While you're waiting for your catalogue just browse through the tiny fraction of what is available listed below. Now that Keenstar's arrived you can really let your imagination loose.

K 01186 B Easy K K 01885 B Easy K		99.00 95.00 180.00	5b the Poultry, Nottingham NG1 2HW tel: 0602 583254
	Whiter i to	100.00	telex: 37297 (keenco)
TERMINALS			
K 11711 T Cifer	(Wordstar terminal)	1150.00	28 Lower Addiscombe Road
APPLE SOFTWA	RF		Croydon CR0 6AA
	Pip (disc Doctor-Apple)	95.00	tel: 01-680 4646
K 01138 S Micro	chess	15.00	
K 01138 S Warlo		7.00	Re Contraction of the Contractio
K 01139 S Bridg		15.00	CPA
K 01178 S Check		15.00	A A
K01179S Gamr		15.00	TAMERS 15
K 01180 S Bridg		15.00 10.00	
K 01181 S Stimu K 01184 S Apple	lating Simulations	20.00	Keen Computery
Please r	ush me the n	ow Ko	enstar catalogue.
	usin me the m	ew ne	chistar catalogue.
Name_			
Name Position			
Name Position Organis	ation		
Name Position	ation		
Name Position Organis	ation		
Name Position Organis	ation		



Introduction


The Hi-tech VDU board is a memorymapped device which generates a colour display when used with a colour TV or monitor. Since it's teletext compatible it produces 24 rows of 40 characters and has a limited graphics capability. It's designed for use in S100 systems and is available in three versions giving the choice of UHF, video or RGB outputs. This Checkout describes the UHF version, although most of the comments made will apply equally to the other two.

Hardware

All the circuitry is socketed and mounted on a single fibreglass PCB. It appears to have been carefully designed with no sign of the bodges that are to be seen on some circuit boards. Figure 1 is a block diagram of the circuit's functions.

To the processor the VDU board appears as a chunk of RAM plus an output port. As the display shows 24x40 characters, you might expect the board to occupy the best part of a 1k block of memory — if you did, wrong again! For 'historical reasons' (that's the history of teletext) it takes up 2k, the difference being made up of 24 unused locations at the end of each screen row, plus a further 512 after the bottom row. Figure 2 makes this arrangement clearer. Apart from the 'wasted' kilobyte of memory space, the non-contiguous mapping used means the driver software must be more complicated to achieve a given result.

DIL switches are provided to locate the board on any 2k boundary in the processor's address space, a much neater method than soldered jumpers. The same method is used to select the output port, which is used to control the mode of output to the TV; the red, green and blue outputs may be independently inhibited or the display may be switched to double height, with either the top or bottom 12 lines being shown, or in single height mode it's possible to display background colours



Hi-tech's S100 colour VDU board in front of the display it produces.




Fig 1 Block Diagram

COPYRIGHT SEPTEMBER 1979

only.

Since switching between these modes is instantaneous, the way is clear for a wide range of displays. For instance, in double height mode, alternative frames of an animated display could be written into the two halves of the screen, with a crisp switch from one frame to the next.

The display uses the ISO-7 character set, which is basically ASCII with a few modifications, such as the provision of a £ symbol and the fractions $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$. In graphics mode there are 64 symbols on a 2 by 3 grid. This makes it possible to plot to a resolution of 78 by 72 – not 80 by 72, as one character position will be occupied by the 'hold graphics' control character. This is probably the greatest limitation of the teletext format: each mode change, such as specifying a new colour or flashing characters, takes up a character position and is only effective for that line. Take a look at a Prestel frame and you'll see what I mean.

The number of available symbols is further enhanced by the choice of continuous or separated graphics. The former is the normal state, where the graphic character with all six cells 'on' occupies the whole character space. The alternative mode slightly shrinks each cell, revealing some of the background (Fig 3).

(Fig 3). The colour VDU board gives a pleasant display on the TV screen. As you may know, a TV picture is split into two fields, the even numbered lines in one, and the odds in the other. Most displays feed the same information to both fields, halving the effective resolution. The Hi-tech board differs by producing an interlaced signal, which results in smoother, clearer characteristics. My subjective impression is of characters which are somehow denser than normal.

The colours available (foreground and background, alphanumeric or graphic) are red, green, blue, magenta, cyan and white. Black is the default

HI-TECH ELECTRONICS

background colour, and by setting the output port correctly it is possible to obtain black characters on a limited number of background colours. In case that's not enough for you, there's more to come. As ISO-7 is a seven-bit code, and the display uses eight-bit memory there is a spare bit. Hi-tech have used this to provide an alternative colour set on a character-by-character basis. If the most significant bit of a character is set, the colours become brown, lime, lemon, navy, purple, aquamarine, and white respectively. Apart from the general usefulness of extra colours, this additional set allows two adjacent characters to be in different colours. Admittedly this only allows one alternative colour, but that's often preferable to a blank space on the screen where a control character is used.

over 215,000 combinations of symbol, colour, size and 'flashiness'. If you are still unsatisifed, I give up!


Software

CONTROL

Listings are provided of four Basic programs which exercise the board in various ways. For example, one displays horizontal bars in randomly selected colours. A 'proper' VDU driver (DRIV 6.7 is supplied; this sets the VDU board as the main console output device and offers most of the features of a conventional VDU — including erase page, cursor up, down, left, and right, and scroll or page mode.

The hex listing of DRIV 6.7 is of limited usefulnesss as it's been assembled for use with the Exidy Sorcerer, but other versions are available for the North Star Horizon and the Vector MZ. The availability

All in all, I calculate that there are



of the source code on CP/M disk caters for other machines.

Since our board was purchased for use as an auxilliary output device for a North Star Horizon, I wrote a driver routine which was compatible with CP/M Fortran (currently the most frequently used language on the machine). The basic function of any such driver is to keep track of the memory location corresponding to the current screen position, and then stuff the ISO-7 code of the next character into that location. Of course, it's not quite that simple — certain control characters need special handling (e.g. carriage return), and many of these characters are needed to control the mode of display. It's probably best to follow the example of DRIV 6.7 and prefix control characters that must be passed to the board with ESCAPE.

be passed to the board with ESCAPE. You'll certainly need some kind of driver, as the alternative is to POKE everything into place, which is not very elegant, and leads to confusion. If you plan to make extensive use of the graphics characters, it would make life very much easier if you wrote a driver which would plot points on 'graphics' coordinates, and perhaps draw the best line between two specified points. If you do, why not share it with the rest of us? (I plan to offer my Fortran driver to the UK CP/M Users' Group.)


CP/M Users' Group.) Hi-tech also sells a program which facilitates the use of a computer fitted with one of its VDU boards as an inhouse viewdata system. This allows the storage of 170 frames, complete with routing information, on a single North Star diskette. If a suitable modem is available, Prestel pages may be captured, stored and edited locally for future use. The system may also be used as an editing terminal for information providers.

Documentation


A 32-page manual is supplied with the device. Installation is one of the first topics covered — very sensible, as few of us have the patience to wade through reams of paper having received a new toy! The booklet then goes on to explain some of the theory behind the workings of the device, and how to adjust the TV and the board for optimum performance — although our board needed no adjustment.

Appendices include tables of the character set and details of the control character set and details of the control characters, decimal/hex/binary conversion, the S100 pin definition and

Figure 3



This diagram shows the same graphics character in (a) contiguous, and (b) separated modes.



Use of the spare bit generates these non-standard colours.

explanation and listing of DRIV 6.7.

The presentation of the manual is adequate, being the usual 'duplicated typescript plus comb binder'. This is better than using staples — here at least the manual lies flat when opened — but cardboard covers would have made it more durable. Still, these things cost money, and the price is already high enough. What's important is that the manual is organised in a sensible way and contains all the information you're likely to need (except for the source code of DRIV 6.7 which is available on request.)


Conclusions

The Hi-tech colour VDU board works well if you are prepared to accept the limitations of the teletext format. I've seen the video output version connected to a Barco colour monitor, and the result was absolutely beautiful. The TV version, though naturally less spectacular, is capable of giving good results when the set is correctly adjusted. The availability of viewdata software is a strong selling point. My main reservation is the $\pounds 295 + VAT$ price. There seem to be few functional differences between this product and the Acorn VDU board (for instance they both use the SAA 5050 character generator), yet the latter is less than half the price of Hi-tech's offering. I must admit that I've not seen the Acorn in action so perhaps this comparison is slightly unfair. In any case the 'overhead' of the S100 system must be considered (size of PCB, the voltage regulators, etc).

If you own an S100 system and want colour output, then apart from using an expensive colour terminal you have a choice between the Hi-tech VDU and the Cromemco Dazzler (which is also cheaper than the Hi-tech board, but I have heard conflicting reports as to its suitability for use with PAL TV sets). The big advantages of Hi-tech's product are that it may be used in conjunction with an in-house viewdata system software; it will be compatible with the Hi-tech Teletext Aquisition Unit (currently under development); and that it's made in Britain.

DATALUG IPI ITERS





Micropay-200 is a complete payroll System designed to run on a COM-MODORE 32K PET microcomputer, interfaced to dual floppy disk drives and a printer.

The System provides:

- Weekly/monthly payslips 2. Summary page of all payments and deductions that month
- 3. Summary page of all payments and deductions for the tax year to date
- 4 Weekly/monthly cash analysis slip for all cash payments made
- 5. Monthly summary of all payments and deductions
- Year end summary of all payments and deductions

The System copes with:

- 1. Up to 200 current employees, plus end of the year details of up to a further 400 ex-employees who have left during the
- 2. Suffix L,H,P,V and T cumulative and Week 1 Codes Prefix D and prefix F, BR and NT codes
- 3.
- All necessary alterations concerned with changes in income tax rates, band widths 4. and personal allowances

- 5. National Insurance Contributions at rates A, B and C for contracted out employees and at rates D and E for noncontracted out employees
- 6. All necessary alterations concerned with changes in N.I. contribution rates and earnings limits
- 7. Up to 5 user-definable wage rates for each employee, plus the normal hourly rate
- 8. Holiday pay including a check on the amount of holiday taken in the year
- 9 Up to a total of 5 user-definable additions/additions/deductions to the before/after tax pay
- 10. Changing an employee from one N.I. rate to another and backdating such a change
- 11. Job costing and analysis

For Full Specification write to:-Intex Datalog Limited, Department PCW-0980, Eaglescliffe Industrial Estate, Eaglescliffe. Cleveland, TS16 0PN.

> THE GROUP WITH A WEALTH OF HARDWARE AND SOFTWARE EXPERIENCE IN THE COMPUTER

Telephone Eaglescliffe (0642) 781193 Telex: 58252

INDUSTRY

PERBRAIN from SU

NOW WITH

TWO QUAD DENSITY FLOPPIES (788K)

OR TWO DOUBLE DENSITY FLOPPIES (320K

TWIN Z80A MICROPROCESSORS

64K RAM

- **CP/M OPERATING SYSTEM**
- M BASIC FORTRAN PASCAL COBOL
- UP TO 90 MBYTE HARD DISK OPTION
- WORDSTAR WITH MAILING CAPABILITY

INTEGRATED BUSINESS PACKAGES

REMEMBER, as major distributors we provide our dealers with:

"NO QUIBBLE" WARRANTY FULL SUPPORT SERVICE **COMPEITITIVE MAINTENANCE AGREEMENTS** IN HOUSE SOFTWARE DIVISION DEALER ENQUIRIES WELCOME

SUN COMPUTING SERVICES LTD

Write or phone for the name and address of your nearest dealer: 138 Chalmers Way, North Feltham Trading Estate, Feltham, Middlesex. Tel: 01-751 6695 Telex 8954428 SUNCOMG

SUPERBRAIN is a registered trade mark of Intertec Data Systems.

Can your business, research project or teaching laboratory be made more efficient? Yes. Today's users demand complete, high performance micro computer systems. Expandable to meet future needs and with software capable of immediate application.

application. The North Star Horizon is the answer. A cleverly balanced configuration: Z80A processor with 12 slot S100 chassis, one parallel and two serial interface ports. Now with double or quad capacity too.

with double or quad capacity too. The compact design gives you value for money and economy of space. The Horizon will not break your bank or your desk top. Quick delivery and nationwide service are

Quick delivery and nationwide service are only part of the attraction. Add to this the wealth of software available, including the well known CP/M, and you can see why the Horizon has already sold in thousands.

The reason for its success is simple. The North Star Horizon reflects your needs.



For technical specification and details of your nearest dealer contact Britain's leading North Star Supplier.



PO Box 2, St. Neots, Cambridgeshire. Tel: (0480) 215005. Telex: 32514. COMART G.

North Star Horizon reflects a new age in computing

Unique in concept—the home computer that grows as you do! The Acorn Ate

Special features include ***** FULL SIZED **KEYBOARD *** ASSEMBLER AND BASIC *** TOP QUALITY MOULDED CASE *** HIGH RESOLUTION COLOUR **GRAPHICS***




 The picture shows mixed graphics and characters in three colours

The Acorn Atom is a definitive personal computer. Simple to build, simple to operate. A powerful, full facility computer with all the features you would expect.

* optional

Just connect the assembled computer to any domestic TV and power source and you are ready to begin. (Power requirement: 8V at 800mA). There is an ATOM power unit available
Full-sized QWERTY keyboard
6502 see the coupon below.



FREE MANUAL

manual. The first section explains and teaches you BASIC, the language that most personal computers and the ATOM operate in. The instructions are simple and learning quickly becomes a pleasure. You'll soon be writing your own programs. The second section is a reference

manual giving a full description of the ATOM's facilities and how to use them. Both sections are The ATOM has been designed to grow with you. fully illustrated with example programs.

The standard ATOM includes: HARDWARE

Microprocessor
 Rugged injection-moulded case • 2K RAM • 8K HYPER-ROM

23 integrated circuits and sockets Audio cassette interface O UHF TV output Full assembly instructions SOFTWARE

■ 32-bit arithmetic (±2,000,000,000)● High speed execution • 43 standard/extended BASIC commands • Variable length strings (up to 256 characters) String manipulation functions • 27 x 32 bit integer variables FREE MANUAL • 27 additional arrays • Random number Free with every ATOM, kit or built, is a computer function • PUT and GET byte • WAIT command for timing OD-UNTIL construction

Logical operators (AND, OR, EX-OR)
Link to machine - code routines PLOT commands, DRAW and MOVE

The ATOM modular concept

As you build confidence and knowledge you can add more components. For instance the next stage might be to increase the ROM and RAM on the basic ATOM from 8K + 2K to 12K + 12K respectively. This will give you a direct printer drive, floating point mathematics, scientific and trigonometric functions, high resolution graphics.

From there you can expand indefinitely. Acorn have produced an enormous range of compatible PCB's which can be added to your original computer. For instance:


A module to give red, green and blue colour signals - Teletext VDU card (for Prestel and Ceefax information) - An in-board connector for a communications loop interface - any number of ATOMs may be linked to each other or to a master system with mass storage/hard

copy facility . Floppy disk controller card. For details of these and other additions write to the address below.

ICORN COMPUTER 4a Market Hill, CAMBRIDGE CB2 3NJ

Your ACORN ATOM may qualify as a business expense. To order complete the coupon below and post to Acorn Computer for delivery within 28 days Return as received within 14 days for full money refund if not completely satisfied. All components are guaranteed with full service/repair facility available.

Please s	end me the follow	ing items:			To: Acorn Computer Ltd., 4a Market Hill, CAMBRIDGE CB2 3NJ
Quantity	(1997) 1997)	tem	Item price inc. VAT+p&p	TOTALS	I enclose cheque/postal order for £
	ATOM KIT - 8K ROM ·	+ 2K RAM (MIN)	@ £140.00	Sec.	Please debit my Access/Barclaycard No.
	ATOM ASSEMBLED-8	KROM+2KRAM (MIN)	@ £174.50	a la la	
	ATOM KIT - 12K ROM	+12K RAM (MAX)	@ £255.00		Signature
	ATOM ASSEMBLED-12	KROM+12KRAM (MAX)	@ £289.50	S	News
	1K RAM SETS 4K FLOATING POINT ROM (inc in 12K Version)	@ £11.22	and the second	Name (Please print)	
1.1.1.1		@ £23.30		Address	
	PRINTER DRIVE	6522 VIA	@ £10.35	a starter	
	(inc in 12K version)	LS244 Buffer	@ £3.17		
	MAINS POWER SUPPLY (1.3 amps)		@ £10.20		Telephone No.
			TOTAL	13.103.1	Registered No: 1403810. VAT No: 215 400 220 PCW/9/80



S S OFS

Lyn Antill presents this country's first serious attempt to enable prospective computer users and micro specialists to bridge the gulf of misunderstanding that undoubtedly exists between then. The aim of this series is to enable users to analyse their own problems so that both sides are able to work constructively together towards successful system implementations.

PART 1: IN THE BEGINNING

Whether or not you find the following series of articles relevant will depend primarily on why you are interested in micros. The pure hobbyist who just wants to try things out on the machine, or the electronics wizard whose delight is in soldering bits of equipment together, may feel it covers an area too far removed from their own. They may reason, in particular, that systems analysis is work, not pleasure, and would not be moved by any tale I might tell them about the intellectual satisfaction to be derived from designing and implementing a system that actually does something that needs to be done. They probably haven't read beyond the title anyway!

At the other end of the spectrum the hobbyist there's the from person using the micro because he has to. He might find it a chore - or even a nightmare - but he has a problem which can only be solved with the aid

of a micro; he must therefore come to terms with the machine. For such a reader, the series should act as a guide through the stages of implementation of a computer system - from the definition of the problem in the first place to the monitoring of the working solution.

Most readers of the magazine would probably place themselves somewhere in the middle ground, using a micro for both profit and pleasure. They will, I hope, find some things of interest and use to them in the series. Teachers and students should note that, although I shall not be covering an entire conventional systems analysis syllabus because not all is appropriate to micros nevertheless I shall be taking in a very good part of it.

I'm using the term 'Systems Analysis' in its broadest sense, to cover the whole area of activity between the user on the one side and the manufacturer, salesman and programmer on the other. (Sometimes the title is restricted to the investigation of the needs of the user, excluding the aspects of systems design and implementation.) The main areas to be covered are:

Definition of the user's requirements The design of a computerised solution Selection of hardware and program packages

Getting someone to write programs for you Testing a system

Getting a system running

Maintenance of a system

As the series is aimed at the user with little knowledge of computers, I have tried to avoid jargon. However, after many years of dealing with users in other professions and trades it has become clear to me that we are all aware of other people's jargon, though seldom of our own. . . and that there is no such thing as plain English. Not that I think Jurgon is a whony bad thing, for it represents a useful form of shorthand. It's just that technical terms in computing are notoriously elastic as to precise meanings (not least because manufacturers find it easier to come up with new terms rather than new products). The worst misunderstandings often occur when you *think* you understand, simply because you are using the same term with a different connotation.

No systems analyst worth his salt ever embarks on a systems design without asking the question "WHY?" several times over — "Why use a computer?" "Why write this program?" etc. Therefore I start off by asking "Why systems analysis?".

Many of my programmer friends assure me that "It's all common sense" and apart from the standard (and perhaps cynical) riposte that common sense isn't all that common, my retort would be to look at a few situations where people have dived in at the deep end (either by going straight out and buying machines, or by writing programs) and then see where this approach has led them.

I start with the true saga of Mr Bloggs' Garage, for it illustrates very well the difference of approach required when purchasing a computer as against any other similarly priced gadget. Mr Bloggs had a stock control problem which will be dismally familiar to most shopkeepers, and he made the very reasonable (and I imagine correct) decision that the stock control could be combined with the accounting, and the whole thing handled most efficiently with the aid of a micro. Indeed, it's quite likely that a successful solution could have been implemented on the very machine he bought. Sadly this was not to be. Here is a letter that Mr Bloggs wrote to PCW recently; all I've changed is the names — to protect the innocent:

As a motor accessory retailer we first considered the idea of using a computer to control our stock two years ago. This was because we had approximately three thousand different lines, many of which were stocked as one-off items. We thought that if we introduced the computer whilst having only the one outlet, by the time we expanded the system would be streamlined.

Our stock control system was rather irregular in that it required each item to be noted down at the point of sale. Needless to say, we didn't always have time to make a note of the item sold thus the item would be permanently out of stock. With stock such as oil filters it required two or three hours work comparing actual quantities against an ideal stock level book, the differences being the order for the following day. Stock orders were done this way twice weekly. We hoped that by using a computer we could cut out a great deal of this type of laborious work.

The original concept was to code all the stock in the shop. At the point of sale the assistant would key into the cash register the item code and the price. Then when a stock order was needed the item code and price would be fed into the computer from the audit roll. The computer would then analyse the information and produce an order sheet for each supplier. These could then be despatched by post or taken to the cash and carry. As goods were received they would be entered into the computer to keep quantities in stock up to date. At the same time the cost price of the goods would be keyed in if different from that held in the record. The computer would automatically calculate the new retail and trade price, producing a list of all such amendments. Meanwhile stocks would be sold at the last price until the amendment sheet arrived.

With these ideas in mind we purchased a TRS-80 Level I. We were told that the Tandy would do everything we wanted of it but that we would need to purchase additional equipment at a further cost of approximately one thousand pounds. If we found that the Tandy was incapable of doing what we required we could return it up to a period of three months. We were lead to believe that by using the instruction manual we would be able to program the computer ourselves within the same period.

"...when tested, the program failed to work."

Eight weeks later we were still only half way through the manual when we realised that we wouldn't be able to write the program ourselves. Hence we contacted a chap who wanted to write programs for the Tandy machine. He had not yet bought his own computer so we purchased the rest of the equipment costing approximately three thousand pounds. After several weeks the programmer

After several weeks the programmer said that he had finished but, when tested, the program failed to work. After repeated attempts to correct the faults and many weeks later we were still no nearer to having the system installed. We took a copy to Tandy to ask them if it would ever work. They said that in trying to correct the faults further errors were being created and that it would be best for us if we found someone who was more familiar with the TRS-80.

We then contacted a software house which dealt specifically with the Tandy but they were unable to help us as they were busy for several months. They put us in touch with a gentleman who agreed to write the program for us with a few modifications. Instead of using a conventional cash register and then having to enter the information manually into the computer from the audit roll, he suggested we use the computer in the first instance. Thus the information would be stored on a disk until run against the main program which would analyse the data and clear the disk at the same time.

He then wrote a program which kept track of sales. Each sale would be registered under an operator key, a V.A.T. category, and whether it was a cash or cheque sale. Refunds were to be dealt with in the same way but amount would be deducted off the corresponding V.A.T. category. The program allowed us to keep records of deposits, surcharges and monies paid out of the cash register. At the end of the day an X total or Z total could be used to cash up and a new disk would be inserted for the next day. The disk would store all the information so, when fed through the master program, would produce stock orders etc. This first part of the system worked very well when installed.

We found after an extensive period of use that the staff were unhappy with the system. The main reason for this was that the computer could absorb information much faster than the operator could key it in. Speed is essential when serving customers especially on our busiest days when customers are not prepared to wait. The staff found that they were having to concentrate more on what they were keying into the computer than on the parts they were supplying. Instead of speeding up the process at the point of sale the computer was causing confusion. This was especially noticeable when a deposit or surcharge was being taken as it required details to be keyed in as opposed to a code number. This had been designed to prevent having to write out the details on paper and then register it in the till as we had previously been compelled to do. Basically, instead of simpli-fying our procedures it made them overcomplicated. This, combined with a cash flow problem, decided us on selling what we considered to be our only expendable asset. Now all experimentation with computers has ceased we cannot say whether or not the system as a whole would have worked being as we never had chance to test the stock control side of the system. We have, however, come to the conclusion that using the computer in the manner as described above is far too complicated for our needs and that the conventional cash register that we have purchased operates at a much faster rate and has

proved to be reliable and efficient. So what went wrong? There's no reason to suppose that Mr Bloggs was unintelligent. . . he simply had no way of knowing quite what was involved.

Microcomputers come in a price range comparable to that of domestic appliances or family cars; unfortunately, although I don't need to do much more than look at my bank balance and the sort of motoring I do to make a reasonable car purchase, I can't make a reasonable computer purchase in the same way.

Part of the reason is that I'm not really all that ignorant about cars - I see them going past me every day, I've driven thousands of miles in them, and I'm bombarded with advertisements and press and TV articles concerning their vices and virtues. Another part of the answer is that I know how to use a car - I've had more lessons than I care to count, and learnt from my husband's criticisms and my own observations of my performance. The final part of the answer is that cars all perform the same function (i.e. they get you from one place to another) the only difference between them being such variables as the speed at which they get you there, the amount of luggage they permit you to take with you, the likelihood of your breaking down en route. . . or the envy they provoke in your neighbours. When you buy a car, you are only really choosing between the attributes of the various models. The same applies to they all have fixed functions. A computer, on the other hand, offers a totally new experience in that you are also able to choose the *functions* that it is to perform.

So the first difficulty that confronts the potential user is that of defining exactly the function(s) the micro is to perform. The second hurdle is that of communicating these requirements to the salesman who supplies the hardware (the machinery), or the programmer who provides the software (the machine's instructions). Already therefore we have two distinct stages in the systems analysis — deciding what is to be done, and specifying it in a way that other people can follow.

Was Mr Bloggs deliberately misled by the salesman into believing that he would be able to write his own programs after studying the manual? or was he over-confident of his abilities and under-appreciative of the problems that lay ahead? Just as there are people who regularly spend time doing their own car servicing, on the other hand, most of us lack the skill or experience or time or interest and simply take our cars to the garage. We pay more, and are never quite sure how well the work has been done. . . but we learn to live with the situation.

It's a useful analogy, for the level of skill required to get a micro to perform a specific function is broadly comparable to that required for servicing a car. Some car jobs are more complex than others — as are some programs. A person lacking in experience can only find out by trial and error whether the problem he's trying to solve is simple or complex. He'll know it's complex when he fails to solve it! Had the programs Mr Bloggs required turned out to be simple ones, he might well have succeeded in programming them himself. . . as he might also have done if he had had the time and interest to play around with the machine before getting down to business.

There are plenty of horror stories about 'cowboys' in the motor trade, and micro programming must also have its fair share. But the best programmer in the world will still be unable to present you with good working programs that do what's needed, if you have failed to give him a sound specification of the functions you want the computer to perform.

This is why in any large computer installation there are two types of people (other than the user) involved in the creation of any computer system: the analysts who find out — and specify — what the system must do, and the programmers who work out how it can be done in terms of computer programs. Of course, it's not as clear cut as that, and in fact there's a large grey area in-between the two jobs. Indeed there's a continuous translation between the user, the analyst and the programmer, the number of people involved depending upon the complexity of the work. With a microcomputer system, there's usually only the user and the programmer. The analyst/designer function must be shared between them.

Now, the chances are the average user has no real idea what is involved in systems analysis, and he is tempted to rely on the technical expertise of the

I. IIVUIUI many of the people who write programs for micros have little real knowledge of systems analysis either — perhaps because they are youngsters only just starting out, perhaps because their primary interest is in the machine rather than its uses. Formal training in systems analysis is harder to come by than training in programming and many lower level courses gloss over it or worse, leave it out altogether. It's also certain that, at best, programmers will have only two years experience of the machine they are programming. . . that's about how long these machines have been around. Some programmers will have had previous experience of other small machines, some will have 'come down' from big machines.

I shall have more to say in a later article about how to recognise a good programmer when you see one, or even a good analyst/programmer. At this stage though, I simply want to point out that just because someone knows more about micros than you do, don't automatically believe that he's going to be able to design you a satisfactory computer system. It's something you'll have to work at together.

My own early experiences as a programmer are probably typical: after taking an Arts degree, I joined Burroughs as a trainee programmer, took a one week course on the language, wrote a couple of programs to someone else's specification – and was then sent along to my first customer! I quickly realised that I didn't understand any of the names of the jobs I was required to do, let alone what they entailed. Fortunately, I had the presence of mind to ask for a practical demon-stration of the work – before being written-off as a complete idiot. We started all over again, the customer going through all the stages, and me turning them into program instruc-tions. Had my boss not picked an easy job for me to begin on, or had I tried to bluff an understanding of general ledgers, or had the user been less patient and careful in his explanations, that program would never have got off the ground.

"...the average user has no real idea what is involved in systems analysis."

It's conventional to start teaching the subject of systems analysis with an overview of the various stages in the implementation of a computer system — feasibility study, analysis, design, purchase of equipment, programming, testing, changeover and maintenance. This is basically the path the series will be following. The general approach remains the same whether you are dealing with a PET or an IBM 370. The differences lie in the relative complexity caused by the number of jobs and people involved (and the communication problem that may ensue) and the degree of specialisation called for. Systems analysis on a micro can be much less formal than on a main-

I would like to complete this introduction by covering one of the stages in an implementation which is frequently skipped over by teachers and practitioners alike. . . one I call 'terms of reference'. A large company with its own DP department will be quite careful, when setting up major projects, to spell out in advance what jobs are to be computerised, and how much they are willing to spend. Unfortunately, as Mr Bloggs found out, it's easy to approach a problem with a strong idea that 'it ought to be computerised', without really knowing what 'it' is, or how much money is available.

To illustrate, another true story, or at least the gist of it, as told to me by the analyst concerned. A small business, I'll call it Smiths, had just been taken over by a larger firm who were very enthusiastic about computers. They saw that Smiths' books were in a bit of a muddle, and decided that the remedy would be a particular ledger posting package; Smiths' only book-keeper was therefore sent on a training course. As a concession, the parent company sent in an analyst to help them through the changeover. The analyst observed the piles of unposted bills etc., but refrained from comment.

He asked the supervisor to show him how each type of bill/payment was processed from the time it was received. The system seemed to be thorough and well thought out, and he was puzzled as to why it failed to work in practice. They had a standard NCR accounting machine which was slow and noisy, but quite adequate for the volumes being dealt with. It was only when he asked to see that actual posting process that he got a clue as to the real problem. The book-keeper was away on the course and no-one else know how to work the machine. It turned out that she also doubled as relief telephonist and general dogsbody and often had to leave the posting on one side where it inevitably got into a muddle. The supervisor, and everyone else in the office, knew that this was the problem - but no-one had felt brave enough to point this out to the boss, let alone to the firm who had taken them over.

So there was the answer, they didn't need a swish new microcomputer system, they needed a book-keeper who was allowed to concentrate on keeping the books! Unfortunately, there was nothing the analyst could do about it. The decision to buy the new system had been made before he was even called in. His terms of reference had been to help Smiths change over to the new system, and this he went on to do to the best of his ability. Of course if the bills were still left lying on the desk because the operator had to jump up and man the switchboard, then they wouldn't get posted to the micro any more than they would have been to the NCR machine, and all that money and effort would appear to have been wasted. The analyst had been given the wrong terms of reference.

Back again with Mr Bloggs and his garage, he knew very well he had a problem with his stock control. He felt sure the problem lay in the analysing of the data, and that a micro would make a much better job of this. Perhaps *GOTO page 124*

ISE4 PERS			ise ci	OMPUTERS MICRO	C 19 3 1 4
			8 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
CER (i MICROSENSE COM	8 400 4000 400 400 100		900, 001, 0,000, 1000, 1000, 1000, 000,	
	<u> </u>	26 2 0 0 9 26 0 26 00	******	******	*********
		MLX U J		MILINUSSINSE GUM	
· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·
				the second s	
A Contraction				Share the office of the state of the state	
Product Code	Description	Retail Price (£)			
	Contraction of the second second second	Sausen a			
	HARDWARE	RET I DONT	The Station Inc.	DOCUMENTATION	
A2S1016P	APPLE 16K VIDEO OUTPUT ONLY	695.00	A2L001A	APPLE II REFERENCE MANUAL	11.00
A2M0003	DISC DRIVE WITHOUT CONTROLLER	299.00	A2L0002	6502 HARDWARE MANUAL	9.00
A2M0004	DISC DRIVE WITH CONTROLLER	349.00	A2L0003	6502 SOFTWARE MANUAL	9.00
A2M0016	16K ADD ON RAM	69.00	A2L0005	APPLE II BASIC PROGRAM MANUAL	6.00
	CARDS & ACCESSORIES		A2L0006	APPLE II REFERENCE MANUAL	6.00
A2B0001	PROTOTYPE/HOBBY CARD	15.00	A2L0012	DOS 3.2 MANUAL	6.00
A2B0002	PARALLEL PRINTER INTERFACE CARD	104.00	A2L0018	APPLE II BASIC TUTORIAL MANUAL	6.00
A2B0003	COMMUNICATIONS CARD	130.00	a Bolak	GENERAL ACCESSORIES	
A2B0005	HIGH SPEED SERIAL INTERFACE CARD	113.00	A2D0000	(10) BLANK APPLE DISCETTES	32.40
A2B0006	PASCAL LANGUAGE SYSTEM	299.00	A2M0009	VINYL CARRYING CASE	16.00
A2B0007	CENTRONICS CARD	130.00	AD/LB	MINI DISC LIBRARY BOX	2.64
A2B0009	APPLESOFT FIRMWARE CARD	116.00	MD5172	DISCOFLEX FILING CASE-MINI	12.64
A2B0010	INTEGER CARD	116.00	APP1	APPLE DESK TWO TIER	145.00
MHP-X003	MOUNTAIN HARDWARE CLOCK/CALENDAR CARD	160.00	APP2	PRINTER TABLE	92.00
MHP-X006	MOUNTAIN HARDWARE SUPERTALKER	171.00	APPLETEL	APPLETEL SYSTEM	595.00
MHP-X007	MOUNTAIN HARDWARE ROM PLUS BOARD	116.00	DUST/APP	DUSTCOVER FOR APPLE II	5.35
MHP-X015	MOUNTAIN HARDWARE ROMWRITER	101.00	E2B013	APPLEJUICE RESERVE POWER SUPPLY	148.00
E2B100	EUROCOLOUR CARD	79.00		PRINTERS & ACCESSORIES	
E2B101	APPLE BLACK & WHITE MODULATOR	14.00	A2M0034	SILENTYPE 80 COLUMN GRAPHICS PRINTER	349.00
E2B102	A1-02 DATA ACQUISITION CARD	180.00	A2C0001	10 ROLLS OF THERMAL PAPER FOR	545.00
10-5-16	ALF MUSIC SYNTHESIZER CARD	142.00	11200001	SILENTYPE PRINTER	28.00
10-5-17	ALF TIMING MODE INPUT BOARD	14.00	HUSH100/A	MICROHUSH 100 PRINTER C/W APPLE INTERFACE	266.00
13-3-2	ALF ALBUM MUSIC DISKETTE NUMBER ONE	12.00	HUSHPAP	16 ROLLS THERMAL PAPER 80FT LONG	22.00
13-3-4	ALF ALBUM MUSIC DISKETTE NUMBER TWO	12.00 12.00	HUSHPAP/E	2 ROLLS THERMAL PAPER 80FT LONG	5.00
13-5-5 A2M0015	ALF ALBUM MUSIC DISKETTE CHRISTMAS HEURISTICS SPEECH LAB	12.00	TIGER/G	PAPER TIGER PRINTER WITH GRAPHICS OPTION	598.00
A2M0015 A2M0019	PROGRAMMERS AID 1	27.00	TIGER/C	CONNECTOR CABLE FOR TIGER PRINTER	9.00
A2M0019 A2M0027	AUTO START ROM PACK	38.00	TIGER/D	GRAPHICS SOFTWARE FOR TIGER PRINTER	20.00
A2M0027	GRAPHICS TABLET	462.00	TIGER/P	TIGER PAPER 2,000 SHEETS 11" x 91/2" S/PART	35.92
E2B104	HEURISTICS CONTROLLER 70	52.00	TI810	TEXAS OMNI 810 PRINTER	1450.00
E2B104	HEURISTICS SPEECHLINK 2000	160.00	LP5	PAPER 2000 SHEETS 11" x 15" S/PART	14.06
E2B105	IEEE INTERFACE	212.00	LP9	PAPER 3000 SHEETS 8" x 12" S/PART	14.85
CEDIO		212.00		VIDEO MONITORS	
	SOFTWARE		VM129	12" BLACK AND WHITE VIDEO MONITOR	189.00
A2D0005	CONTRIBUTED SOFTWARE VOLS 3-5	60.00	VM910	9" BLACK AND WHITE VIDEO MONITOR	127.00
A2D0006	CONTRIBUTED SOFTWARE VOLS 1-2	27.00	VM906	9" HIGH RESOLUTION BLACK AND WHITE	127.00
A2D0009	MICROCHESS 2.0 CHESS DISK	15.00	VIV1900	VIDEO MONITOR	148.00
A2D0010	DISC UTILITY PACK	15.00	VM/C	CABLE FOR VIDEO MONITOR	
A2D0012	APPLE BUSINESS CONTROLLER PROGRAM	340.00	VINDC	CABLE FOR VIDEO MONITOR	9.00
A2D0013	APPLE POST PROGRAM	27.00	0.1100.00		
A2D0018	APPLE BOWLING DISCETTE	9.00			
A2D0025	APPLE CASHIER PROGRAM	194.00	here had been		
A2D0026	APPLE WORD PROCESSING PROGRAM MICROCHESS 2.0 CHESS CASSETTE	42.00			
A2T0013		15.00			

Prices exclusive of carriage and VAT and are correct at time of going to press. Available from Apple Dealers all over the UK for your nearest please contact Microsense Computers. Dealer/OEM enquiries welcome.

2

ĸ

8

**

......

6

microsense computers limited

Finway Road, Hemel Hempstead, Herts HP2 7PS Tel (0442) 48151 and 41191 Telex: 825554 DATEFF G



APPLE COMPUTER SYSTEMS APPLE COMPUTER SYSTEMS APP COMPUTERS MICROSENSE COMPUTERS MICROSENSE COMPUTER FDITTED SYSTEMS ADDLE COMDUTER SYSTEMS ADDLE COMDUTE MPUTER ANSWERS



Each month Sheridan Williams and his panel of consultants answer readers guestions. Topics may be hardware - from kits to mainframes, or software - from differential equations and statistics to file handling or sorting; the choice is yours. Send your questions direct to Sheridan Williams at 35 St Julians Road, St. Albans Herts.

Touchy technology

I know that mainframe comair-conditioned. Would this also benefit my micro? Are there any other similar special conditions that are desirable for microcomputers? K McGregor, Dundee.

Your question reminds me of the (true) story of one of the smaller mini-computers. Being aware of the air-con-ditioning needs you mention, the manufacturer was asked if its machine needed any special conditions or surroundings. "Just a normal office environ-ment" was the answer. Came the day that the Installation Engineer arrived to size up the computer's future locat-ion, prior to delivery. "You can't put it in here!" he said, "With a South aspect"... "And where's the air-condit-ioning?"

When they thrust the bit about "just a normal office environment" in front of environment" in front of him, he said "but you must realise that we are an Amer-ican Company!"

There was a happy ending, for it turned out that the airconditioning was only partly for temperature control, it's other main function was to hold down dust levels. The machine was put in a room on the other side of the building – with a North as-pect – the carpet was remov-ed and all was well.

Now all this has two lessons for us microcomputer users. Firstly, that precise temper-ature control is not vital. What is important is to make sure that all the parts of the system are at the same temperature before use; that not only means *not* blasting a fan heater at the keyboard and expecting it to warm through instantly, it also includes all other parts of the system — tapes, disks, etc. Preferably, they should all have been in the same room for at least half an hour before use ...

longer if possible. The other thing about temperature is the need to stop parts of the system suffering from their own manufactured heat. If the unit incorporates a cooling fan you should have no trouble (except during heat-waves!)

but if it does not, then overheating - especially during long sessions - may account for inexplicable problems. The answer is to provide some kind of cooling fan yourself.

Why was the carpet taken up? Well, that particular sys-tem had hard disks (the rem-oveable type), and these are very sensitive to dust. Floppy disks are not so affected, while tape will probably be quite happy in the average home environment. Also, carpets are breeders of static electricity and that's some-thing which will cause errors if it gets near any kind of computer. One solution is to have a special 'anti-static' mat by the machine. Another is to have a convenient water-pipe or other electrical 'earth' by your computer (don't use the earth pin of a plug). Just touch this as you come up to your machine, and most static problems will be removed.

Probably the biggest environmental problem with microcomputers is interference through the electricity mains. This takes two common forms. Firstly, there can be voltage fluctuations, not only due to variations in the supply vol-tage (these are usually small, and slow to change), but also because some fairly large unit on the same circuit has just switched itself on or off. Deep freezes and ovens are

well-known culprits. The second form is even worse in terms of what it can do, especially if you have a program actually running at the time. This is the so-called 'mains spike', a sudden, brief, sharp increase (or sometimes decrease) in the voltage. These are also often caused by equipment being turned on, or more often, off. Fluorescent lamps are one of the main sources. Not only can this kind of interference travel down the mains lead, it can also travel short distances through the air — as a magnetic field. So try to keep magnetic field. So try to keep your equipment away from sources of 'spikes', and fit 'mains filter' units in the power lead if you are still troubled by them. Differing microcomputers are affected to varying extents, depending on the amount of built-in mains filtering they have.

One last point. Keep all your tapes and disks well out of the way of magnetic fields, whether from actual magnets, passing vacuum cleaner motors, or even screw drivers (which have a curious tendency to become quite

strongly magnetised all on their own!). One of the best solutions is to keep them in a steel filing cabinet or cupboard . . even a biscuit tin might do very well, always providing they don't make them out of aluminium these days!

P McIlmoyle

Letdown

I was delighted to see a games program called 'Sweeper' in the June issue of PCW. At last, I thought, a short prog-ram that will allow me to analyse and understand PEEKs and POKEs on my PET. After copying the program and run-ning it I found that it didn't work. Have you any clues as to what the PEEKs and POKEs are doing so that I may correct the error? (I have a 32k PET.) E J Aston, Stafford.

First of all, it's not so much an error, more a difference between the new and old ROMs. Replace the 547 by a 151 (or 166 - Ed.) in line 370. In many respects PEEK and POKE are the most powerful commands in Basic. Fach command locks at a start set of the s Each command looks at or alters a specific memory loc-ation. There are three general areas of interest that concern a PET owner. The first 1024 bytes of RAM, the display RAM from locations 32768 to 33767, and the peripheral interface and ROM above 59000. In the following notes I will refer only to 'new ROM' PETs — 'old ROM' figures are in brackets if they are differ-

ent. One of the major tasks performed by the 'sweeper' program is to scan the key-board to see if a key is being held down; note the differ-ence between this and the GET command. The GET GET command. The GET command will only detect if a key has been pressed, not whether or not it's being held down. A two digit code unique to each key is stored in location 151(515) when-ever a key is depressed. If no key is depressed, location 151 is set to 255. You'll need a table of values for each key before they can be used sensibly, but having explained what this location does then you should be able to write a program to produce this table for yourself. That ought to sort out your immediate problem. In 'Sweeper' – line 300 decodes the depressed key – for example if a one is pressed PEEK(151) returns a

26, D%(26) has the value 39 in line 300 so we add 39 to the last position of the cursor which moves it just short of one whole line further on. Perhaps you'd better read on a little further before you try to understand that bit.

Nothing to do with the program, but information about the 'shift' key is held in location 152(516), it being a 1 when pressed and a Ø when not. Locations 32768-33767 hold the screen contents, not in ASCII but in PET ASCII; POKE 32768, 1 will put an 'A' in the top left hand corner of the screen. Try 10POKE 32768+INT(RND(1) *960), INT(RND(1)*255+1) :GOTO 10.


There are two locations above 59000 that are of special interest-POKE 59468, special interest — POKE 59468, 14 which produces a char-acter set with upper & lower case and POKE 59468,12 which reverts to normal mode. POKE 59409,52 turns off the display and POKE 59409,60 will turn it on again. The difference between this and the 'clear screen' key is that the latter destroys the screen contents. Finally I suggest you, read The PET Revealed for any further information on the subject.

Butwhatsitall for?

I am considering buying a small personal computer, pay-ing no more than £200. Poss-ibilities are the 'Acorn Atom', the 'Microtan 65' and the 'Nascom 1'. I learn far better by seeing and doing, rather than by reading, so my use of the machine would basically be for personal details/ information/budgeting, etc — plus games. Obviously use would not be limited to these, but I am a little bemused as to what you can actually do with a computer, especially the machines mentioned. Can you help? B P Gower, Basildon.

Well, someone had to finally get around to asking the \$ 64,000 question, "just what can you do with a micro-computer?"

For the person with enough interest to learn about them (and who has at least one ready application) many uses will soon emerge. Give a computer free to each family, and most would sit around gathering dust (and they're too big to make good paper



COMPUTER ANSWER

weights!). But give one to the results and plan right person, and it will be kept really busy Just think through some


of the fairly recent questions that have been answered in this column: an application in timing orienteering contests, keeping track of the competitors in pony trials, 'number crunching' for scientific work, and word processing, as well as the more usual bookkeeping, invoicing, and stock control. Perhaps too the majority of the small machines are used quite extensively for games playing – partly just for the fun of it (and why not?), but also with educat-ional bonus of getting children interested in maths.

One of the most constructive uses for these machines is in teaching people about computing, an area of exper-tise in which the country is crying out for more skilled people. Like you, I find that practical application is by far the best way of learning about computing. In fact 'hands-on' is widely regarded by comp-uter professionals as being an essential aspect of effective learning. It most certainly speeds up the process.

There are a number of different areas of computing that you can investigate with machines of the type you mention. You can learn to program in a 'high-level' lang-uage such as Basic and from there you can go on to tackle assembler language and mach-ine code. In fact, if you start with the simplest of machines you will have to begin with machine code, and work up to a high level language as you up-grade the computer to include an interpreter. How-ever, I would strongly urge you to start with at least a 'tiny Basic'; it's quite enough to begin programming with Basic – grasping the funda-mental ideas of logic, flow charts, and so on – without charts, and so on - without having to struggle with machine code as well.

If you buy your computer as a kit, then you can also learn about how computers are constructed, and how they work. A word of caution though — if you don't know anything about electronics, and soldering, then perhaps a kit is not the right approach for you. That said, however, I do know of at least one person who very successfully built a kit without previous practice of such skills.

These are a few of the things you can do with per-sonal computers. If you keep an eye on the magazines (especially PCW!) you will soon learn of many more. P McIlmoyle



Basically what I require is to split my customers into geographical areas so that I may analyse

delivery schedules using these areas. J Baxter, Hythe

I feel that your choice of scheme will probably greatly affect the ease of use of your affect the ease of use of your final system; as such, a fair amount of thought ought to go into the design. You could choose to use the Ordnance Survey grid system; or areas bounded by counties and towns; or even a quadrant of latitude and longitude! I think, though, the best sol-ution would be the Post Office postcode system It's come in postcode system. It's come in for a lot of stick over the years, but it's bound to succeed in an age of comp-uterised sorting. It has numerous advantages for large and small businesses, and from what I can see it has few, if any, disadvantages. Here are some advantages.

1. Every address in the UK is postcoded, and all new addresses are quickly added. Sets of directories are given free to businesses and reference is therefore easy

2. Postcode boundaries are based on ease of access and distribution, rather than by other more arbitrary means.

3. Different sized reference units are available, from large areas right down to a few addresses.

4. It's meaningful to other organisations, and two-way exchange is made easier between companies using the postcode system.

5. Space is at a premium in computers and postcodes are compact. They are both shor-ter and more precise than most existing references and can be used as a key to generate full addresses.

6. As the system already exists you are saving the cost of devising your own in-house alternative.

The postcode system is being used by such large companies as Schweppes Ltd and Cadbury Typhoo Ltd. The Cadbury Typhoo Ltd. The Post Office offers many ser-vices, booklets and maps — they also offer micro-fiche and magnetic tape files covering the whole country. In addition they will generate postcodes for all addresses that you already have on file, or will supply Ordnance Survey grid references for postcodes. There are also lists of post towns and sectors.

I must admit to being shocked at the price quoted for the above mentioned magnetic tape - £5000; given that they needed to produce the file anyway for their own use, I would have thought use, I would have thought that £100 would have covered costs. I'm not aware, at the present time, whether the data would fit onto an 8" floppy disk and whether they envisage offering the file on such a medium.

feel that post I codes could help a small business because, even if the company only operates within limited boundaries, the subdivisions the postcode will allow of small enough areas to manage;

CUMPUTER ANSWE

for example the code MK42 9WA is broken down as follows: MK refers to one of 120 post-code areas (Milton Keynes in this case) MK42 is Area divided by carefully chosen units called districts (there are 2700 districts); each district is divided into smaller areas (MK42 9) called sectors - there are 8900 sectors; finally the complete postcode pinpoints one street, or part of a street, or in some cases a whole company. There are 1.5 million postcodes in the country.

I've referenced a good deal of this information from the booklet Using Postcodes in Business Systems. This and further details can be obtained from Cledwyn Davies or Kathy Buckley, Postcode Marketing Section, Postal Headquarters, St Martin's-le-Grand, London EC1A 1HQ Tel: 01-432 1620. SW

Into the unknown

With regard to the Sinclair ZX80 and the Acorn Atom: (1) Would it be possible for a user to construct a printer interface for the ZX80 that's currently on the market? Which printers would be suitable?

(2) What is the significance of the statement that the Acorn Atom printer drive consists of a 6522 and a pair of LS244 buffers? Which of LS244 buffers? Which printers would be suitable? (3) Would the fact that the ZX80 has a Z80 type CPU rather than the Atom's 6502 give the ZX80 any great advantage so far as the user is concerned?

L Wood, Bourne End.

I never fail to be amazed by what some people get up to! However, I shall assume in this case you mean an average user, without specialist electronic expertise, but with the ability to follow instructions carefully – and who can solder well.

Taking that as our basis, then I think I must answer 'no' to your first question. The ZX80 is indeed ingenious in offering the facilities it does — in a compact unit, and at a low price. However, this is achieved at the expense of a number of non-standard (perhaps I should say 'innov-ative') features. These com-bine to make the interfacing of a standard model of printer a difficult matter.

For a start, virtually all printers (apart from IBM ones, and Telex printers) use the ASCII character code. The ZX80 does not. That means you would have to use a lot of the ZX80 memory to contain a code translation contain a code translation program - or have another micro between it and the printer do to the job!

Secondly, the I/O routines make more than one use of

some areas of memory (hence) the screen blanks out during keyboard input and program running) . . . therefore I/O routines are also non-standard.

And finally you need to buffer the bus lines before really contemplating connec-ting anything to them. I'm sure someone will soon prove me over-pessimistic by letting us know how they've attached a printer to a ZX80; for the rest of us it's a question of waiting for the special Sinclair printer to become available.

Turning to your second point, the whole I/O system of the Atom is much more like those we are used to, and there should be little real difficulty in interfacing a range of printers through the buffered interface. Apart from the ubiquitous Teletypes, you could consider printers such as those from Anadex, Centronics or Paper Tiger.

On your third question once again the answer really hinges around 'who is the user'. If you are only working in Basic (or some other high-In Basic (or some other high-level language) then there is really no noticeable differ-ence in principle between machines using 6502s and those using Z80s. In fact, other things, such as the particular implementation of Basic used with your machine, will cause the most marked differences. The one that might show up is speed, and then only if the Z80 is a Z80A being run at a full 4 MHz. Even then, I some-times wonder if a difference in speed of that order is significant to the typical amateur user.

Where the differences do show up is in machine code, or assembler language prog-ramming. Even then, while the Z80 has a more powerful instruction set, there are those programmers who prefer to work with 6502 assembler language. So, to sum up, the type of micro-processor used is unlikely to be significant in choosing between the Acorn Atom and the ZX80. P McIlmovle

Program puzzle

I've seen expressions like X=A AND 127 in programs and I can't work out what they are. Can you help? H Elliott, London.

You will need to know a little about binary and machine code to actually under-stand their purpose rather than just what it is they do. Essentially the statement above chops off the left-most bit of chops off the left-most bit of an 8-bit byte. The operators AND, OR and NOT are called logical operators. If β repres-ents 'false' and 1 (on some Basics -1) represents 'true' then here is a table for the most commonly used open most commonly used operators:

A	В	A AND B	A OR B	A EQV B	A XOR B
ø	ø	ø	ø	1	ø
ø	1	Ø	1	ø	1
1	ø	Ø	1	Ø	1
1	1	1	1	1	ø

SW

There are others like NAND, NOR and IMP, but not many Basics support these. So, to answer your question; 127 in 8-bit binary is Ø11111111 and, if A has the value 10001111, then X=00001111. The expression you gave could be

Routine suggestion

Can you suggest a routine for calculating the number of days between two given dates, either in the same year, or more cleverly, between different years. L N Parlett, Bridport

The following program works, but you must have previously validated the dates; so, prov-

10 INPUT "FROM";D1,M1,Y11 20 INPUT "TO";D2,M2,Y2;

30 A=INT(365.25*(Y1±(M1<3)))+INT(30.6*(M1+1±(M1<3)*12))+D1 40 B=INT(365.25*(Y2±(M2<3)))+INT(30.6*(M2+1±(M2<3)*12))+D2 50 PRINT ABS(B-A),"Days"

PETdisplay link

We have an 8k and a 32k PET and would like to link one of them to a large television set for classroom dis-play. Can you please tell me what equipment is needed and how the connection is made.

G Cattanch, Tyne and Wear.

It's easy to attach an extra screen to the PET and I'm sure that your physics depart-ment will be able to make up the following circuit.

Fortunately the three video signals which go to the internal display are taken to contacts on the user port edge connector. The signals are: vertical sync, horizontal

sync, and video-appearing at 9, 10, and 2 respectively. It's possible to combine these sig-nals to drive a monitor or television set. The circuit shown is one that I've used success-fully between a PET and my television. The horizontal sync pulse is shortened and inverted and combined with the vertical sync. The video signal is also inverted and added to this, to provide the composite video signal. A standard modulator module is used to give the necessary UHF output for a standard television set. The vertical hold will need some adjustment as the PET field scan runs at 60 Hz (American) rather than our 50 Hz. Mark Wratten

mode. Be warned, however some Basics do not support

logical operators in arith-metic expressions.


ided they are legal, this will work for any two dates between 1/3/1901 and 28/2/2400.

(Can you see why it won't work outside this range?)

The year should be input in full. Some versions of Basic

represent logical 'true' as a -1, some as 1. If you try PRINT 2<3 in direct mode and get -1 printed then use the bottom symbols; if you

get 1 then use the top ones. SW




FOR THE COMMODORE PET

PCW 75

Hewlett-Packard's AVAILABLE personal computer. It works like a big computer, only it's yours. Hewlett-Packard's HP-85

professional computing power wherever you need it. On your desk. In the lab. At home. Anywhere. With all the conveniences of an easy-to-use, all-in-one computer system. It's everything you'd expect from Hewlett-Packard. Built into a single package about the size of an electric typewriter are a video display, high-speed printer, magnetic tape unit, operating system and keyboard. What's more, when slipped into its carrying case, the HP-85 is about as easy to carry as vour attaché case.



personal computer puts full,

A complete, compact system ... that's yours.

In fact, it's downright friendly. And exceptionally versatile, too. With a large selection of available peripherals and software.

The HP-85. Hewlett-Packard's personal computer.

Designed for the needs of engineering, scientific and financial professionals.

Stop press. New plug-in HP-IB interface module now available (to IEEE Standard 488-1978) plus three plug-in ROMs for input/ output, plotter/printer control, and matrix maths.



Ask your nearest dealer for an HP-85 demonstration!

Ask your nearest dealer for an fir-o5 demonstration: Aberdeen: Tyseal Typewriter Services. Belfast: Cardiac Services. Birmingham: Anglo American Computing; Taylor Wilson Systems. Bournemound: South Coast Business Machines. Brighton: Office Machinery Engineering. Bristol: Decimal Business Machines. Cambridge: Cambridge Computer Store. Chelmsford: Automatic & Electronic Calculators. Dublin: Abacus Systems. Edinburgh: Business & Electronic Machines; Holdene Ltd. Glasgow: Robox Ltd. Leeds: Holdene Ltd. Leicester: Sumlock Services. Literepol: Rockliff Brothers. London: Automatic & Electronic Calculators; Euro-Calc; Sumlock-Bondain. Manchester: Automated Business Equipment; Holdene Ltd. Reading: CSE Computers. Southampton: South Coast Business Machines. Wallingford: Midas Advisory Services. Walford: Automatic & Electronic Calculators. Woking: Petalect Electronics Services. Warthing-Office Machiner: Engineering. Worthing: Office Machinery Engineering.

In a letter printed in the May issue of PCW readers were asked to submit Z80 general purpose routines to defined standards — for critical scrutiny and comparison with work done by others. The aim was to finish up with a valuable set of top quality routines that anyone could use. Several people said they liked the idea. . . even more important, some actually wrote in with suggestions. So the idea still lives and Alan Toothill tells how it has been shaped and where it moves on to from here.

8080 Compatibility

There was quite some support for forcing Z80 routines to be compatible with the 8080 and 8085 processors. No IX and IY registers! No relative jumps! No alternate register set! No block moves! Let's just collect the best routines the Z80 can execute, they said, and if they happen to be 8080 compatible, simply mention the fact in the documentation. Your Z80 routines that can be made compatible with the 8080, by changing a few instructions, may be changed and offered separately as 8080 datasheets.

Passing parameters

The original rules suggested that registers HL, DE, IX and IY be used as pointers to RAM and that registers B and BC be used to pass single and double byte counts.

It seems everyone has their own approach to passing parameters. I liked this one, adapted from the method used by PL/M, sent over from Holland by Ian Wilson:

- A single parameter is passed in BC (word) or C (byte).

- Two parameters are passed in BC (first) and DE (second) or C and E for bytes.

- A single result is returned in HL (word) or A (byte).

- Where a result may or may not be returned, the carry flag may be used as a status indicator.

- If more than two input parameters are passed, these are pushed onto the stack.

On balance, it's best to have no rules about passing parameters but rather to ensure that the documentation clearly shows what is done about this. Those with a system of their own can then adapt the routines to conform to their own standards.

Ian Wilson is against parameters embedded in the main program, following the CALL. Since he does show how we can access them, I quote him again:

Accessing these parameters is messy and inefficient with the Z80 architecture, especially when the called routine has no 'free' registers. The best I can do is something like this:

U

DOIL		THE CAR	
GH:	EX (S	P),HL	; save HL & get
			; argument list
			; address in HL
	PUSH	HL	; save that, too
	INC		; point HL past
	INC	HL	: end of arguments

EX (SP),HL	; return address ; onto stack
	; arg list address to
	;HL
111	; body of routine
	; stack has original
111	:HL
/ / /	; followed by
	; return address
IT: POP HL	; return address
EX (SP),HL	; restore original
	;HL
RET	
	; phew!
You must admit	that the extra cod-

rou must admit that the extra coding needed in the routine is a bit much for the average byte-miser to stomach. On the other hand, routines with their parameters following the CALL can be easy to use. Those who rate ease of use higher than memory space will stick with them.

Routines with or without parameters after the CALL will be accepted. If the system you don't like is presented, you can have fun converting it to the other.

PROMable code

There was general agreement that routines shouldn't alter their own code - so that they can be put into some form of read only memory, if required.

Local RAM

EX

The suggestion that the stack be used for any local RAM needed was not so well received.

Before we consider this, here is an important point about its use, put by R. J. Chance of Birmingham University:

If the stack pointer does not delimit the used RAM area, data could be overwritten by interrupt return addresses etc. Thus:

PUSH HL

LD HL, -2

ADD HL,SP ; (HL), (HL+1) = SCRATCH

is not allowed

The system might go:

PUSH HL

LD HL,-2

ADD HL,SP

LD SP, HL ; (HL), (HL+1) = SCRATCH

; rest of ; subroutine

- LD HL,2
- ADD HL,SP
- LD SP,HĹ POP HĹ
- RET

This clearly illustrates the penalty, in extra bytes of code, for having this system of allocating RAM only as needed and releasing it when it's no longer required. The penalty might seem excessive if only small areas of work space have to be provided.

An alternative is to dedicate to the routine an area in RAM not accessible by any other code. This might well take less RAM than the extra code (ROM?) needed to handle the stack; however, these dedicated areas would need careful mapping or labelling.

Re~entrant code

Having an area of RAM reserved exclusively for a particular routine wouldn't do if the routine were to be interrupted by some other code that called the same routine. In this case, the second time the routine was called it would also use the reserved RAM area and corrupt it for when execution of the original routine was resumed. Using the stack as local RAM avoids this problem.

Many of you might not be at the stage yet of switching control between programs running, in different time slots, over the same period. But some are doing this now and everyone is likely to want to do this some time in the future. So general purpose routines should allow for re-entrant code where possible.

Relocatable code

How much we want code that will function in any location without re-assembly, depends on whether or not we have an assembler.

With an assembler that requires a displacement with a relative jump, there's a case for absolute jumps. They are less error prone and the labels they use are unaffected by the deletion and insertion of code.

Even so, there's something very satisfying about code that functions regardless of where it's placed and, because it fits everybody's circumstances, must be preferred for general purpose routines.

New recommendations

Having been fairly taken to task for trying to impose rigid rules, we've now chosen to have two classes of routine, the class to be declared in the documentation.

Class 1 routines will be re-entrant, relocatable and will not be self-modifying.

The recommendations for these have been put most succinctly by R J



Chance:

. . . the purpose of such recommen-dations is to enable programmers to use package subroutines 'blind' or modify with least trouble for their own purposes. How about:

a) Promable code:

Routines should not alter their own opcodes.

b) Re-entrant code:

No explicit RAM addresses - supply data following subroutine call or in registers - use stack as scratch pad. c) Blind use:

Save and restore registers not used for data transfer.

d) Interruption:

Addresses below the stack pointer (SP) must be unused. Do not use alternate register set.

e) Position independent code:

No absolute jumps or calls except to general routine area.

All 'rules' are breakable with justification, understanding and documentation. For example, routines that don't use the alternate register set may not be interruptable through time restric-tions and may be degraded without the alternate register set.

The question of relative calls on the Z80 will be dealt with next month.

Routines not conforming to these recommendations will be in Class 2. They can either be incorporated with care into one's own system or after conversion into Class 1 routines.

Locating the routines

We can't give addresses for the general purpose routines, as different users will have already committed different areas of memory for various purposes.

It's worth adopting the suggestion of one reader that other routines in the library will be called by their labels in the mnemonic listing and the memory address in the machine code will be represented by the dummy symbols 'XX XX'. Should it be necessary (against standard practice) to make an absolute jump or call within the current routine, the address in the machine code listing will be represented by the symbols 'YY YY'.

Timecritical routines

It was thought that time critical routines, such as DL1S given as an example in May, should be declared as such and documented down to the T states per instruction. There's now a section, inserted after the name in the second part of the documentation, to declare whether or not the routine is time critical

DL1S was also criticised, by more than one reader, for not defining the number of repetitions of the loop, at the head of the listing:

N EQU 42551 and writing the third instruction LD BC.N.

The second part description of DL1S now includes the additional explanation, 'Delay of 47*N + 103 T states.' At the end of each line of comment against the mnemonic, the number of T states for the instruction is given thus: PUSH AF ; save flags T11 F5

Revised documention

1. The first part of the documentation, marked ';=' , contains a header name of the routine.

2. The second part, marked ';/', con-tains a technical description, from which the routine could be used in a system, without necessarily understanding the code:

Section 1 gives the name, level and class of the routine. Routines that call no other routine are level 0; others are level 1. Routines that follow the recommendations are class 1; others are class 2. Section 2 declares whether or not the routine is time critical.

Section 3 gives a brief description. Section 4 gives the main actions carried out by the routine.

Section 5 specifies flags, registers, parameters, stack or other areas assumed to when the have meaningful values routine is called.

Section 6 specifies flags, registers and

Datasheet

Roger Hargrave of Crawley sent this routine. He uses it to convert validated ASCII digits (from where he has entered them in video RAM) to a packed BCD field for processing elsewhere in RAM.

other areas containing results when the routine returns.

Section 7 gives the registers disturbed by use of the routine.

Section 8 gives the maximum number of bytes that could be added to the stack. This includes growth from the routine calling other routines but excludes the two bytes used by the main program call for its return address.

Section 9 gives the memory size of the routine.

Section 10 lists any monitor or general purpose routines on which the routine depends.

Section 11 gives any I/O interfaces, peripherals or local RAM areas needed. Section 12 states whether or not the machine code is 8080 compatible. 3. The third part is a complete listing of the routine, with assembler mnemonics, comments (including T states if applicable) and machine code.

readers can write a conversion routine, BFSN, which will convert a packed BCD

field (and leave it unchanged) to an

GOTO page 125

ASCII field with leading zeroes, but not the least significant of an all zero field, suppressed. I would like to see in how few bytes =SNBF—ASCII/packed BCD /"SNBF" — level 0, class 1 /TIME CRITICAL?: No Converts valid ASCII decimal to packed BCD digits. /Leading spaces or zeroes converted to leading zeroes /ACTION: $A \leftarrow (DE)$ high nibble (HL) \leftarrow low nibble A $DE \leftarrow DE-1$ $B \leftarrow B - 1$ $A \leftarrow (DE)$ low nibble (HL) \leftarrow high nibble (HL) high nibble (HL) \leftarrow low nibble A $\mathbf{R} \leftarrow \mathbf{R} \rightarrow \mathbf{1}$ $DE \leftarrow DE-1$ $HL \leftarrow HL-1$ Repeated until B=0 If B was odd number then: low nibble (HL) \leftarrow high nibble (HL) high nibble (HL) \leftarrow 0 /INPUT: DE contains address of least significant ASCII digit HL contains address of least significant byte of destination B contains number of digits to be loaded ; /OUTPUT: The destination contains packed BCD corresponding to the ASCII digits /REGS USED: A,B,DE,HL /STACK USE: Nil /LENGTH: 19 /SUBR DEPENDENCIES: None /INTERFACES: None : /8080 COMPATIBLE? No SNBF: LD A, (DE) ; get ASCII **1**A ED 67 RRD load its low nibble into ; (HL) high nibble **1B** point next ASCII DEC DE DEC B decrement counter 05 JR Z, ODD LD A, (DE) ; if finished,B was odd number ; get next ASCII 28 08 **1**A ED 67 RRD shift high to low nibble (HL) ; & replace with low nibble of A ; point next ASCII DEC DE DEC HL 1Bpoint next destination 2B10 F2 DJNZ SNBF repeat if not finished return - B was even number **C9** RET ODD: XOR A AF ; clear A ; shift high to low nibble (HL) ED 67 RRD & replace with leading zero **C9** RET ; return



This month Malcolm sets out to offend 95% of UK Micro users. Wethinks an unworthy ambition!

Getting down to Basics

Basic is a two-edged weapon. Its well-honed educational edge may slice through the 'mysteries' of software, but its jagged other-side could seriously wound some user relying on Basic to solve his business problems.

There are many experienced computing professionals who feel that the time cannot come quickly enough when Basic is at last relegated to a footnote in history a bright comet which illuminated the world for a brief spell, then faded out. This is a view I wholeheartedly support, particularly after having had my anti-Basic prejudices reinforced by an interesting new book from the National Computing Centre, High-Level Languages for Microprocessor Projects.

The book's authors, David Taylor and Lyndon Morgan, don't themselves make a fullfrontal assault on Basic, although they clearly point out its limitations. The most direct criticism comes in an Appendix written by R J Griggs of Software Architects Ltd (SAL) which explains why Cobol was preferred to Basic for an accounting package that was being developed.

Cobol outscored Basic on virtually every factor evaluated — efficiency of program execution and memory usage, reliability, flexibility, portability and data handling. Even when looking at the speed of implementation — one of Basic's strong points — SAL concluded that, in practice, "there is no difference in

"there is no difference in development effort (between Basic and Cobol) given a competent programmer in either language." As Griggs points out, program design and structure should involve about 60% of total development effort; therefore Basic's efficient interactive programming feature is outweighed by other considerations, particularly as interactive Cobol compilers, such as Microfocus' CIS Cobol, are now available on micros.

For the Zilog MCZ systems being used by SAL, it was found that the avail-

able Basic interpreter was twice as large as the Cobol one and that, on execution, Cobol code proved to be three times as fast as Basic. On memory optimisation, Griggs comments, "Basic allows little or no programmer control over how much memory variable data will occupy. Cobol, on the other hand, has quite extensive facilities to describe both size and format of memory storage locations. Furthermore, Cobol provides control over memory into which data received from peripheral devices will be stored. Again Basic is sadly lacking in this respect. For these and other reasons we found that the intermediate code produced by Basic was less compact than Cobol." Further comments from Griggs could be strung together to form an all-round attack:

"Cobol is certainly more self-documenting (than Basic) and lends itself to clear, orderly structures (which) are a considerable guarantee to a correctly functioning system

"Basic proved incapable of providing the type of flexibility needed to create a system which could run in various modules with various extensions being added as required

"Basic . . . suffers from a lack of any accepted industry standard and rewriting source code may be the price of adopting a new machine . . .

"In short, there is no doubt that Cobol provides by far the most comprehensive facilities for data management (compared to Basic)...." With reviews like this, even

With reviews like this, even the most optimistic enthusiast would have difficulty in claiming that "Basic will run and run " But it will, primarily for those historical reasons which hitched Basic to the personal computing bandwagon.

In the main body of the book, the authors (Taylor and Morgan) place Basic and Cobol into a wider perspective by examining the general reasons why high level languages should be used on micros, the criteria that can be used to judge a 'good program' and the factors that should be taken into account when choosing a language for a particular application. On Basic, they comment, "Basic is an enigma. Anyone approaching a microcomputer must know Basic because it is so universal. However, they must be aware of its limitations and the variety of implementations." They confirm Griggs' comments that its lack of standardisation and portability and its unsuitability for use in a structured approach to program design are serious drawbacks.

Taylor and Morgan's comments on Basic come in one of the most valuable parts of the book, a summary of the attributes of 17 high level languages available on micros. They are each considered under a similar set of headings such as history and background, program structure, data definition, input and output, imple-mentation information and a summary of the main features. Although there is too much variation in the depth of information and analysis given to different languages, these succinct descriptions are useful for gaining an insight into the qualities and disadvantages of the languages.

A minor irritation, however, is the strange way in which the languages are ordered, which makes quick reference troublesome. I can detect little logic behind arranging the language summaries in the sequence: Algol 60, Pascal, PLZ/SYS, PLM, MPL, Coral 66, RTL/2, Fortran, Basic, Cobol, APL, Forth, Ada, BCPL, Lisp, Pilot and PL/1, particularly as an earlier summary in the book placed them in alphabetical order.

The number of languages included surprised even the authors; they started out imagining that the choice would be limited, given the initial orientation of the microprocessor industry towards low level assembler languages. In order to decide on which languages to include, they conducted a survey of manufacturers towards the end of 1979, which resulted in the 17 included.

Throughout the book, Taylor and Morgan rightly stress that the selection of an appropriate language is not the beall and end-all of software development. Two chapters focus on the importance of using structured software design methodologies and implementing installation and international software standards in order to produce programs that meet their GRAPES criteria for good programming — Generality, Reliability, Adaptability, Portability, Efficiency and Simplicity. Although they point out

that good programming techniques are independent of any particular language, it's clear that Basic fails on some of the major criteria. Some language purists have also argued as vehemently as the anti-Basic brigade against such popular languages as Cobol — on the grounds that they were cobbled together from ad hoc standards and lack the elegance and coherence of the Algolinspired language family, which includes Pascal and Ada. Over the last few decades however, sufficient support has been given to Cobol to overcome many of the criticisms. Taylor and Morgan quite rightly separate general language considerations from any particular linguistic partisanship. Their main proselyting pitch is in favour of high level languages in general. The book is therefore likely to be of most interest to those engineers or managers who have yet to realise the benefits of the high level approach — although data processing staff are likely to be illuminatingly surprised at the range of languages available. In pre-micro days don't forget, the size of high level languages and the associated expense of storage restricted a language like Cobol to larger machines.

The book's main value is as a 'taster' to the possibilities of high level languages and software engineering techniques. To those Basic freaks who are bitten by the Cobol bug, Structured Cobol Programming by Nancy and Robert A Stern, now in its third edition, is a good training guide. It will also be of interest to those computing professionals who are sceptical about Cobol's suitability for structured techniques.

The Sterns have written the latest edition by assum-

ing from the start that structured programming is to be used. The description of Cobol is therefore presented without any pre-liminary justification of structured techniques although these are introduced intrinsically in the example programs described. As the use of GO TO statements are generally anathema to structured programming techniques, they are avoided until over half way through the book and are then introduced only to show the few instances in which GO TOs can be used effectively within well-

structured programs. All this talk of Cobol and structured techniques may seem remote from the programming life of some personal computer 'hobbyists'. But everyone wishing to use a computer for more than educational and game playing applications will be foolish to ignore us anti-Basicists; let them beware their enigmatic, twoedged Basic desires.

Understanding roadblocks!

Now, how do these robots differ from the silicon chips we heard about six months ago." That was the opening question of a recent inter-view on Radio Wales which left the interviewee dumbfounded. I know, because I was the interviewee.

And something funny also happened to me on my way to the interview at Broadcasting House (in London). At the recording studio I met a Beeb lady on her way out carrying a bundle of tapes. "What have you come to talk about?" she enquired. "Robots," I (think) I said. She too looked dumbfounded. "Oh what's interesting about them," she asked, edging out of the door. "Lots," I started rambling, "they use silicon chips and" Before I could finish, she was gone, muttering, "I hope you have an interesting discussion about roadblocks."

Such is the confusion that currently reigns in the media about technology. And I still wonder if somewhere in the Beeb there is a rumour going round - or even a programme being made – about the way silicon chips are revolutionising roadblocks.

The Radio Wales interview took place earlier this year, when robots had suddenly become the current technological 'miracle' - one which could cure Britain's industrial decline and entirely changing the nature of society. And after robots (not to mention roadblocks) came bio-technology. By the time this is published, who knows what new technological

BOOKFARE

revolution may be upon us. All this is by way of introduction to Robots in Industry by G L Simons, a no-nonsense factual description of the current state of the industrial art of robotics. Appropriately, it's published by the National Computing Centre, an organisation that's in the business of providing factual information about the nature

and uses of computing. If you would like to know what's actually happening with the use of robots in industry rather than what might happen, this is an excellent starting point. Simons provides sufficient historical backing and futuristic perspective to place current developments into context; the meat of the text, however, concerns the types of robots and robot applications that actually exist - and nothing whatsoever about roadblocks!

Intro and Outro

As I have written before in PCW, there are two types of 'Intro to Mini/Micro' books. There are those which begin with binary numbers and other nitty grotty (sic) details — which are suitable for potential computer scientists, per-haps — and there are those which start from the perspective of the user which usually offer a more effective insight into the nature of the technology for the average, non-specialist reader.

Introduction to Mini-computers and Microcomputers by ME Sloan stands firmly in the binary-oriented camp. As such, it contains the topics you would expect, moving from binary repres-entations, through flowcharts programming on minis and

micros, systems software to data structures, high level languages and so on

It has almost 500 pages and never stints on going into detail. It's workmanlike in its presentation, without showing any particular communicative flair. But if you feel drawn to this type to the technology, you might as well take a look at this (for me, boring) example of one school of Intro books.

Freeplug

One of Malcolm's many hats is that of Chairman of the British Computer Society's Computers and Employment Group. Using that as an excuse, he's slipped us its annotated bibliography Computers and Employ ment and asked us to men-

tion it — review it even. Well, despite the fact that PCW doesn't even rate a mention, it must be said that this publication is an essential reference work for anyone seriously concerned about the impact of computers on employment. The aim of the biblio

graphy is to indicate sources of information about the 'Great Debate' on the effects of computers, micro-electronics and telecommunications on the workplace. Its scope is far wider than just the question of how many people will/will not be thrown out of a job by the chip. Particular emphasis is given to information on changes in the nature of work and new skill requirements. There are, therefore, sections on specific job categories and skills, such as engineers, designers and managers in manufacturing industry, as well as on applications such as banking, printing and the

health services.

In addition some key issues are identified such as health and safety, the Third World, education and job design, which indicates the wide range of interrelated topics which need to be con-sidered. The main publications in each section are des-

cribed briefly. The bibliography ends with a general list of relevant articles which have appeared in newspapers and magazines recently but not, we're astonished to note, in PCW!!! The first edition was publi-

shed with assistance from ICL. It is planned to publish updates from time to time. The first edition costs £3.50 including postage and packing — cheques with orders please to the lad him-self: Malcolm Peltu, 33b Chiswick Lane, London W4 2LR. If you're interested in future updates we suggest you contact Malcolm for further information.

This month, Bookfare reviewed:

High-level Languages for Microprocessor Projects by D Taylor and L Morgan (NCC Publications, £15.00) Structured Cobol Programming by Nancy B Stern and Robert A Stern (John Wiley & Sons, £8.65) Robots in Industry by G L Simons (NCC Publications,

£10.00) Introduction to Minicomputers and Microcomputers by M E Sloan (Addison-Wesley,


£10.50).

Computers and Employment BCS Computers and Employ-ment Group (BCS/ICL, £3.50)



"Take no notice of Jim, he's playing strip poker with his computer.

EXPAND YOUR NASCOM WITH OUR NASBUS COMPATIBLE EPROM BOARD. ONLY £55*



Every Nascom 1 and 2 user can now expand their machine with up to 32K of EPROM.

Our NASBUS compatible EPROM board has 16 sockets to take 2708s or 2716s, organised in four banks of four. And as long as each bank has the same EPROMs, you can mix the banks between 2708 and 2716. Furthermore, each bank can be decoded to start at any 4K address boundary.

Just think, you can plug in the NAS-PEN text editor, ZEAP assembler, NAS-DIS disassembler and NAS-DEBUG, and still have 6 spare sockets.

The board also has a 24 pin,8K ROM socket addressable on any 4K boundary. Ideal for Nascom 1 owners to add the 8K BASIC to their system.

For the benefit of Nascom 2 users, we have fitted the board with a wait-state option. When selected, this facility is automatically activated while the board is being addressed and allows you to use your microprocessor at 4MHz with slower EPROMs.

We could have stopped there, but we decided to make our EPROM board the most comprehensive available. Which is why our board can support the Nascom Page Mode Scheme.

The board can be switch selected to any one of four pages enabling it to be used in conjunction with up to three of the new Nascom RAM boards of any memory capacity.

Like Nascom's own expansion boards the Interface Components EPROM board is an $8'' \times 8''$ silk screened, solder resist board manufactured to the full NASBUS specification and therefore totally compatible with other NASBUS boards.

*£55 plus VAT+ £1.00 P & P

INTERFACE COMPONENTS LIMITED, OAKFIELD CORNER, SYCAMORE ROAD, AMERSHAM, BUCKS HP6 6SU TELEPHONE:02403 22307. TELEX:837788 Write.telephone or call. Access or Barclaycard accepted



4-6 September Cunard International Hotel London W6


Open 1000 to 1900 (early close at 1600 on Saturday)

Tickets: £2.00 at the door, £1.50 if prebooked through the organisers, Montbuild Ltd., 11 Manchester Square, London W1M 5AB, Attn T Collins (cheques payable to Montbuild Ltd)

How toget there

Underground: Metropolitan, Piccadilly or District lines to Hammersmith

Bus: 9,30,72,73,74,266,290,714,716





The chess championship runs concurrently with the 3rd PCW show; admission to the show includes admission to the chess contest.

MICRUCHESS

Our resident micro chess expert Kevin O'Connell reports on an interesting chess contest with a difference – it's one that's being fought out in the law courts.

WHO'S KING?

The strongest chess playing program currently on the market is that produced by the husband and wife team of Dan and Kathe Spracklen. The program is 'Sargon 2.5' or, alternatively, 'Boris 2.5'; they're identical except that Sargon is manufactured by Applied Concepts Inc. of Texas and marketed by Chafitz Inc of Maryland, while Boris is both manufactured and marketed by Applied Concepts. A little disagreement between the two names and at least one lawsuit that's reputed to involve around 12 megabucks.

Applied Concepts, who have registered 'Boris' as their trademark, use the advertising slogan 'Boris is King', while 'Sargon', for those of you who have forgotten more Assyrian and Babylonian than you ever learned, means 'Declared King'. The direct line of descent, incidentally, is: Sargon I (ca 3000 BC), Sargon II (722-705 BC) and Sargon 2.5 (1979 -). One more juicy palace intrigue before looking at the program: the Spracklens were made a rather tempting offer by Fidelity Electronics (manufacturers of the Chess Challenger range) to commit infanticide and join the forces of the vociferous young pretender to the throne.

Boris 2.5/Sargon 2.5 usually comes in the form of a module for the Applied Concepts/Chafitz Modular Game System. Before I go any further along this treacherous path I propose to adopt the following terminology: Sargon for the program and Applied Concepts for the manufacturer/marketer.

The concept of a modular system is basically a good one. The idea is that when the program is improved, you can simply buy a new module rather than a whole new machine. However, it's somewhat doubtful whether any significant increase in playing strength can be effected with 8k of ROM and 1k of RAM. If you increase the amount of RAM you can certainly achieve more. The trouble with that, though, is that you may be left in the somewhat unhappy position of keeping the 8k ROM module and buying a new system to plug it into! Nevertheless, Terry Competence UK Knight of (the distributors) has the novel idea of an 8k module to play the opening, then another to handle the middlegame and, finally, almost 8k of look-up tables to play a formidable endgame.

Sargon is one of the very few machines to have established a significant track record in competitions. Way back in March 1978 an early version won the first ever microcomputer chess tournament in San Jose, California, with a clean score, finishing ahead of the Commodore Chessmate, Boris and Chess Challenger — all of whom tied for second place. In the 1978 North American Computer Championship Sargon II finished third behind two monsters: Belle and Chess 4.7. Last year the upgraded version, Sargon 3, won the PCW tournament with a clean

score and placed 7th equal in the North American Computer Championship. That same year it also played in a tournament that was basically for humans in the Paul Masson vineyards in California. The program, unaffected by the vinous surroundings, made a plus score and achieved an official rating of 1641 (playing on its level 4).

There is a worldwide rating system for chess players: Here are a few figures to help put Sargon in perspective. The reigning world champions are: Anatoly Karpov (human, 2725, Maya Chiburdanidze (human, female) 2400, Yasser Seirawan (human, junior) 2510, Chess 4.6 (computer) 2100. A rating of 2200 indicates master level. Sargon currently rates about the same as a moderately good club player.

Sargon has seven levels of play, five of which have a reasonable average response time: level 0 (instant response), level 1 (10 seconds), level 2 (20 seconds), level 3 (45 seconds), level 4 (2 minutes). In play it can seem to respond even more quickly because the program, having played its move, continues to analyse a tree based on what it considers to be the most likely reply by the opponent.

Sargon's playing strength vis-a-vis the other good chess machines on the market can be judged from its 10-7 victory over Chess Champion System III (reviewed last month), which in turn defeated the Voice Challenger by 10-7. If you are one of the very few thousand serious chess players in this country, playing regularly in club and tournament competition, then at the moment Sargon may be the only program to offer you stiff enough opposition. The basic operation of Sargon is

The basic operation of Sargon is easy enough in its game playing mode and setting up a position is also quite straightforward. There is a 'restore' key which enables you to take back up to six ply (three moves for each side), two ply at a time, but you can never restore back to the original position. Thus, if you are anxious to play a particular opening, you have to run through


the laborious process of switching the machine off and on, each time waiting while 'Sargon awaits your move' scrolls across the display and hoping all the while to achieve the opening of your choice.

There is one thing about Sargon 2.5 which I hate — the 60-odd (or 60 odd) messages which appear on the display from time to time. They range from the sublime ('woops') to the ridiculous ('are there ladies present?'). Apparently customers are about equally divided in liking or disliking them. However, it seems to me to be simply a waste of about 1k of ROM and an unforgivable mistake on the designer's part that you cannot exclude them, even if you want to.

You can find Sargon in most department stores or mail order firms such as AJD Direct Supplies, 102 Bellegrove Road, Welling, Kent DA16 3QD, whom I have to thank for the loan of my review copy. It will cost you in the region of £270-280. As an alternative, you can get a slightly weaker version of the program, for about £8.90, in the form of Sargon, A Computer Chess Program by Dan and Kathe Spracklen, published by Hayden (UK distributor — Butterworth). Of course, for this version you will need a few other things: some time, a steady typing speed and a system that uses Z80 assembler, (minimum 8k RAM). Preferably your Reset button will be safely mounted at the back of your system, if not then allow *lots* of time for keying in!

There is also a more expensive readymade version, with an 'auto response board', which sells at £695. If money means nothing to you, then take a look at it; the craftsmanship of the inlaid wooden board is superb. This version has another great asset: since it has no display (moves are indicated by LEDs inset into the 64 squares) the comments have been excluded and replaced, I am told, by extra openings. GOTO page 123

Dugh



Sargon 2.5, showing the board, set (provided), storage space and, on the righthand side (from top to bottom): plug-in module, display, clip-on keyboard.



CBM 8032



Some call it the Jumbo, others refer to the SuperPET, but image-conscious Commodore has christened its 80-column PET the CBM Model 8032. It no doubt feels that PET is a bit of a silly name for a machine so clearly aimed at the business market. This month PET wizard Peter Calver of Supersoft and our own David Tebbutt put the system through its paces and assess its chances of success.

Commodore's long-awaited new computer comes as welcome news to all those who want a PET but feel it's not quite 'grown-up' enough for them. Mainly businessmen, they will find the 80column screen and full keyboard overcome most of the earlier machine's limitations. Programmers used to the PET will find the new computer a bit annoying at first but they'll soon get over that.

Only one model will be offered — the 8032 with 32k of RAM of which

1k is reserved for system use; the rest is available to the user. As with PET, the Basic interpreter and the monitor are safely tucked away in ROM.

Apart from one or two problems when the machine was delivered (it was 'dead on arrival') it performed well during the review period. The faults were identified as a disconnected video cable and a crimped-through keyboard wire. Our thanks to Cream Microcomputer Shop and Commodore for the swift diagnosis and repair.

Hardware

The 8032 retains many of the features of its illustrious predecessors. The integral 12" 'green screen' monitor is fixed to the main unit which incorporates a standard typewriter keyboard, numeric keypad and half a dozen control keys. With its metal casing it weighs in at around 50 lbs (for the benefit of younger readers, that's about 22 kilograms) and the whole unit fits adequately into the passenger seat of

Technical Data

CPU:	6502
Memory:	32k (31k user) RAM
Keyboard:	Full ASCII, numeric pad, full cursor controls
Screen:	25 lines x 80 characters, green, memory mapped
Disk Drive:	Coming soon – twin $5\frac{1}{4}$ ", 950k
Bus:	IEEE-488
Ports:	Cassette, memory expansion, parallel
System Software:	DOS and Monitor
Languages:	Basic

an MGB although, for the review, it seemed more at home on the dining room table.

Despite Commodore's anxiety to dissociate the 8032 from the PET, the two are very similar in appearance and performance. Games addicts will be pleased to learn that all the graphics characters can be displayed, although only 26 of them are accessible from the keyboard. 'Pi' is one useful charac-ter that's all but lost. While Commodore is clearly right to offer a typewriter keyboard there are many thousands of PET programmers who will find it strange that they must press the shift key to generate even common characters such as plus signs or quotes. Perhaps Commodore would like to consider a graphics keyboard option as it does with the PET. Three new keys have been added - tab, escape and repeat, and the run/stop key has been sensibly moved out of harm's way to the top right of the main keyboard. The feel of the keys is neither better nor worse than on most other machines, and they have the same tendency to emit strange 'boings' when released quickly.

The screen can display 2000 characters in 25 lines of 80 columns. The character generator in ROM contains two sets of 128 characters, each of which may be displayed as green on black or vice versa. Although Commodore isn't offering alternative character sets, it would appear that the standard chip could be replaced by a 2716 or similar EPROM. Switching between the two character sets is performed in software, either by POKEing location 59468 (as on PET) or by printing a control character.

The usable screen area is about $8\frac{1}{2}$ " wide by about $6\frac{1}{2}$ " deep and, to maintain the proportion of text, there is a blank strip between each line of the display while in text mode. Although graphics characters may be displayed while the screen is configured for text, they appear strangely disjointed so Commodore has incorporated a special 'graphics' display mode. The key sequence print-quote-escape-reverse-shift-N-return (don't worry, you'll soon get the hang of it) removes the interleaving blank strips from the display which then reduces in height to a little over 5". The characters don't alter in size and text is quite readable, albeit a little cramped.

Programs and data may be stored either on cassette or disk though neither unit is supplied with the machine. Commodore sells a cassette unit without sound or tape counter for £55 plus VAT, and the 3040 floppy disk unit, costing £695, provides 343k of user storage. Only one unit can be connected, so it is good news that a new dual drive (the 8050 offering 950k) is due for release shortly at £895. A 3040 disk unit was loaned for the review and

any comments will relate to this model. The innards of the 8032 appear little different to those of its more recent predecessors, though the layout of the main board has been turned through 90 degrees so that the RAM chips now run alongside the heatsink. A larger Basic and operating system mean that only two sockets are left for ROM/PROM expansion - the addresses from B000H to BFFFH have already been taken. Given that the 8000 series is meant for serious users, it's not surprising that Commodore has failed to publicise the built-in soundbox. Come to think of it they might have trouble with the Trades Description Act if they did. Its only built-in function is a 'bell' that chirps five characters before the end of each line with a sound reminiscent of chalk on a shiny blackboard. The bell effect is achieved by playing a jolly jingle, the speed of which can be varied from 0 to 2³/₄ seconds by POKEing 231 with a value from 0 to 255 - Commodore uses 16. Prospective buyers are strongly recommended to try 'POKE when the salesman's back is 231.0 turned.

Connections to the outside world are exactly the same as on the PET: an IEEE-488 interface, a parallel user port, a cassette interface and a memory expansion port. The most useful of these is the IEEE-488 edge connector to which Commodore printers and disks may be attached as well as the more usual scientific and laboratory equipment. Other makes of peripheral may require a special interface between them and the 8032.

Software

The 8032 comes with Basic 4.0 in ROM. Existing PET owners will be pleased to learn that the garbage collection problem is responding to treatment, though it has unpleasant side effects — more about that later. The other major change is that 15 disk commands have been added, representing a vast improvement on the previous disk handling procedures.

One of the 8000 series brochures refers to 24k of ROM. The review machine was presumably still growing, because we could find only 18k, of which 1k was unused. If Commodore expands its Basic it should consider adding commands such as LINE INPUT, INSTRING and MERGE, which are very noticeable by their absence.

very noticeable by their absence. An interesting feature of the CBM range is that only the most rudimentary disk handling is carried out by the main processor. Most of the work is carried out by another 6502 housed in the disk unit, and therefore many functions take up very little of the 8032's processor time. The disk unit tested was fitted with DOS 2.1 ROMs which are free from most of the bugs which plagued

DLOAD to chain from one program to a larger one results in the second program being corrupted and this could prove a slight problem for those writing large systems. Although CBM's relative (ie random) file handling is somewhat esoteric, after a few hours we felt quite at home with the commands.

Data storage efficiency is somewhat erratic, ranging from the sublime, in which records are allowed to cross physical sector boundaries, to the ridiculous, where numbers stored on disk take up one byte per digit plus one for the decimal point, if any. (In RAM, integers are stored in two bytes while five are used for floating-point numbers. Unfortunately, there is no easy way of writing data to disk in this form.) There are two basic methods of inputting data from a disk record: GET# which fetches one character and INPUT# which reads until it reaches a carriage return — more than 80 characters in a field will give a 'string too long' error.

The good news for machine code freaks is that the 'TIM' monitor is unchanged; the bad news is that the second cassette buffer is no longer freely available. It appears that 40 bytes at the bottom are used by the disk commands, and 20 bytes just below the start of Basic are used for tabs and other, unidentified, purposes. Up to 80 horizontal tabs may be set by pressing shift-tab, but the same key combination is also used to clear them, so you must be careful. Unfortunately tabs do not affect a printer and pressing the tab key when past the last tab stop takes you to the end of that line, not to the first tab position on the next.

The most exciting new function must be the auto repeat on the cursor movement, INS/DEL and SPACE keys. All other keys will repeat when pressed in conjunction with the REPEAT key. Other screen handling functions allow you to insert or delete a line at the current cursor position, erase the current line up to or from the cursor and even scroll the screen up or down irrespective of the cursor position. Text editing is an obvious application for these new features, but no doubt programmers up and down the country will be frantically searching for others.

The facility that sets the 8032 apart from many other micros is its ability to restrict scrolling and all other screen functions to a rectangular 'window', the size and position of which is set by the user. Four locations in page zero are used to define it, and it's probably simpler to POKE these locations rather than move the cursor to the corners of the window and print the appropriate control characters. The window can be dismantled by pressing the HOME key twice in succession - something the programmer will have to trap. For some reason (a bug?) tabs included in the Basic statements are calculated not from the left margin of the window, but from the left of the full screen.

Even more mysterious is the 'STRING TOO LONG' error which appears only when the left margin of the window is set greater than 10, and the RETURN key is hit immediately after the CLEAR key.

The only criticism of the screen functions is that they're not readily available from the keyboard — they're generated by printing an appropriate reverse field

hi-tech electronics

VIEW DATA SYSTEM

Full specification colour viewdata system, compatible with Ceefax, Prestel etc. Implemented on Cromenco, North Star or an existing S100 machine. Uses unmodified tv. Single or multi-user, up to 11,000 frames stored. Intelligent 'soft-key' frame-editing. Modem/autodialler will allow interface to Prestel, the Post Office Viewdata system, or other distant viewdata bank.

HI-TECH S100 PRODUCTS In-House Viewdata

VD1	170 Frames per disc, 5"	24200
	340 Frames per disc, 5" twin drive	
VD3	1000 Frames per disc, 8" quad drive	25950
HD1	10,000 Frame, hard disc add-on	25550
VDA	Each additional user	£500
GR1	Viewdata graphic tablet	£800

Prestel Editing Terminals

PR1	Offline editing, 340 frame library £5500
	Interactive Prestel and acoustic coupler£600
PRB	Bulk update (300 Baud) £600
VDA	Each additional user£500
GR1	Prestel graphic tablet£800

Software

Hi-text 1.6 Viewdata handling software (North Star + C/PM)	. £500
Hi-text 2.3 Viewdata editing software (North Star + C/PM)	
Hi-text 3.2 Prestel communicator (North Star + C/PM)	
Hi-text 1.6 & 2.3 (as above	
Hi-text 1 6 2 3 8 3 2 (as above)	C1000

Monitors, etc.

T1	14" Sony Trinitron, UHF, grey or white£308	
M1	14" RGB colour monitor£240	
M2	14" RGB colour monitor, cased£318	
SIP1	Centronics screen image printer£495	
SIP2	VG screen image printer £795	


Cromemco Computers

CS264	64k Dual 5-inch drive System 2	£2095
	64k Quad 8-inch drive System 3	
Z2-H	Hard disc system	£5380



market. The board will drive a standard T.V.set (British 625 P.A.L.) and is compatible with:-Sviewdata Stoleefax Stolefaxt

#Drecie #Prestel..the Post Office sustem #Hi-text intelligent viewdate sustem



North Star Computers

HRZ-1D	32k Horizon 1 Drive£1495
HRZ-2D	32k Horizon 2 Drive £1715
HRZ-2Q	32k Horizon 2 Drive quad capacity disc £1995
	16k Dynamic Memory£260
FPB	

Terminals

ADM3A	Lear Siegler£595
	Lower case option£30
ADM31	Lear Siegler £810

Printers

CEN 779	Centronics (60 cps) £89	5
CEN 702	Centronics (120 cps) £156	55
DP8000	Anadex (112 cps) £57	5
DIABLO	Daisy-wheel (40 cps) £215	0
QUME	Sprint 5 daisy-wheel £211	5

VDU cards

5
0
5
0
5
0

UK CUSTOMERS PLEASE ADD 15% VAT

High Technology Electronics Ltd.

54 High Road, Swaythling, Southampton, SO2 2JF Tel (0703) 581555 A Member of the Grand Metropolitan Group different and definite command; that's something that should help to minimise accidental loss of programs. Dotted throughout the 7120 are little attentions to detail like this and while some grate a bit, many others are well worth while.

Documentation

In a word - poor - but BASF is rewriting it and the new issues should be out soon. I don't know quite how it got as bad as it has for essentially it lacks any structure whatsoever and flits from talking about the BOS to Basic to machine code routines willy-nilly. I suspect that it may have originated from the US as I have yet to see any consistently good documentation from over there that can be read through and understood in one go in fairness I'd very much like to see the re-write. I sincerely hope that BASF drops all references using 8080 mnemonics when dealing with machine code routines. The assembler does that and it's positively archaic; BASF would appear to agree with me as the company isn't actively marketing any assembler per se at the moment.

Potential users

Clearly, the 7120 has been designed with the business market in mind and in particular those areas where com-

System Z80 memory

Figure 2 BASF 7120 Memory Map

munication to other computers etc is important. Applications software is rather scarce at the moment but BASF is building up a library of suitable programs that will be circulated among its dealers.

The poor accuracy of the MATHLIB package, lack of multi-dimensional arrays, and the apparent lack of facilities for connecting up scientific paraphernalia directly to the bus would seem to rule the 7120 out from this area. Likewise, its high price may effectively exclude it from all but the richest educational establishments.

Conclusion

The 7120 is an extremely well integrasystem that ted possesses many extensive extra facilities built-in. It has definitely been designed to be used in conjunction with other computers via its comprehensive communications and multi-tasking routines and I regret to say that 'I've only had the time to scratch at the surface of all the possibilities; I've probably left out many features that others might consider to be more important than the ones that I've chosen to mention. There are some other systems around that possess some similar facilities - although not necessarily all that the 7120 offers. These systems tend to compare more favourably on cost. . . I feel the price of the 7120 is a shade high, even with all its

Disk Z80 memory

facilities. To some, the current storage capacity may not be enough — particularly as right now further expansion is limited. However, when the fixed disk is added next year, these problems will disappear, although that'll possibly leave behind the question of ease of back-up with the remaining floppy drive.

The catalog is poor, as is the documentation, but steps are in hand to improve the latter. The maths handling — particularly the trig functions — are slow and don't always reflect the system's intended precision (although in practical terms this is of little consequence for most application programs). Again, BASF is aware of this and is taking steps to remedy it.

Once the user has got used to the SOM/EOM operation the on-screen editing leaps out at you and is a joy to use. So too is the machine in general. . . it's very user friendly once you've got used to some of its little quirks. The system utilities are generally very good although their ease of operation could be improved and the very minor bugs that I found ought to be removed.

The 7120 wins hands down on the sheer versatility and number of facilities offered — albeit at a high price. It was a brave move of BASF to avoid the S100 CP/M bandwagon and, providing enough application software comes along, then this decision should prove to be the right one.

Acknowledgement

My thanks to go Paul Raggett and Gordon Hughes of BASF for patiently answering my many questions.

Ataglance

FIRST IMPRESSIONS	to many the
Looks	*****
Setting up	****
Ease of use	***
HIGH LEVEL LANGUAGE	S
Basic	****
Cobol	***
Fortran	n/a
Pascal	n/a
System software	*****
PACKAGES	n/a
PERFORMANCE	
Processor	*****
Cassette	n/a
Disk	****
Bus	n/a
EXPANDABILITY	
Memory	n/a
Cassettes	n/a
Disks	n/a
Bus	**
COMPATIBILITY	
Hardware	**
Software	**
DOCUMENTATION	*
VALUE FOR MONEY	****
***** excellent	
**** v. good	
*** good	
** fair	
* poor	1 Aler

RAM/PROM all RAM 64k Memory mapped I/O Memory mapped I/O 256 bytes 256 bytes Spooler option (4k) RAM 16k **Optional RAM** 48k Spooler option (4k) 44k PROM 8k 40k Basic user area 19k 29k Basic 15k 14k Spooler buffers (1k) System memory TTY/2780 accessible Communicat. emulator by disk Z80 Spooler option (4k) **MTX-80** 4k **CRT** handler and display 5k 256 bytes (user restarts) NOTE: System Z80 can not access any of the disk Z80 memory



David Hebditch continues his series on the man/machine interface.

Dialogue styles fall into two very broad categories, free-format and formatted (or structured).

We will consider the latter next month and in this article I shall concentrate on free-format interactions between user and system. Most commercial dialogues tend to be highly structured, using formatted screens for data-entry, multi-choice menus, queryby-example and so on. The general view seems to be that the structured approach increases the ease with which the dialogue can be learned and used in practice.

There are no clear definitions which could help us to differentiate between the two categories; the boundary is very fuzzy. But essentially 'free-format' dialogues are those relatively free of syntax and formatting rules. The use of the word 'relatively' is important nothing can be entirely free of restrictions. Perhaps the key concept is concerned with providing the maximum amount of flexibility in the way in which data can be presented by the user to the system (and vice versa). This contrasts with the structured approach which aims at restricting possibilities.

So different dialogue styles offer users varying degrees of freedom. To appreciate this is important; a dialogue has to be designed to offer its most likely users the level of flexibility with which they feel most comfortable. To provide a user with too many possibilities can be as disconcerting for him as offering too few. And, of course, users do vary in their needs; I am sure that after 12 years of working with interactive systems of great variety, I am happier with very open and flexible dialogues than the average first-time user.

If 'free-format' dialogues are not being used too much in regular commercial applications, where *are* they being used? Well, when you type a Basic program into your PET (or whatever) you are making use of a special-purpose free-format dialogue. The CP/M operating system also employs a relatively 'free' approach; obviously, syntax rules do exist but the program does not control your input on an individual item-by-item (or even character-by-character) basis.


What are the various elements we need to consider in designing a freeformat dialogue? These are shown schematically in Figure 2. Each is discussed individually below.

Delimiters

Because free-format input messages are entered as a character string, some convention needs to be employed in order to mark the beginning of one item (or field) and the end of the previous one. In many dialogues, a space may be employed for this purpose but this will obviously be ambiguous when text is being entered. Popular characters for use as delimiters are:

- -' hyphen
- ':' colon
 - /' oblique stroke
- ()' left and right brackets
 - equals
- .' point
- ,' comma

and so on.



A number of factors condition the choice of delimiters:

- avoidance of ambiguity
- ease of location on the keyboard and
- special usage (e.g. the comma used to separate items entered to a Basic INPUT statement).

In many cases, a delimiter can be implied. For example, the 15th August 1980 may be entered as:

15.8.80

using the point as a delimiter or as 15AUG80

using the changes from numeric to alphabetic and back again to differentiate the various sub-items. In some cases, a choice delimiter (e.g. '-', '/' or '.' in dates) might serve to make the dialogue more user-friendly

Items

The items which the delimiters frame may be employed for a number of purposes according to the function of the dialogue. Items usually contain: — commands

- command parameters or, more
- usually,

- data.

Some examples will serve to illustrate this:

PIP B:PROG1.BAS=A:PROG2.BAS

This is a CP/M PIP utility input line which means "Copy the Basic program file called PROG2 on diskette drive A to diskette drive B and rename it as PROG1." A space delimits the PIP activation command from the rest of the text. Colon (:) prevents the drive designators from being confused with the file names and the point (.) separates the file type subscript from the name. The equals sign (=) is more of a parameter than a delimiter and is best remembered as having the same functional meaning as in a Basic program. Another interesting feature in this

Another interesting feature in this context is that the parameters at each side of the equals sign have positional significance; they will not do the same thing if they were the other way around (quite the opposite!) If it is thought that the positional significance could be a problem, a solution could be the use of 'keywords'.

For example,

PIP FROM=FILE2 TO=FILE1 would mean the same as




Figure 2: The Elements of a Free-format Message

PIP TO=FILE1 FROM=FILE2

The use of keywords obviously requires more key depressions (and you have to remember the words) but where a lot of items could be entered in each. and only a small number are in practice, then the technique might prove to be more economic and reliable in practice. It is also a relatively simple matter to write programs for such formats (especially if the Basic interpreter has an INSTR function).

Free format dialogues can be very economical for simple data entry. For example, to add a new book to a library

catalogue file one might type: 0-87626-345-7/GILB & WEINBERG/ HUMANIZED INPUT/WINTHROP/ 1978

In this case, the only 'overhead' charac-

ters are the ' / ' delimiters and no coding is employed at all.

Another possibility is to type:

NEW BOOK TO ADD CATALOGUE. ISBN IS 0-87626-345-7, AUTHORS ARE GILB & WEINBERG, TITLE IS HUMANISED INPUT, PUBLISHER IS WINTHROP, YEAR OF PUBLICATION IS 1978.

This is an example of a natural language dialogue all of which are 'free format'. Many system designers set out with the good intention of making their dialogues as much like English (or French, Dutch, etc) as possible. This however is much easier said than done; the programming problems alone are enormous. I shall therefore devote a special article to this subject.

A programming technique called

'Finite State Automata' is very appropriate to handling free-format input data and I will write a special article on that topic. In the meantime, here is a check-list of points to keep in mind when designing free-format dialogues:

1. Choose delimiters which are easy to locate on the keyboard (i.e. not in upper case)

Avoid possible conflicts in the choice of delimiters.

3. If there are any length limits on items, use prompts of some kind to guide the user.

4. Place optional and/or least used items at the end of the message (so they can be 'dropped off').

5. If the occurrence of items in an input message is low, use a keyword technique or split into a selection of shortened messages.

6. Avoid formats which require awkward keying sequences for nontypists; try typical messages before finalisation.

7. Keep the item sequence as close as possible to that in any related input documents.

8. Minimize the 'overhead' characters and get the computer to use as many cursor/print head functions as possible.

Next month I shall look at structured dialogues.

I recently got my first opportunity to have a serious 'hands-on' session with a TRS-80 and all my original conceptions of the system were confirmed. (Make what you like of that!)

So I am not a great TRS-80 specialist and that was made quite clear by the way in which I maligned the machine's communications features in the last Network Notes. By way of defence, I should add that my local Tandy Micro shop helped ably in this plot to mislead you all! I was soon put straight by Derrick Rowe and I can do no better than quote extensively from his letter:

"Following close on a previous PCW reviewers 'discovery' of the Model II's missing PEEKs & POKES, I now find that the Tandy RS232C board which I have been using for over 12 months has become a much-awaited communications adapter. No excuse for you Mr. Hebditch as it is clearly listed in their parts list.

"In fact there is a large amount of communications software available for this machine. Tandy provides some useful terminal software together with a package which allows the TRS-80 to be run from another terminal, and I have run a TRS-80 from an HP 2647 intelligent graphics VDU. It certainly improves the display and keyboard but is a somewhat expensive exercise.

"In the independent market there are a number of offerings. Lance Micklus of PROG 80 fame has written two assembler level utilities. ST80D and KVP. ST80D provides a smart terminal capability allowing the transfer of data/ programs from the TRS-80's disks to a remote computer. In addition, there are user definable tables which allow the TRS-80 to be configured for those odd little ASCII characters such as character

NORK delete and clear screen. This allows the

NU

software to operate on a number of different timesharing systems and I have used ST80D to achieve a Model 1 to Model II conversation at 9600 baud.

"KVP provides a different approach in that under INPUT, LIST or LLIST can be optionally directed at the RS232C channel. While it is only practical to operate up to 30 cps, it allow the programmer to write some quite useful communications routines and it is quite possible to use the TRS-80 to run a remote computer even to the extent of re-transmitting when transmission errors occur.

"Both the popular word processing programs - Scriptsit and the Electric Pencil support output through the RS232 which may have some interesting implications for telex! "As usual the USA is well ahead of

the UK and I understand that The Source and Micronet are already used by TRS-80 enthusiasts for electronic mail and telesoftware. "The Model II has two built-in

RS232 channels and a sophisticated terminal program is provided as a DOS

utility. "Poor old Tandy seems to be getting a rough ride in the press so it would make a change for the machine to be given credit for software capabilities probably some way ahead or at least at the top of the field."

Well, thank you Derrick - I look forward to an opportunity to try some of these good things myself. Now I've done my good turn, I want

to find some micro manufacturers, distributors or dealers to do a good turn for the disabled. Local area networks (LANs) are this year's 'hot topic'. There is a strong case for suggesting that

microcomputers do not reach maturity when they become multi-user systems but when you can interconnect multiple single-user systems to become a coherent co-operative - this could change.

Chris Bennett is Withernsea's big specialist in chips (and his fish come highly recommended, too ..). Chris read my 'On the Line' series and called me to ideas about low-cost some get techniques for inter-connecting roomsful of micros. His idea was to combine LANs with aids for the disabled to facilitate teaching, communications and so on. I have to admit that not only was I a bit short on constructive suggestions but I was a bit negative about his plans to use the cassette I/O ports as the basis for a bus configuration.

The next time Chris telephoned me was to tell me that he had successfully linked up an Apple II and a Research Machine 380Z using a bus originating from the cassette ports at speeds of up to 4-8 kbits/s! He had also simulated a third device on the bus.

Chris needs the loan of more micros, particularly a PET, Sinclair ZX80, TRS-80 and so on. The project is private and non-commercial; Chris' motives are genuine and he has a personal interest in the success of the project.

Companies who want to support this innovative work should contact me (c/o The Editor, PCW) and I will put them directly in touch with Chris.

Response to the first 'Network Notes' about the Personal Computer Network was good and I will give you an update as soon as possible.

Next month David will do a special review of the proposed relaxation in the Post Office monopoly and its implication for the microcomputer world.

GATEWAYS TO LOGIC

CHAPTER3: HOWCOMPUTERSTHINK

Derrick Daines continues his unique guide to teaching others the basics of microcomputing.

Number sentence cubes

Time and again in computing we come across conditional jumps. So far I have confined myself to the IF A THEN B variety, but the 'A' part can and does take a wide variety of forms. An excellent aid to conditional jumps, in number work especially, is the type of dice sold under the name of Number Sentence Cubes. (See Appendix for suppliers.)

Five dice make up a usable set, although frequently two sets are sold together in one box. The plastic type is best, although wooden ones will serve quite well, especially if their edges and corners are sanded round to give a better roll. Readers will find different ways to use them, but my method is as follows:

The five dice are rolled together and then sorted to make a sensible number sentence. One number die begins the number sentence; next there's an operations die that has its faces printed with the four operations symbols +, x and ÷. Another number die follows and then the one that we are particularly interested in, the resultant die. Finally another number die finishes off the sentence.

Notice that although the sentence may or may not be true, it does make sense - it is understandable.

The resultant die has its six faces inscribed as follows:

- = (is equal to)
- \neq (is not equal to)
- > (is greater than)
- > (is not greater than) < (is less than)
- \triangleleft (is not less than)

The student copies down the number sentence and then has to decide whether it is true or false, writing the appropriate word after it. Unfortunately for teachers, this exercise is difficult to mark. Obviously there's no answer book to work from and having done the first 10 or 12 — continually asking oneself questions like, "Is it correct that that statement is false?" — one begins to tick things that should have been




Fig 1 NUMBER SENTENCE CUBES:

marked wrong, and vice-versa. Luckily, a great deal of practice is not normally necessary. Twenty or thirty examples are usually sufficient for anyone (Fig 1).

Other conditional jumps are sometimes encountered, and the teacher may wish to adapt a spare dice for them:

- \geq (is greater than or equal to)
- \geq (is not greater than or equal to)
- \leq (is less than or equal to)
- \leq (is not less than or equal to)
- \approx (is equivalent to)

One manufacturer supplies his number sentence cubes with 'empty set' symbols, \triangle and \square , which can be used in the following ways. (i) A special value is set aside for each, such as 1/2, 50, 100, zero, infinity; (ii) two or three times the next roll, (iii) the next roll is negative, (iv) the student may freely choose any number, (v) the number is unknown.

Other dice recommended for this work have 4, 8, 10, 12, or 20 faces. They are available commercially (see Appendix), or else they can be made in school in conjunction with work on three-dimensional solids. (Cundy & Rollett, Mathematical Models)

Every computer program save only the very simplest contains numerous examples of conditional jumps, and readers may rest assured that the practice I've outlined is well worth the time and effort devoted to it. For examples of conditional jumps, the reader might like to turn to Figs 2, 6, 9 and 10.

Hexadecimal

It's a simple fact that when a human being works in binary (0s and 1s), (s)he is very prone to error. However, the computer can only work in binary the first computers relied entirely on an input of binary, and also gave out only binary. Not only was this error-prone, it was also excrutiatingly slow to execute. Early 'Computer Man' needed some method of working that would cut down on human error and if possible speed up the operation of putting binary information into the computer. Various methods have been tried over the years, but of all these middle-level computer languages (as they are called), hexadecimal seems to have gained the most adherents - particularly following the advent of the relatively cheap home computer. The reasons are worth going into.

word in A binary computer comprises a certain number of bits. This is the number of binary bits that the computer can hold in any one memory. In large (or 'main frame') computers, a memory may hold 16, or even 32, bits; for home computers this is quite excessive . . . they don't normally need to handle numbers of that size or accuracy and on the odd occasion that they do, the work can still be carried out at the expense of a little time. Some home computers use a four-bit word, but the majority use 8. For the time being, we'll take an 8-bit word as standard.

1 WORD =	-			_		_	_		
I WORD =					1.1.1.1				
8 BITS	1	0	1	1	0	0	1	0	
(= 1 BYTE)	_								

2 SETS OF 4 BITS → 1011 0010

HEX EQUIV. FOR EACH \rightarrow B 2

Fig 2 BINARY TO HEX

For convenience, the 8 bits can be divided into 2 lots of 4 bits each (Fig 2). The decimal value of four binary bits ranges from 0 to 15, which is sufficiently close to our normal 'tens' counting as to be very interesting. We can use the symbols 0 - 9 to start off with and then invent or adapt other symbols for the remaining 6. For economic reasons it's better to adopt other symbols without adaptation and so it has come about that we use the capital letters A - F. Now by using the range of symbols 0 - F, we have an easy and convenient notation for counting up to 15 (Table 1). By using two such symbols -- one for each set of four - the eight binary digits are reduced to manageable proportions. Which would you rather type in . . . 10110111 or B7?

In devices that use the hexadecimal input method, there's a clever little silicon chip that converts the hex into binary form, so don't let a hex input blind you to the fact that the micro-processor is still working in binary output from the micro into hex for the human to read.

Children in particular grasp the idea very quickly - even at the age of 8 or 9.

HEX	DECIMAL	BINARY
1	1	1
2	2	10
2 3	3	11
4	4	100
5	5	101
6	6	110
7	7	111
7 8 9	8	1000
9	9	1001
A	10	1010
В	11	1011
С	12	1100
D	13	1101
Е	14	1110
F	15	1111
	TABLE 1	

CONVERSION TABLE

				HEX	COLUM	NS					
N.S.	6		5		4		3		2		1
HEX	DEC	HEX	DEC	HEX	DEC	HEX	DEC	HEX	DEC	HEX	DEC
1	1048576	1	65536	1	4096	1	256	1	16	1	1
2	2097152	2	131072	2	8192	2	512	2	32	2	2
3	3145728	3	196608	3	12288	3	768	3	48	3	3
4	4194304	4	262144	4	16384	4	1024	4	64	4	4
5	5242880	5	327680	5	20480	5	1280	5	80	5	5
6	6291456	6	393216	6	24576	6	1536	6	96	6	6
7	7340032	7	458752	7	28672	7	1792	7	112	7	7
8	8388608	8	524288	8	32768	8	2048	8	128	8	8
9	9437184	9	589824	9	36864	9	2304	9	144	9	9
Α	10485760	A	655360	A	40960	A	2560	A	160	A	10
В	11534336	В	720896	В	45056	В	2816	В	176	B	11
С	12582912	C	786432	C	49152	C	3072	C	192	C	12
D	13631488	D	851968	D	53248	D	3328	D	208	D	13
Е	14680064	E	917504	E	54344	Е	3584	Е	224	E	14
F	15728640	F	983040	F	61440	F	3840	F	240	F	15

Table 2

There is one reservation people have about hex, however. "If we're counting in 16s," they ask, "why is it that we haven't got 16 numbers?"

"Oh – haven't we?"

"No. We go up to 9, then A, B, C, D, E, F - that's 15."

"What about 0?" I ask

A puzzled frown crosses the face and they go away to count all over again. I hear the same thing for binary.

"We're counting in 2's, so why can't we use a 2?"

If such a misunderstanding has arisen, the solution lies in pointing out that although we talk about counting in tens, we have no special symbol for the value ten. We use a 1 in the next column and a 0. People forget that zero has a place value, even though it has no numeric value.

It's worth devoting considerable practice to converting decimal to hex and vice-versa before going on to addition and subtraction. It's best not to use this sort of 'hand' work on numbers above 50 or so; for them, Table 2 should help.

Decimal to Hex conversion

Find the number on the table that is the highest possible but is not greater than the decimal number to be converted. Note its hex equivalent. Find the remainder and continue in the same fashion.

For example, to change 3600 to hex, the largest number on the Table less than this is 3584, hex value E. The remainder (3600 - 3584) is 16, hex value 1 in the second column. There's no remainder, so we put a place holder 0 in the last column. The hex value of 3600 is E10.

To change 9999 to hex - the largest number less than 9999 is 8192, hex value 2 in the fourth column; the remainder is 1807. The largest number less than this is 1792 in the third column, hex value 7; the reminder 15. This is worth hex F in the last column. Since we have had no value from the second column, we insert a 0 place holder. The hex value of 9999 is 270F.

Hex to Decimal conversion Find each hex digit in the appropriate column and add together their decimal equivalents.

For example, to change 4A0F to decimal, we look up the value of the 4, (16384), the A (2560) and the F (15) in the appropriate columns, and add them together to make 18959.

Flowcharts


A flowchart consists of a series of boxes instructions and condition tests linked by arrows in such a way that following it leads inevitably to the correct outcome. Note the word 'in-evitably'. A flowchart must be free of embiaity and because for the second ambiguity and have no room for error of any kind if it is to work properly.

The attainment of this aim is not necessarily as easy as it might seem at first sight. Most computer programs are drawn out in flowchart form first and even then it's astonishing how even the most experienced programmer will find results unforeseen and unwanted occurring when the program is run.

For most students, a good start is to flowchart a well-understood and familiar sequence of events - such as getting up in the morning, getting a book out of the library, or making a cup of tea. (Fig 3). As the chart is developed, the students' suggestions can be guided by such leading questions as, "What if I don't want sugar?" or "Who likes cold tea?" This process can continue until the teacher is satisfied that the flowchart is detailed enough.


It's a fact quickly determined by experiment that any flowchart can be made more and more detailed process that can continue almost ad infinitum. Judgement is therefore needed to determine the optimum amount of detail in a flowchart, but as a rule of thumb it's wise to assume that too much is better than too little. For tuition purposes, even the simplest flowcharts should contain at least one each of the differently-shaped boxes of Figures 4 and 5.

Having created a sample flowchart, students should be urged to create their own. Plastic stencils are available (see Appendix), but those generally available are made for professional draughtsmen and are rather expensive. On the other hand, those issued by the Open University are simple and cheap and will





It's The Mu-pet Show




Mu-pet is very good news indeed for those PET users wanting a multi-user computer system and who, up until now, have run up against a budgetary brick wall.

Mu-pet delivers the goods at very low cost... which is one of the reasons it's become the world's biggest selling multi-PET system. Precisely engineered in the U.S. and Canada, Mu-pet makes the most of PET computers – without the need for program changes.

£595 is all it costs for a standard Mu-pet system that links three PET computers to a single Commodore disc drive and a printer. The cost of linking more PET computers, up to a maximum of eight, is £125 for each addition.

All machines have access to the disc drive and printer. The hardware which all runs via the IEEE bus has been so well designed that each PET thinks the disc is its own, and priority depends on who gets there first.

If you've three or more PETS, then you need a Mu-pet to make the most of them.



CBM




Fig 5 ADDITIONS AND ALTERNATIVES

serve admirably — providing supplies remain available. As a last resort card stencils may be made very cheaply.

If a flowchart is to be displayed, it's worth using a different colour of paper for each box shape — thus an output could be blue, a input red, and so on. When the boxes are stuck down onto a white backing sheet with arrows drawn in black felt-tip, the result can be most pleasing.

Many books on computing carry good flowcharting examples. The example given in Fig. 6 deals with airline bookings.

Fred

FRED is an acronym for Family Robot Electronic Device in my school and the children love him. I ask for a volunteer to play the part of Fred and try to pick someone with a good intelligence and a lively sense of fun. I tell the class that FRED is a robot and it's their task to instruct or program him to execute a simple task such as standing on a chair placed some distance away, finding and picking up a pencil and so on. To the child playing the part of Fred we say that he must be pernickety about the instructions that he obeys. He must take nothing for granted, nothing as understood, and must obey every instruction implicitly. If I've chosen wisely, the child's antics and deliberate misunderstandings will teach more about the difficulties and limitations of technological design than a whole year of lessons.

One last thing; I find it a good plan to tell Fred to buzz loudly when he fails to understand an instruction. Also, instructions not preceeded by the 'call to attention' signal, "Fred" are to be totally ignored.

Here, by way of an example, is a distillation of many such lessons; in one or two places I've added interesting points that were discussed later. I've labelled the instructor CHILD, but of course I aim at getting contributions from all and sundry. As you may imagine, the following will have been interspersed at times with quite heated arguments between pupils and between pupils and Fred.

CHILD: Move forward.

FRED does nothing.

TEACHER: You've forgotten the call to attention.

(The call to attention is a kind of switch to filter out all unwanted instruction, extraneous noise and so on.)

CHÍLD: Fred — move forward. FRED: Buzzzzz.

(A multitude of reactions can be programmed into a machine to indicate faults. Sometimes the type of signal indicates the type of fault, a technique that can lead to computers printing out details of where and what


the fault is,	or even to serricpan see
later.)	
CHILD:	Fred – put one foot for-
	ward.
FRED:	Buzzzzz.
	(Still too general. Fred
has got two f	eet.)
CHILD:	Fred — move your left foot forward.
FRED:	Buzzzzz.
CHILD:	Fred - move your left
	foot forward a little bit.
FRED sways	
CHILD:	Sir — he's being awkward!
TEACHER:	Not at all – he's doing
ILAOIILA.	exactly what I told him
	to do. He also did what
	you told him to do,
EDED	didn't you, Fred?
FRED:	Yes sir $-$ I moved it one
	millimetre.
CHILD (grin	nly): Move your left foot forward six inches.
TEACHER:	You've forgotten again.
CHILD:	Oh! - Fred - move
Unit.D.	
	your left foot six inches.
	Blimey – now he's gone


(Instructions must be precise and unequivocal at all times. Obviously, the game becomes a battle of wits between Fred and the rest of the class, but they are learning some important lessons. More and more machines are being designed with a fail-safe mode of operation. Simply put this means that, in the event of ambiguity, the machine will adopt one particular mode of operation that the designer considered to be the safest. Usually this is interpreted as doing nothing.) CHILD: Step on the chair. Er -

Step on the chair. Er - sorry. Fred - step on the chair.

and moved backwards!

(Newcomers to computing and other forms of artificial intelligence are frequently to be observed apologising to machines. This is probably a confusion between intelligence and sentience, allied to a sort of personality that all machinery exhibits to a greater or lesser extent.)





FRED does nothing.

TEACHER: Tell them what's the matter, Fred. FRED: I'm thick, sir. I don't know what a chair is. (A good point. Getting the computer to recognise simple objects has been very difficult, whilst recognising more complicated things —

such as a particular person's handwriting — has so far proved to be impossible.) CHILD: It's that thing there in front of you, fathead.

TEACHER (cutting argument): I think we'll accept that for now. Let's say Fred, that you've been programmed to recognise a chair. CHILD: Step - whoops! - Fred, step up on the chair. FRED: Buzzzz. TEACHER: You'll have to do it bit

CHILD:

by bit. He doesn't know how to step up until you've programmed him. Raise your right foot

eighteen inches. FRED does nothing, grinning broadly. CHILD: Fred – raise your right foot eighteen inches.

FRED falls over with a clatter. (The action of walking is

extraordinarily complicated, involving inter alia the transfer of weight from one side to the other. It's for this reason extremely unlikely that humanoids will ever become a reality except perhaps in research prototypes. It's far more machines may well end up being tripedal.) CHILD: Fred – get up.


CHILD: Fred — get up. FRED: Buzzzz.

(The chaos ensuing is better imagined than described since the act of rising to an upright position is even more complicated than walking. It seems likely that computers and robotic machines will always require the intervention of a human agency at some time or other, for the simple reason that every possible contingency cannot be foreseen and/or catered for — unless the application is relatively simple. The more versatile a machine is then, by a curious paradox, the more likely it is to break down . . . or to find itself in situations with which it cannot cope.)

Later, when Fred has regained an upright position: CHILD: Fred — raise your right

foot eighteen inches. FRED does so.

CHILD: Fred - put your right



Study the TRS-80 in Cambridge


For centuries now Cambridge has attracted students for learning and research. Following in the tradition, Cambridge Computer Store – the most active Tandy franchise dealer in the U.K. – offers you the opportunity to study in depth the full range of TRS-80 hardware and software. On demonstration in the Store are the top-selling Model 1 and the new, exciting Model II plus a wide range of peripherals: from a minimal system (at only £251) to fully expanded configurations – all immediately available.

Visit us in Cambridge and study the TRS-80. With our help you're sure to graduate with honours!

Cambridge Computer Store

1 Emmanuel Street Cambridge CB1 1NE Telephone: (0223) 65334/68155

Apple : Cromemco : Hewlett Packard : Horizon : Pet : Acorn : Compukit : Sinclair : Houston : Infoton : Centronics : Qume : Word Star



CHILD:

Fred — blimey, he's trodden on my pencil! (Another reason why

robots are not likely to be humanoid. Ensuring the safety of the machine means that all working space must be kept clear and it's best if the machine itself sweeps the area around it. This is not easy with bipedal machines. An alternative is to incorporate a fail-safe device that sounds an alarm if an obstruction is encountered — a solution that brings problems in its wake of determining the difference between an obstacle and a lawful part of the environment. Keen followers of the BBC's 'Doctor Who' series will have observed that K9 must always operate on a smooth floor area, although very often the cameras are trained above the floor to disguise this fact.)

An alternative instance:

CHILD: Fred – put your foot – er – right foot forward nine inches.

FRED does so. CHILD:

Fred — lower your foot until it reaches the chair seat.


(Better. An instruction to "lower your right foot nine inches" could result either in Fred not lowering his foot far enough — hence necessitating more instructions — or else forcing his foot down the full nine inches to either destroy whatever he is putting his foot on, or more likely, tipping himself over backwards. However, there's another teaching point to be made here ... as follows.) TEACHER: Fred — lower your right foot one inch.

- 1. START
- 2. LET A = 0
- 3. LET B = 0
- 4. LET A=A+3
- 5. LET B=B+1
- 6. IF B[‡]4 THEN GO TO 4
- 7. PRINT CONTENTS OF A
- 8. STOP
- Fig. 10

THED does s		Ī
TEACHER:	Fred – has your right	
	foot encountered a solid	
	surface?	
FRED:	No sir.	
TEACHER:	Fred – lower your right	
	foot one inch.	
FRED doos s	n	

TEACHER: Fred — has your right foot encountered a solid surface? (This is known as a

(This is known as a reiteration loop — a very powerful tool in the hands of the programmer since it results in a great saving of instructions. The slight cost is the conditional test which offers the machine its only way out of the loop. Conditional tests have already been met in connection with number sentence cubes. Here the important point is being made that tests can be carried out on anything within the environment of the machine or on any condition existing within the machine itself — analogous to the feeling of hunger in the human.)



Probably enough has been written about this particular exercise to demonstrate a number of points.

(1) The lesson provides rich information on robots; in addition it dispels many of the myths that, generated by writers of science fiction,

11		1. 1 m
	A	
	в	
	L	

Fig 12

continue to be perpetuated by films and television.


(2) From robots in particular we may draw lessons about all artificial intelligence and all machines in general whether electronic, mechanical or a combination of both.

(3) Flowcharting is still further understood since we can draw flowcharts incorporating the successful instructions.

(4) Students are better able to understand the step-by-excruciating-step nature of computer and robotic instructions. They begin to ask the question, "What can go wrong?" Remember Murphy's Law — what can go wrong, will.

Do~while

Because of the lightning-fast speed at which computers function, most of their operating time is simply wasted. For example, it's common for the computer to have finished a computation and be ready with the answer before the human operator has removed his/her finger from the GO button. Time is wasted (a) because of the relatively slow print-out of results and (b) because of the extremely long delay (so far as the machine is concerned) before the human requires to make any further computation. This last delay can range from seconds to perhaps days, but of course in computer terms even a second is a very long time. When a



OGL ANNOUNCE A MAJOR BRITISH BREAKTHROUGH IN DATA ENTRY & GRAPHICS PLANNING

THE OCL DATAPAD 1

- PERMITS DATA ENTRY WITHOUT USING A KEYBOARD • NO TRAINING FOR OPERATORS — ALMOST ANYONE CAN USE IT
- COMPATIBLE WITH VIRTUALLY ANY MICRO OR MINI SYSTEM
- CUTS OUT DATA ENTRY DELAYS
- . SAVES TIME AND MONEY

The OCL DataPad is a positional identifier which can be used with a vast range of software programmes for both data entry and graphics.

Data entry with the OCL DataPad is simplicity itself — a preplanned entry programme on an A4 printed sheet or an adapted standard form is placed on the DataPad which identifies the programme via a printed code. Just touching the data entry identification points on the sheet with a special stylus enters the data instantly — no delay, no keyboard, no training, and considerable labour and cost savings.

The OCL DataPad has the versatility to economically utilise existing methods of data collection. For example:

Stock control sheets, order forms, business forms, timecards for payroll and pricing, research statistics, customer records, personnel records, progress control, plus many others. It can even be used for marking multi-choice examination papers.


The OCL DataPad graphic capabilities are equally comprehensive and easy to use — cursor, perfect shape



plotting, selective colour, calculating regular and irregular areas, isometrics, graphs, time scales, automatic graph coordinate calculation, and many, many more including labelling, moving and erasing.

Compatible with virtually any micro, mini and mainframe computers, via its RS 232 and parallel interfaces, the OCL DataPad is a major breakthrough in computer technology. Find out how you can use the OCL DataPad to save time and money. You can't afford not to!

Oxford Computing Ltd. 48 Crown Street Reading Berkshire RG1 2SE Telephone: Reading (0734) 587138 (3 lines) Dealer and Distributor enquires invited



computer is capable of making a million operations a second, there isn't much point in having it hanging around doing nothing.

The answer lies in giving the computer more to do. Some computers can, with the addition of a little hardware, be utilised by four or more people at once, or be engaged in a long printout between bouts of game-playing with the operator. The point can be made by means of a little play. In school I pick the brightest and nippiest child to be 'the messenger' and arrange for four or more other children to play the part of stupid giants; they have the task of writing to each other via the nippy messenger.

The giants must write in their very best handwriting and rather slowly, but their notes may be as brief as they wish. Verbal communication is forbidden. The sort of note that's suitable is, "What did you watch on television last night?" to which the first might reply, "I watched Match of the Day. What did you see?"

Desks may be arranged so that the messenger is in the centre of a square. (S)he buzzes about actively, looking for a message to deliver. As soon as one arrives it's delivered to its destination — and the messenger continues his/her search. If two stopwatches are available, it's useful to have onlookers check the time spent in actually delivering messages in comparison with the time spent in looking for another message to deliver.

1	2	3	
4	5	6	
7	8	9	Fig 15

A variation of this play is for the teacher to increase the number of slow stupid giants. A rule is made that no-one may write a second note until they have received a reply to their first. The result will be that the poor messenger never stops running and the giants may begin to wait some time for replies. This gives the opportunity to introduce two other concepts — queuing and priority interrupts. Queuing is already well understood. Priority interrupts can be illustrated by having one child, chosen

for top priority, who is permitted to bawl out, "Message!" whenever (s)he has one for delivery. The messenger must complete the task at hand — then go and fetch the priority message.

It's important the teacher points out that the play is a model of computer operation slowed down millions of times, so that although a giant may have to wait, say, five minutes between messages, in real terms a computer user should not have to wait more than a millisecond — even if the computer is overloaded.

Readers with experience of computers may protest that they have had to wait for considerably longer than a fraction of a second, but of course this is because priority users have given the computer not one but many millions of operations to perform. Further, in practice there are often many levels of priority, with top priority going to those matters dealing with the safety of the machine itself and its installation, second priority going to housekeeping matters and maintenance of programs, third priority going to extremely urgent programs, fourth to not-so-urgent programs and so on, down to eighth, ninth or tenth priority. Seen in these terms, the delay is understandable.

The analogy between the play and Figure 7 is clear. The slow giants are the peripheral devices, while the nippy messenger is the computer itself – or more precisely, that part of it called the Central Processing Unit. Other plays of this type may be devised to emulate various functions of the computer and a good source of ideas is "Computer Science – a First Course", a slim volume obtainable from the Open University Press.

Cardboard computer

There are various models of computer operation and this one, from 'Man Uses the Computer' (Blackie, 1977) is as good as any. Give students each a sheet of cardboard some 6" square and have them cut two parallel slots (Fig 8). The name Central Processing Unit is printed boldly across the top and then, if they feel like adding a little realism, the cards can be decorated with rivets, nuts, bolts, handles and dials. Each student is then given a strip of

long, which is threaded through the slots so that only an inch or so of paper is revealed at any one time. Draw lines on the paper, top and bottom of the frame, and then pull the paper up so that the bottom line is now at the top. Draw another bottom line. Repeat in this way until all the strip of paper has been marked off in standard-size frames. Pull back to the beginning.

This first step may have seemed superfluous, but experience has shown it to be very desirable; frames drawn at the same time as they are written often turn out to be non-standard in size ... leading to great confusion later.

The flowchart of Figure 9 can now be displayed and discussed. It could hardly be simpler for it just multiplies 3 x 4 using the technique mentioned earlier of repeat addition. The next step is to translate the flowchart into a listing, as per Figure 10; the students should copy this onto their strips of paper, one instruction per frame (Fig 11). The frames are of course numbered. A separate sheet is needed for temporary stores A and B (Fig 12), and maybe another for output of results. All is now ready.




Fig 16


With the long strip of paper pulled down so that the instruction START is displayed, the user pulls the strip up to the next frame and obeys the instruction on it before moving on to the next. Temporary stores A and B are written IN PENCIL, any previous entries being erased. Instructions to jump are of course obeyed by pulling the strip through until the correctlynumbered frame has been found.

This is a salutary exercise and one that's thoroughly recommended. Students soon begin to appreciate how much the computer has to 'whizz backwards and forwards' in order to produce an answer to even the simplest of programs.

Another lesson learned is irretrievable loss of information. Once data has been erased from the temporary stores A and B, there's simply no way of getting it back; indeed the only way of obtaining it in the first place would be to alter the program so that it prints it out.

Students can now be instructed to alter the program so as to produce an answer to a different problem for example 4 times 5 — and then run it to check that the answer obtained is the one expected. Once this has been mastered, try altering the structure of the program so that they have to program simple division or even to combine operations. It's also useful to

GOTO Page 123



Binders: £2.95 Please send me __ PCW Binders □

NAME.

ADDRESS.

processing.

(Block capitals please)

I enclose cheque/P.O. for \pounds

Sportscene Publishers Ltd.

Send coupon to PCW (Subscriptions), 14 Rathbone Place, London W1P 1DE. Allow at least 14 days for

made payable to

So keep your copies of PCW in a beautiful bright yellow binder. 52.95 worth of smart security.

Half the people you meet today are not proceepied with pollution, perversion or persecution. It's worse than that — they've lost a copy or two of PCW and don't know where to find replacements.

Just check the coupon at the foot of the page



Index to current volume, up to, and including, last month. (Previous volumes were indexed in March and April 1980 issues).

Hardware Projects		(
Z80 Homebrew Selective PROM copier	3-1 3-3	•
TV to Monitor		
conversion MK-14 Expansion	3-3 3-4	1
Teleprinter conversion	3-5	
Adding a Z80 to a 6800 system	3-7]
VCR to PET interface	3-8	1
Benchtest Evaluations	0.1	IS
Luxor ABC 80 WH 89	3-1 3-2	
ACT System 800	3-2	H
Panasonic JD 700U Sinclair ZX-80	3-3 3-4	010
Challenger C2 4P	3-4	
Texas TI 99/4 Altos ACS 8000-2	3-5 3-5	(2
Hewlett Packard HP-85	3-5	7
Benchmark Timings	9 5	
summary TRS-80 Model II	3-5 3-6	j
Sintrom Periflex 630/48	3-6	I
Acom Atom DDE SPC/1	3-7 3-7	1 50
SuperBrain	3-8	1
Series PASCAL 3-1,2,3	345	5
David Levy's Games 3-	1.2.3	(
4,5	5,6,7	1
On the line 8 3-1	,2,3	2
Viewdata 3-4	1,5,6	
Pascal Part 10 - Concluded	3-6	2
IEEE interface - Part 2	3-6	1
Chess	3-7,8	
Catomara to Logia	0 7 0	
Gateways to Logic	3-7,8]]
Gateways to Logic Face to Face — the man/machine	3-7,8]
Gateways to Logic Face to Face — the man/machine interface	3-7,8 3-7,8]
Gateways to Logic 5 Face to Face — the man/machine interface 5 Network Notes Fact Sheets (Fax)	3-7,8 3-7.8 3-7	
Gateways to Logic 5 Face to Face — the man/machine interface 5 Network Notes Fact Sheets (Fax) 6800 opcodes	3-7,8 3-7.8 3-7 3-1]
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru	3-7,8 3-7.8 3-7 3-1 3-2]
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord	3-7,8 3-7,8 3-7 3-1 3-2 upt)	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing —	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious Micros in big businesses Animistics — a look	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-4 3-5	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious Micros in big businesses Animistics — a look at 'friendly'	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-5 3-5	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious Micros in big businesses Animistics — a look at 'friendly' computers Computer/Information	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-5 3-5 3-5 3-7	
Gateways to Logic 5 Face to Face — the man/machine interface 5 Network Notes 5 Fact Sheets (Fax) 6800 opcodes 6 6502 opcodes 7 Personal Opinion (Interru The end of work? Lord Avebury 7 Protest against technolog determinism 7 Who needs the CRA? 5 Schools computing — David Firnberg 5 Stating the obvious 7 Micros in big businesses 7 Animistics — a look at 'friendly' computers 7 Computer 1000 technology & the law 7	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-5 3-5	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious Micros in big businesses Animistics — a look at 'friendly' computers Computer/Information	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-5 3-5 3-5 3-7	
Gateways to Logic Face to Face — the man/machine interface Status of the man/machine interface Status of the man/machine fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious Micros in big businesses Animistics — a look at 'friendly' computers Computer/Information technology & the law Evaluations (Checkout) Video Genie Vector Graphic	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-4 3-5 3-5 3-5 3-7 3-8 3-2	
Gateways to Logic Face to Face — the man/machine interface Network Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious Micros in big businesses Animistics — a look at 'friendly' computers Computer/Information technology & the law Evaluations (Checkout) Video Genie Vector Graphic Flashwriter II	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-5 3-5 3-7 3-8 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2	
Gateways to Logic 5 Face to Face — the man/machine interface 5 Network Notes 5 Fact Sheets (Fax) 6800 opcodes 6502 opcodes 7 Personal Opinion (Interru The end of work? Lord Avebury 7 Protest against technolog determinism 7 Who needs the CRA? Schools computing — David Firnberg 5 Stating the obvious 7 Micros in big businesses 7 Animistics — a look at 'friendly' computers 7 Computers 11 formation technology & the law 2 Evaluations (Checkout) 7 Video Genie 7 Video 7 Flashwriter II 7 Apple II Symteo Iight per 7 Microdata UV8	3-7,8 3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-4 3-5 3-5 3-7 3-8 3-2 3-8 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2	
Gateways to Logic Face to Face — the man/machine interface Setwork Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious Micros in big businesses Animistics — a look at 'friendly' computers Computer/Information technology & the law Evaluations (Checkout) Video Genie Vector Graphic Flashwriter II Apple II Symtec light per Microdata UV8 EPROM eraser	3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-4 3-5 3-5 3-7 3-8 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2	
Gateways to Logic 5 Face to Face — the man/machine interface 5 Network Notes 5 Fact Sheets (Fax) 6800 opcodes 6502 opcodes 6502 opcodes 7 Personal Opinion (Interru The end of work? Lord Avebury 9 Protest against technolog determinism 7 Who needs the CRA? Schools computing — David Firnberg 5 Stating the obvious 7 Micros in big businesses 7 Animistics — a look at 'friendly' computers 7 Computer/Information technology & the law Evaluations (Checkout) 7 Video Genie 7 Vector Graphic 7 Flashwriter II 7 Apple II Symtec light per 7 Microdata UV8 2 EPROM eraser 7 Softy intelligent EPROM 7 programmer 7	3-7,8 3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-4 3-5 3-5 3-7 3-8 3-2 13-3 3-5 3-5 3-5 3-5 3-5 3-5 3-5	
Gateways to Logic 5 Face to Face — the man/machine interface 5 Network Notes 5 Fact Sheets (Fax) 6800 opcodes 6502 opcodes 6502 opcodes 7 Personal Opinion (Interru The end of work? Lord Avebury 7 Protest against technolog determinism 7 Who needs the CRA? Schools computing — David Firnberg 5 Stating the obvious 7 Micros in big businesses 7 Animistics — a look at 'friendly' computers 7 Computer/Information technology & the law Evaluations (Checkout) 7 Video Genie 7 Vector Graphic 7 Flashwriter II 7 Apple II Symtec light per 7 Microdata UV8 2 EPROM eraser 7 Softy intelligent EPROM 7 programmer 7 Exatron stringy floppy 7	3-7,8 3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-4 3-4 3-5 3-5 3-7 3-8 3-2 3-2 3-2 3-2 3-5 3-5 3-5 3-5	
Gateways to Logic Face to Face — the man/machine interface Setwork Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious Micros in big businesses Animistics — a look at 'friendly' computers Computer/Information technology & the law Evaluations (Checkout) Video Genie Vector Graphic Flashwriter II Apple II Symtec light per Microdata UV8 EPROM eraser Softy intelligent EPROM programmer Exatron stringy floppy 380Z High Resolution Graphics	3-7,8 3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-4 3-5 3-5 3-7 3-8 3-2 13-3 3-5 3-5 3-5 3-5 3-5 3-5 3-5	
Gateways to Logic 5 Face to Face — the man/machine interface 5 Network Notes 5 Fact Sheets (Fax) 6800 opcodes 6502 opcodes 6502 opcodes 7 Personal Opinion (Interru The end of work? Lord Avebury 9 Protest against technolog determinism 9 Who needs the CRA? 5 Schools computing — David Firnberg 5 Stating the obvious 10 Micros in big businesses 7 Animistics — a look at 'friendly' computers 7 Computer/Information technology & the law Evaluations (Checkout) 7 Video Genie 7 Vieto Graphic 7 Flashwriter II 7 Apple II Symtec light per 11 Microdata UV8 EPROM eraser 5 Softy intelligent EPROM programmer Exatron stringy floppy 3802 High Resolution Graphics ROMPLUS+ for 10 Microdata US 10 Microdata 10	3-7,8 3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-4 3-4 3-5 3-5 3-5 3-7 3-8 3-2 3-2 3-5 3-5 3-5 3-5 3-5 3-5 3-5 3-7 3-8 3-7 3-8 3-7 3-4 3-5 3-5 3-7 3-8 3-7 3-4 3-4 3-5 3-5 3-7 3-8 3-7 3-4 3-4 3-5 3-5 3-5 3-7 3-8 3-5 3-5 3-6 3-6 3-6 3-6 3-6 3-7 3-8 3-7 3-8 3-7 3-8 3-7 3-8 3-5 3-6 3-6 3-7 3-8 3-7 3-8 3-7 3-8 3-6 3-6 3-6 3-6 3-7 3-7 3-8 3-7 3-7 3-8 3-7 3-7 3-8 3-7 3-7 3-7 3-7 3-7 3-7 3-7 3-7	
Gateways to Logic Face to Face — the man/machine interface Setwork Notes Fact Sheets (Fax) 6800 opcodes 6502 opcodes Personal Opinion (Interru The end of work? Lord Avebury Protest against technolog determinism Who needs the CRA? Schools computing — David Firnberg Stating the obvious Micros in big businesses Animistics — a look at 'friendly' computers Computer/Information technology & the law Evaluations (Checkout) Video Genie Vector Graphic Flashwriter II Apple II Symtec light per Microdata UV8 EPROM eraser Softy intelligent EPROM programmer Exatron stringy floppy 380Z High Resolution Graphics	3-7,8 3-7,8 3-7,8 3-7 3-1 3-2 upt) 3-1 ical 3-3 3-4 3-4 3-4 3-5 3-5 3-5 3-7 3-8 3-2 3-8 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2	

Casio Fx 502P Brag

	Casio Fx 501/2P Master	
3-1	Pack TI 58/9 Economics	3-2
0-0	Simulations	3-2
3-3	Programming efficiency	3-3
3-4	Casio random number	2.2
3-5	generator HP 41C review	3-3 3-4
3-7	Artificial Intelligence	3-5
3-8	Accounts on TI-59	3-5
0 1	Data Packing Sharp PC1211	3-6
3-1 3-2	evaluation	3-7
3-2	Pentathlon program	3-8
3-3	Special Features Computer Retailers'	
3-4 3-4	Association	3-1
3-5	Christopher Evans tribute	3-1
3-5	Show chess results	3-1
3-5	The British Computer Society	3-2
3-5	Astrology - case study	3-2
3-6	IEEE-488 bus explained	3-2
3-6	Economic simulation Modem evaluations	3-3
3-7 3-7	5th West Coast Faire	0-0
3-8	report	3-5
1.	Wave Synthesis on	3-5
4,5	Nascom 1 Overcoming PET printer	0-0
2,3	problems	3-5
	Random numbers Sound to colour	3-5
2,3	conversion	3-3
5,6	American report	3-3
3-6	Simple approach to	00
3-6	communication aid for	3-3
7,8	disabled	3-4
7,8	Imphex — intelligent	
	game PET House of Commons	3-4
7.8	report	3-4
3-7	Interrupt handling	3-6
3-1	Case Study — Comput installation	3-6
3-2	Poem	3-6
pt)	Power supplies	
3-1	explained Power supply design	3-6 3-6
al	Program structuring	
3-3 3-4	in Basic	3-6
3-4	Sandbach school system M68000 preview	3-6 3-7
3-4	Case Study -	
3-5	Apple Installation	3-7
3-5	3-D Plotting	3-7
	Cassette files Printer survey	3-8 3-8
3-7	Package evaluations (syst	
3-8	Sales Ledger	3-1,8
0-0	Purchase Ledger	3-2 3-3
3-2	Word Processing	3-3
20	Information retrieval &	
3-2 3-3	databases Integrated accounts	3-5
	packages	3-6
3-5	Stock Control	3-7
3-6	Indexes Back Issues 1-1 to 2-4	3-2,3
3-6	Back Issues 2-5 to 2-8	3-4
3.03	Programs	
3-7	BASIC Star Wars	3-1 3-1
3-8	PET Alien Attack Revas (conclusion) Rever	
	assembler for Z80	3-1
3-1	Planet name generator	
3-1	- 6800	3-1

6800 Keyword retrieval		PET tank battle	3-2
system	3-3	BASIC string handling	
PET Kaleidoscope	3-3	routines	3-2
Efficient character storage		UK101 Dogfight	3-6
Z80 Assembler	3-3	MK14 Frequency	
UK101 Dodgems	3-4	counter	3-6
TRS-80 Fox and hounds	3-4	North Star Maths	
MZ 80K Sine wave		test	3-6 3-6
addition	3-4	PET Sweeper	
PET Backgammon	3-5	PET Delete/Renumber	3-6
UK101 Nedge	3-6	PET Cat and Mouse	3-7
PET Horse race	3-6	UK 101 Graph	
BASIC Renumber	3-6	Plotter UK 101 Black Box	3-7 3-7
Naming Nascom files	3-2	TRS-80 Graphics	3-7
380Z Pictures	3-2	PET Robot Nim	3-7
Fuel tank calculations -		PET Golf	3-7
PET	3-2	PET Nightmare Park	3-8
PET large numeral		Ingitellate Falk	3-8

BACK NUMBERS

Volume 1 No. 1 May 1978 Nascom 1/77-68: The Mighty Micromite/A charity system

Volume 1 No. 2 June 1978 Research Machines 380Z/ Computer in the classroom/ The Europa Bus.

Volume 1 No. 3 July 1978 Buzzwords — A to Z of computer terms/Pattern recognition/Micro music

Volume 1 No. 8 December 1978 Computers and Art/3-D Noughts and Crosses/Mickie — the interviewing micro.

Volume 1 No. 10 February 1979 Review — the Attache/ Word on word processing/ Micro assembler for the 6800/Sinclair to MPU interface/Draw pictures, written in Tandy Level II

Volume 2 No. 1 May 1979 Small computers for small organisations/Sorcerer graphics/Chess Programming Hints/ Parkinsons Revas. Volume 2 No. 2 June 1979 MSI 6800/Witbit — disassemble your programs/The Multilingual Machine/Polytechnical Processing.

Volume 2 No. 3 July 1979 Vision link: Interfacing and Software for the Superscamp VDU/Pet Preening/Extended cursor graphics for the TRS-80.

Volume 2 No. 4 August 1979 The North Star Horizon/High Speed Cassette Interface for the SWTP 6800/Garage Accounting program/Apple Medical Application.

Volume 2 No. 7 November 1979 PCW Show issue/6800 Bug/Hard disc security/ Detecting literary forgeries/ Benchtest — the Challenger C3

Volume 2 No. 8 December 1979 Micro-controlled toys/ NASCOM – words and music/Systems – stock control/Benchtest – the Micromation Z-Plus.

PLEASE NOTE THAT THE FOLLOWING ISSUES ARE SOLD OUT VOLUME 1 Nos. 4, 5, 6, 7, 9, 11, 12

OLOME 1 Nos. 4, 5, 0, 7, 9, 11, 1

VOLUME 2 Nos. 5, 6 VOLUME 3 Number 1

ALL OTHER ISSUES MAY BE ORDERED USING THIS FORM.

Any one issue 95p; Any two issues $\pounds 1.75$; Any three issues $\pounds 2.50$; Any four issues $\pounds 3.00$. All additional issues @ 50p each. Binders @ $\pounds 2.95$. All prices include post and packing. Cheque or P.O. payable to (PCW) Sportscene Publishers Ltd., 14 Rathbone Place, London W1P 1DE. Please allow up to 3 weeks for delivery and don't forget to state clearly your name and full address with your order. Please send me the following copies of PCW. I enclose a cheque/P.O. for \pounds

Volume 1	Volume 2	Volume 3
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3
Name	-1910.10 holiteriums	
Address	1960, 20 Line starting	- AL GENERAL AND THE
*Tick appropriate	e boxes	nitoria: a trapa




Photo by Elizabeth A Shingler

There are many ways of reaching the objective of a larger display. Thus various circuits were designed and tested with reliability and display intensity the factors that decided the final arrangement. The circuit described here gives an acceptable LED brilliance with a red filter fitted over the completed assembly.

The common emitter arrangement is the general way of using a transistor as a switch, since high gain current allows large collector current to be controlled by means of a relatively small base current. First examination of the circuit diagram appears to show that the base resistor alone limits the amount of current available for activating the appropriate LED anode, but a small amount of power is also absorbed by the switching transistors embodied in the 7445 IC which completes the circuits to earth. (The manufacturer's specification for the 7445 IC notes that each of the high breakdown (30 volt) output transistors will sink up to 80 mA.)

Construction Notes

The LED sockets should first be soldered onto the stripboard. All the related anodes are connected together, i.e. all 'a' together, all 'b' together. . . etc, and then connected to their common switching transistor. Note that only 'a' & 'd' are shown connected in the circuit diagram, to simplify the drawing.

The copper strip on the stripboard must be cut at the appropriate points and 22 SWG wire should be used to make the necessary common connecting links for the anodes. IC 14 & 15 on the Mk14 PCB — originally two 7408s are replaced by two 7400s, because a zero signal is required to actuate the BC477 switching transistors. I used a 'D' type plug and socket for connecting the LED assembly to the MK14 PCB. This is an optional arrangment although I found it a useful way of proving the circuit. The original small LED assembly was connected to a similar plug and could be easily inserted back into the circuit if suspected 7400 IC malfunction or overload occurred.

If this article is used as the starting point for further experiments with display circuits, one must be aware that 'ringing' in switching circuits produces

LARGERLEDS


The Science of Cambridge MK14 is still the basis for the enthusiast who wants to experiment with building his own system it lends itself to easy modification and expansion. Here Clifford Clark describes an easy way to fit a larger seven-segment LED display in place of the system's original, minuscule unit.


extra pulses which the microprocessor accepts as normal pulses. If the value of the base resistor of the BC477 in the circuit illustrated is too low 'ringing' will occur with resultant 'keying in' problems.


Finally, a software checkout is listed. This test program illuminates all display LEDs, showing figure eight and decimal point.

Hardware required

LEDs: 0.3 inch seven-segment common cathode, 8-off. Filter strip: for red LEDs, 1-off Transistors: BC477, 8-off. Resistors: 220, 8-off. ICs: 7400, 2-off Stripboard: 0.1 inch pitch holes 'D' connectors (optional): plugs, 2-off; socket, 1-off. Misc: 22 SWG tinned copper wire; other connecting wire.







MK 14 DISPLAY CONNECTIONS TOP OF BOARD Only anodes a & d shown connected — see text All resistors 220 ohms

All transistors BC477

All LEDs 0.3 inch common cathode

MK 1 4	TEST	PROGRAM TO ILLUMINATE ALL DISPLAY LED'S
CF12	C4	
ØF13	ØD	
ØF14	35	
ØF15	C4	
ØF16	00	
ØF17	31	"0D00" INTO PTH#1. CONTENTS=FF
ØF18	C9	
ØF19	ØØ	STORE(DISPLAY) CONTENTS PIR#1 ADDRESS
ØFIA	.05	LOAD CONTENTS FIR#1 INTO AC & INCLEMENT
OFIR	01	BY 1 (AUTO INDEX)
ØF1C	31	LOW ADDRESS PTR#1 INTO AC
ØF1D	C8	STORE ADDRESS IN LOCATION ØF28
ØF1F	ØA	TO BE RECALLED AS REQUIRED
ØF1F	FO	
0F26	07	EX.OR 07 TO CHECK FOR LAST DISPLAY LED
ØF21	98	
ØF22	FF	JUMP IF ZERO & RESTART LOOP
ØF23	CØ	
0F24	04	RE-LOAD LOW ADDRESS FROM LOCATION 0F28
ØF25	31	PUT LOW ADDRESS BACK INTO PTR#1
ØF26	90	
OF 27	FO	JUMP 10 LOCATION OF18
OF 28	XX	LOCATION USED FOR LOW ADDRESS STORAGE

Make you r mic

GRAHAM-DORIAN SOFTWARE

At any given time, your hardware is only as useful as the software you run in it. Our programs let you realise the full potential of your hardware Graham-Dorian provides highly detailed and well documented programs. All pretested on the job. Each so comprehensive that it takes little time to learn to run a program - even for someone who's never operated a computer before.

Graham-Dorian programs are on-line now working for us and others around the world. They are ready to go to work immediately or to be tailored for your more specific needs. Each package contains a software program in BAS and INT film form plus a user's manual and hard copy SOURCE LISTING.

Programs are compatible with most major computers using CP/M disk operating systems, and come in standard 8" or on various mini-floppy disks. Graham-Dorian stand behind dealers with technical

advice.

Yes, there's a world of difference in business soft-ware. Graham-Dorian has more per-package capabilities and more packages (with new ones added every few months).

Distributors for Micropro:- Wordstar, Datastar & Mailmerge. CP/M for Tandy Model I & II

†GDSS are appointing UK Dealers and European Distributors, Enquiries and applications invited. *CBASIC-2 is a trade mark (copyright 1980) of Compiler Systems, Inc. GDSS are the European Distributor for CBASIC-2.

Manufacturing

Cash Register

Apartment

Job Costing Wholesaler Inventory Retailer Inventory

- Nominal Ledger
- **Purchase Ledger**
- Sales Ledger Job Costing
- Order Entry &
- Invoicing
- Payroll Manufacturing
 - Inventory

SurveyingDental

CBASIC-2*

Ask your dealer for a demonstration soon.

Graham-Dorian Software Systems

A division of Graham-Dorian Enterprises & Terodec (Micro Systems) Ltd. 17 The Gallop, Yateley, Camberley, Surrey. Tel: (0252) 874790/(0344) 51160

Britain's first con computer kit.

The Sinclair ZX80.



Please note: many kit makers quote VAT-exclusive prices.

You've seen the reviews...you've heard the excitement... now make the kit!

This is the ZX80. 'Personal Computer World' gave it 5 stars for 'excellent value.' Benchmark tests say it's faster than all previous personal computers. And the

response from kit enthusiasts has been tremendous. To help you appreciate its value, the price is shown above with and without VAT. This is so you can compare the ZX80 with competitive kits that don't appear with inclusive prices.

'Excellent value' indeed!

For just £79.95 (including VAT and p&p) you get everything you need to build a personal computer at home ... PCB, with IC sockets for all ICs; case; leads for direct connection to a cassette recorder and television (black and white or colour); everything!

Yet the ZX80 really is a complete, powerful, full-facility computer, matching or surpassing other personal computers at several times the price

The ZX80 is programmed in BASIC, and you can use it to do quite literally anything from playing chess to managing a business

The ZX80 is pleasantly straightforward to assemble, using a fine-tipped soldering iron. It immediately proves what a good job you've done : connect it to your TV ... link it to an appropriate power source ... and you're ready to go.

Your ZX80 kit contains...

- Printed circuit board, with IC sockets for all ICs
- Complete components set, including all ICs-all manufactured by selected worldleading suppliers.
- New rugged Sinclair keyboard, touchsensitive, wipe-clean. Ready-moulded case
- Leads and plugs for connection to domestic TV and cassette recorder.
- (Programs can be SAVEd and LOADed on to a portable cassette recorder.) • FREE course in BASIC programming and
- user manual. **Optional extras**
- Mains adaptor of 600 mA at 9 V DC nominal unregulated (available separately-see coupon).
- Additional memory expansion boards allowing up to 16K bytes RAM. (Extra RAM chips also available - see coupon)

*Use a 600 mA at 9 V DC nominal unregulated mains adaptor. Available from Sinclair if desired (see coupon).

The unique and valuable components of the Sinclair ZX80.

The Sinclair ZX80 is not just another personal computer. Quite apart from its exceptionally low price, the ZX80 has two uniquely advanced components: the Sinclair BASIC interpreter; and the Sinclair teachyourself BASIC manual

The unique Sinclair BASIC interpreter offers remarkable programming advantages:


- Unique 'one-touch' key word entry: the ZX80 eliminates a great deal of tiresome typing. Key words (RUN, PRINT, LIST, etc.) have their own single-key entry.
- Unique syntax check. Only lines with correct syntax are accepted into programs. A cursor identifies errors immediately. This prevents entry of long and complicated programs with faults only discovered when you try to run them
- Excellent string-handling capability takes up to 26 string variables of any length. All strings can undergo all relational tests (e.g. comparison). The ZX80 also has string inputto request a line of text when necessary. Strings do not need to be dimensioned.
- Up to 26 single dimension arrays
- FOR/NEXT loops nested up to 26
- Variable names of any length.
- BASIC language also handles full Boolean arithmetic, conditional expressions, etc.
- Exceptionally powerful edit facilities, allows modification of existing program lines.
- Randomise function, useful for games and secret codes, as well as more serious applications.
- Timer under program control.
- PEEK and POKE enable entry of machine code instructions, USR causes jump to a user's machine language sub-routine
- High-resolution graphics with 22-standard graphic symbols
- All characters printable in reverse under
 - program control Lines of unlimited length.

Fewer chips, compact design, volume production more power per pound!

The ZX80 owes its remarkable low price to its remarkable design: the whole system is packed on to fewer, newer, more powerful and advanced LSI chips. A single SUPER ROM, for instance, contains the BASIC interpreter, the character set, operating system, and monitor. And the ZX80's 1K byte RAM is roughly equivalent to 4K bytes in a conventional computer - typically storing 100 lines of BASIC. (Key words occupy only a single byte.)

The display shows 32 characters by 24 lines. And Benchmark tests show that the ZX80

is faster than all other personal computers No other personal computer offers this unique combination of high capability and low price.



olete

100 FOR 1=1 TO 50 110 LET X=A(1) 120 LET N=X-(X/75)175 130 IF T(N))-1 AND (NOT T(N)=X 140 IF T(N)=X THEN GD TO 300 150 LET T(N)=X 160 NEXT I 165 PRINT 170 PRINT 170 PRINT "NUMBER OF DUPLICATES 15 JD 180 STOP 200 LET N=(N+1)-((N+1)/75)175 210 GD TO 130

6

ogramming

sein Basic

The Sinclair teach-yourself BASIC manual.

If the features of the Sinclair interpreter mean little to you – don't worry. They're all explained in the specially-written 128-page book free with every kit! The book makes learning easy, exciting and enjoyable, and represents a complete course in BASIC programming – from first principles to complex programs. (Available separately – purchase price refunded if you buy a ZX80 later.) A hardware manual is also included with every kit.

The Sinclair ZX80. Kit: £79.95. Assembled: £99.95. Complete!

The ZX80 kit costs a mere £79.95. Can't wait to have a ZX80 up and running? No problem! It's also available, ready assembled and complete with mains adaptor, for only £99.95.

Demand for the ZX80 is very high: use the coupon to order today for the earliest possible delivery. All orders will be despatched in strict rotation. We'll acknowledge each order by return, and tell you exactly when your ZX80 will be delivered. If you choose not to wait, you can cancel your order immediately, and your money will be refunded at once. Again, of course, you may return your ZX80 as received within 14 days for a full refund. We want you to be satisfied beyond all doubt – and we have no doubt that you will be.



6 Kings Parade, Cambridge, Cambs., CB2 1SN Tel: 0223 311488. ORDER To: Science of Cambridge Ltd, 6 Kings Parade, Cambridge, Cambs., CB2 1SN. Remember: all prices shown *include* VAT, postage and packing. No hidden extras. Please send me:

Quantity	Item	Item price £	Total £
	Sinclair ZX80 Personal Computer kit(s). Price includes ZX80 BASIC manual, excludes mains adaptor.	£79.95	
	Ready-assembled Sinclair ZX80 Personal Computer(s). Price includes ZX80 BASIC manual and mains adaptor.	£99.95	
Stra St.	Mains Adaptor(s) (600 mA at 9 V DC nominal unregulated).	8.95	
	Memory Expansion Board(s) (each one takes up to 3K bytes).	12.00	1
	RAM Memory chips – standard 1K bytes capacity.	16.00	
	Sinclair ZX80 Manual(s) (manual free with every ZX80 kit or ready-made computer).	5.00	
NB. Your Sir	clair 7X80 may qualify as a business expense.	TOTAL	£

I enclose a cheque/postal order payable to Science of Cambridge Ltd for £_____ Please print Name: Mr/Mrs/Miss______

Address_____



... DOWN TO BUSINESS WITH MICROTREND PROFESSIONAL SOFTWARE

DATA PROCESSING • WORD PROCESSING • OFFICE AUTOMATION • COMMUNICATIONS •

Microtrend Ltd., P.O. Box 51, Pateley Bridge, Harrogate. FOR DETAILS CONTACT

Microtrend Int. BV., P.O. Box 71012, 1008 BA Amsterdam, Holland. Microtrend GmbH, Post Fach 2815, 8500 Nürnberg, West Germany.

by David Levy

Chess

Of all the games that have attracted the attention of computer programmers, chess must surely rank at the top of the list. This is partly because chess is considered by many to be *the* intellectual game, par excellence, and therefore the creation of a strong chess program can be equated with the creation of an artificial intellect. Another reason is that the writing of a chess program is itself a great challenge.

A measure of the popularity of computer chess programming may be judged from the history of computer chess contests. In 1970, in New York, there was a tournament in which all six of computer contestants were the programs. The event proved so popular that it has been repeated each subsequent year, at the annual conference of the Association for Computing Machinery, and by the end of the 1970s there were usually between 12 and 20 applications for places in the tournament. Now that micros are available in large numbers, chess contests are springing up specifically for microcomputers. Personal Computer World is organizing its third such tournament in London on September 4th-6th this year, and this event has the status of World Championship, and is being held under the auspices of the International Chess Federation - an indication that "real" chess players are now beginning to take computers seriously. Other microcomputer chess tournaments are being held in the USA, France and Germany. Probably there will be a dozen such events in the calendar by the end of 1981.

Because of the enourmous interest in computer chess, a lot has been written on the subject. I have decided that this article and the following one will provide a history of the most important milestones in the field, and I shall discuss how the ideas employed in mainframe programs may be applied to micros. In a third article I shall discuss the current state of the art of microcomputer chess programming, with many examples taken from actual games.

In the beginning

On March 9th 1949, the American mathematician Claude Shannon delivered a paper at a New York conference. The paper was called *Programming a* Computer for Playing Chess, and it is remarkable that many of Shannon's original ideas have permeated through to the programs of today. He pointed out that there are some 10^{120} possible games of 40 moves (the average length of a master game), and that analysing to this depth at the rate of one game per microsecond would take a computer 10⁹⁰ years to make its first market years to make its first move! A similar, though even more emphatic argument, is that the number of possible chess games so far exceeds the number of atoms in the universe, that even were each atom to be replaced by a Cray 1 computer, it would take the whole system rather a long time to make the first move in a perfect game of chess.

Having dispensed with the notion of perfect play through exhaustive search, Shannon set about defining an evaluation function which would give a reasonably reliable estimate of which side held the advantage in a position, and by how much. His example of a crude evaluation function was:

200 x $(K_W - K_b)$ + 9 x $(Q_W - Q_b)$ + 5 x $(R_W - R_b)$ + 3 x $(B_W - B_b$ + $\begin{array}{l} N_{W} - N_{b}) + (P_{W} - P_{b}) - 0.5 \ x \ (D_{W} - D_{b} + S_{W} - S_{b} + I_{W} - I_{b}) + 0.1 \ x \\ (M_{W} - M_{b}) \end{array}$

where K, Q, R, B, N and P represent the number of pieces of each type (king, queen, rook, bishop, knight and pawn), and the subscripts w and b refer to white and black. D is the number of doubled pawns (pawns of the same colour on the same file); S is the number of backward pawns (pawns that cannot be defended by a pawn); I is the number of isolated pawns (pawns with no neighbour pawns of the same colour); M is the measure of mobility (the number of legal moves at a player's disposal).

The king is given an arbitrary high value because loss of the king means loss of the game. The values of 9, 5, 3, 3 and 1 for the other pieces are the rule-of-thumb values which chess players learn early in their careers, though bishops are usually regarded as being more valuable than knights so in your chess program you might experiment with values of $3\frac{1}{4}$, $3^{1}\frac{1}{3}$ or even $3\frac{1}{2}$ for a bishop.

Shannon's evaluation function is sufficient to provide a reasonable level of performance in a microcomputer chess program. Chess, however, is a complex game, and Shannon recognized the need for the use of many other features if the evaluation function were to result in a strong program, and he suggested the following additional features:

1. Relative control of the centre by pawns (white pawns at c4, d4, e4 and f4; black pawns at c5, d5, e5 and f5). 2. Weakness of pawns near your own king (e.g. advanced pawns in front of the king after castling).

3. Placing pawns on opposite coloured squares from your own bishops to



JUST LOOK AT WHAT YOU WILL BE ABLE TO DO WHEN YOU PLUG IN YOUR PETMASTER SUPERCHIP.

- Automatic repeat facility on all keys or just insert/delete, space and the cursor movement keys
- Adjustable repeat delay/speed
- Graphics/lower case toggle
- Variable cursor flash speed
- Scroll screen up or down
- Escape from quote mode
- Erase line up to cursor
- Erase line from cursor
- Insert or delete line
- insert of defete fine

ONLY £45 PLUS VAT

ADD COUNTLESS NEW FEATURES TO YOUR EXISTING MACHINE : Many of the SUPERCHIP's useful functions are similar to those only available on the new 8000 series Superpets. And most may be accessed either from the keyboard or from Basic.

WRITE NOW FOR MORE DETAILS



SINGLE KEY ENTRY OF 26 OF THE LONGEST AND MOST COMMON BASIC WORDS
RETRACE FACILITY WHICH ENABLES YOU TO DISPLAY AT ANY TIME THE LAST 10 LINES EXECUTED. OTHERWISE RETRACE IS INVISIBLE TO THE USER :
'SHRINK' routine which eliminates REMs and unnecessary spaces from your program

- 'REVERSE' routine which reverses any part of the screen (black/white to white/black)
- 'MOVIT' subroutine for instantaneous transfer of any area of memory

DET

Fits in 3rd. spare ROM socket
TOOLKIT COMPATIBLE !
NEW ROM VERSION AVAILABLE NOW

OLD ROM OWNERS WRITE FOR DETAILS



allow the bishops greater freedom of movement.

4. Passed pawns (i.e. pawns which have no enemy pawns in front of them, either on the same file or on adjacent files). These pawns can often become queens in the endgame.

5. Advanced knights (white knight at c5, d5, e5, f5, c6, d6, e6 and f6; black knights at c4 etc.), especially if protected by a pawn and free from attack. 6. Rooks on open or semi-open files (an open file is one with no pawns; a semi-open file has one pawn belonging to the opponent).

7. Rooks on the seventh rank. (A white rook on a7, b7, ..., or a black rook on a2, b2, ..., etc., can wreak havoc in the endgame by picking off the opponent's pawns.)

8. Doubled rooks (two rooks of the same colour on the same file).

9. Pieces which are required for guarding functions and, therefore, committed and with limited mobility.

10. Attacks on pieces which give one player the option of exchanging.

11. Attacks on squares adjacent to the enemy king.

12. Pins. (A pin is a setup in which one piece may not move because of the loss of a piece which it is shielding, e.g. white bishop on g5, black knight on f6, black queen on e7. Black may not move his knight because of the loss of his queen — the knight is said to be pinned by the bishop).

The addition of these features would provide a rther sophisticated evaluation function for middle game play, though as Shannon himself pointed out, different factors apply in the opening and (to a lesser extent) in the endgame.

When and how to use the evaluation function

Shannon understood that it is only safe to use this type of evaluation function in positions which are relatively quiescent. If white makes a move capturing black's queen, it is not sensible to evaluate the resulting position without looking to see if black might be able to recapture white's queen in reply, or whether he might be able to checkmate. In fact it is meaningless to evaluate a position during a series of exchanges, unless the evaluation mechanism allows for the fact that further meaningful exchanges are possible. Chess players recognize quiescent positions intuitively, but computer programs have more difficulty because they cannot immediately determine which capturing moves and sequences are "obviously" wrong, in the way that a human chess master can.

Shannon called a fixed depth search strategy a "type A" strategy. He realized that in chess this type of strategy would lead to weak play, partly because of evaluating many non-quiescent positions once the fixed search depth had been reached, and partly because of the time required for exhaustive search (the alpha-beta algorithm had yet to be invented in 1949). Again he alluded to the thought processes of chess masters, and in particular to the work of the Dutch psychologist De Groot who recorded the spoken thoughts of chess

masters as they analyzed a number of typical chess positions. Shannon concluded that in order to improve the speed and strength of the program it would be necessary to:

1. Examine forceful variations as far as possible and evaluate only in quiescent or quasi-quiescent situations.

2. Select the variations to be examined by some process so that the program does not waste a lot of time in totally fruitless variations.

Shannon called this type of strategy a "type B" strategy, and it is the Shannon B strategy which is used in almost all of the most successful programs of today. The key to the Shannon B strategy is the ability to determine which moves and variations are worth considering, a problem on which much has been written but rather little accomplished during the past three decades. When I examine a chess position I can usually make a reasonably good move after looking at only 50-100 nodes of the game tree. In order to play at the same level, the current world computer champion must examine over one million nodes. If it had the same ability to discern which variations are important, it would be able to defeat Bobby Fisher.

In order to help decide whether a move is worth exploring, Shannon suggested the use of a function which would return a large value for forcing moves (captures, checks and attacking moves), medium values for defensive moves, and low values for all other moves. As the depth of search increased, the requirements of this function would be set higher so that fewer and fewer subvariations would be examined. This approach has proved successful in a number of strong chess programs, and can easily be implemented on a micro. One simple method of doing so would be to examine all moves at the root of the tree, then only the most important 90% of moves at ply-1 ("importance" being determined by Shannon's discrimination function), then only the most important 70% at ply-2, 50% at ply-3, 30% at ply-4 and 10% at ply-5 and beyond, down to the limits imposed by search time restrictions or to quiescent positions. My method would call for an examination of fewer than 10% of the number of nodes normally examined in a 5-ply search, and the 90% saving could be used either to increase the sophistication of the evaluation function (which would also make it slower), or to increase the maximum depth of search in tactical situations.

Another idea suggested by Shannon was the use of typical chess positions or fragments of positions, for which a particular move or sequence of moves is known to be effective. Chess masters use this type of information all the time. They recognize a situation and immediately start to examine a move which they know has often proved strong in similar positions. Of course it will not always be the case that exactly the same move is best in a slightly different situation, but as we have seen in previous articles it is extremely important to examine the most likely moves early in the search process. Unfortunately, the only substantial example of this approach was a dismal failure. A strong American chess master, Charles Kalme, implemented a method

involving "snapshots" of chess situations. His work was discussed in a Scientific American article in 1973, but shortly thereafter his program fared dismally in the annual ACM computer chess tournament in Atlanta, and little has been heard of the program since then. Perhaps this is one example of a technique used by humans which will be difficult to employ in a computer program. In any event, Kalme's failure should not worry the micro user, since the amount of memory required to use the snapshot approach would be prohibitive at today's prices.

The Bernstein program

Shannon's work was purely theoretical in nature. He did not write a chess program to test his ideas, though if he had done I suspect that his program would have been stronger than some commercially available programs now on the market.

The first example of a program playing full games of chess was seen in the late 1950s. This program was written for the IBM 704 computer by Alex Bernstein of IBM, and three colleagues. Since your own machines will all be considerably more powerful than an IBM 704, any of you who write chess programs ought to be able to do at least as well.

Bernstein et al employed four features in their evaluation function: Mobility, area control, king defence and material. Area control was defined as the number of squares controlled completely by each side, while king defence counted the number of controlled squared around the king. Their material feature was weighted with the ratio of its own material to that of its opponent, in order to encourage the program to exchange material when ahead and to discourage it from exchanging when behind. This simple herusitic is extremely well known, but not all programmers consider it worthwhile to implement it, possibly because programs play worse in the endgame than they do during the middle-game!

Moves were generated in response to a number of questions:

1. Is the king in check?

2. Can material be gained, lost or exchanged (i.e. can the program make an equal or advantageous capture, or is it threatened with material loss)? 3. Is castling possible?

4. Can a minor piece be developed? 5. Can key squares be occupied? (Key squares are those squares controlled by pawns).

6. Can an open file be occupied? 7. Can any pawns be moved?

8. Can any piece be moved?

If the answer to question 1 is "yes", the program generates moves that reply to the check, and these moves are put into a "plausible move table". If the answer to question 1 is "no" the program goes to question 2, and so on. If the answer to question 3 is "yes", no other moves beyond question 3 are examined, as castling was considered so important that no other moves except replies to check and material changing moves are of greater importance to the program.

At the beginning of the game only

SIX OF THE BEST Pet Programs from Petsoft



76 COMMON BASIC PROGRAMS

A collection of 76 useful programs on one cassette from Adam Osborne's best selling book. These include personal finance, maths, statistics and general interest topics. Excellent value for stand alone or incorporated use.

£15 on cassette.



PAYROLL 200 Comprehensive, easy-touse package for small businesses with up to 200 employees. Facilities provided include Holiday Pay, Sick Pay, Bonus Payments and two rates of overtime, as well as allowing a 'Standard week' to be specified for each employee. Weekly and monthly summaries are provided and amendments necessary because of a Budget are made very easy. Prints wage slip and coin/note analysis. Tax & NI are computed automatically from knowledge of employees codes. Update service available. Full manual provided. £50 on Commodore or CompuThink Disk.

Cassette system also available at £25

PROGRAMMERS TOOLKIT £44 Plug-in ROM Chip adds nine useful commands to PET BASIC including RENUMBER, TRACE,

STOCK CONTROL Powerful and flexible stock system with full facilities for recording and control of stock information. An audit listing is automatically printed which itemises all transactions including the entry amendment and deletion of master stock information, issues receipts, allocations, purchase orders. Printed reports include Full Stock Control, Stock Valuation, Reordering Report, Audit Listing, The system is highly flexible.

£50 on CompuThink or Commodore Disk.



PETPLAN BUSINESS SIMULATION Petplan is a general management business simulation game which is exciting to play. Already it is widely used by colleges and Industrial Trainers to teach the skills needed to run a business. The program creates the model of a manufacturing company; you take the decisions. You will need to hire workers, invest in plant and premises, set advertising budgets and prices. At each stage screen reports (which may be printed out) show the results of decisions as they take effect. 50 page manual and voice guide on cassette. For 32K PETs.

DUMP, FIND and APPEND.

£60 on Cassette.



WORDCRAFT A true Word Processor for the 32K PET. Wordcraft is a genuine word processing system, easy to understand and use, but containing all the facilities normally found only on more expensive dedicated Word Processors. Features include scrolling in both vertical and horizontal directions (to overcome small screen size), up to 117 characters wide and 98 lines deep for a full page of text. Written entirely in machine code for speed and compactness. Truly the Rolls-Royce of PET Word Processors.

£325 on CompuThink or Commodore Disk.



PET BASIC TUTORIAL 2 A revised version of our best selling course on programming the PET in Basic. Let PET take you through its commands and functions at your own speed. Over 50K of lessons including working examples of the programming techniques that are described. Suitable for novices and those with some programming experience, from literacy age 10 on.

£15 on cassette.



questions 4 and 7 put moves onto the plausible move list. After the opening stage, the other questions are employed in the move generation process, with questions 2, 5 and 6 being the most often used in the middle-game, and questions 5, 6, 7 and 8 during the endgame. Once there are seven moves in the plausible move table, no other moves are generated from that position. This explains why the programmers felt it important to generate the moves in a particular order - they wished to prune off most of the legal moves in every position, and preferred to do so at the move generation stage rather than use the more modern approach of generating all the moves first and then sorting them before finally discarding some.

This simple approach was used to create a tree with a maximum depth of 4-ply, and therefore a maximum of 7^4 or 2401 terminal positions requiring evaluation. In fact a further pruning mechanism was employed: a move is only put on the plausible move list if it results in an increase in score, or at least an equal score, to that which prevailed before the move was made. With a sophisticated, accurate evalution mechanism this method might work quite well. One problem is that the program may find itself looking at a position in which no move appears to do anything but reduce the score for the side which makes it, and under these circumstances the program will select the best two moves for inclusion in the plausible move table.

Forward pruning mechanisms go a long way towards solving the problem of having the program examine too many junk variations, but to be effective without being counterproductive a forward pruning program must exhibit sound judgement when deciding which moves to prune, otherwise a superficially bad move which is really quite stunning might easily find itself eliminated from the search.

It is interesting to note that the Chess Challenger machines do quite a lot of forward pruning, whereas the commercially stronger available programs do not. This in itself does not necessarily indicate that forward pruning is difficult to accomplish on a micro, and I would be interested to hear from any reader who thinks he has found a satisfactory way of pruning off a significant part of the game tree. I should remind you that Bernstein's approach of a (essentially) fixed depth search is not to be recommended. Evaluating all positions at 4-ply, irrespective of whether they are quiescent, is certain to result in feeble play unless the evaluation mechanism is sufficiently intelligent to cater for future caputres in some way, as for example, Donald Michie's idea of swapoff values which will be discussed in a future article.

The report on Bernstein's work included the moves of a game played by his ded the moves of a game played by his program against a human opponent. I give the game here, with some comments of my own, to illustrate the standard of play that can be achieved using a primitive search process. Here, and in all future chess games, I shall employ the notation which is becoming standard for microcomputer chess games, naming the from square and to square using conventional chess nota-

tion - White has the square al in his left hand corner and h1 at his right. White: IBM 704 Black: HUMAN

e7-e5 e2-e4

f1-c4

The program had not been taught any chess openings and was playing on general principles, hence it developed a piece. It is usually a good rule to deve-lop knights before bishops, so question should have been split into (4a), can a knight be developed?, and (4b) can a bishop be developed.

2		b7-b6
3	d2-d3	g8-f6
4	c1-g5	c8-b7
5	g5-f6	

Prompted by question 2, but in fact a wasted move. Firstly the bishop is more useful than Black's knight; secondly, the program ought to give more weight to developing pieces during the opening, and a move such as b1-c3 or g1-f3 is called for.

5		d8-f6
6	g1-f3	c7-c6
7	e1-g1	d7-d5
8	e4-d5	c6-d5
9	c4-b5+	b8-c6
10	c2-c4?	

An excellent example of why the search should not terminate at a fixed depth of 4-ply. White can win a pawn here by playing 10 f3-e5, because if Black recaptures with 10. . .f6xe5 White will win the queen by 11 f1-e1, when Black must lose his queen for a rook. But the program would only see the variation 10 f3-e5 f6-e5 11 f1-e1 e5-e1+, and since Black is well ahead in material at this point, the program would evaluate the position as being good for black, ignoring the fact that white's next move (d1-e1) captures the black queen. Using Shannon's B strategy, accidents such as this just cannot happen.

10		d5-c4
11	b5-c6+	f6-c6
12	d3-c4	e5-e4
13	f3-g5	c6-g6
14	g5-h3	e4-e3
-	000 000	

 $15 f_{2}-f_{3}?$ Here a strong move would be $15 h_3-f_4$, attacking the black queen and preventing mate at g2, but again the program would only have examined to the end of the four-ply continuation 15 h3-f4 e3-f2+ 16 f1-f2 g6-g2 (or b7-g2), and seen that it had lost a narmed. pawn!

15		f8-c5
16	f1-e1	e8-g8

Of course e3-e2+ does not win the white queen because the pawn on e2 is pinned against the black king. But now 17...e3-e2+ is a real threat.

17 b1-c3??

Which the program overlooks. There is a routine which asks "am I in check?", but none which asks "can I give check?", and there is no question of the form "can I attack a valuable enemy piece?" As a result of these deficiencies, the program would not have put black's next move in the top seven places on the plausible move list when considering the replies to 17 b1-c3.

17			e3-e	2+
18	h3-f2		b7-f	3
19	g2-g3		e2-d	1=Q
	c3-d1		g6-c	2
21	b2-b3		a8-d	18
22	h2-h4?	?		

Of course the program is totally lost in any case, but this move is worthy of comment because it illustrates another deficiency of forward pruning. The answers to questions 1-6 were all "no". Question 7 generated six legal pawn moves and question 8 generated piece moves, but the plausible move list was full after the first piece move was discovered, and so the program failed to spot the need to defind itself against the threat of d8-d1. Had it done so it would probably have played e1-f1, a move which requires a six-ply search to discover its refutation.

22

d8-d1 23 Resigns So with a crude search strategy and crude forward pruning, the Bernstein program was able to play recognizable chess, but extremely weakly. One important lesson that can be learned about forward pruning from the last mistake, is that your program should look further afield if the first move that it comes up with is seen to be bad. In this case, after examining the 7 chosen moves from the root of the tree, the program could see that it was losing material to 22 . . . d8-d1, but was powerless to stop it. Had it been permitted to continue its search it would have found a "better" move before too long. There is a parallel here between the drastic forward pruning method employed by Bernstain, and the iterative deepening approach used by many of today's programs. With iterative deepening, a program finds the best move it can after a 1-ply search, then it increases the depth to 2-ply and looks for a better move, then to 3-ply, and so on until it runs out of time Similarly on, until it runs out of time. Similarly, a forward pruning program should be permitted to continue its search by relaxing the pruning requirements, if it cannot find a satisfactory move early on in its search. Instead of searching 7 moves at each level, Bernstein could have examined (say) 5 moves at each level in less than one-third of the time, then when the program discovered that 21 h2-h4 and its four brothers were all dreadful moves, it could have examined all the other moves from the root of the tree, and the best 5 successors to each of them. This would have resulted in only a slight increase in total computation time for the move, but it would have enabled the program to see the immediate tactical consequence over-looked by the "best seven" approach.

Bibliography

The bibilography of material on computer chess is enormous. I shall mention only a small number of particularly significant works. Further references will be given next month:

Bernstein, A., and Roberts, Michael de V. Computer v. Chess Player. Scientific American, vol. 198, June 1958, pp. 96-105

Carlson, F.R., and Zobrist, A.L. An Advice-Taking Chess Computer. Scien-tific American, vol. 228, June 1973, pp. 92-105.

De Groot, A.D., Thought and Choice in Chess. Mouton and Co., 1965.

Shannon, C.E. Programming a Compu-ter for Playing Chess. Philosophical Magazine, vol. 41 (7th series), pp. 256-275



Once again, this month I'm turning the column over to a reader - in this case Mike O'Regan of Beeston, Notts. He's produced an ingenious program which allows blind people to calculate on the Hewlett-Packard 41C by converting the display into an audible code. Although the 41C is not a cheap machine it's probably cheaper and more flexible than the Braille-display desk top machines which are produced for the blind, and it's programmable to boot.

As you rattle off your routine number crunching on a calculator, has it crossed your mind to wonder how you ever managed without one? If you have, you probably remember doing your sums with the help of pencil and paper, a slide-rule or, perhaps, log tables. How do you think you would have managed if even these aids were denied you? You may now have some idea of the enormous problems encountered by blind people when faced with anything more than simple mental calculations.

Being a musician as well as a calculator fan, I was analysing the TONE function of my new Hewlett-Packard 41C when it suddenly struck me that I might be able to use audio signals as the basis for a program that would enable blind people to use the calculator!

It's well known that not only have most blind persons an enhanced sense of sound but they can also quickly become adept at using keyboards by touch. So, working on the assumption that the actual keyboard operation was no problem, I concentrated on a program to read the display and convert this into audio signals.

The first step was to check with Hewlett-Packard that I was not about to 're-invent the wheel', somewhat sur-prisingly I found that, as far as they knew, nobody else was working along the same lines.

I decided that, to be of optimum value, the program should:

- be easily understood by the user;
- read, translate to audio and return the number to the display; work with any number combination
- (ie integers, decimals, minus numbers and, if possible, with scientific and engineering notation);
- not interfere with normal calculations, as far as possible;
- utilise rarely used storage registers without increasing SIZE status too much

The SIMAUD (SIMple AUDio) program is the first result. (see program listing and explanatory notes).

How far does SIMAUD go to meeting the requirements listed above? Well it is easily understood, and the original number is returned to the display un-altered (except that SCI and ENG displays are only returned unaltered when too big for normal FIX display). SCI and ENG displays are audio indicated but in long form (counting all zeroes. Normal calculations are not affected and the program utilises storage registers 10 - 14. The only slight drawback to the program was that execution turned out to be rather slow, especially with the higher digits, so another program was developed and named AUDIOP.

AUDIOP (AUDio OPeration) is basically the same as SIMAUD except that each digit is signalled by just one TONE, (a different one for each, with low TONEs for low digits and high TONEs for high). Minus number and decimal indicators are the same as SIMAUD and are easily distinguished from digit TONEs. AUDIOP is much faster, but a certain amount of training is needed in order to be able to link the TONEs and digits (I estimate three to four hours for reasonably fluency). To make training more interesting I went on to develop a number guessing game (TRILOB). Luckily most of the TONEs are widely spaced – being roughly equivalent to pentatonic intervals. Tones spaced closer, as in a diatonic scale, are more difficult to recognise.

Up to this stage the use of the programs had been just theoretical ... it was high time I arranged a field test. All three programs were tried by blind people (contacted through the RMIB) and SIMAUD was an immediate success; the indications were that AUDIOP could also be readily used after a

01+LBL "SIM	
AUD"	V. 1990
02 STO 10	•
03 0	
04 STO 13	
05 RCL 10	
06 SF 00	•
07 RND	•
08 STO 10	•
09 STO 11	
10 X<0?	
11 GTO 04	
12+LBL 11	(G-00)(0)() = 100
13 INT	•
14 X=0?	•
15 GTO 00	•
16 RCL 11	
17+LBL 02	
18 STO 11	•
19 INT	
20 X=0?	•
21 GTO 03	•
22 1	•
23 ST+ 13	
24 CLX	
25 RCL 11	
26 10	En 1971
27 /	•
28 GTO 02	•
29+LBL 03	•
30 RCL 11	
31 10	
32 *	
33 INT	
34 STO 14	•
35 X=0?	•
36 GTO 08	•
37 GTO 07	
38+LBL 09	-17/2 - 187
39 LASTX	
40 FRC	
41 STO 11	•
42 1	•

_		
	43 ST- 13	•
-	44 RCL 13	00/4 0
•	45 X<=0? 46 GTO 05	•
12	47 GTO 03	1 0.V.
•	48+LBL 04	•
1	49 TONE 2	
•	50 TONE 0	•
	51 CHS 52 STO 11	
•	53 GTO 11	•
121	54+LBL 05	
•	55 RCL 11	•
1	56 X=0?	1 10
•	57 GTO 06 58 GTO 00	•
1.	58 GTO 00 59◆LBL 00	LA THE
•	60 RCL 10	•
-	61 X=0?	211015
•	62 GTO 06	•
-	63 FS? 00	311 199
•	64 GTO 10 65 GTO 03	•
-	66+LBL 06	
-	67 RCL 10	•
	68 CF 00	
-	69 RTN	•
	70+LBL 07 71 TONE 7	-
-	72 DSE 14	
	73 GTO 07	
-	74 GTO 09	
	75+LBL 08	
	76 TONE 6 77 GTO 09	
	78+LBL 10	
	79 TONE 9	-
•	80 TONE 9	
Init	81 CF 00 82 GTO 03	10
•	82 GTO 03	
		•
•	01+LBL "AUD IOP"	•
•	IOP" 02 STO 10	•
•	IOP" 02 STO 10 03 0	•
•	IOP" 02 STO 10 03 0 04 STO 13	•
•	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10	•
•	IOP" 02 STO 10 03 0 04 STO 13	•
•	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10	•
•	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11	•
•	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0?	•
• • • •	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04	•
•	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11	•
• • • • •	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11	• • • • •
• • • •	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00	• • • • •
• • • • •	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11	• • • • •
• • • • •	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02	• • • • •
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11	• • • • •
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02	• • • •
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03	• • • • • •
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1	• • • • •
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13	• • • • • • •
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX	•
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX 25 RCL 11	•••••••••••••••••••••••••••••••••••••••
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX	•
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX 25 RCL 11 26 10 27 / 28 GTO 02	•••••••••••••••••••••••••••••••••••••••
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX 25 RCL 11 26 10 27 / 28 GTO 02 29+LBL 03	•••••••••••••••••••••••••••••••••••••••
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX 25 RCL 11 26 10 27 / 28 GTO 02 29+LBL 03 30 RCL 11	•••••••••••••••••••••••••••••••••••••••
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX 25 RCL 11 26 10 27 / 28 GTO 02 29+LBL 03 30 RCL 11 31 10	•••••••••••••••••••••••••••••••••••••••
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX 25 RCL 11 26 10 27 / 28 GTO 02 29+LBL 03 30 RCL 11	•••••••••••••••••••••••••••••••••••••••
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX 25 RCL 11 26 10 27 / 28 GTO 02 29+LBL 03 30 RCL 11 31 10 32 * 33 INT 34 TONE IND	•••••••••••••••••••••••••••••••••••••••
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX 25 RCL 11 26 10 27 / 28 GTO 02 29+LBL 03 30 RCL 11 31 10 32 * 33 INT 34 TONE IND X	•••••••••••••••••••••••••••••••••••••••
	IOP" 02 STO 10 03 0 04 STO 13 05 RCL 10 06 SF 00 07 RND 08 STO 10 09 STO 11 10 X<0? 11 GTO 04 12+LBL 11 13 INT 14 X=0? 15 GTO 00 16 RCL 11 17+LBL 02 18 STO 11 19 INT 20 X=0? 21 GTO 03 22 1 23 ST+ 13 24 CLX 25 RCL 11 26 10 27 / 28 GTO 02 29+LBL 03 30 RCL 11 31 10 32 * 33 INT 34 TONE IND	•••••••••••••••••••••••••••••••••••••••

C	ALCULATOR CORNER
37 STO 11 38 1 39 ST- 13 40 RCL 13 41 X<=0? 42 GTO 05 43 GTO 03 44+LBL 04	suitable period of acclimatisation. Actually, there's room in the CMOS memory of the basic HP 41C to hold both programs, so that one may be checked against the other — another form of training. In conclusion, since developing these
	SIMAUD Explanatory Notes Steps 3 & 4 zero the counter Step 6 decimal trace flag Step 8 store display number for ultimate recall Step 9 working register Step 10 minus number test Steps 13&14 decimal number test Steps 29-37 loop to 'decimalise' number (by repeated division by 10) and count the number of loops to complete 'decimalisation' Steps 38.47 store for 'remainder' of decimalised number and countdown of counter Steps 38.47 store for 'remainder' of decimalised number and countdown of counter Steps 54-58 check for end of number Steps 59-65 test for decimal part of integer-decimal number Steps 66-69 end of program Steps 70-74 routine to produce the correct number of TONE 7s for each digit using register 4 as control
68 TONE 9 69 CF 00 70 GTO 03 71 END 01+LBL "TRI LOB" 02 FIX 0 03+LBL 03 04 0 05 STO 02	Steps 75-77 audio signal for 0 (TONE 6) Steps 78-83 audio signal for decimal point (TONEs 9,9) AUDIOP Explanatory Notes See SIMAUD Notes for all except: Step 34 produces individual TONE for each digit TRILOB Explanatory Notes
06 1000 07 STO 01 08 RCL 00 09 9821 10 * 11 .211327 12 + 13 FRC 14 STO 00 15 SQRT 16 RCL 01 17 * 18 INT 19 STO Y	Steps 4&5zero 'guess' counterSteps 8-18random number generatorStep 27uses AUDIOP as sub-routine to produce audio indication of numberStep 28STOP for player to key in 'guess'Step 29test for correct 'guess'Step 31test for 'guess' too highSteps 36-41audio indication of right guess and recall guess counterStep 46audio indication that 'guess' is too high
20 CLX 21+LBL 00 22 1 23 ST+ 02 24 CLX 25 RDN 26 RDN 27 XEQ "AUD IOP" 28 STOP 29 X=Y? 30 GTO 01 31 X>Y? 32 GTO 02	 SIMAUD/AUDIOP User Instructions 1. STATUS: minimum SIZE 015* 2. Key in program from listing* 3. Assign SIMAUD and/or AUDIOP to free keys (e.g. LOG, LN)* 4. Test for POWER ON by pressing SHIFT 4 (BEEPs if power on) 5. Test for USER Mode On by pressing any number key(s) (except 0) and assigned key. (If no signal, switch USER on.) 6. FIX number of decimal places, as required 7. Do calculations in normal way, pressing SIMAUD/AUDIOP assigned key to check intermediate or final totals, as required.
33 TONE 3 34 CLX 35 GTO 00 36+LBL 01 37 BEEP 38 RCL X 39 XEQ "AUD IOP" 40 RCL 02 41 PSE 42 PSE 43 XEQ "AUD IOP" 44 GTO 03 45+LBL 02 46 TONE 9 47 GTO 00 48 END	TRILOB 1. Ensure that AUDIOP is in program memory* 2. Key in program from listing* 3. Assign TRILOB to free key* 4.5. As for SIMAUD/AUDIOP 6. Start game by pressing TRILOB assigned key 7. 'Secret' number signalled by TONEs 8. Key in 'guess' — press R/S 9. Low guess signalled by low TONE (TONE 3). High guess signalled by high TONE (TONE 9). Right guess signalled by BEEP, number repeated as TONEs, pause, then 'number of guesses' signalled by appropriate TONE. 10.program loops to 7 above. NOTE: Instructions marked* will require sighted assistance — others can be carried out by the blind person.

•

••••

• • •

•

• • • • • • •

THE SHARP MZ-80 COMPUTER SYSTEM

The Sharp MZ-80 System is a new approach to computer applications and their efficient use. Our aim are designed to serve. Take a look at the Sharp rangeis to make computers relatively simple and therefore better it will change the way you think about computers.

Business & Electronic Machines 7 Castle Street Edinburgh Scotland Edinburgh (031-226) 5454

Central Calculators Ltd 86-90 Paul Street London EC2 01-729 5588

Crystal Electronics Ltd 40 Magdalane Road Torquay Devon Torquay (0803) 22699

Digital Design & Development 43 Grafton Way London W1 01 387 7388

Electronic Business Systems Ltd 54 Clement Street **Birmingham** 1 West Midlands Birmingham (021-233) 3045

Fortronic Ltd Holden Way **Donibristle Industrial Estate** Dunfermline Fife Dunfermline (0383) 823121

Gilbert Computers Old Hall Lane Lubenham Leicestershire Lubenham (0858) 65894 **H B Computers Ltd** 22 Newland Street Kettering Northants Kettering (0536) 83922

Howes Elect. & Autom. Servs. 44 Fen Rd Washingborough Lincoln LN4 1AD

A & G Knight **108 Rosemount Place** Aberdeen AB2 4YN Aberdeen (0224) 630526

Kratos-Instem Ltd Walton Industrial Estate Stone Staffordshire Stone (0785) 812131

Lion Computer Shops Ltd Lion House 227 Tottenham Court Road London W1 01-637 1601

Newbear Computing 40 Bartholomew Street Newbury Berks Berks (0635) 30505

Personal Computers Ltd 194/200 Bishopsgate London EC2M 4NR 01-626 8121

Peter Scott (Exeter) Ltd 76 South Street Exeter Devon Exeter (0392) 73309

Scope Stone House Houndsditch Entrance 128/140 Bishopsgate London EC2M 4HX 01-247 8506

Sumlock Bondain Ltd Sumlock Anita House 15 Clerkenwell Close London EC1R OAA 01-250 0505

Sumlock Bondain (East Anglia) Ltd. 32 Prince of Wales Road Norwich Norfolk Norwich (0603) 26259

Tomorrows World Ltd 17 Harcourt Road Dublin 2 Eire Dublin (0001) 755885

This is a list of dealers participating in associated advertising and not a full list.



Business Systems, Audio, Video, Calculators, Cash Registers, Copiers, Microwave Ovens.

YOUNG COMPUTER WORLD

Compiled and presented by Derrick Daines

The bottom line

There's this podgy US general (well, an actor, really) pacing up and down the back lot at MGM studios. He wears his tin hat in the office and chews a cigar so savagely you'd think it was the enemy's tender parts. He also sports a couple of pearl-handled revolvers. Boy — is this guy tough!

He glares at the nearest plasterboard scenery and removes his mangled cigar long enough to bellow, "Lootenant where's that report?"

A skinny nervous actor rushes in, carrying a bundle of papers. "Right here, General, sir!"

The 'General' explodes. "Goddam it, Lootenant! I asked for a report, not the entire US Army Regulations! I gotta war to run – gimme the bottom line!"

The demand to "gimme the bottom line" is not confined to American actors or their scriptwriters. All of us show exactly the same desire at different times. For example, none of us asks a friend what (s)he watched on TV last night, expecting a half-hour blow-byblow account! We expect a short answer - a Western, the big match or whatever. If that arouses our interest, we may then ask for more details, but initially we mean, 'Gimme the bottom line'.

People who write computer programs are very prone to overdo it. (I know I am!) We start off with an idea and quickly get it working and degugged, but then come the ideas for improvements. Sometimes these are real improvements, but more often they are simply unnecessary elaborations on the original theme.

For example, I recently wrote a program to count the vowels and words in any passage of text. Before I knew what I was doing, I had the thing elaborated to count each different vowel separately, calculate the vowel per word ratio, the average length of each word, the number of punctuation characters, and so on. This process is sometimes called 'gilding the lily' and it's an awfully easy trap to fall into.

You may protest that elaborations really do make the program better, but I counter in two ways: (1) What exactly do you mean by 'better'? (2) Are you going to capture and hold anyone's interest in your program if you are unable to give them 'the bottom line'?

Let's take the first point. Initially, your program — or mine, or his — is simple, neatly numbered and formatted, easily understood and short. Then we start to elaborate and in no time at all it's an untidy mess of inserted lines and a bewildering maze of GOTOs. Come the tidying-up process and you find obsolete or duplicated variables and a whole stack of other problems that you never dreamed of. (Don't worry — I've done it — we all have!) Frequently the only thing to do is to scrap the

whole program and start again.

Sometimes we write such elaborated programs simply to exercise our skills. I suspect that more often we get carried away by exuberance. There's no harm in that as such . . . just don't expect others to share the flights of fancy. If you'd like someone to actually USE your program, as distinct from just talking about it or congratulating you on it, then there's no doubt that simpler is better.

If for example your version of Starwars allows the user 25 different commands, you'd be far better advised to forget the majority of them — the user will!

What I'm getting around to in my elephantine manner is to try and encourage those readers who may have small programs to submit, but are a bit shy about it. There may be more merit in a small program than in the longest printout you ever saw. Elaboration is not hard. What is really difficult is to devise a new program - a totally new game or new application for a home computer. That is what everybody is interested in.

Gimme the bottom line! Better yet, gimme something new! There must be a thousand 'shooting' programs about and more come in every week, many very sophisticated indeed. But I have a thousand times more delight in a new application, even if it isn't quite right yet.

I am prompted in the above remarks by the receipt of what was for me a totally new type of program — from a reader in Shropshire. This lad thought of having a compiler for graphics, so you play about animating all sorts of things and the program remembers what you have done. At command, it will then play back or store it on disk for later use. Great! That's innovation for you.

I've suggested one or two minor alterations to him and with any luck we will all in due course see the results of his labours.

Programs received

Graphics Plotter by N. Smith of Telford; Hangman by Neil Sleightholm (17) of Billericay; Clear the Screen, Fruit Machine, Speed and Acceleration and Shoot & Save by Janine Booth (13) of Peterborough; Mastermind by David McKeran (16) of Sunderland; Cesil to Basic Converter by G. Staples (17) of Beckenham; Two Astronomy Programs, Square Roots and Nim by Gary Nugent of Dublin; Lunar Lander by Graham Kirby (14) of Pitlochry; Anagrams by Andre Cockburn (9) of Bracknell; Space Taxi by Torstein Kongshem (17) of Oslo; Basic Renumber by Colin Hughes (13) of Luton; Barricade by Robert Nicholls (14) of Cardiff; Space Target by J. Adams (16) of Ledbury; Graphics Multiplier by Mark Wylkie (16) of Hertford.

This is getting better and better! Notice that girls's name in there? Thanks Janine — you're the first girl to send me a program. (What am I saying? She sent in four!)

And how about young Andre? Not only is he just 9 years old, he's also severely handicapped and types laboriously with only one finger. (So do I — and I'm not handicapped!)

I forgot to mention last month how impressed I was with D Tate's presentation of his program material. It was real 6th Form stuff – neat folder, logical presentation – wow!

Competition

We had a great time sorting through the entries for our logo competition. In the end — what do you know? the winning entry was sent in by Abigail McLellan of Middlesborough, who is 10 years old! Well done, Abigail! When I can prise the safe keys out of the editor's clutching hand, there'll be a prize on its way to you. Thanks to all those who sent in entries. Our artist has redrawn the design and I reckon it looks pretty good at the top of the page a worthy winner.

Speed and Acceleration by Janine Booth	
10 REM	
20 CLEAR	
21 FOR X=1 TO 15: PRINT: NEXT X	
22 PRINT"TIME(S) is the time taken associated with"	
23 PRINT"speed and distance."	
24 PRINT"TIME(A) is the time taken associated with	•
25 PRINT"acceleration, initial speed and final speed	Ľ
26 FOR A=1 TO 5000: NEXT A	
27 FOR A=1 TO 15: PRINT: NEXT A	
30 INPUT"ENTER UNKNOWN"; A\$	
40 PRINT	
50 IF AS="DISTANCE" THEN GOTO 120	
60 IF AS="SPEED"THEN GOTO 160	
70 IF AS="ACCELERATION" THEN GOTO 270	
75 IF AS="TIME(A)" THEN GOTO 310	
80 INPUT"ENTER DISTANCE(m), SPEED(m/s)";C,D	
90 X=C/D	
100 PRINT"TIME TAKEN="; X; "SECONDS."	
110 END	
120 INPUT"ENTER TIME(S)(s), SPEED(m/s)"; C, D	
130 X=C*D	
140 PRINT"DISTANCE TRAVELLED=";X; "METRES, "	
150 END	
160 INPUT"WHICH PAIR OF VALUES IS KNOWN"; E\$, F\$	•GOTO page 125

BUTEBLADD COMPLTEBLADD

your specialist Computerstore.

Cromemco System Three Well-proven systems for the serious user. Our computer stores are staffed by business experts, backed by first class maintenance support. Call in for advice and a demonstration of our range of systems.

The Cromemco buyer is choosing well-proven design, reliability and expandability. Start with a single terminal and grow into a multi-user system as your requirements expand. Excellent Cromemco software includes COBOL, FORTRAN and RPG-II. Ask for a demonstration of the Cromemco hard-disk and talk over with us how your application can be programmed.





Nottingham 92a Upper Parliament Street Nottingham NG1 6LF Tel. 0602 40576 Telex. 377389

Manchester 11 Gateway House Piccadilly Station Approach Manchester Tel. 061-236 4737 Telex. 666168 **Birmingham** 94-96 Hurst Street Birmingham B5 4TD Tel. 021-622 7149 Telex. 336186

Glasgow Magnet House Waterloo Street Glasgow Tel. 041-221 7409 Telex. 779263 North Star Horizon The reliable and longestablished commercial favourite. Ask about our BYTE SHOP- developed packages – Invoicing, Sales and Purchase Ledger, Incomplete Records, Cash-Flow Analysis, Stock Control, etc. And use your Horizon to type perfect letters – it is an excellent wordprocessor.



London 48 Tottenham Court Road London W185 4TD Tel. 01-636 0647

NEWCOMERS-START HERE

This is PCW's unique quick-reference guide for the microcomputing novice. While it's in no way totally comprehensive, it should help you pick your way through the most important pieces of (necessary) jargon which you'll find in PCW. We trust you'll find it useful. Happy microcomputing.

Welcome to the confusing world of the microcomputer. First of all, don't be fooled; there's nothing complicated about this business, it's just that we're surrounded by an immense amount of necessary jargon. Imagine if we had to continually say "numbering system with a radix of sixteen in which the letters A to F represent the values 10 to 15" when instead we can simply say "hex". No doubt soon many of the words and phrases we are about to explain will eventually fall into common English usage. Until that time, PCW will be publishing this guide — every month.

We'll start by considering a microcomputer's functions and then examine the physical components necessary to implement these functions.

The microcomputer is capable of receiving information, processing it, storing the results or sending them somewhere else. All this information is called data and it comprises numbers, letters and special symbols which can be read by humans. Although the data are (yes, it's plural) accepted and output by the computer in 'human' form, inside it's a different story — they must be held in the form of an electronic code. This code is called binary — a system of numbering which uses only 0s and 1s. Thus in most micros each character, number or symbol is represented by eight binary digits or bits as they are called, ranging from 00000000 to 11111111.

To simplify communication between computers, several standard coding systems exist, the most common being ASCII (American Standard Code for Information Interchange). As an example of this standard, the number five is represented as 00110101 -complicated for humans, but easy for the computer! This collection of eight bits is called a byte and computer freaks who spend a lot of time messing around with bits and bytes use a halfway human representation called hex. The hex equiva lent of a byte is obtained by giving each half a single giving each half a single character code (0-9, A-F): 0=0000, 1=0001, 2=0010, 3=0011, 4=0100, 5=0101 \dots E=1110 and F=1111. Our example of 5 is therefore 35 in hex. This makes it

..... E=1110 and F=1111. Our example of 5 is therefore 35 in hex. This makes it easier for humans to handle complicated collections of 0s and 1s. The machine detects these 0s and 1s by recognising different voltage levels.

ing different voltage levels. The computer processes data by reshuffling, performing arithmetic on, or by comparing them with other data. It's the latter function that gives a computer its apparent 'intelligence' — the ability to make decisions and to act upon them. It has to be given a set of rules in order to do this and, once again, these rules are stored in memory as bytes. The rules are called programs and while they can be input in binary or hex (machine code programming), the usual method is to have a special program which translates English or near-English into machine code. This speeds programming considerably; the nearer the programming language is to English, the faster the programming time. On the other hand, program execution speed tends to be slower.

The most common microcomputer language is Basic. Program instructions are typed in at the keyboard, to be coded and stored in the computer's memory. To run such a program the computer uses an interpreter which picks up each English-type instruction, translates it into machine code and then feeds it into the processor for execution. It has to do this each time the same instruction has to be executed.

Two strange words you will hear in connection with Basic are PEEK and POKE. They give the programmer access to the memory of the machine. It's possible to read (PEEK) the contents of a byte in the computer and to modify a byte (POKE).

Moving on to hardware, this means the physical components of a computer system as opposed to software the programs needed to make the system work.

At the heart of a microcomputer system is the central processing unit (CPU), a single microprocessor chip with supporting devices such as buffers, which 'amplify' the CPU's signals for use by other components in the system. The packaged chips are either soldered directly to a printed circuit board (PCB) or are mounted in sockets.

In some microcomputers, the entire system is mounted on a single, large, PCB; in others a bus system is used, comprising a long PCB holding a number of interconnected sockets. Plugged into these are several smaller PCBs, each with a specific function — for instance, one card would hold the CPU and its support chips. The most widely-used bus system is called the \$100.

The CPU needs memory in which to keep programs

and data. Microcomputers generally have two types of memory, RAM (Random Access Memory) and ROM (Read Only Memory). The CPU can read information stored in RAM — and also put information into RAM. Two types of RAM exist static and dynamic; all you really need know is that dynamic RAM uses less power and is less expensive than static, but it requires additional, complex, circuity to make it work. Both types of RAM lose their contents when power is switched off. whereas ROM retains its contents permanently. Not surprisingly, manufacturers often store interpreters and the like in ROM. The CPU can only read the ROM's contents and cannot alter them in any way. You can buy special ROMs called PROMs (Programmable ROMs) and EPROMs (Erase-able PROMs) which can be programmed using a special device; EPROMs can be erased using ultra-violet light. Because RAM loses its

contents when power is switched off, cassettes and floppy disks are used to save programs and data for later use. Audio-type tape recorders are often used by converting data to a series of audio tones and recording them; later the computer can listen to these same tones and re-convert them into data. Various methods are used for this, so a cassette recorded by one make of computer won't necessarily work on another make. It takes a long time to record and play back information and it's difficult to locate one specific item among a whole mass of information on a cassette; therefore, to overcome these problems, floppy disks are used on more sophisticated

systems. A floppy disk is made of thin plastic, coated with a magnetic recording surface rather like that used on tape. The disk, in its protective envelope, is placed in a disk drive which rotates it and moves a read/write head across the disk's surface. The disk is divided into concentric rings called tracks, each of which is in turn subdivided into sectors. Using a pro-gram called a disk operating system, the computer keeps track of exactly where information is on the disk and it can get to any item of data by moving the head to the appropriate track and then waiting for the right sector to come round. Two methods are used to tell the computer where on a track each sector starts: soft sectoring

where special signals are recorded on the surface and hard sectoring where holes are punched through the disk around the central hole, one per sector.

Half-way between cassettes and disks is the stringy floppy — a miniature continuous loop tape cartridge, faster than a cassette but cheaper than a disk system. Hard disk systems are also available for microcomputers; they store more information than floppy disks, are more reliable and information can be transferred to and from them much more quickly.

You, the user, must be able to communicate with the computer and the generally accepted minimum for this is the visual display unit (VDU), which looks like a TV screen with a typewriter-style keyboard; sometimes these are built into the system, sometimes they're separate. If you want a written record (hard copy) of the computer's output, you'll need a printer. The computer can send

out and receive information in two forms – parallel and serial. Parallel input/output (I/O) requires a series of wires to connect the computer to another device, such as a printer, and it sends out data a byte at a time, with a separate wire carrying each bit. Serial I/O involves sending data one bit at a time along a single piece of wire, with extra bits added to tell the receiving device when a byte is about to start and when it has finished. The speed that data is transmitted is referred to as the baud rate and, very roughly, the baud rate divided by 10 equals the number of bytes being sent per second.

To ensure that both receiver and transmitter link up without any electrical horrors, standards exist for serial interfaces; the most common is RS232 (or V24) while, for parallel interfaces to printers, the Centronics standard is popular.

Finally, a modem connects a computer, via a serial interface, to the telephone system allowing two computers with modems to exchange information. A modem must be wired into the telephone system and you need British Telecom's permission; instead you could use an acoustic coupler, which has two obscene-looking rubber cups into which the handset fits, and which has no electrical connection with the phone system — British Telecom isn't so uppity about the use of these.



PACKAGES

Mary Knight of Mike Rose Micros presents our guide to widely-available software packages. This will be appearing bi-monthly from now on, alternating with our In Store hardware guide.

in the second second and a second	ARDEN D PROCESS 0533 222	ING I	B+B CC 0204 20	OMPUTE 6644	RS LTD	BEAM E 01-636			ENTRE	BENCHMAR COMPUTER SYSTEMS 0726 61000
paper line and states of the second states of the s	PET A	apple P	PET/CB	1 1 1.	Altos (CP/M MP /M)	PCC 200 Simpelec Triton 3		PET	Apple	North Star Horizon
Stock Control/Recording	15 P	.O.R. 3	300		300	350			N I I I I I I	450
Sales Ledger	3	00				350	-			250
Purchase Ledger		00				350	100	100		250
General Ledger/NL	3	00				350				250
Integrated Accts			300	154	300				1002 10.1	950
Word Processing	7					1.859 30.			indea 12.2	
Mailing List	3		5		75	0.000000000	-			1.10.2.1.2.20.20
Invoicing			25-50				-		Barrie and	100
Database Management/	1	50 7	5			10.0		-		250
Information Retrieval Payroll		0.0		1			-			
Incomplete Records	P	O.R.					-			350
Personnel Records					a half of the state		-	-	and the second	the section of the section of the
Estate Agent	0	50				350	-			
Time/Cost Recording	0		00	000	No. In Sec.	350	-	-		950
Job Costing		3		-		350	-			250
Mail Shot				A STATE	atter transme	450	-			
Credit Control				0.5		100	1			
Cash Flow				1129	Chinese 198					
Production Analysis		3	00	1201	the state of the s			P		
			oisk Op System	erating 150				andard I Apple P	PET ackages	
	BENCHMAR COMPUTER			CAP-CPP MICRO PROD-				-	A second to	
diversity of the state of the state	SYSTEMS 0726 61000	FACTO 0272 23	RY 0	UCTS LTI 01-404 0911	COMM(01-388			COMP SOFT 0483 39665		TASTORE 2 4761
	SYSTEMS	FACTO	ORY 0 3430 0)1-404	COMMO	5702		SOFT 0483	COMPU LTD	
	SYSTEMS 0726 61000 Cromemco 450	FACTO 0272 23 PET 300	0RY 0 3430 0 T 0)1-404)911	COMMC 01-388 PET/CBI 150	5702 8000 M Serie	es	SOFT 0483 39665	COMPU LTD 061-832	2 4761
Sales Ledger	SYSTEMS 0726 61000 Cromemco 450 250	FACTO 0272 23 PET 300 300	ORY 0 3430 0 T 0 0 8 0 8)1-404	COMMC 01-388 PET/CBI 150 200	5702 8000 M Serie 250	es	SOFT 0483 39665	COMPU LTD 061-832	2 4761
Sales Ledger Purchase Ledger	SYSTEMS 0726 61000 Cromemco 450 250 250	FACTO 0272 23 PET 300	DRY 0 3430 0 Γ 0 0 ε 0 ε	01-404 0911 800	COMMC 01-388 PET/CBI 150 200 200	5702 8000 M Serie	es	SOFT 0483 39665	COMPU LTD 061-832 Vector 400 400	2 4761
Sales Ledger Purchase Ledger General Ledger/NL	SYSTEMS 0726 61000 Cromemco 450 250 250 250	FACTO 0272 23 PET 300 300	DRY 0 3430 0 Γ 0 0 ε 0 ε)1-404)911	COMMC 01-388 PET/CBI 150 200 200 200	5702 M 8000 Seria 250 250	28	SOFT 0483 39665	COMPU LTD 061-832 Vector 400 400 400	2 4761
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts	SYSTEMS 0726 61000 Cromemco 450 250 250	FACTO 0272 23 PET 300 300	DRY 0 3430 0 Γ 0 0 ε 0 ε	01-404 0911 800	COMMC 01-388 PET/CBI 150 200 200 200 (50)	5702 M Serie 250 250 P.O	.R.	SOFT 0483 39665	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing	SYSTEMS 0726 61000 Cromemco 450 250 250 250	FACTO 0272 23 PET 300 300	DRY 0 3430 0 Γ 0 0 ε 0 ε	01-404 0911 800	COMMC 01-388 PET/CBI 150 200 200 200	5702 M 8000 Seria 250 250	.R.	SOFT 0483 39665	COMPU LTD 061-832 Vector 400 400 400	2 4761
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950	FACTO 0272 23 PET 300 300	DR Y 0 3430 0 T 0 0 6 0 1	01-404 0911 800 10000	COMMC 01-388 PET/CBI 150 200 200 200 (50)	5702 M Serie 250 250 P.O	.R.	SOFT 0483 39665	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 	FACTO 0272 23 PET 300 300	DRY 0 3430 0 T 0 6 0 8 0 1 1	01-404 0911 800 1000 400	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150	5702 8000 M Serie 250 250 P.O 250	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950	FACTO 0272 23 PET 300 300	DRY 0 3430 0 T 0 6 0 8 0 1 1	01-404 0911 800 10000	COMMC 01-388 PET/CBI 150 200 200 200 (50)	5702 M Serie 250 250 P.O	.R.	SOFT 0483 39665	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 100 250	FACTO 0272 23 PET 300 300	DRY 0 3430 0 T 0 5 0 5 0 1 1 1 4 4 F	01-404 0911 800 1000 400 P.O.R.	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150 50/150	5702 8000 8000 2500 2500 P.O 2500 P.O	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET 325
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 	FACTO 0272 23 PET 300 300	DRY 0 3430 0 T 0 5 0 5 0 1 1 1 4 4 F	01-404 0911 800 1000 400	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150	5702 8000 M Serie 250 250 P.O 250	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 100 250	FACTO 0272 23 PET 300 300	DRY 0 3430 0 T 0 5 0 5 0 1 1 1 4 4 F	01-404 0911 800 1000 400 P.O.R.	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150 50/150	5702 8000 8000 2500 2500 P.O 2500 P.O	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET 325
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List nvoicing Database Management/ nformation Retrieval Payroll ncomplete Records Sersonnel Records Estate Agent	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 	FACTO 0272 23 PET 300 300	DRY 0 3430 0 T 0 5 0 5 0 1 1 1 4 4 F	01-404 0911 800 1000 400 P.O.R.	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150 50/150	5702 8000 8000 2500 2500 P.O 2500 P.O	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET 325
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Sersonnel Records Estate Agent Cost Recording	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 100 250	FACTO 0272 23 PET 300 300	DRY 0 3430 0 T 0 5 0 5 0 1 1 1 4 4 F	01-404 0911 800 1000 400 P.O.R.	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150 50/150	5702 8000 8000 2500 2500 P.O 2500 P.O	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET 325
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Sersonnel Records State Agent Cime/Cost Recording ob Costing	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 	FACTO 0272 23 PET 300 300	DRY 0 3430 0 T 0 5 0 5 0 1 1 1 4 4 F	01-404 0911 800 1000 400 P.O.R.	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150 50/150	5702 8000 8000 2500 2500 P.O 2500 P.O	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET 325
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Sersonnel Records Serstate Agent Cime/Cost Recording Ob Costing Mail Shot	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 	FACTO 0272 23 PET 300 300 300	DRY 0 3430 0 T 0 5 0 1 1 1 4 4 F F	01-404 0911 800 1000 400 P.O.R.	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150 50/150	5702 8000 8000 2500 2500 P.O 2500 P.O	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET 325
Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Vord Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records State Agent Cost Records State Agent Cost Recording Ob Costing Mail Shot Credit Control	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 	FACTO 0272 23 PET 300 300	DRY 0 3430 0 T 0 5 0 1 1 1 4 4 F F	01-404 0911 800 1000 400 P.O.R.	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150 50/150	5702 8000 8000 2500 2500 P.O 2500 P.O	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET 325
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Personnel Records Estate Agent Fime/Cost Recording Iob Costing Mail Shot Credit Control Cash Flow Production Analysis	SYSTEMS 0726 61000 Cromemco 450 250 250 250 950 	FACTO 0272 23 PET 300 300 300 300 300 300 300 300 300 30	DRY 0 3430 0 T 0 5 0 1 1 1 4 4 F F	01-404 0911 800 1000 400 P.O.R.	COMMC 01-388 PET/CBN 150 200 200 200 (50) 75/150 50/150	5702 8000 Serie 250 250 P.O 250 P.O 250 P.O 250 P.O 250 P.O 250	.R.	SOFT 0483 39665 PET	COMPU LTD 061-832 Vector 400 400 400 1000	2 4761 PET 325

				PAC	KA	GES			-		ACCES
	COMPUTE 01-794 020	CH 2		DATA	ABANK	0509 217		ALS T		GRAMA (WINTER LTD 01-636 8210) GREAT NORTHERN 0532 450667
Just William		11000	2020	PET				Annla T	T	-	
Stock Control/Recording	Apple II	111	2020	10		ITT 202	20	Apple I	1	PET/CBM 150	8080/Z-80 275
Sales Ledger	295	29	95	10		10		10		100	275
Purchase Ledger	295		95			1				•	275
General Ledger/NL	295	29	95								275
Integrated Accts Word Processing		-	34.1	10		10	-	10		650	995
Mailing List				40 50		40 50		40 50		75/150	
Invoicing				00		00		00			
Database Management/ information Retrieval										150	a milen sale
Payroll	375	3'	75	10		10		10	-	150	275
Incomplete Records Personnel Records	-										
Estate Agent					5 A						
Time/Cost Recording											
Job Costing		1 Surge									
Mail Shot Credit Control		1				-			-		
Credit Control											
Production Analysis	-									100 (3	
	Utilities	U	tilities	Bank	Sug-It	Bank	in in the	Bank			Job Order
	20	20	D	Accou		Accoun		Accour			Control 27
				Salesn	nan	Salesma	an	Salesm	an		Prof Appts.
				10 Cash I	Rodie-	10 Cash R	orie-	10 Cash R	orie-	- U	groups 275 Prof Appts
				ter 10		ter 10	egis-	ter 10	egis-		individ. 220
	1					s on mult	iple sale				Prof Client.
			-				-				Billing 330
									-		
	GREAT NORTHE 0532 450667	RN	A J HA 0424 220391	RDING	HART SOFT 0606	WARE	H.B COMP 0536 8			POSOFT 2 23127	INTEREUROI SOFTWARE DESIGN 0734-786644
	Apple	-	TRS 8	0	PET	2011	СВМ	004	PET	ACT 800	MCZ Zilog
Stock Control/Recording	150	100	200		- 14 - 2 -		35/25	5	1.4		1
Sales Ledger			225	112			350	5 2.21		10 110101	Manager States
Purchase Ledger General Ledger/NL			225				350		ALL A		
Integrated Accts			225				200				
Word Processing		10	15		85/65/	40/20	35	0.00	375	375	500+
Mailing List			25/38	/55	45		35				
Invoicing			25						0.07	0.05	
Database Management/ Information Retrieval	and the second sec		32.50						225	225	
Payroll		-	200				10				
Incomplete Records	The surgest	3	40			0.49		4 75			in the second
Personnel Records					85					- There	500+
Estate Agent Time/Cost Recording		-			1		30				and the state
i mie/Cost Recording			1								
				-	×						200
Job Costing Mail Shot									1		
Job Costing Mail Shot Credit Control											
Job Costing Mail Shot Credit Control Cash Flow											
Job Costing Mail Shot											
Job Costing Mail Shot Credit Control Cash Flow	Video m sage 200		VAT H ter 15		Lotteri 45	es	Utilit set 78				Screen Generator 75
Job Costing Mail Shot Credit Control Cash Flow	sage 200 Statistic)			45 Membe	rship	Utilit set 78 VAT	3			
Job Costing Mail Shot Credit Control Cash Flow	sage 200)			45 Membe Accting	rship g 85	set 78 VAT Maste	er 25			Generator 75 Conference Organiser 500
Job Costing Mail Shot Credit Control Cash Flow	sage 200 Statistic)			45 Member Accting T.A.P.	rship g 85 Business	set 78 VAT Maste Burea	er 25 au de			Generator 75 Conference Organiser 500 Budgeting
Job Costing Mail Shot Credit Control Cash Flow	sage 200 Statistic)			45 Membe Accting	rship g 85 Business	set 78 VAT Maste	er 25 au de ge 8			Generator 75 Conference Organiser 500

CCE39				PAC	KAG	ES					
RECESS			2								
	INTEX DATAI LTD 06 781193	LOG	T V J 0276	OHNSON 62506	1			ANNA MANAGEI ICES 0245 7612		CO	EN MPUTEF 02 58325
	PET		PET/C		TRS 80	Apple II			CP/M		ople
Stock Control/Recording	195			150		Inppie II	200				O.R.
Sales Ledger	Ĩ		P.O.R		14		225		500	30	00
Purchase Ledger General Ledger/NL			P.O.R				225 325		500	30	
Integrated Accts			650		75		325	1	500	30	10
Word Processing			75/15	0	45/95	75	70		500	75	
Mailing List Invoicing		-	P.O.R			-	75		500	30	00
Database Management/ Information Retrieval		r.	150		150		15		500	15	0
Payroll	50/1	95	150	,			218		500		O.R.
Incomplete Records Personnel Records	1-1-1-1-	-					-			P.0	0.R.
Estate Agent										85	0
Time/Cost Recording											
Job Costing Mail Shot	12									-	
Credit Control											
Cash Flow											
Production Analysis										-	- Contraction
i he shall be	in the		Petsof	t		(AB) - 196	Indivi	dual designed		1.2	
ii 2 se file l					and and a						
	LIFEB	CIATH		LIVEPO (EXID) SORCE FIRMW	RER ARE)	PADMED COMPUT SERVICE	'ER ES	ACT/PETSOFT	BOND	AIN	021-622
		CIATH		(EXID) SORCE	RER ARE)	COMPUT	ER ES 434	ACT/PETSOFT 021-454 5348	BOND	AIN	MICRO
	ASSOC	CIATI 5 4663		(EXID) SORCE FIRMW	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II	'ER ES	ACT/PETSOFT 021-454 5348 PET	BOND 01-250 0505 Apple	AIN	MICRO LTD 021-622
Stock Control/Recording	ASSOC 01-836 CP/M 325	808 325	3 0/Z80	(EXIDY SORCE FIRMW 0736 79	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300	ER 53 434 ITT 2020 300	021-454 5348 PET 12/25/350	BOND. 01-250 0505 Apple P.O.R	AIN	MICRO LTD 021-622 1754 TRS 801 200
Stock Control/Recording Sales Ledger	ASSOC 01-836 CP/M 325 425	808 325 425	3 0/Z80	(EXIDY SORCE FIRMW 0736 79	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300	ER 55 434 ITT 2020 300 300	021-454 5348 PET 12/25/350 95/350	BOND. 01-250 0505 Apple P.O.R 300	AIN	MICRO LTD 021-622 1754 TRS 801 200 225
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL	ASSOC 01-836 CP/M 325	808 325	3 0/Z80	(EXIDY SORCE FIRMW 0736 79	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300	ER 53 434 ITT 2020 300	021-454 5348 PET 12/25/350	BOND. 01-250 0505 Apple P.O.R	AIN	MICRO LTD 021-622 1754 TRS 801 200 225 225
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts	ASSOC 01-836 CP/M 325 425 425	808 808 325 425 425	3 0/Z80	(EXIDY SORCE FIRMW 0736 79	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300	ER 55 434 ITT 2020 300 300	021-454 5348 PET 12/25/350 95/350 95/120/350	BOND. 01-250 0505 Apple P.O.R 300 300	AIN	MICRO LTD 021-622 1754 TRS 801 200 225 225
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing	ASSOC 01-836 CP/M 325 425 425 375	Signature Signature <thsignature< th=""> <thsignature< th=""> <ths< td=""><td>3 0/Z80</td><td>(EXIDY SORCE FIRMW 0736 79</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 300</td><td>ER 25 434 ITT 2020 300 300 300</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350 25/325</td><td>BOND 01-250 0505 Apple P.O.R 300 300 300 75</td><td>AIN</td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225</td></ths<></thsignature<></thsignature<>	3 0/Z80	(EXIDY SORCE FIRMW 0736 79	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 300	ER 25 434 ITT 2020 300 300 300	021-454 5348 PET 12/25/350 95/350 95/120/350 25/325	BOND 01-250 0505 Apple P.O.R 300 300 300 75	AIN	MICRO LTD 021-622 1754 TRS 801 200 225 225
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing	ASSOC 01-836 CP/M 325 425 425 375	Signature Signature <thsignature< th=""> <thsignature< th=""> <ths< td=""><td>3 0/Z80</td><td>(EXIDY SORCE FIRMW 0736 79</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 300</td><td>ER 25 434 ITT 2020 300 300 300</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350</td><td>BOND. 01-250 0505 Apple P.O.R 300 300</td><td>AIN </td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225</td></ths<></thsignature<></thsignature<>	3 0/Z80	(EXIDY SORCE FIRMW 0736 79	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 300	ER 25 434 ITT 2020 300 300 300	021-454 5348 PET 12/25/350 95/350 95/120/350	BOND. 01-250 0505 Apple P.O.R 300 300	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval	ASSOC 01-836 CP/M 325 425 425 375 950 325	Signature Signature <thsignature< th=""> <thsignature< th=""> <ths< td=""><td>3</td><td>(EXID) SORCE FIRMW 0736 79 Sorcere</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 300 450</td><td>ER ES 4434 ITT 2020 300 300 300 450 300</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350 </td><td>BOND, 01-250 0505 Apple P.O.R 300 300 300 75 300 150</td><td>AIN </td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75</td></ths<></thsignature<></thsignature<>	3	(EXID) SORCE FIRMW 0736 79 Sorcere	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 300 450	ER ES 4434 ITT 2020 300 300 300 450 300	021-454 5348 PET 12/25/350 95/350 95/120/350 	BOND, 01-250 0505 Apple P.O.R 300 300 300 75 300 150	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll	ASSOC 01-836 CP/M 325 425 425 375 950	State State <th< td=""><td>3</td><td>(EXIDY SORCE FIRMW 0736 79</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 300 450</td><td>ER ES 434 ITT 2020 300 300 300 450</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350 </td><td>BOND, 01-250 0505 Apple P.O.R 300 300 300 75 300</td><td>AIN </td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325</td></th<>	3	(EXIDY SORCE FIRMW 0736 79	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 300 450	ER ES 434 ITT 2020 300 300 300 450	021-454 5348 PET 12/25/350 95/350 95/120/350 	BOND, 01-250 0505 Apple P.O.R 300 300 300 75 300	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records	ASSOC 01-836 CP/M 325 425 425 375 950 325	Signature Signature <thsignature< th=""> <thsignature< th=""> <ths< td=""><td>3</td><td>(EXID) SORCE FIRMW 0736 79 Sorcere</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 300 450</td><td>ER ES 4434 ITT 2020 300 300 300 450 300</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350 </td><td>BOND, 01-250 0505 Apple P.O.R 300 300 300 75 300 150</td><td>AIN </td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75</td></ths<></thsignature<></thsignature<>	3	(EXID) SORCE FIRMW 0736 79 Sorcere	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 300 450	ER ES 4434 ITT 2020 300 300 300 450 300	021-454 5348 PET 12/25/350 95/350 95/120/350 	BOND, 01-250 0505 Apple P.O.R 300 300 300 75 300 150	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Personnel Records Estate Agent	ASSOC 01-836 CP/M 325 425 425 375 950 325	State State <th< td=""><td>3</td><td>(EXID) SORCE FIRMW 0736 79 Sorcere</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 450 300</td><td>ER 25 434 ITT 2020 300 300 300 450 300</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350 </td><td>BOND, 01-250 0505 Apple P.O.R 300 300 300 75 300 150</td><td>AIN </td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75</td></th<>	3	(EXID) SORCE FIRMW 0736 79 Sorcere	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 450 300	ER 25 434 ITT 2020 300 300 300 450 300	021-454 5348 PET 12/25/350 95/350 95/120/350 	BOND, 01-250 0505 Apple P.O.R 300 300 300 75 300 150	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Personnel Records Estate Agent Time/Cost Recording	ASSOC 01-836 CP/M 325 425 425 375 950 325	State State <th< td=""><td>3</td><td>(EXID) SORCE FIRMW 0736 79 Sorcere</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 450 300</td><td>ER 25 434 ITT 2020 300 300 450 300 300 300 300 300</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350 25/325 15 350 325 50/25/195</td><td>BOND, 01-250 0505 Apple P.O.R 300 300 75 300 150 P.O.R</td><td>AIN </td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75</td></th<>	3	(EXID) SORCE FIRMW 0736 79 Sorcere	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 450 300	ER 25 434 ITT 2020 300 300 450 300 300 300 300 300	021-454 5348 PET 12/25/350 95/350 95/120/350 25/325 15 350 325 50/25/195	BOND, 01-250 0505 Apple P.O.R 300 300 75 300 150 P.O.R	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Personnel Records Estate Agent Time/Cost Recording Job Costing	ASSOC 01-836 CP/M 325 425 425 375 950 325	State State <th< td=""><td>3</td><td>(EXID) SORCE FIRMW 0736 79 Sorcere</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 450 300</td><td>ER 25 434 ITT 2020 300 300 300 450 300</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350 25/325 15 350 325 50/25/195</td><td>BOND, 01-250 0505 Apple P.O.R 300 300 75 300 150 P.O.R</td><td>AIN </td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75</td></th<>	3	(EXID) SORCE FIRMW 0736 79 Sorcere	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 450 300	ER 25 434 ITT 2020 300 300 300 450 300	021-454 5348 PET 12/25/350 95/350 95/120/350 25/325 15 350 325 50/25/195	BOND, 01-250 0505 Apple P.O.R 300 300 75 300 150 P.O.R	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Personnel Records Estate Agent Time/Cost Recording Job Costing Mail Shot Credit Control	ASSOC 01-836 CP/M 325 425 425 375 950 325	State State <th< td=""><td>3</td><td>(EXID) SORCE FIRMW 0736 79 Sorcere</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 450 300</td><td>ER 25 434 ITT 2020 300 300 450 300 300 300 300 300</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350 25/325 15 350 325 50/25/195 25</td><td>BOND, 01-250 0505 Apple P.O.R 300 300 75 300 150 P.O.R</td><td>AIN </td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75</td></th<>	3	(EXID) SORCE FIRMW 0736 79 Sorcere	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 450 300	ER 25 434 ITT 2020 300 300 450 300 300 300 300 300	021-454 5348 PET 12/25/350 95/350 95/120/350 25/325 15 350 325 50/25/195 25	BOND, 01-250 0505 Apple P.O.R 300 300 75 300 150 P.O.R	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Personnel Records Estate Agent Time/Cost Recording Job Costing Mail Shot Credit Control Cash Flow	ASSOC 01-836 CP/M 325 425 425 375 950 325	State State <th< td=""><td>3</td><td>(EXID) SORCE FIRMW 0736 79 Sorcere</td><td>(RER (ARE) 98157</td><td>COMPUT SERVICE 025671 2 Apple II 300 300 450 300</td><td>ER 25 434 ITT 2020 300 300 450 300 300 300 300 300</td><td>021-454 5348 PET 12/25/350 95/350 95/120/350 25/325 15 350 325 50/25/195</td><td>BOND, 01-250 0505 Apple P.O.R 300 300 75 300 150 P.O.R</td><td>AIN </td><td>MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75</td></th<>	3	(EXID) SORCE FIRMW 0736 79 Sorcere	(RER (ARE) 98157	COMPUT SERVICE 025671 2 Apple II 300 300 450 300	ER 25 434 ITT 2020 300 300 450 300 300 300 300 300	021-454 5348 PET 12/25/350 95/350 95/120/350 25/325 15 350 325 50/25/195	BOND, 01-250 0505 Apple P.O.R 300 300 75 300 150 P.O.R	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75
Stock Control/Recording Sales Ledger Purchase Ledger General Ledger/NL Integrated Accts Word Processing Mailing List Invoicing Database Management/ Information Retrieval Payroll Incomplete Records Personnel Records Estate Agent Time/Cost Recording Job Costing Mail Shot Credit Control	ASSOC 01-836 CP/M 325 425 425 375 950 325	CIATI 4663 808 325 425 425 425 950 325 475 475	3 0/Z80	(EXID Y SORCE FIRMW 0736 79 Sorcere	(RER (ARE))8157 er	COMPUT SERVICE 025671 2 Apple II 300 300 450 300	ER 25 434 ITT 2020 300 300 450 300 300 300 300 300	021-454 5348 PET 12/25/350 95/350 95/120/350 25/325 15 350 325 50/25/195 25	BOND, 01-250 0505 Apple P.O.R 300 300 75 300 150 P.O.R	AIN 	MICRO LTD 021-622 1754 TRS 801 200 225 225 225 225/325 75

		PAC	AGES
	und Warylow	The second second	
	TRIDATA MICROS LTD 021-622 1754	VLASAK ELECTRONICS LTD 062-84 74789	Key: POR Price on request
	TRS 80II	Apple II	 Key: POR Price on request () Program used to link accounts packages.
Stock Control/Recording	375	285	- out which they is not part of the second s
Sales Ledger	375	315	
Purchase Ledger	375	315	The second secon
General Ledger/NL	425	225	Contraction of the second s
Integrated Accts		855	and an and a second
Word Processing		120	
Mailing List			
Invoicing	125	140	
Database Management/ Information Retrieval		and the second s	
Payroll	375	375	
Incomplete Records			- ALL STAND
Personnel Records			
Estate Agent	- Contraction	State Contract States	
Time/Cost Recording			
Job Costing			Googood bel Lies V
Mail Shot			CO. Stand and a stand of a stand of the stand
Credit Control			the difference of the second s
Cash Flow		80	A state of the second s
Production Analysis	a house state and		
	and the second second	Letter	
	CARPORT CARDING	writer 80	
	A VIENCE	A DWDA	I PINEYSET
			"This one is programmed to cheat so that you always have — an excuse for losing."







G

Here are the details of additions and changes recently notified. If we have failed to include YOUR group (or have published incorrect information) either here or in the complete listing, then please address changes/additions to: PCW (User Groups Index), 14 Rathbone Place, London W1P 1DE. Finally, the next complete listing will appear in our November issue.

INTERNATIONAL

Tangerine Users Group (Interna-tional). Recently formed for users of the Microtan 65, the TUG will act as a central infor-mation clearing house, including exchange of programs etc. Annual membership is £5.00, Details from TUG at 3/22 Donoughmore Road, Boscombe, Bournemouth, Dorset, UK.

Dorset, UK. USCD System User Society, Set up in San Diego in June for users of USCD Pascal, the society aims to establish a software librar library, promote regional and special interest group activities and liase with USCD system distributer Softech on future development plans. Existing special interest groups include industrial application, word pro-cessing, real time, business appli-cations and forward planning. UK contact: John Ash, Dicoll Data Systems Ltd., Bond Close, Kingsland Estate, Basingstoke, Hants RG24 0QB.

NATIONAL

NATIONAL National Personal Computer Users Association, Full membership now costs £8.00, but you'll receive a free datasheet of special routines for the UK101/Super-board on enrolment (routines include a fast Basic line renumber-er only four lines long). For detail details send an SAE to: The Secretary, NPCUA, 11 Spratling Street, Manston, Ramsgate, Kent.

Powertran Users Club. Annual subscription £5.00, which inclu-des a monthly newsletter. Contact Mr P L Probetts, 50 Cromwell Road, Wimbledon, London SW19 8LZ.

LONDON

Southgate Computer Club. The club recently held its AGM and adopted a formal constitu-tion. Annual subscription will be £2.50 from January 1981, including a club newsletter; full-time students under 18 pay half-cost. The club now has 83 members, Contact: Panos Koumi, Southgate Computer Club, 33 Chandos Avenue, London N14.

ESSEX

South East Essex Computer Society, Meets monthly at the Southend-on-Sea College of Tech-nology, has access to the college's micros, and is open to anyone over 14, Contact: R Knight, 128 Lt. Wakering Road, Lt. Wakering, Southend-on-Sea, Essex, Tel: Southend 218456.



"He processed his first word today"

DIARY DATA

Philadelphia, USA	Personal Computing 80 (America's largest East Coast micro show). Contact PCAF '80 c/o Philadelphia area Computer Society Box 1954, Philadelphia, Pa 19105.	Aug 21 — Aug 24
Salford, England	1980 Salford Microprocessor and Microcomputer Exhibition. Contact Dr E A Flinn (Exhibition Director), 061-736 5843	Sept 2 — Sept 4
London, England	(Cunard International Hotel) The 3rd Personal Computer World Show. Contact Montbuild Exhibitions Ltd., 01-486 1951	Sept 4 – Sept 6
Stuttgart, W Germany	Hobby Electronics Exhibition. Contact CES (Overseas) Ltd., 01-236 0911	Sept $10 - $ Sept 14
Paris, France	SICOB. Contact French Trade Exhibitions, 01-439 3964	Sept 17 - Sept 26
Bristol, England	(Eurocrest Hotel) BIZTRONIC. Mini/Micro Computers, Word Processors and Business Machines Exhibition. Contact Groundrule Exhibition Co., 061-928 0406	Sept 23 — Sept 24
Plymouth, England	BEX. Business Equipment Exhibition. Contact Douglas Temple Studios Ltd, Tel: 0202 20533	Oct 1 - Oct 2
Melbourne, Australia	World Computer Exhibition. Contact Riddell Exhibition Promotions Pty. Ltd., 166 Albert Road, South Melbourne, Vic 3205.	Oct 14 - Oct 19
Edinburgh, Scotland	(Ingliston Showground) BEXIBITION. Business Equipment Exhibition. Contact Douglas Temple Studios, 0202 20533	Oct 15 - Oct 16
Doncaster, England	(Exhibition Centre) Business Efficiency and Office Equipment Exhibition. Contact Gwen Shillaber Designs, 0272 312850	Oct 15 - Oct 17
Bradford, England	(Norfolk Gardens Hotel) Business Efficiency Exhibition. Contact Gwen Shillaber Design, 0272 312850	Oct 21 – Oct 23
Manchester, England	(Forum) BIZTRONIC. Mini/Micro Computers, Word Processors and Business Machines Exhibition. Contact Groundrule Exhibition Co., 061-928 0406	Oct 21 – Oct 26
London, England	(Olympia) COMPEC. Computer Peripheral & Small Computer Systems Exhibition and Conference. Contact IPC Exhibitions Ltd., 01-837 3636.	Oct 28 – Oct 30
London, England	(West Centre Hotel) Professional Viewdata Exhibition. Contact IPC Exhibitions Ltd., 01-837 3636	Oct 28 - Oct 30
Cardiff, England	(Sophia Gardens) BEX. Business Equipment Exhibition. Contact Douglas Temple Studios Ltd., 0202 20533	Nov 5 — Nov 6
Birmingham, England	(NEC) Which Computer? Show. Contact Clapp & Poliak Europe Ltd., 01-995 4806	Nov 25 — Nov 28

TRANSACTION FILE

The classified service that's free to non-commercial readers. Advertisements (50 words max) to: PCW Transaction File, 14 Rathbone Place, London W1P 1DE.

For sale

TRS-80 Level II. . . 16k plus cassette, manual, video or TV adaptor, tapes, 1 month old, Tandy warranty, £310. Tel: 01-769 2257.

Data Dynamics. . . KSR 390 terminal, ASCII code, RS232, 10 cps, 80 column, with stand and paper, good condition, £195 ono. Contact S Ross, 44 Premier Ave, Grays, Essex.

Acorn System One. . . VGC with power supply, manuals and some software, factory-built, £60. Tel: 01-979 4696 after 6pm.

SYM 1... 4k, £120. Tangerine 1648, £78, Star keyboard, £20, 6522 VIA programmable interface card for Apple/ITT 2020 £65, 16-channel ADC card for Apple/ITT 2020, £68, All in excellent cond, with full documentation, G McArdle, 7 Willow Rise, Kirkbymoorside, York, Tel: 0751 31751 (office).

PET 32k. . . (large keyboard), 800k Computhink disk drive, Centronics 779 printer with unused disks & printer paper, £1850 ono, possibly split. D Payne, The Brambles, Bramley Grove, Crowthorne, Berks. Tel: 034 46 71127.

Cash crisis forces sale. . . static RAMs: $2141 4k \times 1$, 250 ns; $2114 1k \times 4$, 200 ns; 4046 4kx 1, 450 ns; dynamics: <math>4116 16k, 150 ns; UVPROM 2708 3 rail &<math>2716 5 v only; all new, full specdevices, no reasonable offersrefused. Tel: <math>0524 734470 (even inings).

PET 2001-8k. . . excellent cond, little used, program tapes & PET documentation, \$550. Tel: 01-640 1501 (evenings).

TRS-80 Level 1...4k, plugs into ordinary TV, 3 months old, £250 inc, software, ono. Wife wants deep freeze! Tel: Petersfield 61297 (evenings).

Apple II. . . integer firmware card with programmer's aid 1, used only since Xmas (upgraded to language card), \$85; Jade 18k RAM expansion kit for Apple II, unopened, \$49, Tel: Fisher 01-677 2052 (evenings) or write 98 Moyser Rd., London SW16 6SH.

PET 8k... as new, new ROMs, green screen, sound box, plenty of games & utility programs, \$500. Tel: 01-554 2533 (after 6pm).

Personal Computer World... complete to date except Vol 1 No 9; any offers? S. Reid, 6 Culloden Cres, Arbroath, Tayside DD11 1JX.

TRS-80 Level II. . . 16k, VDU, cassette & tapes inc. Adventure, Microsoft Editor/Assembler & books on assembler programming, boxed as new, \$475 ono. Tel: Stirling 3171 ext: 2700 (10 am -6 pm).

MK 14..., inc. extra RAM, I/O ports, VDU, new hex keypad cassette interface, PSU, all mounted on wooden board, fully working, £150. Unused ASCII keyboard + data, reqs 5 V, as new £50. Tel: 0302 64244 (Doncaster) after 6pm.

MK 14... socketed, PSU, not working, needs attention to keyboard & display, offers to Ed, Tel: Preston 54241 between 6 & 8.

TRS-80 Level II. . . 4k with video & recorder, some software, nearest offer to £400 secures, Tel: Earl Shilton (Leics) 47265.

TRS-80 Level II. . . 16k + exp. interface, Micropolis 5" floppy disk drive, Electric Pencil, NEWDOS & other software. Complete system £850. Tel: 0375 70993. Nascom 1... NAS-SYS monitor, 8k RAM, 8k Basic in ROM, 3 A PSU, complete & working, £250 ono. Also T4 & CCSOFT floating point Basic with all documentation, £25. Tel: Carlisle (0228) 39382.

Sorcerer 32k. . . with S100 exp unit, 16k static RAM S100 board, Micropolis disk drives (315k quad density), converted TV, 32 disks with software, all manuals, Can split; sensible offers, Tel: 0632 876645 weekends/evenings (not Mon or Thurs).

UK 101. . . prof. built, case, full 8k RAM, 12" VDU/TV, new monitor, expansion board with 12k RAM, twin minifloppy interface + 5 V, 3 A PSU; complete & working, will split. Tel: Stevenage (0438) 68624 evenings/weekend.

TI-59... programmable calc, excellent cond, complete, with 20 mag cards, £135. Tel: Basingstoke 24880 after 4pm.

MK 14... issue 5, extra RAM, I/O, VDU, PSU, memory exp card with 1/4k RAM, room for 1k EPROM, all working, £85 ono. Tel: Nottingham 410514 evenings.

PET 2001...8k, £375. Tel: Rickmansworth 76067.

2114s. . . 16 new 1k x 4 statics, unused. Gone dynamic! £3 each. Tel: Bracknell 23621.

The winner. . . of the BBC Young Scientist of the Year is selling his perfect, as new, 32k green screen PET with Programmer's Toolkit, tape deck, cover, many programs, user port connector, full assembler listing of all the ROMs; in original packing, best offer over £900. Tel: Newcastle (0632) 745771 after 6pm.

TI 59. . . with PC100C printer. Printer still under guarantee, calc 15 months old, all vgc, with navigation module, printer utilities pack, £245 ono. Consider split. P Curran 051-494 0408.

Triton. . . full on-board RAM, V4.1 monitor, Complete with recorder & 9" VDU, Manuals & dem cassettes, nearest £300. Tel: 0743 927 545, 6-8pm.

PET 2001... 8k as new with lots of software if req, £375 ono. Tel: 0742 313130.

Nascom I. . . with 40k extra RAM, 8k Basic in EPROM, boxed with PSU & fan, recorder, small TV, misc, software inc, assembler, disassembler, interrupt driven printer routine, T4 or NAS-SYS, £575 or offers for bits. Tel: 0480 66513.

Sorcerer. . . 32k with Basic Rompac, VDU, manuals, games cassettes etc. Bought June 1979, used only by owner, £800 ono. R Cullyer, Chandler's Ford 69565 after 6pm.

UK101. . . built and working, 8k RAM, 8k Microsoft Basic, 2k monitor, TV & cassette interfaces, PSU, manual & tapes, £220. Tel: 031-442 3187

MSI system. . . 6800 processor, 40k, 2 serial ports, parallel port, 5" disk drive, ACT1 VDU, Sanyo monitor, ASR33 (RS232), stand. assembler, disassembler, editor, Basic, ful documentation, £2000. Also 4k 550 RAM £45, joystick digitiser £25, slider digitiser £20. Tel: Bromyard (08852) 3707.

Atari. . . video computer with 3 games cartridges, more than 90 games variations, perfect working order, £85. Tel: 0984 23557.

TRS-80 Level II. . . RS232 interface, business progs & manuals, all at half price or exch for PET programs, Tel: Meopham (0474) 812691. TI-59. . . prog. calc., inc Master Library module, mains adaptor & manuals, 10 months old, \$50 ono. Tim Cook, 35 Gunton Drive, Lowestoft, Suffolk NR32 4QA.

Memory chips. . . 80 TMS 4030 type 4k dynamic RAMs; will sell as chips only or on working module with diagrams as 40k x 8 bit. Prev. used with 6800 processor, £50 ono. Tel: 01-904 5792.

HP25A... calculator, £25 ono. HP19C calc with thermal printer & standard accessories + extra paper rolls, £75 ono. Steve Yewen Yewen, 6 Pilham Court, Gainsborough, Lincs DN2 1PD.

PET 32k. . . with cassette, spare tapes (new), selection of programs inc. self-teach Basic, only 6 months old, offers around £600. Tel: Hoddesdon 44545.

Casio FX502P. . & FA1 adaptor, inc both manuals, program library, 3 extra prs batteries worth £1.89 will be sent to buyer for £100 inc, p&p ono. A K Jumat, 363 Gateford Rd., Workso Worksop, Notts. S81 7BH.

Nascom I. . . (NAS-SYS) with PSU & case, recently purchased, still in new cond., tested by Nascom agents, £100 ono, John Griffiths, 22 Alston Close, Solihull, Tel: 021-704 3937.

UK 101...8k RAM, cased, input port with numeric keypad, 300/600 selectable baud rate, over 50 programs on cassette inc. assembler, editor, extended monitor, 20 blank digital cassettes, modified recorder, all manuals + various programming books. Chris Halsey, Tel: 01-385 3333 ext 184

UK 101...4k, only 4 months old old, £200 ono. Tel: 05805 2265 or write N Dangerfield, Lake Side, Stream Lane, Hawkhurst, Kent.

Spring clean. .. PET disk drives £625, Sorcerer 32k £665, Apple Hi-res light pen £140, Apple lores light pen £45, T159 with master stat library £145, S100 CPU board £95, S100 assemb. 16k drynamic RAM board £145 or expanded to 64k for extra £90, Versafloppy disk controller assemb £115, Shugart SA400 disk drive £175, IBM Selectric with Aculab int £535, Telequipment S54A scope £125. Tel Evesham (0386) 870841.

Acorn System One. . . assemb & tested, with PSU, user's manual, "Programming the 6502" by Rodnay Zaks, first offer over £85 secures. Tel: Ian May on Cambridge (0223) 61200.

UK101...8k Microsoft Basic, extended monitor, 4k RAM, built & working, stack of computer mags, £200, buyer collects. S Davis, 21 Church Rd., Cheriton, Folkestone, Kent, Tel: Folkestone 77314.

PET 3032...32k, 5 months old, with cassette, Toolkit, cover, over 30 taped games and assembler aids. Also Epsom TX-80 printer (prints PET graphics) & PET IEEE lead, Best offer; tel: 01-907 7785.

PET 16k. .. new ROMs, green screen, large keyboard etc., cassette deck, Toolkit, sound box, manuals & books, plus approx 40 programs, £700. Tel: Peterborough 202987.

Wanted

Documentation... on any 2nd generation computer (op manuals, hard/software etc) from early 1950s to mid 1960s. Specific documentation on obsolete hardware (CPUs, peripherals, etc) also welcome. Tel: C Vuodi on 0525 370369 or write 31 Plantation Road, Leighton Buzzard, Beds LU7 7HS.

Service manual. . . or circuit diagram for Commodore Chessmate Computer. P Bamfield, Flat 5, 24 Windlesham Gdns, Brighton BN1 3AJ.


Sinclair ZX80. . . inc leads & mains adaptor, will pay £70. Zahir, tel: 01-675 3203 after 6pm.

TI59. . . TI58C or T158. Write K Ubbi, 26 St Barnabas Rd., Liversedge, W. Yorks WF15 8BT or Tel: 0274 870105.

Mag tape. . . or disk equipment, floppies, exp memory for T19900 system, CMOS micro; buy/barter, J Vickers, Tel: Camberley 63377 ext 4250 day else 0252 49316.

Large keyboard. . . 32k PET needed by disabled person only able to operate machine with dowelling held in teeth; will swop for present, unsatisfactory 40k small keyboard PET. Ken Smith, Tel: 0385 49445 (10am - 4pm) else 0385 62127.

Service data... for General Electric Terminet 30 terminal. Borrow or buy, Eric Demmon, Bishop's Stortford (0279) 503435 weekends/evenings.



"We can't prevent him from looking but surely we can do something to stop him changing the channels" Continued from page 83

WHO'S KING? First Computer World Chess champion

No, it has not happened yet, but the Fredkin Foundation of Cambridge Massachusetts, recently offered a \$100,000 prize for the first computer program to win the world chess championship.

While programmers continue to strive for world class chess skill in their programs, the Fredkin Foundation is offering a series of incentive prizes for computer-against-human competition. Two human players of a specified skill



Continued from page 97

have them count the total number of operations involved.

Matchbox computer

Another variation on the same idea is to obtain a number of empty matchboxes — say a dozen — and bind them together with sticky tape (Fig 13). The boxes are numbered and, as an added touch, may have a tag of tape attached for easy pulling. To program the machine, slips of paper carrying the instructions or data are inserted into the appropriate drawers.

The method is only really suitable for children — adults find the drawers very fiddly — but a suitable alternative for us old 'uns is a set of those plastic drawers that are sold for the storage of bits and pieces.

Noughts and crosses is a simple game that lends itself admirably to demonstration by matchbox computer and, as an added bonus, we can demonstrate the ability of the computer to learn by its mistakes — a concept that many people find disturbing.

Three sets of boxes are needed, with nine boxes to each set. They are bound together as before and the sets numbered 2 - 4 (Fig 14); set number 2 represents the computer's second move, number 3 its third move and number 4 its fourth move. We don't need a set for the computer's first move since, for the sake of simplicity, the computer always goes first and always puts its 'X' in the top left-hand corner — square number 1 (Fig 15). To complete the preparation, 8 little cards are placed in each drawer, numbered 2 - 9. They may be well shuffled.

Play begins. The computer is assumed to put an X in square 1 and the human player keeps track of the game. (S)he replies as seems reasonable — let us suppose an 0 in square 5. To determine the computer's response, the student takes the set of boxes representing the number of the computer's move (in this case 2) and opens the little drawer numbered the level will be selected each year to play the two top programs. Each will play a two-game match, winner take all. The first competition will take place this November at Carnegie-Mellon University; the prizes will be \$1500 and \$1000. In each succeeding year, stronger humans will be selected and the prizes will be increased.

When asked what English players should do, in general, to improve their play, the world champion, Anatoly Karpov, replied, "Endgames, study endgames." That is good advice for chess programmers too, but my advice to Karpov is — computers, study computers!

Next month I will be looking at the new Sensory Challengers. In the meantime, see you at the first World Microcomputer Chess Championship — at the PCW show!

same as his own LAST move — in this case 5. Whatever little card is on top of the pile inside is the computer's move. Let us suppose that it's 4. The player replies, then goes to the set of boxes for the computer's third move (following the same rules as before) and opens the box corresponding to his own last move. In the circumstances given this was probably 7.

Play proceeds in this way until a result is obtained — almost certainly a victory for the human player.

Various conditions of play will arise. Firstly, the computer may attempt a move to a square already occupied, in which case the card with this move is placed at the bottom of the pile in the drawer and the next one taken. If a drawer opened has no cards in it, or if all squares indicated are occupied, the computer withdraws and concedes defeat.

Now for the learning process. When the human player wins a game, the card representing the computer's last move is taken out of the drawer and discarded; it won't make THAT error again. Finally, if discarding a card results in a drawer now becoming empty the previous move is discarded since all paths from it result in disaster. Options are reopened by replacing all the cards for the subsequent drawer. For example, suppose that drawer 2, move 4 becomes empty. We must ask ourselves what led up to this situation? Suppose that it was a move to square 8 in move 3. We remove this card and replace all of the cards in drawer 2, move 4.

You'll find that, over a number of games, the computer first loses all, then slowly begins to win; at the end it'll be very hard to beat — in fact, following the classic learning curve (Fig 16). Children with the stamina to play a lot of games will be interested to watch the process in operation. Other forms of teaching by games will be looked at later.

Perhaps the greatest single lesson to be learned from computer models is the absolute necessity to be accurate when programming. The computer is itself totally on the ball and logical but it relies ultimately on humans both to program it and to feed it with accurate information. There's an old saying in the computer industry that's well worth repeating 'garbage in — garbage out'

repeating, 'garbage in — garbage out'. It's fast becoming a necessity for the

MICRO	
6250 BAUD for	NASCOM 1
This ultra-fast cassette i provide reliable datas	storage and recall
at up to 6250 BAUD cassette rec	
e.g. 1K of data loade	d in less than 11/2
The modifications requ	ired are minor and
full documentation each board which com	
guarante For immediate delivery	eed.
D9.D +/	
J. C. Hunt 65 Portland Stree Ayrshire, Sco	t, TROON
or 'phone 0292 Also a competitively p	311513
programming service is p can supply the EPROM'	rovided where we s programmed to
your listings or progra EPROM's on a 24 hour Please write or telepho	
Hease write of telepin	
SOFTW	ARE
FOR NORT	
ACCOUNTS Designed for easy	£520 data entry
MANAGEMENT A	CCOUNTING
Profit/loss, predictions, ass budgeting, rep	
The ultimate in accounting small company without	ng efficiency for the
1 years free ma	intenance.
PAYROLL, interactive GAMEPAK	£54 £24
PET FOOD on C	
STEAMCAB (simulation)	£6
GHOULIES (game) BLAKE 7 (simulation)	£6 £6
CHALLENGER 8" BLAKE 7 graphics	£15
JOB COSTING	£15
T199/4 on C12	
GHOULIES/SPACEFIGHT LEARNING CLOCK (CAL)	£6 £12
TABLES (CAL)	£6
All ROMPAK CAL AVA Ask for free leafl	
All above includes p&p	
INTELLIGENT	
Cambridge Road, Orw Tel: 022 020 (Ar	
BRING NEW LIFE TO	VOUR NASCOM
BRINGINEW EITE TO	TOORNASCOM
We offer a new 3K monitor, N NASCOM 1 and NASCOM 2 s	ASMON, for both
more power and flexibility the – text editor built in.	an ever before:
 - 'front panel' display of this must be seen. 	
 blocked, buffered tap powerful low-level 'set 	e routines. earch' and single step
commands. – a total of 34 comman	nds available through the
PASCAL IN U	NDER 6K
NASPAS runs under NASMO	
offers: — all major PASCAL sta	atements.
 INTEGER, CHAR, B Enumerated TYPEs. 	OOLEAN and
value parameters.	lures and Functions with
 many pre-defined function (D)PEEK, (D)POKE etc. 	is e.g. 5000, PRED,
AT LAST, A 1	2K BASIC
Running under NASMON, this gives you all the features of an	8K BASIC plus:
 11 significant figure a IF THEN ELSE 	rithemetic.
 PRINT USING. Multi-line, recursive f 	
DEF). – . line or screen editing.	
 excellent printer supp Renumber and Autor and morel 	
- and more! PRICES	
NASMON (in 3 EPRON	
BAS12K (on tane)	£25 er NASMON) £25 er NASSYS) £30
NASPAS (on tape und	er NASSYS) £30 a FREE Chess program
BOT NASINON NOW and get	
– NASCHK. HISOFT 60, Hallam Moor, LI	DEN, SWINDON.



ubite at large to have some knowledge of programming. I don't mean that all and sundry should be able to sit down and program a computer . . . more that they should know about the basic principles. I feel we must aim to build up a population that will not automatically genuflect when they hear that this or that data has been computerised.

Better than that, the public must begin to question computer results. This is done already to some extent, but the emphasis is in the wrong place, with the result that the computer stands in danger of derision. It's simply not good enough for commercial and industrial concerns to offer the limp excuse, "Sorry – our computer made a mistake." If a hapless pensioner receives a gas bill for £99999.99, then either it was programmed incorrectly or some human fed it with wrong information.

As computers find their way into more and more schools it'll become commonplace to hear adults who don't know any better castigate children as lazy — because they imagine that the computer will do all the child's work for him or her.

All such people overlook the simple fact that in order to use the machine, one must first control one's self. In order to drive a car, we must first learn to gain complete control over legs, arms, hand

and eye. Similarly, in order to program a computer to fulfil a task, we must first know intimately how the job has to be approached. In order for our cardboard computer to multiply two numbers, we first had to know how to do it ourselves.

It's totally unacceptable that so many people - including the most articulate and intelligent still approach me and say, "I'll tell you what you ought to get your computer to do . . .," then go on to describe something for which there is no known solution — like picking the Derby winner, eradicating poverty or banning wars. Their eyes glaze a little when one retorts, "OK, tell me how to do it and I'll shove it through the computer.'

Appendix

Number Sentence Cubes may be obtained from Taskmaster Ltd., Morris Rd., Leicester, LE2 6BR, Flowcharting stencils from Open University or better class stationers and many-faced dice from some games shops.

Please note that Hestair Hope Ltd. mentioned in Chapter 1 of this series, no longer supplies binary selection boxes, although the logic blocks are still available.


CREIS SYSTEMSANALYSIS

Continued from page 71 though the real difficulty involved the recording of the data. If you sell hundreds of small items and have customers queueing impatiently, perhaps you don't have time to key in a record of each sale, any more than you have time to write it down.

So, to conclude this month, the first and perhaps the most important lesson to be learnt in this systems analysis course is. . . get the terms of reference right. Don't start your programmer writing programs for your solution and don't start buying hardware or programs not until you've had a jolly good look at what's really causing the problems.

Next month we will examine various ways of looking at and analysing these problems.

1.02	PRINT"TAPE EDITOR. "
	CLEAR 5000:DIM T\$(100):REM. CLEAR NOT NEEDED ON PET.
	NC=8:DIM CM\$(NC):W1\$="*TOP*":W2\$="*END REACHED*"
	CM\$(0)="B":CM\$(1)="F":CM\$(2)="L":CM\$(3)="D"
	CM\$(4)="I":CM\$(5)="R":CM\$(6)="SAVE":CM\$(7)="S":CM\$(8)="T"
	INPUT EXISTING FILE (Y OR N) ";L*:IF L*="N" THEN 500
	IF L\${} "Y" THEN 50
	MX=1:GOSUB 10000
	GSUB 5000:1F EF THEN MX=MX-1:P=1:GOSUB 7000:GOTO 110
) T\$(MX)=L\$:PRINT L\$:MX=MX+1:GDTD 90
	INPUT"C";C\$
	FOR X=0 TO NC: IF CM\$(X)=C\$ THEN 140
	NEXT X:PRINT"BAD COMMAND!":GOTO 110
	DN X+1 GDSUB 170, 200, 230, 260, 310, 290, 340, 370, 480
	D REM B-ACK
	GOSUB 500:P=P-N:IF P(N THEN PRINT W1\$:P=1
	PRINT T\$(P):RETURN
	REM F-DRWARD
	GOSUB 500:P=P+N:IF P(=MX THEN PRINT T\$(P):RETURN
	PP=MX:PRINT W2\$:RETURN
	REM L-IST
	GOSUB 500:FOR X=P TO P+N:IF X)MX THEN P=MX:PRINT W2\$:RETURN
	PRINT T\$(X):NEXT X:P=P+N:RETURN
	REM D-ELETE
	IF MX (1 THEN PRINT"CAN7T DD !":RETURN
270	IF P=MX THEN T\$(MX)="":MX=MX-1:P=MX:PRINT W2\$:RETURN
	FOR X=P TO MX-1:T\$(X)=T\$(X+1):NEXT X:PRINTT\$(P):T\$(MX)="":MX=MX-1:RETURN
	REM. R-ERLACE CURRENT LINE
300	PRINT "BY?"; GOSUB 1000:T\$(P)=L\$:RETURN
310	REM. I-NSERT AFTER CURRENT LINE
320	FOR X=MX TO P+1 STEP -1:T\$(X+1)=T\$(X):NEXT X
	REM MAKE NEXT 330
325	P=P+1:MX=MX+1:PRINT"INSERT":GOSUB 1000:T\$(P)=L\$:RETURN
	REM. SAVE
350	GOSUB 9000:FOR X=1 TO MX:LS=T\$(X):GOSUB 4000:PRINT LS:NEXT X
	GOSUB 8000: PRINT SAVE COMPLETED. ": RETURN
	REM. S-EARCH FOR
380	PRINT"SEARCH FOR":GOSUB 1000:F\$=L\$:IF F\$="" THEN 380
	IF P=MX THEN PRINT"CAN'T DO !":RETURN
	FOR X=P+1 TO MX:L\$=T\$(X):GOSUB 2000
	IF P8()0 THEN PRINT L\$:P=X:RETURN
	NEXT X:P=MX:PRINT W2\$:RETURN
480	P=1:PRINT W1\$:PRINT T\$(1):RETURN:REM T-OP
500	PRINT"TYPE LINES, TERMINATED BY THE LINE: END":MX=1
510	GOSUB 1000:IF LS="END" THEN MX=MX-1:P=MX:GOTO 110
	T\$(MX)=L\$:MX=MX+1:GOTO 510



Remember that the idea is to put together what everyone has done. . . that way we should all end up having more than we started with. Your code does not have to be brilliant (it could well provoke a bigger and more informative response if it is not) but it must work.


It has been suggested that we gather together routines on the same subject.

 String matching and sorts.
 Data (DDMMYY) to binary data conversions for easy comparison and scheduling.

5. Error checking and correction on memory and peripheral transfers.

6. Random mumber generation.

ROGRA **Dots and Boxes** by Jeff Aughton Here's an intriguing game from one of instructions are included within the program, so off you go. our regular program contributors. Full The second sec . 160 180 . 6 200 210 215 220 230 0 250 260 270 280 500 510 0 520 530 540 550 560 570 580 590 600 610 . 620 630 PRINTSPC(31)"-8-8.4X444411 IX441 640 GOSUB7040 650 PRINT2\$;"DO YOU WANT TO START?"; 660 GETAS: IFAS="N"THEN2000 670 X=RND(1): IFA\$<\"Y"THEN660 1000 GE0 SB=0 1000 PRINT2\$;"WHICH B0X ? "; 1030 GETA\$: IFA\$=""THEN1030 1040 N=RSC(A\$)-65 1050 IFN:00RND-24THEN1030 1060 R=INT(N/5):N=N+9+2*R 1070 IFBX(N):64THEN1100 130888884 630 100000000-2-0



This is an excellent opportunity to gain experience in systems design and implementation for extensive micro-computer systems.

Salary on scale rising to £5975.64 inclusive of London Allowance (under review).

Further details and application form from Head of Computing Services, The Polytechnic of North London, Holloway, London N7 8DB. Telephone: 01-607 2789.

MMMM
Program & NASCOM
ZAMMAN
INVASION EARTH! (NS/G)-fast M/C code version of the popular arcade, pub game/ 4 INVADER types/intelligent homing, exploding, angled, direct, multiple warhead & radio-jamming missiles/40 skill levels. Only £9,951
SUPER STARTREK! (min 16k)—your mission, Cpt.Kirk, is to destroy the Klingon fleet & save the Federation. Phasers, photon tubes & computer operational! £9.95
Alien Labyrith Submarine Chase (NS/G/16k) £7.95 (G) £5.45 Space Fighter Driver (NS/G) £6.95 (NS/G) £7.95 Stock Market £6.45 Secret Agent Labyrinth (NS/G) £5.45 Sheepdog Trial Death Run (NS/G) £6.95
(NS) £5.95 Code-Breaker £4.95 NASCOM 1Cottis Blandford cass. interface-load STAR- TREK in 2mins NOT 10! £14.90 or £11.90 with program.
WRITTEN ANY PROGRAMS? – WE PAY HANDSOME ROYALTIES! (NB Coming shortly – Program Competition)
Send Chq/PO +45p/order p&p or SAE for catalogue Telephone (0522) 683186 PROGRAM POWER (G=graphics,NS=Nas-sys only 5 Wensley Road TRADE ENQUIRIES WELCOME Leeds LS7 2LX
PROGRAMMING?
HOW'S YOUR DOCUMENTATION
Professional documentation keeps
your customers happy, reduces service calls and leaves valuable programmers free to write programs — instead of books!
We offer a professional documentation service for both hardware and software.
Phone or write today for further details:
NWL Editorial Services
Rushley, Langport Somerset, TA10 9DG
Telephone: Langport (0458) 250834
NASCOM
INTEGER PASCAL FROM DATRON £35+VAT Ideal for writing structured programs. Perfect low cost way of learning the computer language of the future. Especially suitable for games programs.
Integer Pascal is a compiler which produces Z80 machine code. Integers and arrays in the range £32767 are supported. Input-Output is normally decimal, but hexadecimal and ASCII characters may be selected. Constants, variables, procedures and functions may be declared. Proceedures and functions may have parameters and may be nested.
The following standard Pascal statements are supported: IFTHENELSE
CASEOFELSEEND WHILEOO REPEATUNTIL FORTO/DOWNTOOO BEGINEND READ () WRITE()
The editor allows lines to be added, replaced, deleted, renumbered and listed. The source may be printed saved or cleared. Compilation may be either syntax only or full. After a full compilation the machine code may be executed and upon completion control passes back to the compiler package.
state model & monitor DATRON MICRO CENTRE,
2 ABBEYDALE ROAD, SHEFFIELD S7 1FD TELEPHONE 0742 585490


	PROGRA	
1080 1090	PRINT2\$;"THAT BOX IS TAKEN GOSUB5000:GOTO1020 PRINTA\$,"WHICH SIDE ? "; GETB\$::IFB\$=""THEN1110 S=ASC(B\$)-48:IFSAND1THEN1110 IFS(20R5)8THEN1110	
1100	PRINTA\$,"WHICH SIDE ? "; GETB\$:IFB\$=""THEN1110	
1120	S=ASC(B\$)-48:IFSAND1THEN1110 IFS(20RS)8THEN1110	
1140	PRINTS IF(B%(N)ANDC(S))=0THEN1220	
1180	PRINTZ\$; "THAT SIDE IS TAKEN	
1200	GOSUB5000 PRINTZ\$; "WHICH SIDE OF BOX "; DOLUTE: " OF SOX ";	
	GOSUB6000:PRINTM\$+C\$(S)	
1220	GUELIBSADA	
	N=N+C(S+1):S=10-S IFBX(N)>64THEN1270 GOSUB3000	
1270	IFSBTHEN1000 REM PET MOVE G=1:SB=0	
2020	GOSUB4000:R=INT(N/7)-1 PRINTZ\$;"I WILL PLAY BOX ";	
2150	PRINTCHR\$(N+56-2*R),	
2170	GOSUB6000:PRINTM\$+C\$(S) GOSUB5000:COSUB3000	
2230	N=N+C(S+1):S=10-S	
2250	IFB%(N)<65THENG0SUB3000 IFSBTHEN2000 COTOLOGO	
2260	GOTO1000 REM UPDATE STATUS	
3005	X=C(S) ONFNA(N)G0T03050,3300,3400	
3020	B2(H)=B2(H)+16+X IFB2(H)>64THENGOSUB7000	
3040	RETURN	
3060	REM CHAIN SH=0:I=0	
	K=21:IF(B%(N)ANDK)OR(K=%)THEN3250 B=N+C(2*I+3)	
3090	IFFNA(B)<>2THEN3230 FORJ=1TOLC:L=L%(J,0)	
3110	FORU=1TOL:IFL%(J,U) ()BTHEN3220 IFJ=SHTHEN3020	
3130	IFSHTHEN3160	
3140	L%(J,L+1)=N:L%(J,0)=L+1 SH=J:GOT03250 FORV=1T0L%(SH,0)	
3170	L%(J,L+V)=L%(SH,V):NEXTV	
3180	L%(J,0)=L+L%(SH,0) FORV=0TOL%(LC,0)	
3200	L2((SH,V)=L2(LC,V):NEXTV LC=LC-1:G0T03020	
3220	NEXTU, J	
3240	LC=LC+1:L%(LC,1)=N:L%(LC,0)=1:SH=LC	
	I=I+1:IFI<4THEN3070 G0T03020	
	REM SAVE AS CAPTURE C=C+1:TX(C)=N:GOTO3020	
3400	REM CAPTURE FORJ=1TOLC:L=L%(J,0)	
3420	FORU=1TOL: IFL%(J,U)=NTHEN3440	
3440	NEXTU, J FORI=1TOC: IFT%(I)=NTHEN3460	
	NEXTI T%(I)=T%(C):C=C-1	
3480	TX(I)=TX(C):C=C-1 IFL=1THENSH=J:GOT03190 LX(J,U)=LX(J,L):LX(J,0)=L-1 COT05050	
4000	REM CMART MOVES	an glob in the set of the set
4010	IFC=0THEN4060	
4020	GOSUB4900	
4040	FIC=01HEN4060 F0RJ=1T0C:N=TX(J) 00SUE4900 IFFNA(N+C(2#I+3))>2THEN4870 NEXTJ V=0:F0RI=1T0LC V=V+LX(J,0):NEXT IFR0VTHEN4650. REM 3RD PHASE IFC=0THEN4770	
4060 4070	NEXTJ V=0+DRI=1TOLC V=V+LN(1,0):NEXT IFROVTHEN4650. REM 3RD PHRSE IFC=0THEN4770	
4080	IFA>VTHEN4650	
4100	IFC=0THEN4770	
4110 4120	REM 3RD PHRSE IFC=0THEN4770 IFLC=1THENN=TX(1):GOTO4860 FORT=1TOLC:L=LX(1,0) EX(1)=0:FOR1(LX(1,J))=2THEN4170 IFFNA(LX(1,J))=2THEN4170 IF(L=3)OR(L)4)THENN=LX(1,J):GOTO4860 EX(1)=EX(1)+1 NEYTI.1	
4130	EX(I)=0:FORJ=1TOL IFFNA(LX(I,J))=2THEN4170	
4150	IF(L=3)OR(L>4)THENN=L%(I,J):G0T04860 E%(I)=E%(I)+1	
4170	ALAIDII ATOLO	
4190	NEXTJ.I S=0:FORJ=1TOLC IFEX(J)=0THEN4330 JE(1X(L,0)=4)END(F2(L)=1)THEN4500	
	IF(L%(J,0)=4)AND(E%(J)=1)THEN4600 IFL%(J,0)=2THEN4320 P=0:FORK=1T04	
4220	P=0:FORK=1T04 IFB%(L%(J,K))<48THEN4260 IFP=0THENP=L%(J,K)	
	IFP=0THENP=L2(J)K) @=L2(J)K)	
4260	NEXTK	
4270	NEXTK N=P:GOSUB4900:P=P+C(2#I+3) N=Q:GOSUB4900:Q=Q+C(2#I+3) FOR1=0T03:IF(B%(Q)AND(2†I))THEN4310 IFP=Q+C(2#I+3)THEN4320 NEXT:GOT04600	
4290 4300	FURI=0T03:IF(BX(Q)AND(21))THEN4310 IFP=Q+C(2*I+3)THEN4320	
4310 4320	NEXT: GOT04600 S=S+1:X=J:IFS=2THEN4600 NEXTJ	
	NEXTJ S=0: FOR I=1TOL C	
4340	S=0:FORJ=1TOLC IFX=JTHEN4370	
4370	IFL%(J,0)(3THENS=S+1 NEXT:J=X	
	IF(SAND1)THEN4600 REM SACRIFICE	
4400	FOR1=1T0L%(J,0):N=L%(J,I) IFFNA(N)=2THEN4430	
4420	NEXT FORI=0T03:K=21I	

•

8

•

.



PET Bloobers


by Richard Warner

Here's a fascinating – hypnotic, even – game for the PET. It includes instruc-	tions and details on converting it to run on old ROM machines.	
10 REM 11 REM N.B. ALTER LINE 110 TO CHANGE 12 REM SCREEN SIZE. 13 REM H IS SCREEN WIDTH - MIN=3.MAX=38 14 REM Y IS SCREEN DEPTH - MIN=3.MAX=23 15 REM BAD SUBSCRIPT ERROR MAY OCCUR 16 REM ON OLD ROM MACHINES IF H#V>256. 100 P=C:T=R:S=RND(-TI) 110 H=20:V=12 120 TP=327684:INT(19-H/2)+40#INT(12-V/2) 130 P2=TP+H+1 140 P3=TP+V#40+40 150 P4=TP+41+H+V#40 160 IN=166 161 REM OLD ROM'S IN=515	•	
 162 REM NEW ROM'S IN=166 170 SS=H#V-1 171 REM OLD ROM'S ONLY: IFSS>255THENSS=255 190 GOSUB1000 	5	





	PROGRAMS
•	200 DIMC(3),D(3,1) 210 FDFF=0T03:READC(F),D(F,0),D(F,1)
•	230 NEXT 250 DATA85.1.40
	260 DATA73,40,-1 270 DATA754-1,-40
	280 DATA74,-40,1 290 DIMP(SS),RW(SS),CW(SS),TW(SS)
•	300 PRINT"""" 310 FORF=TPTOP2:POKEF,102:NEXT 220 FORF=TPTOP2:TPA: DOWER, 400 NEXT
	320 FORF=TPTOP3STEP40:POKEF,102:NEXT 330 FORF=P2TOP4STEP40:POKEF,102:NEXT
-	340 FORF=P3TOP4:POKEF,102:NEXT 400 C=INT(RND(1)*4)
•	410 R=INT(RND(1)+.5) 428 F=TP+INT(RND(1)*(H-2))+40*INT(RND(1)*(V-2))+82
	430 IFPEEK(P)(>32THEN420 440 IFPEEK(P+D(C,0))(>320RPEEK(P+D(C,1))(>32THEN420
•	450 S=0:T=0 500 POKEP.C(C):P(S)=P:T%(S)=T:R%(S)=R:C%(S)=C
•	510 S=S+1:P=P+D(C)R) 520 IFPEEK(P)<>32THEN600
	530 T=INT(RND(1)+1.5) 540 IFR=0THEN570
-	550 C=C-T:IFC<0THENC=C+4 560 GOT0580
•	570 C=C+T:IFC>3THENC=C-4 580 IFT=2THENR=1-R
	590 GOTO500 600 IFP=P(0)THEN700
•	610 GETZ\$:IFZ\$=""THEN800 620 S=S-1:P=P(S)
•	630 IFTX(S)=0THEN690 640 R=1-RX(S):IFR=1THEN670
	650 C=C%(S)-1:IFC(0THENC=C+4 660 GOT0680
	670 C=CX(S)+1:IFC>3THENC=C-4 680 T=0:IFPEEK(P+D(C,R))=32THEN500
•	690 POKEP.32:60T0610 700 T=C%(0)-C:IFT=0THEN610
	710 IFR=0AND(T=-10RT=3)THEN610 720 IFR=1AND(T=-30RT=1)THEN610
•	750 T=TI:P=0 760 GETZ\$:IFZ\$>""THEN800
	770 IFTI-T<600THEN760 800 S=S-1:POKEP(S),32
	810 FORF=0T050:NEXT 820 IFS=0THEN400
•	830 IFPEEK(IN)=60RP=0THEN800 840 P=P(S):R=RX(S):C=CX(S):T=1:GOTO500
	1000 PRINT"J";TAB(15);"#BLOOBERS#" 1010 PRINT" BLOOBERS RANDOMLY GENERATES PATTERNS"
	1020 PRINT"ON THE SCREEN. 1030 PRINT"M IF YOU GET BORED, PRESS THE SPACE BAR"
•	1040 PRINT"AND THE PATTERN WILL BACKTRACK UNTIL" 1050 PRINT"YOU TAKE YOUR FINGER OFF."
	1060 PRINT WARN PRESS ANY KEY TO GO"
	1070 GETZ\$:IFZ\$=""THEN1070
	1070 GETZ#:IFZ#=""THEN1070 1080 RETURN
	1080 RETURN
	1080 RETURN PET Giant Slalom
	1080 RETURN
	1080 RETURN PET Giant Slalom
•	1080 RETURN PET Giant Slalom by P L Brown
•	1080 RETURN PET Giant Slalom by P L Brown 1 PRINT"TREMINIANT SLALOM BY P.L.BROWN" 2 PRINT"RED YOU NEED INSTRUCTIONS ?" 4 GET A#:IF A#=""THENA
•	1080 RETURN PET Giant Slalom by P L Brown 1 PRINT"TREMOIANT SLALOM BY P.L.BROWN" 2 PRINT"MED YOU NEED INSTRUCTIONS ?" 4 GET A#:IF A#=""THENA 6 IF A#=""THENA GOSUB 800 10 CI B A#=""THENA GOSUB 800
•	1080 RETURN PET Giant Slalom by P L Brown 1 PRINT"TREMOIANT SLALOM BY P.L.BROWN" 2 PRINT"MED YOU NEED INSTRUCTIONS ?" 4 GET A#:IF A#=""THENA 6 IF A#=""THENA GOSUB 800 10 CI B A#=""THENA GOSUB 800
•	1080 RETURN PET Giant Slalom by P L Brown 1 PRINT"TROMBIANT SLALOM BY P.L.BROWN" 2 PRINT"NEWD YOU NEED INSTRUCTIONS ?" 4 GET A: IF A#=""THEM 6 IF A#="Y"THEN GOSUB 800 10 CLR:0=32767 20 FORN=17010:T(K)=9999:NEXT 25 GOSUB10000:RESTORE:PRINT"C" 40 FOR N=32810 TO 33730 STEP 40 50 FORM=1T037
•	1080 RETURN PET Ciant Statom by P L Brown 1 PRINT"TREMEDIANT SLALOM BY P.L.BROWN" 2 PRINT"MED 490" NEED INSTRUCTIONS ?" 4 GET A#: IF A#="""THENA 6 IF A#="""THENA 6 IF A#="""THENA GOSUB 800 10 CLR:0=32767 20 FORM=1T010: T(N)=9999:NEXT 25 GOSUB1000: RESTORE:PRINT"T" 25 GOSUB1000: RESTORE:PRINT"T" 25 GOSUB1000: RESTORE:PRINT"T" 26 FORM=1T037 26 FORM=1T037 26 POKEN-M, 160 27 NEXTM.N
• • •	1 PRINT" TROUBLE IANT SLALOM BY P.L. BROWN" 2 PRINT" TROUBLE IANT SLALOM BY P.L. BROWN" 2 PRINT" TROUBLE INSTRUCTIONS ?" 4 GET AM: IF AM:="""THENA 6 IF AM:="""THENA COSUB 200 10 CLR:0=32767 20 FORN=1T010: T(N) = 3999 : NEXT 25 GOSUBI000: RESTORE: PRINT"T" 26 FORM=1T017 27 GOSUBI000: RESTORE: PRINT"T" 26 FORM=1T037 27 FORM=1T037 27 FORM=1T037 28 FORM=1T037 29 FORM=0+43700+52: POKEN, 32: NEXT 20 FORM=0+437100+52: POKEN, 32: NEXT 21 FORM=0+437100+52: POKEN, 32: NEXT
•	1080 RETURN PET Giant Statom by P L Brown 1 PRINT"TROMBIANT SLALOM BY P.L.BROWN" 2 PRINT"NEWD YOU NEED INSTRUCTIONS ?" 4 GET A: IF A#=""THENA 6 IF A#="Y"THEN GOSUB 800 10 CLR:0=32767 20 FORN=17010: T(N)=9999:NEXT 25 GOSUB1000: RESTORE: PRINT"C" 40 FOR N=32810 TO 33730 STEP 40 50 FORN=10137 50 POKENHM.160 70 NEXTM.N 80 FORN=0+477T00+52: POKEN.32:NEXT 81 FORN=0+63T00+59: POKEN.32:NEXT 81 FORN=0+63T00+59: POKEN.32:NEXT
•	1080 RETURN PET Clant Statom by P L Brown 1 PRINT"TROMEIANT SLALOM BY P.L.BROWN" 2 PRINT"ROME YOU NEED INSTRUCTIONS ?" 4 GET A#: IF A#=""THENA 6 IF A#=""THENA GOSUB 800 10 CLR:0=32767 20 FORM=ITOID: T(N)=9999:NEXT 25 GOSUBI0000:RESTORE:PRINT"T" 26 FORM=ITOID: T(N)=9999:NEXT 25 GOSUBI0000:RESTORE:PRINT"T" 40 FOR N=02810 TO 33730 STEP 40 50 FORM=1TO37 60 POKEN-M.160 70 NEXTM.N 80 FORN=0+47T00+52:POKEN.32:NEXT 81 FORN=0+48T00+52:POKEN.32:NEXT 82 FORN=0+1800+32:POKEN.32:NEXT 83 FORN=0+129T00+132:POKEN.32:NEXT
• • • •	1080 RETURN PET Clant Staton by P L Brown 1 PRINT"TROOMSIANT SLALON BY P.L.BROWN" 2 PRINT"ROOMONU NEED INSTRUCTIONS ?" 4 GET Af: IF Af=""THEN4 6 IF Af="Y"THEN GOSUB 800 10 CLR:0=32767 20 FORN=1T010:T(N)=9999:HEXT 25 GOSUB1000:RESTORE:PRINT"T" 25 GOSUB1000:RESTORE:PRINT"T" 26 FORM=1T037 27 PORN=0+47T00+52:POKEN, 32:NEXT 27 FORN=0+47T00+52:POKEN, 32:NEXT 28 FORN=0+47T00+52:POKEN, 32:NEXT 29 FORN=0+45T00+659:POKEN, 32:NEXT 29 FORN=0+45T00+108:POKEN, 32:NEXT 20 FORN=0+127T00+132:POKEN, 32:NEXT 20 FORN=0+127T00+132:POKEN, 32:NEXT 20 FORN=0+127T00+132:POKEN, 32:NEXT 27 FORN=0+127T00+132:POKEN, 32:NEXT 28 FORN=0+127T00+132:POKEN, 32:NEXT 29 FORN=0+1707T00+172:POKEN, 32:NEXT 20 FORN=0+1707T00+172:POKEN, 32:NEXT 20 FORN=0+1707T00+172:POKEN, 32:NEXT 20 FORN=0+1707T00+172:POKEN, 32:NEXT 20 FORN=0+147T00+172:POKEN, 32:NEXT 20 FORN=0+147T00+172:POKEN, 32:NEXT 20 FORN=0+147T00+147:POKEN, 32:NEXT 20 FORN=0+
•	1080 RETURN PEET Giant Staton by P L Brown 1 PRINT"CROONSIANT SLALOM BY P.L.BROWN" 2 PRINT"NOD YOU NEED INSTRUCTIONS ?" 4 GET A#: IF A#="THEN4 6 IF A#="Y"THEN GOSUB 800 10 CLR:0=32767 20 FORN=1T010:T(N)=9999:NEXT 55 GOSUB1000:RESTORE:PRINT"C" 40 FOR N=32810 TO 33730 STEP 40 50 FORM=1T037 60 POKEN+M, 160 70 NEXTM.N 80 FORN=04+47T00+52:POKEN, 32:NEXT 81 FORN=04+129T00+132:POKEN, 32:NEXT 81 FORN=04+129T00+132:POKEN, 32:NEXT 83 FORN=04129T00+132:POKEN, 32:NEXT 84 FORN=04129T00+132:POKEN, 32:NEXT 85 FORN=04129T00+132:POKEN, 32:NEXT 87 FORN=041
•	1080 RETURN PETCONSTANT SUBJECT Constant Statement I PRINT PRINT SUBJECT CONSTANT PRINT SUBJECT CONSTANT SUBJECT CONSTANT
• • • • • • • •	1080 RETURN DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETECTION DETE
• • • • • • • • •	1080 RETURN DET Giant Slaton by PL Brown 1 PRINT"JOIND GIANT SLALOM BY P.L.BROWN" 2 PRINT"MODO YOU NEED INSTRUCTIONS ?" 4 GET AB: IF AB="THEN4 6 IF AB="Y"THEN4 GOSUB 800 10 CLR:0=32767 20 FORN=11010: T(N)=9999: NEXT 25 GOSUB1000: RESTORE: FRINT"J" 40 FOR N=32810 TO 33730 STEP 40 50 FORN=0+17010*52: POKEN, 32: NEXT 30 FORN=0+47T00+52: POKEN, 32: NEXT 31 FORN=0+83T00+59: POKEN, 32: NEXT 32 FORN=0+184T00+132: POKEN, 32: NEXT 33 FORN=0+145T00+132: POKEN, 32: NEXT 35 FORN=0+145T00+132: POKEN, 32: NEXT 36 FORN=0+145T00+132: POKEN, 32: NEXT 37 FOKE0+211, 32: TOKE0+132: POKEN, 32: NEXT 38 FORN=0+145T00+132: POKEN, 32: NEXT 39 FORN=0+295T00+362STEP40 39 FORN=0+295T00+374: POKEN, 32: NEXT 30 FORN=0+370T00+374: POKEN, 32: NEXT 30 FOKE0+211, 32: TOKE0+134: POKEN, 32: NEXT 30 FORN=0+370T00+374: POKEN, 32: NEXT 31 FORN=0+370T00+374: POKEN, 32: NEXT 32 FORN=0+370T00+374: POKEN, 32: NEXT 33 FORN=0+325F0T00+374: POKEN, 32: NEXT 34 FORN=0+325F0T00+374: POKEN, 32: NEXT 35 FORN=0+311: POKEN, 32: NEXT 36 FORN=0+311: POKEN, 32: NEXT 37 FOKE0+311: POKEN, 32: NEXT 38 FORN=0+370T00+374: POKEN, 32: NEXT 39 FORN=0+311: POKEN, 32: NEXT 30 FORN=0+311: POKEN, 32: NEXT 30 FORN=0+311: POKEN, 32: NEXT 31 FORN=0+311: POKEN, 32: NEXT 32 FORN=0+311: POKEN, 32: NEXT 33 FORN=0+311: POKEN, 32: NEXT 34 FORN=0+311: POKEN, 32: NEXT 35 FORN=0+311: POKEN, 32: NEXT 36 FORN=0+311: POKEN, 32: NEXT 37 FOKE0+311: POKEN, 32: NEXT 38 FORN=0+311: POKEN, 32: NEXT 39 FORN=0+311: POKEN, 32: NEXT 30 FORN=0+311: POKEN, 32: NEXT 30 FORN=0+311: POKEN, 32: NEXT 31 FOKEN, 32 31 NEXTM, M 32 FORN=0+311: POKEN, 32: NEXT 32 FORN=0+311: POKEN, 32: NEXT 33 FOKEN
• • • • • • • • •	1080 RETURN PETCONT Stant State by PL Brown PRINT"TODESTANT SLALOM BY P.L. BROWN" PRINT"MOD YOU NEED INSTRUCTIONS ?" 4 GET A: IF Af=""THEN4 6 IF Af="""THEN4 6 IF Af="""THEN4 80 FORN=17037 80 FORN=17037 80 FORN=17037 80 FORN=0+35100+52: POKEN, 32: NEXT 81 FORN=0+35100+52: POKEN, 32: NEXT 82 FORN=0+35100+52: POKEN, 32: NEXT 81 FORN=0+130700+52: POKEN, 32: NEXT 82 FORN=0+1300+52: POKEN, 32: NEXT 83 FORN=0+1300+52: POKEN, 32: NEXT 84 FORN=0+129TOD+132: POKEN, 32: NEXT 85 FORN=0+129TOD+132: POKEN, 32: NEXT 85 FORN=0+129TOD+147: POKEN, 32: NEXT 85 FORN=0+147TOD+147: POKEN, 32: NEXT 85 FORN=0+297TOD+311: POKEN, 32: NEXT 87 POKE0+27TOD+251: POKEN, 32: NEXT 87 POKE0+27TOD+251: POKEN, 32: NEXT 87 POKE0+27TOD+251: POKEN, 32: NEXT 87 POKE0+27TOD+311: POKEN, 32: NEXT 87 POKE0+27TOD+251:
• • • • • • • • • • • • • • • • • • • •	1980 RETURN DECT Clant Staton by PL Brown 1 PRINT"TRODUCTIONS ST 2 PRINT"TRODUCTIONS ST 4 GET AS THENA 6 IF AS=""YTHENA GOSUB 880 10 CLR: 0522767 20 FORN=1T018: T(N)=9999: NEXT 25 GOSUBIG00: RESTORE: PRINT"3" 40 FOR N=22810 TO 33730 STEP 40 50 FORM=11037 50 FORM=01497T00+52: POKEN, 32: NEXT 31 FORN=0+497T00+52: POKEN, 32: NEXT 32 FORN=0+129700+132: POKEN, 32: NEXT 33 FORN=0+129700+132: POKEN, 32: NEXT 34 FORN=0+129700+132: POKEN, 32: NEXT 35 FORN=0+129700+132: POKEN, 32: NEXT 36 FORN=0+129700+132: POKEN, 32: NEXT 37 FORN=0+145700+147: POKEN, 32: NEXT 38 FORN=0+145700+147: POKEN, 32: NEXT 39 FORN=0+145700+147: POKEN, 32: NEXT 30 FORN=0+145700+147: POKEN, 32: NEXT 30 FORN=0+145700+147: POKEN, 32: NEXT 31 FORN=0+285700+32: POKEN, 32: NEXT 32 FORN=0+29700+374: POKEN, 32: NEXT 33 FORN=0+295700+374: POKEN, 32: NEXT 34 FORN=0+295700+374: POKEN, 32: NEXT 35 FORN=0+295700+374: POKEN, 32: NEXT 35 FORN=0+295700+374: POKEN, 32: NEXT 36 FORN=0+295700+374: POKEN, 32: NEXT 37 POKE0+12435.32 37 FOKE0+12435.32 37 FOKE0+1235.32 37 FOKE0+1235.32 37 FOKE0+1235.02 37 FOKE0+123
• • • • • • • • •	1080 RETURN DECEMPTIC Status DECEMPTIC St
• • • • • • • • • • • • • • • • • • • •	1080 RETURN DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPTICAL DECEMPT
• • • • • • • • • • • • • • • • • • • •	1080 RETURN DECE CEACE State Dy PL Brown 1 PRINT"TOWNGIANT SLALOM BY P.L. BROWN" 2 PRINT"TWOO YOU NEED INSTRUCTIONS ?" 4 GET AS: IF AS=""THENA 6 IF AS=""THENA 800 10 CLR: 0=32767 20 FORH=1010: T(N)=9999: NEXT 25 GOSUB1000: RESTORE: PRINT"T" 4 GET AS: IF AS=""THENA 9 FORH=1010: T(N)=9999: NEXT 25 GOSUB1000: RESTORE: PRINT"T" 4 GET AS: IF AS=""THENA 50 FORH=1010: T(N)=9999: NEXT 25 GOSUB1000: RESTORE: PRINT"T" 4 GET AS: IF AS=""THENA 50 FORH=04477004552: POKEN, 32: NEXT 51 FORH=04477004552: POKEN, 32: NEXT 52 FORH=0447700452: POKEN, 32: NEXT 52 FORH=0478700452: POKEN, 32: NEXT 52 FORH=041851004147: POKEN, 32: NEXT 54 FORH=041951004132: POKEN, 32: NEXT 55 FORH=041951004374: POKEN, 32: NEXT 55 FORH=041951004374: POKEN, 32: NEXT 55 FORH=042821004-362STEP40 59 FORH=042871004-374: POKEN, 32: NEXT 50 FORH=042871004-374: POKEN, 32: NEXT 55 FORH=04287004-362STEP40 50 FORH=042571004-374: POKEN, 32: NEXT 55 FORH=042571004-36251EP40 50 POKEN+M, 32 51 NEXTM, N 52 FORH=042571004-595: POKEN, 32: NEXT 55 FORH=042571004-595: POKEN, 32: NEXT 55 FORH=042571004-595: POKEN, 32: NEXT 55 FORH=042571004-574: POKEN, 32: NEXT 56 FORH=042571004-574: POKEN, 32: NEXT 57 FORH=042571004-574: POKEN, 32: NEXT 57 FORH=042571004-574: POKEN, 32: NEXT 57 FORH=042571004-5755: POKEN, 32: NEXT 57 FORH=040571004-5755: POKEN, 32: NEXT 5
• • • • • • • • • • • • • • • • • • • •	1080 RETURN DECEMPTICAL Status DECEMPTICAL Status DECEMPTICAL Status DECEMPTICAL Status I PRINT"TROMOGIANT SLALOM BY P.L. BROWN" PRINT"TROMOGIANT SLALOM BY P.L. BROWN" 2 PRINT"TROMOGIANT SLALOM BY P.L. BROWN" 2 PRINT SLALOM BY P.L. BROWN" 3 PRINT SLALOM BY P.L. BROWN SLALOM BY P.L. BROWN SLALOM BY P.M. SLALOM BY P.
• • • • • • • • • • • • • • • • • • • •	1980 RETURN PETCHAN



ROMAK **uHexEPROM** ROGRAMMERS 426 2508/2708/2758/2516/2716 Dual and Single supply Eproms. £95 415 2704/2708/2716 Dual only.£65 480 2704/2708 Kit £35. Built £40. All programmers require only standard power supplies. The 426 & 416 are cased and have pushbutton selection. Program any length block into the Eprom. Software included. Range covers 280, 8080, 6800 and 6500. State machine. PIO, PIA INTERFACE MODULES Available for Z80/8080 and 6800/6500. Prices include carriage. Please add VAT SAE for further product information. MICROHEX COMPUTERS UNION STREET, TROWBRIDGE, WILTS. Û ⇐ Which Way? ➡ For impartial advice If you're lost in the Micro Maze and from an independent don't know which way consultant . . . consult us. to turn ... turn to us. For bespoke software designed to meet your needs . . . you need us. meldon micro 37 Purbrook Gardens services Purbrook, Portsmouth, (Waterlooville 53775) PETS – We Sell Them As authorised Commodore Dealers we stock and supply all PET Hardware, Computhink Discs, Oki Microline 80 Decwriter LA34, Texas 810, Qume Sprint 5 – all at com-PETS - We Buy Them PETS - We Buy Them Part Exchange is very welcome, we also buy for cash. PETS - We Hire Them Our specialist hire service, with main-nce included for all Commodore equipment. - Complete systems for evaluation - Multiple units for individual use - Single units for individual use - Single units for individual use - Single units for individual use From 1 day upwards, all units available. Delivery by arrangement, anywhere in UK. **PETS - Software** We are fully autorised BUSINESS SOFT-WARE DEALERS for Commodore Soft-ware - COMPAY, COMSTOCK. WORDPRO etc. Also PETSOFT, BRISTOL SOFTWARE, LANDSLER PAYROLL & HOTEL SYSTEM. HOTEL SYSTEM. PLUS for ACCOUNTANTS, the unique CSM INCOMPLETE RECORDS PACKAGE — this is the best available. MAIL — ORDER All Hardware and Software can be bought by Mail Order Delivery by Securicor, or Registered Post. Discounts for Cash & Carry or Mail-Order. Access accepted or by Leasing (subject to acceptance) Mail-ORDE FACILITIES ITD MICRO-FACILITIES LTD 127 High Street, Hampton Hill, Middlesex, TW12 1 NJ. 01-979 4546 or 01-941 1197 To advertise in MICROMART Please ring Jacquie Hancock on 01-631 1682

Listing courtesy of Creamwood Software Products




0000 POKE59467.0:POKE59466.0:POKE59464.0:SYS(845) 8001 DATA120,169,99,141,25,2,169,3,141,26,2,88,96,120,169,133,141,25,2,169,230 8002 DATA141,26,2,88,96,169,0,72,72,72,72,76,133,230,32,90,3,234,169,255,141,9

Listing courtesy of Creamwood Software Products

tell you what it does - just type it in and see for yourself!

-	10 DIM P\$(8),C\$(10),W\$(5)	
•	15 Ps="PERSONAL"	
	17 C\$=" COMPUTER"	
	19 W\$="WORLD"	
•	20 CALL -936	
	25 A=30	
	30 FOR B=2 TO 20: VTAB B: TAB A: PRINT P\$;: VTAB B-1: TAB A: CALL -868	
•	35 A=A-1	
	40 FOR C=1 TO 10: NEXT C	
	45 NEXT B	
	47 B=2	
	50 FOR A=2 TO 20: VTAB B: TAB A: PRINT C\$:: VTAB B-1: TAB A-1: CALL -868	
	52 B=B+1	
	55 FOR C=1 TO 10: NEXT C	
	57 NEXT A	
	60 B=22	
	65 FOR A=33 TO 18 STEP -1	
	67 VTAB B: TAB A: CALL -868: PRINT W\$	
	70 FOR C=1 TO 10: NEXT C	
	72 NEXT A	
	75 PRINT : PRINT	


...................



Apple Pascal provides routines to control all the standard Apple hardware but controlling additional devices can be a problem. For example, the communications card initialises to 300 baud but should you want to use a 110-baud Teletype then you'll have to load the ACIA's control register with the appropriate value. Instead of writing a routine to do just this, why not make it as generalised as possible by adding a POKE routine? It's then only logical to

complement this with a PEEK facility. Just a couple of notes to accompany this listing: using macros in such a short listing is obviously unnecessary but the Pascal Editor allows such items to be copied into a program from a library file; if the value to be POKEd is higher than 255 then the high order byte is ignored; the printer used to produce this listing reproduces the character '#' as '£'.

• MACRO	POP	; SAVE TWO BYTES FROM STACK. THE PARAMETER MUS ; BE A FREE PAGE O ADDRESS. USEFUL FOR SAVING ; A SUBROUTINE'S RETURN ADDRESS.
PLA		
STA	*1	
PLA		
STA	*1+1	
. ENDM		
;		
MACRO	PUCH	THE COMPLEMENT OF POP
LDA	¥1+1	
	*1+1	
PHA	~ ~	
LDA	*1	
PHA		
. ENDM		
;		
. MACRO	DISCAR	; DISCARD 4 BYTE STACK BIAS
PLA		
. ENDM		
;		
;	EEK,1	and particular per the president of the Schubbler Bi and the Detailer and
; EQUIVA ; FUNCT ; FUNCT DISCAR POP	ALENT TO TION PEEK RETURN ADDR	BASIC'S PLEK, AND (ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER
; EGUIVA ; FUNCT ; FUNCT ; FOP DISCAR POP LDA	ALENT TO TION PEEK RETURN ADDR £0	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT
; EQUIVA ; EQUIVA ; FUNCT ; EDP DISCAR POP LDA PHA	ALENT TO TION PEEK RETURN ADDR £0	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO
; EQUIVA ; EQUIVA ; FUNCT ; POP DISCAR POP LDA PHA	ALENT TO TION PEEK RETURN ADDR £0	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO, Y FOR DUMMY INDEXED ADDRESSING
; EQUIVA ; EQUIVA ; FUNCT ; POP DISCAR POP LDA PHA	ALENT TO TION PEEK RETURN ADDR £0	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO
; EQUIVA ; FUNCT ; FUNCT ; POP DISCAR POP LDA PHA TAY LDA PHA	ALENT TO TON PEEK RETURN ADDR £0 @ADUR, Y	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT
; EQUIVA ; FUNCT ; FUNCT ; POP DISCAR POP LDA PHA TAY LDA PHA	ALENT TO TON PEEK RETURN ADDR £0 @ADUR, Y	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT
; EQUIVA ; FUNCT ; EUNCT ; EOP DISCAR POP LDA PHA TAY LDA PHA PHA PUSH	ALENT TO ION PEEK RETURN ADDR £0 @ADUR,Y RETURN	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERD, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK
; EQUIVA ; FUNCT ; FUNCT ; FUNCT ; FUNCT DISCAR POP DISCAR POP LDA PHA PHA PHA PUSH	ALENT TO ION PEEK RETURN ADDR £0 @ADUR,Y RETURN	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT
; EQUIVA ; FUNCT ; FUNCT ; POP DISCAR POP LDA PHA TAY LDA PHA	ALENT TO ION PEEK RETURN ADDR £0 @ADUR,Y RETURN	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERD, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK
; EGUIVA ; EGUIVA ; FUNCT ; EDECAR POP DISCAR POP LDA PHA TAY LDA PHA PUSH RTS ; ;	ALENT TO ION PEEK RETURN ADDR &0 @ADUR,Y RETURN	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERD, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK
; EGUIVA ; EGUIVA ; FUNCT ; POP DISCAR POP LDA PHA PHA PHA PUSH RTS ; ; , PROC F	ALENT TO ION PEEK RETURN ADDR &0 @ADUR,Y RETURN ?OKE,2	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO Y FOR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK
; EQUIVA ; EQUIVA ; FUNCT ; DISCAR POP LDA PHA TAY LDA TAY LDA FHA PUSH RTS ; ; ; ; ; ; PROC F ; ; ; ; PROC F ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	ALENT TO ION PEEK RETURN ADDR &0 @ADUR,Y RETURN POKE,2 ALENT TO I	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERD, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK
; EQUIVA ; FUNCT ; FUNCT ; FOP DISCAR POP LDA PHA PHA PHA PHA PUSH RTS ; ; ; ; PROC F ; ; EQUIVA ; PROCI ;	ALENT TO ION PEEK RETURN ADDR &0 @ADUR,Y RETURN POKE,2 ALENT TO I EDURE POK	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO_Y FOR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK ;ALL DONE! BASIC'S POKE AND
; EQUIVA ; FUNCT ; FUNCT ; FUNCT ; FUNCT POP DISCAR POP LDA PHA TAY LDA PHA PHA PHA PUSH RTS ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	ALENT TO ION PEEK RETURN ADDR &0 @ADUR,Y RETURN POKE,2 ALENT TO I EDURE POK RETURN	(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK ;ALL DONE! BASIC'S POKE AND E(ADDRESS, VALUE; INTEGER); ;SAVE RETURN ADDRESS
; EQUIVA ; EQUIVA ; FUNCT ; POP DISCAR POP LDA PHA PHA PHA PHA PUSH RTS ; ; ; ; PROC F ; ; -PROC F ; ; POP PDP PDP	ALENT TO ION PEEK RETURN ADDR &0 @ADUR,Y RETURN POKE,2 ALENT TO I EDURE POK RETURN	<pre>(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO, Y ⊢OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK ;ALL DONE! BASIC'S POKE AND E(ADDRESS, VALUE: INTEGER); ;SAVE RETURN ADDRESS ;THAT'S THE BYTE WE WANT</pre>
; ; EQUIVA ; FUNCT ; POP DISCAR POP LDA PHA PHA PHA PHA PHA PHA PHA RTS ; ; ; PROC F ; ; EQUIVA ; PROC F ; POP	ALENT TO ION PEEK RETURN ADDR &0 @ADUR,Y RETURN POKE,2 ALENT TO I EDURE POK RETURN	<pre>(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK ;ALL DONE! BASIC'S POKE AND E(ADDRESS, VALUE: INTEGER); ;SAVE RETURN ADDRESS ;THAT'S THE BYTE WE WANT ;SAVE IT</pre>
; ; EQUIVA ; FUNCT ; POP DISCAR POP LDA PHA TAY LDA PHA RTS ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	ALENT TO ION PEEK RETURN ADDR &0 @ADUR,Y RETURN POKE,2 ALENT TO I EDURE POK RETURN	<pre>(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK ;ALL DONE! BASIC'S POKE AND E(ADDRESS, VALUE: INTEGER); ;SAVE RETURN ADDRESS ;THAT'S THE BYTE WE WANT ;SAVE IT ;IGNORE HIGH BYTE OF VALUE</pre>
; ; EQUIVA ; FUNCT ; POP DISCAR POP LDA PHA PHA PHA PHA PHA PHA PHA RTS ; ; ; PROC F ; ; EQUIVA ; PROC F ; POP	ALENT TO ION PEEK RETURN ADDR &0 @ADUR,Y RETURN POKE,2 ALENT TO I EDURE POK RETURN	<pre>(ADDRESS: INTEGER): INTEGER; ;SAVE RETURN ADDRESS ;DISCARD STACK BIAS ;SAVE ADDRESS PARAMETER ;MSB OF RESULT ; IS ALWAYS ZERO ;ZERO, Y + OR DUMMY INDEXED ADDRESSING ;GET CONTENTS OFLOCATION REQUESTED ;SAVE LSB OF RESULT ;PUT ADDRESS BACK ON STACK ;ALL DONE! BASIC'S POKE AND E(ADDRESS, VALUE: INTEGER); ;SAVE RETURN ADDRESS ;THAT'S THE BYTE WE WANT ;SAVE IT</pre>





dealer - but make sure you see a **GENUINE MICROCASE!** About £30



Simply the best!

Full details from Tom Piercy on Huntingdon (0480) 212563



Improving the picture, Adding RAM. Programming tips, debugging programs. And lots more for £4.75. Inc. P&P & VAT

ZX80 Memory & I/O boards Send SAE for details

TIMEDATA Ltd.57 Swallowdale Basildon, Essex

. TAY TXA STA PUSH RTS . END

GET LOW BYTE OF VALUE PARAMETER CADDR, Y ; DO THE POKE RETURN FRESTORE RETURN ADDRESS ; AND FINISH ...

Submitting programs to PCW

Our programs section thrives on contributions from you, the readers. In particular we're looking for original ideas (no more Nim, decimal-hex conversions, Masterminds, digital clocks, etc please!) and we're not just interested in games . - if you've a handy business/ scientific/educational program then we'd be interested to hear from you.

Once you've written and thoroughly debugged your program, send it to us on cassette or disk with, if possible, a clear printout made with a new ribbon on plain (not lined) paper. Write a covering letter stating briefly what the program is, exactly which machine it's for (ie old/new ROM PET, or TRS-80 Level I or II) and how much memory it requires. On a separate sheet list any special instructions which aren't included in the program and write your name and address on each piece of paper you send us as well as on the cassette/disk. If you'd like your cassette/disk returned then enclose a suitable SAE.

The fact that we publish so many PET programs merely reflects the market share of this machine – we're always happy to see programs for other machines. If your program does not use machine-dependent graphics and can therefore be used on other micros, try to keep it as 'portable' as possible (see 'Basic Basic' this month). Don't purge your listing of unnecessary spaces unless you're really tight on memory as spaces improve program legibility and make it easier for others to key in.

Finally, we're not 100% biased in favour of Basic; we're always interested in short assembler programs and we're eagerly awaiting our first Pascal program!

Send your programs to: PCW Programs, Personal Computer World, 14 Rathbone Place, London W1P 1DE.

LEISURELINES

with J J Clessa

Some of you have protested that I haven't been allowing enough time for you to work out your answers and get them to me! So last month I extended the deadline to 31 August, which means that I can't announce a winner now for Puzzle No 12.

Quickie

There are eight oranges in a box. How can you divide them between eight people so that each person gets one and one orange is still left in the box. The oranges must not be peeled or cut. As usual, no prizes for this one.

Prize puzzle

that the problems aren't tough enough

- well, here's one which should bend a few micros.

a. Which 10-digit perfect square con-tains the most zeros? b. Which 10-digit perfect square contains the most ones? and so on up to (j) Which 10-digit perfect square contains the most nines?

I want ten answers please, for the digits 0 through 9. If more than one perfect square is possible for an answer then any of the possibilities will be accepted. Your answers please on a accepted. Your answers please on a *postcard* (letters are filed in the bin instantly) to Puzzle No. 13, PCW, 14 Rathbone Place, London W1P 1DE, to arrive by 30 September.

Prize of the month

I've been told on numerous occasions

Sorry to be so boring, but this month I'm giving away a book token.

3

Quite a few this month, starting with two algebraic errors in July's "Computer Games". Michie's formula for evaluating the discernability of a chess player should read:

3(r+3)(r+e)

d = (M+1)

and Box 3 should read:

Probability of opponent calling bet = p Probability of opponent not calling bet = 1-p.

The address of acoustic-coupler supplier Anderson Jacobson Ltd., mentioned in last month's "Communication" has changed to 752 Deal Avenue, Slough, Bucks. And Peripheral Hardware is now at Armfield Close, West Molesey.

The suppliers of the Paper Tiger were accidentally omitted from our printer survey grid; they are Teleprinter Equipment Ltd of Tring and anyone wanting further details should contact Kaye Brooks on 044 282 4011. Finally, our Stock Control pack-

ages review in July described Amplicon as originators of a package for the PET. In fact, although Amplicon sells the package, it originates from Anagram Systems, 9 Michell Close, Horsham, W Sussex, tel: 0403 68601.



Advanced technology research and consultancy

to £15,000

Central London and West Surrey

Logica is well known as one of Europe's most successful consultancies in Computing and Communications.

Our reputation for applied research continues to grow and our external clients include an impressive list of international companies, multi-national agencies and governments. To keep pace with rapidly developing technology, we also have a substantial in-house programme to provide system development tools and products for the future.

Communications Networks

Logica has always been strong in communications. Recent activities include the design of advanced military communications systems, and the development of very high bandwidth local user networks based on the Cambridge Ring.

Image Processing

We have succeeded in establishing an impressive skill centre providing services in image processing, speech recognition and pattern recognition. Projects range from ground-based computer systems for handling image data from satellites to classified applications for government and defence. The use of microprocessors in real-time systems and special displays for man-machine interaction are two areas of growing importance. Many of the techniques and tools required are developed on our in-house interactive system.

Software Engineering

With over 40 systems sold since launch in October, our relational database management system, RAPPORT, has gained wide acceptance in the market. We are building on this success with associated data management product developments, and are producing a range of tools which will help overcome problems central to the successful development of large software systems.

logica

We are continually expanding our capabilities and developing new areas of activity. At present we are specially looking for people with backgrounds in communications, microprocessor based systems and software engineering, but we are interested in anyone with proven ability in technical research or consultancy.

Vacancies exist in central London and at our Advanced Technology Centre at Cobham, Surrey.

If you are keen to apply your skills to demanding problems in a dynamic commercial environment, this may be the logical step in your career development. You will be positively encouraged to contribute directly to the expansion of our business and continued success.

All you have to do to explore the possibility is ask Julia Roth on 01-637 9111 or write to her for an application form, Ref TG/18.

Logica Limited

Technical Group 64 Newman Street London W1A 4SE



EXPANDORAM II



Expandable Random Access Memory Board

Features

- * S-100 Bus Compatible * 4MHz Operation
- Board Select for Multi-user System
- Expandable Memory from 16K to 256K using 16K or 64K devices
- * DIP Switch selectable boundaries at any 16K or 64K boundary
- * Page Mode Operation Allows up to 8 boards on a Bus
- * Operates with Z80 CPUs
- * Phantom Output Disable and a manual Switch Selectable Output Disable
- * Power Dissipation 5 watts, Typical
- * Wait States and Invisible Refresh Synchronized
- * 4-64K Banks are available with 4164's

The ExpandoRAM II provides a low cost means for expanding Random Access Memory capability for computers using the S-100 Bus structure. The board's design allows eight boards to operate from the same S-100 Bus.

Page mode operation provides the system with the capability of servicing multiple users without RAM interference. Synchronization of the wait state and invisible refresh deliver faster operation, allowing processing speeds up to 4MHz.

The ExpandoRAM II is compatible with most S-100 CPUs based on the Z80 microprocessor. When other SD SYSTEMS 200 series boards are combined with the ExpandoRAM II, they create a microcomputer with exceptional capabilities and features.

OUR PRICE: £129.00 + VAT (Kit Form)

For further information on this board, or any other boards in our comprehensive range

i.e.: SBC100, Versafloppy I + II, VDB 8024, Z80 Starter Kit etc. Please write or telephone.



Built & Tested from:- £295.00 - £495.00 + VAT.

Unit A2 9 Longford Avenue Kilwinning Industrial Estate Kilwinning Ayrshire KA13 6EX Tel. 0294 57755 Telex 779808

Karadawn Ltd. Micro Computer Systems & Software

2 Forrest Way, Gatewarth Industrial Estate, Warrington, Cheshire.

Tel: 0925-38772. Telex: 628269

Business Systems

- THE INCREDIBLE ROSTRONICS Z PLUS
- 2 MEGABYTE CAPACITY Z80 CPU 64K RAM
- ELBIT 1920-x TERMINAL WITH 15" SCREEN
- FULLY HOUSED IN CUSTOM BUILT WORKSTATION
- DELIVERED + INSTALLED AT ONLY £4500.00

Printers for the above from £925 – £2,500 by Teletype, Diablo, Qume, Centronics, Texas Instruments. 10 Megabyte Hard Disk system £7,950.

Word Processor Systems

* 2 MEG Z Plus system * Diablo Heavy Duty Daisywheel * "Wordstar" Word Processor Pack *

DELIVERED + INSTALLED FROM £6,950.00

THE ULTIMATE PERSONAL/SMALL BUSINESS MICRO

Superbrain by Intertec

320K Dual Double Density Floppies
 64K
 TWIN Z80 A MICROPROCESSORS

DELIVERED + INSTALLED AT ONLY £1,950.00

ALL SYSTEMS CAN BE SUPPLIED WITH INDIVIDUALLY WRITTEN SOFTWARE TAILORED TO YOUR EXACT SPECIFICATIONS BY OUR OWN PROGRAMMERS. ALL OUR SOFTWARE IS FULLY SUPPORTED.

FOR THE PERSONAL COMPUTER

 PRINTERS Centronics 730 C80/132 Character Mode, Roll/Sheet/Sprocket £525.00. Paper Feed,
 110 C.P.5, 6 International CHR sets, TEAC Disc Drives. Smooth as Silk. Single Drives £250 Inc Cable, Double Drives. £450. Inc Cable.
 Floppies FREE plastic library case with every 10 disks 5¼" verbatim £33.00 8¼" Double sided, double density £45.00





PHONE: 08444 4764 FULL RANGE OF SOFTWARE MICHAEL JOHNSON LTD

New New	Bear:
BRARDSHARPSHARPSHARPSHARPSHARPSHARPSHARPSHARP	WARNER PLUS THE WIDEST RANGE OF DERIPHERALS & PROGRAMS IN THE MISSING PLUS THE WIDEST RANGE OF DERIPHERALS & PROGRAMS IN THE MISSING PLUS THE WIDEST RANGE OF DERIPHERALS & PROGRAMS IN THE MISSING PLUS THE WIDEST RANGE OF DERIPHERALS & PROGRAMS IN THE MISSING PLUS THE WIDEST RANGE OF DERIPHERALS & PROGRAMS IN THE MISSING PLUS THE WIDEST RANGE OF DERIPHERALS & PROGRAMS IN THE MISSING PLUS THE WIDEST RANGE OF DERIPHERALS & PROGRAMS IN THE MISSING PLUS THE WIDEST RANGE OF DERIPHERALS MISSING CODE TAPE & Manual Assembler/Editor Assembly Code Tape & Manual Assembler (Editor Assembler Code Tape & Manual Assembler (Editor Assembler Code Tape & Manual Assembler (Editor (Edito
80/132 ch per line (switchable); 125 c.p.s.; 2K Buffer; V24 RS232/ Current loop interface; Speed switchable between 110-9600 baud; Double width char. available under software control; sprocket feed; 7 x 9 dot matrix; Paper width 4.5" to 9.5". Price	PE14Erases up to 6 chips, takes approx. 19 mins. £ 56.00PE14TErases up to 6 chips, takes approx. 19 mins. £ 76.58PE24TErases up to 9 chips, takes approx. 15 mins. £111.22PR125TErases up to 16 chips, takes approx. 7 mins. £237.84PR320TErases up to 36 chips, takes approx. 7 mins. £384.09U.V. EPROM ERASING CABINET
APPLE II PLUS & NORTH STAR HORIZON	
ZEN Z80 EDITOR/ASSEMBLER FOR NASCOM I TRS 80 SHARP M280K PLUS STANDARD INTEL FORMAT	SPECIAL OFFER 2708* £4.50 2716* £12.50 SEND FOR SPECIAL OFFER LIST
Terms: Official Orders (min. £10). Barclaycard & Access weld Send for Catalogue and new July Booklist. All mail order <u>Mail Order & Head Office:</u> 40 Bartholomew Street, New <u>Manchester Showroom:</u> 220-222 Cheadle Heath, Stock	r to Newbury. ewbury, Berks. Tel: 0635 30505

Manchester Showroom: 220-222 Cheadle Heath, Stockport. Tel: 061 491 2290 Birmingham Showroom: 1st Floor Offices, Tivoli Centre, Coventry Road, Birmingham. Tel: 021 707 7170







DATRON of SHEFFIELD

Cromemco the ultimate name in micros



DATRON import direct from Cromemco, California. DATRON can supply Nationwide. DATRON can provide maintenance nationally DATRON can give you the realistic prices. DATRON have in stock:-

SYSTEM 2 64 K £ 2095 SYSTEM 3 64 K £ 3746 Z-2H HARD DISC 10 M £ 5373

DATRON can supply Systems 2 and 3 with Multi-Tasking facilities. DATRON easily accessible – in the centre of the country.

Write or telephone for FREE colour brochure on System 3 or Z-2H. We use Cromemco for our own business, why not call in for a demonstration.




Demonstrations. 9am-5pm Monday-Saturday.

BOOKS from DATRON all books in stock at press date

The BASIC Handbook	David Lien	£11.00
Illustrating BASIC	Donald Alcock	£2.50
Basic BASIC	Donald M. Munro	£2.00
The Little Book of BASIC Style	Nevison	£5.75
Some Common Basic Programs	Osborne	£7.95
32 BASIC Programs for the PET	Rugg & Feldman	£9.75
A guide to BASIC Programming	Spencer	£8.85
A guide to PL/M Programming	McCracken	£7.95
PASCAL An Intro. to Methodical Prog.	Findlay & Watt	£4.95
Introduction to PASCAL	Welsh & Eider	£6.95
Programming in PASCAL	Grogono	£6.95
Primer on PASCAL	Conway et al	£7.10
Struct. Prog. & Problem Solving with	10.1	
PASCAL	Kieburtz	£8.40
Problem Solving using PASCAL	Bowles	£7.95
An Introduction to Programming and		
Problem Solving with Pascal	Schneider	£5.20
COBOL for Business Applications	Philippakis	£10.25
COBOL with Style	Chmura & Ledgard	£5.40
Learning COBOL Fast	de Rossi	£6.45
FORTRAN Techniques	A. Colin Day	£2.95
FORTRAN Fundamentals	J. Staingraber	£3.45
Problem Solving & Struct. Prog. in FORTRAN	Friedman &	
An Intro. to Prog. & Applications with	Koffman	£9.95
FORTRAN	Hull & Day	£8.45
Z80 Micro Handbook	W. Barden	£6.95
Z80 Programming for Logic Design	Osborne	£6.30
Z80 Micro. Prog. & Interfacing Bk. 1	Nichols & Rony	£7.75
Z80 Micro. Prog. & Interfacing Bk. 2	Nichols & Rony	£8.50
Z80 Instant Programs	J. Hopton	£7.50
Z80 Programs (cassette)		£10.00
Z80 Assembly language Prog.	Leventhal	£8.15
Z80 Programming for Logic Design,	Osborne	£6.30
Programming the Z80	Zaks	£8.95
Mostek Z80 Micro Software		
Programming Guide		£6.00
6502 Assembly language Prog.	Leventhal	£8.25
6502 Applications Book	Sybex	£8.95

Programming the 6502 Programming a Micro (6502) **Zaks** £7.95 £7.25 Foster PET Work Books Vol. 1-6 £18.00 6502 Assembly Language Programming, The Best of Micro, Vol. 1 Leventhall £8.25 £5.50 £6.50 Vol. 2 £10.00 The PET Revealed Intro. to Personal & Business Computing Zaks £5.45 Peanut Butter & Jelly Guide to Micros Willis £6.45 A Career in Computing Philips Guide to Bus. Computers & the Electronic Office £4.25 Pennev £3.50 Enticknan **Computer Games** Nahigian & Hughes f8.40 Basic Computer Games More Basic Computer Games **Creative Computing** £5.50 £5.50 **Creative Computi** Game Playing with BASIC £5.50 Spencer How to Build a Computer Controlled Robot £5.95 Loofbourrow TTL Cookbook £7.15 Lancaster CMOS Cookbook Lancaster £7.50 TV Typewriter Cookbook Cheap Video Cookbook £7.25 £4.95 Lancaster Lancaster Best of Byte Best of Creative Computing Vol. 1 Best of Creative Computing Vol. 2 £8.45 £6.95 £6.95



2 Abbeydale Road, Sheffield S7 IFD. Telephone 0742–585490. Telex 547151.

DATRON MICRO CENTRE DATRON INTERFORM LTD



Digital Design & Development

43 Grafton Way, London W1P 5LA

Tel:01-387-7388

PET INTERFACES

- * 16-CHANNEL 8-BIT A-D CONVERTOR UNIT IEEE-488 Compatible. PRICE: £300
- * 8-CHANNEL 8-BIT D-A CONVERTOR UNIT IEEE-488 Compatible. PRICE: £350
- * 16-CHANNEL RELAY UNIT IEEE-488 Compatible. PRICE: £350
- * USER PORT CONVERTOR (A-D & D-A) Single channels IN & OUT. PRICE: £200
- * X-Y ANALOG PLOTTER INTERFACE IEEE-488 Compatible. PRICE: £200
- * 8-CHANNEL 12-BIT A-D CONVERTOR UNIT IEEE-488 Compatible. PRICE: £600
- * 8-CHANNEL DIGITAL DATA INPUT UNIT IEEE-488 – 64 bits IN. PRICE: £400
- * 8-CHANNEL DIGITAL DATA OUTPUT UNIT IEEE-488 – 64 bits OUT. PRICE: £350
- * FAST DATA ACQUISITION SYSTEM 40,000 readings per sec. 4 A/D + 4 D/A PRICE ON APPLICATION

All units boxed complete with IEEE-488 address interna internally selectable, with integral power supply, cables, switch, fuse, indicators and illustrate BASIC software.

Conquer the Computer

Learn to really understand the Computer. How it works and operates. Its 'language'. How to program it and make full use of its capabilities.



- No previous knowledge necessary.
- Special educational Mini-Computer supplied ready for use.
- Complete home study library.
- Self-test program exercises.
- Complete programming instructions using computer.

Services of skilled tutor available.

Please send details without obligation to. -

Name	
PCW /9/814	BLOCK CAPS PLEASE
	DIO & ELECTRONICS SCHOO Helier, Jersey, Channel Islands.

SHARP MZ-80K INTERFACES

* PARALLEL PRINTER INTERFACE. PRICE: £110

THE INTERFACE

SPECIALISTS

- * SERIAL PRINTER INTERFACE. PRICE: £150
- * BIDIRECTIONAL SERIAL INTERFACE. PRICE: £ £210
- * 16-CHANNEL A-D CONVERTOR UNIT. PRICE: £280
- * FAST DATA ACQUISITION SYSTEM 40,000 readings/sec. 4 analog channels IN & 4 channels OUT. PRICE ON APPLICATION

SHARP MZ-80K SOFTWARE

- * AIR ATTACK Bomb the buildings to land successfully £5
- * ANIMAL Learning program distinguishes between different creatures – £5
- * CARD TRICK + ONE ARM BANDIT + LISSAJOU Ingenious mixed bag – £5
- * MACHINE LANGUAGE HANDLER (T20C)- £22.5 - £22.50
- * EDITOR-ASSEMBLER + LOADER + DEBUGGER - £45.00

'Phone or write for further information.

TERMS All prices EX-VAT P&P extra Cheques should be made payable to 3D Digital Design & Development. All goods supplied under 90 days warranty. CUSTOM DESIGN UNDERTAKEN



ACCEL 2 — A major product announcement from Southern.

ACCEL 2 is a compiler for full TRS Disk BASIC, giving compatible execution with improved performance for correct, properly-structured programs. Here's what one customer said about ACCEL, Southern's translator for Level 2 BASIC:

"Most impressed by your compiler. On its first run it improved my latest program by a factor of 4."

Now **ACCEL 2** can bring similar performance gains to business programs, including significant string-handling improvements.



ACCEL Level 2 BASIC only £19.95 ACCEL 2 Disk BASIC (incl. Level 2) £39.95 ACCEL 2 upgrade from ACCEL £20.00 (exchange) You'll want to know more, from;

SOUTHERN SOFTWARE PO Box 39, Eastleigh, Hants. SO5 5WQ

CP/M COMPATIBLE SOFTWARE FROM SUPERSOFT

* TERMINAL

SYSTEM MAINTENANCE

CP/M COMPATIBLE SOFTWARE FROM SUPERSOFT

System maintenance

Diagnostics 1 — easily the most comprehensive set of CP/M. compatible system check-out programs ever assembled. Finds hardware errors in your system, confirms suspicions or gives the green light.

Tests:

MEMORY * DISK

* CPU (8080/8085/Z80) * PRINTER

The CPU test is the first of its kind to our knowledge. It pays to find problems before they become serious. Minimal requirements 24k CP/M. Supplied complete with User Manual £39.95, manual alone £9.95.

SOFTWARE SECURITY

Encode/Decode is a complete software security system for CP/M, a sophisticated coding program package which transforms data stored on disk into completely unrecognisable coded text. Encode/Decode supports multiple security levels and passrecognisable coded text, Encode/Decode supports multiple security tevels and pass-words, and a user defined combination (from the billion possible) is used to code and decode a file. Uses are unlimited, and DATA BASES, PAYROLL FILES, PROGRAMS, GENERAL LEDGER, CORRESPONDENCE, TAX RECORDS, INVENTORY, ACCOUNTS PAY/REC and MAILING LISTS are just a few of the applications possible. Encode/Decode I provides a level of security for normal use. £39.95 complete with User Manual. Manual alone £9.95

Encode/Decode II provides enhanced security for the most demanding needs, £79.95 complete with User Manual, Manual alone £9.95. Both versions come supplied on discette,

STAND ALONE ACCOUNTING PROGRAM

INTERFACE

STAND-ALONE ACCOUNTING PROGRAMS

Accounts Payable/receivable is a complete, user oriented package featuring: *AUTOMATIC POSTINGS TO GENERAL LEDGER (optional) *ACCOUNTS PAYABLE *CHEQUE PRINTING WITH INVOICE * INVOICE AGING *ACCOUNTS RECEIVABLE *PROGRESS BILLING * CUSTOMER STATE-MENTS *PARTIAL INVOICE PAYMENTS *INVOICE AGING.

General L

- neral Ledger is a complete user-oriented package which features: ACCEPTS POSTINGS FROM EXTERNAL PROGRAMS (ie. AP/AR above). ACCEPTS DIRECTLY ENTERED POSTINGS MAINTAINS ACCOUNT BALANCES FOR CURRENT MONTH, QUARTER, YEAR AND PREVIOUS THREE QUARTERS FINANCIAL REPORTS TRIAL BALANCE' INCOME STATEMENT BALANCE SHEET FTC
- BALANCE SHEET, ETC

Complete with extensive User Manual, ONLY £167.50. Manual alone £14.50

Menu driven and exceptionally easy to learn, it includes error checking and excellent user displays. This package can be used to stand-alone or with the General Ledger below. Requires 48K CP/M, terminal with cursor positioning and clear screen, on 8" disk or two 5" disks. CBASIC2 required. Menu driven, easy to learn and use, the General Ledger offers excellent displays and error checking for trouble free operation. Can be used as a stand-alone system or with the Accounts Payable/Receivable program above. Needs 48K CP/M, terminal with cursor positioning, home and clear screen, on 8" disk or two 5" disks. CBASIC2 required.

FLOPPY DISK CONTROLLERS

Complete with extensive User Manual, ONLY £167.50 Manual alonge £14.50

SAMS BOOKS AT LOWEST PRICES

SAMS BOOKS AT LOWEST PRICES		Tur Inching	LINEAR		FD1771 B-01 S/I	D Inverted Bus 29	95p
COMPUTER BOOKS			MC1488	90p	FD1791 B-01 D/	D Inverted Bus 49	95p
	NIEW	67 17	MC1489	90p	FD1792 B-01 S/I FD1793 B-01 D/	D Inverted Bus 34 D True Bus 5	95p 495
Microcomputer Primer (2nd Edition)	NEW	£7.17	DM8123 75150	125p		D True Bus 5 D True Bus 34	495 95p
Microcomputers for Business Applications		£5.37	75150	125p 125p	FD1795 B D/		95p
The Howard W. Sams Crash Course in Microcomputers	NEW	£10.50	75182	195p		D True Bus, side select 59	95p
Fundamentals of Digital Computers (2nd Edition)		£5,97	75322250p	250p			
Getting Acquainted with Microcomputers		£5.37	75324	325p	New! AY-3-8910	Bang ZAP clang Tweet	
How to Buy & Use Minicomputers & Microcomputers		£5.97	75325	325p	THE NEW CLOOM	PUTER SOUND CHIP	
Computer Graphics Primer	NEW	£7.77	75361 75365	350p 295p	THE NEW CI COM		
TEA: An 8080/8085 Co-Resident Editor/Assembler	NEW	£5.37	75451	50p	The amazing AY-3-	8910 is a fantastically powerful sound and	
6502 Software Design (Book 1)		£5,70	75491/2	75p	music generator, pe	erfect for use with any 8-bit micro processor.	
(Book 2)		£5.97	8T26	175p	Contains 3 tone cha	annels, noise generator, 3 channels of amplitu	ide
			8T28175p	175p	controls, 16-bit env	velope period control, 2 parallel I/O, 3D/A	face
BASIC Programming Primer		£5,37	8T95	175p	to the S-100 or oth	ch more. All in 40 pin DIP. Super easy to inter	ace
DBUG: An 8080 Interpretive Debugger		£3.75	8T97	175p		T, including FREE reprint of BYTE '79 artic	le!
How to Program Microcomputers		£5.37	LEDs		Also, add £2.25 for	r 60-page data manual.	
Computer Dictionary (3rd Edition)	NEW	£7.17			"Perhaps the next f	famous composer will not direct a 150-piece	
Boolean Algebra for Computer Logic		£3.95	TIL209	9p	orchestra but, rathe	er, a trio of microcomputers controlling a ban	ik of
Computers & Programming Guide to Scientists &	NEW	£9,57	TIL211	13p	AY-3-8910s."		
Engineers (3rd Edition)			TIL212 TIL220	15p	BYTE July '79.		
Microcomputer Interfacing with the 8255 PPI Chip		£5.37	TIL220 TIL222	12p 15p	NEW! SPECIAL OF	FFRI	
Programming & Interfacing the 6502, with Experiments	NEW	£7.17	TIL224	18p	IL III OF LORAL OF		
TRS-80 Interfacing	NEW	£5,37			4K CMOS RAM (1)	K x 4) 450 NS	
			DISPLAYS				
Z-80 Microcomputer Design Projects	NEW	£7.77			ONLY £7.95! (8 fo	or £50)	
Z-80 Microprocessor Programming & Interfacing	-	Books	FND500	80p	The TO FELLO	Tothing CMOS aquiralant of the 2114	
1 and 2			FND510 FND567	80p	The TC 5514P from	n Toshiba, CMOS equivalent of the 2114!	
(Book 1)		£6.97	DL704	125p 85p	* Low Power Diss	sipation	
(Book 2)		£7.77	DL707	85p	.10pW/BIT (TY	P.) @ 3.0V (STANDBY)	
Interfacing and Scientific Data Communications Experiments		£3,95	MV57164	225p	.10uW/BIT (TY	P.) @ 5.0V (OPERATING)	
Introductory Experiments in Digital Electronics and 8080A				1 · · ·	* Data Retention	Voltage 2V to 5.5V	
Microcomputer Programming and Interfacing			ISOLATORS		* Single 5V Power	r Supply	
(Book 1)		£7.77	ILD74	120p	* 18 PIN Plastic P		
(Book 2)			1L074	325p			
		£7.77	MCT6	90p	 Three State Out 		
Microcomputer – Analog Converter Software and Hardware			TIL111	75p	 Input/Output T 		
Interfacing		£5.70	SUPPORT DEVICES		 Fast Access Tim 		
The 808A Bugbook: Microcomputer Interfacing and			SOFPORT DEVICES		Toshiba's TC5514P	(industry type 6514) is a full static read write	te
Programming		£6.30	6920	495p		as 1024 words by 4 bits using CMOS technological	
The S-100 and Other Micro Buses		£3,95	6522	795p		sipation means it can be used as battery-opera	
The Cheap Video Cookbook		£3,75	6532	895p	portable memory s	ystem and also as a non-volatile memory with	
TV Typewriter Cookbook		£5,97	6551	1095p	battery back-up, Or	perates from a single 5V power supply with st	tatic
Using the 6800 Microprocessor		£4.77	6810	375p		o refresh periods and a much simplified powe	
			6820 6821	425p 425p	supply circuit desig	n. Three state outputs simplify memory expanded at a retention voltage is 2V, the battery back	-110
Z-80 Microcomputer Handbook	-	£5.37	6850	425p 425p	system needs only a	data retention voltage is 2V, the battery back simple circuit, Toshiba's original C2MOS tech	-up
8085 Microcomputer Design	NEW	£5.97	6852	425p		wide operating and noise margins. The	
			8212	395p	TC 5514P is mould	led in a dual-in-line 18 pin plastic package 0.3	
COOKBOOKS			8214	450p	inch in width.		
TTL Cookbook		£5,70	8216	395p	MEMORIES	UARTS	
Active-Filter Cookbook		£8,97	8224	395p	2114 300 NS	275n	
TV Typewriter Cookbook		£5.97	8228 8251	395p 495p	4116 900 NS	300p AY-5-1013A	325p
CMOS Cookbook		£6.97	8253	495p 1125p	4116 150 NS	395p AY-3-1015D	398p
The Cheap Video Cookbook		£3,75	8255	495p	4315 (4k x 1)	CMOS RAM INIG402 IPL	425p
IC Converter Cookbook		£8.37	8257	1050p	450 NS	995P KEYBOARD ENCODER	
			8259	1325p	6514 (1k x 4)	CIVIOS HAIVI	
IC Op-Amp Cookbook (2nd Edition)		£8.97	MC 144 12VL	797p	450 NS	795p AY-5-2376	795p
			Z80 P10 Z80 CTC	595p 595p	DEVELOPMENT M	ODULE	
MICROCHIPS AT MICRO PRICES			Z80 CTC Z80A P10	695p		0	
			Z80A CTC	695p	2800 DM	1099p Ordering information. Unless otherwise st for orders under £50 add 50p p&p. Add 1	
		SALE	Z80 DMA	1995p	CPU'S	VAT to total (no VAT on books). All dev	
			7004 0114			are brand new, factory prime and full spec	
DIL SWITCHES LOW PROFILE SOCKETS BY TEXAS 4 pole 99p			Z80A DMA	2495p			
DIL SWITCHES LOW PROFILE SOCKETS BY TEXAS 4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p		24 pin 22p	Z80 S10/1	2995p	6502	795p subject to prior sales and availability. Pric	es sub-
DIL SWITCHES LOW PROFILE SOCKETS BY TEXAS 4 pole 99p 6 pole 115p 8 pole 115p 8 pole 140p 14 pin 9p 10 pole 12p 10 pole 12p		24 pin 22p	Z80 S10/1 Z80A S10/0	2995p 3495p	6504	795p ject to change without notice. Minimum t	es sub- telephor
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p			280 S10/1 280A S10/0 280 S10/1	2995p 3495p 2995p	6504 6505	795p ject to change without notice. Minimum t 795p order using ACCESS is £10. If ordering by	es sub- telephor y post
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 18 pin 10p 22 pin 22p		24 pin 22p 28 pin 25p 40 pin 28p	Z80 S10/1 Z80A S10/0 Z80 S10/1 Z80A S10/1	2995p 3495p 2995p 3495p	6504 6505 6800	795p ject to change without notice. Minimum t 795p order using ACCESS is £10. If ordering by with ACCESS, include name, address and written clearly. Please allow 4/6 weeks de	es sub- telephor y post card no
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 16 pin 10p 22 pin 2pin 74LS00 18p 74LS42 56p 74LS138 69p	74LS245	24 pin 22p 28 pin 25p 40 pin 28p 325p	280 S10/1 280A S10/0 280 S10/1 280A S10/1 280A S10/1 280 S10/2	2995p 3495p 2995p 3495p 2995p	6504 6505 6800 6802	 795p ject to change without notice. Minimum t 795p order using ACCESS is £10. If ordering by 695p with ACCESS, include name, address and 995p or broken using a straight or broken using	es sub- telephor y post card no
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 18 pin 10 pole 22 pin 22 pin 74LS00 18p 74LS42 56p 74LS138 69p 74LS01 12p 74LS47 78p 75LS151 75p	74LS245 74LS251	24 pin 22p 28 pin 25p 40 pin 28p 325p 120p	280 \$10/1 280A \$10/0 280 \$10/1 280A \$10/1 280A \$10/1 280 \$10/2 280A \$10/2	2995p 3495p 2995p 3495p	6504 6505 6800	795p ject to change without notice. Minimum t 795p order using ACCESS is £10. If ordering by with ACCESS, include name, address and written clearly. Please allow 4/6 weeks de	es sub- telephor y post card no
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 16 pin 10p 22 pin 2pin 74LS00 18p 74LS42 56p 74LS138 69p 74LS01 12p 74LS47 78p 75LS151 75p 74LS04 15p 74LS48 85p 74LS153 75p	74LS245 74LS251 74LS257	24 pin 22p 28 pin 25p 40 pin 28p 325p 120p 110p	280 \$10/1 280 \$10/0 280 \$10/1 280 \$10/1 280 \$10/2 280 \$10/2 280 \$10/2 CHARACTER	2995p 3495p 2995p 3495p 2995p	6504 6505 6800 6802 808A 8085A 280	795p 795p 950 950 950 950 950 950 950 950 950 950	es sub- telephor y post card no
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 16 pin 10p 22 pin 2pin 2pin 74LS00 12p 74LS42 56p 74LS138 69p 74LS04 12p 74LS43 78p 75LS151 75p 74LS04 15p 74LS48 85p 74LS155 65p 74LS04 15p 74LS49 99p 74LS155 65p	74LS245 74LS251 74LS257 74LS257 74LS290	24 pin 22p 28 pin 25p 40 pin 28p 325p 120p 110p 95p	280 \$10/1 280A \$10/0 280 \$10/1 280A \$10/1 280A \$10/1 280 \$10/2 280A \$10/2	2995p 3495p 2995p 3495p 2995p	6504 6505 6800 6802 808A 8085A 280 280A	795p Ject to change without notice. Minimum T 795p offer using ACCESS is 161.0 if ordering by with ACCESS, include name, address and 995p 955p 995p 995p	es sub- telephon y post card no
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 16 pin 10p 22 pin 22p 74LS00 18p 74LS47 56p 74LS138 69p 74LS04 15p 74LS48 85p 74LS153 75p 74LS08 20p 74LS49 99p 74LS155 65p 74LS01 12p 74LS49 99p 74LS155 65p 74LS01 13p 74LS43 30p 74LS155 65p 74LS01 15p 74LS43 30p 74LS155 65p 74LS01 15p 74LS43 30p 74LS155 65p	74LS245 74LS251 74LS257 74LS290 74LS293	24 pin 22p 28 pin 25p 40 pin 28p 325p 120p 110p 95p 120p	280 S10/1 280 A S10/0 280 S10/1 280 A S10/1 280 A S10/2 280 A S10/2 CHARACTER GENERATOR	2995p 3495p 2995p 3495p 2995p 3495p	6504 6505 6800 6802 808A 8085A 280 280A 280A 280A 28001	795p 795p 995p 995p 995p 995p 995p 995p	es sub- telephon y post card no
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 16 pin 10p 22 pin 22pin 74LS00 12p 74LS42 56p 74LS138 69p 74LS04 15p 74LS48 85p 74LS155 75p 74LS04 15p 74LS48 99p 74LS155 65p 74LS10 19p 74LS73 30p 74LS163 76p 74LS10 13p 74LS73 30p 74LS163 90p 74LS10 13p 74LS74 30p 74LS163 90p	74LS245 74LS251 74LS257 74LS290 74LS293 74LS266	24 pin 28 pin 40 pin 325p 120p 110p 95p 120p 57p	280 S10/1 280A S10/0 280 S10/1 280A S10/1 280A S10/2 280A S10/2 CHARACTER GENERATOR RO-3-2513 UC	2995p 3495p 2995p 3495p 2995p	6504 6505 6800 6802 8085A 280 280A 280A 280A 280A 28001 28002	795p 955p 955p 955p 955p 955p 955p 955p 955p 955p 955p 955p 955p 955p 955p 955p 955p	es sub- telephon y post card no
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 16 pin 10p 22 pin 2p 74LS00 12p 74LS42 56p 74LS151 75p 74LS04 15p 74LS44 85p 74LS155 65p 74LS04 15p 74LS48 95p 74LS155 65p 74LS10 19p 74LS73 30p 74LS163 90p 74LS11 30p 74LS75 39p 74LS163 90p 74LS12 30p 74LS163 30p 74LS163 90p 74LS14 60p 74LS166 39p 74LS168 190p	74LS245 74LS251 74LS257 74LS293 74LS366 74LS373 74LS374	24 pin 22p 28 pin 25p 40 pin 28p 325p 120p 110p 95p 120p 57p 170p, 170p,	280 S10/1 280 A S10/0 280 S10/1 280 A S10/1 280 A S10/2 280 A S10/2 CHARACTER GENERATOR	2995p 3495p 2995p 3495p 2995p 3495p	6504 6505 6800 6802 808A 8085A 280 2800 2800 28001 28001 28002 WD900B	795p 795p 605p 955p 1035p 795p 795p 955p 1035p 955p 955p 955p 955p 955p 955p 955p 9	es sub- telephon y post card no
4 pole 99p 6 pole 115p 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 18 pin 10p 22 pin 22pin 74LS00 18p 74LS42 56p 74LS138 69p 74LS01 12p 74LS47 78p 75LS151 75p 74LS04 15p 74LS48 85p 74LS153 75p 74LS04 15p 74LS49 99p 74LS163 75p 74LS10 19p 74LS74 30p 74LS161 78p 74LS11 30p 74LS74 30p 74LS163 90p 74LS12 30p 74LS76 39p 74LS164 90p 74LS13 30p 74LS76 39p 74LS164 90p 74LS15 38p 74LS164 90p 74LS164 90p 74LS15 38p 74LS164 90p 74LS174	74LS245 74LS251 74LS257 74LS290 74LS293 74LS376 74LS374 74LS375	24 pin 22p 28 pin 25p 40 pin 28p 120p 110p 95p 120p 57p 170p 170p, 170p, 140p	280 S10/1 280A S10/0 280 S10/1 280A S10/1 280A S10/2 280A S10/2 CHARACTER GENERATOR RO-3-2513 UC BIPOLAR PROMS	2995p 3495p 2995p 3495p 2995p 3495p 3495p 450p	6504 6505 6800 6802 808A 8085A 280 2800 2800 28001 28001 28001 28002 WD900B EPROMS	795p 195p	es sub- telephon y post card no
4 pole 99p 6 pole 91p 14 pin 8 pin 9 p 7p 14 pin 9 p 18 pin 20 pin 15p 18 pin 22 pin 15p 22 pin 22 pin 74LS00 18p 74LS42 56p 74LS138 69p 74LS151 75p 74LS01 12p 74LS42 56p 74LS155 75p 74LS04 15p 74LS48 85p 74LS155 65p 74LS04 15p 74LS48 96p 74LS155 65p 74LS10 19p 74LS73 30p 74LS163 90p 74LS11 30p 74LS75 39p 74LS163 90p 74LS12 30p 74LS76 39p 74LS163 90p 74LS14 60p 74LS168 39p 74LS163 90p 74LS15 38p 74LS90 40p 74LS175 99p 74LS15 19p 74LS107 40p 74LS175 99p	74LS245 74LS257 74LS257 74LS290 74LS293 74LS376 74LS373 74LS375 74LS375 74LS377	24 pin 28 pin 40 pin 325p 120p 110p 95p 120p 57p 170p, 170p, 140p 188p	280 S10/1 280A S10/0 280 S10/1 280A S10/1 280 S10/2 280A S10/2 CHARACTER GENERATOR RO-3-2513 UC BIPOLAR PROMS 93448 512 x 8 40 NS	2995p 3495p 2995p 3495p 2995p 3495p 3495p	6504 6505 6800 6802 808A 280 280 2800 2800 28001 28001 28001 28002 WD900B EPROMS 1702A	 795p ject to change without notice. Minimum 1 795p reder using ACCESS is 161.01 rodering by with ACCESS, include name, address and post of the second secon	es sub- telephon y post card no
4 pole 99p 6 pole 915p 14 pin 8 pin 7p 14 pin 18 pin 15p 9 p 20 pin 18 pin 15p 9 p 20 pin 18 pin 19p 22 pin 22pin	74LS245 74LS251 74LS257 74LS290 74LS293 74LS366 74LS373 74LS374 74LS377 74LS377	24 pin 28 pin 25p 40 pin 25p 25p 25p 120p 120p 120p 57p 120p 57p 120p 1370 170p 1370 170p 1370 170p 1370 170p 1370	280 \$10/1 280 \$10/0 280 \$10/1 280 \$10/1 280 \$10/1 280 \$10/2 280A \$10/2 CHARACTER GENERATOR RO-3-2513 UC BIPOLAR PROMS 93448 \$12 x 8 40 NS 93453 1k x 4 40 NS	2995p 3495p 2995p 3495p 2995p 3495p 3495p 450p p.o.a. p.o.a.	6504 6505 6800 6802 8085A 2800 28001 28001 28002 WD900B EPROMS 1702A 2706 SV 450 NS 2716 5V 450 NS	 795p ject to change without notice. Minimum 1 795p 795p 795p 795p 705p <li< td=""><td>es sub- telephon y post card no</td></li<>	es sub- telephon y post card no
4 pole 99p 6 pole 8 pin 7p 18 pin 15p 8 pole 140p 14 pin 9p 20 pin 18p 10 pole 175p 16 pin 16 pin 9p 20 pin 18p 74LS00 12p 74LS42 56p 74LS138 69p 74LS04 12p 74LS47 78p 75LS151 75p 74LS04 15p 74LS48 85p 74LS155 65p 74LS04 15p 74LS48 90p 74LS155 65p 74LS11 30p 74LS73 30p 74LS163 90p 74LS12 30p 74LS163 90p 74LS163 90p 74LS14 60p 74LS163 30p 74LS164 90p 74LS14 60p 74LS166 39p 74LS164 90p 74LS14 60p 74LS166 30p 74LS164 90p 74LS15 38p 74LS107 40p 74LS174 99p <td>74LS245 74LS257 74LS257 74LS290 74LS293 74LS376 74LS373 74LS375 74LS375 74LS377</td> <td>24 pin 28 pin 40 pin 325p 120p 110p 95p 120p 57p 170p, 170p, 140p 188p</td> <td>280 \$10/1 280 \$10/0 280 \$10/1 280 \$10/1 280 \$10/1 280 \$10/2 280A \$10/2 CHARACTER GENERATOR RO-3-2513 UC BIPOLAR PROMS 93448 \$12 x 8 40 NS 93453 1k x 4 40 NS</td> <td>2995p 3495p 2995p 3495p 2995p 3495p 3495p</td> <td>6504 6505 6800 6802 808A 280 280 2800 2800 28001 28001 28001 28002 WD900B EPROMS 1702A</td> <td> 795p ject to change without notice. Minimum 1 795p 795p 795p 795p 705p <li< td=""><td>es sub- telephon y post card no</td></li<></td>	74LS245 74LS257 74LS257 74LS290 74LS293 74LS376 74LS373 74LS375 74LS375 74LS377	24 pin 28 pin 40 pin 325p 120p 110p 95p 120p 57p 170p, 170p, 140p 188p	280 \$10/1 280 \$10/0 280 \$10/1 280 \$10/1 280 \$10/1 280 \$10/2 280A \$10/2 CHARACTER GENERATOR RO-3-2513 UC BIPOLAR PROMS 93448 \$12 x 8 40 NS 93453 1k x 4 40 NS	2995p 3495p 2995p 3495p 2995p 3495p 3495p	6504 6505 6800 6802 808A 280 280 2800 2800 28001 28001 28001 28002 WD900B EPROMS 1702A	 795p ject to change without notice. Minimum 1 795p 795p 795p 795p 705p <li< td=""><td>es sub- telephon y post card no</td></li<>	es sub- telephon y post card no

PCW 145



We all know that a computer system is only as good as the software and that much of the applications software hitherto available has proved to be the weak link. Written in Microsoft basic for use with CP/M based hardware, Interface Software is probably the most comprehensive and robust application software currently available, which really will transform your microcomputer into an effective problem solving tool.

Applications Software

- Nominal Ledger
- Sales Ledger
- Purchase Ledger
- Payroll
- Incomplete Records
- Word Processing (Wordstar)
- Mailing Address

Etc.,

Systems Software

- CP/M
- MP/M
- MBasic 5.0 (CP/M) Interpreter/ Compiler
- CBasic (II) Interpreter/Compiler
 Fortron 80 Compiler
- Cobol 80 Interpreter/Compiler
- Pascal 8 (UCDS) Interpreter
- Z80 Macro Assembler

Recommended by Logitek for the ALTOS microcomputer and Rostronics for the Micromation but of course suitable for any CP/M based machine.

For more details contact Jim Reid or Sue Archer at:-

DEALER ENQUIRIES WELCOME.



INTERFACE SOFTWARE LIMITED, 100, PARK STREET, CAMBERLEY, SURREY. Telephone (0276) 27982.

WE CHOSE THE VIDEO G

Being a long-standing software house specialising in the Tandy TRS-80 we decided to market the hardware for our programs. The Video Genie fitted the bill admirably it does all the TRS-80 does at a fraction of the cost with the extra advantage of a reliable cassette system.

It has full 16K user RAM 12K Microsoft Basic in ROM. Has a self-contained cassette system and simply plugs into your television or monitor.

THE VIDEO GENIE SYSTEM

Including User Manual Video Lead and Second Cassette Lead PLUS Basic Manual PLUS Beginners Programming Manual PLUS Four Kansas Programs PLUS Four Blank Tapes

At only £364 it's got to be Britain's Best Buy in

personal computers! (absolutely nothing extra to pay)

AND REMEMBER - ONLY KANSAS TRS-80 ARE GUARANTEED TO RUN ON THE VIDEO GENIE

SEE IT IN ACTION AT OUR STAND AT THE PCW SHOW STAND B6

AUTHORISED DEALERS



COMPLETE COMPUTER SYSTEMS

BUY — FROM CCS Microsales

APPLE

- The Apple is great in a business environment, with our commercial systems software.
- An Apple based Word Processing System is available for only £1990, including software.
- · File management/database systems available.
- For the technically minded there are CCS boards, including Arithmetic Processor, ROM, IEEE 488 interface, Synchronous and Asynchronous Serial Interface, and an A-D converter.
- * 18 months guarantee included

SOFTWARE FOR APPLE/PET

- Data Manager modular data handling systems for incorporating in your programs.
- \cdot *5 Piles handled simultaneously up to *500 character records up to *100 fields
- * can be expanded or reduced. • Minimum modules required are
- DEFINE FILE, READFILE, DESCRIPTION, FETCH A RECORD £40.00 (on disc)
- Other modules available are DISPLAY, EDIT, UPDATE & PRINTOUT each £10.

COMMODORE

- · 8K with original keyboard now only £375.
- New keyboard PETS available on all sizes, (8K £399, 16K £499 & 32K T.B.A.).
- PET dual disc (340K) or Compu/Think dual disc (800K) available (3040 disc £649). Also PET printer.

HIRE — FROM CCS Microhire

- · The leading microcomputer hire company.
- Available are: Apple, PET, Exidy Socerer, Seed System One/ MSI 6800, NASCOM/MICROS, and the Tandy TRS 80.
- · Peripherals also available, and software!
- \cdot New monthly rates £79 to £99 per month (8K to 48K).

CCS Microsales

WE HAVE RELOCATED! Visit or contact us at our new showroom

and CCS Microhire


7 The Arcade Letchworth Herts Tel No. (04626)-73301 Telex 261507 (Ref 3244)

Mini~Digital Cassette Recorder An alternative to disc for program & data storage

FEATURES

- The Philips MDCR 220 mechanism of proven reliability
- Holds up to 120k Bytes/Cassette with fast data transfer
- Extra memory board with RAM and ROM to hold operating software
- Will read & write (in blocks from 256 bytes to 60k Bytes), backspace & search for end of data on tape
- Compatible with 6502 based systems ie PET, AIM65, OHIO, KIM, COMPUKIT ETC.





PRICES (INCLUDING MANUAL)	
MINI RECORDER MECHANISM	£95.00
INTERFACING BOARD (TYPEA)	£42.50
MEMORY BOARD (WITH ROMS FOR 6502)	£55.00
CASSETTES (BOX OF6)	£15.90
MANUALS (SEPARATE)	£10.00
CARRIAGE	£2.25
PRICES EXCLUSIVE OF VAT @ 15%	

New and exciting Applesoft programs



by R. Wagner


THE CORRESPONDENT is sure to be one of the most versatile programs in your library! It can be used as:

A Text Processor: Upper/lower case, 1-80 cols. (4-way scrolling). Text move/copy/insert/delete, tabbing, justify text, auto-centering and more!

A Database (with or without printer!) Extremely fast find routine and easy editing make it a natural for free-form data files. Create and fill out forms, access phone lists or index your magazines.

A Programming Utility: (printer or not). Examine, edit, transfer random or sequential text files. Create versatile exec. files. Even put bidirectional scrolling in your own programs!

Apple disk £29.95 + VAT



by R. Wagner

At last a program which allows you to draw colour pictures in lo-res graphics, and then permanently link them to your own Integer or Applesoft programs. Linked pictures can be displayed on either text/graphics page. (Integer basic).

Apple disk £14.95 + VAT

Apple-Doc By Roger Wagner An Aid to the Development and **Documentation of Applesoft Programs**

This 3 program set is a must to anyone writing or using programs in Applesoft! It not only provides valuable info. on each of your programs, but allows you to change any element throughout the listing almost as easily as you would change a single line!!

With Apple-Doc you can produce a list of every variable in your program and the lines each is used on, each line called by a GOTO, GOSUB, etc., in fact, every occurance of almost anything! You can rename variables, change constants and referenced line numbers or do local or global replacement editing on your listing. Apple-Doc is a must for the serious Applesoft programmer. Diskette complete with full documentation £24.95 + VAT



An exciting new addition to your Pascal library – enables you to create 3D graphics, viewable from any angle and distance. As easy to use as Turtlegraphics. Procedures include Ortho, Perspec, Rotate, View, Move to -3, View-from. Complete with comprehensive instructions £49.95 + VAT

Animations & Simulations OA. Rowe

A teaching aid, used to illustrate algebra and statistics. Makes full use of the Apple's high resolution graphics. Apple disk £29.95 + VAT


Plus a complete range of "off the shelf" programs for finance, commercial, scientific and education.

Keep yourself up to date, send for our "Fact Sheets" giving full program details



PRINTER SUPERMARKET

COMPLETE SYSTEMS



60 CHARACTERS PER SECOND RICOH RP-1600 THE FASTEST DAISY WHEEL PRINTER, £1320

FAST, heavy duty commercial DAISY WHEEL printer, with high quality printout, coupled with low noise necessary fo office environment. Nationwide service by NEXOS. 90 day

orlice environment, Nationwide service by NEXOS. 90 day warranty provided at your premises. 124 char: upper/lower case. * 10/12 chars: per inch giving 126 or 163 columns. * 15 inch wide frintion platen. * /reverse Top of the form, BOLDING, underline, and host of other features. * Centronics type parallel interface as standard. options: serial interface 60 * PET interface 65 * APPLE interface 75.



OKI MICROLINE 80/132. THE QUIET PRINTER YOU CAN LIVE WITH £495

THE QUITIEST DOT MATRIX AVAILABLE. 40, 80, OR 132 COLS PER LINE * EXCELLENT PRINT QUALITY * 3 WAY PAPER HANDLING: LETTERHEADS, FANFOLD, OR PAPER ROLLS * GRAPHICS * IDEAL FOR SOFTWARE WRITTEN FOR LARGE 132 COL PRINTERS * CONTINUOUS RATING PRINTING DAY IN AND DAY OUT * CENTRONICS PARALLEL STANDARD, OPTIONS: RS-232, PET, APPLE. DEAL EP ENQUIPIES INVITED DEALER ENQUIRIES INVITED

NEW MAXI ANADEX WITH GRAPHICS £895

Takes up to 13.5 inch wide paper * Upper/lower case with decenders * £ sign * 132 or 175 chrs/line with double width printing * Fast 150 CPS bidirectional logic seeking printing Heavy duty print head giving 650 million chrs print life * serial, Parallel and Current Loop interfaces built in * Host of other features found on printers costing twice as much

EPSON TX-80 £395



EPSON

PRINTS 80 COLUMNS ON PLA RAPER AT 90 CHARACTERS/ SECOND. ADJUSTABLE TRACTOR • UPPER/LOWER CASE • DOUBLE WIDTH PRINTING • MICRO CONTROLLED • SELF TEST • HEAVY DUTY PRINT HEAD USING EWELL PEADINGS FO HEAVY DUTY PRINT HEAD USING JEWELL BEARINGS FOR LONG LIFE • MADE BY SHINSHU SEIKI AN AFFILIATE OF SEIKO WATCH CO OF JAPAN. INTERFACE: CENTRONICS PARALLEL, OFTIONE OFT AND SAND



OPTIONS: PET, APPLE, AND ANADEX DP-8000 NEW LOW PRICE £475

SERIAL.

DOT-MATRIX PRINTER PET GRAPHICS.

PRINTS 80 COLUMNS ON PLAIN

FAST 112 CHARACTERS PER SECOND + BOTH RS-232, AND CENTRONICS PARALLEL INTERFACES BUILT IN + UPPER/ LOWER CASE WITH £ SIGN



NEW TRS-80 MODEL 1 48K SYSTEM WITH DUAL DISC DRIVES. £1250 NEW GREENSCREEN VDU, WITH ROCK STEADY DISPLAY, REDESIGNED 32K EXPANSION INTRFACE WITH TROUBLE FREE DISC OPERATION, TWO 40 TRACK TEAC DISC DRIVES, COMPLETE WITH CABLES. TRIDATA SALES, PURCHASE, INVOICING, PAYROLL PACKAGES AVAILABLE. WITH DESK AND EPSON PRINTER £1750

NEW SUPER BRAIN DUEL DENSITY £1875/QUAD



NOW WITH CP/M 2.2, & NOW WITH CP/M 2.2, & INCREASED DISC STORAGE. TWIN 280-A 1MHZ * 2 DISC DRIVES, DUAL DENSITY 320 K QUAD DENSITY 700 K STORAGE 64 K RAM * HIGH RESOLUTION 12 INCH CRT. 80 x 24 LINES UPPER/LOWER CASE * 2 RS-232 PEINTEP PAPES - 2 CPM 23 PRINTER PORTS * CPM 2.2 OPERATING SYSTEM * MBASIC, COBOL, FORTRAN, PASCAL, WORD PROCESSING & ACCOUNTS PACKAGES AVAILABLE DEALER ENQUIRIES INVITED

DENSITY £2250

TRS-80 MODEL £1999



STATE OF THE ART SECOND GENERATION COMPUTER. OVER 10,000 ALREADY SOLD IN USA, 8 SLOT BUS ENSURES EXPANSION OF HARD DISCS & OTHER PERIPHERALS., 76 Key professional keyboard, self test on POWER UP. TRSDOS & LEVEL III BASIC STANDARD. CP/M AVA1LABLE AS OPTION, making a wide range of accounting, educational, scientific & word processing packages instantly

NATIONWIDE SERVICE THROUGH 180 TANDY STORES & COMPUTER CENTRES

LOW COST WORD PROCESSOR I

BASED ON TRS-80 LEVEL 2 16K, CASSETTE RECORDER, ELECTRIC PENCIL SOFTWARE, UPPER/LOWER CASE MOD, PRINTER INTERFACE AND OKI DOT MATRIX PRINTER. COMPLETE READY TO GO £1095. FREE

MAILING LIST PROGRAM. WORD PROCESSOR II SAME AS ABOVE BUT WITH 48K, 2 DISC DRIVES AND RICOH DAISY WHEEL PRINTER £2575

WORD PROCESSOR III

BASED ON SUPERBRAIN COMPUTER SHOWN ABOVE. WITH RICOH PRINTER & "MAGIC WAND" THE ULTIMATE IN WORD PROCESSING. LETTERS AUTOMATICALLY FORMATTED WITH ADDRESSES FETCHED FROM SEPARATE FILE. COMPLETE SYSTEM £3395 INVOICING, STOCKCONTROL, SALES LEDGER, PURCHASE LEDGER, PAYROLL AVAILABLE FOR ABOVE COMPUTERS. FROM £750 PER PACKAGE FROM £250 PER PACKAGE


PRICES QUOTED ABOVE DO NOT INCLUDE VAT. PHONE OR CALL FOR FURTHER DETAILS OR DEMONSTRATIONS.

LONDON COMPUTER CENTRE LIMITED 43, GRAFTON WAY, OFF TOTTENHAM COURT ROAD, LONDON W1 TEL: 01-388 5721 OPENING HRS: 11-7 MON-FRI, 12-4 SATS.

> MICRO SYS LTD **58 HIGH STREET** PRESCOTT MERSEYSIDE TEL: 051 426 7271

NOTHERN DEALERS

HORIZON SOFTWARE LTD REGENT HOUSE **16 WEST WALK** LEICESTER LE1 7NG TEL: 0533 556550





SIRTON COMPUTERS

76 Godstone Road, Kenley (Nr Croydon) Surrey CR2 5AA Tel: 01-668 0761/2

MIDAS S100 SYSTEMS

MIDAS 1 : From £750 MIDAS 2 : From £1580 MIDAS 3 : From £2150 MIDAS 4 : From £5900



ITHACA-DPS 1 : From £1075

- Our versatile Z80 Microcomputers are available as standard units or custom configured to your exact specification from a comprehensive range of stocked S100 boards.
- Disc storage capacity of the MIDAS 3 can be 2M Bytes, expandable to over 20M Bytes with a Winchester Hard Disc Unit in our MIDAS 4 range.
- MIDAS runs CP/M and MP/M is also available. Other Software includes M-BASIC, C-BASIC, FORTRAN, COBOL, CIS-COBOL, PASCAL and Word Processing.
- A MIDAS 3, with 64K RAM and 2M Bytes storage on two 8" drives with two Serial I/O Ports and CP/M 2 only £2600.
- Printers, VDUs and other peripherals stocked to give complete package systems at keen prices.
- Business Packages include Accounts, Stock Control, Purchase Ledger etc etc.

Boards stocked from Ithaca, Godbout, SSM, S D Systems, Vector, Micromation Mullen, Mountain Hardware, Hi-Tech, Video Vector, Pickles & Trout, Central Data, Cromemco, Thinker Toys – Send for full Price List (many available in kit form).

PROCESSOR		RAM	
Z80 Starter Kit	£188	Dynamic RAM 16K – 64K	from £205
SBC100	£208	Static RAM 8K – 64K	from £95
SBC200	£237	Memory Manager	£52
Z80 CPU's4 MHz	from £130		
		1/0	
EPROM		2S/4P prov 4K RAM/4K ROM	£169
2708 EPROM (16K)	£60	2S/2P or 2S/4P or	
	£134	3P/1S or 4S/2P	from £135
2708/2716 Programmers from	L134	Analogue 8 or 12 bit	from £287
		Optically isolated I/O	£114
VIDEO		IEEE 488 Interface	£350
16 lines, 32/64 ch	from £104		
24 Lines, 84 ch	from £265	MISCELLANEOUS	
		Real Time Clock	£180
DISC CONTROL LEDS		High Dens Graph/8K RAM	£333
DISC CONTROLLERS		Hi-Tech Colour	£295
Versafloppy S/D	£198	Motherboards – various from	£34
Doubler D/D	£280	Extender Board/logic probe	£39
		Maths Board AMD 9511	£330

SOFTWARE


CP/M 1 & 2, MP/M, PL/1, C-BASIC 2, M-BASIC V5, XYBASIC, FORTRAN 80, COBOL 80, CIS-COBAL, PASCAL/Z, PASCAL (UCSD), PASCAL M/T, Forth, MAC, ZSID, Disassembler, Wordstar, Datastar, Magic Wand, Wordmaster, Supersort etc etc.



GHROMASONIG electronics



56 FORTIS GREEN ROAD MUSWELL HILL LONDON N10 3HN TELEPHONE 01-883 3705 01-883 2289



PROGRAMMER SW1

Commercial experience unnecessary. Sound knowledge of BASIC essential.

Do you gain satisfaction from writing elegant, reliable programs which utilise system resources efficiently?

Do you want to become a member of a small growing team developing application programs within a progressive professional firm?

We have Hewlett Packard 3000 Series III and HP2000 Access systems. running on BASIC in interpretive and compiled forms, with 180 megabytes of

online storage and 20 user terminals. We can offer challenging programming fare, principally evolving new applications and extensions for our real-time database.

Please apply in writing to C. W. Jonas FRICS

Chartered Surveyors 16 Suffolk Street London SW1Y 4HQ 01-930 9731

ACT 808 inc dual disk drive Sharp MZ-80K £480.00 plus VAT £675.75 plus VAT £607.00 plus VAT We'll give you more than a good deal

iving Computers

ITT 20/20 16K

Under one roof in London's West End you can find:

HARDWARE:

A comprehensive range of hardware to meet most applications and budgets. with terms to suit you.

Commodore PET 32K

SOFTWARE:

Probably the widest range of off-theshelf software in the UK. Try out the packages and choose the one that suits you.

CONSULTANCY SERVICES:

To apply micro computer systems to business, education or the home, make an appointment with our trained professionals for friendly advice based on extensive experience of discussing problems with many others like you.

MAINTENANCE AND REPAIR CLUB: that guarantees microcomputer users minimum downtime at very attractive premiums.

REFERENCE MATERIAL: A library of publications covering all

£3950.00 plus VAT

aspects of the microcomputer world, including back issues of this and other important periodicals.

DEMONSTRATIONS:

Regular, free demonstrations of business software - phone for details, times etc.

LION MICROCOMPUTER CENTRE

is the single source to meet all your requirements. The above prices do not apply to account sales.



LION MICRO-COMPUTERS

Small Computers - to make your business bigger Lion Computer Shops Ltd., Lion House, 227 Tottenham Court Road

London W1 (First Floor) Telephone 01-637 1601 Telex 28394 Lion G.

Open 9 to 6, Monday to Saturday (Thursday to 7)



SUPERBRAIN[™]



System Specification

- * Dual 4MHz Z-80 C.P.U.s
- * Dual double-density mini-floppies (320K bytes)
- * Dynamically focused 12 inch CRT
- * 25 lines by 80 characters 8 x 8 in 8 x 12 field

- * Full ASCII keyboard
- * S-100 Bus via direct connection
- * Dual synchronous/ asynchronous RS 232 ports
- * CP/M^(tm) operating system
- * Single desk top unit

SOFTWARE SUPPORT

- Wide range of standard software (FORTRAN, COBOL, BASIC, APL, Pascal). Sales Order processing, invoicing, sales ledger, purchase ledger, nominal ledger, payroll, Word Star (word processing).
- 90 day warranty
 - One year maintenance £155.00
 - Full client support

SUPERBRAIN[™] is the registered trademark of Intertec Data Systems.

£1495


COMPLETE (+ VAT)

* OUR PRICE IS THE R.R.P.

K.G.B. MICROS LTD. 88 HIGH STREET

SLOUGH, BERKSHIRE

TEL. SLOUGH 38581



SOFTY is intended for the development of programs which will eventually become software residing in ROM and forming part of a microsystem. During the development stage of a microsystem, SOFTY will be connected in place of the firmware ROM via a ribbon cable, terminated in a 24 pin DIL plug. Data may be entered into the SOFTY RAM via the serial port, parallel port, direct memory access, or the keypad, and manipulated using the assembler key-functions. When the program has been entered, and the internal microprocessor can be 'turned off', and the external microsystem and it's resident microprocessor can be 'turned off', and the external microsystem and it's resident microprocessor can be 'turned off', and the external microsystem and it's resident programming socket. In this way, modification can be made until the required program is complete — the contents of the RAM being clearly visible as a 'page' on TV or monitor. 4 pages are available, 2 of the Data RAM and 2 of the program is socket.

on TV or monitor. 4 pages are available, 2 of the Data RAM and 2 of the programming socket. In the end, when the program is complete and working, the DIL plus is removed and replaced by an EPROM device programmed by SOFTY. SOFTY is able to program the 2704/2708/2716 family which have 3 voltage rails – To help in the process of program development SOFTY has various assembler key-functions, which include – block shift without overwriting, block store, cursor control, match byte and displacement calculations (for jumps etc). A high speed cassette interface is also provided for storing working programs and useful subroutines. and useful subroutines.

SOFTY Kit-of-parts: (including zero insertion force socket for EPROM programmer) Price £115 (inc VAT, p&p). SOFTY built and tested — £138:00 (inc VAT, p&p). Built SOFTY power supply — £23:00 (inc VAT, p&p). Write or telephone for full details.

NEW

SOFTY CONVERSION CARD – EX-STOCK Enables SOFTY to program the single rail EPROMs 2508, 2758, 2516, (INTEL Enables SO 2716), 2532

FX-STOCK

Selection of device type and 1K block are by 4 way pcb slide switches. Programming socket is zero insertion force. Supplied ready built & tested with Dip jumper for connection to SOFTY. £46:00 (inc VAT, p&p).

NEW

SOFTY PRINTER CARD

SUP IT PRINTER CARD – EX-STOCC
 40 column electrosensitive printer 5 × 7 dot matrix
 software selection of characters per line (1 to 16 bytes)
 push button printing of EPROM/RAM/Intercursor contents
 Connects to SOFTY card edge • Well documented • Supplied ready built &
 tested, including power supply, edge connector & paper roll for £166:75 (inv VAT,
 p&p) Spare paper rolls (28-30metres/roll). Four rolls for £8.00 (inc VAT, p&p).



NASCOM 1 and 2 16384 BYTES for UNDER £100! 32768 BYTES for UNDER £140!

UK 101 SUPERBOARD 23807 BYTES FREE!

SMART MEMORY EXPANSION

Send SAE for more details to: Mike Dennis Associates, Blackberries, Sherriffs Lench, Evesham, Worcs,

WR11 5SR. Tel: Evesham (0386) 870841

INTEGRATED SMALL BUSINESS SOFTWARE ISBS

Professional Business Packages for Microcomputer systems include:

- PAYROLL
- STOCK CONTROL
- **ORDER ENTRY & INVOICING**
- **COMPANY SALES**
- COMPANY PURCHASES
- **GENERAL ACCOUNTING**
- **NAME & ADDRESS SYSTEM**

Available as individual modules or complete system to run on RAIR BLACK BOX, NORTHSTAR, HEATH, CROMEMCO, DYNABYTE, IMS 5000/8000, ALTOS, ALTAIR, SUPERBRAIN, MICROMATION and most other 8080 based systems.

Contact Lifeboat Associates, 32 Neal Street, London WC2 or your nearest dealer.

GRAFFERM 52 SHAFTESBURY AVENUE SYSTEMS GROUP LONDON W1 01-734 8862

VERY SPECIAL GAMES

NEW from PREMIER PUBLICATIONS, the leaders in exciting, original computer games:

AIR TRAFFIC CONTROL

Play under pressure to keep up to twelve planes from colliding in the crowded airways. Twenty levels of play.

CHALLENGE!

Beat the clock to find the odd man out. Almost infinite levels of play, and the better you do the harder it gets!

SCRAMBLER

Unscramble the letters to find the hidden word. Educational and highly entertaining.

TIME-MAZE

THE maze game. Beat the clock by navigating and blasting your way through a devilishly devious maze. Succeed, and your next game's even harder.

FOUR VERY SPECIAL GAMES AT A VERY SPECIAL PRICE!

Sold individually, these games could cost you $\pm 5 - \pm 8$ each. But to introduce you to the PREMIER software range, we're offering all four for only ± 9.95 .

AVAILABLE NOW

for TRS 80 (Level 2) VIDEO GENIE, UK 101 (8k) and SUPERBOARD (8k).

ORDER NOW!

And we'll also send you a bonus voucher worth £2 off your next PREMIER software pack. Just send cheque/PO for £9.95 plus 50p p&p (total £10.45), quoting product reference GPA, to:

PREMIER PUBLICATIONS, 12 Kingscote Road, Addiscombe, Croydon. 01-656 6156

10 day money-back Guarantee of Satisfaction. (Over 80,000 programs sold to date)





MICROSOLVE COMPUTER SERVICES LTD 3rd Floor (rear), MIDDLESEX HOUSE, 29-45 High Street, EDGWARE, Middlesex. (exit 4 M1/20 mins. West End). (prices ex. VAT)

01-951 0218/9/0

We cover a full range of equipment including the APPLE-II (from £695/16K); the MICROSTAR multi-user system (from £4,950) and the powerful ALPHA MICRO which will run 1 to 22 terminals – the most cost effective system available today.

WE OFFER A COMPLETE SERVICE which encompasses advice, systems design, sale and installation of computer and peripherals, as well as tailor-made software, where necessary. There are fully documented ACCOUNTING and WORD PROCESSING PACKAGES etc., for Accountants, Solicitors, Manufacturers, Retailers, Medical Practitioners in fact all business applications.

ALSO in stock are PRINTERS, VDUs, CONTINUOUS STATIONERY, DISKETTES, DISK BOXES, all from the best names in the computer world – TEXAS, LEAR SEIGLER, TALLY, QUME, PAPER TIGER etc.

So if you either wish to buy a computer to program yourself or take advantage of our service TELEPHONE NOW FOR AN APPOINTMENT.

ROSOLVEMICROSOLV



BASE 2 M800 STM (FRICTION & TRACTOR) £390

TI 99/4 HOME COMPUTER


WITH COLOUR TV £860

NORTH STAR HORIZON II £1400 TECHNICAL BACKUP FROM MAPCON ENGINEERS

PRICES ARE EXCLUDING VAT

INTELLIGENT ARTEFACTS LTD Cambridge Road, Orwell, Royston, Herts Telephone: Arrington 689

THE SHARP MZ-80 COMPUTER SYSTEM



As one of Sharp's largest systems dealers we supply complete MZ-80 systems including FLOPPY DISCS and PRINTERS. We have considerable experience in implementing SALES, PURCHASE and NOMINAL LEDGERS, PAYROLL, STOCK CONTROL, FOREIGN EXCHANGE and FINANCIAL PROGRAMMES.

Contact us now for details on 01-247 8506.

Stone House, Houndsditch Entrance 128-140 Bishopsgate London EC 2M 4HX

GATE MICROSYSTEMS LIMITED



Scotland's Complete Microcomputer Service

now supply and support:

HARDWARE: Apple II Systems and Peripherals Commodore Business Systems A wide range of VDUs, printers, etc. SOFTWARE: Incomplete Records Accounting Sales Ledger Purchase Ledger Nominal Ledger Stock Control Payroll Word Processing Database

TEL: (0382) 28194.

Software can be tailored to your requirements or written completely to your specifications.

Our service is comprehensive, ranging from advice on system selection through installation and implementation, to operator training and comprehensive Hardware and Software maintenance.

You don't have to take our word for it. Call us and arrange a demonstration. GATE MICROSYSTEMS LTD., THE NETHERGATE CENTRE, 66 NETHERGATE, DUNDEE.

Write better programs for your pet using THE PET SUBROUTINE LIBRARY

Containing a collection of useful subroutines, some in machine code, for readers to incorporate into their own programs.

Input/output routines incorporating error checking and validation — high density graphs and barplots — date input and validation — high speed machine code array sort (100 element array of any variable name sorted in a few seconds) — search routines — linked lists — utility programs — check digits double density graphics — random access files — large sequential file sort — disk file access by machine code — program chaining and menus — disk file utilities and displays — plus many others.

Price book only £10.00 or Book plus 3040 format diskette of all subroutines £20.00



Best selling reference book for the PET. Price £10.00

Cheques payable to Computabits Ltd

MODORE DE

COMPUTABITS LTD, P.O. BOX 13, YEOVIL, SOMERSET. Tel Yeovil 26522





What will you do with 12-year-old programmers when they reach 16?

Any microcomputer is a major investment for an educational establishment. Many potential users feel that a BASIC only computer is ample for their needs. That may be fine today, but with computer education starting so early you may in a surprisingly short time find you want more than current implementations of BASIC.

The 380Z is a computer that can grow to match your needs.

In the design of the 380Z our target user is the graduate research scientist. This ensures that the expandability and versatility needed tomorrow has been provided for in the computer you buy now. approach will allow your students to advance.

380Z BASIC is not frozen in ROM. An enhanced BASIC could be loaded in mid 1980 and a BASIC with structured features sometime later.

On the 380Z the memory used by a BASIC interpreter can also be used for other software.

Does our research-oriented design pay off in classroom hardware?

Our scientific graphics was produced for the professional user. Interest in it for classroom use has been surprising.

The 380Z has the best graphics now available on a microcomputer,



Might you want to add disc storage in the next few years? If you do:

Given good hardware, software availability completely determines the flexibility and usefulness of your system. There is absolutely no question that a Z80 based micro-computer which uses the industry-standard CP/M* disk operating system has several times more software on the market available to it than non CP/M computers.

Today you can purchase a mature CP/M BASIC, FORTRAN, COBOL or Text Processor for the 380Z. Soon there will be CP/M Pascal and Database Management systems.

CP/M software is several years ahead of software available for non CP/M family machines.


If you don't:

Remember that professionals writing packages for your cassette system will themselves often use a disk 380Z, and the power of their tools will influence what they produce.

For many people a disk machine is too expensive – but at least the 380Z

allowing multiple resolutions, multiple paging, fading and accurate control over colour. All these features help bring excitement to efforts in computer assisted learning.

Our standard machine comes with low resolution graphics and support for this from BASIC allows you to plot a point directly with a plot command– useful for training and teaching.



It is worth remembering too that neither our low resolution graphics nor our optional scientific (high resolution) graphics has any limiting effect on your memory usage, and in both you can



freely mix upper and lower case text and diagrams.

Mains noise can cause system crashes which result in loss of programs and data. All current 380Zs include a mains filter which significantly reduces the chances of this happening.

Don't buy a 380Z on patriotic grounds.

Please only buy it if you would have bought it anyway. But remember, because it is designed and manufactured here you are bound to have better access to us for influence and help than if we were on the other side of an ocean.

Prices range from a 16K cassette 380Z @£897 to a 56K Dual Full Floppy Disk 380Z @£3322.

LOWER COSTS


Three things have happened which make it easier to buy a 380Z. ONE: From 1st November 1979 most prices have been reduced. TWO: Schools and some colleges can now get a 5% discount on computer orders.

THREE: A new Local Authority quantity discount scheme has been introduced to make it easier for more users to benefit from quantity purchasing. Please contact the Sales Office for

details.

RESEARCH MACHINES

RESEARCH MACHINES Ltd, PO. Box 75, Mill Street, Oxford, England. Telephone: Oxford (0865) 49791/2/3. Please send for full sales information. Prices do not include shipping costs or VAT @15%: *Trademark, Digital Research.



gazines. Barclaycard and leasing ava		30 Lake Street, Leighton Buzzard, Bedford
	ACORN	Tel: (0525) 376600 24 hour Answering Se
		THE VIDEO GENIE
	A complete range of single	SYSTEM EG 3003
	boards and accessories	diaminutenen seiner allen ter
	available.	
(Copplet)	and the second	
	System 1 Kit £65.00	
	System 1 Assembled and tested 79.00	
	System 2 Kit 285.00 System 2 Assembled and tested 320.00	
	System 2 Assembled and tested 320.00 System 3 Kit 670.00	At last, value for money
	System 3 Assembled and tested 735.00	in microcomputers.
SOFTWARE		£425 incl VAT
Computech Purchase Ledger 295.00 Computech Sales Ledger 295.00		
Computech General Ledger 295.00	EPSON	*16k User RAM plus 12k Microsoft BASIC in *Fully TRS 80 level II software compatible
Computech Payroll 375.00 Computech Utilities 20.00	EFJUN	*Huge range of software already available
Plus Software from Databank	PRINTERS	*Self contained, cassette, PSU & UHF modulat
and many more.		*Simply plugs into video monitor or UHF TV *Full expansion capability for disks & printer
Apple 16K Video Output £695.00		
Disc Drive with Controller 349.00 Disc Drive w/o Controller 299.00	1 A A A A A A A A A A A A A A A A A A A	
Pascal Language system 299.00		L.S. CHIP PRICES
Integer Card 116.00 Eurocolour Card 79.00		
		74LS02 0-22
PERIPHERALS		74LS08 0-22
PRINTERS		74LS10 0-22 74LS32 0-30
Texas Instruments Omni 8		74LS32 0-30 74LS74 0-50
810 Printer £1450.00		74LS86 0-45
Paper Tiger Printer with Graphics 598.00	The TX-80 offers:	74LS93 0-85
MONITORS	- 96 Ascii char, set and Pet	74LS100 0-20 74LS132 1-15
VM129 Hitachi 12" B&W	- 80 col 150/125 char/sec	74LS132 1-15 74LS138 1-05
Video Monitor 187.00	 Condensed line, Enhanced print 	74LS175 1-00
VM910 Hitachi 9" B&W	 5x7 dot matrix, 6x7 dot matrix 	74LS191 1-30
Video Monitor 127.00	for graphics	74LS244 2-65 1488P 0-95
ACCESSORIES Floppy Disk 5%" Hard & Soft	Prices starting from £395 including delivery	1489P 0-95
sectored pack of 10 30.00		an and the second s
Floppy Disk 8" Hard & Soft	Interface boards and cables available for	MEMORY CHIPS
	Pet Apple TPS 90 1EEE/00 and sould	the second se
sectored pack of 10 35.00 C12 Computer cassettes	Pet, Apple, TRS 80. 1EEE488 and serial etc.	5116 each 6-40

Master Your Micro FAST with

Little Genius floppy diskette based courses will teach you, how to use your system and how to realise the full potential of the "Mighty Micro". These fully interactive computer lessons will guide you quickly to a high level of understanding and confidence in your ability to make the most of your microcomputer system. Courses now available:

- Applesoft BASIC Palsoft BASIC
- Advanced Applesoft BASIC
- Advanced Palsoft
- PETBASIC Advanced PET BASIC
- Applesoft BASIC BASIC Using your Apple Using your 2020

ittle G Each course, comprising a floppy diskette, and starting instructions, costs only £40.00 pius VAT.

SPECIAL"3 in one" OFFER for 3 courses covering the same

system only £99.00 plus VAT.

Little Genius courses are available from most computer retail outlets, or direct mail order from:

LITTLE GENIUS

Suite 504, Albany House, 324 Regent Street, London W1R 5AA. Telephone: 01-580 6361

Happy Memories

2114	200ns 450ns 450ns	£2.95		150ns 200ns 5V	
2100	100115	a.1.00	2110		æ10.00

Memorex soft-sectored mini-discs with free plastic library case £19.95 per 10.

Low profile I.C. sockets:
 Pins:
 8
 14
 16
 18
 20
 22
 24
 28
 40


 Pence:
 10
 11
 12
 16
 17
 19
 21
 27
 37

Euroconnectors: 64/96 Male (right angled) £2.39 64/96 Female £3.52 RS232 connectors (solder): Male 25 way: £1.86 Female 25 way: £2.13 Hoods: 66p

ALL PRICES VAT INCLUSIVE Please add 30p postage to orders under £10. Government + Educational orders welcome £10 minimum







Configuration shown is for word processing including WORDSTAR £5450

- ★ Full Business Systems available
- ★ 64K 4MUZ Memory
- ★ Rack Mounting available



- ★ Interface to most VDUS and printers
- ★ Wide range of high level Languages available
- ★ Fastest CPM Machine
- ★ 6 slot S100 mother board
- ★ 2 or 4MBYTE Disc Storage

For further information:- Tel: (0734) 587000 22, Portman Road, Battle Farm Estate, Reading, Berks.

Array Processing from Silicon Glen on the West Coast of

Scotland

Video Vector Dynamics Ltd announce what will be one of the most significant innovations in microcomputing during the 1980's — The VP 9500 Vector Processor. For more details contact:

> Video Vector Dynamics Ltd 39 Hope Street, Glasgow G2 6AE Telephone number 041-226 3481/2



224 EDGEWARE ROAD LONDON W2 1DN Tel (01) 402 8842

9

AJD Direct Supplies	
Ltd	13
Acorn Computers Lto	1.6
Aculab	2
Almarc Data Systems	
BNR & ES	14
BASF	4
B.E.M.	7
Bits & Pc's	15
Business & Leisure	14
Byte Shop	11
CCS Microhire	14
CPS	29/16
Cadle	2
Calco	16
Cambridge Comp Sho	
Camden Electronics	14
Central Calculators	16
Centralex	14
Chromasonic	15
Comart	6
Commodore	3
Comp Shop	168/IB
Computech	10
Computerama	13
Computerbits	15
Computopia	16
Creative Computing	1.
Crystal	15
Cumana	1
Currah	14
Databank Data Plus	327
Data Plus	2
Dator Mark Ltd	

	Datron	14
35	Digital Design &	
58	Development	14
24	Display Electronics	13
8	Drivers Jonas	15
14	Dyad	16
11	Easicomp	15
74	Electronic Brokers	15
50	Equinox	15
12	Facit	2
14	Galatrek	1
17	Gate Microsystems	15
31	Graffcom	15
28	Graham Dorian	10
33	GP Industrial	15
94	GW Computers	14/1
10	HL Audio	16
30	Happy Memories	16
42	AJ Harding	3
53	Hartford Software	16
37	Heath	27/29/3
39	Hewlett Packard	52/7
BC	Hitech Electronics	8
2	Intelligent Artifacts	15
33	Interactive Data	
59	Systems	14
64	Interface	8
7	Intex Datalog	6
50	KGB Micro	15
17	Kansas City Systems	14
48	Karadawn	13
32	Keen	6
28	Kemitron	15
78	Kobra Microsystems	9

143	L&J Computers	78	Personal Computers	OBC
	LP Enterprises	10/11	Petalect	106
144	LTT Electronics	26	Petsoft	108
137	Leicester Comp Centre	148	Premier Publications	157
154	Lion House	154	Printout	44
161	Little Genius	164	Research Machines	162
150	Liveport Data Systems		Rostronics	3
152	Logica	134	SMG Microcomputer	s 140
157	Logitek	9/146	Science of	
22	London Computer Sto	re 149	Cambridge	102/103
16	Lowe Electronics	21	Scope	158
159	Mad Hatter	160	Sharp	19
156	Matrix Computer		Sharp Co-op	112
101	Systems	20	Sigmatek	166
156	Mendip Computers	165	Sirton	151
4/15	Michael Johnson	138	Small Systems	6/32
160	Microbits	18	Software House	160
164	Micocontrol	166	Southern Software	144
30	Microcontrol	26	Stack	23/33
163	Microbyte	145	St. Commercial	
9/31	Microcentre	IFC	Systems	165
2/76	Microdata Comps	26/152	Sun	66
86	Microfacilities	161	Supersoft	106
158	Microsense	72	Swanley Electronics	163
	Microsolve	158	TVJ Microcomputers	35
142	Microtrend	104	Tandy	4/5
82	Micro UK	12/13	Templeman Software	e 31
66	Mighty Micro	120	Terminal Displays	140
155	Mike Dennis	156	Tor Business	165
146	Mike Rose Micros	28	Transam	25
136	Mine of Information	20	Troycrow	6
62	Newbear	139	Video Vector	166
152	Oxford Computing	96	Xitan	34
92	PHL	27		

CHIP CHA

Once upon a time a PCW Benchtester ran into problems with a machine under review. The company which loaned the system was contacted and the faults were confirmed; the company then added, "Look, if we forget to collect the machine from you, why don't you forget to mention these faults in your Benchtest?" Needless to say our Benchtester refused, the machine was returned and the faults duly reported in the Benchtest. Just in case anyone else is thinking of trying this, be warned: next time we shall Name Names...Still moralising, we can't approve of the latest marketing technique being pioneered by one 'H' of a well-known Tottenham Court Road outfit. HB Computers had a massive multi-dealer stand at the Online show, on which 'H' was seen to be doing brisk business selling hardware. Some time elapsed before HB realised that this particular firm was not part of the HB stand and in fact wasn't even exhibiting at

the show! 'H' was duly invited to remove himself from the stand. "It was just accidental," he told us later, denying that he had gone on to sell hardware on other stands at the show: "I was selling books," he said... The HB stand was by far the biggest at the show. "Next year we're inviting Online to take part in our show," said HB man Stuart Whittaker... Our newshound Guy Kewney was seen leaving the Online show with a Transam Tuscan Kit tucked up his sleeve (he wears a kimono especially for this purpose when visiting shows); what's he up to? No doubt we'll find out sooner or later ... About to burst onto the scene, with a rumoured \$8 million advertising budget, is Atari, determined to dominate the home market (although the Japanese will give them a run for their money); supremo in this country is Steve Bernard, a one-time mobile disco DJ — sounds like he'd get on well with ex-DJ 'Spangles' Cary of Comp Shop...Talking of Comp Shop, have you

noticed their ad for refurbished ZX80s? Already !?... Look out next month for news of a giant jolly to next April's Sixth West Coast Faire at an astonishingly value-for-money price ... This month's

Interesting Idea: an ingenious use of a bar code reader for inputting Basic command words, speeding up program-ming immensely. If the pioneer would like to contact us, we'd be most interested... Who are Diego Rincon and Halina di-Lallo? Persons answering to these unlikely names allegedly inhabit the offices of *Computing Toady*; who'll be the first to un-Personally, we don't believe they exist at all and this opinion will only be altered by their appearing at our office, offering to buy us lunch (which we'll accept).... The identity of microgossiper 'Inside Trader' of Printout has been revealed at last; he confessed, in confidence, to Guy Kewney who, naturally, immediately told us. If you want to know who it is then come to the PCW show, bearing a bid in a sealed envelope. Bids will be examined on the final day of the show and the Truth will be passed on to the donator of the highest bribe — er, bid that is...Commodore is now selling a new accounting package in favour of their own. The proud owners?

no less than Colin Stanley and Mick (not Mike) Hambly of HB....US software houses have an uncanny knack of coming out with games which accurately reflect the American version of the real world. The latest offering to come to our notice is called "Free the Hostages!" (sick), in which you have to rescue "the beautiful Delilah" and her friends who are being held by the "High Tollah" and his mates following the removal of their leader, the "Shah Tollah"; the ad doesn't say whether the game is approved by Jimmy Carter. On similar lines, another company advertises a game called "Interlude" which, it's claimed, will "turn your love life into exciting, adventurous, delicious fun!" Among the features offered by the full-colour advert (which shows a scantily-clad lady lounging on satin sheets with an Apple II) are "wet fun on a hot summer night" and "a bubble bath that ends with a bang". . . Good to see that 'Uncle' Clive Sinclair recogizes quality when he sees it. His latest ZX80 ads in the national press call PCW "the leading journal in the field". A pity, then, that this truism appears directly below the over-enthusiastic statement that the ZX80 is "sophisticated enough to do quite literally anything", including 'managing a business''!







TRS 80 · MODEL II

This new unit from the world's most successful micro company is now available immediately with software.

The basic unit comes complete with 64 thousand characters (bytes) of Memory. The built in 8" Floppy disc adds another 1/2 million extra characters including the disc operating system. More disc expansion is now available.

The Model II is a complete unit with a full keyboard including a numeric pad and 12" screen which gives 24 lines of 80 characters. The computer is supplied with both the disc operating system and the Level III Basic.

A full self test routine is written into the power up procedure to eliminate incorrect operation. Both serial and parallel expansion sockets are standard. A printer is a plug-in operation.

Both hardware and software necessary to talk to a mainframe are included. Terminal usage is very possible. With the addition of CPM2 you can operate with COBOL, FORTRAN, MBASIC, CBASIC in which languages are many other applications packages i.e. accounting, payroll stock etc.

64K 1-Disk Model I	£1995.00 + VAT	CP/M2	£95.00
*	RRP £2250.00	CIS COBOL	£400.00
1 DISK EXPAN	NSION	C BASIC M BASIC	£75.00 £155.00
Room for	3	FORTRAN	£220.00
500K per Drive giv		WORDSTAR	£255.00
of 1.5M Byte - 1	Drive plus Cabine	et £799 + VAT	



26 megabyte Hard Disc multi-user DOS



MACHINE IN OUR BUSINESS



the period, Personal computer market — in fact, we started it! Over this period, Personal Computers Limited have formed a group of graduate specialists who will help you in the fields of word processing, financial planning, statistics, economic modelling, forecasting, accounting systems, foreign exchange, banking and oil exploration. We also do rather well with computer graphics and highly recommend the graphics tablets and our plotter for Apple.

We can also offer two excellent items of software - Format 40 and Visicalc - at a combined price of ONLY £189, and the Super Sound Generator for only £90! (excl. V.A.T.)



8" Disk Drive (above left)

Our 8" disks are still as popular as ever -2 drives give you 1.2MB with all the reliable security of Shugart Technology. Easily interfaced to Apple, uses the same D.O.S.

A.I.O. Serial and Parallel Card (above centre)

Three hand-shake lines (R.T.S., C.T.S. and D.C.D.). Firmware for serial interfaces on-board, software for parallel printer available, 2 bi-directional 8 bit parallel ports, plus 4 additional interrupt and hand-shaking lines.

Light Pen (above right)

and we do

it rather well!

A much sought after product which we introduced to the U.K.


... opens up the real commercial world for all Apple owners.

Paper Tiger (Below centre)

132 character line, plus graphics, 8 character sizes, ordinary paper, mutli copy, upper and lower case 96 character, parallel/serial, form control.

Centronics 730 (Below right)

A substantial, robust printer from a major manufacturer. 3 way par handling system, 100 character per second. Special low-cost includi interface. 96 characters.



Items pictured

Sharp MZ - 80K

A new generation of personal computer, self contained, versatile an starting at only £570 (excl. VAT). Explore the Zilog Z80 now the eas way. Disks and printer available shortly. Numeric Keypad

... with 8 function keys is a must in all financial applications.

TCM 100 & TCM 200

... both now have graphics as well as their own power supply, essentia with this type of printer.

Qume Sprint 5

This is what we do ...

The quality word processing printer. Clean, clear executive reports the way you want them. Can print up to 5760 points per square inch – or ever print in 2 colours.

DOR

Personal Computers Limited 194-200 Bishopsgate, London EC2M 4NR. Tel. 01 626 8121

TEM BOO